

# Perchloroethylene (CASRN: 127-18-4) Bibliography: Supplemental File for the TSCA Scope Document

## TABLE OF CONTENTS

---

Peer Reviewed Literature Search Results .....	2
Fate Literature Search Results.....	2
On Topic .....	2
Off Topic .....	12
Engineering Literature Search Results .....	174
On Topic .....	174
Off Topic .....	183
Exposure Literature Search Results.....	348
On Topic .....	348
Off Topic .....	367
Environmental Hazard Literature Search Results.....	522
On Topic .....	522
Off Topic .....	529
Human Health Hazard Literature Search Results .....	629
On Topic .....	629
Off Topic .....	657
OPPT Risk Assessment, Problem Formulation or Scope Document .....	734
On Topic .....	734
Gray Literature Search Results .....	738

This document provides the bibliographic citations that were identified and screened from the initial literature search and the initial categorization of whether citations are *on topic* or *off topic*. *On topic* references are those that may contain data and/or information relevant to the risk evaluation. *Off topic* references are those that do not appear to contain data or information relevant to the risk evaluation.

Because systematic review is an iterative process, EPA/OPPT expects that some references may move from the *on topic* to the *off topic* category and vice versa. Additional *on topic* references not initially identified in the initial search may also be identified as the systematic review process proceeds. Moreover, targeted supplemental searches may be conducted to address specific needs for the analysis phase (e.g., to locate specific data needed for modeling).

Some of the references supporting the “Scope of the Risk Evaluation for Perchloroethylene” may not be reflected in the “OPPT Risk Assessment, Problem Formulation or Scope Document” section of this bibliography document. Thus, please refer to the bibliography included in the final scope document for the full list of references.

## **PEER REVIEWED LITERATURE SEARCH RESULTS**

---

The peer reviewed literature search results include studies posted on the [HERO Project Page for perchloroethylene](#) that were considered for the 2011 IRIS Toxicological Review of perchloroethylene and results from the comprehensive searches of bibliographic databases. The combined results were reviewed and determined to either be *on topic* or *off topic* with respect to the data needs of the five topic areas presented below. The full literature search strategy is presented in the *Strategy for Conducting Literature Searches for Perchloroethylene Supplemental File for the TSCA Scope Document*.

Citations are presented in the format returned from database searches. In some instances citations may be incomplete (e.g., publication year or journal information may be missing). Efforts to complete citation information are underway. Because each reference was considered for each topic area during screening, a citation may be listed as *on topic* or *off topic* in more than one topic area.

### **Fate Literature Search Results**

#### ***On Topic***

- Abe, Y; Aravena, R; Zopfi, J; Parker, B; Hunkeler, D. (2009). Evaluating the fate of chlorinated ethenes in streambed sediments by combining stable isotope, geochemical and microbial methods. *J Contam Hydrol.* 107: 10-21. <http://dx.doi.org/10.1016/j.jconhyd.2009.03.002>.
- Abriola, LM; Drummond, CD; Hahn, EJ; Hayes, KF; Kibbey, TCG; Lemke, LD; Pennell, KD; Petrovskis, EA; Ramsburg, CA; Rathfelder, KM. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 1. Site characterization and test design. *Environ Sci Technol.* 39: 1778-1790. <http://dx.doi.org/10.1021/es0495819>.
- Adachi, A; Sakurai, H; Okano, T. (2007). Effect of spherosome on degradation of tetrachloroethylene in soil. *J Agric Food Chem.* 55: 9149-9151. <http://dx.doi.org/10.1021/jf071336w>.
- Aeppli, C; Hofstetter, TB; Amaral, HI; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying in situ transformation rates of chlorinated ethenes by combining compound-specific stable isotope analysis, groundwater dating, and carbon isotope mass balances. *Environ Sci Technol.* 44: 3705-3711. <http://dx.doi.org/10.1021/es903895b>.
- Ahlers, J; Regelmann, J; Riedhammer, C. (2003). Environmental risk assessment of airborne trichloroacetic acid - a contribution to the discussion on the significance of anthropogenic and natural sources. *Chemosphere.* 52: 531-537. [http://dx.doi.org/10.1016/S0045-6535\(03\)00201-7](http://dx.doi.org/10.1016/S0045-6535(03)00201-7).
- Ahmed, AA; Chen, D. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J.* 24: 159-164. <http://dx.doi.org/10.1111/j.1747-6593.2009.00175.x>.
- Ajo-Franklin, JB; Geller, J, iIT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Ala, NK; Domenico, PA. (1992). INVERSE ANALYTICAL TECHNIQUES APPLIED TO COINCIDENT CONTAMINANT DISTRIBUTIONS AT OTIS-AIR-FORCE-BASE, MASSACHUSETTS. *Ground Water.* 30: 212-218.

## Fate Literature Search Results

### On Topic

- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess.* 171: 171-180. <http://dx.doi.org/10.1007/s10661-009-1269-y>.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal.* 19: 1253-1267. <http://dx.doi.org/10.1007/s10040-011-0742-1>.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation.* 35: 57-66. <http://dx.doi.org/10.1111/gwmmr.12133>.
- Allen-King, RM; Divine, DP; Robin, MJL; Alldredge, JR; Gaylord, DR. (2006). Spatial distributions of perchloroethylene reactive transport parameters in the Borden Aquifer. *Water Resour Res.* 42: 1413-1413. <http://dx.doi.org/10.1029/2005WR003977>.
- Allen-King, RM; Groenevelt, H; Warren, CJ; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol.* 22: 3-4.
- Allen-King, RM; Kalinovich, I; Dominic, DF; Wang, G; Polmanteer, R; Divine, D. (2015). Hydrophobic organic contaminant transport property heterogeneity in the Borden Aquifer. *Water Resour Res.* 51: 1723-1743. <http://dx.doi.org/10.1002/2014WR016161>.
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng.* 30: 51-66. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.008>.
- Antonelli, R; Dal PRA, A. (1991). PROBLEMS OF CONTAMINATION AND PROTECTION OF UNDERGROUND WATERS IN THE VENETO ALLUVIAL PLAIN NORTHERN ITALY (pp. 20-21). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/13845). Antonelli, R; Dal PRA, A.
- Ariya, PA; Catoire, V; Sander, R; Niki, H; Harris, GW. (1997). Trichloroethene and tetrachloroethene: Tropospheric probes for Cl- and Br-atom reactions during polar sunrise. *Tellus B Chem Phys Meteorol.* 49: 583-591.
- Artimo, A. (2002). Application of flow and transport models to the polluted Honkala aquifer, Sakyla, Finland. *Boreal Environmental Research.* 7: 161-172.
- Aschengrau, A; Gallagher, LG; Winter, MR; Vieira, VM; Janulewicz, PA; Webster, TF; Ozonoff, DM. (2016). No Association Between Unintentional Head Injuries and Early-Life Exposure to Tetrachloroethylene (PCE)-Contaminated Drinking Water. *J Occup Environ Med.* 58: 1040-1045. <http://dx.doi.org/10.1097/JOM.0000000000000850>.
- Aschengrau, A; Janulewicz, PA; White, RF; Vieira, VM; Gallagher, LG; Getz, KD; Webster, TF; Ozonoff, DM. (2016). Long-term Neurotoxic Effects of Early-life Exposure to Tetrachloroethylene-contaminated Drinking Water. 82: 169-179. <http://dx.doi.org/10.1016/j.aogh.2016.01.013>.
- Aschengrau, A; Ozonoff, D; Paulu, C; Coogan, P; Vezina, R; Heeren, T; Zhang, Y. (1993). Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. *Arch Environ Health.* 48: 284-292. <http://dx.doi.org/10.1080/00039896.1993.9936715>.
- Aschengrau, A; Paulu, C; Ozonoff, D. (1998). Tetrachloroethylene-contaminated drinking water and the risk of breast cancer. *Environ Health Perspect.* 106: 947-953.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect.* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health.* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Aschengrau, A; Winter, MR; Vieira, VM; Webster, TF; Janulewicz, PA; Gallagher, LG; Weinberg, J; Ozonoff, DM. (2015). Long-term health effects of early life exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 14: 36. <http://dx.doi.org/10.1186/s12940-015-0021-z>.
- Ashfold, MJ; Pyle, JA; Robinson, AD; Meneguz, E; Nadzir, MSM; Phang, SM; Samah, AA; Ong, S; Ung, HE; Peng, LK; Yong, SE; Harris, NRP. (2015). Rapid transport of East Asian pollution to the deep tropics. *Atmos Chem Phys.* 15: 3565-3573. <http://dx.doi.org/10.5194/acp-15-3565-2015>.
- Atlas, E; Schauffler, SM; Merrill, JT; Hahn, CJ; Ridley, B; Walega, J; Greenberg, J; Heidt, L; Zimmerman, P. (1992). ALKYL NITRATE AND SELECTED HALOCARBON MEASUREMENTS AT MAUNA-LOA-OBSERVATORY, HAWAII. *J Geophys Res Atmos.* 97: 10331-10348.
- Atteia, O; Hoehener, P. (2012). Fast semi-analytical approach to approximate plumes of dissolved redox-reactive pollutants in heterogeneous aquifers. 2: Chlorinated ethenes. *Advances in Water Resources.* 46: 74-83. <http://dx.doi.org/10.1016/j.advwatres.2012.02.006>.
- Audí-Miró, C; Cretnik, S; Torrentó, C; Rosell, M; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. *J Hazard Mater.* 299: 747-754. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.052>.
- Aulenta, F; Bianchi, A; Majone, M; Petrangeli Papini, M; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int.* 31: 185-190. <http://dx.doi.org/10.1016/j.envint.2004.09.014>.

## Fate Literature Search Results

### On Topic

- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple dual C-Cl isotope patterns associated with reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 48: 9179-9186. <http://dx.doi.org/10.1021/es500822d>.
- Badin, A; Schirmer, M; Wermeille, C; Hunkeler, D. (2015). Perchloroethene source delineation using carbon-chlorine isotopic analysis: field investigations of isotopic signature variability. *Grundwasser.* 20: 263-270. <http://dx.doi.org/10.1007/s00767-015-0301-0>.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environ Sci Technol.* 42: 1268-1275. <http://dx.doi.org/10.1021/es071552l>.
- Baehr, AL; Stackelberg, PE; Baker, RJ. (1999). Evaluation of the atmosphere as a source of volatile organic compounds in shallow groundwater. *Water Resour Res.* 35: 127-136.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation.* 36: 38-53. <http://dx.doi.org/10.1111/gwmr.12149>.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res.* 33: 2741-2757.
- Ball, WP; Roberts, PV. (1991). LONG-TERM SORPTION OF HALOGENATED ORGANIC-CHEMICALS BY AQUIFER MATERIAL .2. INTRAPARTICLE DIFFUSION. *Environ Sci Technol.* 25: 1237-1249.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere.* 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation.* 26: 115-127.
- Barber, LB; Keefe, SH; Leblanc, DR; Bradley, PM; Chappelle, FH; Meyer, MT; Loftin, KA; Kolpin, DW; Rubio, F. (2009). Fate of Sulfamethoxazole, 4-Nonylphenol, and 17 beta-Estradiol in Groundwater Contaminated by Wastewater Treatment Plant Effluent. *Environ Sci Technol.* 43: 4843-4850. <http://dx.doi.org/10.1021/es803292v>.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol.* 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Becker, JG; Seagren, EA. (2009). Modeling the Effects of Microbial Competition and Hydrodynamics on the Dissolution and Detoxification of Dense Nonaqueous Phase Liquid Contaminants. *Environ Sci Technol.* 43: 870-877. <http://dx.doi.org/10.1021/es801616f>.
- Binger, CA; Martin, JP; Allen-King, RM; Fowler, M. (1999). Variability of chlorinated-solvent sorption associated with oxidative weathering of kerogen. *J Contam Hydrol.* 40: 137-158.
- Biswas, N; Zytner, RG; Mccorquodale, JA; Bewtra, JK. (1991). PREDICTION OF THE MOVEMENT OF PERCHLOROETHYLENE IN SOIL COLUMNS. *Water Air Soil Pollut.* 60: 361-380.
- Blake, NJ; Blake, DR; Chen, TY; Collins, JE; Sachse, GW; Anderson, BE; Rowland, FS. (1997). Distribution and seasonality of selected hydrocarbons and halocarbons over the western Pacific basin during PEM-West A and PEM-West B. *J Geophys Res Atmos.* 102: 28315-28331.
- Blake, NJ; Blake, DR; Wingenter, OW; Sive, BC; Kang, CH; Thornton, DC; Bandy, AR; Atlas, E; Flocke, F; Harris, JM; Rowland, FS. (1999). Aircraft measurements of the latitudinal, vertical, and seasonal variations of NMHCs, methyl nitrate, methyl halides, and DMS during the First Aerosol Characterization Experiment (ACE 1). *J Geophys Res Atmos.* 104: 21803-21817.
- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of multiple chlorinated ethene sources in an industrialized area--a forensic field study using compound-specific isotope analysis. *Environ Sci Technol.* 43: 2701-2707. <http://dx.doi.org/10.1021/es803100p>.
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. *J Contam Hydrol.* 94: 13-33. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.002>.
- Bouhamra, WS; Elkilani, AS. (1999). Investigation and modeling of surface sorption-desorption behavior of volatile organic compounds for indoor air quality analysis. *Environ Technol.* 20: 531-545.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). MIGRATION OF CHLORINATED-HYDROCARBON SOLVENTS THROUGH COVENTRY SANDSTONE ROCK COLUMNS. *J Hydrol.* 149: 183-207.
- Bozzelli, JW; Kebbekus, BB. (1979). Analysis of selected volatile organic substances in ambient air. (PB80-144694). Newark, NJ: New Jersey Department of Environmental Protection. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80144694>.
- Bradley, PM. (2000). Microbial degradation of chloroethenes in groundwater systems. *Hydrogeology Journal.* 8: 104-111.
- Brandes, D; Farley, KJ. (1993). Importance of phase behaviour on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res.* 65: 869-878.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corn cobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res.* 40: 2125-2134. <http://dx.doi.org/10.1016/j.watres.2006.04.011>.
- Brodsky, J; Brodesser, J; Bauer, C; Roembke, J. (1997). The environmental fate of six existing chemicals in laboratory tests. *Chemosphere.* 34: 515-538.
- Brodzinsky, R; Singh, HB. (1983). Volatile organic chemicals in the atmosphere: An assessment of available data. (EPA-600/3-83-027a; PB83-195503). Triangle Park, NC: U.S. Environmental Protection Agency.
- Brohholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere.* 36: 1799-1810.
- Burton, WC; Harte, PT. (2013). Bedrock Geology and Outcrop Fracture Trends in the Vicinity of the Savage Municipal Well Superfund Site, Milford, New Hampshire. 25.
- Cal/EPA. (2001). Public health goal for tetrachloroethylene in drinking water. Sacramento, CA: Office of Environmental Health Hazard Assessment. <http://www.oehha.org/water/phg/pdf/PCEAug2001.pdf>.

## Fate Literature Search Results

### On Topic

- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng.* 124: 1054-1060.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water.* 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere.* 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chiemchaisri, W; Chiemchaisri, C; Khananathi, U; Kumar, S; Bharti, A; Fan, M. (2010). Role of final cover soil in regulating volatile organic compounds: emissions from solid waste disposal sites in developing countries. *Int J Environ Pollut.* 43: 3-15.
- Chiou, CT; Freed, VH; Schmedding, DW; Kohnert, RL. (1977). Partition coefficient and bioaccumulation of selected organic chemicals. *Environ Sci Technol.* 11: 475-478. <http://dx.doi.org/10.1021/es60128a001>.
- Chiriac, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, JM. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater.* 149: 249-263. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.094>.
- Chiriac, R; Carre, J; Perrodin, Y; Vaillant, H; Gasso, S; Miele, P. (2009). Study of the dispersion of VOCs emitted by a municipal solid waste landfill. *Atmos Environ.* 43: 1926-1931. <http://dx.doi.org/10.1016/j.atmosenv.2008.12.038>.
- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal.* 12: NIL\_318-NIL\_328. <http://dx.doi.org/10.2136/vzj2012.0081>.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry.* 59: 143-160.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol.* 42: 113-140.
- Conant, B; Cherry, JA; Gillham, RW. (2004). A PCE groundwater plume discharging to a river: influence of the streambed and near-river zone on contaminant distributions. *J Contam Hydrol.* 73: 249-279. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.001>.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). METHANOGENIC BIOTRANSFORMATION OF CHLORINATED HYDROCARBONS IN GROUND-WATER. *J Environ Eng.* 117: 47-65.
- Costanza, J, ed; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. *Environ Sci Technol.* 41: 1729-1734. <http://dx.doi.org/10.1021/es062419g>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol.* 126: 315-329. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- Dewulf, J; Van Langenhove, M; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res.* 32: 2941-2950. [http://dx.doi.org/10.1016/S0043-1354\(98\)00058-X](http://dx.doi.org/10.1016/S0043-1354(98)00058-X).
- Dewulf, JP; Van Langenhove, HR; Der Auwera, LF. (1998). Air/water exchange dynamics of 13 volatile chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in the southern North Sea and the Scheldt estuary. *Environ Sci Technol.* 32: 903-911. <http://dx.doi.org/10.1021/es970765f>.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res.* 32: 3325-3330.
- Dilling, WL; Bredeweg, CJ; Tefertiller, NB. (1976). Organic photochemistry: Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environ Sci Technol.* 10: 351-356. <http://dx.doi.org/10.1021/es60115a006>.
- Dilling, WL; Tefertiller, NB; Kallos, GJ. (1975). Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environ Sci Technol.* 9: 833-838. <http://dx.doi.org/10.1021/es60107a008>.
- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit.* 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Doust, HG; Huang, JC. (1992). THE FATE AND TRANSPORT OF HAZARDOUS CHEMICALS IN THE SUBSURFACE ENVIRONMENT. *Water Sci Technol.* 25: 169-176.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Loffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res.* 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1986). RADIATION-CHEMICAL DEGRADATION OF TRACES OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE IN DRINKING WATER (pp. 196-203). (ISSN 0044-3727; BIOSIS/87/06691). Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H.
- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water.* 45: 147-157. <http://dx.doi.org/10.1111/j.1475-6584.2006.00269.x>.

## Fate Literature Search Results

### On Topic

- Gilbert, D; Goyer, M; Lyman, W; Magil, G; Walker, P; Wallace, D; Wechsler, A; Yee, J. (1982). An exposure and risk assessment for tetrachloroethylene. (EPA-440/4-85-015). Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000LLOH.txt>.
- Golfinopoulos, SK; Kostopoulou, MN; Lekkas, TD. (1998). Volatile halogenated organics in the water supply system in Athens, Greece. *Water Res.* 32: 1811-1818. [http://dx.doi.org/10.1016/S0043-1354\(97\)00404-1](http://dx.doi.org/10.1016/S0043-1354(97)00404-1).
- Gossett, JM. (1987). Measurement of Henry's law constants for C1 and C2 chlorinated hydrocarbons. *Environ Sci Technol.* 21: 202-208. <http://dx.doi.org/10.1021/es00156a012>.
- Grzechulska-Damszel, J; Grzeskowiak, M; Przepiorski, J; Morawski, AW. (2014). Photocatalytic Decomposition of low-concentrated Trichloroethylene and Tetrachloroethylene in Water. *International Journal of Environmental Research.* 8: 347-352.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water.* 43: 70-86.
- Harley, RA; Cass, GR. (1994). Modeling the concentrations of gas-phase toxic organic air pollutants: Direct emissions and atmospheric formation. *Environ Sci Technol.* 28: 88-98. <http://dx.doi.org/10.1021/es00050a013>.
- Harvey, RW; Barber, LB. (1992). ASSOCIATIONS OF FREE-LIVING BACTERIA AND DISSOLVED ORGANIC-COMPOUNDS IN A PLUME OF CONTAMINATED GROUNDWATER. *J Contam Hydrol.* 9: 91-103.
- Haston, ZC; Mccarty, PL. (1999). Chlorinated ethene half-velocity coefficients (K<sub>s</sub>) for reductive dehalogenation. *Environ Sci Technol.* 33: 223-226.
- Health, VDo. (2015). Health Consultation: Sandston PCE Site, Sandston, Henrico County, Virginia, September 30, 2015. Atlanta, Georgia. [https://www.atsdr.cdc.gov/HAC/pha/Sandston\\_air/Sandston\\_Air\\_LHC\\_Sept2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/Sandston_air/Sandston_Air_LHC_Sept2015_508.pdf).
- Henri, CV; Fernandez-Garcia, D; de Barros, FPJ. (2016). Assessing the joint impact of DNAPL source-zone behavior and degradation products on the probabilistic characterization of human health risk. *Advances in Water Resources.* 88: 124-138. <http://dx.doi.org/10.1016/j.advwatres.2015.12.012>.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol.* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofstee, C; Walker, RC; Dane, JH. (1998). Infiltration and redistribution of perchloroethylene in stratified water-saturated porous media. *Soil Sci Soc Am J.* 62: 13-22.
- Hoggan, JL; Bae, K; Kibbey, TC. (2007). Non-steady state partitioning of dry cleaning surfactants between tetrachloroethylene (PCE) and water in porous media. *J Contam Hydrol.* 93: 149-160. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.007>.
- Holzmer, FJ; Dwarakanath, V; Ewing, JE; Jin, MQ; Londergan, JT. (2005). Characterization of tetrachloroethene DNAPL in low-permeability coastal plain sediments, North Carolina. *Environmental and Engineering Geoscience.* 11: 197-208.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environ Sci Technol.* 39: 5975-5981. <http://dx.doi.org/10.1021/es048464a>.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol.* 74: 265-282. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.003>.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environ Sci Technol.* 35: 3792-3797.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut.* 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- Johnson, RL; Thoms, RB; Zogorski, JS. (2003). Effects of daily precipitation and evapotranspiration patterns on flow and VOC transport to groundwater along a watershed flow path. *Environ Sci Technol.* 37: 4944-4954.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res.* 34: 4161-4168.
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environ Sci Technol.* 38: 2209-2216. <http://dx.doi.org/10.1021/es034661i>.
- Kiecak, A; Kret, E; wa; Cichostepska, M; Malina, G. (2013). ASSESSMENT OF INTRINSIC BIODEGRADATION POTENTIALS IN AN AQUIFER CONTAMINATED WITH CHLORINATED ETHENES IN THE VICINITY OF NOWA DEBA. 20: 265-278. <http://dx.doi.org/10.2478/eces-2013-0019>.
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J.* 69: 990-995. <http://dx.doi.org/10.2136/sssaj2003.0208>.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (2000). The aqueous solubility of trichloroethene (TCE) and tetrachloroethene (PCE) as a function of temperature. *Appl Geochem.* 15: 501-512.

## Fate Literature Search Results

### On Topic

- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888. <http://dx.doi.org/10.1007/s11356-015-4156-9>.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerthsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res.* 16: 54-62.
- Kueper, BH; Redman, D; Starr, RC; Reitsma, S; Mah, M. (1993). A FIELD EXPERIMENT TO STUDY THE BEHAVIOR OF TETRACHLOROETHYLENE BELOW THE WATER-TABLE - SPATIAL-DISTRIBUTION OF RESIDUAL AND POOLED DNAPL. *Ground Water.* 31: 756-766.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environ Sci Technol.* 34: 2484-2489. <http://dx.doi.org/10.1021/es9900095>.
- Kyung, D; Sihm, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater.* 311: 1-10. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.074>.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environ Sci Technol.* 42: 1711-1717. <http://dx.doi.org/10.1021/es0717055>.
- Lawrence, A; Stuart, M; Cheney, C; Jones, N; Moss, R. (2006). Investigating the scale of structural controls on chlorinated hydrocarbon distributions in the fractured-porous unsaturated zone of a sandstone aquifer in the UK. *Hydrogeology Journal.* 14: 1470-1482. <http://dx.doi.org/10.1007/s10040-006-0068-6>.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res.* 34: 2390-2396.
- Ledakowicz, S; Miller, JS. (1993). KINETICS OF TETRACHLOROETHENE PHOTOCHEMICAL DECHLORINATION. *Chem Eng Sci.* 48: 2443-2451.
- Lee, M. (1998). The remediation of tetrachloroethylene by surfactant flushing in both the saturated and the unsaturated zone. *Environ Technol.* 19: 1073-1083.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, YG; Park, J. (2013). Effect of soil organic carbon on sorption and desorption of perchloroethylene in soils. *Korean J Chem Eng.* 30: 345-350. <http://dx.doi.org/10.1007/s11814-012-0222-x>.
- Lemke, LD; Bahrou, AS. (2009). Partitioned multiobjective risk modeling of carcinogenic compounds in groundwater. *Stoch Environ Res Risk Assess.* 23: 27-39. <http://dx.doi.org/10.1007/s00477-007-0192-4>.
- Li, ZH; Bowman, RS. (1998). Sorption of chromate and PCE by surfactant-modified clay minerals. *Environ Eng Sci.* 15: 237-245.
- Lillian, D; Singh, HB; Appleby, A; Lobban, L; Arnst, R; Gumpert, R; Hague, R; Toomey, J; Kazakis, J; Antell, M; Hansen, D; Scott, B. (1975). Atmospheric fates of halogenated compounds. *Environ Sci Technol.* 9: 1042-1048. <http://dx.doi.org/10.1021/es60110a005>.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation.* 27: 108-121.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res.* 35: 1975-1985.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water.* 40: 175-184.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environ Sci Technol.* 35: 261-269. <http://dx.doi.org/10.1021/es001227x>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng.* 119: 300-320.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environ Sci Technol.* 33: 227-234.
- Love, OT, Jr; Eilers, RG. (1982). Treatment of drinking water containing trichloroethylene and related industrial solvents. *J Am Water Works Assoc.* 74: 413-425.
- Lu, C; Bjerg, PL; Zhang, F; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere.* 83: 1467-1474. <http://dx.doi.org/10.1016/j.chemosphere.2011.03.007>.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech.* 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res.* 30: 369-383.
- Massabo, M; Catania, F; Piazza, DD; Paladino, O. (2008). GROUNDWATER RISK ASSESSMENT OF PCE AT A CONTAMINATED SITE. *Fresen Environ Bull.* 17: 1452-1459.
- Mccarthy, MC; Hafner, HR; Chinkin, LR; Charrier, JG. (2007). Temporal variability of selected air toxics in the United States. *Atmos Environ.* 41: 7180-7194. <http://dx.doi.org/10.1016/j.atmosenv.2007.05.037>.
- Mchugh, TE; Rauch, SR; Paquette, SM; Connor, JA; Daus, AD. (2015). Life Cycle of Methyl tert-Butyl Ether in California Public Water Supply Wells. *Environ Sci Technol Lett.* 2: 7-11.

## Fate Literature Search Results

### On Topic

- Miller, DJ; Hawthorne, SB. (2000). Solubility of liquid organics of environmental interest in subcritical (hot/liquid) water from 298 K to 473 K. *Journal of Chemical and Engineering Data*. 45: 78-81.
- Newell, CJ; Cowie, I; Mcguire, TM; McNab, WW, Jr. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *J Environ Eng*. 132: 653-663. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(653\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(653)).
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environ Sci Technol*. 30: 31-37.
- Njoroge, BNK; Ball, WP; Cherry, RS. (1998). Sorption of 1,2,4-trichlorobenzene and tetrachloroethene within an authigenic soil profile: Changes in K<sub>oc</sub> with soil depth. *J Contam Hydrol*. 29: 347-377.
- Ohta, T; Morita, M; Mizoguchi, I; Tada, T. (1977). Washout effect and diurnal variation for chlorinated hydrocarbons in ambient air. *Atmos Environ*. 11: 985-987.
- Okouchi, S. (1986). VOLATILIZATION COEFFICIENT FOR STRIPPING TRICHLOROETHYLENE 1 1 1 TRICHLOROETHANE AND TETRACHLOROETHYLENE FROM WATER (pp. TREATMENT). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/86/31597). Okouchi, S.
- Oung, O; Hassanizadeh, SM; Bezuijen, A. (2005). Two-phase flow experiments in a geocentrifuge and the significance of dynamic capillary pressure effect. *Journal of Porous Media*. 8: 247-257.
- Page, JW; Soga, K; Illangasekare, T. (2007). The significance of heterogeneity on mass flux from DNAPL source zones: an experimental investigation. *J Contam Hydrol*. 94: 215-234. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.004>.
- Pankow, JF; Asher, WE; Zogorski, JS. (2006). Source apportionment modeling of volatile organic compounds in streams. *Environ Toxicol Chem*. 25: 921-932.
- Parker, JC. (2003). Physical Processes Affecting Natural Depletion of Volatile Chemicals in Soil and Groundwater. *Vadose Zone Journal*. 2: 222-230.
- Parker, WJ; Monteith, HD. (1996). Stripping of VOC's from dissolved air flotation. *Environmental Progress*. 15: 73-81.
- Parsons, F; Wood, PR; Demarco, J. (1984). Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc*. 762: 56-59.
- Pavlostathis, SG; Mathavan, GN. (1992). DESORPTION-KINETICS OF SELECTED VOLATILE ORGANIC-COMPOUNDS FROM FIELD CONTAMINATED SOILS. *Environ Sci Technol*. 26: 532-538.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere*. 27: 585-595.
- Pellizzari, ED; Wallace, LA; Gordon, SM. (1992). Elimination kinetics of volatile organics in humans using breath measurements. *J Expo Anal Environ Epidemiol*. 2: 341-355.
- Peng, J. (1998). Distribution of volatile organic contaminants between water and air. *Can J Civ Eng*. 25: 1091-1095.
- Peng, J; Bewtra, JK; Biswas, N. (1994). VOLATILIZATION OF SELECTED ORGANIC-COMPOUNDS FROM QUIESCENT WATER. *J Environ Eng*. 120: 662-669.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Manag Res*. 33: 339-344. <http://dx.doi.org/10.1177/0734242X14567505>.
- Pignatello, JJ. (1991). DESORPTION OF TETRACHLOROETHENE AND 1,2-DIBROMO-3-CHLOROPROPANE FROM AQUIFER SEDIMENTS. *Environ Toxicol Chem*. 10: 1399-1404.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol*. 190: 29-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.03.005>.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KT; Prommer, H. (2009). Aerobic biodegradation of chlorinated ethenes in a fractured bedrock aquifer: quantitative assessment by compound-specific isotope analysis (CSIA) and reactive transport modeling. *Environ Sci Technol*. 43: 7458-7464. <http://dx.doi.org/10.1021/es900658n>.
- Poulsen, MM; Kueper, BH. (1992). A FIELD EXPERIMENT TO STUDY THE BEHAVIOR OF TETRACHLOROETHYLENE IN UNSATURATED POROUS-MEDIA. *Environ Sci Technol*. 26: 889-895.
- Puigserver, D; Herrero, J; Torres, M; Cortés, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int*. 23: 18724-18741. <http://dx.doi.org/10.1007/s11356-016-7068-4>.
- Pusz, A; Kulig, A. (2014). MONITORING OF TRICHLOROETHENE AND TETRACHLOROETHENE CONTENT IN SOIL-WATER ENVIRONMENT IN THIRD PHASE OF ECOLOGICAL AUDIT OF LAND. 40: 65-80. <http://dx.doi.org/10.2478/aep-2014-0016>.
- Putthividhya, A; Rodphai, S. (2013). Use of geostatistical models in DNAPL source zone architecture and dissolution profiles assessment in spatially variable aquifer. *Environ Earth Sci*. 70: 1983-1991. <http://dx.doi.org/10.1007/s12665-013-2713-4>.
- Qiu, Z; Yang, W; He, L; Zhao, Z; Lu, S; Sui, Q. (2016). Characteristics and influencing factors of tetrachloroethylene sorption-desorption on soil and its components. *Chemosphere*. 144: 895-901. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.047>.
- Rashid, M, dM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air Soil Pollut*. 216: 429-440. <http://dx.doi.org/10.1007/s11270-010-0542-6>.
- Rashid, M, dM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *J Environ Eng*. 138: 1179-1185. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000590](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000590).
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Intermediates in photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa*. 24: 643-650.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water*. 40: 368-377.



## Fate Literature Search Results

### On Topic

- Ritzi, RW, Jr; Huang, L; Ramanathan, R; Allen-King, RM. (2013). Horizontal spatial correlation of hydraulic and reactive transport parameters as related to hierarchical sedimentary architecture at the Borden research site. *Water Resour Res.* 49: 1901-1913. <http://dx.doi.org/10.1002/wrcr.20165>.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol.* 66: 117-146. [http://dx.doi.org/10.1016/S0169-7722\(03\)00006-8](http://dx.doi.org/10.1016/S0169-7722(03)00006-8).
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol.* 49: 111-149. [http://dx.doi.org/10.1016/S0169-7722\(00\)00191-1](http://dx.doi.org/10.1016/S0169-7722(00)00191-1).
- Rivett, MO; Shepherd, KA; Keeys, LL; Brennan, AE. (2005). Chlorinated solvents in the Birmingham aquifer, UK: 1986-2001. *Quarterly Journal of Engineering Geology and Hydrogeology.* 38: 337-350. <http://dx.doi.org/10.1144/1470-9236/04-051>.
- Rodriguez, C; Linge, K; Blair, P; Buseti, F; Devine, B; Van Buynder, P; Weinstein, P; Cook, A. (2012). Recycled water: potential health risks from volatile organic compounds and use of 1,4-dichlorobenzene as treatment performance indicator. *Water Res.* 46: 93-106. <http://dx.doi.org/10.1016/j.watres.2011.10.032>.
- Rodriguez, E; McGuinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol.* 45: 623-632. <http://dx.doi.org/10.1007/s00254-003-0920-0>.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res.* 35: 1231-1246.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Salkinoja-Salonen, M; Uotila, J; Jokela, J; Laine, M; Sasaki, E. (1995). ORGANIC HALOGENS IN THE ENVIRONMENT STUDIES OF ENVIRONMENTAL BIODEGRADABILITY AND HUMAN EXPOSURE. *Environ Health Perspect.* 103: 63-69.
- Sanz, J; Garcia, A; Miro, J; Miguel, C. (2013). Drinking water supply by reverse osmosis plants: three years of experience at El Prat de Llobregat Municipality. *Desalination and Water Treatment.* 51: 124-131. <http://dx.doi.org/10.1080/19443994.2012.704728>.
- Saquin, JM; Mitchell, LA; Wu, B; Wagner, TB; Knappe, DR; Barlaz, MA. (2010). Factors controlling alkylbenzene and tetrachloroethene desorption from municipal solid waste components. *Environ Sci Technol.* 44: 1123-1129. <http://dx.doi.org/10.1021/es9030672>.
- Schaefer, CE; Callaghan, A, myV; King, JD; Mccray, JE. (2009). Dense Nonaqueous Phase Liquid Architecture and Dissolution in Discretely Fractured Sandstone Blocks. *Environ Sci Technol.* 43: 1877-1883. <http://dx.doi.org/10.1021/es8011172>.
- Schaefer, CE; White, EB; Lavorgna, GM; Annable, MD. (2016). Dense Nonaqueous-Phase Liquid Architecture in Fractured Bedrock: Implications for Treatment and Plume Longevity. *Environ Sci Technol.* 50: 207-213. <http://dx.doi.org/10.1021/acs.est.5b04150>.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN\_2D. *Hydrolog Process.* 13: 2847-2859.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation.* 19: 115-124.
- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Sci Technol.* 58: 1137-1145. <http://dx.doi.org/10.2166/wst.2008.729>.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol.* 157: 25-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.006>.
- Schoknecht, W; Wodarz, R; Fritzsche, I; Weichardt, H. (1983). SIMPLE GAS-CHROMATOGRAPHIC DETERMINATION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE AS WELL AS OF THEIR METABOLITES IN BIOLOGICAL SAMPLES IN A SINGLE OPERATION. *Staub, Reinhaltung der Luft.* 43: 186-188.
- Schon, T; Seebacher, W; Kreuzig, R; Bahadir, M. (1999). On the degradability of tetrachloroethene in biologically treated wastes. *Chemosphere.* 39: 603-609.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int. Special issue no. 1:* 38-45.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected non-methane organic compounds in landfill cover soils. *Environ Sci Technol.* 37: 5150-5158. <http://dx.doi.org/10.1021/es034016b>.
- Schwarzenbach, RP; Molnar-Kubica, E; Giger, W; Wakeham, SG. (1979). Distribution, residence time, and fluxes of tetrachloroethylene and 1,4-dichlorobenzene in Lake Zurich, Switzerland. *Environ Sci Technol.* 13: 1367-1373.
- Seip, H; Alstad, J; Carlberg, G; Martinsen, K; Skaane, R. (1986). Measurement of mobility of organic compounds in soils. *Sci Total Environ.* 50: 87-101. [http://dx.doi.org/10.1016/0048-9697\(86\)90353-0](http://dx.doi.org/10.1016/0048-9697(86)90353-0).
- Shani, N; Rossi, P; Holliger, C. (2013). Correlations between Environmental Variables and Bacterial Community Structures Suggest Fe(III) and Vinyl Chloride Reduction As Antagonistic Terminal Electron-Accepting Processes. *Environ Sci Technol.* 47: 6836-6845. <http://dx.doi.org/10.1021/es304017s>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys.* 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.

## Fate Literature Search Results

### On Topic

- Shimotori, T; Arnold, WA. (2002). Henry's law constants of chlorinated ethylenes in aqueous alcohol solutions: Measurement, estimation, and thermodynamic analysis. *Journal of Chemical and Engineering Data*. 47: 183-190. <http://dx.doi.org/10.1021/je010132n>.
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res*. 35: 1941-1950.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environ Sci Technol*. 35: 901-907. <http://dx.doi.org/10.1021/es001583f>.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachlorethene degradation sustained by endogenous cell decay. *J Environ Eng Sci*. 4: 11-17. <http://dx.doi.org/10.1139/S04-038>.
- Sleep, BE; McClure, PD. (2001). The effect of temperature on adsorption of organic compounds to soils. *Canadian Geotechnical Journal*. 38: 46-52.
- Sogaard, EG; Aruna, R; Abraham-Peskir, J; Koch, CB. (2001). Conditions for biological precipitation of iron by *Gallionella ferruginea* in a slightly polluted ground water. *Appl Geochem*. 16: 1129-1137.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive Adsorption of VOCs and BOM: Oxic and Anoxic Environments (pp. 1907-1919). (ISSN 0043-1354; EISSN 1879-2448; NTIS/02997963\_a). Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF.
- Sponza, DT. (2003). Enhancement of granule formation and sludge retainment for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res*. 7: 453-462.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol*. 19: 643-666.
- Stubin, AI; Brosnan, TM; Porter, KD; Jimenez, L; Lochan, H. (1996). Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res*. 68: 1037-1044.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res*. 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Suri, RPS; Crittanden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *J Environ Eng*. 125: 897-905.
- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol*. 171C: 32-41. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.010>.
- Tait, NG; Davison, RM; Leharne, SA; Lerner, DN. (2008). Borehole Optimisation System (BOS) - A case study assessing options for abstraction of urban groundwater in Nottingham, UK. *Environ Modell Softw*. 23: 611-621. <http://dx.doi.org/10.1016/j.envsoft.2007.09.001>.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol*. 124: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2011.01.003>.
- Thomson, NR; Flynn, DJ. (2000). Soil vacuum extraction of perchloroethylene from the borden aquifer. *Ground Water*. 38: 673-688.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone: Science and Engineering*. 38: 302-311. <http://dx.doi.org/10.1080/01919512.2016.1141671>.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol*. 60: 88-95.
- Tsui, L, o; Fan, C; Chung, Y; Lin, S. (2011). Reductive dechlorination of tetrachloroethene by two compost samples with different maturity. *Bioresour Technol*. 102: 10498-10504. <http://dx.doi.org/10.1016/j.biortech.2011.08.083>.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res*. 25: 1459-1464.
- Uttinger, R; Schlatter, C. (1977). REVIEW ON TOXICITY OF TRACE AMOUNTS OF TETRACHLOROETHYLENE IN WATER. *Chemosphere*. 6: 517-524.
- van Eekert, MH; Schröder, TJ; van Rhee, A; Stams, AJ; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol*. 77: 163-170.
- van Zelm, R; Huijbregts, MA; van de Meent, D. (2010). Transformation products in the life cycle impact assessment of chemicals. *Environ Sci Technol*. 44: 1004-1009. <http://dx.doi.org/10.1021/es9021014>.
- Vane, LM; Giroux, EL. (2000). Henry's law constants and micellar partitioning of volatile organic compounds in surfactant solutions. *Journal of Chemical and Engineering Data*. 45: 38-47.
- Vasconcelos, MTS, D; Lopez-Ruiz, JL; Garcia, A; Leal, MFC; Fachini, A. (2004). Effect of zeolites on cultures of the marine micro-algae *Emiliania huxleyi*. *Aquacultural Engineering*. 31: 205-219. <http://dx.doi.org/10.1016/j.aquaeng.2004.04.001>.
- Vedrina-Dragojevic, I; Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *Sci Total Environ*. 203: 253-259.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environ Sci Technol*. 36: 2171-2177. <http://dx.doi.org/10.1021/es011220v>.
- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J*. 144: 21-27. <http://dx.doi.org/10.1016/j.cej.2008.01.004>.
- Vivian, TA. (1984). APPLICATION OF PERCHLOROETHYLENE MEDIUM IN COAL CLEANING. *Min Eng*. 36: 22-22.
- Vroblesky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation*. 24: 124-138.

## Fate Literature Search Results

### On Topic

- Wadley, SL; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: laboratory and field tests. *Ground Water*. 43: 9-18.
- Wagner, J, anM; Schuett, A; Carstensen, J; Foell, H. (2016). Series resistance contribution of majority carriers in CELLO impedance analysis: Influence of wafer thickness variation. *Solar Energy Materials and Solar Cells*. 146: 129-134. <http://dx.doi.org/10.1016/j.solmat.2015.11.029>.
- Waldemer, RH; Tratnyek, PG. (2006). Kinetics of contaminant degradation by permanganate. *Environ Sci Technol*. 40: 1055-1061. <http://dx.doi.org/10.1021/es051330s>.
- Wang, G; Allen-King, RM; Choung, S; Feenstra, S; Watson, R; Kominek, M. (2013). A Practical Measurement Strategy to Estimate Nonlinear Chlorinated Solvent Sorption in Low foc Sediments. *Ground Water Monitoring and Remediation*. 33: 87-96. <http://dx.doi.org/10.1111/j.1745-6592.2012.01413.x>.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 40: 1569-1584. <http://dx.doi.org/10.1081/ESE-200060640>.
- Wang, XJ; Brusseau, ML. (1998). Effect of pyrophosphate on the dechlorination of tetrachloroethene by the Fenton reaction. *Environ Toxicol Chem*. 17: 1689-1694.
- Wang, XL; Harada, S; Watanabe, M; Koshikawa, H; Sato, K; Kimura, T. (1996). Determination of bioconcentration potential of tetrachloroethylene in marine algae by C-13. *Chemosphere*. 33: 865-877.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environ Sci Technol*. 50: 5622-5630. <http://dx.doi.org/10.1021/acs.est.5b06330>.
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem*. 20: 1909-1915.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Lange, CA; Lisitzina, L; Pfennigsdorff, A; Kotte, K. (2006). The phytotoxic effect of C(1)/C(2)-halocarbons and trichloroacetic acid on the steppe plant *Artemisia lerchiana*. *Chemosphere*. 65: 975-980. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.039>.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources*. 44: 126-139. <http://dx.doi.org/10.1016/j.advwatres.2012.05.001>.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčková, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol*. 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčková, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol*. 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.
- Wilson, BH; Wilson, JT; Kampbell, DH; Bledsoe, BE; Armstrong, JM. (1990). BIOTRANSFORMATION OF MONOAROMATIC AND CHLORINATED HYDROCARBONS AT AN AVIATION GASOLINE SPILL SITE. *Geomicrobiology Journal*. 8: 225-240.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol*. 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol*. 57: 61-80.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba*. 46: 119-122.
- Wuebbles, DJ; Patten, KO; Wang, D; Youn, D; Martinez-Aviles, M; Francisco, JS. (2011). Three-dimensional model evaluation of the Ozone Depletion Potentials for n-propyl bromide, trichloroethylene and perchloroethylene. *Atmos Chem Phys*. 11: 2371-2380. <http://dx.doi.org/10.5194/acp-11-2371-2011>.
- Xue, L; Wang, T; Simpson, IJ; Ding, A; Gao, J; Blake, DR; Wang, X; Wang, W; Lei, H; Jin, D. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ*. 45: 6501-6509. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.072>.
- Yagi, O; Uchiyama, H; Iwasaki, K. (1992). BIODEGRADATION RATE OF CHLOROETHYLENE IN SOIL ENVIRONMENT. *Water Sci Technol*. 25: 419-424.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). BIOLOGICAL AND CHEMICAL CHARACTERIZATION OF THE TETRACHLOROETHYLENE-DEGRADING BACTERIUM, STRAIN-T. *JTHE*. 40: 178-184.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts*. 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, KL; Ting, CC; Wang, JL; Wingenter, OW; Chan, CC. (2005). Diurnal and seasonal cycles of ozone precursors observed from continuous measurement at an urban site in Taiwan. *Atmos Environ*. 39: 3221-3230. <http://dx.doi.org/10.1016/j.atmosenv.2005.02.003>.
- Yang, Q; Shang, HT; Li, HD; Xi, HB; Wang, JL. (2008). Biodegradation of tetrachloroethylene using methanol as co-metabolic substrate. *Biomed Environ Sci*. 21: 98-102. [http://dx.doi.org/10.1016/S0895-3988\(08\)60013-6](http://dx.doi.org/10.1016/S0895-3988(08)60013-6).
- Yang, Y; Pesaro, M; Sigler, W; Zeyer, J. (2005). Identification of microorganisms involved in reductive dehalogenation of chlorinated ethenes in an anaerobic microbial community. *Water Res*. 39: 3954-3966. <http://dx.doi.org/10.1016/j.watres.2005.07.010>.
- Yang, YR; Mccarty, PL. (2002). Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution. *Environ Sci Technol*. 36: 3400-3404. <http://dx.doi.org/10.1021/es011408e>.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere*. 26: 1507-1512.

## Fate Literature Search Results

### On Topic

- Yeh, HC; Kastenber, WE. (1991). Health risk assessment of biodegradable volatile organic chemicals: a case study of PCE, TCE, DCE and VC. *J Hazard Mater.* 27: 111-126.
- Ying, WC; Bonk, RR; Hannam, SC; Li, QD. (1994). FINAL DISPOSAL OF VOCS FROM INDUSTRIAL WASTEWATERS. *Environmental Progress.* 13: 192-201.
- Yokouchi, Y; Akimoto, H; Barrie, LA; Bottenheim, JW; Anlauf, K; Jobson, BT. (1994). SERIAL GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC MEASUREMENTS OF SOME VOLATILE ORGANIC-COMPOUNDS IN THE ARCTIC ATMOSPHERE DURING THE 1992 POLAR SUNRISE EXPERIMENT. *J Geophys Res Atmos.* 99: 25379-25389.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the Arctic troposphere. *Atmos Environ.* 30: 1723-1727.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere.* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, M; Lee, BD; Hosomi, M. (2000). Decomposition of aqueous tetrachloroethylene by Fenton oxidation treatment. *Water Sci Technol.* 42: 203-208.
- Young, DF; Ball, WP. (1994). A-PRIORI SIMULATION OF TETRACHLOROETHENE TRANSPORT THROUGH AQUIFER MATERIAL USING AN INTRAPARTICLE DIFFUSION-MODEL. *Environmental Progress.* 13: 9-20.
- Young, DF; Ball, WP. (1998). Estimating diffusion coefficients in low-permeability porous media using a macropore column. *Environ Sci Technol.* 32: 2578-2584.
- Yu, JJ; Chou, SY. (2000). Contaminated site remedial investigation and feasibility removal of chlorinated volatile organic compounds from groundwater by activated carbon fiber adsorption. *Chemosphere.* 41: 371-378. [http://dx.doi.org/10.1016/S0045-6535\(99\)00437-3](http://dx.doi.org/10.1016/S0045-6535(99)00437-3).
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Zhang, J; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environ Sci Technol.* 40: 1830-1836. <http://dx.doi.org/10.1021/es051829m>.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol.* 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.002>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere.* 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere.* 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zytner, R; Biswas, N; Bewtra, JK. (1989). Adsorption and desorption of perchloroethylene in soils, peat moss, and granular activated carbon. *Can J Civ Eng.* 16: 798-806. <http://dx.doi.org/10.1139/l89-123>.

## Fate Literature Search Results

### Off Topic

- Aardema, MJ; Albertini, S; Arni, P; Henderson, LM; Kirsch-Volders, M; Mackay, JM; Sarrif, AM; Stringer, DA; Taalman, RDF. (1998). Aneuploidy: A report of an ECETOC task force [Review]. *Mutat Res Rev Mutat Res.* 410: 3-79. [http://dx.doi.org/10.1016/S1383-5742\(97\)00029-X](http://dx.doi.org/10.1016/S1383-5742(97)00029-X).
- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol.* 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abdelnour, AF; Nehmeh, SA; Pan, T; Humm, JL; Vernon, P; Schoder, H; Rosenzweig, KE; Mageras, GS; Yorke, E; Larson, SM; Erdi, YE. (2007). Phase and amplitude binning for 4D-CT imaging. *Phys Med Biol.* 52: 3515-3529. <http://dx.doi.org/10.1088/0031-9155/52/12/012>.
- Abou-Nemeh, I; Majumdar, S; Saraf, A; Sirkar, KK; Vane, LM; Alvarez, FR; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. II: Hollow fiber membrane modules. *Environmental Progress.* 20: 64-73.
- Abrahamsson, K; Ekdahl, A; Collen, J; Pedersen, M. (1995). Marine algae - A source of trichloroethylene and perchloroethylene. *Limnol Oceanogr.* 40: 1321-1326.
- Abramovitch, RA; Bangzhou, H; Abramovitch, DA; Jiangao, S. (1999). In situ decomposition of PAHs in soil and desorption of organic solvents using microwave energy. *Chemosphere.* 39: 81-87.
- Abriola, LM. (2005). Contaminant source zones: Remediation or perpetual stewardship? *Environ Health Perspect.* 113: A438-A439.
- Abriola, LM; Bradford, SA; Lang, J; Gaither, CL. (2004). Volatilization of binary nonaqueous phase liquid mixtures in unsaturated porous media. *Vadose Zone Journal.* 3: 645-655.
- Abriola, LM; Condit, WE; Cowell, MA. (2000). Influence of soil texture on rate-limited micellar solubilization. *J Environ Eng.* 126: 39-46.
- Abuin, E; Lissi, E; Duarte, R; Silber, JJ; Biasutti, MA. (2002). Solubilization in AOT-water reverse micelles. Effect of the external solvent. *Langmuir.* 18: 8340-8344. <http://dx.doi.org/10.1021/la020492o>.

## Fate Literature Search Results

### Off Topic

- Abuin, E; Lissi, E; Jara, P. (2007). Effect of the organic solvent on the interfacial micropolarity of AOT-water reverse micelles. *Journal of the Chilean Chemical Society*. 52: 1082-1087.
- Abuodha, JOZ. (2002). Environmental impact assessment of the proposed titanium mining project in Kwale District, Kenya. *Marine Georesources and Geotechnology*. 20: 199-207. <http://dx.doi.org/10.1080/03608860290051895>.
- ACGIH. (1986). Documentation of the threshold limit values and biological exposure indices: Epichlorohydrin. Cincinnati, OH.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol*. 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Achanzar, WE; Brambila, EM; Diwan, BA; Webber, MM; Waalkes, MP. (2002). Inorganic arsenite-induced malignant transformation of human prostate epithelial cells. *J Natl Cancer Inst*. 94: 1888-1891. <http://dx.doi.org/10.1093/jnci/94.24.1888>.
- Acharya, S; Mehta, K; Rodrigues, S; Pereira, J; Krishnan, S; Rao, CV. (1995). Administration of subtoxic doses of t-butyl alcohol and trichloroacetic acid to male Wistar rats to study the interactive toxicity. *Toxicol Lett*. 80: 97-104. [http://dx.doi.org/10.1016/0378-4274\(95\)03340-Q](http://dx.doi.org/10.1016/0378-4274(95)03340-Q).
- Acharya, S; Mehta, K; Rodriguez, S; Pereira, J; Krishnan, S; Rao, CV. (1997). A histopathological study of liver and kidney in male Wistar rats treated with subtoxic doses of t-butyl alcohol and trichloroacetic acid. *Exp Toxicol Pathol*. 49: 369-373. [http://dx.doi.org/10.1016/S0940-2993\(97\)80119-4](http://dx.doi.org/10.1016/S0940-2993(97)80119-4).
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environ Sci Technol*. 36: 4618-4624. <http://dx.doi.org/10.1021/es0158859>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem*. 49: 1309-1314.
- Adamson, DT; Lyon, DY; Hughes, JB. (2004). Flux and product distribution during biological treatment of tetrachloroethene dense non-aqueous-phase liquid. *Environ Sci Technol*. 38: 2021-2028. <http://dx.doi.org/10.1021/es034737a>.
- Adamson, DT; Mcdade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environ Sci Technol*. 37: 2525-2533. <http://dx.doi.org/10.1021/es020236y>.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res*. 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetraehloroethene-dechlorinating enrichment culture. *Environ Sci Technol*. 34: 1959-1965.
- Adani, F; Tambone, F; Davoli, E; Scaglia, B. (2010). Surfactant properties and tetrachloroethene (PCE) solubilisation ability of humic acid-like substances extracted from maize plant and from organic wastes: a comparative study. *Chemosphere*. 78: 1017-1022. <http://dx.doi.org/10.1016/j.chemosphere.2009.11.039>.
- Adetutu, EM; Gundry, TD; Patil, SS; Golneshin, A; Adigun, J, oy; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater*. 300: 48-57. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.055>.
- Adey, WH; Luckett, C; Smith, M. (1996). Purification of industrially contaminated groundwaters using controlled ecosystems. *Ecol Eng*. 7: 191-212.
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol*. 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect*. 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.
- Adib, K; Camillone, N; Fitts, JP; Rim, KT; Flynn, GW; Joyce, SA; Osgood, RM. (2002). CCl<sub>4</sub> chemistry on the magnetite selvage of single-crystal hematite: competitive surface reactions. *Surf Sci*. 497: 127-138.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of mass-transfer limitations on carbon isotope fractionation during microbial dechlorination of trichloroethene. *Environ Sci Technol*. 43: 8813-8820. <http://dx.doi.org/10.1021/es901481b>.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data*. 49: 1218-1224. <http://dx.doi.org/10.1021/jc034203p>.
- Aggazzotti, G; Fantuzzi, G; Predieri, G; Righi, E; Moscardelli, S. (1994). Indoor exposure to perchloroethylene (PCE) in individuals living with dry-cleaning workers. *Sci Total Environ*. 156: 133-137. [http://dx.doi.org/10.1016/0048-9697\(94\)90349-2](http://dx.doi.org/10.1016/0048-9697(94)90349-2).
- Aggazzotti, G; Fantuzzi, G; Righi, E; Predieri, G; Gobba, FM; Paltrinieri, M; Cavalleri, A. (1994). Occupational and environmental exposure to perchloroethylene (PCE) in dry cleaners and their family members. *Arch Environ Occup Health*. 49: 487-493. <http://dx.doi.org/10.1080/00039896.1994.9955005>.
- Agostinelli, S; Paoli, G. (2001). An object oriented fully 3D tomography visual toolkit. *Comput Methods Programs Biomed*. 65: 61-69.
- Ahlborg, G, Jr. (1990). Pregnancy outcome among women working in laundries and dry-cleaning shops using tetrachloroethylene. *Am J Ind Med*. 17: 567-575. <http://dx.doi.org/10.1002/ajim.4700170503>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700170503/abstract>.
- Ahlborg, G, Jr. (1990). Validity of exposure data obtained by questionnaire. Two examples from occupational reproductive studies. *Scand J Work Environ Health*. 16: 284-288.
- Ahlborg, G; Bodin, L. (1991). Tobacco smoke exposure and pregnancy outcome among working women. A prospective study at prenatal care centers in Orebro County, Sweden. *Am J Epidemiol*. 133: 338-347.
- Ahmadvand, M; Sereshti, H; Parastar, H. (2015). Chemometric-based determination of polycyclic aromatic hydrocarbons in aqueous samples using ultrasound-assisted emulsification microextraction combined to gas chromatography-mass spectrometry. *J Chromatogr A*. 1413: 117-126. <http://dx.doi.org/10.1016/j.chroma.2015.08.026>.

## Fate Literature Search Results

### Off Topic

- Ahn, S; Ross, SG; Asma, E; Miao, J; Jin, X; Cheng, L; Wollenweber, SD; Manjeshwar, RM. (2015). Quantitative comparison of OSEM and penalized likelihood image reconstruction using relative difference penalties for clinical PET. *Phys Med Biol.* 60: 5733-5751. <http://dx.doi.org/10.1088/0031-9155/60/15/5733>.
- Ahn, YS; Jeong, KS; Kim, KS. (2012). Cancer morbidity of professional emergency responders in Korea. *Am J Ind Med.* 55: 768-778. <http://dx.doi.org/10.1002/ajim.22068>.
- Ahn, YS; Zerban, H; Grobholz, R; Bannasch, P. (1992). Sequential changes in glycogen content, expression of glucose transporters and enzymic patterns during development of clear/acidophilic cell tumors in rat kidney. *Carcinogenesis.* 13: 2329-2334.
- Ahrens, W; Merletti, F. (1998). A standard tool for the analysis of occupational lung cancer in epidemiologic studies. *Int J Occup Environ Health.* 4: 236-240.
- Aitio, A; Riihimaki, V; Vainio, H. (1984). Biological monitoring and surveillance of workers exposed to chemicals. In A Aitio; V Riihimaki; H Vainio (Eds.). New York, NY: Hemisphere Publishing Corporation.
- Ajo-Franklin, JB; Minsley, BJ; Daley, TM. (2007). Applying compactness constraints to differential traveltome tomography. *Geophysics.* 72: R67-R75. <http://dx.doi.org/10.1190/1.2742496>.
- Akbar, M; Narayanan, S; Restaino, M; Agah, M. (2014). A purge and trap integrated microGC platform for chemical identification in aqueous samples. *Analyst.* 139: 3384-3392. <http://dx.doi.org/10.1039/c4an00254g>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual.* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Aklan, B; Jakoby, BW; Watson, CC; Braun, H; Ritt, P; Quick, HH. (2015). GATE Monte Carlo simulations for variations of an integrated PET/MR hybrid imaging system based on the Biograph mMR model. *Phys Med Biol.* 60: 4731-4752. <http://dx.doi.org/10.1088/0031-9155/60/12/4731>.
- Akob, DM; Cozzarelli, IM; Dunlap, DS; Rowan, EL; Lorah, MM. (2015). Organic and inorganic composition and microbiology of produced waters from Pennsylvania shale gas wells. *Appl Geochem.* 60: 116-125. <http://dx.doi.org/10.1016/j.apgeochem.2015.04.011>.
- Aktaş, Ö; Schmidt, KR; Mungenast, S; Stoll, C; Tiehm, A. (2012). Effect of chloroethene concentrations and granular activated carbon on reductive dechlorination rates and growth of *Dehalococcoides* spp. *Bioresour Technol.* 103: 286-292. <http://dx.doi.org/10.1016/j.biortech.2011.09.119>.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Ulrich Mayer, K. (2006). Metal mobility during in situ chemical oxidation of TCE by KMnO<sub>4</sub>. *J Contam Hydrol.* 88: 137-152. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.004>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage.* 104: 195-201. <http://dx.doi.org/10.1016/j.jenvman.2012.03.033>.
- Albergaria, JT; Alvim-Ferraz Maria da, C; Delerue, M. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere.* 73: 1557-1561. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.080>.
- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air Soil Pollut.* 225: 2058-2058. <http://dx.doi.org/10.1007/s11270-014-2058-y>.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ.* 14: 55-68.
- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 41: 500-509.
- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1565-1573. <http://dx.doi.org/10.1080/10934520903263538>.
- Alcantara-Garduño, ME; Okuda, T; Tsai, TY; Nishijima, W; Okada, M. (2008). Experimental and mathematical evaluation of trichloroethylene removal from saturated soil using acetic acid with saturated ozone. *Separation and Purification Technology.* 60: 299-307. <http://dx.doi.org/10.1016/j.seppur.2007.09.001>.
- Alden, CL. (1985). Species, sex, and tissue specificity in toxicologic and proliferative responses. *Toxicol Pathol.* 13: 135-140. <http://dx.doi.org/10.1177/019262338501300211>.
- Alden, WW; Repta, AJ. (1984). Exacerbation of cisplatin-induced nephrotoxicity by methionine. *Chem Biol Interact.* 48: 121-124. [http://dx.doi.org/10.1016/0009-2797\(84\)90012-7](http://dx.doi.org/10.1016/0009-2797(84)90012-7).
- Aldib, M; Christie, RM. (2013). Textile applications of photochromic dyes. Part 5: application of commercial photochromic dyes to polyester fabric by a solvent-based dyeing method. *Color Technol.* 129: 131-143. <http://dx.doi.org/10.1111/cote.12008>.
- Aleboye, A; Olya, ME; Aleboye, H. (2009). Oxidative treatment of azo dyes in aqueous solution by potassium permanganate. *J Hazard Mater.* 162: 1530-1535. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.089>.
- Alekshun, TJ; Sokol, L. (2007). Diseases of large granular lymphocytes [Review]. *Cancer Control.* 14: 141-150.
- Alekshun, TJ; Tao, J; Sokol, L. (2007). Aggressive T-cell large granular lymphocyte leukemia: A case report and review of the literature [Review]. *Am J Hematol.* 82: 481-485. <http://dx.doi.org/10.1002/ajh.20853>.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environ Sci Technol.* 35: 3713-3717.
- Alexander, HC; Mccarty, WM; Bartlett, EA. (1978). Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. *Bull Environ Contam Toxicol.* 20: 344-352. <http://dx.doi.org/10.1007/BF01683531>.
- Alfano, OM; Cassano, AE. (2008). Photoreactor modeling: Applications to advanced oxidation processes. *Int J Chem React Eng.* 6.
- Al-Ghobari, HM; Mohammad, FS; El Marazky, MSA. (2016). Evaluating two irrigation controllers under subsurface drip irrigated tomato crop. *Span J Agric Res.* 14. <http://dx.doi.org/10.5424/sjar/2016144-8615>.
- Al-Ghobari, HM; Mohammad, FS; El Marazky, SA. (2015). Assessment of smart irrigation controllers under subsurface and drip-irrigation systems for tomato yield in arid regions. *Crop and Pasture Science.* 66: 1086-1095. <http://dx.doi.org/10.1071/CP15065>.

## Fate Literature Search Results

### Off Topic

- Alibegic, D; Tsuneda, S; Hirata, A. (2001). Kinetics of tetrachloroethylene (PCE) gas degradation and byproducts formation during UV/H<sub>2</sub>O<sub>2</sub> treatment in UV-bubble column reactor. *Chem Eng Sci.* 56: 6195-6203.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). Oxidation of tetrachloroethylene in a bubble column photochemical reactor applying the UV/H<sub>2</sub>O<sub>2</sub> technique. *Can J Chem Eng.* 81: 733-740.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). UV-bubble column reactor (UV-BCR) for photolytic removal of tetrachloroethylene (PCE) from the vapor phase: Methodological approach. *J Chem Eng Jpn.* 36: 178-186.
- Allegaert, K; Daniels, H; Naulaers, G; Tibboel, D; Devlieger, H. (2005). Pharmacodynamics of chloral hydrate in former preterm infants. *Eur J Pediatr.* 164: 403-407. <http://dx.doi.org/10.1007/s00431-005-1648-5>.
- Allen, BC; Crump, KS; Shipp, AM. (1988). Response to comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 559-561. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01198.x>.
- Allen, BC; Fisher, JW. (1993). Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal.* 13: 71-86.
- Allen-King, RM; Halket, RM; Gaylord, DR; Robin, MJL. (1998). Characterizing the heterogeneity and correlation of perchloroethene sorption and hydraulic conductivity using a facies-based approach. *Water Resour Res.* 34: 385-396.
- Almeida, CMM; Silverio, S; Silva, C; Paulino, A, na; Nascimento, S; Revez, CA. (2013). Optimization and Validation of FTIR Method with Tetrachloroethylene for Determination of Oils and Grease in Water Matrices. *J Braz Chem Soc.* 24: 1403-U1104. <http://dx.doi.org/10.5935/0103-5053.20130179>.
- Altare, CR; Bowman, RSB; Katz, LE; Kinney, KA; Sullivan, EJ. (2007). Regeneration and long-term stability of surfactant-modified zeolite for removal of volatile organic compounds from produced water. *Microporous and Mesoporous Materials.* 105: 305-316. <http://dx.doi.org/10.1016/j.micromeso.2007.04.001>.
- Altekruse, SF; Kosary, CL; Krapcho, M; Neyman, N; Aminou, R; Waldron, W; Ruhl, J; Howlander, N; Tatalovich, Z; Cho, H; Mariotto, A; Eisner, MP; Lewis, DR; Cronin, K; Chen, HS; Feuer, EJ; Stinchcomb, DG; Edwards, BK. (2010). SEER cancer statistics review, 1975-2007. Bethesda, MD: National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2007/](http://seer.cancer.gov/csr/1975_2007/).
- Altham, W. (2007). Benchmarking to trigger cleaner production in small businesses: drycleaning case study. *J Clean Prod.* 15: 798-813. <http://dx.doi.org/10.1016/j.jclepro.2006.07.005>.
- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim.* 92: 61-71.
- Altmann, L; Neuhaan, HF; Krämer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res.* 69: 83-89. <http://dx.doi.org/10.1006/enrs.1995.1028>.
- Altshuler, AP. (1980). Lifetimes of organic molecules in the troposphere and lower stratosphere. In JN Pitts Jr; RL Metcalf; D Grosjean (Eds.), (pp. 181-219). New York, NY: John Wiley & Sons.
- Alvarez, FR; Vane, LM; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. I: Spiral wound membrane modules. *Environmental Progress.* 20: 53-63.
- Alwin, PE. (1994). ACHIEVING IEC TYPE-2 SHORT-CIRCUIT COORDINATION. I E E E Transactions on Industry Applications. 30: 226-232.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ.* 8: 255-268.
- Amaral, HI; Aeppli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere.* 85: 774-781. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.063>.
- Amaral, HI; Fernandes, J; Berg, M; Schwarzenbach, RP; Kipfer, R. (2009). Assessing TNT and DNT groundwater contamination by compound-specific isotope analysis and 3H-3He groundwater dating: a case study in Portugal. *Chemosphere.* 77: 805-812. <http://dx.doi.org/10.1016/j.chemosphere.2009.08.011>.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). C-13/C-12 Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environ Sci Technol.* 44: 1023-1029. <http://dx.doi.org/10.1021/es901760q>.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res.* 30: 1876-1884.
- Amin, TA; Bindra, S; Narang, RS. (1998). Evaluation of passive samplers for analysis of chlorinated solvents. *J AOAC Int.* 81: 1027-1032.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J.* 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater.* 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amler, RW; Gilbertini, M. (1996). Pediatric environmental neurobehavioral test battery. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB96207352>.
- Amler, RW; Lybarger, JA; Anger, WK; Phifer, BL; Chappell, W; Hutchinson, L. (1994). Adoption of an adult environmental neurobehavioral test battery. *Neurotoxicol Teratol.* 16: 525-530. [http://dx.doi.org/10.1016/0892-0362\(94\)90131-7](http://dx.doi.org/10.1016/0892-0362(94)90131-7).
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Löffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environ Sci Technol.* 41: 963-970. <http://dx.doi.org/10.1021/es061438n>.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Löffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 41: 1710-1716. <http://dx.doi.org/10.1021/es061926v>.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Löffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environ Sci Technol.* 42: 5718-5726. <http://dx.doi.org/10.1021/es703227g>.

## Fate Literature Search Results

### Off Topic

- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE. (2008). Microbial activity and distribution during enhanced contaminant dissolution from a NAPL source zone. *Water Res.* 42: 2963-2974. <http://dx.doi.org/10.1016/j.watres.2008.03.015>.
- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE. (2009). Spatial and temporal distributions of *Geobacter lovleyi* and *Dehalococcoides* spp. during bioenhanced PCE-NAPL dissolution. *Environ Sci Technol.* 43: 1977-1985. <http://dx.doi.org/10.1021/es8027692>.
- An, W; Le, Y; Chen, JF. (2011). Toluidine Red Nanoparticles and Their Application in Electrophoretic Display. *J Nanosci Nanotechnol.* 11: 10926-10929. <http://dx.doi.org/10.1166/jnn.2011.4018>.
- Anders, MW. (1991). Glutathione-dependent bioactivation of xenobiotics: Implications for mutagenicity and carcinogenicity [Review]. In L Ernster; H Esumi; Y Fujii; HV Gelboin; R Kato; T Sugimura (Eds.), (pp. 89-99). Tokyo, Japan; London, England: Japan Scientific Societies Press; Taylor & Francis, Ltd.
- Andersen, H; Larsen, S; Spliid, H; Christensen, ND. (1999). Multivariate statistical analysis of organ weights in toxicity studies. *Toxicology.* 136: 67-77. [http://dx.doi.org/10.1016/S0300-483X\(99\)00056-6](http://dx.doi.org/10.1016/S0300-483X(99)00056-6).
- Anderson, M; Church, G. (1998). Offshore passive soil vapor survey at a contaminated coastal site. *J Environ Eng.* 124: 555-563.
- Anderson, MR; Johnson, RL; Pankow, JF. (1992). DISSOLUTION OF DENSE CHLORINATED SOLVENTS INTO GROUND-WATER .1. DISSOLUTION FROM A WELL-DEFINED RESIDUAL SOURCE. *Ground Water.* 30: 250-256.
- Anderson, RC; Anderson, JH. (2000). Respiratory toxicity of fabric softener emissions. *J Toxicol Environ Health A.* 60: 121-136.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na<sub>2</sub>CO<sub>3</sub> on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu.* 33: 261-266.
- Ando, Y; Hashimoto, S; Ohyama, N; Inamura, K. (1992). CURRENT STATUS OF IMAGE SAVE AND CARRY (IS-AND-C) STANDARDIZATION. *Comput Methods Programs Biomed.* 37: 319-325.
- Anger, WK. (2003). Neurobehavioural tests and systems to assess neurotoxic exposures in the workplace and community. *Occup Environ Med.* 60: 531-538, 474. <http://dx.doi.org/10.1136/oem.60.7.531>.
- Anger, WK; Letz, R; Chrislip, DW; Frumkin, H; Hudnell, K; Russo, JM; Chappell, W; Hutchinson, L. (1994). Neurobehavioral test methods for environmental health studies of adults. *Neurotoxicol Teratol.* 16: 489-497. [http://dx.doi.org/10.1016/0892-0362\(94\)90128-7](http://dx.doi.org/10.1016/0892-0362(94)90128-7).
- Anon. (1978). Proposed guidelines for registering pesticides in the United States; hazard evaluation: humans and domestic animals. *Fed Reg.* 43: 37335-37402.
- Anon. (1979). Proposed health effects test standards for toxic substances control act test rules and proposed good laboratory practice standards for health effects. *Fed Reg.* 44: 44089-44092.
- Anon. (1995). SWEDES SUGGEST TAX TO PREVENT PERC USE. *European Chemical News.* 63: 21-21.
- Anon. (2001). NEMA releases Simulated Insertion Test. *I E E Electrical Insulation Magazine.* 17: 58-58.
- Anon. (2001). NEMA releases standard for aerospace and industrial electrical cable; will replace military specification. *I E E Electrical Insulation Magazine.* 17: 49-49.
- Anon. (2002). NEMA releases energy guide. *55: 18-18.*
- Anon. (2002). NEMA releases safety guide. *55: 16-16.*
- Anon. (2002). NEMA releases standard on enclosures. *55: 16-16.*
- Anon. (2003). Environmental policy centre to provide global EHS regulatory monitoring for NEMA member companies. *I E E Electrical Insulation Magazine.* 19: 71-71.
- Anon. (2003). NEMA joins alliance to boost recycling of mercury lamps. *I E E Electrical Insulation Magazine.* 19: 71-71.
- Anon. (2003). NEMA's industrial control business indices rise. *Control Engineering Online.* 50: 9-9.
- Anon. (2004). NEMA launches electrical code monitoring service on website. *I E E Electrical Insulation Magazine.* 20: 40-40.
- Anon. (2005). Revised NEMA standard covers Aramid papers used for electrical insulation. *I E E Electrical Insulation Magazine.* 21: 54-54. <http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=1389277>.
- Anon. (2006). NEMA: More sustainable growth for controls expected in North America after torrid pace. *Control Engineering Online.* 53: 30-30.
- Anon. (2007). Industrial control equipment sales rising, says NEMA. *Control Engineering Online.* 54: 45-45.
- Anon. (2007). NEMA: More industrial control equipment. *Control Engineering Online.* 54: 45-45.
- Anonymous. (2000). AASHTO, ITE and NEMA release standard for control of roadside Dynamic Message Signs (DMS). *Institute of Transportation Engineers ITE Journal.* 70: 16-+.
- Antonio Lopez-Perez, J; Edwards, S; Ploeg, A. (2011). Control of Root-knot Nematodes on Tomato in Stone Wool Substrate with Biological Nematicides. *Journal of Nematology.* 43: 110-117.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med.* 37: 797-806.
- Anttila, S; Hirvonen, A; Husgafvel-Pursiainen, K; Karjalainen, A; Nurminen, T; Vainio, H. (1994). Combined effect of CYP1A1 inducibility and GSTM1 polymorphism on histological type of lung cancer. *Carcinogenesis.* 15: 1133-1135. <http://dx.doi.org/10.1093/carcin/15.6.1133>.
- Antti-Poika, M. (1986). Chronic intoxication due to occupational exposure to tri- or perchloroethylene: A clinical description of 30 cases. *Toxicol Lett.* 31S: 228.
- Apblett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc.* 837: 154-164.
- Apfalter, S; Kraska, R; Linsinger, T; Oberhauser, A; Kandler, W; Grasserbauer, M. (1999). Interlaboratory comparison study for the determination of halogenated hydrocarbons in water. *Fresenius J Anal Chem.* 364: 660-665.
- Apreutesei, RE; Catrinescu, C; Teodosiu, C. (2008). Surfactant-modified natural zeolites for environmental applications in water purification. *Environmental Engineering and Management Journal.* 7: 149-161.



## Fate Literature Search Results

### Off Topic

- Arancibia, R; Godoy, F; Garland, MT; Ibanez, A; Baggio, R; Klahn, AH. (2007). Reactions of the rhenium fragment ( $\eta(5)\text{-C}_5\text{Me}_5\text{Re}(\text{CO})_2$ ) with chlorinated ethylenes: Coordination and C-Cl bond activation. *J Organomet Chem.* 692: 963-967. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.050>.
- Aranzabal, A; Pereda-Ayo, B; Pilar Gonzalez-Marcos, M; Gonzalez-Marcos, JA; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2014). State of the art in catalytic oxidation of chlorinated volatile organic compounds. *Chem Paper Chem Zvesti.* 68: 1169-1186. <http://dx.doi.org/10.2478/s11696-013-0505-7>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol.* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Ardila Arias, AN; Angel martinez, M; Fuentes Zurita, G; Montes de Correa, C. (2007). Liquid-phase catalytic hydrodechlorination of perchloroethylene. *Revista Facultad de Ingenieria Universidad de Antioquia* 132-147.
- Ariadna Alvarez-Montero, M; Martin-Martinez, M; Gomez-Sainero, LM; Arevalo-Bastante, A; Bedia, J; Rodriguez, JJ. (2015). Kinetic Study of the Hydrodechlorination of Chloromethanes with Activated-Carbon-Supported Metallic Catalysts. *Ind Eng Chem Res.* 54: 2023-2029. <http://dx.doi.org/10.1021/ie5042484>.
- Arildskov, NP; Devlin, JF. (2000). Field and laboratory evaluation of a diffusive emitter for semipassive release of PCE to an aquifer. *Ground Water.* 38: 129-138.
- Arlien-Søborg, P. (1992). *Solvent Neurotoxicity Methyl Chloride (Chapter 10)*. Boca Raton, FL: CRC Press.
- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. *J Contam Hydrol.* 40: 183-200.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). *Environ Sci Technol.* 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. *Environ Sci Technol.* 34: 1794-1805.
- Arpita, B; Ishimura, K; Nakamura, K; Takamizawa, K. (2013). Microbial dynamics in the process of restoration of groundwater contaminated by chlorinated ethene in the presence of *Escherichia coli*. *Journal of Material Cycles and Waste Management.* 15: 335-341. <http://dx.doi.org/10.1007/s10163-013-0124-y>.
- Arrebola, FJ; Gonzalez-Rodriguez, MJ; Frenich, AG; Marin-Juan, A; Vidal, JLM. (2005). Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography-mass spectrometry. *Anal Chim Acta.* 552: 60-66. <http://dx.doi.org/10.1016/j.aca.2005.07.054>.
- Aschengrau, A; Rogers, S; Ozonoff, D. (2003). Perchloroethylene-contaminated drinking water and the risk of breast cancer: Additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect.* 111: 167-173. <http://dx.doi.org/10.1289/ehp.4980>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241345/pdf/ehp0111-000167.pdf>.
- Aschengrau, A; Weinberg, JM; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Exposure to tetrachloroethylene-contaminated drinking water and the risk of pregnancy loss. *Water Qual Expo Health.* 1: 23-34. <http://dx.doi.org/10.1007/s12403-009-0003-x>.
- Ashby, J. (1996).  $[\text{Alpha}]_2[\mu]$ -globulin nephropathy in white ravens. *Environ Health Perspect.* 104: 1264.
- Astrin, KH; Bishop, DF; Wetmur, JG; Kaul, B; Davidow, B; Desnick, RJ. (1987).  $\delta$ -aminolevulinic acid dehydratase isozymes and lead toxicity. *Ann N Y Acad Sci.* 514: 23-29. <http://dx.doi.org/10.1111/j.1749-6632.1987.tb48757.x>.
- Atasoy, E; Döğeroğlu, T; Kara, S. (2004). The estimation of NMVOC emissions from an urban-scale wastewater treatment plant. *Water Res.* 38: 3265-3274. <http://dx.doi.org/10.1016/j.watres.2004.04.036>.
- Atlas, E; Pollock, W; Greenberg, J; Heidt, L; Thompson, AM. (1993). ALKYL NITRATES, NONMETHANE HYDROCARBONS, AND HALOCARBON GASES OVER THE EQUATORIAL PACIFIC-OCEAN DURING SAGA-3. *J Geophys Res.* 98: 16933-16947.
- Atlas, E; Schauffler, S. (1991). ANALYSIS OF ALKYL NITRATES AND SELECTED HALOCARBONS IN THE AMBIENT ATMOSPHERE USING A CHARCOAL PRECONCENTRATION TECHNIQUE. *Environ Sci Technol.* 25: 61-67.
- ATSDR. (2012). Health Consultation: Review of Indoor Air Data from January 2012 through April of 2012, at the Navy Yard Mills Site, Dracut, Massachusetts, July 26, 2012 (pp. 31).
- ATSDR. (2012). Letter Health Consultation: Cabo Rojo Ground Water Contamination Site, Cabo Rojo, Puerto Rico. EPA Facility ID: PRN000206319, February 24, 2012 (pp. 8).
- ATSDR. (2013). Public Health Assessment for Hormigas Ground Water Plume Site, Carretera 785 KM 4.9, Caguas, Puerto Rico 00725, October 31, 2013 (pp. 60).
- ATSDR. (2015). Health Assessment for Groundwater, Surface Water, Soil and Sediment Data Evaluation, Corozal Well Site, Corozal, Puerto Rico, July 29, 2015. EPA Facility ID: PRN000206452.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2015). Single-Walled Carbon Nanotube/Silica Composite as a Novel Coating for Solid-Phase Microextraction Fiber Based on Sol-Gel Technology. *Journal of Analytical Chemistry.* 70: 1192-1198. <http://dx.doi.org/10.1134/S1061934815100032>.
- Auboeuf, D; Rieusset, J; Fajas, L; Vallier, P; Frering, V; Riou, JP; Staels, B; Auwerx, J; Laville, M; Vidal, H. (1997). Tissue distribution and quantification of the expression of mRNAs of peroxisome proliferator-activated receptors and liver X receptor- $[\alpha]$  in humans: No alteration in adipose tissue of obese and NIDDM patients. *Diabetes.* 46: 1319-1327. <http://dx.doi.org/10.2337/diabetes.46.8.1319>.
- Auinger, H. (1999). Determination and designation of the efficiency of electrical machines. 13: 15-23.

## Fate Literature Search Results

### Off Topic

- Aulenta, F; Beccari, M; Majone, M; Papini, MP; Tandoi, V. (2008). Competition for H<sub>2</sub> between sulfate reduction and dechlorination in butyrate-fed anaerobic cultures. *Process Biochemistry*. 43: 161-168. <http://dx.doi.org/10.1016/j.procbio.2007.11.006>.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H<sub>2</sub> evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environ Sci Technol*. 42: 6185-6190. <http://dx.doi.org/10.1021/es800265b>.
- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environ Sci Technol*. 41: 2554-2559. <http://dx.doi.org/10.1021/es0624321>.
- Aulenta, F; Di Tomassi, C; Cupo, C; Papini, MP; Majone, M. (2006). Influence of hydrogen on the reductive dechlorination of tetrachloroethene (PCE) to ethene in a methanogenic biofilm reactor: role of mass transport phenomena. *J Chem Tech Biotechnol*. 81: 1520-1529. <http://dx.doi.org/10.1002/jctb.1562>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry*. 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments. *Water Sci Technol*. 52: 357-362.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments (vol 52, pg 357, 2005). *Water Sci Technol*. 52: 297-297.
- Aulenta, F; Fuoco, M; Canosa, A; Petrangeli Papini, M; Majone, M. (2008). Use of poly-beta-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Sci Technol*. 57: 921-925. <http://dx.doi.org/10.2166/wst.2008.073>.
- Aulenta, F; Pera, A; Rossetti, S; Petrangeli Papini, M; Majone, M. (2007). Relevance of side reactions in anaerobic reductive dechlorination microcosms amended with different electron donors. *Water Res*. 41: 27-38. <http://dx.doi.org/10.1016/j.watres.2006.09.019>.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. 25: 1796-1802. <http://dx.doi.org/10.1016/j.bios.2009.12.033>.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of trichloroethene in a continuous-flow bioelectrochemical reactor: effect of cathode potential on rate, selectivity, and electron transfer mechanisms. *Environ Sci Technol*. 45: 8444-8451. <http://dx.doi.org/10.1021/es202262y>.
- Austin, EW; Okita, JR; Okita, RT; Larson, JL; Bull, RJ. (1995). Modification of lipoperoxidative effects of dichloroacetate and trichloroacetate is associated with peroxisome proliferation. *Toxicology*. 97: 59-69. [http://dx.doi.org/10.1016/0300-483X\(94\)02926-L](http://dx.doi.org/10.1016/0300-483X(94)02926-L).
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol*. 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air and Waste Management Association*. 53: 889-896.
- Averyanov, VA; Ryltsova, SV; Alferov, VA. (1997). Effect of medium on concurrent chlorination of tetrachloroethene and 1,2-dichloroethane. *Kinet Catal*. 38: 14-18.
- Aver'yanov, VA; Svechnikova, AA; Ermakov, AI. (2002). Effect of solvents on the selectivity of free-radical chlorination of functionalized ethanes, propanes, and tetrachloroethene. *Kinet Catal*. 43: 175-184.
- Avila, P; Sanchez, B; Cardona, AI. (2002). Influence of the methods of TiO<sub>2</sub> incorporation in monolithic catalysts for the photocatalytic destruction of chlorinated hydrocarbons in gas phase. *Catalysis Today*. 76: 271-278.
- Avramov, ID; Laenge, K; Rupp, S; Rapp, B; Rapp, M. (2007). Polymer coating behavior of Rayleigh-SAW resonators with gold electrode structure for gas sensor applications. *IEEE Trans Ultrason Ferroelectr Freq Control*. 54: 157-166.
- Axelsson, O. (1986). New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986. *Epidemiological studies of workers with exposure to tri- and tetrachloroethylenes [Review]*. New York: Elsevier Science Publishers.
- Ayensu, WK; Tchounwou, PB; McMurray, RW. (2004). Molecular and cellular mechanisms associated with autoimmune diseases. *Int J Environ Res Public Health*. 1: 39-73. <http://dx.doi.org/10.3390/ijerph2004010039>.
- Ayral-Cinar, D; Otero-Diaz, M; Demond, AH. (2016). A mechanism of basal spacing reduction in sodium smectitic clay materials in contact with DNAPL wastes. *Chemosphere*. 159: 577-583. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.079>.
- Ayyildiz, O; Peters, RW. (2004). Synergy of combined sonication and vapor stripping treatment in the removal of PCE from water. *Fresen Environ Bull*. 13: 1515-1517.
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the Evanite enrichment culture. *J Contam Hydrol*. 100: 11-21. <http://dx.doi.org/10.1016/j.jconhyd.2008.04.006>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol*. 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Azuma, K; Uchiyama, I; Ikeda, K. (2007). The risk screening for indoor air pollution chemicals in Japan. *Risk Anal*. 27: 1623-1638. <http://dx.doi.org/10.1111/j.1539-6924.2007.00993.x>.
- Baarnhielm, C; Dahlback, H; Skanberg, I. (1986). In vivo pharmacokinetics of felodipine predicted from in vitro studies in rat, dog and man. *Acta Pharmacol Toxicol*. 59: 113-122. <http://dx.doi.org/10.1111/j.1600-0773.1986.tb00142.x>.

## Fate Literature Search Results

### Off Topic

- Baayen, RP; Cochiu, G; Hendriks, H; Meffert, JP; Bakker, J; Bekker, M; van Den Boogert, PHJ, F; Stachewicz, H; van Leeuwen, GCM. (2006). History of potato wart disease in Europe - a proposal for harmonisation in defining pathotypes. *European Journal of Plant Pathology*. 116: 21-31. <http://dx.doi.org/10.1007/s10658-006-9039-y>.
- Babb, M. (1993). IEC AND NEMA - QUESTIONS AND CONCERNS. *Control Engineering Online*. 40: 71-75.
- Babiker, M; Dillon, MF; Bass, G; Walsh, TN. (2012). Oesophageal carcinoma in a married couple following long-term exposure to dry cleaning agents [Letter]. *Occup Environ Med*. 69: 525. <http://dx.doi.org/10.1136/oemed-2011-100407>.
- Baciacchi, R; D'Aprile, L; Innocenti, I; Massetti, F; Verginelli, J. (2014). Development of technical guidelines for the application of in-situ chemical oxidation to groundwater remediation. *J Clean Prod*. 77: 47-55. <http://dx.doi.org/10.1016/j.jclepro.2013.12.016>.
- Bacon, DR; Shaw, A. (1993). EXPERIMENTAL VALIDATION OF PREDICTED TEMPERATURE RISES IN TISSUE-MIMICKING MATERIALS. *Phys Med Biol*. 38: 1647-1659.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology*. 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, I; Toeroek, T; B-Beres, V; Toeroek, P; Tothmeresz, B; Nagy, AS; Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia*. 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Badawi, RD; Domigan, P; Johnson, O; Kemp, B; Kudrolli, H; Rempel, T; Rohatgi, R; Romanov, LV; Surti, S; Worstell, WA; Zimmerman, RE. (2004). Count-rate dependent event mispositioning and NEC in PET. *IEEE Trans Nucl Sci*. 51: 41-45. <http://dx.doi.org/10.1109/TNS.2003.823045>.
- Badea, SL; Vogt, C; Weber, S; Danet, AF; Richnow, HH. (2009). Stable isotope fractionation of gamma-hexachlorocyclohexane (lindane) during reductive dechlorination by two strains of sulfate-reducing bacteria. *Environ Sci Technol*. 43: 3155-3161. <http://dx.doi.org/10.1021/es801284m>.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol*. 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl<sub>4</sub> over Pt/gamma-Al<sub>2</sub>O<sub>3</sub> - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen*. 217: 79-89.
- Baek, NH; Jaffe, PR; Shingal, N. (1990). Simulating the degradation of TCE under methanogenesis. *J Environ Sci Health, Part A: Environ Sci Eng*. 25: 987-1006.
- Bagby, GCJ. (1994). Hematopoiesis. In G Stamatoyannopoulos; AW Nienhuis; PW Majerus; H Varmus (Eds.), (pp. 71-103). Philadelphia: W.B. Saunders Company.
- Baggetto, LG. (1992). Deviant energetic metabolism of glycolytic cancer cells. *Biochimie*. 74: 959-974. [http://dx.doi.org/10.1016/0300-9084\(92\)90016-8](http://dx.doi.org/10.1016/0300-9084(92)90016-8).
- Bagley, DM. (1998). Systematic approach for modeling tetrachloroethene biodegradation. *J Environ Eng*. 124: 1076-1086.
- Bagley, DM; Brodkorb, TS. (1999). Modeling microbial kinetics in an anaerobic sequencing batch reactor - Model development and experimental validation. *Water Environ Res*. 71: 1320-1332.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res*. 34: 171-178.
- Bai, C; Conwell, R. (2011). New Daily Detector Uniformity Quality Control Methodology for Cardiac SPECT Using Solid-State Detectors. *IEEE Trans Nucl Sci*. 58: 2198-2204. <http://dx.doi.org/10.1109/TNS.2011.2163945>.
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health*. 8: 191-203.
- Bai, GY; Brusseau, ML; Miller, RM. (1998). Influence of cation type, ionic strength, and pH on solubilization and mobilization of residual hydrocarbon by a biosurfactant. *J Contam Hydrol*. 30: 265-279.
- Bailer, AJ; Smith, RJ. (1994). Estimating upper confidence limits for extra risk in quantal multistage models. *Risk Anal*. 14: 1001-1010. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00069.x>.
- Bailey, SR; Russell, EL; Martinez, A. (1997). Evaluation of the AVOXimeter: Precision, long-term stability, linearity, and use without heparin. *J Clin Monit Comput*. 13: 191-198. <http://dx.doi.org/10.1023/A:1007308616686>.
- Baillet, C; Fadli, A; J-P, S. (1996). Experimental study on the thermal oxidation of 1,3-hexachlorobutadiene at 500 - 1100 degrees C. *Chemosphere*. 32: 1261-1273.
- Bajracharya, K; Barry, DA. (1994). NOTE ON COMMON MIXING CELL MODELS. *J Hydrol*. 153: 189-214.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg*. 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Bakwin, PS; Hurst, DF; Tans, PP; Elkins, JW. (1997). Anthropogenic sources of halocarbons, sulfur hexafluoride, carbon monoxide, and methane in the southeastern United States. *J Geophys Res Atmos*. 102: 15915-15925.
- Balazova, A; Slodicka, M; Van Keer, R. (2006). Parameter determination for reductive dechlorination of chlorinated solvents. *Transport in Porous Media*. 65: 411-424. <http://dx.doi.org/10.1007/s11242-006-0001-4>.
- Baldwin, RA; Meinerz, R; Orloff, SB. (2016). Burrow fumigation versus trapping for pocket gopher (*Thomomys* spp.) management: a comparison of efficacy and cost effectiveness. *Wildlife Research*. 43: 389-397. <http://dx.doi.org/10.1071/WR16037>.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (2001). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard" by W. P. Ball et al. (vol 33, pg 2741, 1997). *Water Resour Res*. 37: 189-189.

## Fate Literature Search Results

### Off Topic

- Ballapragada, BS; Stensel, HD; Ferguson, JF. (1997). Comment on "Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture". *Environ Sci Technol.* 31: 1250-1250.
- Ballapragada, BS; Stensel, HD; Puhakka, JA; Ferguson, JF. (1997). Effect of hydrogen on reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 31: 1728-1734.
- Ballvora, A; Flath, K; Lübeck, J; Strahwald, J; Tacke, E; Hofferbert, HR; Gebhardt, C. (2011). Multiple alleles for resistance and susceptibility modulate the defense response in the interaction of tetraploid potato (*Solanum tuberosum*) with *Synchytrium endobioticum* pathotypes 1, 2, 6 and 18. *Theor Appl Genet.* 123: 1281-1292. <http://dx.doi.org/10.1007/s00122-011-1666-9>.
- Balter, S. (2001). A new tool for benchmarking cardiovascular fluoroscopes. *Radiat Prot Dosimetry.* 94: 161-166.
- Baltruschat, H; Kamphausen, I; Oelgeklaus, R; Rose, J; Wahlkamp, M. (1997). Detection of volatile organic solvents using potentiodynamic gas sensors. *Anal Chem.* 69: 743-748.
- Balzarova, MA; Castka, P. (2008). Underlying mechanisms in the maintenance of ISO 14001 environmental management system. *J Clean Prod.* 16: 1949-1957. <http://dx.doi.org/10.1016/j.jclepro.2008.01.007>.
- Banerjee, S; Sutanto, S; Kleijn, JM; van Roosmalen, MJ; Witkamp, GJ; Stuart, MA. (2012). Colloidal interactions in liquid CO<sub>2</sub>--a dry-cleaning perspective [Review]. *Adv Colloid Interface Sci.* 175: 11-24. <http://dx.doi.org/10.1016/j.cis.2012.03.005>.
- Bao, GB; John, WW; Johnson, WP. (2000). Chromatographic alteration of a nonionic surfactant mixture during transport in dense nonaqueous phase liquid contaminated sediment. *Environ Sci Technol.* 34: 680-685.
- Baragi, JG; Aralaguppi, MI; Aminabhavi, TM; Kariduraganavar, MY; Kittur, AS. (2005). Density, Viscosity, Refractive Index, and Speed of Sound for Binary Mixtures of Anisole with 2-Chloroethanol, 1,4-Dioxane, Tetrachloroethylene, Tetrachloroethane, DMF, DMSO, and Diethyl Oxalate at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data.* 50: 910-916. <http://dx.doi.org/10.1021/je049610v>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V. (1994). PHASE-BEHAVIOR OF WATER PERCHLOROETHYLENE ANIONIC SURFACTANT SYSTEMS. *Langmuir.* 10: 1146-1150.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol.* 30: 2143-2147.
- Barbier, O; Duran-Sandoval, D; Pineda-Torra, I; Kosykh, V; Fruchart, JC; Staels, B. (2003). Peroxisome proliferator-activated receptor [alpha] induces hepatic expression of the human bile acid glucuronidating UDP-glucuronosyltransferase 2B4 enzyme. *J Biol Chem.* 278: 32852-32860. <http://dx.doi.org/10.1074/jbc.M305361200>.
- Barchet, R; Biermann, J; Feucht, M; Th, H; Jori, H; Wilk, G. (1972). [Results of chemical investigations on environmental protection]. *Dtsch Lebensm-Rundsch.* 68: 69-74.
- Baric, M; Majone, M; Beccari, M; Papini, MP. (2012). Coupling of polyhydroxybutyrate (PHB) and zero valent iron (ZVI) for enhanced treatment of chlorinated ethanes in permeable reactive barriers (PRBs). *Chem Eng J.* 195: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.04.026>.
- Barman, N; Singha, D; Sahu, K. (2013). Fluorescence quenching of hydrogen-bonded coumarin 102-phenol complex: effect of excited-state hydrogen bonding strength. *J Phys Chem A.* 117: 3945-3953. <http://dx.doi.org/10.1021/jp4019298>.
- Barnes, DG; Dourson, M. (1988). Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol.* 8: 471-486. [http://dx.doi.org/10.1016/0273-2300\(88\)90047-5](http://dx.doi.org/10.1016/0273-2300(88)90047-5).
- Barnes, DH; Wofsy, SC; Fehlau, BP; Gottlieb, EW; Elkins, JW; Dutton, GS; Montzka, SA. (2003). Urban/industrial pollution for the New York City - Washington, DC, corridor, 1996-1998: 1. Providing independent verification of CO and PCE emissions inventories. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2001JD001116>.
- Barnes, DH; Wofsy, SC; Fehlau, BP; Gottlieb, EW; Elkins, JW; Dutton, GS; Montzka, SA. (2003). Urban/industrial pollution for the New York City - Washington, DC, corridor, 1996-1998: 2. A study of the efficacy of the Montreal Protocol and other regulatory measures. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2001JD001117>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barrass, N; Stewart, M; Warburton, S; Aitchison, J; Jackson, D; Wadsworth, P; Marsden, A; Orton, T. (1993). Cell proliferation in the liver and thyroid of C57Bl/10J mice after dietary administration of chlordane. *Environ Health Perspect.* 101: 219-223.
- Barret, O; Carpenter, TA; Clark, JC; Ansorge, RE; Fryer, TD. (2005). Monte Carlo simulation and scatter correction of the GE advance PET scanner with SimSET and Geant4. *Phys Med Biol.* 50: 4823-4840. <http://dx.doi.org/10.1088/0031-9155/50/20/006>.
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab.* 8: 33-45.
- Barthos, R; Mehn, D; Demortier, A; Pierard, N; Morciaux, Y; Demortier, G; Fonseca, A; Nagy, JB. (2005). Functionalization of single-walled carbon nanotubes by using alkyl-halides. *Carbon.* 43: 321-325. <http://dx.doi.org/10.1016/j.carbon.2004.09.018>.
- Bartlett, KB; Sachse, GW; Slate, T; Harward, C; Blake, DR. (2003). Large-scale distribution of CH<sub>4</sub> in the western North Pacific: Sources and transport from the Asian continent. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003076>.
- Bartoli, A; Esposito, G; D'Angeli, L; Chaabane, L; Terreno, E. (2013). MRI and PET Compatible Bed for Direct Co-Registration in Small Animals. *IEEE Trans Nucl Sci.* 60: 1596-1602. <http://dx.doi.org/10.1109/TNS.2013.2262950>.
- Bartsch, H; Malaveille, C; Barbin, A; Bresil, H; Tomatis, L; Montesano, R. (1976). Mutagenicity and metabolism of vinyl chloride and related compounds [Review]. *Environ Health Perspect.* 17: 193-198.
- Bartulewicz, J; Bartulewicz, E; Gawlowski, J; Niedzielski, J. (1998). Simple and rapid method for the determination of methylene chloride, ethylene dichloride, trichloroethylene and tetrachloroethylene in atmospheric air. *Chemia analityczna.* 43: 887-895.

## Fate Literature Search Results

### Off Topic

- Basu, D; Asolekar, SR. (2012). Effect of carbon sources on the removal of 1,1,2-trichloroethane and 1,1,2,2-tetrachloroethane in UASB reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 638-644. <http://dx.doi.org/10.1080/10934529.2012.650586>.
- Basu, D; Asolekar, SR. (2012). Evaluation of substrate removal kinetics for UASB reactors treating chlorinated ethanes. *Environ Sci Pollut Res Int.* 19: 2419-2427. <http://dx.doi.org/10.1007/s11356-012-0754-y>.
- Batchelor, B. (2006). Overview of waste stabilization with cement [Review]. *Waste Manag.* 26: 689-698. <http://dx.doi.org/10.1016/j.wasman.2006.01.020>.
- Bateman, AJ; Epstein, SS. (1971). Dominant lethal mutations in mammals. In A Hollaender (Ed.), (pp. 541-568). New York, NY: Plenum Press.
- Bates, BA; Brenniman, GR; Allen, RJ; Anderson, RJ. (1991). ELUTION PROFILES OF 3 CHLORINATED HYDROCARBONS LEACHING THROUGH SANDY SOIL. *J Environ Eng.* 117: 279-290.
- Bateson, TF; Schwartz, J. (2008). Children's response to air pollutants [Review]. *J Toxicol Environ Health A.* 71: 238-243. <http://dx.doi.org/10.1080/15287390701598234>.
- Bauer, P; Attinger, S; Kinzelbach, W. (2001). Transport of a decay chain in homogenous porous media: analytical solutions. *J Contam Hydrol.* 49: 217-239.
- Bauer, S; Wolff, I; Werner, N; Schmidt, R; Blume, R; Pelzing, M. (1995). Toxicological investigations in the semiconductor industry: IV: Studies on the subchronic oral toxicity and genotoxicity of vacuum pump oils contaminated by waste products from aluminum plasma etching processes. *Toxicol Ind Health.* 11: 523-541. <http://dx.doi.org/10.1177/074823379501100506>.
- Bauer, U. (1981). [Human exposure to environmental chemicals: Investigations on volatile organic halogenated compounds in water, air, food, and human tissues: IV. Communication: Calculation of human exposure to organic halogenated compounds from the environment]. *Zentralbl Bakteriol, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B.* 174: 556-583.
- Bauer, U. (1991). OCCURRENCE OF TETRACHLOROETHYLENE IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Chemosphere.* 23: 1777-1781.
- Baum, G; Oppenlaender, T. (1995). Vacuum-UV: Oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere.* 30: 1781-1790.
- Baya, MP; Figa-Talamanca, I; Siskos, PA. (1998). Determination of selected volatile organic compounds in the air of dry-cleaning shops in the Athens area: Pilot study. *Indoor Built Environ.* 7: 315-318.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol.* 78: 129-146. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.005>.
- Beck, BD; Rudel, R; Calabrese, EJ. (1994). The use of toxicology in the regulatory process. In AW Hayes (Ed.), (3 ed., pp. 19-58). New York, NY: Raven Press, Ltd.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococcoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environ Sci Technol.* 40: 4473-4480. <http://dx.doi.org/10.1021/es051849o>.
- Becker, JG; Berardesco, G; Rittmann, BE; Stahl, DA. (2005). The role of syntrophic associations in sustaining anaerobic mineralization of chlorinated organic compounds. *Environ Health Perspect.* 113: 310-316. <http://dx.doi.org/10.1289/ehp.6933>.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol.* 57: 147-159.
- Begerow, J; Jermann, E; Keles, T; Freier, I; Ranft, U; Dunemann, L. (1996). Internal and external tetrachloroethene exposure of persons living in differently polluted areas of Northrhine-Westphalia (Germany). *Zentralblatt fuer Hygiene und Umweltmedizin.* 198: 394-406.
- Beliles, RP. (2002). Concordance across species in the reproductive and developmental toxicity of tetrachloroethylene [Review]. *Toxicol Ind Health.* 18: 91-106. <http://dx.doi.org/10.1191/0748233702th137oa>.
- Bell, PR. (1988). A NEW STANDARD FOR TRAFFIC CONTROL-SYSTEMS - NEMA STANDARD TS2. *Institute of Transportation Engineers ITE Journal.* 58: 25-26.
- Bellar, TA; Lichtenberg, JJ. (1974). Determining volatile organics at microgram-per-litre levels by gas chromatographs. *J Am Water Works Assoc.* 66: 739-744.
- Bellar, TA; Lichtenberg, JJ; Kroner, RC. (1974). The occurrence of organohalides in chlorinated drinking waters. *J Am Water Works Assoc.* 66: 703-706.
- Bellat, JP; Bertrand, O; Bouvier, F; Broyer, M; Francois, V; Maure, S; Weber, G. (1999). Characterization and utilization of MFI zeolites and MCM-41 materials for gaseous pollutant adsorption. *Stud Surf Sci Catal.* 125: 737-744.
- Bellobono, IR; Gianturco, F; Chiodaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull.* 6: 469-474.
- Benane, S; Blackman, C; House, D. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health.* 48: 427-437.
- Benes, V; Frantik, E; Horvath, M; Kozena, L. (1986). Vigilance performance paralleled with blood levels of solvents: Acetone, styrene, tetrachloroethylene. *Homeost Health Dis.* 28: 234-236.
- Beneteau, KM; Aravena, R; Frape, SK. (1999). Isotopic characterization of chlorinated solvents-laboratory and field results. *Organic Geochemistry.* 30: 739-753.
- Benick, J; Zimmermann, K; Spiegelman, J; Hermle, M; Glunz, SW. (2011). Rear side passivation of PERC-type solar cells by wet oxides grown from purified steam. *Progress in Photovoltaics.* 19: 361-365. <http://dx.doi.org/10.1002/pip.1020>.
- Benignus, VA; Boyes, WK; Geller, AM; Bushnell, PJ. (2009). Long-term perchloroethylene exposure: A meta-analysis of neurobehavioral deficits in occupationally and residentially exposed groups. *J Toxicol Environ Health A.* 72: 824-831. <http://dx.doi.org/10.1080/15287390902800413>.
- Benmouyal, G; Bilodeau, H; Chano, S; Sybille, G. (1993). NEW ALGORITHM FOR PROTECTION OF CAPACITOR BANKS EXPOSED TO HARMONIC OVERVOLTAGES. *I E E E Transactions on Power Delivery.* 8: 898-904.

## Fate Literature Search Results

### Off Topic

- Bennedsen, LR; Muff, J; Sogaard, EG. (2012). Influence of chloride and carbonates on the reactivity of activated persulfate. *Chemosphere*. 86: 1092-1097. <http://dx.doi.org/10.1016/j.chemosphere.2011.12.011>.
- Bentley, P; Calder, I; Elcombe, C; Grasso, P; Stringer, D; Wiegand, HJ. (1993). Hepatic peroxisome proliferation in rodents and its significance for humans. *Food Chem Toxicol*. 31: 857-907. [http://dx.doi.org/10.1016/0278-6915\(93\)90225-N](http://dx.doi.org/10.1016/0278-6915(93)90225-N).
- Benvenuti, C; Canil, G; Chiggiato, P; Collin, P; Cosso, R; Guerin, J; Ilie, S; Latorre, D; Neil, KS. (1999). Surface cleaning efficiency measurements for UHV applications. *Vacuum*. 53: 317-320.
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. *J Environ Eng*. 132: 725-735. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(725\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(725)).
- Beranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of chlorinated ethenes: modeling and parameter estimation methods. *Advances in Water Resources*. 28: 87-98. <http://dx.doi.org/10.1016/j.advwatres.2004.08.014>.
- Bergamaschi, E; Mutti, A; Bocchi, MC; Alinovi, R; Olivetti, G; Ghiggeri, GM; Franchini, I. (1992). Rat model of perchloroethylene-induced renal dysfunctions. *Environ Res*. 59: 427-439. [http://dx.doi.org/10.1016/S0013-9351\(05\)80046-5](http://dx.doi.org/10.1016/S0013-9351(05)80046-5).
- Bergeron, M; Cadorette, J; Tetrault, MA; Beaudoin, JF; Leroux, JD; Fontaine, R; Lecomte, R. (2014). Imaging performance of LabPET APD-based digital PET scanners for pre-clinical research. *Phys Med Biol*. 59: 661-678. <http://dx.doi.org/10.1088/0031-9155/59/3/661>.
- Berggren, DRV; Marshall, I; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environ Sci Technol*. 47: 1879-1886. <http://dx.doi.org/10.1021/es304244z>.
- Bergmann, H. (1993). TEST PHANTOMS IN NUCLEAR-MEDICINE - PLANAR-GAMMA CAMERA. *Radiat Prot Dosimetry*. 49: 285-293.
- Bergmann, H; Dobrozemsky, G; Minear, G; Nicoletti, R; Samal, M. (2005). An inter-laboratory comparison study of image quality of PET scanners using the NEMA NU 2-2001 procedure for assessment of image quality. *Phys Med Biol*. 50: 2193-2207. <http://dx.doi.org/10.1088/0031-9155/50/10/001>.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. *J Environ Qual*. 32: 801-815.
- Berlin, K; Edling, C; Persson, B; Ahlberg, G; Hillert, L; Hogstedt, B; Lundberg, I; Svensson, BG; Thiringer, G; Orbaek, P. (1995). Cancer incidence and mortality of patients with suspected solvent-related disorders. *Scand J Work Environ Health*. 21: 362-367.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernard, A; Hermans, C. (1997). Biomonitoring of early effects on the kidney or the lung. *Sci Total Environ*. 199: 205-211.
- Bernard, A; Lauwerys, R. (1989). Epidemiological application of early markers of nephrotoxicity. *Toxicol Lett*. 46: 293-306. [http://dx.doi.org/10.1016/0378-4274\(89\)90137-9](http://dx.doi.org/10.1016/0378-4274(89)90137-9).
- Bernstein, A; Ronen, Z; Gelman, F. (2013). Insight on RDX degradation mechanism by Rhodococcus strains using 13C and 15N kinetic isotope effects. *Environ Sci Technol*. 47: 479-484. <http://dx.doi.org/10.1021/es302691g>.
- Berton, P; Vera-Candioti, L; Goicoechea, HC; Wuilloud, RG. (2013). A microextraction procedure based on an ionic liquid as an ion-pairing agent optimized using a design of experiments for chromium species separation and determination in water samples. *Analytical Methods*. 5: 5065-5073. <http://dx.doi.org/10.1039/c3ay40617b>.
- Best, DE; Horii, SC; Bennett, W; Thomson, B; Snively, D. (1992). REVIEW OF THE AMERICAN-COLLEGE-OF-RADIOLOGY-NATIONAL-ELECTRICAL-MANUFACTURERS-ASSOCIATION STANDARDS ACTIVITY. *Comput Methods Programs Biomed*. 37: 305-309.
- Bethke, J; Kopf, J; Margaretha, P; Pignon, B; Dupont, L; Christiaens, LE. (1997). Photochemistry of isothiocoumarin (= 1H-[2]benzothiopyran-1-one). *Helvetica Chimica Acta*. 80: 1865-1868.
- Bettoli, MG; Ravanelli, M; Tositti, L; Tubertini, O; Guzzi, L; Martinotti, W; Queirazza, G; Tamba, M. (1998). Radiation induced decomposition of halogenated organic compounds in water. *Radiat Phys Chem Oxf Engl*. 52: 327-331.
- Beyer, T; Hahn, P; Hartwig, S; Konz, W; Scharring, S; Katzir, A; Steiner, H; Jakusch, M; Kraft, M; Mizaikoff, B. (2003). Mini spectrometer with silver halide sensor fiber for in situ detection of chlorinated hydrocarbons. *Sens Actuators B*. 90: 319-323. [http://dx.doi.org/10.1016/S0925-4005\(03\)00054-6](http://dx.doi.org/10.1016/S0925-4005(03)00054-6).
- Bezbarua, BK; Reckhow, DA. (2004). Modification of the standard neutral ozone decomposition model. *Ozone: Science and Engineering*. 26: 345-357. <http://dx.doi.org/10.1080/019195104904821479>.
- Bhargava, KP; Srivastava, VK; Barthwal, JP; Sinha, JN. (1976). Significance of spinal autonomic loci in post coronary ligation arrhythmia. *Neuropharmacology*. 15: 625-633. [http://dx.doi.org/10.1016/0028-3908\(76\)90019-8](http://dx.doi.org/10.1016/0028-3908(76)90019-8).
- Bhatia, SC; Bhatia, R; Dubey, GP. (2009). Studies on Transport and Thermodynamic Properties of Binary Mixtures of Hexan-1-ol with Halogenated Compounds at 293.15 K. *Journal of Chemical and Engineering Data*. 54: 3303-3306. <http://dx.doi.org/10.1021/je900278v>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol*. 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res*. 68: 260-269.
- Bhowmik, A; Asahino, A; Shiraki, T; Nakamura, K; Takamizawa, K. (2009). In situ study of tetrachloroethylene bioremediation with different microbial community shifting. *Environ Technol*. 30: 1607-1614. <http://dx.doi.org/10.1080/09593330903369986>.
- Bhowmik, A; Ishimura, K; Nakamura, K; Takamizawa, K. (2012). Degradation activity of Clostridium species DC-1 in the cis-1,2-dichloroethylene contaminated site in the presence of indigenous microorganisms and Escherichia coli. *Journal of Material Cycles and Waste Management*. 14: 212-219. <http://dx.doi.org/10.1007/s10163-012-0060-2>.

## Fate Literature Search Results

### Off Topic

- Bhunya, SP; Das, P. (1987). Bone marrow chromosome aberration and sperm abnormality in mice in vivo induced by monochloroacetic acid (MCA). *Chrom Info Service*. 42: 28-30.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation*. 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bianchimosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS-STEEL VS PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monitoring and Remediation*. 12: 126-131.
- Bianchimosquera, GC; Mackay, DM. (1994). AN EVALUATION OF THE REPRODUCIBILITY OF FORCED-GRADIENT SOLUTE TRANSPORT TESTS. *Ground Water*. 32: 937-948.
- Bickle, GM; Suzuki, T; Mitarai, Y. (1994). CATALYTIC DESTRUCTION OF CHLOROFLUOROCARBONS AND TOXIC CHLORINATED HYDROCARBONS. *Appl Catal B-Environ*. 4: 141-153.
- Bielefeldt, AR; Stensel, HD; Strand, SE. (1995). COMETABOLIC DEGRADATION OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. *J Environ Eng*. 121: 791-797.
- Bignami, M; Cardamone, G; Comba, P; Ortali, VA; Morpurgo, G; Carere, A. (1977). Relationship between chemical structure and mutagenic activity in some pesticides: The use of Salmonella typhimurium and Aspergillus nidulans. *Mutat Res*. 46: 243-244. [http://dx.doi.org/10.1016/0165-1161\(77\)90103-0](http://dx.doi.org/10.1016/0165-1161(77)90103-0).
- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), NBS special publication (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bina, MT; Kashefi, A. (2011). Three-phase unbalance of distribution systems: Complementary analysis and experimental case study. *International Journal of Electrical Power & Energy Systems*. 33: 817-826. <http://dx.doi.org/10.1016/j.ijepes.2010.12.003>.
- Biswas, N; Zytner, RG; Bewtra, JK. (1992). MODEL FOR PREDICTING PCE DESORPTION FROM CONTAMINATED SOILS. *Water Environ Res*. 64: 170-178.
- Bizzigotti, GO; Reynolds, DA; Kueper, BH. (1997). Enhanced solubilization and destruction of tetrachloroethylene by hydroxypropyl-beta-cyclodextrin and iron. *Environ Sci Technol*. 31: 472-478.
- Black, D. (1982). Glue sniffing. *Arch Dis Child*. 57: 893-894.
- Black, H. (2006). Pressed for hard facts: Multiple tetrachloroethylene-cancer links go unconfirmed. *Environ Health Perspect*. 114: A114. <http://dx.doi.org/10.1289/ehp.114-a114>.
- Black, WZ; Brown, KW; Harshe, BL. (1999). Ampacity of cables in trays surrounded with fire barrier material. *I E E E Transactions on Power Delivery*. 14: 8-17.
- Black, WZ; Woodruff, GW; Kovalchik, PG; Duda, FT. (1994). AMPACITIES OF POWER-CABLES WOUND ON REELS. *I E E E Transactions on Power Delivery*. 9: 1209-1216.
- Blair, A; Burg, J; Foran, J; Gibb, H; Greenland, S; Morris, R; Raabe, G; Savitz, D; Teta, J; Wartenberg, D; Wong, O; Zimmerman, R. (1995). Guidelines for application of meta-analysis in environmental epidemiology. *Regul Toxicol Pharmacol*. 22: 189-197. <http://dx.doi.org/10.1006/rtph.1995.1084>.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med*. 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>; <http://oem.bmj.com/content/oemed/55/3/161.full.pdf>.
- Blair, A; Petralia, SA; Stewart, PA. (2003). Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol*. 13: 50-56. [http://dx.doi.org/10.1016/S1047-2797\(02\)00250-8](http://dx.doi.org/10.1016/S1047-2797(02)00250-8); <http://www.sciencedirect.com/science/article/pii/S1047279702002508>.
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environ Sci Technol*. 32: 294-298.
- Blake, DR; Blake, NJ; Smith, TW; Wingenter, OW; Rowland, FS. (1996). Nonmethane hydrocarbon and halocarbon distributions during Atlantic Stratocumulus Transition Experiment Marine Aerosol and Gas Exchange, June 1992. *J Geophys Res Atmos*. 101: 4501-4514.
- Blake, DR; Smith, TW; Chen, TY; Whipple, WJ; Rowland, FS. (1994). EFFECTS OF BIOMASS BURNING ON SUMMERTIME NONMETHANE HYDROCARBON CONCENTRATIONS IN THE CANADIAN WETLANDS. *J Geophys Res Atmos*. 99: 1699-1719. <http://dx.doi.org/10.1029/93JD02598>.
- Blake, NJ; Blake, DR; Simpson, IJ; Lopez, JP; Johnston, NAC; Swanson, AL; Katzenstein, AS; Meinardi, S; Sive, BC; Colman, JJ; Atlas, E; Flocke, F; Vay, SA; Avery, MA; Rowland, FS. (2001). Large-scale latitudinal and vertical distributions of NMHCs and selected halocarbons in the troposphere over the Pacific Ocean during the March-April 1999 Pacific Exploratory Mission (PEM-Tropics B). *J Geophys Res Atmos*. 106: 32627-32644.
- Blake, NJ; Blake, DR; Simpson, IJ; Meinardi, S; Swanson, AL; Lopez, JP; Katzenstein, AS; Barletta, B; Shirai, T; Atlas, E; Sachse, G; Avery, M; Vay, S; Fuelberg, HE; Kiley, CM; Kita, K; Rowland, FS. (2003). NMHCs and halocarbons in Asian continental outflow during the Transport and Chemical Evolution over the Pacific (TRACE-P) Field Campaign: Comparison with PEM-West B. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003367>.
- Blanch-Raga, N; Soriano, MD; Palomares, AE; Concepcion, P; Martinez-Triguero, J; Lopez Nieto, JM. (2013). Catalytic abatement of trichloroethylene over Mo and/or W-based bronzes. *Appl Catal B-Environ*. 130: 36-43. <http://dx.doi.org/10.1016/j.apcatb.2012.10.016>.
- Blando, JD; Schill, DP; De La Cruz, MP; Zhang, L; Zhang, J. (2010). Preliminary study of propyl bromide exposure among New Jersey dry cleaners as a result of a pending ban on perchloroethylene. *Journal of the Air and Waste Management Association*. 60: 1049-1056. <http://dx.doi.org/10.3155/1047-3289.60.9.1049>.

## Fate Literature Search Results

### Off Topic

- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frapce, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environ Sci Technol.* 34: 2768-2772. <http://dx.doi.org/10.1021/es991179k>.
- Blossom, SJ; Doss, JC; Gilbert, KM. (2007). Chronic exposure to a trichloroethylene metabolite in autoimmune-prone MRL+/+ mice promotes immune modulation and alopecia. *Toxicol Sci.* 95: 401-411. <http://dx.doi.org/10.1093/toxsci/kfl149>.
- Blossom, SJ; Gilbert, KM. (2006). Exposure to a metabolite of the environmental toxicant, trichloroethylene, attenuates CD4+ T cell activation-induced cell death by metalloproteinase-dependent FasL shedding. *Toxicol Sci.* 92: 103-114. <http://dx.doi.org/10.1093/toxsci/kfj212>.
- Blossom, SJ; Pumford, NR; Gilbert, KM. (2004). Activation and attenuation of apoptosis of CD4+ T cells following in vivo exposure to two common environmental toxicants, trichloroacetaldehyde hydrate and trichloroacetic acid. *J Autoimmun.* 23: 211-220. <http://dx.doi.org/10.1016/j.jaut.2004.06.007>.
- Blount, BC; Mcelprang, DO; Chambers, DM; Waterhouse, MG; Squibb, KS; Lakind, JS. (2010). Methodology for collecting, storing, and analyzing human milk for volatile organic compounds. *J Environ Monit.* 12: 1265-1273. <http://dx.doi.org/10.1039/b927022a>.
- Blunden, S. (1981). Drugs and the soldier. *J R Army Med Corps.* 127: 72-77.
- Blystone, PG; Johnson, MD; Haag, WR; Daley, PF. (1993). ADVANCED ULTRAVIOLET FLASH LAMPS FOR THE DESTRUCTION OF ORGANIC CONTAMINANTS IN AIR. *ACS Symp Ser Am Chem Soc.* 518: 380-392.
- Bob, MM; Brooks, MC; Mravik, SC; Wood, AL. (2008). A modified light transmission visualization method for DNAPL saturation measurements in 2-D models. *Advances in Water Resources.* 31: 727-742. <http://dx.doi.org/10.1016/j.advwatres.2008.01.016>.
- Bodenhofer, K; Hierlemann, A; Noetzel, G; Weimar, U; Gopel, W. (1996). Performances of mass-sensitive devices for gas sensing: Thickness shear mode and surface acoustic wave transducers. *Anal Chem.* 68: 2210-2218.
- Boehm, C; Landgraf, D; Makeschin, F. (2009). Effects of two contrasting agricultural land-use practices on nitrogen leaching in a sandy soil of Middle Germany. *172: 408-417.* <http://dx.doi.org/10.1002/jpln.200700104>.
- Boellaard, R; Buijs, F; de Jong, HWA, M; Lenox, M; Gremillion, T; Lammertsma, AA. (2003). Characterization of a single LSO crystal layer high resolution research tomograph. *Phys Med Biol.* 48: 429-448. <http://dx.doi.org/10.1088/0031-9155/48/4/302>.
- Bogen, K; Keating, G; Meissner, S; Vogel, J. (1998). Initial uptake kinetics in human skin exposed to dilute aqueous trichloroethylene in vitro. *J Expo Anal Environ Epidemiol.* 8: 253-271.
- Bogen, KT. (1995). Methods to Approximate Joint Uncertainty and Variability in Risk. *Risk Anal.* 15: 411-419.
- Bogen, KT; Mckone, TE. (1988). Linking indoor air and pharmacokinetic models to assess tetrachloroethylene risk. *Risk Anal.* 8: 509-520.
- Bogh, D; Coffee, J; Stone, G; Custodio, J. (2006). Partial-discharge-inception testing on low-voltage motors. *I E E E Transactions on Industry Applications.* 42: 148-154. <http://dx.doi.org/10.1109/TIA.2005.861369>.
- Bohme, R; Braun, A; Zimmer, K. (2002). Backside etching of UV-transparent materials at the interface to liquids. *Appl Surf Sci.* 186: 276-281.
- Bohy, M; Dridi, L; Schaefer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. *Vadose Zone Journal.* 5: 539-553. <http://dx.doi.org/10.2136/vzj2005.0079>.
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; Mclaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Boillat, MA; Berode, M; Droz, PO. (1986). SURVEILLANCE OF WORKERS EXPOSED TO PERCHLOROETHYLENE OR STYRENE. *Soz Praventivmed.* 31: 260-262.
- Bois, F. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci.* 895: 317-337.
- Boisson, F; Wimberley, CJ; Lehnert, W; Zahra, D; Pham, T; Perkins, G; Hamze, H; Gregoire, MC; Reilhac, A. (2013). NEMA NU 4-2008 validation and applications of the PET-SORTEO Monte Carlo simulations platform for the geometry of the Inveon PET preclinical scanner. *Phys Med Biol.* 58: 6749-6763. <http://dx.doi.org/10.1088/0031-9155/58/19/6749>.
- Bolesch, DG; Nielsen, RB; Keasling, JD. (1997). COMPLETE REDUCTIVE DECHLORINATION OF TRICHLOROETHENE BY A GROUNDWATER MICROBIAL CONSORTIUM (pp. NEW YORK). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/98/14946). Bolesch, DG; Nielsen, RB; Keasling, JD.
- Bollinger, PA. (1980). OPTIMIZING THE DESIGN OF A NEMA TYPE-7 EXPLOSION-PROOF ENCLOSURE USED FOR ELECTRO-MECHANICAL SWITCHING DEVICES. *I E E E Transactions on Industry Applications.* 16: 44-50.
- Bolm-Audorff, U; Ahrens, W; Jöckel, KH; Greiser, E; Molik, B; Timm, J; Wichmann, HE. (1989). Experience with supplementary questionnaires in a lung cancer case reference study. In D Hemon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Office for Official Publications of the European Community.
- Bong, M; Laskowska-Klita, T; Szymczyk, T. (1985). Effect of the benzene fraction of petroleum on protein content in rat liver and kidney. *Bull Environ Contam Toxicol.* 34: 45-54.
- Bonnett, AH. (1991). THE BENEFITS OF ALLOWING FOR INCREASED STARTING CURRENT IN AC SQUIRREL CAGE INDUCTION-MOTORS. *I E E E Transactions on Industry Applications.* 27: 1169-1174.
- Bonnett, AH. (2001). Operating temperature considerations and performance characteristics for IEEE 841 motors. *I E E E Transactions on Industry Applications.* 37: 1120-1131.
- Bonse, G; Urban, T; Reichert, D; Henschler, D. (1975). Chemical reactivity, metabolic oxirane formation and biological reactivity of chlorinated ethylenes in the isolated perfused rat liver preparation. *Biochem Pharmacol.* 24: 1829-1834. [http://dx.doi.org/10.1016/0006-2952\(75\)90468-2](http://dx.doi.org/10.1016/0006-2952(75)90468-2).
- Bonutti, F; Cattaruzzi, E; Cragolini, E; Floreani, M; Foti, C; Malisan, MR; Moretti, E; Geatti, O; Padovani, R. (2008). Count-rate analysis from clinical scans in PET with LSO detectors. *Radiat Prot Dosimetry.* 129: 288-290. <http://dx.doi.org/10.1093/rpd/ncn153>.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res.* 34: 4437-4445.



## Fate Literature Search Results

### Off Topic

- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere*. 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol*. 32: 2614-2622.
- Bortone, I; Di Nardo, A; Di Natale, M; Erto, A; Musmarra, D; Santonastaso, GF. (2013). Remediation of an aquifer polluted with dissolved tetrachloroethylene by an array of wells filled with activated carbon. *J Hazard Mater*. 260: 914-920. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.050>.
- Bosma, TN; Cottaar, FH; Posthumus, MA; Teunis, CJ; van Veldhuizen, A; Schraa, G; Zehnder, AJ. (1994). Comparison of reductive dechlorination of hexachloro-1,3-butadiene in Rhine sediment and model systems with hydroxocobalamin. *Environ Sci Technol*. 28: 1124-1128. <http://dx.doi.org/10.1021/es00055a023>.
- Botta, D; Dancelli, E; Mantica, E. (1996). A case history of contamination by polychloro-1,3-butadiene congeners. *Environ Sci Technol*. 30: 453-462.
- Bottero, S; Hassanizadeh, SM; Kleingeld, PJ; Heimovaara, TJ. (2011). Nonequilibrium capillarity effects in two-phase flow through porous media at different scales. *Water Resour Res*. 47: 10505-10505. <http://dx.doi.org/10.1029/2011WR010887>.
- Bouchardy, C; Schüller, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health*. 28: 1-88.
- Bouwer, EJ; Mccarty, PL; Lance, JC. (1981). Trace organic behavior in soil columns during rapid infiltration of secondary wastewater. *Water Res*. 15: 151-159. [http://dx.doi.org/10.1016/0043-1354\(81\)90195-0](http://dx.doi.org/10.1016/0043-1354(81)90195-0).
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review [Review]. *Environ Health Perspect*. 110: 61-74.
- Bove, FJ. (1996). Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. *Toxicol Ind Health*. 12: 255-266.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol*. 141: 850-862.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health*. 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health*. 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environ Sci Technol*. 33: 764-770.
- Bowen, SE; Batis, JC; Paez-Martinez, N; Cruz, SL. (2006). The last decade of solvent research in animal models of abuse: Mechanistic and behavioral studies [Review]. *Neurotoxicol Teratol*. 28: 636-647. <http://dx.doi.org/10.1016/j.ntt.2006.09.005>.
- Bowler, RM; Mergler, D; Huel, G; Harrison, R; Cone, J. (1991). Neuropsychological impairment among former microelectronics workers. *Neurotoxicology*. 12: 87-103.
- Bowman, KJ. (1982). A method for quantitative scoring of the Farnsworth Panel D-15. *Acta Ophthalmol*. 60: 907-916. <http://dx.doi.org/10.1111/j.1755-3768.1982.tb00621.x>.
- Bowman, RS; Haggerty, GM; Huddleston, RG; Neel, D; Flynn, MM. (1995). SORPTION OF NONPOLAR ORGANIC-COMPOUNDS, INORGANIC CATIONS, AND INORGANIC OXYANIONS BY SURFACTANT-MODIFIED ZEOLITES. *ACS Symp Ser Am Chem Soc*. 594: 54-64.
- Boyce, CP. (1998). Comparison of approaches for developing distributions for carcinogenic slope factors. *Hum Ecol Risk Assess*. 4: 527-577.
- Boyd, GR; Li, MH; Husserl, J; Ocampo-Gomez, AM. (2006). Dip-angle influence on areal DNAPL recovery by co-solvent flooding with and without pre-flooding. *J Contam Hydrol*. 82: 319-337. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.007>.
- Boyd, GR; Ocampo-Gomez, A; Li, M; Husserl, J. (2006). Effects of initial saturation on properties modification and displacement of tetrachloroethene with aqueous isobutanol. *J Contam Hydrol*. 88: 69-91. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.003>.
- Boyes, WK; Evans, MV; Eklund, C; Janssen, P; Simmons, JE. (2005). Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. *Risk Anal*. 25: 677-686. <http://dx.doi.org/10.1111/j.1539-6924.2005.00622.x>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol*. 136: 712-721.
- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health*. 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Braad, PE; Hansen, SB; Høilund-Carlsen, PF. (2015). Impact of high (131)I-activities on quantitative (124)I-PET. *Phys Med Biol*. 60: 5297-5312. <http://dx.doi.org/10.1088/0031-9155/60/13/5297>.
- Bradford, SA; Abriola, LM. (2001). Dissolution of residual tetrachloroethylene in fractional wettability porous media: Incorporation of interfacial area estimates. *Water Resour Res*. 37: 1183-1195.
- Bradford, SA; Phelan, TJ; Abriola, LM. (2000). Dissolution of residual tetrachloroethylene in fractional wettability porous media: correlation development and application. *J Contam Hydrol*. 45: 35-61.
- Bradford, SA; Rathfelder, KM; Lang, J; Abriola, LM. (2003). Entrapment and dissolution of DNAPLs in heterogeneous porous media. *J Contam Hydrol*. 67: 133-157. [http://dx.doi.org/10.1016/S0169-7722\(03\)00071-8](http://dx.doi.org/10.1016/S0169-7722(03)00071-8).

## Fate Literature Search Results

### Off Topic

- Bradford, SA; Vendlinski, RA; Abriola, LM. (1999). The entrapment and long-term dissolution of tetrachloroethylene in fractional wettability porous media. *Water Resour Res.* 35: 2955-2964.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55. <http://dx.doi.org/10.1111/j.1745-6592.2011.01344.x>.
- Bradley, PM; Chapelle, FH. (1996). Anaerobic mineralization of vinyl chloride in Fe(III)-reducing, aquifer sediments. *Environ Sci Technol.* 30: 2084-2086.
- Bradley, PM; Chapelle, FH. (1997). Kinetics of DCE and VC mineralization under methanogenic and Fe(III)-reducing conditions. *Environ Sci Technol.* 31: 2692-2696.
- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environ Sci Technol.* 32: 553-557.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethane biodegradation under methanogenic conditions. *Environ Sci Technol.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (1999). Role for acetotrophic methanogens in methanogenic biodegradation of vinyl chloride. *Environ Sci Technol.* 33: 3473-3476.
- Bradley, PM; Chapelle, FH. (2000). Acetogenic microbial degradation of vinyl chloride. *Environ Sci Technol.* 34: 2761-2763. <http://dx.doi.org/10.1021/es991371m>.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Bradley, PM; Lacombe, PJ; Imbrigiotta, TE; Chapelle, FH; Goode, DJ. (2009). Flowpath Independent Monitoring of Reductive Dechlorination Potential in a Fractured Rock Aquifer. *Ground Water Monitoring and Remediation.* 29: 46-55.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kuschke, P; Kaestner, M. (2011). Adaptation of a Constructed Wetland to Simultaneous Treatment of Monochlorobenzene and Perchloroethene. *Int J Phytoremediation.* 13: 998-1013. <http://dx.doi.org/10.1080/15226514.2010.549860>.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol.* 67: 43-60. [http://dx.doi.org/10.1016/S0169-7722\(03\)00087-1](http://dx.doi.org/10.1016/S0169-7722(03)00087-1).
- Brand, KP; Jang, CJ; Park, JH; Serrano, PI; Weker, RA; Lee, K; Yanagisawa, Y. (1999). Residual perchloroethylene in dry-cleaned acetate: The effect of pressing and extent of inter-dry-cleaner variability. *J Air Waste Manag Assoc.* 49: 213-218.
- Brasse, D; Tararine, M; Lamer, O; Bendriem, B. (1998). Investigation of noise equivalent count rate in positron imaging using a dual head gamma camera. *IEEE Trans Nucl Sci.* 45: 438-442.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Bredeloux, P; Dubuc, I; Costentin, J. (2007). Comparisons between bupropion and dexamphetamine in a range of in vivo tests exploring dopaminergic transmission. *Br J Pharmacol.* 150: 711-719. <http://dx.doi.org/10.1038/sj.bjp.0707151>.
- Breitbarth, FW; Rottmayer, S. (1986). INVESTIGATION OF RADICAL REACTIONS IN C2CL4 AND C2CL4/O2 DISCHARGES BY ELECTRON-PARAMAGNETIC-RES, MASS, AND EMISSION-SPECTROSCOPY. *Plasma Chemistry and Plasma Processing.* 6: 381-399.
- Breitenstein, O; Fruehauf, F; Turek, M. (2016). Improved empirical method for calculating short circuit current density images of silicon solar cells from saturation current density images and vice versa. *Solar Energy Materials and Solar Cells.* 154: 99-103. <http://dx.doi.org/10.1016/j.solmat.2016.04.047>.
- Brendel, R; Dullweber, T; Peibst, R; Kranz, C; Merkle, A; Walter, D. (2016). Breakdown of the efficiency gap to 29% based on experimental input data and modeling. *Progress in Photovoltaics.* 24: 1475-1486. <http://dx.doi.org/10.1002/pip.2696>.
- Brendel, R; Peibst, R. (2016). Contact Selectivity and Efficiency in Crystalline Silicon Photovoltaics. 6: 1413-1420. <http://dx.doi.org/10.1109/JPHOTOV.2016.2598267>.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *J Environ Eng.* 132: 664-673. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(664\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(664)).
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.
- Breslow, NE; Day, NE. (1994). Statistical Method in Cancer Research. Volume 2 - The Design and Analysis of Cohort Studies [Review]. In NE Breslow; NE Day (Eds.), (IARC Scientific Publications No. 82 ed., pp. 1-406). New York, NY: Oxford University Press. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Breton-Deval, L; Rossetti, S; Rios-Leal, E; Matturro, B; Poggi-Valardo, HM. (2016). Effect of Coupling Zero-Valent Iron Side Filters on the Performance of Bioreactors Fed with a High Concentration of Perchloroethylene. *J Environ Eng.* 142: 16051-16051. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0001093](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0001093).
- Breuer, D. (1993). INTERLABORATORY TRIAL SERIES HALOGENATED HYDROCARBONS - QUALITY ASSURANCE WITHIN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCE OF EXTERNAL MEASURING SERVICES .3. Staub, Reinhaltung der Luft. 53: 435-440.
- Breuer, D; Schenk, H; Schirk, O. (1991). MULTICENTER TRIAL HALOGENATED HYDROCARBONS - QUALITY ASSURANCE IN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCES OF EXTERNAL MEASURING SERVICES (II). Staub, Reinhaltung der Luft. 51: 181-185.
- Brewster, ML; Annan, AP. (1994). GROUND-PENETRATING RADAR MONITORING OF A CONTROLLED DNAPL RELEASE - 200 MHZ RADAR. *Geophysics.* 59: 1211-1221.
- Brewster, ML; Annan, AP; Greenhouse, JP; Kueper, BH; Olhoeft, GR; Redman, JD; Sander, KA. (1995). OBSERVED MIGRATION OF A CONTROLLED DNAPL RELEASE BY GEOPHYSICAL METHODS. *Ground Water.* 33: 977-987.

## Fate Literature Search Results

### Off Topic

- Brisson, VL; West, KA; Lee, PK; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *ISME J.* 6: 1702-1714. <http://dx.doi.org/10.1038/ismej.2012.15>.
- Broadwell, DK; Darcey, DJ; Hudnell, HK; Otto, DA; Boyes, WK. (1995). Work-site clinical and neurobehavioral assessment of solvent-exposed microelectronics workers. *Am J Ind Med.* 27: 677-698. <http://dx.doi.org/10.1002/ajim.4700270505>.
- Brodkin, CA; Daniell, W; Checkoway, H; Echeverria, D; Johnson, J; Wang, K; Sohaey, R; Green, D; Redlich, C; Gretch, D. (1995). Hepatic ultrasonic changes in workers exposed to perchloroethylene. *Occup Environ Med.* 52: 679-685.
- Brodkin, CA; Daniell, W; Echeverria, D; Redlich, C; Checkoway, H. (1999). Concerns and assumptions of labor and management in the dry-cleaning industry. *Am J Ind Med.* 36: 482-483.
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: enhanced dissolution by methanol injection. *Environ Technol.* 28: 11-18. <http://dx.doi.org/10.1080/09593332808618767>.
- Broholm, K; Christensen, TH; Jensen, BK. (1991). LABORATORY FEASIBILITY STUDIES ON BIOLOGICAL INSITU TREATMENT OF A SANDY SOIL CONTAMINATED WITH CHLORINATED ALIPHATICS. *Environ Technol.* 12: 279-289.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environ Sci Technol.* 33: 681-690.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res.* 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).
- Brooks, MC; Annable, MD; Rao, PS; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2002). Controlled release, blind tests of DNAPL characterization using partitioning tracers. *J Contam Hydrol.* 59: 187-210.
- Brooks, MC; Annable, MD; Rao, PSC; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2004). Controlled release, blind test of DNAPL remediation by ethanol flushing. *J Contam Hydrol.* 69: 281-297. [http://dx.doi.org/10.1016/S0169-7722\(03\)00158-X](http://dx.doi.org/10.1016/S0169-7722(03)00158-X).
- Broster, BE; Pupek, DA. (2001). The significance of buried landscape in subsurface migration of dense non-aqueous phase liquids: The case of perchloroethylene in the Sussex aquifer, New Brunswick. *Environmental and Engineering Geoscience.* 7: 17-29.
- Brovelli, A; Barry, DA; Robinson, C; Gerhard, JI. (2012). Analysis of acidity production during enhanced reductive dechlorination using a simplified reactive transport model. *Advances in Water Resources.* 43: 14-27. <http://dx.doi.org/10.1016/j.advwatres.2012.04.001>.
- Brown, CD; Wong, BA; Fennell, TR. (1996). In vivo and in vitro kinetics of ethylene oxide metabolism in rats and mice. *Toxicol Appl Pharmacol.* 136: 8-19. <http://dx.doi.org/10.1006/taap.1996.0002>.
- Brown, D; Kaplan, S. (1987). Retrospective cohort mortality study of dry cleaner workers using perchloroethylene. *J Occup Med.* 29: 535-541.
- Brown, DP. (1978). Memorandum. Unknown: Unknown.
- Brown, LM; Hoover, R; Silverman, D; Baris, D; Hayes, R; Swanson, GM; Schoenberg, J; Greenberg, R; Liff, J; Schwartz, A; Dosemeci, M; Pottern, L; Fraumeni, JF, Jr. (2001). Excess incidence of squamous cell esophageal cancer among US Black men: Role of social class and other risk factors. *Am J Epidemiol.* 153: 114-122. <http://dx.doi.org/10.1093/aje/153.2.114>.
- Brown, MJ; Burreis, DR. (1996). Enhanced organic contaminant sorption on soil treated with cationic surfactants. *Ground Water.* 34: 734-744.
- Brown, RC; Backus, G; Euling, SY; Foos, B; Makris, S; Moya, J; Olsen, M; Raffaele, K; Sonawane, B; Strong, J. (2009). Consideration of susceptible populations in risk assessment. *Birth Defects Res A Clin Mol Teratol.* 85: 433.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere.* 38: 795-806.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health.* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Brown, T; Dassonville, C; Derbez, M; Ramalho, O; Kirchner, S; Crump, D; Mandin, C. (2015). Relationships between socioeconomic and lifestyle factors and indoor air quality in French dwellings. *Environ Res.* 140: 385-396. <http://dx.doi.org/10.1016/j.envres.2015.04.012>.
- Browne, TE; Cohen, Y. (1993). POLYMER-GRAFTED SILICA - A SCREENING SYSTEM FOR POLYMERIC ADSORPTION RESIN DEVELOPMENT. *Ind Eng Chem Res.* 32: 716-725.
- Browning, IA. (1995). A comparison of laboratory and field reactions of a range of potato cultivars to infection with *Synchytrium endobioticum* (Schilb) Perc. *Potato Research.* 38: 281-289.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control.* 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Brozek, JP. (1993). TYPE-2 PROTECTION OF IEC STARTERS - A RECOMMENDED METHOD. *I E E E Transactions on Industry Applications.* 29: 215-218.
- Bruno, P; Caselli, M; de Gennaro, G; Solito, M; Tutino, M. (2007). Monitoring of odor compounds produced by solid waste treatment plants with diffusive samplers. *Waste Manag.* 27: 539-544. <http://dx.doi.org/10.1016/j.wasman.2006.03.006>.
- Bruno, TJ; Wertz, KH. (1996). Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black .5. Heavier ethane- and ethene-based compounds. *J Chromatogr A.* 723: 325-335.
- Bruschi, SA; Bull, RJ. (1993). In vitro cytotoxicity of mono-, di-, and trichloroacetate and its modulation by hepatic peroxisome proliferation. *Fundam Appl Toxicol.* 21: 366-375. <http://dx.doi.org/10.1006/faat.1993.1109>.
- Brusseau, ML. (1991). Cooperative sorption of organic chemicals in systems composed of low organic carbon aquifer materials. *Environ Sci Technol.* 25: 1747-1752.
- Brusseau, ML. (1992). Nonequilibrium transport of organic chemicals: The impact of pore-water velocity. *J Contam Hydrol.* 9: 353-368.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere.* 89: 1302-1306. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.027>.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol.* 28: 115-155.

## Fate Literature Search Results

### Off Topic

- Bruzzoniti, MC; Mentasti, E; Sarzanini, C; Onida, B; Bonelli, B; Garrone, E. (2000). Retention properties of mesoporous silica-based materials. *Anal Chim Acta*. 422: 231-238.
- Buchanan, DH; Coombs, KJ; Murphy, PM; Chaven, C. (1993). A CONVENIENT METHOD FOR THE QUANTITATIVE-DETERMINATION OF ELEMENTAL SULFUR IN COAL BY HPLC ANALYSIS OF PERCHLOROETHYLENE EXTRACTS. *Energy Fuels*. 7: 219-221.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ( $\delta(13)C$  and  $\delta(37)Cl$ ) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environ Sci Technol*. 49: 13230-13237. <http://dx.doi.org/10.1021/acs.est.5b02918>.
- Budde, WL; Eichelberger, JW. (1979). An EPA manual for organics analysis using gas chromatography-mass spectrometry. (EPA-600/8-79-006). Cincinnati, OH: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9100T9DX.txt>.
- Buelke-Sam, J; Kimmel, CA. (1979). Development and standardization of screening methods for behavioral teratology. *Teratology*. 20: 17-30.
- Buelke-Sam, J; Kimmel, CA; Adams, J; Nelson, CJ; Vorhees, CV; Wright, DC; St Omer, V; Korol, BA; Butcher, RE; Geyer, MA. (1985). Collaborative behavioral teratology study: Results. *Neurobehav Toxicol Teratol*. 7: 591-624.
- Bueres, RF; Asedegbega-Nieto, E; Diaz, E, va; Ordonez, S; Diez, FV. (2010). Performance of carbon nanofibres, high surface area graphites, and activated carbons as supports of Pd-based hydrodechlorination catalysts. *Catalysis Today*. 150: 16-21. <http://dx.doi.org/10.1016/j.cattod.2009.05.020>.
- Bugaris, RM; Weber, NJ. (2013). Considerations in Applying Arc-Resistant Low Voltage Motor Control Centers in Refining Environments. *I E E E Transactions on Industry Applications*. 49: 784-790. <http://dx.doi.org/10.1109/TIA.2013.2240433>.
- Buhlmann, K; Reinbold, J; Cammann, K; Shulga, AA; Sundermeier, C; Knoll, M; Wierig, A; Weber, E. (1995). CLATHRATES AS COATING MATERIALS FOR DIELECTRIC TRANSDUCERS WITH REGARD TO ORGANIC-SOLVENT VAPOR SENSORS. *Sens Actuators B*. 26: 158-161.
- Bukowski, J. (2012). Comment on: "Visual contrast sensitivity in children exposed to tetrachloroethylene" by Storm et al [Letter]. *Arch Environ Occup Health*. 67: 51-52; author reply 53-55. <http://dx.doi.org/10.1080/19338244.2011.646362>.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect*. 108: 241-259.
- Bull, RJ. (2004). Proceedings of New Scientific Research Related to the Health Effects of Trichloroethylene Trichloroethylene and liver tumors in mice: U.S. Environmental Protection Agency. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=432706](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=432706).
- Bull, RJ; Orner, GA; Cheng, RS; Stillwell, L; Stauber, AJ; Sasser, LB; Lingohr, MK; Thrall, BD. (2002). Contribution of dichloroacetate and trichloroacetate to liver tumor induction in mice by trichloroethylene. *Toxicol Appl Pharmacol*. 182: 55-65. <http://dx.doi.org/10.1006/taap.2002.9427>.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology*. 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology*. 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Bullock, D; Catarella, A; NRC. (1998). A real-time simulation environment for evaluating traffic signal systems. *Trans Res Rec* 130-135.
- Bunn, WW; Deane, ER; Klein, DW; Kleopfer, RD. (1975). Sampling and characterization of air for organic compounds. *Water Air Soil Pollut*. 4: 367-380. <http://dx.doi.org/10.1007/BF00280722>.
- Burge, SR; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation*. 25: 113-122.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation*. 28: 95-106. <http://dx.doi.org/10.1111/j.1745-6592.2008.00214.x>.
- Burns, PB; Swanson, GM. (1991). Risk of urinary bladder cancer among blacks and whites: The role of cigarette use and occupation. *Cancer Causes Control*. 2: 371-379. <http://dx.doi.org/10.1007/BF00054297>.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *J Environ Eng*. 124: 1012-1019.
- Burris, DR; Antworth, CP. (1992). INSITU MODIFICATION OF AN AQUIFER MATERIAL BY A CATIONIC SURFACTANT TO ENHANCE RETARDATION OF ORGANIC CONTAMINANTS. *J Contam Hydrol*. 10: 325-337.
- Burris, DR; Antworth, CP; Stauffer, TB; Macintyre, WG. (1991). HUMIC-ACID MODIFIED SILICA AS A MODEL AQUIFER MATERIAL. *Environ Toxicol Chem*. 10: 433-440.
- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environ Sci Technol*. 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem*. 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol*. 30: 3047-3052.
- Bursch, W; Lauer, B; Timmermann-Trosiener, I; Barthel, G; Schuppler, J; Schulte-Hermann, R. (1984). Controlled death (apoptosis) of normal and putative preneoplastic cells in rat liver following withdrawal of tumor promoters. *Carcinogenesis*. 5: 453-458.
- Burstyn, I. (2011). The ghost of methods past: Exposure assessment versus job-exposure matrix studies. *Occup Environ Med*. 68: 2-3. <http://dx.doi.org/10.1136/oem.2009.054585>.
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *J Environ Eng*. 131: 934-942. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:6\(934\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:6(934)).
- Burton, DT; Dilorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic Hazard Assessment of a Contaminated Surficial Aquifer Discharge into the Bush River, Maryland (U.S.A.). *Water Air Soil Pollut*. 139: 159-182.

## Fate Literature Search Results

### Off Topic

- Bus, JS; Rickert, DE; Norton, RM; Gibson, JE. (1978). The pharmacokinetics and metabolism of aniline hydrochloride in Fischer 344 rats [Abstract]. *Toxicol Appl Pharmacol.* 45: 256.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Benignus, VA; Krantz, QT; Kenyon, EM. (2007). A Dosimetric Analysis of the Acute Behavioral Effects of Inhaled Toluene in Rats. *Toxicol Sci.* 99: 181-189. <http://dx.doi.org/10.1093/toxsci/kfm146>.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *J Toxicol Environ Health A.* 70: 1806-1814. <http://dx.doi.org/10.1080/15287390701459155>.
- Bushnell, PJ; Shafer, TJ; Bale, AS; Boyes, WK; Simmons, JE; Eklund, C; Jackson, TL. (2005). Developing an exposure-dose-response model for the acute neurotoxicity of organic solvents: overview and progress on in vitro models and dosimetry. *Environ Toxicol Pharmacol.* 19: 607-614. <http://dx.doi.org/10.1016/j.etap.2004.12.026>.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60. <http://dx.doi.org/10.1111/gwmmr.12015>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol.* 32: 1276-1284.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environ Sci Technol.* 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol.* 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Butler, PA; Kraeutler, B. (2007). Adenosyl-176-norcobinamide - A likely biosynthetic precursor to natural 176-norvitamin B-12 derivatives. *J Organomet Chem.* 692: 1285-1291. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.032>.
- Butler, PA; Murtaza, S; Kraeutler, B. (2006). Partial synthesis of Co alpha Co beta-dicyano-176-norcobinamide. *Monatshefte fur Chemie / Chemical Monthly.* 137: 1579-1589. <http://dx.doi.org/10.1007/s00706-006-0556-3>.
- Buvat, I; Castiglioni, I; Feuardent, J; Gilardi, MC. (2005). Unified description and validation of Monte Carlo simulators in PET. *Phys Med Biol.* 50: 329-346. <http://dx.doi.org/10.1088/0031-9155/50/2/011>.
- Byczkowski, JZ; Fisher, JW. (1994). Lactational transfer of tetrachloroethylene in rats. *Risk Anal.* 14: 339-349. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00250.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1994.tb00250.x/abstract>.
- Byczkowski, JZ; Fisher, JW. (1995). A computer program linking physiologically based pharmacokinetic model with cancer risk assessment for breast-fed infants. *Comput Methods Programs Biomed.* 46: 155-163. [http://dx.doi.org/10.1016/0169-2607\(94\)01616-N](http://dx.doi.org/10.1016/0169-2607(94)01616-N).
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria.* 62: 163-172.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). Role of methanogenic and sulfate-reducing bacteria in the reductive dechlorination of tetrachloroethylene in mixed culture. *Bull Environ Contam Toxicol.* 56: 817-824.
- Cacciato, A; Duerinckx, F; Baert, K; Moors, M; Caremans, T, om; Leys, G; De Keersmaecker, K; Szlufcik, J. (2013). Investigating manufacturing options for industrial PERL-type Si solar cells. *Solar Energy Materials and Solar Cells.* 113: 153-159. <http://dx.doi.org/10.1016/j.solmat.2013.02.012>.
- Cai, SX; Huang, MY; Chen, Z; Liu, YT; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health.* 29: 111-121. <http://dx.doi.org/10.2486/indhealth.29.111>; [https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29\\_3\\_111/\\_pdf](https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29_3_111/_pdf).
- Cai, Z; Wilson, RD; Lerner, DN. (2012). Assessing TCE source bioremediation by geostatistical analysis of a flux fence. *Ground Water.* 50: 908-917. <http://dx.doi.org/10.1111/j.1745-6584.2012.00916.x>.
- Calabrese, EJ. (1983). Principles of animal extrapolation. New York: Wiley.
- Calabrese, EJ. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A TOXICOLOGISTS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 190-190.
- Caldwell, DJ. (1999). Review of mononuclear cell leukemia in F-344 rat bioassays and its significance to human cancer risk: A case study using alkyl phthalates [Review]. *Regul Toxicol Pharmacol.* 30: 45-53. <http://dx.doi.org/10.1006/rtph.1999.1305>.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med.* 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Calvert, JG. (1976). Hydrocarbon involvement in photochemical smog formation in Los Angeles atmosphere. *Environ Sci Technol.* 10: 256-262. <http://dx.doi.org/10.1021/es60114a003>.
- Calza, P; Minero, C; Pelizzetti, E. (1997). Photocatalytically assisted hydrolysis of chlorinated methanes under anaerobic conditions. *Environ Sci Technol.* 31: 2198-2203.
- Camaioni, DM; Ginovska, B; Dupuis, M. (2009). Modeling the Reaction of Fe Atoms with CCl4. *J Phys Chem C.* 113: 1830-1836. <http://dx.doi.org/10.1021/jp807604f>.
- Campagna, D; Gobba, F; Mergler, D; Moreau, T; Galassi, C; Cavalleri, A; Huel, G. (1996). Color vision loss among styrene-exposed workers neurotoxicological threshold assessment. *Neurotoxicology.* 17: 367-374.
- Campagna, D; Mergler, D; Huel, G; Bélanger, S; Truchon, G; Ostiguy, C; Drolet, D. (1995). Visual dysfunction among styrene-exposed workers. *Scand J Work Environ Health.* 21: 382-390.

## Fate Literature Search Results

### Off Topic

- Campbell, JA; Corrigall, AV; Guy, A; Kirsch, RE. (1991). Immunohistologic localization of alpha, mu, and pi class glutathione S-transferases in human tissues. *Cancer*. 67: 1608-1613. [http://dx.doi.org/10.1002/1097-0142\(19910315\)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S](http://dx.doi.org/10.1002/1097-0142(19910315)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S).
- Campbell, MJ; Sheppard, JC; Au, BF. (1979). Measurement of hydroxyl concentration in boundary layer air by monitoring CO oxidation. *Geophys Res Lett*. 6: 175-178. <http://dx.doi.org/10.1029/GL006i003p00175>.
- Campbell, TJ; Burris, DR. (1996). Analysis of chlorinated ethene reduction products in vapor/water phase systems by dual-column, single-detector gas chromatography. *Int J Environ Anal Chem*. 63: 119-126.
- Campbell, TJ; Burris, DR; Roberts, AL; Wells, JR. (1997). Trichloroethylene and tetrachloroethylene reduction in a metallic iron-water-vapor batch system. *Environ Toxicol Chem*. 16: 625-630.
- Cañadas, M; Arce, P; Rato Mendes, P. (2011). Validation of a small-animal PET simulation using GAMOS: a GEANT4-based framework. *Phys Med Biol*. 56: 273-288. <http://dx.doi.org/10.1088/0031-9155/56/1/016>.
- Canadas, M; Embid, M; Lage, E; Desco, M; Jose Vaquero, J; Manuel Perez, J. (2011). NEMA NU 4-2008 Performance Measurements of Two Commercial Small-Animal PET Scanners: ClearPET and rPET-1. *IEEE Trans Nucl Sci*. 58: 58-65. <http://dx.doi.org/10.1109/TNS.2010.2072935>.
- Canner, PL; Berge, KG; Wenger, NK; Stamler, J; Friedman, L; Prineas, RJ; Friedewald, W. (1986). Fifteen year mortality in Coronary Drug Project patients: long-term benefit with niacin. *J Am Coll Cardiol*. 8: 1245-1255.
- Cano, MI; Pollán, M. (2001). Non-Hodgkin's lymphomas and occupation in Sweden. *Int Arch Occup Environ Health*. 74: 443-449. <http://dx.doi.org/10.1007/s004200100248>.
- Cao, JL; Yan, ZL, i; Deng, QF; Wang, Y, an; Yuan, ZY; Sun, G; Jia, T, ieKun; Wang, XD; Bala, H; Zhang, ZY. (2014). Mesoporous modified-red-mud supported Ni catalysts for ammonia decomposition to hydrogen. *Int J Hydrogen Energy*. 39: 5747-5755. <http://dx.doi.org/10.1016/j.ijhydene.2014.01.169>.
- Cao, X; Latta, C; Schmidt-Rohr, K; Mao, J; Pignatello, JJ. (2016). Investigation of sorbate-induced plasticization of Pahokee peat by solid-state NMR spectroscopy. *Journal of Soils and Sediments*. 16: 1841-1848. <http://dx.doi.org/10.1007/s11368-016-1378-5>.
- Cápiro, NL; Granbery, EK; Lebrón, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environ Sci Technol*. 45: 1547-1554. <http://dx.doi.org/10.1021/es102249x>.
- Cápiro, NL; Löffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE-DNAPL source zone. *J Contam Hydrol*. 182: 78-90. <http://dx.doi.org/10.1016/j.jconhyd.2015.08.007>.
- Cápiro, NL; Wang, Y; Hatt, JK; Lebrón, CA; Pennell, KD; Löffler, FE. (2014). Distribution of organohalide-respiring bacteria between solid and aqueous phases. *Environ Sci Technol*. 48: 10878-10887. <http://dx.doi.org/10.1021/es501320h>.
- Capone, JP. (1994). Mechanisms of peroxisome proliferator-induced carcinogenesis: Historical perspectives and current status. (EPA-68-D9-0133; EPA/600/R-95/038; PB95-193314). Washington, DC: U. S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB95193314>.
- CARB. (1998). 1990-1996 statewide perchloroethylene summary, ppb [Database]. Sacramento, CA: California Environmental Protection Agency. Retrieved from <http://www.arb.ca.gov/aqd/perc/pcstate.htm>
- Carbone, S. (1978). COPPER CORROSION OF ELECTRONIC MATERIALS IN PERCHLOROETHYLENE CLEANING SYSTEMS. *J Electrochem Soc*. 125: C360-C360.
- Carlile, DJ; Hakooz, N; Bayliss, MK; Houston, JB. (1999). Microsomal prediction of in vivo clearance of CYP2C9 substrates in humans. *Br J Clin Pharmacol*. 47: 625-635.
- Carpenter, CP. (1937). The chronic toxicity of tetrachlorethylene. *J Ind Hyg Toxicol*. 19: 323-336.
- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environ Sci Technol*. 34: 1088-1094.
- Carr, CS; Hughes, JB. (1998). Enrichment of high rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity. *Environ Sci Technol*. 32: 1817-1824.
- Carreón-Diazconti, C; Santamaría, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in situ reductive dechlorination using compound-specific stable isotopes, functional gene PCR, and geochemical data. *Environ Sci Technol*. 43: 4301-4307. <http://dx.doi.org/10.1021/es803308q>.
- Carroll, KC; Taylor, R; Gray, E; Brusseau, ML. (2009). The impact of composition on the physical properties and evaporative mass transfer of a PCE-diesel immiscible liquid. *J Hazard Mater*. 164: 1074-1081. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.003>.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett*. 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F(1) mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect*. 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Carter, JM; Lapham, WW; Zogorski, JS. (2008). Occurrence of volatile organic compounds in aquifers of the United States. *J Am Water Resour Assoc*. 44: 399-416. <http://dx.doi.org/10.1111/j.1752-1688.2008.00170.x>.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res*. 27: 607-615.
- Carwile, JL; Mahalingaiah, S; Winter, MR; Aschengrau, A. (2014). Prenatal drinking-water exposure to tetrachloroethylene and ischemic placental disease: a retrospective cohort study. *Environ Health*. 13: 72. <http://dx.doi.org/10.1186/1476-069X-13-72>.

## Fate Literature Search Results

### Off Topic

- Casada, DA; Kueck, JD; Staunton, RH; Webb, MC. (2000). Efficiency testing of motors powered from pulse-width modulated adjustable speed drives. *IEEE Transactions on Energy Conversion*. 15: 240-244.
- Castelletto, V; Newby, GE; Zhu, Z; Hamley, IW; Noirez, L. (2010). Self-assembly of PEGylated peptide conjugates containing a modified amyloid beta-peptide fragment. *Langmuir*. 26: 9986-9996. <http://dx.doi.org/10.1021/la100110f>.
- Castello, G; Gerbino, TC; Kanitz, S. (1982). Gas chromatographic analysis of halocarbons in drinking water by headspace extraction and mixed column separation. *J Chromatogr A*. 247: 263-272. [http://dx.doi.org/10.1016/S0021-9673\(00\)85949-X](http://dx.doi.org/10.1016/S0021-9673(00)85949-X).
- Catchpole, KR; Blakers, AW. (2002). Modelling the PERC structure for industrial quality silicon. *Solar Energy Materials and Solar Cells*. 73: 189-202.
- Cattley, RC; DeLuca, J; Elcombe, C; Fenner-Crisp, PA; Lake, BG; Marsman, DS; Pastoor, T; Popp, JA; Robinson, DE; Schwetz, BA; Tugwood, JD; Wahli, W. (1998). Do peroxisome proliferating compounds pose a hepatocarcinogenic hazard to humans? *Regul Toxicol Pharmacol*. 27: 47-60. <http://dx.doi.org/10.1006/rtph.1997.1163>.
- Cattley, RC; Glover, SE. (1993). Elevated 8-hydroxydeoxyguanosine in hepatic DNA of rats following exposure to peroxisome proliferators: Relationship to carcinogenesis and nuclear localization. *Carcinogenesis*. 14: 2495-2499. <http://dx.doi.org/10.1093/carcin/14.12.2495>.
- Cattley, RC; Marsman, DS; Popp, JA. (1991). Age-related susceptibility to the carcinogenic effect of the peroxisome proliferator WY-14,643 in rat liver. *Carcinogenesis*. 12: 469-473.
- Cattley, RC; Popp, JA. (1989). Differences between the promoting activities of the peroxisome proliferator WY-14,643 and phenobarbital in rat liver. *Cancer Res*. 49: 3246-3251.
- Cattley, RC; Roberts, RA. (2000). Peroxisome proliferators and carcinogenesis: Editorial perspectives [Editorial]. *Mutat Res*. 448: 117-119. [http://dx.doi.org/10.1016/S0027-5107\(99\)00230-4](http://dx.doi.org/10.1016/S0027-5107(99)00230-4).
- Cavalcante, RM; de Andrade, MVF; Marins, RV; Oliveira, LDM. (2010). Development of a headspace-gas chromatography (HS-GC-PID-FID) method for the determination of VOCs in environmental aqueous matrices: Optimization, verification and elimination of matrix effect and VOC distribution on the Fortaleza Coast, Brazil. *Microchem J*. 96: 337-343. <http://dx.doi.org/10.1016/j.microc.2010.05.014>.
- Cave, L; Hartog, N; Al, T, om; Parker, B; Mayer, KU; Cogswell, S. (2007). Electrical monitoring of in situ chemical oxidation by permanganate. *Ground Water Monitoring and Remediation*. 27: 77-84.
- Ceballos, DM; Whittaker, SG; Lee, E; Roberts, J; Streicher, R; Nourian, F; Gong, W, ei; Broadwater, K. (2016). Occupational exposures to new dry cleaning solvents: High-flashpoint hydrocarbons and butylal. *J Occup Environ Hyg*. 13: 759-769. <http://dx.doi.org/10.1080/15459624.2016.1177648>.
- Cecchetti, M; Moehrs, S; Belcari, N; Del Guerra, A. (2013). Accurate and efficient modeling of the detector response in small animal multi-head PET systems. *Phys Med Biol*. 58: 6713-6731. <http://dx.doi.org/10.1088/0031-9155/58/19/6713>.
- Cederberg, H; Henriksson, J; Binderup, M, -L. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133-138, 2010). *Mutagenesis*. 25: 429-430. <http://dx.doi.org/10.1093/mutage/geq021>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect*. 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem*. 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem*. 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Stucki, JW. (2006). Hydration/expansion and cation charge compensation modulate the Brønsted basicity of distorted clay water. *Langmuir*. 22: 2961-2965. <http://dx.doi.org/10.1021/la0602113>.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol*. 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere*. 47: 971-976.
- Cervini-Silva, J; Wu, J; Stucki, JW; Larson, RA. (2000). Adsorption kinetics of pentachloroethane by iron-bearing smectites. *Clays and Clay Minerals*. 48: 132-138.
- Cha, KY; Borden, RC. (2012). Impact of injection system design on ISCO performance with permanganate--mathematical modeling results. *J Contam Hydrol*. 128: 33-46. <http://dx.doi.org/10.1016/j.jconhyd.2011.10.001>.
- Chaiko, DJ; Tasker, IR; Fredrickson, DR; Difilippo, AA; Smidt, SM; Vandegrift, GF. (1993). MEASUREMENTS OF AL(NO3)3 ACTIVITIES IN AQUEOUS NITRATE SOLUTIONS. *J Nucl Mater*. 201: 184-189.
- Chan, CE; Payne, DNR; Hallam, BJ; Abbott, MD; Fung, TH; Wenham, AM; Tjahjono, BS; Wenham, SR. (2016). Rapid Stabilization of High-Performance Multicrystalline P-type Silicon PERC Cells. 6: 1473-1479. <http://dx.doi.org/10.1109/JPHOTOV.2016.2606704>.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ*. 36: 2039-2047.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ*. 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, LY; Chu, KW. (2007). Halocarbons in the atmosphere of the industrial-related Pearl River Delta region of China. *J Geophys Res Atmos*. 112. <http://dx.doi.org/10.1029/2006JD007097>.
- Chan, WW; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the effects of 1,1,1-trichloroethane and 1,1-dichloroethane on chlorinated ethene reductive dehalogenases. *Environ Sci Technol*. 45: 9693-9702. <http://dx.doi.org/10.1021/es201260n>.

## Fate Literature Search Results

### Off Topic

- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol.* 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chang, F. (2005). Strategies for benzodiazepine withdrawal in seniors. *CJP.* 138: 38-40.
- Chang, J, ihH; Qiang, Z; Huang, CP, ao. (2006). Remediation and stimulation of selected chlorinated organic solvents in unsaturated soil by a specific enhanced electrokinetics. *Colloid Surface Physicochem Eng Aspect.* 287: 86-93. <http://dx.doi.org/10.1016/j.colsurfa.2006.03.039>.
- Chang, JH; Cheng, SF. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *J Hazard Mater.* 131: 153-162. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.026>.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen.* 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.
- Chang, LW; Deangelo, AB; Daniel, FB. (1989). Evaluation of DNA strand breaks (SB) by chloroacetic acids (CAs) and chloroacetaldehydes (CADs) in vivo and in vitro. *Proc Ann Mtg Am Assoc Canc Res.* 30: 146.
- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem.* 385: 1149-1152. <http://dx.doi.org/10.1007/s00216-006-0525-z>.
- Chang, Y; Tai, C; Lin, R; Yang, S; Chen, C; Shih, T; Liou, S. (2003). A proportionate cancer morbidity ratio study of workers exposed to chlorinated organic solvents in Taiwan. *Ind Health.* 41: 77-87.
- Chang, YC; Choi, D; Takamizawa, K; Kikuchi, S. (2013). Effect of blast furnace dust on the degradation of chlorinated organic and endocrine disrupting compounds. *Process Biochemistry.* 48: 694-702. <http://dx.doi.org/10.1016/j.procbio.2013.02.012>.
- Chang, YC; Kikuchi, S; Kawachi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol.* 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol.* 78: 141-147.
- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol.* 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health.* 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Channel, SR; Latendresse, JR; Kidney, JK; Grabau, JH; Lane, JW; Steel-Goodwin, L; Gothaus, MC. (1998). A subchronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. *Toxicol Sci.* 43: 145-154. <http://dx.doi.org/10.1093/toxsci/43.2.145>.
- Chao, CYH; Tung, TCW; Niu, JL; Pang, SW; Lee, RYM. (1999). Indoor perchloroethylene accumulation from dry cleaned clothing on residential premises. *Build Environ.* 34: 319-328.
- Chapelle, FH; Bradley, PM; Casey, CC. (2005). Behavior of a chlorinated ethene plume following source-area treatment with Fenton's reagent. *Ground Water Monitoring and Remediation.* 25: 131-141.
- Charbonneau, M; Short, BG; Lock, EA; Swenberg, JA. (1987). Mechanism of petroleum induced sex-specific protein droplet nephropathy and renal cell proliferation in Fischer-344 rats: Relevance to humans. In DD Hemphill (Ed.), (pp. 263-273). Columbia, MO: University of Missouri.
- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environ Sci Technol.* 39: 1064-1070. <http://dx.doi.org/10.1021/es0492945>.
- Chatterjee, N; Hartge, P; Cerhan, J; Cozen, W; Davis, S; Ishibe, N; Colt, J; Goldin, L; Severson, R. (2004). Risk of non-Hodgkin's lymphoma and family history of lymphatic, hematologic, and other cancers. *Cancer Epidemiol Biomarkers Prev.* 13: 1415-1421.
- Chatzidiakou, L, ia; Mumovic, D; Summerfield, A. (2015). Is CO2 a good proxy for indoor air quality in classrooms? Part 2: Health outcomes and perceived indoor air quality in relation to classroom exposure and building characteristics. *Build Serv Eng Tech.* 36: 162-181. <http://dx.doi.org/10.1177/0143624414566245>.
- Chawla, A; Schwarz, EJ; Dimaculangan, DD; Lazar, MA. (1994). Peroxisome proliferator-activated receptor (PPAR) gamma: Adipose-predominant expression and induction early in adipocyte differentiation. *Endocrinology.* 135: 798-800. <http://dx.doi.org/10.1210/en.135.2.798>.
- Checkoway, H; Echeverria, D; Moon, JD; Heyer, N; Costa, LG. (1994). Platelet monoamine oxidase B activity in workers exposed to styrene. *Int Arch Occup Environ Health.* 66: 359-362.
- Chen, C; Blancato, J. (1987). *Pharmacokinetics in Risk Assessment: Drinking Water and Health* Role of pharmacokinetic modeling in risk assessment: Perchloroethylene as an example. Washington, DC: National Academy Press.
- Chen, CW; Blancato, JN. (1989). Incorporation of biological information in cancer risk assessment: Example--vinyl chloride. *Cell Biol Toxicol.* 5: 417-444.
- Chen, CW, ei; Hao, R; Upadhyaya, VD; Ravi, TS; Rohatgi, A. (2016). Development of high-efficiency large-area screen-printed solar cells on direct kerfless epitaxially grown monocrystalline Si wafer and structure. *Progress in Photovoltaics.* 24: 1133-1141. <http://dx.doi.org/10.1002/pip.2779>.
- Chen, D; Tan, L; Liu, H; Hu, J; Li, Y; Tang, F. (2009). Fabricating Superhydrophilic Wool Fabrics. *Langmuir.* 26: 4675-4679. <http://dx.doi.org/10.1021/la903562h>.
- Chen, DH; Ye, XJ; Li, KY. (2005). Oxidation of PCE with a UV LED photocatalytic reactor. *Chem Eng Tech.* 28: 95-97. <http://dx.doi.org/10.1002/ceat.200407012>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.



## Fate Literature Search Results

### Off Topic

- Chen, JP; Kiaei, D; Hoffman, AS. (1993). ACTIVITY OF HORSERADISH PEROXIDE ADSORBED ON RADIO-FREQUENCY GLOW DISCHARGE-TREATED POLYMERS. *J Biomater Sci Polym Ed.* 5: 167-182.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2010). Thermal decomposition of captan and formation pathways of toxic air pollutants. *Environ Sci Technol.* 44: 4149-4154. <http://dx.doi.org/10.1021/es9037935>.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2011). Air pollutants formed in thermal decomposition of folpet fungicide under oxidative conditions. *Environ Sci Technol.* 45: 554-560. <http://dx.doi.org/10.1021/es102652w>.
- Chen, L; Knox, RC. (1997). Using vertical circulation wells for partitioning tracer tests and remediation of DNAPLs. *Ground Water Monitoring and Remediation.* 17: 161-168.
- Chen, M; Abriola, LM; Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE; Christ, JA. (2013). Microbially enhanced dissolution and reductive dechlorination of PCE by a mixed culture: model validation and sensitivity analysis. *J Contam Hydrol.* 151: 117-130. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.005>.
- Chen, P. (2001). Understanding the dynamic surface tension of solutions containing volatile organic compounds (VOCs). *Colloid Surface Physicochem Eng Aspect.* 192: 195-204.
- Chen, S, hiS; Chen, G, uoYue; Chen, H, ua; Wei, Y, uM; Li, W, ei; Liu, Y, aXi; Liu, DC, ai; Lan, X, iuJin; Zheng, Y, ouL. (2012). Mapping stripe rust resistance gene YrSph derived from Tritium sphaerococcum Perc. with SSR, SRAP, and TRAP markers. *Euphytica.* 185: 19-26. <http://dx.doi.org/10.1007/s10681-011-0593-9>.
- Chen, S; Sun, D. (2016). An Improved Adaptive Signal Control Method for Isolated Signalized Intersection Based on Dynamic Programming. *I E E E Intelligent Transportation Systems Magazine.* 8: 4-14. <http://dx.doi.org/10.1109/MITS.2016.2605318>.
- Chen, SS; Huang, Y; Kuo, T. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation.* 30: 90-98. <http://dx.doi.org/10.1111/j.1745-6592.2010.01311.x>.
- Chen, SS; Huang, Y, iChu; Lin, JY, u; Lin, MH, ei. (2014). Dechlorination of tetrachloroethylene in water using stabilized nanoscale iron and palladized iron particles. *Desalination and Water Treatment.* 52: 702-711. <http://dx.doi.org/10.1080/19443994.2013.827305>.
- Chen, W; Sun, AD; Xu, QC. (2013). Optimization Design for Determination of Polycyclic Aromatic Hydrocarbons in Water Samples. *Asian J Chem.* 25: 2673-2678.
- Chen, Y; Shen, H, ui; Altermatt, PP. (2014). Analysis of recombination losses in screen-printed aluminum-alloyed back surface fields of silicon solar cells by numerical device simulation. *Solar Energy Materials and Solar Cells.* 120: 356-362. <http://dx.doi.org/10.1016/j.solmat.2013.05.051>.
- Chen, YC; Lan, HX; Zhan, HY; Fu, SY. (2005). Simultaneous anaerobic-aerobic biodegradation of halogenated phenolic compound under oxygen-limited conditions. *J Environ Sci.* 17: 873-875.
- Chen, YT; Lu, CJ. (2014). Effects of tetrachloroethene on the measurement of radon in water with liquid scintillation counting method. *J Environ Radioact.* 127: 26-33. <http://dx.doi.org/10.1016/j.jenvrad.2013.09.011>.
- Chen, Z; Kuschik, P; Paschke, H; Kästner, M; Müller, JA; Köser, H. (2014). Treatment of a sulfate-rich groundwater contaminated with perchloroethene in a hydroponic plant root mat filter and a horizontal subsurface flow constructed wetland at pilot-scale. *Chemosphere.* 117: 178-184. <http://dx.doi.org/10.1016/j.chemosphere.2014.06.056>.
- Chen, Z; Vymazal, J; Kuschik, P. (2017). Effects of tidal operation on pilot-scale horizontal subsurface flow constructed wetland treating sulfate rich wastewater contaminated by chlorinated hydrocarbons. *Environ Sci Pollut Res Int.* 24: 1042-1050. <http://dx.doi.org/10.1007/s11356-016-7871-y>.
- Chen, Z; Wu, S; Braeckvelt, M; Paschke, H; Kästner, M; Köser, H; Kuschik, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere.* 89: 724-731. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.042>.
- Chen, ZL; Megharaj, M; Naidu, R. (2004). Determination of tetrachloroethene, trichloroethylene, and their metabolites at trace levels in ground waters by on-line solid phase extraction/HPLC. *Journal of Liquid Chromatography and Related Technologies.* 27: 885-896. <http://dx.doi.org/10.1081/JLC-120029705>.
- Chene, Y; Rousseau, D; Lucidarme, P; Bertheloot, J; Caffier, V; Morel, P; Belin, E; Chapeau-Blondeau, F. (2012). On the use of depth camera for 3D phenotyping of entire plants. *Computers and Electronics in Agriculture.* 82: 122-127. <http://dx.doi.org/10.1016/j.compag.2011.12.007>.
- Cheney, MA; Robinson, L; Kukor, JJ. (2003). Abiotic transformation of perchloroethylene by manganese oxide. *Geochim Cosmo Acta.* 67: A63-A63.
- Cheng, B; Wang, X; Wang, L; Wu, Y. (2007). Surface modification of sub-micron spherical SiO<sub>2</sub> particles with butanedioic acid for electrophoresis in tetrachloroethylene. *Mater Lett.* 61: 1350-1353. <http://dx.doi.org/10.1016/j.matlet.2006.07.066>.
- Cheng, D; Chow, WL; He, J. (2010). A Dehalococcoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *ISME J.* 4: 88-97. <http://dx.doi.org/10.1038/ismej.2009.90>.
- Cheng, H; Hu, Y; Luo, J; Sabatini, DA. (2009). Multipass membrane air-stripping (MAS) for removing volatile organic compounds (VOCs) from surfactant micellar solutions. *J Hazard Mater.* 170: 1070-1078. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.072>.
- Cheng, Z; Gao, B; Xu, H; Sun, Y; Shi, X; Wu, J. (2016). Effects of surface active agents on DNAPL migration and distribution in saturated porous media. *Sci Total Environ.* 571: 1147-1154. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.109>.
- Chern, JM; Yu, CF. (1999). Volatile organic compound emission from diffused aeration systems: Experiment and modeling. *Ind Eng Chem Res.* 38: 2156-2159.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater.* 32: 275-278.

## Fate Literature Search Results

### Off Topic

- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res.* 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Chevalier, LR; Morris, T; Allen, C; Lazarowitz, V; Fektenberg, L. (2000). Comparison of primary and secondary surfactant flushing to enhance LNAPL recovery. *Int J Phytoremediation.* 9: 425-448.
- Chi, PH; Gillen, G. (2004). Positive secondary ion yield enhancement of metal elements using trichlorotrifluoroethane and tetrachloroethene backfilling. *Appl Surf Sci.* 231: 127-130. <http://dx.doi.org/10.1016/j.apsusc.2004.03.089>.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med.* 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).
- Chia, SE; Ong, CN; Tsakok, MF; Ho, A. (1996). Semen parameters in workers exposed to trichloroethylene. *Reprod Toxicol.* 10: 295-299. [http://dx.doi.org/10.1016/0890-6238\(96\)00058-5](http://dx.doi.org/10.1016/0890-6238(96)00058-5).
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol.* 38: 287-294.
- Chiappini, L; Delery, L; Leoz, E; Brouard, B; Fagault, Y. (2009). A first French assessment of population exposure to tetrachloroethylene from small dry-cleaning facilities. *Indoor Air.* 19: 226-233. <http://dx.doi.org/10.1111/j.1600-0668.2009.00585.x>.
- Chiba, M; Fujita, S; Suzuki, T. (1990). Pharmacokinetic correlation between in vitro hepatic microsomal enzyme kinetics and in vivo metabolism of imipramine and desipramine in rats. *J Pharm Sci.* 79: 281-287. <http://dx.doi.org/10.1002/jps.2600790402>.
- Chiesi, A; Gioia, TC; Modenese, A; Abbacchini, C; Borsari, L; Clò, E; Di Rico, R; Ferrari, D; Gobba, FM. (2016). [Early effects of PCE exposure on visual function among dry cleaning workers]. *Med Lav.* 107: 12-21.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal.* 154: 1991-1998.
- Childs, J; Acosta, E; Annable, MD; Brooks, MC; Enfield, CG; Harwell, JH; Hasegawa, M; Knox, RC; Rao, PS; Sabatini, DA; Shiau, B; Szekeres, E; Wood, AL. (2006). Field demonstration of surfactant-enhanced solubilization of DNAPL at Dover Air Force Base, Delaware. *J Contam Hydrol.* 82: 1-22. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.008>.
- Childs, JD; Acosta, E; Knox, R; Harwell, JH; Sabatini, DA. (2004). Improving the extraction of tetrachloroethylene from soil columns using surfactant gradient systems. *J Contam Hydrol.* 71: 27-45. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.011>.
- Chimiak, WJ. (1992). THE DIGITAL RADIOLOGY ENVIRONMENT. I E E E Journal on Selected Areas in Communications. 10: 1133-1144.
- Chin, DL; Duffy, SA; Hong, O. (2016). Knowledge of Occupational Chemical Exposure and Smoking Behavior in Korean Immigrant Drycleaners. *J Immigr Minor Health.* 18: 243-251. <http://dx.doi.org/10.1007/s10903-014-9989-7>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air.* 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Chintawar, PS; Greene, HL. (1997). Decomposition characteristics of chlorinated ethylenes on metal loaded zeolite Y and gamma-Al<sub>2</sub>O<sub>3</sub>. *Appl Catal B-Environ.* 13: 81-92.
- Chintawar, PS; Greene, HL. (1997). Interaction of chlorinated ethylenes with chromium exchanged zeolite Y: An in situ FT-IR study. *J Catal.* 165: 12-21.
- Chipanina, NN; Sherstyannikova, LV; Sterkhova, IV; Aksamentova, TN; Turchaninov, VK; Shainyan, BA. (2005). Self-association of trifluoromethanesulfonamide in inert solvents. *Russian Journal of General Chemistry.* 75: 876-882.
- Chipiga, L; Sydoff, M; Zvonova, I; Bernhardsson, C. (2016). INVESTIGATION OF PARTIAL VOLUME EFFECT IN DIFFERENT PET/CT SYSTEMS: A COMPARISON OF RESULTS USING THE MADEIRA PHANTOM AND THE NEMA NU-2 2001 PHANTOM. *Radiat Prot Dosimetry.* 169: 365-370. <http://dx.doi.org/10.1093/rpd/ncw027>.
- Chitta, R; Macko, T; Brüll, R; Miller, M; Cong, R; Degroot, W. (2013). Carbonaceous sorbents for high-temperature interactive liquid chromatography of polyolefins. *J Sep Sci.* 36: 2063-2071. <http://dx.doi.org/10.1002/jssc.201201121>.
- Chiu, D; Niu, L; Mu, F; Peng, X; Zhou, L; Li, H; Li, R; Ni, J; Jiang, N; Hu, Y; Hao, Z; Xu, K. (2010). The experimental study for efficacy and safety of pancreatic cryosurgery. *Cryobiology.* 60: 281-286. <http://dx.doi.org/10.1016/j.cryobiol.2010.01.006>.
- Chiu, PW; Ng, EK; Teoh, AY; Wong, SK; Sung, JJ; Lau, JY. (2010). Precut sphincterotomy using insulated angulotome. *Endoscopy.* 42: 338-341. <http://dx.doi.org/10.1055/s-0029-1243857>.
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In JC Lipscomb; EV Ohanian (Eds.), (pp. 269). New York: Informa Healthcare.
- Chiu, WA. (2011). Trichloroacetic acid: Updated estimates of its bioavailability and its contribution to trichloroethylene-induced mouse hepatomegaly. *Toxicology.* 285: 114-125. <http://dx.doi.org/10.1016/j.tox.2011.04.009>.
- Chiu, WA; Bois, FY. (2006). Revisiting the population toxicokinetics of tetrachloroethylene. *Arch Toxicol.* 80: 382-385. <http://dx.doi.org/10.1007/s00204-006-0061-9>.
- Chiu, WA; Ginsberg, GL. (2011). PERC risk assessment model [Database]. Washington, DC: U.S. Environmental Protection Agency.
- Chiu, WA; Okino, MS; Evans, MV. (2009). Characterizing uncertainty and population variability in the toxicokinetics of trichloroethylene and metabolites in mice, rats, and humans using an updated database, physiologically based pharmacokinetic (PBPK) model, and Bayesian approach. *Toxicol Appl Pharmacol.* 241: 36-60. <http://dx.doi.org/10.1016/j.taap.2009.07.032>.

## Fate Literature Search Results

### Off Topic

- Chiu, YC; Cheng, MH; Uriel, S; Brey, EM. (2010). Materials for engineering vascularized adipose tissue [Review]. *J Tissue Viability*. 20: 37-48. <http://dx.doi.org/10.1016/j.jtv.2009.11.005>.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2007). Effects of Grasses on the Fate of VOCs in Contaminated Soil and Air. *Water Air Soil Pollut*. 187: 243-250. <http://dx.doi.org/10.1007/s11270-007-9512-z>.
- Cho, CW; Sung, K; Coapcioglu, MY; Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air Soil Pollut*. 167: 259-271. <http://dx.doi.org/10.1007/s11270-005-0081-8>.
- Cho, E; Ok, YW, oo; Upadhyaya, AD; Binns, MJ; Appel, J; Guo, J; Rohatgi, A. (2016). P-Type Indium-Doped Passivated Emitter Rear Solar Cells (PERC) on Czochralski Silicon Without Light-Induced Degradation. 6: 795-800. <http://dx.doi.org/10.1109/JPHOTOV.2016.2547578>.
- Cho, HH; Park, JW. (2003). Reactive dechlorination of PCE using zero valent iron plus surfactants. *ACS Symp Ser Am Chem Soc*. 837: 141-153.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere*. 64: 1047-1052. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.062>.
- Cho, J; Annable, MD; Rao, PS. (2004). Influence of residual surfactants on DNAPL characterization using partitioning tracers. *J Contam Hydrol*. 72: 67-83. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.007>.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere*. 81: 940-945. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.054>.
- Choi, G; Balaji, N; Park, C; Choi, J; Lee, S; Kim, J; Ju, M; Lee, YJ; Yi, J. (2014). Optimization of PECVD-ONO rear surface passivation layer through improved electrical property and thermal stability. *Vacuum*. 101: 22-26. <http://dx.doi.org/10.1016/j.vacuum.2013.07.003>.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut*. 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Batchelor, B; Won, C; Chung, J. (2012). Nitrate reduction by green rusts modified with trace metals. *Chemosphere*. 86: 860-865. <http://dx.doi.org/10.1016/j.chemosphere.2011.11.035>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater*. 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol*. 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater*. 172: 623-630. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.041>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Choi, WY; Hoffmann, MR. (1995). PHOTOREDUCTIVE MECHANISM OF CCL4 DEGRADATION ON TIO2 PARTICLES AND EFFECTS OF ELECTRON-DONORS. *Environ Sci Technol*. 29: 1646-1654. <http://dx.doi.org/10.1021/es00006a031>.
- Choi, Y; Vay, SA; Vadrevu, KP; Soja, AJ; Woo, J; Nolf, S. R.; Sachse, GW; Diskin, GS; Blake, DR; Blake, NJ; Singh, HB; Avery, MA; Fried, A; Pfister, L; Fuelberg, HE. (2008). Characteristics of the atmospheric CO2 signal as observed over the conterminous United States during INTEX-NA. *J Geophys Res*. 113: D07301. <http://dx.doi.org/10.1029/2007JD008899>.
- Chomsurin, C; Kajorntraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Sci Technol*. 58: 2127-2132. <http://dx.doi.org/10.2166/wst.2008.830>.
- Choudhary, RNP; Pati, B; Das, PR; Dash, RR; Swain, S. (2014). Development of electronic materials from industrial waste red mud. *Journal of Materials Science: Materials in Electronics*. 25: 202-216. <http://dx.doi.org/10.1007/s10854-013-1574-7>.
- Chow, WH; McLaughlin, JK; Linet, MS; Niwa, S; Mandel, JS. (1994). Use of analgesics and risk of renal cell cancer. *Int J Cancer*. 59: 467-470. <http://dx.doi.org/10.1002/ijc.2910590406>.
- Chow, WH; McLaughlin, JK; Walker, HS; Linet, MS; Weiner, JA; Stone, BJ. (1995). Esophageal cancer and occupation in a cohort of Swedish men. *Am J Ind Med*. 27: 749-757. <http://dx.doi.org/10.1002/ajim.4700270509>.
- Chow, WL; Cheng, D; Wang, S; He, J. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in Dehalococcoides species. *ISME J*. 4: 1020-1030. <http://dx.doi.org/10.1038/ismej.2010.27>.
- Chown, JC; Kueper, BH; Mcwhorter, DB. (1997). The use of upward hydraulic gradients to arrest downward DNAPL migration in rock fractures. *Ground Water*. 35: 483-491.
- Christ, JA; Abriola, LM. (2007). Modeling metabolic reductive dechlorination in dense non-aqueous phase liquid source-zones. *Advances in Water Resources*. 30: 1547-1561. <http://dx.doi.org/10.1016/j.advwatres.2006.05.024>.
- Christ, JA; Lemke, LD; Abriola, LM. (2005). Comparison of two-dimensional and three-dimensional simulations of dense nonaqueous phase liquids (DNAPLs): Migration and entrapment in a nonuniform permeability field. *Water Resour Res*. 41: 1007-1007. <http://dx.doi.org/10.1029/2004WR003239>.
- Christ, JA; Lemke, LD; Abriola, LM. (2009). The influence of dimensionality on simulations of mass recovery from nonuniform dense non-aqueous phase liquid (DNAPL) source zones. *Advances in Water Resources*. 32: 401-412. <http://dx.doi.org/10.1016/j.advwatres.2008.12.002>.
- Christ, JA; Ramsburg, CA; Pennell, KD; Abriola, LM. (2006). Estimating mass discharge from dense nonaqueous phase liquid source zones using upscaled mass transfer coefficients: An evaluation using multiphase numerical simulations. *Water Resour Res*. 42: 11420-11420. <http://dx.doi.org/10.1029/2006WR004886>.
- Christensen, KE; Altman, PW; Schaefer, C; Mccray, JE. (2015). Steady State DNAPL Dissolution in Three-Dimensional Fractured Sandstone Network Experiments. *J Environ Eng*. 141: 14047-14047. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000871](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000871).

## Fate Literature Search Results

### Off Topic

- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med.* 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Christophi, C; Harun, N; Fifis, T. (2008). Liver regeneration and tumor stimulation--a review of cytokine and angiogenic factors. *J Gastrointest Surg.* 12: 966-980. <http://dx.doi.org/10.1007/s11605-007-0459-6>.
- Chrysikopoulos, CV; Vogler, ET. (2006). Acoustically enhanced ganglia dissolution and mobilization in a monolayer of glass beads. *Transport in Porous Media.* 64: 103-121. <http://dx.doi.org/10.1007/s11242-005-1525-8>.
- Chu, KH; Jewell, WJ. (1994). TREATMENT OF TETRACHLOROETHYLENE WITH ANAEROBIC ATTACHED FILM PROCESS. *J Environ Eng.* 120: 58-71.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2003). Effects of biomass accumulation on microbially enhanced dissolution of a PCE pool: a numerical simulation. *J Contam Hydrol.* 65: 79-100. [http://dx.doi.org/10.1016/S0169-7722\(02\)00232-2](http://dx.doi.org/10.1016/S0169-7722(02)00232-2).
- Chu, M; Kitanidis, PK; Mccarty, PL. (2004). Possible factors controlling the effectiveness of bioenhanced dissolution of non-aqueous phase tetrachloroethene. *Advances in Water Resources.* 27: 601-615. <http://dx.doi.org/10.1016/j.advwatres.2004.03.002>.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2005). Modeling microbial reactions at the plume fringe subject to transverse mixing in porous media: When can the rates of microbial reaction be assumed to be instantaneous? *Water Resour Res.* 41: 6002-6002. <http://dx.doi.org/10.1029/2004WR003495>.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2007). Dependence of lumped mass transfer coefficient on scale and reactions kinetics for biologically enhanced NAPL dissolution. *Advances in Water Resources.* 30: 1618-1629. <http://dx.doi.org/10.1016/j.advwatres.2006.06.016>.
- Chu, S; Huang, Q; Alvares, K; Yeldandi, AV; Rao, MS; Reddy, JK. (1995). Transformation of mammalian cells by overexpressing H2O2-generating peroxisomal fatty acyl-CoA oxidase. *Proc Natl Acad Sci USA.* 92: 7080-7084.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environ Sci Technol.* 43: 1455-1459. <http://dx.doi.org/10.1021/es802640q>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol.* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol.* 33: 3666-3671.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2001). Catalytic activity of clay from tidal flat sediments in the decomposition of perchloroethylene by gamma-rays. *Catalysis Letters.* 76: 247-248.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2002). Effect of dissolved metal ions on PCE decomposition by gamma-rays. *Chemosphere.* 47: 977-980.
- Chung, HH; Lee, MJ; Jung, J; Choi, SW. (2002). Photocatalytic activity of gamma-irradiated TiO2. *J Ind Eng Chem.* 8: 483-487.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Sci Technol.* 58: 495-501. <http://dx.doi.org/10.2166/wst.2008.432>.
- Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF C6H5CL/CH4/O-2/AR MIXTURES. *Combust Sci Tech.* 91: 53-72.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere.* 71: 639-648. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.013>.
- Cieplik, MK; Carbonell, JP; Muñoz, C; Baker, S; Krüger, S; Liljelind, P; Marklund, S; Louw, R. (2003). On dioxin formation in iron ore sintering. *Environ Sci Technol.* 37: 3323-3331. <http://dx.doi.org/10.1021/es026292g>.
- Cimini, A; Cristiano, L; Bernardo, A; Farioli-Vecchioli, S; Stefanini, S; Cerú, MP. (2000). Presence and inducibility of peroxisomes in a human glioblastoma cell line. *Biochim Biophys Acta.* 1474: 397-409. [http://dx.doi.org/10.1016/S0304-4165\(00\)00036-2](http://dx.doi.org/10.1016/S0304-4165(00)00036-2).
- Cirpka, OA; Windfuhr, C; Bisch, G; Granzow, S; Scholz-Muramatsu, H; Kobus, H. (1999). Microbial reductive dechlorination in large-scale sandbox model. *J Environ Eng.* 125: 861-870.
- Ciucanu, I; Chiriac, A. (2002). Membrane and trap system for continuous monitoring of volatile organic compounds using a portable gas chromatograph with thermal conductivity detector. *J Sep Sci.* 25: 447-452.
- Clancy, PB; Armstrong, J; Couture, M; Lussky, R; Wheeler, K. (1996). Treatment of chlorinated ethenes in groundwater with ozone and hydrogen peroxide. *Environmental Progress.* 15: 187-193.
- Clapp, LW; Semmens, MJ; Novak, PJ; Hozalski, RM. (2004). Model for in situ perchloroethene dechlorination via membrane-delivered hydrogen. *J Environ Eng.* 130: 1367-1381. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:11\(1367\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:11(1367)).
- Clark, CJ; Annable, MD; Rao, PSC. (2000). Evaluation of sonochemical destruction of PCE in in situ flushing waste fluids. *J Environ Eng.* 126: 1033-1038.
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater.* 96: 65-78.
- Clark, I; Assamoi, P; Bertrand, J; Giorgi, F. (2004). Characterization of potential zones of dust generation at eleven stations in the southern Sahara. *Theor Appl Climatol.* 77: 173-184. <http://dx.doi.org/10.1007/s00704-003-0033-4>.
- Claude, JC; Frentzel-Beyme, RR; Kunze, E. (1988). Occupation and risk of cancer of the lower urinary tract among men: A case-control study. *Int J Cancer.* 41: 371-379. <http://dx.doi.org/10.1002/ijc.2910410309>.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials.* 25: 169-177.
- Clavel, J; Mandereau, L; Conso, F; Limasset, JC; Pourmir, I; Flandrin, G; Hémon, D. (1998). Occupational exposure to solvents and hairy cell leukaemia. *Occup Environ Med.* 55: 59-64. <http://dx.doi.org/10.1136/oem.55.1.59>.

## Fate Literature Search Results

### Off Topic

- Clayton, CA; Pellizzari, ED; Whitmore, RW; Perritt, RL; Quackenboss, JJ. (1999). National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic, and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol.* 9: 381-392. <http://dx.doi.org/10.1038/sj.jea.7500055>.
- Clayton, JW, Jr. (1962). The toxicity of fluorocarbons with special reference to chemical constitution. *J Occup Environ Med.* 4: 262-273.
- Clewell, H. (2005). Use of mode of action in risk assessment: Past, present, and future. *Regul Toxicol Pharmacol.* 42: 3-14. <http://dx.doi.org/10.1016/j.yrtph.2005.01.008>.
- Clewell, HJ; Andersen, ME. (2004). Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: An example with trichloroethylene [Review]. *Crit Rev Toxicol.* 34: 385-445. <http://dx.doi.org/10.1080/10408440490500795>.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect.* 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci.* 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.
- Clewell, HJ; Gentry, PR; Kester, JE; Andersen, ME. (2005). Evaluation of physiologically based pharmacokinetic models in risk assessment: An example with perchloroethylene [Review]. *Crit Rev Toxicol.* 35: 413-433. <http://dx.doi.org/10.1080/10408440590931994>.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074. <http://dx.doi.org/10.1021/es00018a008>.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med.* 40: 855-861.
- Coffin, RR; Witherell, LE; Novick, LF; Stone, KM. (1987). ESTABLISHMENT OF AN EXPOSURE LEVEL TO TETRACHLOROETHYLENE IN AMBIENT AIR IN VERMONT. *Public Health Rep.* 102: 681-686.
- Cogswell, SA. (1978). Chemical Economics Handbook CEH marketing research report on C2 chlorinated solvents. Menlo Park, CA: SRI International.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect.* 102: 556-561.
- Cojocel, C; Beuter, W; Müller, W; Mayer, D. (1989). Lipid peroxidation: A possible mechanism of trichloroethylene-induced nephrotoxicity. *Toxicology.* 55: 131-141. [http://dx.doi.org/10.1016/0300-483X\(89\)90180-7](http://dx.doi.org/10.1016/0300-483X(89)90180-7).
- Coleman, WE; Melton, RG; Slater, RW; Kopfler, FC; Voto, SJ; Allen, WK; Aurand, TA. (1981). Determination of organic contaminants by the Grob closed-loop-stripping technique. *J Am Water Works Assoc.* 73: 119-125.
- Collins, CH; Morgano, MA. (1999). Quantitative determination of several simple perhalogenated compounds by high-performance liquid chromatography. *J Chromatogr A.* 846: 395-399.
- Collins, EM; Sidebottom, HW; Wenger, JC; Le Calve, S; Mellouki, A; Lebras, G; Villenave, E; Wirtz, K. (2005). The influence of reaction conditions on the photooxidation of diisopropyl ether. *J Photochem Photobiol A.* 176: 86-97. <http://dx.doi.org/10.1016/j.jphotochem.2005.09.004>.
- Colman Lerner, JE; Kohajda, T; Elisabeth Aguilar, M; Andrea Massolo, L; Yanina Sanchez, E; Andres Porta, A; Opitz, P; Wichmann, G; Herbarth, O; If; Mueller, A. (2014). Improvement of health risk factors after reduction of VOC concentrations in industrial and urban areas. *Environ Sci Pollut Res Int.* 21: 9676-9688. <http://dx.doi.org/10.1007/s11356-014-2904-x>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit.* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Colt, J; Baris, D; Stewart, P; Schned, A; Heaney, J; Mott, L; Silverman, D; Karagas, M. (2004). Occupation and bladder cancer risk in a population-based case-control study in New Hampshire. *Cancer Causes Control.* 15: 759-769. <http://dx.doi.org/10.1023/B:CACO.0000043426.28741.a2>.
- Colt, JS; Karagas, MR; Schwenn, M; Baris, D; Johnson, A; Stewart, P; Verrill, C; Moore, LE; Lubin, J; Ward, MH; Samanic, C; Rothman, N; Cantor, KP; Beane Freeman, LE; Schned, A; Cherala, S; Silverman, DT. (2011). Occupation and bladder cancer in a population-based case-control study in Northern New England. *Occup Environ Med.* 68: 239-249. <http://dx.doi.org/10.1136/oem.2009.052571>.
- Comba, ME; Palabrica, VS; Kaiser, K, LE. (1994). Volatile halocarbons as tracers of pulp mill effluent plumes. *Environ Toxicol Chem.* 13: 1065-1074.
- Comelli, F; Castellari, C; Francesconi, R. (1981). VAPOR-LIQUID-EQUILIBRIA IN BINARY-SYSTEMS CONTAINING 1,3-DIOXOLANE AT ISOBARIC CONDITIONS .1. BINARY-MIXTURES OF 1,3-DIOXOLANE WITH 1,2-TRANS-DICHLOROETHYLENE, TRICHLOROETHYLENE, AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 26: 334-338.
- Comelli, F; Francesconi, R. (1995). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR 2,2,4-TRIMETHYLPENTANE PLUS 5 CHLOROHYDROCARBON BINARY-SYSTEMS AT 343.15-K. *Journal of Chemical and Engineering Data.* 40: 21-24.
- Committee on Methods for Toxicity Tests with Aquatic Organisms. (1975). Methods for acute toxicity tests with fish, macroinvertebrates, and amphibians. (EPA660/3-75-009; PB-242 105/5). Corvallis, OR: National Environmental Research Center. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB242105>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2006). Making the liquid-phase catalytic hydrodechlorination of PCE over Pd/C safer. 89: 369-376. <http://dx.doi.org/10.1007/s11144-006-0149-5>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2007). Deactivation and reactivation of Pd/C catalyst used in repeated batch hydrodechlorination of PCE. *Appl Catal B-Environ.* 71: 64-69. <http://dx.doi.org/10.1016/j.apcatb.2006.08.008>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2007). Kinetics of deactivation of Pd/C catalyst repeatedly used in the liquid-phase hydrodechlorination of PCE. 90: 127-136. <http://dx.doi.org/10.1007/s11144-007-5022-7>.

## Fate Literature Search Results

### Off Topic

- Connor, TH; Theiss, JC; Hanna, HA; Monteith, DK; Matney, TS. (1985). Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol Lett.* 25: 33-40. [http://dx.doi.org/10.1016/0378-4274\(85\)90097-9](http://dx.doi.org/10.1016/0378-4274(85)90097-9).
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. *J Contam Hydrol.* 58: 13-49.
- Considine, DM. (1974). *Chemical and process technology encyclopedia*. New York: McGraw-Hill.
- Consonni, D; De Matteis, S; Lubin, JH; Wacholder, S; Tucker, M; Pesatori, AC; Caporaso, NE; Bertazzi, PA; Landi, MT. (2010). Lung cancer and occupation in a population-based case-control study. *Am J Epidemiol.* 171: 323-333. <http://dx.doi.org/10.1093/aje/kwp391>.
- Cooper, AJ. (1994). Enzymology of cysteine S-conjugate beta-lyases. In MW Anders; W Dekant (Eds.), (pp. 71-113). San Diego, CA: Academic Press.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect.* 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol.* 31: 1928-1933.
- Cooper, M; Wagner, A; Wondrousch, D; Sonntag, F; Sonnabend, A; Brehm, M; Schüürmann, G; Adrian, L. (2015). Anaerobic microbial transformation of halogenated aromatics and fate prediction using electron density modeling. *Environ Sci Technol.* 49: 6018-6028. <http://dx.doi.org/10.1021/acs.est.5b00303>.
- Cooper, WJ; Meacham, DE; Nickelsen, MG; Lin, KJ; Ford, DB; Kurucz, CN; Waite, TD. (1993). THE REMOVAL OF TRICHLOROETHYLENE (TCE) AND TETRACHLOROETHYLENE (PCE) FROM AQUEOUS-SOLUTION USING HIGH-ENERGY ELECTRONS. *Journal of the Air and Waste Management Association.* 43: 1358-1366.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 27: 219-244.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. *Environ Sci Technol.* 35: 2014-2021.
- Corapcioglu, MY; Sung, K; Kim, J. (2004). Parameter determination of sequential reductive dehalogenation reactions of chlorinated hydrocarbons. *Transport in Porous Media.* 55: 169-182.
- Corbin, M; Mclean, D; Mannelje, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med.* 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Cordier, S; Clavel, J; Limasset, JC; Boccon-Gibod, L; Le Moual, N; Mandereau, L; Hemon, D. (1993). Occupational risks of bladder cancer in France: A multicentre case-control study. *Int J Epidemiol.* 22: 403-411. <http://dx.doi.org/10.1093/ije/22.3.403>.
- Cordier, S; Garlandtézec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology.* 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Cornfield, J. (1956). A statistical problem arising from retrospective studies. In J Neyman (Ed.), (pp. 135-148). Berkeley, CA: University of California Press. <http://projecteuclid.org/euclid.bsm/1200502552>.
- Cornfield, J. (1977). Carcinogenic risk assessment. *Science.* 198: 693-699. <http://dx.doi.org/10.1126/science.910152>.
- Cornfield, J. (1978). Models for carcinogenic risk assessment [comments] [Letter]. *Science.* 202: 1107-1109.
- Cornfield, J; Carlborg, FW; Van Ryzin, J. (1978). Setting tolerances on the basis of mathematical treatment of dose-response data extrapolated to low doses. In GL Plaa; WAM Duncan (Eds.), (pp. 143-164). New York, NY: Academic Press.
- Coronary Drug Project Research Group. (1975). Clofibrate and niacin in coronary heart disease. *JAMA.* 231: 360-381.
- Coronary Drug Project Research Group. (1977). Gallbladder disease as a side effect of drugs influencing lipid metabolism: Experience in the Coronary Drug Project. *N Engl J Med.* 296: 1185-1190. <http://dx.doi.org/10.1056/NEJM197705262962101>.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ.* 11: 1113-1116. [http://dx.doi.org/10.1016/0004-6981\(77\)90243-8](http://dx.doi.org/10.1016/0004-6981(77)90243-8).
- Cortada, C; Vidal, L; Canals, A. (2011). Determination of geosmin and 2-methylisoborneol in water and wine samples by ultrasound-assisted dispersive liquid-liquid microextraction coupled to gas chromatography-mass spectrometry. *J Chromatogr A.* 1218: 17-22. <http://dx.doi.org/10.1016/j.chroma.2010.11.007>.
- Cortada, C; Vidal, L; Pastor, R; Santiago, N; Canals, A. (2009). Determination of organochlorine pesticides in water samples by dispersive liquid-liquid microextraction coupled to gas chromatography-mass spectrometry. *Anal Chim Acta.* 649: 218-221. <http://dx.doi.org/10.1016/j.aca.2009.07.041>.
- Corton, JC. (2008). Evaluation of the role of peroxisome proliferator-activated receptor alpha (PPARalpha) in mouse liver tumor induction by trichloroethylene and metabolites [Review]. *Crit Rev Toxicol.* 38: 857-875. <http://dx.doi.org/10.1080/10408440802209796>.
- Corton, JC; Anderson, SP; Stauber, A. (2000). Central role of peroxisome proliferator-activated receptors in the actions of peroxisome proliferators [Review]. *Annu Rev Pharmacol Toxicol.* 40: 491-518. <http://dx.doi.org/10.1146/annurev.pharmtox.40.1.491>.
- Corton, JC; Fan, LQ; Brown, S; Anderson, SP; Bocos, C; Cattley, RC; Mode, A; Gustafsson, JA. (1998). Down-regulation of cytochrome P450 2C family members and positive acute-phase response gene expression by peroxisome proliferator chemicals. *Mol Pharmacol.* 54: 463-473. <http://dx.doi.org/10.1124/mol.54.3.463>.
- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. *J Air Waste Manag Assoc.* 50: 529-535.
- Costantini, AS; Benvenuti, A; Vineis, P; Kriebel, D; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, G; Mendico, I; Maltoni, S; Miligi, L. (2008). Risk of leukemia and multiple

## Fate Literature Search Results

### Off Topic

- myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. *Am J Ind Med.* 51: 803-811. <http://dx.doi.org/10.1002/ajim.20592>.
- Costantini, AS; Miligi, L; Kriebel, D; Ramazzotti, V; Rodella, S; Scarpi, E; Stagnaro, E; Tumino, R; Fontana, A; Masala, G; Viganò, C; Vindigni, C; Crosignani, P; Benvenuti, A; Vineis, P. (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. *Epidemiology.* 12: 78-87.
- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. *Chemosphere.* 70: 2060-2067. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.007>.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ.* 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Costentin, C; Robert, M; Saveant, JM. (2006). Electron transfer and bond breaking: Recent advances. *Chem Phys.* 324: 40-56. <http://dx.doi.org/10.1016/j.chemphys.2005.09.029>.
- Costet, N; Garlandezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol.* 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Couceiro, M; Crespo, P; Marques, R, uif; Fonte, P. (2014). Scatter Fraction, Count Rates, and Noise Equivalent Count Rate of a Single-Bed Position RPC TOF-PET System Assessed by Simulations Following the NEMA NU2-2001 Standards. *IEEE Trans Nucl Sci.* 61: 1153-1163. <http://dx.doi.org/10.1109/TNS.2014.2303654>.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. *Desalination.* 117: 233-245.
- Coulibaly, KM; Borden, RC. (2004). Impact of edible oil injection on the permeability of aquifer sands. *J Contam Hydrol.* 71: 219-237. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.002>.
- Coute, N; Ortego, JD; Richardson, JT; Twigg, MV. (1998). Catalytic steam reforming of chlorocarbons: trichloroethane, trichloroethylene and perchloroethylene. *Appl Catal B-Environ.* 19: 175-187.
- Couto, MN; Borges, JR, JR; Guedes, P; Almeida, R; Monteiro, E; Almeida, CMR; Basto, MCP; Vasconcelos, MTS, D. (2014). An Improved Method for the Determination of Petroleum Hydrocarbons From Soil Using a Simple Ultrasonic Extraction and Fourier Transform Infrared Spectrophotometry. *Petroleum Science and Technology.* 32: 426-432. <http://dx.doi.org/10.1080/10916466.2011.587383>.
- Covington, TR; Gentry, P; Van Landingham, CB; Clewell, HJ. (2006). Issues in using Markov Chain Monte Carlo analysis to calibrate a PBPK model for use in risk assessment: Case studies with dichloromethane and perchloroethylene [Abstract]. *Toxicologist.* 90: 261.
- Covington, TR; Gentry, PR; Van Landingham, CB; Andersen, ME; Kester, JE; Clewell, HJ. (2007). The use of Markov chain Monte Carlo uncertainty analysis to support a public health goal for perchloroethylene. *Regul Toxicol Pharmacol.* 47: 1-18. <http://dx.doi.org/10.1016/j.yrtph.2006.06.008>.
- Cox, P; Niewohner, J; Pidgeon, N; Gerrard, S; Fischhoff, B; Riley, D. (2003). The use of mental models in chemical risk protection: Developing a generic workplace methodology. *Risk Anal.* 23: 311-324.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (QSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen.* 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A. (1989). Genetic toxicology of 1,1,2-trichloroethylene [Review]. *Mutat Res.* 221: 11-37. [http://dx.doi.org/10.1016/0165-1110\(89\)90043-2](http://dx.doi.org/10.1016/0165-1110(89)90043-2).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1985). Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. *Mutat Res Genet Toxicol Environ Mutagen.* 155: 105-111. [http://dx.doi.org/10.1016/0165-1218\(85\)90126-0](http://dx.doi.org/10.1016/0165-1218(85)90126-0).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1991). In vitro studies with nine known or suspected spindle poisons: results in tests for chromosome malsegregation in *Aspergillus nidulans*. *Mutagenesis.* 6: 131-136. <http://dx.doi.org/10.1093/mutage/6.2.131>.
- Crespo, P; Reis, J; Couceiro, M; Blanco, A; Ferreira, NC; Marques, R, uif; Martins, P; Fonte, P. (2012). Whole-Body Single-Bed Time-of-Flight RPC-PET: Simulation of Axial and Planar Sensitivities With NEMA and Anthropomorphic Phantoms. *IEEE Trans Nucl Sci.* 59: 520-529. <http://dx.doi.org/10.1109/TNS.2012.2182677>.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; McNeill, K; Elsner, M. (2013). Reductive dechlorination of TCE by chemical model systems in comparison to dehalogenating bacteria: insights from dual element isotope analysis ( $^{13}\text{C}/^{12}\text{C}$ ,  $^{37}\text{Cl}/^{35}\text{Cl}$ ). *Environ Sci Technol.* 47: 6855-6863. <http://dx.doi.org/10.1021/es400107n>.
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *J Environ Eng.* 131: 1724-1732. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1724\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1724)).
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res.* 31: 411-418. [http://dx.doi.org/10.1016/S0043-1354\(96\)00258-8](http://dx.doi.org/10.1016/S0043-1354(96)00258-8).
- Cronn, DR; Rasmussen, RA; Robinson, E. (1976). Report for phase I: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-01). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E. (1977). Report for phase II: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-02). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E; Harsch, DE. (1977). Halogenated compound identification and measurement in the troposphere and lower stratosphere. *J Geophys Res.* 82: 5935-5944. <http://dx.doi.org/10.1029/JC082i037p05935>.
- Crouch, E. (1988). Comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 549-550. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01195.x>.

## Fate Literature Search Results

### Off Topic

- Crump, K; Allen, B; Shipp, A. (1989). Choice of dose measure for extrapolating carcinogenic risk from animals to humans: An empirical investigation of 23 chemicals. *Health Phys.* 57: 387-393.
- Crump, KS. (1998). On summarizing group exposures in risk assessment: Is an arithmetic mean or a geometric mean more appropriate? *Risk Anal.* 18: 293-297. <http://dx.doi.org/10.1111/j.1539-6924.1998.tb01296.x>.
- Crump, KS; Allen, BC; Howe, RB; Crockett, PW. (1987). Time-related factors in quantitative risk assessment. *J Chronic Dis.* 40: 101S-111S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80013-9](http://dx.doi.org/10.1016/S0021-9681(87)80013-9).
- Crump, KS; Guess, HA; Deal, KL. (1977). Confidence intervals and test of hypotheses concerning dose response relations inferred from animal carcinogenicity data. *Biometrics.* 33: 437-451. <http://dx.doi.org/10.2307/2529358>.
- Crutzen, PJ; Isaksen, ISA; McAfee, JR. (1978). The impact of the chlorocarbon industry on the ozone layer. *J Geophys Res.* 83: 345-363. <http://dx.doi.org/10.1029/JC083iC01p00345>.
- Cruz, SL; Balster, RL; Woodward, JJ. (2000). Effects of volatile solvents on recombinant N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *Br J Pharmacol.* 131: 1303-1308. <http://dx.doi.org/10.1038/sj.bjp.0703666>.
- Cruz, SL; Mirshahi, T; Thomas, B; Balster, RL; Woodward, JJ. (1998). Effects of the abused solvent toluene on recombinant N-methyl-D-aspartate and non-N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *J Pharmacol Exp Ther.* 286: 334-340.
- Cueto, MJM; Vallejo, MG; Rodriguez, MR; Minchero, RM. (1994). PHYSICOCHEMICAL STUDIES CONCERNING MISCELLES OF VEGETABLE-OILS .15. APPLICATION OF ANDRADE AND KRONE EQUATIONS TO METHYL MIRYSTATE SOLUTIONS IN CYCLOHEXANE, HEXANE, TETRACHLOROETHYLENE OR TRICHLOROETHYLENE. *Grasas y Aceites.* 45: 224-226.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther.* 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol.* 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos.* 27: 542-548.
- Cunha, SC; Almeida, C; Mendes, E; Fernandes, JO. (2011). Simultaneous determination of bisphenol A and bisphenol B in beverages and powdered infant formula by dispersive liquid-liquid micro-extraction and heart-cutting multidimensional gas chromatography-mass spectrometry. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 28: 513-526. <http://dx.doi.org/10.1080/19440049.2010.542551>.
- Cunha, SC; Cunha, C; Ferreira, AR; Fernandes, JO. (2012). Determination of bisphenol A and bisphenol B in canned seafood combining QuEChERS extraction with dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. *Anal Bioanal Chem.* 404: 2453-2463. <http://dx.doi.org/10.1007/s00216-012-6389-5>.
- Cunha, SC; Pena, A; Fernandes, JO. (2015). Dispersive liquid-liquid microextraction followed by microwave-assisted silylation and gas chromatography-mass spectrometry analysis for simultaneous trace quantification of bisphenol A and 13 ultraviolet filters in wastewaters. *J Chromatogr A.* 1414: 10-21. <http://dx.doi.org/10.1016/j.chroma.2015.07.099>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environ Sci Technol.* 38: 4768-4774. <http://dx.doi.org/10.1021/es049965z>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environ Sci Technol.* 38: 1102-1107. <http://dx.doi.org/10.1021/es0348647>.
- Curcio, P; Allix, F; Pickaert, G; Jamart-Grégoire, B. (2011). A favorable, narrow,  $\delta(h)$  Hansen-parameter domain for gelation of low-molecular-weight amino acid derivatives. *Chemistry.* 17: 13603-13612. <http://dx.doi.org/10.1002/chem.201101423>.
- Curtis, GP; Reinhard, M. (1994). Reductive dehalogenation of hexachloroethane, carbon tetrachloride, and bromoform by anthrahydroquinone disulfonate and humic acid. *Environ Sci Technol.* 28: 2393-2401.
- Cushey, MA; Rubin, Y. (1997). Field-scale transport of nonpolar organic solutes in 3-D heterogeneous aquifers. *Environ Sci Technol.* 31: 1259-1268. <http://dx.doi.org/10.1021/es9601999>.
- Cutler, J; Parker, G; Rosen, S; Prenney, B; Healey, R; Caldwell, G. (1986). Childhood leukemia in Woburn, Massachusetts. *Public Health Rep.* 101: 201-205.
- Cvelbar, U; Mozetic, M; Zalar, A. (2003). Improvement of electrical conductivity of Cu/Ag glue joints by discharge cleaning. *Vacuum.* 71: 207-211. [http://dx.doi.org/10.1016/S0042-207X\(02\)00738-8](http://dx.doi.org/10.1016/S0042-207X(02)00738-8).
- da Silva Augusto, LG; Lieber, S. R.; Ruiz, MA; de Souza, CA. (1997). Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen.* 29: 46-52. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)29:1<46::AID-EM6>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)29:1<46::AID-EM6>3.0.CO;2-B).
- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res.* 78: 2456-2465. <http://dx.doi.org/10.2175/106143006X123111>.
- Dabirian, A; Lachowicz, A; Schuttauf, JW; Paviet-Salomon, B; Morales-Masis, M; Hessler-Wyser, A; Despeisse, M; Ballif, C. (2017). Metallization of Si heterojunction solar cells by nanosecond laser ablation and Ni-Cu plating. *Solar Energy Materials and Solar Cells.* 159: 243-250. <http://dx.doi.org/10.1016/j.solmat.2016.09.021>.
- Daffer, P; Crump, K; Masterman, M. (1980). Asymptotic theory for analyzing dose-response survival data with application to low-dose extrapolation problems. *Math Biosci.* 50: 207-230. [http://dx.doi.org/10.1016/0025-5564\(80\)90037-1](http://dx.doi.org/10.1016/0025-5564(80)90037-1).
- Daft, JL. (1988). Rapid determination of fumigant and industrial chemical residues in food. *J Assoc Offic Anal Chem.* 71: 748-760.
- Dai, R; Wu, G; Chen, H. (2011). Stable titanium dioxide grafted with poly [N-(p-vinyl benzyl) phthalimide] composite particles in suspension for electrophoretic displays. *Colloid and Polymer Science.* 289: 401-407. <http://dx.doi.org/10.1007/s00396-011-2375-2>.



## Fate Literature Search Results

### Off Topic

- Daishima, S; Iida, Y. (1992). MONITORING OF TRACE AMOUNTS OF ORGANIC-COMPOUNDS IN AIR BY TOWNSEND DISCHARGE-CHEMICAL IONIZATION MASS-SPECTROMETRY. *Bunseki Kagaku*. 41: 207-213.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1994). Use of tissue deposition data from rats and dogs to determine species differences in input parameters for a physiological model for perchloroethylene. *Environ Res*. 67: 54-67. <http://dx.doi.org/10.1006/enrs.1994.1064>.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1995). Physiologically based pharmacokinetic model useful in prediction of the influence of species, dose, and exposure route on perchloroethylene pharmacokinetics. *J Toxicol Environ Health*. 44: 301-317. <http://dx.doi.org/10.1006/taap.1994.1179>.
- Damgaard, I; Bjerg, PL; Bælum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol*. 146: 37-50. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.010>.
- Damgaard, I, da; Bjerg, PL; Jacobsen, CS; Tsitonaki, A; Kernn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation*. 33: 48-61. <http://dx.doi.org/10.1111/j.1745-6592.2012.01405.x>.
- Damrongsiri, S; Tongcumpou, C; Sabatini, DA. (2013). Partition behavior of surfactants, butanol, and salt during application of density-modified displacement of dense non-aqueous phase liquids. *J Hazard Mater*. 248-249: 261-267. <http://dx.doi.org/10.1016/j.jhazmat.2012.12.059>.
- Damrongsiri, S; Tongcumpou, C; Weschayanwivat, P; Sabatini, DA. (2010). Solubilization of dibutyltin dichloride with surfactant solutions in single and mixed oil systems. *J Hazard Mater*. 181: 1109-1114. <http://dx.doi.org/10.1016/j.jhazmat.2010.05.129>.
- Dane, JH; Hofstee, C; Corey, AT. (1998). Simultaneous measurement of capillary pressure, saturation, and effective permeability of immiscible liquids in porous media. *Water Resour Res*. 34: 3687-3692.
- Dang, T, ri; Sainato, N. (2014). NEMA and IEC Standards: A Practical Approach. *IEEE Transactions on Industry Applications*. 50: 3079-3085. <http://dx.doi.org/10.1109/TIA.2014.2307879>.
- Daniel, FB; Deangelo, AB; Stober, JA; Olson, GR; Page, NP. (1992). Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol*. 19: 159-168. [http://dx.doi.org/10.1016/0272-0590\(92\)90147-A](http://dx.doi.org/10.1016/0272-0590(92)90147-A).
- Daniel, FB; Meier, J. R.; Deangelo, AB. (1993). Advances in research on carcinogenic and genotoxic by-products of chlorine disinfection: Chlorinated hydroxyfuranones and chlorinated acetic acids. *Ann Ist Super Sanita*. 29: 279-291.
- Daniell, WE; Claypoole, KH; Checkoway, H; Smith-Weller, T; Dager, SR; Townes, BD; Rosenstock, L. (1999). Neuropsychological function in retired workers with previous long-term occupational exposure to solvents. *Occup Environ Med*. 56: 93-105.
- Danna, M; Lecchi, M; Bettinardi, V; Gilardi, MC; Stearns, CW; Lucignani, G; Fazio, F. (2006). Generation of the acquisition-specific NEC (AS-NEC) curves to optimize the injected dose in 3D F-18-FDG whole body PET studies. *IEEE Trans Nucl Sci*. 53: 86-92. <http://dx.doi.org/10.1109/TNS.2005.862966>.
- Daprato, RC; Löffler, FE; Hughes, JB. (2007). Comparative analysis of three tetrachloroethene to ethene halo-respiring consortia suggests functional redundancy. *Environ Sci Technol*. 41: 2261-2269. <http://dx.doi.org/10.1021/es061544p>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2008). Biotic and abiotic anaerobic transformations of trichloroethene and cis-1,2-dichloroethene in fractured sandstone. *Environ Sci Technol*. 42: 4323-4330. <http://dx.doi.org/10.1021/es702196a>.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry*. 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Das, DB; Gauldie, R; Mirzaei, M. (2007). Dynamic effects for two-phase flow in porous media: Fluid property effects. *AIChE J*. 53: 2505-2520. <http://dx.doi.org/10.1002/aic.11292>.
- Das, JC; Steinmetz, J, onD; McPhee, AA. (2016). Out-of-Step and Single Phasing Protection of Synchronous Chipper Motors. *IEEE Transactions on Industry Applications*. 52: 1931-1937. <http://dx.doi.org/10.1109/TIA.2015.2489180>.
- Dasgupta, R; Hirschmann, MM. (2007). Effect of variable carbonate concentration on the solidus of mantle peridotite. *Am Mineral*. 92: 370-379. <http://dx.doi.org/10.2138/am.2007.2201>.
- Dasgupta, R; Hirschmann, MM; Smith, ND. (2007). Partial melting experiments of peridotite CO<sub>2</sub> at 3 GPa and genesis of alkalic ocean island basalts. *Journal of Petrology*. 48: 2093-2124. <http://dx.doi.org/10.1093/petrology/egm053>.
- Datskos, PG; Rajic, S; Sepaniak, MJ; Lavrik, N; Tipple, CA; Senesac, LR; Datskou, I. (2001). Chemical detection based on adsorption-induced and photoinduced stresses in microelectromechanical systems devices. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 19: 1173-1179.
- Datskos, PG; Sepaniak, MJ; Tipple, CA; Lavrik, N. (2001). Photomechanical chemical microsensors. *Sens Actuators B*. 76: 393-402.
- Datta, S; Talukdar, G; Sharma, A. (1986). Cytotoxic effects of arsenic in dietary oil primed rats. *Sci Cult*. 52: 196-198.
- Dattaa, R; Sarkar, D; Sharma, S; Sanda, K. (2006). Arsenic biogeochemistry and human health risk assessment in organo-arsenical pesticide-applied acidic and alkaline soils: An incubation study. *Sci Total Environ*. 372: 39-48. <http://dx.doi.org/10.1016/j.scitotenv.2006.08.003>.
- Daugey, N; Bergeat, A; Schuck, A; Caubet, P; Dorthe, G. (1997). Vibrational distribution in CN(X-2 Sigma(+)) from the N+C-2->CN+C reaction. *Chem Phys*. 222: 87-103.
- Davidson, IW. (1984). The biological basis for extrapolation of dose-carcinogenic response relationships of laboratory animals to man: A review paper. Washington, DC: U.S. Environmental Protection Agency.
- Davidson, IWF; Beliles, RP. (1991). Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics [Review]. *Drug Metab Rev*. 23: 493-599. <http://dx.doi.org/10.3109/03602539109029772>.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem*. 10: 463-474.

## Fate Literature Search Results

### Off Topic

- Davis, JW; Odom, JM; Deweerd, KA; Stahl, DA; Fishbain, SS; West, RJ; Klecka, GM; Decarolis, JG. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: characterization of microbial community structure. *J Contam Hydrol.* 57: 41-59.
- Davis, LM; Caspary, WJ; Sakallah, SA; Maronpot, R; Wiseman, R; Barrett, JC; Elliott, R; Hozier, JC. (1994). Loss of heterozygosity in spontaneous and chemically induced tumors of the B6C3F1 mouse. *Carcinogenesis.* 15: 1637-1645. <http://dx.doi.org/10.1093/carcin/15.8.1637>.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- Dawson, HE; Roberts, PV. (1997). Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water.* 35: 261-269.
- Dayal, H; Gupta, S; Trieff, N; Maierson, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health.* 50: 108-111. <http://dx.doi.org/10.1080/00039896.1995.9940887>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem.* 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- de Faire, U; Ericsson, CG; Hamsten, A; Nilsson, J. (1995). Design features of a five-year Bezafibrate Coronary Atherosclerosis Intervention Trial (BECAIT). *Drugs Exp Clin Res.* 21: 105-124.
- De Ferrari, M; Artuso, M; Bonassi, S; Bonatti, S; Cavalieri, Z; Pescatore, D; Marchini, E; Pisano, V; Abbondandolo, A. (1991). Cytogenetic biomonitoring of an Italian population exposed to pesticides: Chromosome aberration and sister-chromatid exchange analysis in peripheral blood lymphocytes. *Mutat Res Genet Toxicol Environ Mutagen.* 260: 105-113. [http://dx.doi.org/10.1016/0165-1218\(91\)90086-2](http://dx.doi.org/10.1016/0165-1218(91)90086-2).
- de Jong, HW; van Velden, FH; Kloet, RW; Buijs, FL; Boellaard, R; Lammertsma, AA. (2007). Performance evaluation of the ECAT HRRT: an LSO-LYSO double layer high resolution, high sensitivity scanner. *Phys Med Biol.* 52: 1505-1526. <http://dx.doi.org/10.1088/0031-9155/52/5/019>.
- de Jong, V; Cieplik, MK; Reints, WA; Fernandez-Reino, F; Louw, R. (2002). A mechanistic study on the catalytic combustion of benzene and chlorobenzene. *J Catal.* 211: 355-365. <http://dx.doi.org/10.1006/jcat.2002.3762>.
- De Kimpe, J; Cornelis, R; Mees, L; Vanholder, R. (1996). Basal metabolism of intraperitoneally injected carrier-free <sup>74</sup>As-labeled arsenate in rabbits. *Fundam Appl Toxicol.* 34: 240-248. <http://dx.doi.org/10.1006/faat.1996.0193>.
- de la Iglesia, FA; Gough, AW; Sigler, RE. (1997). alpha2u-Globulin nephropathy and ravens: Do ravens of a different feather flock together? *Environ Health Perspect.* 105: 903-904.
- De La Iglesia, FA; Lewis, JE; Buchanan, RA; Marcus, EL; McMahon, G. (1982). Light and electron microscopy of liver in hyperlipoproteinemic patients under long-term gemfibrozil treatment. *Atherosclerosis.* 43: 19-37. [http://dx.doi.org/10.1016/0021-9150\(82\)90096-X](http://dx.doi.org/10.1016/0021-9150(82)90096-X).
- de Marco, I; Caballero, BM; Lopez-Urionabarrenechea, A; Laresgoiti, MF; Torres, A; Chomon, MJ. (2009). Pyrolysis of the rejects of a waste packaging separation and classification plant. *J Anal Appl Pyrol.* 85: 384-391. <http://dx.doi.org/10.1016/j.jaap.2008.09.002>.
- de Oliveira Costa, LF; Rangel, E, Jr; de Carvalho Filho, JM. (2014). Differences and Similarities Between ANSI and IEC Cultures for MV Assemblies-The Brazilian Experience. *I E E E Transactions on Industry Applications.* 50: 2392-2402. <http://dx.doi.org/10.1109/TIA.2013.2293820>.
- De Rooij, C; Boutonnet, JC; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Tetrachloroethylene. *Environ Monit Assess.* 53: 489-508.
- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). 1,1,1-trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess.* 97: 39-56.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere.* 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Diekert, G; Verstraete, W. (2002). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge: perspectives for in situ remediation. *Water Sci Technol.* 45: 43-48.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Verstraete, W. (2001). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge in lab-scale UASB reactors. *Adv Environ Res.* 6: 17-27.
- DeAngelo, AB. (2000). Response to "Epigenetic mechanisms of chemical carcinogenesis" by James E. Klaunig, Lisa M. Kamendulis, and Xu Yong. *Hum Exp Toxicol.* 19: 561-562. <http://dx.doi.org/10.1191/096032700701546460>.
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1996). The carcinogenicity of dichloroacetic acid in the male fischer 344 rat. *Toxicology.* 114: 207-221. [http://dx.doi.org/10.1016/S0300-483X\(96\)03510-X](http://dx.doi.org/10.1016/S0300-483X(96)03510-X).
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1997). Failure of monochloroacetic acid and trichloroacetic acid administered in the drinking water to produce liver cancer in male F344/N rats. *J Toxicol Environ Health.* 52: 425-445. <http://dx.doi.org/10.1080/00984109708984074>.
- DeAngelo, AB; Daniel, FB; Stober, JA; Olson, GR. (1991). The carcinogenicity of dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol.* 16: 337-347. [http://dx.doi.org/10.1016/0272-0590\(91\)90118-N](http://dx.doi.org/10.1016/0272-0590(91)90118-N).
- DeAngelo, AB; Daniel, FB; Wong, DM; George, MH. (2008). The induction of hepatocellular neoplasia by trichloroacetic acid administered in the drinking water of the male B6C3F1 mouse. *J Toxicol Environ Health A.* 71: 1056-1068. <http://dx.doi.org/10.1080/15287390802111952>.
- DeAngelo, AB; George, MH; House, DE. (1999). Hepatocarcinogenicity in the male B6C3F1 mouse following a lifetime exposure to dichloroacetic acid in the drinking water: Dose-response determination and modes of action. *J Toxicol Environ Health A.* 58: 485-507.

## Fate Literature Search Results

### Off Topic

- Decker, SP; Klabunde, JS; Khaleel, A; Klabunde, KJ. (2002). Catalyzed destructive adsorption of environmental toxins with nanocrystalline metal oxides. Fluoro-, chloro-, bromocarbons, sulfur, and organophosphorus compounds. *Environ Sci Technol.* 36: 762-768. <http://dx.doi.org/10.1021/es010733z>.
- Dedrick, RL. (1973). Animal scale-up. *J Pharmacokinet Pharmacodyn.* 1: 435-461. <http://dx.doi.org/10.1007/BF01059667>.
- Dees, C; Travis, C. (1994). Trichloroacetate stimulation of liver DNA synthesis in male and female mice. *Toxicol Lett.* 70: 343-355. [http://dx.doi.org/10.1016/0378-4274\(94\)90129-5](http://dx.doi.org/10.1016/0378-4274(94)90129-5).
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores in micronuclei: A new assay for the detection of aneuploidy. *Mutat Res.* 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Deipser, A. (1998). Biodegradation of volatile CFCs, H-CFCs and VC in compost and marl. *Waste Manag Res.* 16: 330-341.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int.* 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Dejz, A; Burguet, MC; Munoz, R; Sanchotello, M. (1995). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF TETRACHLOROETHYLENE WITH 1-BUTANOL AND 2-BUTANOL AT 6-KPA AND 20-KPA. *Journal of Chemical and Engineering Data.* 40: 290-292.
- Dejz, A; Gonzalez-Alfaro, V; Llopis, FJ; Miguel, PJ; Vazquez, MI. (1999). Vapor-liquid equilibrium of binary mixtures of tetrachloroethylene with 1-pentanol, 3-methyl-1-butanol, and 2-methyl-1-butanol. *Journal of Chemical and Engineering Data.* 44: 286-290.
- Dejz, A; Gonzalezalfaro, V; Miguel, PJ; Vazquez, MI. (1996). Isobaric vapor-liquid equilibria of tetrachloroethylene plus 1-propanol and plus 2-propanol at 20 and 100 kPa. *Journal of Chemical and Engineering Data.* 41: 1361-1365.
- Dekant, W. (2001). Chemical-induced nephrotoxicity mediated by glutathione S-conjugate formation. *Toxicol Lett.* 124: 21-36. [http://dx.doi.org/10.1016/S0378-4274\(00\)00285-X](http://dx.doi.org/10.1016/S0378-4274(00)00285-X).
- Dekant, W. (2001). Does exposure to trichloroethene in low doses constitute a cancer risk to humans? *Hum Ecol Risk Assess.* 7: 657-675. <http://dx.doi.org/10.1080/20018091094565>.
- Dekant, W. (2010). Toxicological review of trichloroethylene in support of the Iris database in support of the IRIS database (draft Of October 2009) comments of the Halogenated Solvents Industry Alliance. Arlington, VA: Halogenated Solvents Industry Alliance. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2009-0791-0018.1>.
- Dekant, W; Berthold, K; Vamvakas, S; Henschler, D; Anders, MW. (1988). Thioacylating intermediates as metabolites of S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2,2-trichlorovinyl)-L-cysteine formed by cysteine conjugate beta-lyase. *Chem Res Toxicol.* 1: 175-178. <http://dx.doi.org/10.1021/tx00003a008>.
- Dekant, W; Metzler, M; Henschler, D. (1986). Identification of S-1,2-dichlorovinyl-N-acetyl-cysteine as a urinary metabolite of trichloroethylene: A possible explanation for its nephrocarcinogenicity in male rats. *Biochem Pharmacol.* 35: 2455-2458. [http://dx.doi.org/10.1016/0006-2952\(86\)90039-0](http://dx.doi.org/10.1016/0006-2952(86)90039-0).
- Dekant, W; Vamvakas, S; Berthold, K; Schmitt, S; Henschler, D. (1986). Cysteine conjugate beta-lyase mediated cleavage and mutagenicity of the tetrachloroethylene metabolite s-1,1,2-trichlorovinyl-cysteine. *Toxicol Lett.* 31: 209.
- Dekant, W; Vamvakas, S; Anders, MW. (1989). Bioactivation of nephrotoxic haloalkenes by glutathione conjugation: formation of toxic and mutagenic intermediates by cysteine conjugate beta-lyase [Review]. *Drug Metab Rev.* 20: 43-83. <http://dx.doi.org/10.3109/03602538908994144>.
- Dekant, W; Vamvakas, S; Anders, MW. (1990). Biosynthesis, bioactivation, and mutagenicity of S-conjugates [Review]. *Toxicol Lett.* 53: 53-58. [http://dx.doi.org/10.1016/0378-4274\(90\)90094-3](http://dx.doi.org/10.1016/0378-4274(90)90094-3).
- Dekker, TJ; Abriola, LM. (2000). The influence of field-scale heterogeneity on the surfactant-enhanced remediation of entrapped nonaqueous phase liquids. *J Contam Hydrol.* 42: 219-251.
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133. <http://dx.doi.org/10.1029/2001WR000444>.
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delannoy, L; Giraudon, JM; Granger, P; Leclercq, L; Leclercq, G. (2002). Hydrodechlorination of CCl4 over group VI transition metal carbides. *Appl Catal B-Environ.* 37: 161-173.
- Delery, L; Chiappini, L; Cicolella, A. (2008). Assessment of population exposure to tetrachloroethylene emissions from French dry-cleaning facilities and their associated health risks [Les pressings: Exposition au tetrachloroethylene et risques sanitaires]. *E R S.* 7: 331-340. <http://dx.doi.org/10.1684/ers.2008.0164>.
- Delfino, RJ; Gone, H; Linn, WS; Pellizzari, ED; Hu, Y. (2003). Asthma symptoms in Hispanic children and daily ambient exposures to toxic and criteria air pollutants. *Environ Health Perspect.* 111: 647-656. <http://dx.doi.org/10.1289/ehp.5992>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241459/pdf/ehp0111-000647.pdf>.
- Delfino, RJ; Gong, H; Linn, WS; Hu, Y; Pellizzari, ED. (2003). Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expo Anal Environ Epidemiol.* 13: 348-363. <http://dx.doi.org/10.1038/sj.jea.7500287>; <http://www.nature.com/jes/journal/v13/n5/pdf/7500287a.pdf>.
- Delinsky, AD; Delinsky, DC; Muralidhara, S; Fisher, JW; Bruckner, JV; Bartlett, MG. (2005). Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 1075-1083. <http://dx.doi.org/10.1002/rcm.189>.
- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air Waste.* 43: 203-207.
- Demarest, L. (2014). Soil composition at the aquifer level, groundwater quality and the presence of Dehalococcoides ethenogenes at Dover AFB. *Environ Earth Sci.* 71: 4157-4164. <http://dx.doi.org/10.1007/s12665-013-2806-0>.

## Fate Literature Search Results

### Off Topic

- Demeestere, K; De Visscher, A; Dewulf, J; Van Leeuwen, M; Van Langenhove, H. (2004). A new kinetic model for titanium dioxide mediated heterogeneous photocatalytic degradation of trichloroethylene in gas-phase. *Appl Catal B-Environ.* 54: 261-274. <http://dx.doi.org/10.1016/j.apcatb.2004.06.020>.
- Demond, AH. (1982) A source of tetrachloroethylene in the drinking water of New England: An evaluation of the toxicity of tetrachloroethylene and the prediction of its leaching rates from vinyl-lined asbestos-cement pipe. (Master's Thesis). Massachusetts Institute of Technology, Cambridge, MA. Retrieved from <http://dspace.mit.edu/handle/1721.1/15478>
- Demond, AH. LEACHING OF TETRACHLOROETHYLENE FROM VINYL-LINED PIPE (pp. 1-9; 1985). (ISSN 0733-9372; EISSN 1943-7870; HMTc/85/0002141). Demond, AH.
- Demou, E; Hellweg, S; Wilson, MP; Hammond, SK; Mckone, TE. (2009). Evaluating indoor exposure modeling alternatives for LCA: A case study in the vehicle repair industry. *Environ Sci Technol.* 43: 5804-5810. <http://dx.doi.org/10.1021/es803551y>.
- Dempsey, BA; Lee, AP; Kim, B. (1993). REMOVAL OF VOLATILE ORGANIC-CHEMICALS FROM WATER USING HYDRAULIC JETS. *Hazardous Waste and Hazardous Materials.* 10: 323-333.
- Den, W; Ravindran, V. (2005). Photooxidation for degradation of trichloroethylene and perchloroethylene in contaminated gas streams: Free-radical reaction kinetics, mechanisms, product formation and product removal. *Abstracts of Papers - American Chemical Society.* 229: U829-U829.
- Den, W; Ravindran, V; Pirbazari, M. (2006). Photooxidation and biotrickling filtration for controlling industrial emissions of trichloroethylene and. *Chem Eng Sci.* 61: 7909-7923. <http://dx.doi.org/10.1016/j.ces.2006.09.015>.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environ Sci Technol.* 33: 2651-2656.
- Deng, W; Chen, D; Xiong, Z; Verlinden, PJ; Dong, J; Ye, F; Li, H, ui; Zhu, H; Zhong, M; Yang, Y; Chen, Y; Feng, Z; Altermatt, P. (2016). 20.8% PERC Solar Cell on 156 mm x 156 mm P-Type Multicrystalline Silicon Substrate. 6: 3-9. <http://dx.doi.org/10.1109/JPHOTOV.2015.2489881>.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation.* 30: 127-133. <http://dx.doi.org/10.1111/j1745-6592.2010.001282.x>.
- Deonandan, R; Campbell, K; Ostbye, T; Tummon, I; Robertson, J. (2000). A comparison of methods for measuring socio-economic status by occupation or postal area. *Chronic Dis Can.* 21: 114-118.
- Desbaumes, E; Imhoff, C. (1971). Use of Saran bags for the determination of solvent concentration in the air of workshops. *Gefahrst Reinhalt Luft.* 31: 36-41.
- Deshmukh, NS; Lapsiya, KL; Savant, DV; Chiplonkar, SA; Yeole, TY; Dhakephalkar, PK; Ranade, DR. (2009). Upflow anaerobic filter for the degradation of adsorbable organic halides (AOX) from bleach composite wastewater of pulp and paper industry. *Chemosphere.* 75: 1179-1185. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.042>.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med.* 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Desvergne, B; Wahli, W. (1995). PPAR: A key factor in nutrient/gene interactions. In P Baeuerle (Ed.), (pp. 142-176). Boston, MA: Birkhauser.
- Devasena, M; Nambi, IM. (2010). Migration and entrapment of mercury in porous media. *J Contam Hydrol.* 117: 60-70. <http://dx.doi.org/10.1016/j.jconhyd.2010.06.005>.
- Devlinny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste and Hazardous Materials.* 12: 283-293.
- Devlin, JF; Barbaro, JR. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem.* 20: 2443-2449. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<2443:AMOEMN>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<2443:AMOEMN>2.0.CO;2).
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol.* 69: 233-261. [http://dx.doi.org/10.1016/S0169-7722\(03\)00156-6](http://dx.doi.org/10.1016/S0169-7722(03)00156-6).
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Dewulf, J; Ponnet, D; Vanlangenhove, H. (1996). Measurement of atmospheric monocyclic aromatic hydrocarbons and chlorinated C-1- and C-2- hydrocarbons at ng.m(-3) concentration levels. *Int J Environ Anal Chem.* 62: 289-301.
- Dewulf, J; Vanlangenhove, H. (1995). Simultaneous determination of C-1- and C-2-halocarbons and monocyclic aromatic hydrocarbons in marine water samples at NG/L concentration levels. *Int J Environ Anal Chem.* 61: 35-46.
- Dewulf, J; Vanlangenhove, H; Everaert, M. (1997). Solid-phase microextraction of volatile organic compounds - Estimation of the sorption equilibrium from the Kovats index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model. *J Chromatogr A.* 761: 205-217.
- Dhennezel, O; Ollis, DF. (1996). Photocatalytic oxidation of air contaminants by chlorine (Cl) or hydroxyl (OH) radicals or holes (h+): Mechanistic correlations. *Stud Surf Sci Catal.* 101: 435-442.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ.* 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.
- Di Nardo, A; Bortone, I; Di Natale, M; Erto, A; Musmarra, D. (2014). A Heuristic Procedure to Optimize the Design of a Permeable Reactive Barrier for In Situ Groundwater Remediation. *AST.* 32: 125-140.
- Di Palma, L; De Filippis, P; Lausdei, D; Petrucci, E. (2015). KINETIC TESTS OF ANAEROBIC DECHLORINATION OF A POLLUTED GROUNDWATER IN ITALY. *Environmental Engineering and Management Journal.* 14: 2713-2718.

## Fate Literature Search Results

### Off Topic

- Di, Z; Zheng, S; Xiao-Hui, Y; Da-Peng, W; Kun, D; Ya-Feng, G. (2013). A Porous Membrane Extraction and Microtrap System for On-line Monitoring of Volatile Organic Compounds in Water. *Chin J Anal Chem.* 41: 1153-1158. <http://dx.doi.org/10.3724/SP.J.1096.2013.21228>.
- Diabetes Atherosclerosis Intervention Study Investigators. (2001). Effect of fenofibrate on progression of coronary-artery disease in type 2 diabetes: The Diabetes Atherosclerosis Intervention Study, a randomised study. *Lancet.* 357: 905-910. [http://dx.doi.org/10.1016/S0140-6736\(00\)04209-4](http://dx.doi.org/10.1016/S0140-6736(00)04209-4).
- Diallo, MS; Abriola, LM; Weber, WJ, Jr. (1994). Solubilization of non-aqueous phase liquid hydrocarbons in micellar solutions of dodecyl alcohol ethoxylates. Washington, D.C.
- Díaz, E; Ordóñez, S; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). High-surface area graphites as supports for hydrodechlorination catalysts: Tuning support surface chemistry for an optimal performance. *Appl Catal B-Environ.* 99: 181-190. <http://dx.doi.org/10.1016/j.apcatb.2010.06.016>.
- Dickert, FL; Bruckdorfer, T; Feigl, H; Haunschild, A; Kuschow, V; Obermeier, E; Bulst, WE; Knauer, U; Mages, G. (1993). SUPRAMOLECULAR DETECTION OF SOLVENT VAPORS WITH QMB AND SAW DEVICES. *Sens Actuators B.* 13: 297-301.
- Dickert, FL; Haunschild, A; Hofmann, P. (1994). CHOLESTERIC LIQUID-CRYSTALS FOR SOLVENT VAPOR DETECTION - ELIMINATION OF CROSS-SENSITIVITY BY BAND SHAPE-ANALYSIS AND PATTERN-RECOGNITION. *Fresenius J Anal Chem.* 350: 577-581.
- Dickert, FL; Haunschild, A; Maune, V. (1993). TETRAAZACYCLOPHANES AS HOST MOLECULES FOR SOLVENT VAPORS - MASS-SENSITIVE DETECTION AND FORCE-FIELD CALCULATIONS. *Sens Actuators B.* 12: 169-173.
- Dickson, AG; Riley, JP. (1976). The distribution of short-chain halogenated aliphatic hydrocarbons in some marine organisms. *Mar Pollut Bull.* 7: 167-169. [http://dx.doi.org/10.1016/0025-326X\(76\)90212-5](http://dx.doi.org/10.1016/0025-326X(76)90212-5).
- Dietert, RR. (2008). Developmental immunotoxicology (DIT): windows of vulnerability, immune dysfunction and safety assessment. *J Immunotoxicol.* 5: 401-412. <http://dx.doi.org/10.1080/15476910802483324>.
- Dietrich, DR. (1997). Doubting nongenotoxic mechanisms of renal cancer: Comparing apples and oranges in the alpha2u-globulin hypothesis. *Environ Health Perspect.* 105: 898-902.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (*Populus deltoides* x *nigra* DN34). *Environ Toxicol Chem.* 20: 389-393. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<0389:POCATH>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<0389:POCATH>2.0.CO;2).
- Difilippo, FP. (2015). Enhanced PET resolution by combining pinhole collimation and coincidence detection. *Phys Med Biol.* 60: 7969-7984. <http://dx.doi.org/10.1088/0031-9155/60/20/7969>.
- Dilla, W; Koser, HJK. (1983). ON THE DEHYDROCHLORINATION DECHLORINATION OF TRICHLOROETHYLENE, PERCHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE BY METAL CHLORIDES AND OXIDATIVE HYDROLYTIC DEGRADATION PRODUCTS. *Mater Corros.* 34: 241-245.
- Dilla, W; Koser, HJK. (1984). THE INFLUENCE OF CHLOROACETYL CHLORIDES AND CHLOROACETIC ACIDS ON THE CORROSION OF METALS IN TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Mater Corros.* 35: 16-22.
- Dillier, N; Laszlo, J; Müller, B; Koella, W; Olpe, H. (1978). Activation of an inhibitory noradrenergic pathway projecting from the locus coeruleus to the cingulate cortex of the rat. *Brain Res.* 154: 61-68. [http://dx.doi.org/10.1016/0006-8993\(78\)91051-X](http://dx.doi.org/10.1016/0006-8993(78)91051-X).
- Dilling, WL. (1977). Interphase transfer processes II Evaporation rates of chloro methanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions Comparisons with theoretical predictions. *Environ Sci Technol.* 11: 405-409. <http://dx.doi.org/10.1021/es60127a009>.
- Dilling, WL. (1982). Atmospheric environment. In RA Conway (Ed.), (pp. 154-197). New York, NY: Van Nostrand Reinhold Company.
- Dimitriades, B; Gay, BW, Jr; Arnts, RR; Seila, RL. (1983). Photochemical reactivity of perchloroethylene: A new appraisal. *J Air Pollut Control Assoc.* 33: 575-587.
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ.* 35: 1171-1182.
- Disdier, J; Pichat, P; Mas, D. (2005). Measuring the effect of photocatalytic purifiers on indoor air hydrocarbons and carbonyl pollutants. *J Air Waste Manag Assoc.* 55: 88-96.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res.* 33: 1688-1694.
- Dittmer, DS. (1959). Handbook of toxicology, volume V: Fungicides. In DS Dittmer (Ed.). Philadelphia: W. B. Saunders Co.
- Divine, CE; Sanford, WE; Mccray, JE. (2003). Helium and Neon Groundwater Tracers to Measure Residual DNAPL: Laboratory Investigation. *Vadose Zone Journal.* 2: 382-388.
- Dmitrieva, NV. (1966). Maximum permissible concentration of tetrachloroethylene in factory air. *Gig Sanit.* 31: 387-393.
- Dmitriyeva, NV; Kuleshov, EV; Orjonikidze, EK. (1968). [Changes in the impedance and bioelectrical activity of the cerebral cortex of rats under the action of anesthetic drugs]. *Zh Vyssh Nerv Deiat Im I P Pavlova.* 18: 463-468.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Dobaradaran, S; Lutze, H; Mahvi, AH; Schmidt, TC. (2014). Transformation efficiency and formation of transformation products during photochemical degradation of TCE and PCE at micromolar concentrations. *12: 16.* <http://dx.doi.org/10.1186/2052-336X-12-16>.
- Dobbs, GT; Balu, B; Young, C; Kranz, C; Hess, DW; MizaiKoff, B. (2007). Mid-infrared chemical sensors utilizing plasma-deposited fluorocarbon membranes. *Anal Chem.* 79: 9566-9571. <http://dx.doi.org/10.1021/ac070832g>.
- Dobecki, M; Romanowicz, B. (1991). THE USE OF GAS-CHROMATOGRAPHY FOR THE DETERMINATION OF VINYL-CHLORIDE AND CHLORINATED ORGANIC-SOLVENTS VAPORS IN THE WORKING ENVIRONMENT. *Chemia analityczna.* 36: 499-506.
- Dobson, DJ; Saini, S. (1997). Porphyrin-modified electrodes as biomimetic sensors for the determination of organohalide pollutants in aqueous samples. *Anal Chem.* 69: 3532-3538.

## Fate Literature Search Results

### Off Topic

- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem*. 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doi, A; Hill, G; Seely, J; Hailey, J; Kissling, G; Bucher, J. (2007). alpha 2u-globulin nephropathy and renal tumors in national toxicology program studies. *Toxicol Pathol*. 35: 533-540. <http://dx.doi.org/10.1080/01926230701338941>.
- Dokuyucu, T; Akkaya, A; Akcura, M; Kara, R; Budak, H. (2004). Collection, identification and conservation of wheat landraces in Kahramanmaras province in East Mediterranean Region of Turkey. *Cereal Research Communications*. 32: 167-174.
- Dolfing, J. (1999). Comment on "Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture". *Environ Sci Technol*. 33: 2127-2127.
- Dolfing, J. (2000). Energetics of anaerobic degradation pathways of chlorinated aliphatic compounds. *Microb Ecol*. 40: 2-7.
- Domanska, U. (1998). Measurement and correlation of the solubility of crown ethers in selected organic solvents. *Polish Journal of Chemistry*. 72: 925-939.
- Dombi, A; Fekete, ZA; Kiricsi, I. (2000). In situ photocatalytic reactor with FT-IR analysis for heterogeneous catalytic studies. *Appl Catal A-Gen*. 193: 5-8.
- Dong, Ji; Yoon, KD. (1999). Thermal decomposition mechanism of chlorinated volatile organics at pyrolytic and oxidative conditions. *Korean J Chem Eng*. 16: 501-504.
- Dong, T; Luo, H; Wang, Y; Hu, B; Chen, H, ua. (2011). Stabilization of Fe-Pd bimetallic nanoparticles with sodium carboxymethyl cellulose for catalytic reduction of para-nitrochlorobenzene in water. *Desalination*. 271: 11-19. <http://dx.doi.org/10.1016/j.desal.2010.12.003>.
- Dong, Y; Liang, X; Krumholz, L; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environ Sci Technol*. 43: 690-697. <http://dx.doi.org/10.1021/es801917p>.
- Donlon, C; Robinson, IS; Reynolds, M; Wimmer, W; Fisher, G; Edwards, R; Nightingale, TJ. (2008). An infrared sea surface temperature autonomous radiometer (ISAR) for deployment aboard volunteer observing ships (VOS). *J Atmos Ocean Tech*. 25: 93-113. <http://dx.doi.org/10.1175/2007JTECHO505.1>.
- Donoghue, AM; Dryson, EW; Wynn-Williams, G. (1995). Contrast sensitivity in organic-solvent-induced chronic toxic encephalopathy. *J Occup Environ Med*. 37: 1357-1363.
- Dooley, PK. (1998). A comparison of liquid-filled and dry-type transformers for industrial applications. *I E E E Transactions on Industry Applications*. 34: 222-226.
- Doong, R; Wu, S. (1995). SUBSTRATE EFFECTS ON THE ENHANCED BIOTRANSFORMATION OF POLYCHLORINATED HYDROCARBONS UNDER ANAEROBIC CONDITION. *Chemosphere*. 30: 1499-1511.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol*. 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chen, TF. (1996). Anaerobic degradation of 1,1,1-trichloroethane with the amendment of different substrate and microbial concentrations. *Chemosphere*. 32: 2003-2014.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol*. 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res*. 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere*. 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Water Sci Technol*. 26: 159-168.
- Doong, RA; Wu, SC. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN AQUEOUS-SOLUTIONS CONTAINING FERROUS AND SULFIDE IONS. *Chemosphere*. 24: 1063-1075.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere*. 32: 377-390.
- Dordevic, D; Cerkovnik, J; Gorenek, M. (2006). The comparison of the kinetics of hydrolysis of some reactive dyes before and after purification. 14: 85-88.
- Dorgerloh, U, te; Theissen, H; Becker, R; Hilbert, S; Nehls, I. (2010). Sampling and Quantification of Volatile Organohalogenes, Ethene and Methane in Groundwater. *Grundwasser*. 15: 231-239. <http://dx.doi.org/10.1007/s00767-010-0144-7>.
- Dorman, DC; McManus, BE; Parkinson, CU; Manuel, CA; McElveen, AM; Everitt, JI. (2004). Nasal Toxicity of Manganese Sulfate and Manganese Phosphate in Young Male Rats Following Subchronic (13-Week) Inhalation Exposure. *Inhal Toxicol*. 16: 481-488.
- Dorne, J; Walton, K; Renwick, A. (2001). Uncertainty factors for chemical risk assessment. human variability in the pharmacokinetics of CYP1A2 probe substrates. *Food Chem Toxicol*. 39: 681-696.

## Fate Literature Search Results

### Off Topic

- Dorne, JLC, M; Renwick, AG. (2005). The refinement of uncertainty/safety factors in risk assessment by the incorporation of data on toxicokinetic variability in humans. *Toxicol Sci.* 86: 20-26. <http://dx.doi.org/10.1093/toxsci/kfi160>.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology.* 5: 124-127.
- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol.* 132: 746-748.
- Doskey, PV; Aldstadt, JH; Kuo, JM; Costanza, MS. (1996). Evaluation of an in situ, on-line purging system for the cone penetrometer. *J Air Waste Manag Assoc.* 46: 1081-1085.
- Doull, J; Bridges, DA; Kroes, R; Golberg, L; Munros, IC; Paynter, OE; Pitot, HC; Squire, R; Williams, G; Darby, W. (1983). A report of the International Expert Advisory Committee to the Nutrition Foundation The relevance of mouse liver hepatoma to human carcinogenic risk. Washington, DC: The Nutrition Foundation, Inc.
- Dourado, A; Marina, V; Vera, L. (2008). Occupational exposure to perchloroethylene in degrease operation of chromation process [Abstract]. *Toxicol Lett.* 180: S65. <http://dx.doi.org/10.1016/j.toxlet.2008.06.556>.
- Dowideit, P; Mertens, R; Vonsonntag, C. (1996). Non-hydrolytic decay of formyl chloride into CO and HCl in aqueous solution. *J Am Chem Soc.* 118: 11288-11292.
- Dowty, B; Carlisle, D; Laseter, JL; Storer, J. (1975). Halogenated hydrocarbons in New Orleans drinking water and blood plasma. *Science.* 187: 75-77. <http://dx.doi.org/10.1126/science.1109227>.
- Dowty, BJ; Carlisle, DR; Laseter, JL. (1975). New Orleans drinking water sources tested by gas chromatography-mass spectrometry: Occurrence and origin of aromatics and halogenated aliphatic hydrocarbons. *Environ Sci Technol.* 9: 762-765. <http://dx.doi.org/10.1021/es60106a008>.
- Doyle, P; Roman, E; Beral, V; Brookes, M. (1997). Spontaneous abortion in dry cleaning workers potentially exposed to perchloroethylene. *Occup Environ Med.* 54: 848-853. <http://dx.doi.org/10.1136/oem.54.12.848>; <http://oem.bmj.com/content/oemed/54/12/848.full.pdf>.
- Draga, M; Ciucanu, I; Agotici, V; Fernandez, A; Barna, R. (2009). Quantitative evaluation of perchlorethylene in groundwater before and after its oxidation by helical solid sorbent extraction and gas chromatography. *Chemosphere.* 75: 1210-1214. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.016>.
- Drasche, H; Funk, L; Herbolsheimer, R. (1972). Storing of air samples for the analysis of contaminants, especially of chlorinated hydrocarbons. *Gefahrst Reinhalt Luft.* 32: 20-25.
- Dressler, K; Kratt, M; Voss, PA; Ebert, S; Herguth, A; Hahn, G. (2016). Influence of Al Particle Size and Firing Profile on Void Formation in Rear Local Contacts of Silicon Solar Cells. 6: 68-73. <http://dx.doi.org/10.1109/JPHOTOV.2015.2491610>.
- Dressler, K; Rauer, M; Kaloudis, M; Dauwe, S; Herguth, A; Hahn, G. (2015). Nondestructive Characterization of Voids in Rear Local Contacts of PERC-Type Solar Cells. 5: 70-76. <http://dx.doi.org/10.1109/JPHOTOV.2014.2359745>.
- Dreyer, C; Krey, G; Keller, H; Givel, F; Helftenbein, G; Wahli, W. (1992). Control of the peroxisomal beta-oxidation pathway by a novel family of nuclear hormone receptors. *Cell.* 68: 879-887. [http://dx.doi.org/10.1016/0092-8674\(92\)90031-7](http://dx.doi.org/10.1016/0092-8674(92)90031-7).
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environ Sci Technol.* 39: 8460-8465. <http://dx.doi.org/10.1021/es050251d>.
- Driver, EM; Roberts, J; Dollar, P; Charles, M; Hurst, P; Halden, RU. (2017). Comparative meta-analysis and experimental kinetic investigation of column and batch bottle microcosm treatability studies informing in situ groundwater remedial design. *J Hazard Mater.* 323: 377-385. <http://dx.doi.org/10.1016/j.jhazmat.2016.05.008>.
- Drobna, Z; Xing, W; Thomas, DJ; Styblo, M. (2006). shRNA silencing of AS3MT expression minimizes arsenic methylation capacity of HepG2 cells. *Chem Res Toxicol.* 19: 894-898. <http://dx.doi.org/10.1021/tx060076u>.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 22: 525-533. [http://dx.doi.org/10.1897/1551-5028\(2003\)022<0525:ROMCMI>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2003)022<0525:ROMCMI>2.0.CO;2).
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.078>.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 23: 252-257.
- Droz, PO; Guillemin, MP. (1986). Occupational exposure monitoring using breath analysis. *J Occup Med.* 28: 593-602.
- Droz, PO; Wu, MM; Cumberland, WG. (1989). Variability in biological monitoring of organic solvent exposure II application of a population physiological model. *Occup Environ Med.* 46: 547-558.
- Droz, PO; Wu, MM; Cumberland, WG; Berode, M. (1989). Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. *Br J Ind Med.* 46: 447-460.
- Dryson, E; 't Mannetje, A; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). Case-control study of high risk occupations for bladder cancer in New Zealand. *Int J Cancer.* 122: 1340-1346. <http://dx.doi.org/10.1002/ijc.23194>.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environ Sci Technol.* 36: 2630-2635. <http://dx.doi.org/10.1021/es010184x>.

## Fate Literature Search Results

### Off Topic

- D'Souza, JC; Jia, C; Mukherjee, B; Batterman, S. (2009). Ethnicity, housing and personal factors as determinants of VOC exposures. *Atmos Environ*. 43: 2884-2892. <http://dx.doi.org/10.1016/j.atmosenv.2009.03.017>.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci*. 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- Du, Y; Zhang, W, ei; Whitten, W; Li, H; Watson, DB; Xu, J, un. (2010). Membrane-Extraction Ion Mobility Spectrometry for in Situ Detection of Chlorinated Hydrocarbons in Water. *Anal Chem*. 82: 4089-4096. <http://dx.doi.org/10.1021/ac100162d>.
- Duarte, CL; Ribeiro, MA; Sato, IM; Sampa, MHD, O. (2004). Efficiency of organic compounds removal by electron-beam irradiation in presence of high metal concentration. *Radiat Phys Chem Oxf Engl* 1993. 71: 451-454. <http://dx.doi.org/10.1016/j.radphyschem.2004.04.024>.
- Dubey, SR, am; Singh, SK; Singh, RK. (2015). Local Diagonal Extrema Pattern: A New and Efficient Feature Descriptor for CT Image Retrieval. *I E E E Signal Processing Letters*. 22: 1215-1219. <http://dx.doi.org/10.1109/LSP.2015.2392623>.
- Dubey, SR, am; Singh, SK; Singh, RK. (2016). Novel local bit-plane dissimilarity pattern for computed tomography image retrieval. *Electronics Letters*. 52: 1290-1291. <http://dx.doi.org/10.1049/el.2016.1206>.
- Duboudin, C. (2009). Pollution inside the home: descriptive analyses Part I: Analysis of the statistical correlations between pollutants inside homes. *E R S*. 8: 485-496. <http://dx.doi.org/10.1684/ers.2009.0304>.
- Duboudin, C. (2010). Pollution inside the home: descriptive analyses Part II: Identification of groups of homogenous homes in terms of pollution. *E R S*. 9: 27-38. <http://dx.doi.org/10.1684/ers.2009.0318>.
- Ducom, G; Cabassud, C. (1999). Interests and limitations of nano-filtration for the removal of volatile organic compounds in drinking water production. *Desalination*. 124: 115-123.
- Ducommun, P; Boutsiadou, X; Hunkeler, D. (2013). Direct-push multilevel sampling system for unconsolidated aquifers. *Hydrogeology Journal*. 21: 1901-1908. <http://dx.doi.org/10.1007/s10040-013-1035-7>.
- Dueñas-Laita, A; Pérez-Miranda, M; González-López, MA; Martín-Escudero, JC; Ruiz-Mambrilla, M; Blanco-Varela, J. (2005). Acute arsenic poisoning. *Lancet*. 365: 1982. [http://dx.doi.org/10.1016/S0140-6736\(05\)66670-6](http://dx.doi.org/10.1016/S0140-6736(05)66670-6).
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol*. 21: 444-448.
- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environ Sci Technol*. 41: 2303-2310. <http://dx.doi.org/10.1021/es062010r>.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res*. 36: 4193-4202.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *J Environ Eng*. 124: 441-448.
- Dullweber, T; Gatz, S; Hannebauer, H; Falcon, T, om; Hesse, R; Schmidt, J, an; Brendel, R. (2012). Towards 20% efficient large-area screen-printed rear-passivated silicon solar cells. *Progress in Photovoltaics*. 20: 630-638. <http://dx.doi.org/10.1002/pip.1198>.
- Dullweber, T; Kranz, C; Beier, B; Veith, B; Schmidt, J; Roos, BFP; Hohn, O; Dippell, T; Brendel, R. (2013). Inductively coupled plasma chemical vapour deposited AlOx/SiNy layer stacks for applications in high-efficiency industrial-type silicon solar cells. *Solar Energy Materials and Solar Cells*. 112: 196-201. <http://dx.doi.org/10.1016/j.solmat.2013.01.036>.
- Dullweber, T; Kranz, C; Peibst, R; Baumann, U; Hannebauer, H; Fuelle, A; Steckemetz, S; Weber, T; Kutzer, M; Mueller, M; Fischer, G; Palinginis, P; Neuhaus, H. (2016). PERC plus : industrial PERC solar cells with rear Al grid enabling bifaciality and reduced Al paste consumption. *Progress in Photovoltaics*. 24: 1487-1498. <http://dx.doi.org/10.1002/pip.2712>.
- Dullweber, T; Schmidt, J, an. (2016). Industrial Silicon Solar Cells Applying the Passivated Emitter and Rear Cell (PERC) Concept-A Review. 6: 1366-1381. <http://dx.doi.org/10.1109/JPHOTOV.2016.2571627>.
- Dullweber, T; Wehmeier, N; Nowack, A; Brendemuehl, T; Kajari-Schroeder, S; Brendel, R. (2016). Industrial bifacial n-type silicon solar cells applying a boron co-diffused rear emitter and an aluminum rear finger grid. *Physica Status Solidi A: Applications and Materials Science (Print)*. 213: 3046-3052. <http://dx.doi.org/10.1002/pssa.201600346>.
- Dumitran, C; Ion, O; Florinel, D. (2009). Spectroscopy and Gas Chromatographic Measurements of TPH in Soil Samples Contaminated with Crude Oil. *Rev Chim*. 60: 1335-1337.
- Dumlu, A; Yalcinkaya, S; Olgac, V; Güvercin, M. (2007). Osteomyelitis due to arsenic trioxide use for tooth devitalization. *Int Endod J*. 40: 317-322. <http://dx.doi.org/10.1111/j.0143-2885.2007.01230.x>.
- Dwarakanath, V; Jackson, RE; Pope, GA. (2002). Influence of wettability on the recovery of NAPLs from alluvium. *Environ Sci Technol*. 36: 227-231. <http://dx.doi.org/10.1021/es011023w>.
- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol*. 38: 465-488.
- Dyne, D; Cocker, J; Wilson, HK. (1997). A novel device for capturing breath samples for solvent analysis. *Sci Total Environ*. 199: 83-89.
- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibrac acid, nafenopin and LY171883. *Carcinogenesis*. 12: 1557-1561.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis*. 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eastmond, DA; Tucker, JD. (1989). Kinetochore localization in micronucleated cytokinesis-blocked Chinese hamster ovary cells: A new and rapid assay for identifying aneuploidy-inducing agents. *Mutat Res*. 224: 517-525. [http://dx.doi.org/10.1016/0165-1218\(89\)90079-7](http://dx.doi.org/10.1016/0165-1218(89)90079-7).



## Fate Literature Search Results

### Off Topic

- Eberts, SM; Braun, C; Jones, S. (2008). Compound-specific isotope analysis: Questioning the origins of a trichloroethene plume. *Environ Forensics*. 9: 85-95. <http://dx.doi.org/10.1080/15275920801888368>.
- Ebrahim, AS; Babakrishnan, K; Sakthisekaran, D. (1996). Perchloroethylene-induced alterations in glucose metabolism and their prevention by 2-deoxy-D-glucose and vitamin E in mice. *J Appl Toxicol*. 16: 339-348. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3); [http://onlinelibrary.wiley.com/doi/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3/abstract](http://onlinelibrary.wiley.com/doi/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3/abstract).
- Echeverria, D; White, RF; Sampaio, C. (1995). A behavioral evaluation of PCE exposure in patients and dry cleaners: A possible relationship between clinical and preclinical effects. *J Occup Environ Med*. 37: 667-680.
- Edler, L; Kopp-Schneider, A. (1998). Statistical models for low dose exposure. *Mutat Res-Fundam Mol Mech Mutagen*. 405: 227-236. [http://dx.doi.org/10.1016/S0027-5107\(98\)00140-7](http://dx.doi.org/10.1016/S0027-5107(98)00140-7).
- Edmiston, PL; Underwood, LA. (2009). Absorption of dissolved organic species from water using organically modified silica that swells. *Separation and Purification Technology*. 66: 532-540. <http://dx.doi.org/10.1016/j.seppur.2009.02.001>.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci*. 22: 281-293.
- Edwards, BK; Ward, E; Kohler, BA; Ehemann, C; Zauber, AG; Anderson, RN; Jemal, A; Schymura, MJ; Lansdorp-Vogelaar, I; Seeff, LC; van Ballegooijen, M; Goede, SL; Ries, LAG. (2010). Annual report to the nation on the status of cancer, 1975-2006, featuring colorectal cancer trends and impact of interventions (risk factors, screening, and treatment) to reduce future rates. *Cancer*. 116: 544-573. <http://dx.doi.org/10.1002/cncr.24760>.
- Effmert, M. (1990). INTERACTION BETWEEN SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC AND COLLETOTRICHUM-COCCODES (WALLR) HUGHES IN WART RESISTANCE TESTING. *Potato Research*. 33: 247-250.
- Efron, B; Tibshirani, RJ. (1994). An introduction to the bootstrap. Boca Raton, FL: Chapman & Hall.
- Eger El, II. (1963). A mathematical model of uptake and distribution. In EM Papper; RJ Kitz (Eds.), (pp. 72-87). New York, NY: McGraw-Hill Book Company, Inc.
- Ehlers, GA; D Rose, P. (2006). The potential for reductive dehalogenation of chlorinated phenol in a sulphidogenic environment in situ enhanced biodegradation. *Water SA*. 32: 243-248.
- Ehlers, GA; Rose, PD. (2006). An integrated anaerobic/aerobic bioprocess for the remediation of chlorinated phenol-contaminated soil and groundwater. *Water Environ Res*. 78: 701-709. <http://dx.doi.org/10.2175/106143006X101728>.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation*. 24: 53-59.
- Eisele, AP; Mukerjee, S; Smith, LA; Thoma, ED; Whitaker, DA; Oliver, KD; Wu, T; Colon, M; Alston, L; Cousett, TA; Miller, MC; Smith, DM; Stallings, C. (2016). Volatile organic compounds at two oil and natural gas production well pads in Colorado and Texas using passive samplers. *Journal of the Air and Waste Management Association*. 66: 412-419. <http://dx.doi.org/10.1080/10962247.2016.1141808>.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by Dehalospirillum multivorans in biofilms. *Water Sci Technol*. 36: 191-198. [http://dx.doi.org/10.1016/S0273-1223\(97\)00352-1](http://dx.doi.org/10.1016/S0273-1223(97)00352-1).
- Eisenbraun, EJ; Payne, KW; Bymaster, JS; Iob, A; Apblett, A. (2002). Improved method for dehydrating secondary alcohols using inorganic sulfates supported on silica in refluxing octane. *Ind Eng Chem Res*. 41: 2611-2616. <http://dx.doi.org/10.1021/ie010549m>.
- Ekins, S; Murray, GI; Burke, MD; Williams, JA; Marchant, NC; Hawksworth, GM. (1995). Quantitative differences in phase I and II metabolism between rat precision-cut liver slices and isolated hepatocytes. *Drug Metab Dispos*. 23: 1274-1279.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *J Air Waste Manag Assoc*. 57: 753-760. <http://dx.doi.org/10.3155/1047-3289.57.6.753>.
- Ekre, R; Johnson, PC; Rittmann, BE; Krajmalnik-Brown, R. (2014). Method for Assessing Source Zone Natural Depletion at Chlorinated Aliphatic Spill Sites. *Ground Water Monitoring and Remediation*. 34: 61-71. <http://dx.doi.org/10.1111/gwmr.12049>.
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Sci Technol*. 45: 49-54.
- Elcombe, CR; Mitchell, AM. (1986). Peroxisome proliferation due to di(2-ethylhexyl) phthalate (DEHP): Species differences and possible mechanisms. *Environ Health Perspect*. 70: 211-219.
- Elcombe, CR; Rose, MS; Pratt, IS. (1985). Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: Possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol*. 79: 365-376. [http://dx.doi.org/10.1016/0041-008X\(85\)90135-8](http://dx.doi.org/10.1016/0041-008X(85)90135-8).
- Elfarra, AA; Krause, RJ. (2007). S-(1,2,2-trichlorovinyl)-L-cysteine sulfoxide, a reactive metabolite of S-(1,2,2-Trichlorovinyl)-L-cysteine formed in rat liver and kidney microsomes, is a potent nephrotoxicant. *J Pharmacol Exp Ther*. 321: 1095-1101. <http://dx.doi.org/10.1124/jpet.107.120444>.
- Elfarra, AA; Krause, RJ. (2008). Michael addition-elimination reactions: Roles in toxicity and potential new therapeutic applications. In AA Elfarra (Ed.), (pp. 57-68). New York, NY: Springer. [http://dx.doi.org/10.1007/978-0-387-77300-1\\_3](http://dx.doi.org/10.1007/978-0-387-77300-1_3).
- Eliason, P; Morose, G. (2011). Safer alternatives assessment: The Massachusetts process as a model for state governments. *J Clean Prod*. 19: 517-526. <http://dx.doi.org/10.1016/j.jclepro.2010.05.011>.
- Elmore, JD; Wong, JL; Laumbach, AD; Streips, UN. (1976). Vinyl chloride mutagenicity via the metabolites chlorooxirane and chloroacetaldehyde monomer hydrate. *Biochim Biophys Acta*. 442: 405-419. [http://dx.doi.org/10.1016/0005-2787\(76\)90314-2](http://dx.doi.org/10.1016/0005-2787(76)90314-2).
- Elovaara, E; Hemminki, K; Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology*. 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research*. 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.

## Fate Literature Search Results

### Off Topic

- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem.* 80: 4731-4740. <http://dx.doi.org/10.1021/ac702543y>.
- El-Zein, RA; Hay, MJ; Lopez, MS; Bondy, ML; Morris, DL; Legator, MS; Abdel-Rahman, SZ. (2006). Response to comments on 'Cytogenetic effects in children treated with methylphenidate' by El-Zein et al [Letter]. *Cancer Lett.* 231: 146-148. <http://dx.doi.org/10.1016/j.canlet.2005.10.007>.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage.* 57: 155-164.
- Emmert, B; Bünger, J; Keuch, K; Müller, M; Emmert, S; Hallier, E; Westphal, GA. (2006). Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent *S. typhimurium* strain YG7108pin3ERb5. *Toxicology.* 228: 66-76. <http://dx.doi.org/10.1016/j.tox.2006.08.013>.
- Emunson, BM; Ewing, JS. (1971). NEW NEMA STANDARDS FOR DC MOTORS FOR USE ON RECTIFIED POWER. IGA7: 535-&.
- Endoh, K; Kaneko, T; Sato, A. (1989). [A physiologically based pharmacokinetic model to describe the transfer of organic solvents in the human body. Simulation of kinetic behavior of trichloroethylene using a spreadsheet program]. *Sangyo Igaku.* 31: 335-341.
- Endres, AL; Greenhouse, JP. (1996). Detection and monitoring of chlorinated solvent contamination by thermal neutron logging. *Ground Water.* 34: 283-292.
- Entz, RC; Diachenko, GW. (1988). Residues of volatile halocarbons in margarines. *Food Addit Contam.* 5: 267-276. <http://dx.doi.org/10.1080/02652038809373703>.
- Environment Canada. (1993). Tetrachloroethylene. In Priority Substances List Assessment Report. Ottawa, Canada: Minister of Supply and Services Canada. <http://www.hc-sc.gc.ca/ewh-semt/pubs/contaminants/ps1-lsp1/trichloroethylene/index-eng.php>.
- EPA, U. (1997). Exposure factors handbook: Volume I - General factors. (EPA/600/P-95/002Fa). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. [http://epa-prgs.ornl.gov/radionuclides/EFH\\_Final\\_1997\\_EPA600P95002Fa.pdf](http://epa-prgs.ornl.gov/radionuclides/EFH_Final_1997_EPA600P95002Fa.pdf).
- EPA, US. (1980). Determination not to initiate a rebuttable presumption against registration (RPAR) of pesticide products containing carbaryl; availability of decision document. *Fed Reg.* 45: 81869-81876.
- Epstein, DL; Nolen, GA; Randall, JL; Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1992). Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. *Teratology.* 46: 225-235. <http://dx.doi.org/10.1002/tera.1420460306>.
- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res.* 67: 816-821.
- Eriksson, L; Watson, CC; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Lenox, M; Burbar, Z; Conti, M; Bendriem, B; Heiss, WD; Nutt, R. (2005). The ECAT HRRT: An example of NEMA scatter estimation issues for LSO-based PET systems. *IEEE Trans Nucl Sci.* 52: 90-94. <http://dx.doi.org/10.1109/TNS.2004.843139>.
- Eriksson, L; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Bruckbauer, T; Hamill, J; Mulnix, T; Vollmar, S; Bendriem, B; Heiss, WD; Nutt, R. (2002). NEMA count-rate evaluation of the first and second generation of the Ecac Exact and Ecac Exact HR family of scanners. *IEEE Trans Nucl Sci.* 49: 640-643.
- Eriksson, L; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Bruckbauer, T; Hamill, J; Schmand, M; Gremillion, T; Lenox, M; Conti, M; Bendriem, B; Heiss, WD; Nutt, R. (2002). The ECAT HRRT: NEMA NEC evaluation of the HRRT system, the new high-resolution research tomograph. *IEEE Trans Nucl Sci.* 49: 2085-2088. <http://dx.doi.org/10.1109/TNS.2002.803784>.
- Ermisch, R; Schulze, D; Schwedes, J. (1993). A NEW TYPE OF EXTRACTOR FOR BULK MATERIALS WITH POOR FLOW CHARACTERISTICS. 46: E89-E93.
- Ernst, M; Walter, D; Fell, A; Lim, B; Weber, K. (2016). Efficiency Potential of P-Type Al<sub>2</sub>O<sub>3</sub>/Si<sub>n</sub>x Passivated PERC Solar Cells With Locally Laser-Doped Rear Contacts. 6: 624-631. <http://dx.doi.org/10.1109/JPHOTOV.2016.2535353>.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the <sup>13</sup>C/<sup>12</sup>C isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). *Acta Hydrochim Hydrobiol.* 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The C-13/C-12 and H-2/H-1 ratios of trichloroethene, tetrachloroethene and their metabolites. *Isotopes Environ Health Stud.* 34: 245-253.
- Ertl, S; Spitz, A. (2004). Low-temperature sealed tube combustion of gaseous, liquid and solid organic compounds for <sup>13</sup>C/<sup>12</sup>C and <sup>14</sup>C analysis. *Isotopes Environ Health Stud.* 40: 163-170. <http://dx.doi.org/10.1080/10256010410001671023>.
- Erto, A; Andreozzi, R; Lancia, A; Musmarra, D. (2010). Factors affecting the adsorption of trichloroethylene onto activated carbons. *Appl Surf Sci.* 256: 5237-5242. <http://dx.doi.org/10.1016/j.apsusc.2009.12.110>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage.* 92: 23-30. <http://dx.doi.org/10.1016/j.jenvman.2010.07.044>.
- Erto, A; Lancia, A; Musmarra, D. (2011). A modelling analysis of PCE/TCE mixture adsorption based on Ideal Adsorbed Solution Theory. *Separation and Purification Technology.* 80: 140-147. <http://dx.doi.org/10.1016/j.seppur.2011.04.021>.
- Erto, A; Lancia, A; Musmarra, D. (2012). A Real Adsorbed Solution Theory model for competitive multicomponent liquid adsorption onto granular activated carbon. *Microporous and Mesoporous Materials.* 154: 45-50. <http://dx.doi.org/10.1016/j.micromeso.2011.10.041>.
- Esclapez, MD; Díez-García, MI; Sáez, V; Bonete, P; González-García, J. (2013). Electrochemical degradation of trichloroacetic acid in aqueous media: influence of the electrode material. *Environ Technol.* 34: 383-393. <http://dx.doi.org/10.1080/09593330.2012.696723>.

## Fate Literature Search Results

### Off Topic

- Eskenazi, B; Fenster, L; Hudes, M; Wyrobek, AJ; Katz, DF; Gerson, J; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on the reproductive outcomes of wives of dry-cleaning workers. *Am J Ind Med.* 20: 593-600. <http://dx.doi.org/10.1002/ajim.4700200503>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200503/abstract>.
- Eskenazi, B; Wyrobek, AJ; Fenster, L; Katz, DF; Sadler, M; Lee, J; Hudes, M; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on semen quality in dry cleaning workers. *Am J Ind Med.* 20: 575-591. <http://dx.doi.org/10.1002/ajim.4700200502>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200502/abstract>.
- Essing, HG; Schacke, G; Schaller, KH; Valentin, H. (1973). [Occupational-medical studies on the dynamics of tetrachloroethylene in the organism]. *Die Medizinische Welt.* 24: 242-244.
- Ethell, DW; Buhler, LA. (2003). Fas ligand-mediated apoptosis in degenerative disorders of the brain. *J Clin Immunol.* 23: 439-446.
- Evans, GF. (1981). Measurement of perchloroethylene in ambient air. In *JC McGovern (Ed.), (pp. 71-84).* Pittsburgh, PA: Air Pollution Control Association.
- Evans, GF; Baumgardner, RE; Bumgarner, JE; Finkelstein, PL; Knoll, JE; Martin, BE. (1979). Measurement of perchloroethylene in ambient air. (EPA-600/4-79-047). Research Triangle Park, NC: U.S. Environmental Protection Agency.
- Evans, GM. (1991). US-EPA SITE DEMONSTRATION OF AWD TECHNOLOGIES AQUADETOX - SVE SYSTEM. *J Air Waste Manag Assoc.* 41: 1519-1523.
- Evans, JS; Thompson, KM; Hattis, D. (2000). Exposure efficiency: Concept and application to perchloroethylene exposure from dry cleaners. *J Air Waste Manag Assoc.* 50: 1700-1703.
- Evans, MV; Chiu, WA; Okino, MS; Caldwell, JC. (2009). Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol.* 236: 329-340. <http://dx.doi.org/10.1016/j.taap.2009.02.013>.
- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation.* 34: 65-78. <http://dx.doi.org/10.1111/gwmmr.12069>.
- Eveillard, A; Lasserre, F; de Tayrac, M; Polizzi, A; Claus, S; Canlet, C; Mselli-Lakhal, L; Gotardi, G; Paris, A; Guillou, H; Martin, PG; Pineau, T. (2009). Identification of potential mechanisms of toxicity after di-(2-ethylhexyl)-phthalate (DEHP) adult exposure in the liver using a systems biology approach. *Toxicol Appl Pharmacol.* 236: 282-292. <http://dx.doi.org/10.1016/j.taap.2009.02.008>.
- Eveillard, A; Mselli-Lakhal, L; Mogha, A; Lasserre, F; Polizzi, A; Pascussi, JM; Guillou, H; Martin, PG; Pineau, T. (2009). Di-(2-ethylhexyl)-phthalate (DEHP) activates the constitutive androstane receptor (CAR): a novel signalling pathway sensitive to phthalates. *Biochem Pharmacol.* 77: 1735-1746. <http://dx.doi.org/10.1016/j.bcp.2009.02.023>.
- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect.* 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Everatt, R; Slapšytė, G; Mierauskienė, J; Dedonytė, V; Bakienė, L. (2013). Biomonitoring study of dry cleaning workers using cytogenetic tests and the comet assay. *J Occup Environ Hyg.* 10: 609-621. <http://dx.doi.org/10.1080/15459624.2013.818238>.
- Ewald, E; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U, te. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococcoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environ Sci Technol.* 41: 7744-7751.
- Ewing, BB; Chian, ESK; Cook, JC; Evans, CA; Hopke, PK; Perkins, EG. (1977). Monitoring to detect previously unrecognized pollutants in surface waters. (EPA560/6-77-015). Washington, DC: Office of Toxic Substances, U.S. Environmental Protection Agency.
- Fabbri, D; Bezzi, R; Torri, C; Galletti, P; Tagliavini, E. (2007). Determination of tetrachloroethylene and other volatile halogenated organic compounds in oil wastes by headspace SPME GC-MS. *Chromatographia.* 66: 377-382. <http://dx.doi.org/10.1365/s10337-007-0353-0>.
- Fabbro-Peray, P; Daures, JP; Rossi, JF. (2001). Environmental risk factors for non-Hodgkin's lymphoma: A population-based case-control study in Languedoc-Roussillon, France. *Cancer Causes Control.* 12: 201-212. <http://dx.doi.org/10.1023/A:1011274922701>.
- Fabre, F. (1978). Induced intragenic recombination in yeast can occur during the G1 mitotic phase. *Nature.* 272: 795-798.
- Fabre, F; Roman, H. (1977). Genetic evidence for inducibility of recombination competence in yeast. *Proc Natl Acad Sci USA.* 74: 1667-1671.
- Fachini, A; Vasconcelos, MTS, D. (2006). Effects of zeolites on cultures of marine micro-algae - A brief review. *Environ Sci Pollut Res Int.* 13: 414-417. <http://dx.doi.org/10.1065/espr2006.01.293>.
- Fagerlund, F; Illangasekare, TH; Niemi, A. (2007). Nonaqueous-phase liquid infiltration and immobilization in heterogeneous media: 2. Application to stochastically heterogeneous formations. *Vadose Zone Journal.* 6: 483-495. <http://dx.doi.org/10.2136/vzj2006.0172>.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol.* 131: 9-28. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.011>.
- Fagerlund, F; Niemi, A; Illangasekare, TH. (2008). Modeling of nonaqueous phase liquid (NAPL) migration in heterogeneous saturated media: Effects of hysteresis and fluid immobility in constitutive relations. *Water Resour Res.* 44: 3409-3409. <http://dx.doi.org/10.1029/2007WR005974>.
- Fahrenbrock, S; Klockow, D. (1994). A SOLID-ELECTROLYTE SENSOR AS AN ALARM DEVICE TO DETECT CHLORINATED HYDROCARBONS IN EXHAUST-GAS. *Sens Actuators B.* 19: 515-517.
- Faisal, SM; Ahmad, R; Ahmad, W; Hasnain, AU. (2006). Micronuclei induction and chromosomal aberrations in *Rattus norvegicus* by chloroacetic acid and chlorobenzene. *Ecotoxicol Environ Saf.* 65: 159-164. <http://dx.doi.org/10.1016/j.ecoenv.2006.03.002>.
- Faiz, J; Ebrahimpour, H; Pillay, P. (2004). Influence of unbalanced voltage on the steady-state performance of a three-phase squirrel-cage induction motor. *I E E E Transactions on Energy Conversion.* 19: 657-662. <http://dx.doi.org/10.1109/TEC.2004.837283>.
- Falk, HL. (1978). Biologic evidence for the existence of thresholds in chemical carcinogenesis. *Environ Health Perspect.* 22: 167-170.

## Fate Literature Search Results

### Off Topic

- Fan, C; Tsai, M; Tsui, L. (2014). Structural characterization of bagasse-derived composts with different maturities and their solubility enhancing effect on PCE and toluene. *Chemosphere*. 105: 95-99. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.102>.
- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ*. 407: 2165-2174. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.015>.
- Fan, L, -Q; Coley, J; Miller, RT; Cattley, RC; Corton, JC. (2003). Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators. *Biochem Pharmacol*. 65: 949-959. [http://dx.doi.org/10.1016/S0006-2952\(03\)00004-2](http://dx.doi.org/10.1016/S0006-2952(03)00004-2).
- Fang, G; Si, Y; Tian, C; Zhang, G; Zhou, D. (2012). Degradation of 2,4-D in soils by Fe<sub>3</sub>O<sub>4</sub> nanoparticles combined with stimulating indigenous microbes. *Environ Sci Pollut Res Int*. 19: 784-793. <http://dx.doi.org/10.1007/s11356-011-0597-y>.
- Fang, Y; Clapp, LW; Hozalski, RM; Novak, PJ; Semmens, MJ. (2004). Membrane gas transfer under conditions of creeping flow: modeling gas composition effects. *Water Res*. 38: 2489-2498. <http://dx.doi.org/10.1016/j.watres.2004.03.011>.
- Fang, Y; Hozalski, RM; Clapp, LW; Novak, PJ; Semmens, MJ. (2002). Passive dissolution of hydrogen gas into groundwater using hollow-fiber membranes. *Water Res*. 36: 3533-3542.
- Farhadi, K; Farajzadeh, M, irA; Matin, AA; Hashemi, P. (2009). Dispersive liquid-liquid microextraction and liquid chromatographic determination of pentachlorophenol in water. *Central European Journal of Chemistry*. 7: 369-374. <http://dx.doi.org/10.2478/s11532-009-0013-3>.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub> composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci*. 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farmaki, E; Kaloudis, T; Dintitrou, K; Thanasoulas, N; Kousouris, L; Tzoumerkas, F. (2007). Validation of a FT-IR method for the determination of oils and grease in water using tetrachloroethylene as the extraction solvent. *Desalination*. 210: 52-60. <http://dx.doi.org/10.1016/j.desal.2006.05.032>.
- Farrar, D; Allen, B; Crump, K; Shipp, A. (1989). Evaluation of uncertainty in input parameters to pharmacokinetic models and the resulting uncertainty in output [Review]. *Toxicol Lett*. 49: 371-385.
- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environ Sci Technol*. 33: 1237-1243.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol*. 34: 514-521.
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environ Sci Technol*. 34: 2549-2556. <http://dx.doi.org/10.1021/es991135b>.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environ Sci Technol*. 28: 53-62.
- Fatpure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environ Sci Technol*. 28: 746-752.
- Faustman, EM; Gohlke, J; Judd, NL; Lewandowski, TA; Bartell, SA; Griffith, WC. (2005). Modeling developmental processes in animals: Applications in neurodevelopmental toxicology. *Environ Toxicol Pharmacol*. 19: 615-624. <http://dx.doi.org/10.1016/j.etap.2004.12.027>.
- FDA. (2003). Food and Drug Administration total diet study: Summary of residues found ordered by pesticide market baskets 91-3-01-4. Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005108087>.
- Feenstra, S. (2003). Spatial variability of non-aqueous phase liquid chemicals in soil - Implications for source zone mass estimates. *Environmental and Engineering Geoscience*. 9: 19-23.
- Feenstra, S. (2005). Soil sampling in NAPL source zones: Challenges to representativeness. *Environ Forensics*. 6: 57-63.
- Feijen-Jeurissen, MMR; Jorna, JJ; Nieuwenhuys, BE; Siquin, G; Petit, C; Hindermann, JP. (1999). Mechanism of catalytic destruction of 1,2-dichloroethane and trichloroethylene over gamma-Al<sub>2</sub>O<sub>3</sub> and gamma-Al<sub>2</sub>O<sub>3</sub> supported chromium and palladium catalysts. *Catalysis Today*. 54: 65-79.
- Fekete-Kertes, I; Molnar, M; Atkari, A; Gruiz, K; Fenyvesi, E. (2013). Hydrogen peroxide oxidation for in situ remediation of trichloroethylene - from the laboratory to the field. *Periodica Polytechnica Chemical Engineering*. 57: 41-51. <http://dx.doi.org/10.3311/PPch.2169>.
- Feldmann, F; Bivour, M; Reichel, C; Steinkemper, H; Herm, M; Glunz, SW. (2014). Tunnel oxide passivated contacts as an alternative to partial rear contacts. *Solar Energy Materials and Solar Cells*. 131: 46-50. <http://dx.doi.org/10.1016/j.solmat.2014.06.015>.
- Felix, K; Manna, SK; Wise, K; Barr, J; Ramesh, GT. (2005). Low levels of arsenite activates nuclear factor-kB and activator protein-1 in immortalized mesencephalic cells. *J Biochem Mol Toxicol*. 19: 67-77. <http://dx.doi.org/10.1002/jbt.20062>.
- Fender, H. (1993). Chromosomenanalytische untersuchungen bei textilreinigern. In D Arndt; G Obe (Eds.), (pp. 71-76). München, Germany: MMV Verlag.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere*. 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environ Sci Technol*. 35: 1830-1839.
- Fennell, DE; Gossett, JM. (1998). Modeling the production of and competition for hydrogen in a dechlorinating culture. *Environ Sci Technol*. 32: 2450-2460.
- Fennell, DE; Gossett, JM. (1999). Comment on "Enrichment of high rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity". *Environ Sci Technol*. 33: 2681-2682.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environ Sci Technol*. 31: 918-926.

## Fate Literature Search Results

### Off Topic

- Fennell, DE; Nijenhuis, I; Wilson, SF; Zinder, SH; Haggblom, MM. (2004). Dehalococcoides ethenogenes strain 195 reductively dechlorinates diverse chlorinated aromatic pollutants. *Environ Sci Technol*. 38: 2075-2081. <http://dx.doi.org/10.1021/es034989b>.
- Fenner, K; Scheringer, M; Hungerbühler, K. (2003). Joint persistence of transformation products in chemicals assessment: case studies and uncertainty analysis. *Risk Anal*. 23: 35-53.
- Fernandez, J; Guberan, E; Caperos, J. (1976). Experimental human exposures to tetrachloroethylene vapor and elimination in breath after inhalation. *Am Ind Hyg Assoc J*. 36: 143-150. <http://dx.doi.org/10.1080/0002889768507437>.
- Fernandez-Ibanez, P; Blanco, J; Malato, S; de las Nieves, FJ. (2003). Application of the colloidal stability of TiO<sub>2</sub> particles for recovery and reuse in solar photocatalysis. *Water Res*. 37: 3180-3188. [http://dx.doi.org/10.1016/S0043-1354\(03\)00157-X](http://dx.doi.org/10.1016/S0043-1354(03)00157-X).
- Ferrand, JF; Cénée, S; Laurent-Puig, P; Lorient, MA; Trinchet, JC; Degos, F; Bronovicky, JP; Pelletier, G; Stücker, I. (2008). Hepatocellular carcinoma and occupation in men: A case-control study. *J Occup Environ Med*. 50: 212-220. <http://dx.doi.org/10.1097/JOM.0b013e31815d88e2>.
- Ferrario, F; Continenza, D; Pisani, P; Magnani, C; Merletti, F; Berrino, F. (1988). Description of a job-exposure matrix for sixteen agents which are or may be related to respiratory cancer. In C Hogstedt; C Reuterwall (Eds.), *International Congress Series* (pp. 379-382). Amsterdam, Holland: Excerpta Medica.
- Ferreira-Gonzalez, A; DeAngelo, AB; Nasim, S; Garrett, CT. (1995). Ras oncogene activation during hepatocarcinogenesis in B6C3F1 male mice by dichloroacetic and trichloroacetic acids. *Carcinogenesis*. 16: 495-500. <http://dx.doi.org/10.1093/carcin/16.3.495>.
- Ferrero, A; Poon, JK; Chaudhari, AJ; Macdonald, LR; Badawi, RD. (2011). Effect of Object Size on Scatter Fraction Estimation Methods for PET-A Computer Simulation Study. *IEEE Trans Nucl Sci*. 58: 82-86. <http://dx.doi.org/10.1109/TNS.2010.2080685>.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environ Sci Technol*. 38: 1746-1752. <http://dx.doi.org/10.1021/es0305609>.
- Fertig, F; Greulich, J; Krauss, K; Clement, F; Biro, D; Preu, R; Rein, S. (2014). The BOSCO Solar Cell: Simulation and Experiment. 4: 1243-1251. <http://dx.doi.org/10.1109/JPHOTOV.2014.2333875>.
- Fertig, F; Krauss, K; Greulich, J; Clement, F; Biro, D; Preu, R; Rein, S. (2014). The BOSCO solar cell - a both sides collecting and contacted structure. *Physica Status Solidi Rapid Research Letters*. 8: 381-384. <http://dx.doi.org/10.1002/pssr.201409143>.
- Fertig, F; Nold, S; Woehrl, N; Greulich, J; Haedrich, I; Krauss, K; Mittag, M, ax; Biro, D; Rein, S; Preu, R. (2016). Economic feasibility of bifacial silicon solar cells. *Progress in Photovoltaics*. 24: 800-817. <http://dx.doi.org/10.1002/pip.2730>.
- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water*. 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation*. 25: 68-77.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol*. 46: 131-149.
- Fielding, M; Gibson, TM; James, HA. (1981). LEVELS OF TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND PARA-DICHLOROBENZENE IN GROUNDWATERS. *Environ Technol Letters*. 2: 545-550.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum*. 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage*. 21: 635-642.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)<sub>2</sub>(4-picoline)<sub>4</sub> for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem*. 70: 1268-1276.
- Finley, B; Lau, V; Paustenbach, D. (1992). Using an uncertainty analysis of direct and indirect exposure to contaminated groundwater to evaluate EPA's MCLs and health-based cleanup goals. *J Hazard Mater*. 32: 263-274. [http://dx.doi.org/10.1016/0304-3894\(92\)85096-J](http://dx.doi.org/10.1016/0304-3894(92)85096-J).
- Finley, BL; Scott, P; Paustenbach, DJ. (1993). Evaluating the adequacy of maximum contaminant levels as health-protective cleanup goals: an analysis based on Monte Carlo techniques. *Regul Toxicol Pharmacol*. 18: 438-455. <http://dx.doi.org/10.1006/rtph.1993.1069>.
- Fischer, RG; Kastler, J; Ballschmiter, K. (2000). Levels and pattern of alkyl nitrates, multifunctional alkyl nitrates, and halocarbons in the air over the Atlantic Ocean. *J Geophys Res Atmos*. 105: 14473-14494.
- Fishbein, L. (1992). Exposure from occupational versus other sources [Review]. *Scand J Work Environ Health*. 18: 5-16.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol*. 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J*. 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Fisher, JW. (1994). Estimating human health risks for trichloroethylene, a water contaminant, using physiological models. In RGM Wang (Ed.), *Environmental Science and Pollution Control Series* (pp. 393 - 406). New York: Marcel Dekker.
- Fisher, JW; Mahle, D; Abbas, R. (1998). A human physiologically based pharmacokinetic model for trichloroethylene and its metabolites, trichloroacetic acid and free trichloroethanol. *Toxicol Appl Pharmacol*. 152: 339-359. <http://dx.doi.org/10.1006/taap.1998.8486>.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol*. 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1990). Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol*. 102: 497-513.

## Fate Literature Search Results

### Off Topic

- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol.* 140: 56-66. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.007>.
- Flavell, DM; Ireland, H; Stephens, JW; Hawe, E; Acharya, J; Mather, H; Hurel, SJ; Humphries, SE. (2005). Peroxisome proliferator-activated receptor alpha gene variation influences age of onset and progression of type 2 diabetes. *Diabetes.* 54: 582-586.
- Flavell, DM; Jamshidi, Y; Hawe, E; Pineda Torra, I; Taskinen, MR; Frick, MH; Nieminen, MS; Kesäniemi, YA; Pasternack, A; Staels, B; Miller, G; Humphries, SE; Talmud, PJ; Syväne, M. (2002). Peroxisome proliferator-activated receptor alpha gene variants influence progression of coronary atherosclerosis and risk of coronary artery disease. *Circulation.* 105: 1440-1445.
- Flavell, DM; Pineda, TI; Jamshidi, Y; Evans, D; Diamond, JR; Elkeles, RS; Bujac, SR; Miller, G; Talmud, PJ; Staels, B; Humphries, SE. (2000). Variation in the PPAR- $\alpha$  gene is associated with altered function in vitro and plasma lipid concentrations in Type II diabetic subjects. *Diabetologia.* 43: 673-680.
- Fleischer, K; Munnings, RS. (1996). Power systems analysis for direct current (DC) distribution systems. *I E E Transactions on Industry Applications.* 32: 982-989.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg.* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem.* 51: 8120-8127. <http://dx.doi.org/10.1021/jf0303159>.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococcoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol.* 45: 712-718. <http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable carbon isotope fractionation of 1,2-dichloropropane during dichloroelimination by Dehalococcoides populations. *Environ Sci Technol.* 43: 6915-6919. <http://dx.doi.org/10.1021/es900365x>.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Loeffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococcoides. *Environ Sci Technol.* 45: 2951-2957. <http://dx.doi.org/10.1021/es103728q>.
- Flocke, F; Herman, RL; Salawitch, RJ; Atlas, E; Webster, CR; Schauflyer, SM; Lueb, RA; May, RD; Moyer, EJ; Rosenlof, KH; Scott, DC; Blake, DR; Bui, TP. (1999). An examination of chemistry and transport processes in the tropical lower stratosphere using observations of long-lived and short-lived compounds obtained during STRAT and POLARIS. *J Geophys Res Atmos.* 104: 26625-26642.
- Flórez Menéndez, JC; Fernández Sánchez, ML; Fernández Martínez, E; Sánchez Uría, JE; Sanz-Medel, A. (2004). Static headspace versus head space solid-phase microextraction (HS-SPME) for the determination of volatile organochlorine compounds in landfill leachates by gas chromatography. *Talanta.* 63: 809-814. <http://dx.doi.org/10.1016/j.talanta.2003.12.044>.
- Flower, DR; North, AC; Attwood, TK. (1993). Structure and sequence relationships in the lipocalins and related proteins. *Protein Sci.* 2: 753-761.
- Flynn, SJ; Löffler, FE; Tiedje, JM. (2000). Microbial community changes associated with a shift from reductive dechlorination of PCE to reductive dechlorination of cis-DCE and VC. *Environ Sci Technol.* 34: 1056-1061.
- Focazio, MJ; Kolpin, DW; Barnes, KK; Furlong, ET; Meyer, MT; Zaugg, SD; Barber, LB; Thurman, ME. (2008). A national reconnaissance for pharmaceuticals and other organic wastewater contaminants in the United States--II) untreated drinking water sources. *Sci Total Environ.* 402: 201-216. <http://dx.doi.org/10.1016/j.scitotenv.2008.02.021>.
- Fofana, I; Wasserberg, V; Borsi, H; Gockenbach, E. (2002). Preliminary investigations for the refilling of Perchloroethylene based fluid filled transformer. *I E E Transactions on Dielectrics and Electrical Insulation.* 9: 97-103.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect.* 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.
- Forczek, ST; Laturus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ.* 61: 103-108. <http://dx.doi.org/10.17221/900/2014-PSE>.
- Forkert, PG; Birch, DW. (1989). Pulmonary toxicity of trichloroethylene in mice: covalent binding and morphological manifestations. *Drug Metab Dispos.* 17: 106-113.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Fortuny, J; de Sanjosé, S; Becker, N; Maynadié, M; Cocco, PL; Staines, A; Foretova, L; Vornanen, M; Brennan, P; Nieters, A; Alvaro, T; Boffetta, P. (2006). Statin use and risk of lymphoid neoplasms: results from the European Case-Control Study EPILYMPH. *Cancer Epidemiol Biomarkers Prev.* 15: 921-925. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0866>.
- Foucher, C; Rattier, S; Flavell, DM; Talmud, PJ; Humphries, SE; Kastelein, JJ; Ayyobi, A; Pimstone, S; Frohlich, J; Ansquer, JC; Steiner, G; investigators, D. (2004). Response to micronized fenofibrate treatment is associated with the peroxisome-proliferator-activated receptors alpha G/C intron7 polymorphism in subjects with type 2 diabetes. *Pharmacogenetics.* 14: 823-829.
- Fountain, JC; Klimek, A; Beikirch, MG; Middleton, TM. (1991). THE USE OF SURFACTANTS FOR INSITU EXTRACTION OF ORGANIC POLLUTANTS FROM A CONTAMINATED AQUIFER. *J Hazard Mater.* 28: 295-311.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, AW; Yang, X; Murli, H; Lawlor, TE; Cifone, MA; Reno, FE. (1996). Absence of mutagenic effects of sodium dichloroacetate. *Fundam Appl Toxicol.* 32: 87-95. <http://dx.doi.org/10.1006/faat.1996.0110>.

## Fate Literature Search Results

### Off Topic

- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Francesconi, R; Castellari, C; Comelli, F. (1999). Excess molar enthalpies and excess molar volumes of diethyl carbonate plus some n-alkoxyethanols at (298.15 and 313.15) K. *Journal of Chemical and Engineering Data.* 44: 1373-1378.
- Francisca, FM; Montoro, MA. (2015). Influence of Particle Size Distribution and Wettability on the Displacement of LNAPL in Saturated Sandy Soils. *J Environ Eng.* 141: 14091-14091. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000915](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000915).
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Frankel, DM; Johnson, CE; Pitt, HM. (1957). Preparation and properties of tetrachloroethylene oxide. *J Org Chem.* 22: 1119-1120.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: Characterization of a mutant deficient in receptor protein. *Antimicrob Agents Chemother.* 17: 151-156.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: characterization of a mutant deficient in receptor protein 10. *Antimicrob Agents Chemother.* 17.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol.* 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frazer, L. (2005). Metal attraction: An ironclad solution to arsenic contamination? *Environ Health Perspect.* 113: A398-A401.
- Fredriksson, M; Bengtsson, NO; Hardell, L; Axelson, O. (1989). Colon cancer, physical activity, and occupational exposures: A case-control study. *Cancer.* 63: 1838-1842.
- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environ Sci Technol.* 39: 8358-8368.
- Freeman, GL; Steinke, JM. (1993). Evaluation of two oximeters for use in cardiac catheterization laboratories. *Cathet Cardiovasc Diagn.* 30: 51-57.
- Freeman, SR; Drake, AL; Heilig, LF; Graber, M; McNealy, K; Schilling, LM; Dellavalle, RP. (2006). Statins, fibrates, and melanoma risk: a systematic review and meta-analysis [Review]. *J Natl Cancer Inst.* 98: 1538-1546. <http://dx.doi.org/10.1093/jnci/djj412>.
- Freeze, GA; Fountain, JC; Pope, GA; Jackson, RE. (1995). MODELING THE SURFACTANT-ENHANCED REMEDIATION OF PERCHLOROETHYLENE AT THE BORDEN TEST SITE USING THE UTCHEM COMPOSITIONAL SIMULATOR. *ACS Symp Ser Am Chem Soc.* 594: 191-200.
- Freireich, EJ; Gehan, EA; Rall, DP; Schmidt, LH; Skipper, HE. (1966). Quantitative comparison of toxicity of anticancer agents in mouse, rat, hamster, dog, monkey, and man. *J Natl Cancer Inst.* 50: 219-244.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol.* 13: 437-447.
- Freitas, JG; Barker, JF. (2013). Denatured ethanol release into gasoline residuals, Part 1: source behaviour. *J Contam Hydrol.* 148: 67-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.12.010>.
- Frenette, B; Mergler, D; Bowler, R. (1991). Contrast-sensitivity loss in a group of former microelectronics workers with normal visual acuity. *Optometry and Vision Science.* 68: 556-560.
- Frick, M; Elo, O; Haapa, K; Heinonen, O; Heinsalmi, P; Helo, P; Huttunen, J; Kaitaniemi, P; Koskinen, P; Manninen, V. (1987). Helsinki Heart Study: Primary-prevention trial with gemfibrozil in middle-aged men with dyslipidemia: Safety of treatment, changes in risk factors, and incidence of coronary heart disease. *N Engl J Med.* 317: 1237-1245. <http://dx.doi.org/10.1056/NEJM198711123172001>.
- Frick, MH; Syväne, M; Nieminen, MS; Kauma, H; Majahalme, S; Virtanen, V; Kesäniemi, YA; Pasternack, A; Taskinen, MR. (1997). Prevention of the angiographic progression of coronary and vein-graft atherosclerosis by gemfibrozil after coronary bypass surgery in men with low levels of HDL cholesterol. *Lipid Coronary Angiography Trial (LOCAT) Study Group. Circulation.* 96: 2137-2143.
- Fricke, AD; Laroe, SL; Shea, ME; Bedard, DL. (2014). Dehalococcoides mccartyi Strain JNA Dechlorinates Multiple Chlorinated Phenols Including Pentachlorophenol and Harbors at Least 19 Reductive Dehalogenase Homologous Genes. *Environ Sci Technol.* 48: 14300-14308. <http://dx.doi.org/10.1021/es503553f>.
- Friedrich, JF; Wigan, L; Unger, W; Lippitz, A; Erdmann, J; Gorsler, HV; Prescher, D; Wittrich, H. (1995). Barrier properties of plasma and chemically fluorinated polypropylene and polyethyleneterephthalate. *Surf Coating Tech.* 74-75: 910-918.
- Friedrich, JF; Wigan, L; Unger, W; Lippitz, A; Wittrich, H; Prescher, D; Erdmann, J; Gorsler, HV; Nick, L. (1995). BARRIER PROPERTIES OF PLASMA-MODIFIED POLYPROPYLENE AND POLYETHYLENTEREPHTHALATE. *J Adhes Sci Tech.* 9: 1165-1180.
- Fries, E; Püttmann, W. (2006). Improvement of HS-SPME for analysis of volatile organic compounds (VOC) in water samples by simultaneous direct fiber cooling and freezing of analyte solution. *Anal Bioanal Chem.* 386: 1497-1503. <http://dx.doi.org/10.1007/s00216-006-0715-8>.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg.* 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol.* 88: 235-248. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.001>.

## Fate Literature Search Results

### Off Topic

- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-Contaminated aquifer. *Environ Sci Technol.* 39: 5787-5795. <http://dx.doi.org/10.1021/es048322g>.
- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: laboratory experiments. *Chemosphere.* 67: 816-825. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.012>.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res.* 41: 355-364. <http://dx.doi.org/10.1016/j.watres.2006.09.026>.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol.* 88: 219-234. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.001>.
- Frush, DP. (2017). Meeting the Needs for Radiation Protection: Diagnostic Imaging. *Health Phys.* 112: 214-219. <http://dx.doi.org/10.1097/HP.0000000000000605>.
- Fu, X; Imhoff, PT. (2002). Mobilization of small DNAPL pools formed by capillary entrapment. *J Contam Hydrol.* 56: 137-158.
- Fujita, I; Hirohata, M; Matsuzaki, T; Ozasa, Y; Matsuoka, R. (1997). Study on waste water contaminated by tetrachloroethylene. *JTTHE.* 43: 59-63.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere.* 42: 345-350.
- Fuller, BB. (1976). Air pollution assessment of tetrachloroethylene. Fuller, BB.
- Fullerton, H; Crawford, M; Bakken, A; Freedman, DL; Zinder, SH. (2013). Anaerobic Oxidation of Ethene Coupled to Sulfate Reduction in Microcosms and Enrichment Cultures. *Environ Sci Technol.* 47: 12374-12381. <http://dx.doi.org/10.1021/es4029765>.
- Fung, JM; Weisenstein, BP; Mack, EE; Vidumsky, JE; Ei, TA; Zinder, SH. (2009). Reductive dehalogenation of dichlorobenzenes and monochlorobenzene to benzene in microcosms. *Environ Sci Technol.* 43: 2302-2307. <http://dx.doi.org/10.1021/es802131d>.
- Fure, AD; Jawitz, JW; Annable, MD. (2006). DNAPL source depletion: linking architecture and flux response [Review]. *J Contam Hydrol.* 85: 118-140. <http://dx.doi.org/10.1016/j.jconhyd.2006.01.002>.
- Furnus, CC; Ulrich, MA; Terreros, MC; Dulout, FN. (1990). The induction of aneuploidy in cultured Chinese hamster cells by propionaldehyde and chloral hydrate. *Mutagenesis.* 5: 323-326.
- Furukawa, K. (2006). Oxygenases and dehalogenases: molecular approaches to efficient degradation of chlorinated environmental pollutants [Review]. *Biosci Biotechnol Biochem.* 70: 2335-2348. <http://dx.doi.org/10.1271/bbb.60218>.
- Furuki, K; Ukai, H; Okamoto, S; Takada, S; Kawai, T; Miyama, Y; Mitsuyoshi, K; Zhang, ZW; Higashikawa, K; Ikeda, M. (2000). Monitoring of occupational exposure to tetrachloroethene by analysis for unmetabolized tetrachloroethene in blood and urine in comparison with urinalysis for trichloroacetic acid. *Int Arch Occup Environ Health.* 73: 221-227.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn.* 43: 537-543.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen.* 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Futamata, H; Yoshida, N; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by Dehalococcoides-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *ISME J.* 1: 471-479. <http://dx.doi.org/10.1038/ismej.2007.42>.
- Futamura, S; Zhang, AH; Einaga, H; Kabashima, H. (2002). Involvement of catalyst materials in nonthermal plasma chemical processing of hazardous air pollutants. *Catalysis Today.* 72: 259-265.
- Futamura, S; Zhang, AH; Yamamoto, T. (1997). The dependence of nonthermal plasma behavior of VOCs on their chemical structures. *Journal of Electrostatics.* 42: 51-62.
- Gaertner, RRW; Trpeski, L; Johnson, KC. (2004). A case-control study of occupational risk factors for bladder cancer in Canada. *Cancer Causes Control.* 15: 1007-1019. <http://dx.doi.org/10.1007/s10552-004-1448-7>.
- Gaidau, C; Martinescu, T; Simion, D; Mociuiu, A, naM; Sendrea, C; Fleancu, M; Niculescu, M. (2014). Study on Dry Cleaning with Decamethylcyclopentasiloxane as Ecological Alternative for Leathers and Furskins. *Rev Chim.* 65: 411-415.
- Gaipl, US; Kuhn, A; Sheriff, A; Munoz, LE; Franz, S; Voll, RE; Kalden, JR; Herrmann, M. (2006). Clearance of apoptotic cells in human SLE [Review]. *Curr Dir Autoimmun.* 9: 173-187. <http://dx.doi.org/10.1159/000090781>.
- Gallagher, L; Ozonoff, D; Webster, T; Vieira, V; Aschengrau, A. (2006). Use of a water distribution system model to assess exposure to tetrachloroethylene-contaminated drinking water. *Epidemiology.* 17: S470-S471.
- Gallagher, L; Ozonoff, D; Webster, T; Vieira, V; Weinberg, J; Aschengrau, A. (2008). Reanalysis of the Risk of Breast Cancer and Tetrachloroethylene-Contaminated Drinking Water in Cape Cod, Massachusetts Using a Modified Exposure Assessment. *Epidemiology.* 19: S310-S311.
- Gallagher, LG; Vieira, VM; Ozonoff, D; Webster, TF; Aschengrau, A. (2011). Risk of breast cancer following exposure to tetrachloroethylene-contaminated drinking water in Cape Cod, Massachusetts: reanalysis of a case-control study using a modified exposure assessment. *Environ Health.* 10: 47. <http://dx.doi.org/10.1186/1476-069X-10-47>.
- Gallard, H; von Gunten, R; Kaiser, HP. (2003). Prediction of the disinfection and oxidation efficiency of full-scale ozone reactors. *Journal of Water Supply: Research and Technology-AQUA.* 52: 277-290.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta.* 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Miranda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem.* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.



## Fate Literature Search Results

### Off Topic

- Gallivanone, F; Stefano, A; Grosso, E; Canevari, C; Gianolli, L; Messa, C; Gilardi, MC; Castiglioni, I. (2011). PVE Correction in PET-CT Whole-Body Oncological Studies From PVE-Affected Images. *IEEE Trans Nucl Sci.* 58: 736-747. <http://dx.doi.org/10.1109/TNS.2011.2108316>.
- Galloway, SM; Armstrong, MJ; Reuben, C; Colman, S; Brown, B; Cannon, C; Bloom, AD; Nakamura, F; Ahmed, M; Duk, S; Rimpo, J; Margolin, BH; Resnick, MA; Anderson, B; Zeiger, E. (1987). Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals [Review]. *Environ Mol Mutagen.* 10: 1-175. <http://dx.doi.org/10.1002/em.2850100502>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2850100502/abstract>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am.* 60: 86-90.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B12. *Environ Sci Process Impacts.* 16: 1882-1888. <http://dx.doi.org/10.1039/c4em00040d>.
- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol.* 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.
- Ganning, A; Brunk, U; Dallner, G. (1984). Phthalate esters and their effect on the liver [Review]. *Hepatology.* 4: 541-547.
- Ganning, AE; Brunk, U; Dallner, G. (1983). Effects of dietary di(2-ethylhexyl)phthalate on the structure and function of rat hepatocytes. *Biochim Biophys Acta.* 763: 72-82. [http://dx.doi.org/10.1016/0167-4889\(83\)90027-7](http://dx.doi.org/10.1016/0167-4889(83)90027-7).
- Ganning, AE; Brunk, U; Edlund, C; Elhammer, A; Dallner, G. (1987). Effects of prolonged administration of phthalate ester on the liver. *Environ Health Perspect.* 73: 251-258.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol.* 25: 715-722.
- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environ Sci Technol.* 43: 2943-2949. <http://dx.doi.org/10.1021/es803382z>.
- Gao, H; Blanford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water.* 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.
- Gao, JW; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res.* 31: 2479-2486.
- Gao, S; Rupp, E; Bell, S; Willinger, M; Foley, T; Barbaris, B; Saez, AE; Arnold, RG; Betterton, E. (2008). Mixed redox catalytic destruction of chlorinated solvents in soils and groundwater. *Ann N Y Acad Sci.* 1140: 435-445. <http://dx.doi.org/10.1196/annals.1454.044>.
- Gaponenko, MS; Buganov, OV; Onushchenko, AA; Hickey, SG; Malyarevich, AM; Tikhomirov, SA; Yumashev, KV. (2010). Exciton relaxation in PbS quantum dots. *Physica Status Solidi Rapid Research Letters.* 4: 341-343. <http://dx.doi.org/10.1002/psrr.201004349>.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol.* 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- Garate, MP; Bejarano, A; de La Fuente, JC. (2016). Vapour pressures for 1-(butoxymethoxy)butane (dibutoxymethane) and 1,1,1,2,2,3,3,4,4-nonafluoro-4-methoxybutane (methyl nonafluorobutyl ether) over the pressure range of (15-80) kPa. *The Journal of Chemical Thermodynamics.* 101: 351-355. <http://dx.doi.org/10.1016/j.jct.2016.06.025>.
- Garcia, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P. (1992). Emissions of volatile organic compounds by coal-fired power stations (pp. 1589-1597). (ISSN 0004-6981; BIOSIS/92/23588). Garcia, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P.
- García-Medina, NE; Jiménez-Capdeville, ME; Ciucci, M; Martínez, LM; Delgado, JM; Horn, CC. (2007). Conditioned flavor aversion and brain Fos expression following exposure to arsenic. *Toxicology.* 235: 73-82. <http://dx.doi.org/10.1016/j.tox.2007.03.009>.
- García-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *Int Biodeterior Biodegradation.* 83: 92-96. <http://dx.doi.org/10.1016/j.ibiod.2013.04.011>.
- Gardner, KH; Arias, MS. (2000). Clay swelling and formation permeability reductions induced by a nonionic surfactant. *Environ Sci Technol.* 34: 160-166.
- Garetano, G; Gochfeld, M. (2000). Factors influencing tetrachloroethylene concentrations in residences above dry-cleaning establishments. *Arch Environ Health.* 55: 59-68. <http://dx.doi.org/10.1080/00039890009603387>.
- Gargas, ML; Burgess, RJ; Voisard, DE; Cason, GH; Andersen, ME. (1989). Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol.* 98: 87-99.
- Gariot, P; Barrat, E; Drouin, P; Genton, P; Pointel, JP; Foliguet, B; Kolopp, M; Debry, G. (1987). Morphometric study of human hepatic cell modifications induced by fenofibrate. *Metabolism.* 36: 203-210.
- Garnier, R. (2010). Perchloroethylene exposure and biological surveillance. *Arch Mal Prof Environ.* 71: 183-184. <http://dx.doi.org/10.1016/j.admp.2010.02.013>.
- Garny, V; Lecloux, A; Papp, R. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - principles and purposes. *Environ Monit Assess.* 53: 395-399.
- Garriga, R; Perez, P; Gracia, M. (2004). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with cyclohexane at nine temperatures. *Fluid Phase Equilibria.* 216: 285-292. <http://dx.doi.org/10.1016/j.fluid.2003.11.007>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with benzene at nine temperatures. *Fluid Phase Equilibria.* 227: 79-86. <http://dx.doi.org/10.1016/j.fluid.2004.02.021>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with tetrachloromethane at nine temperatures. *Fluid Phase Equilibria.* 227: 71-78. <http://dx.doi.org/10.1016/j.fluid.2004.10.025>.
- Gart, JJ. (1970). A locally most powerful test for the symmetric folded binomial distribution. *Biometrics.* 26: 129-138.

## Fate Literature Search Results

### Off Topic

- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev.* 10: 1239-1248.
- Gassenbauer, Y; Ramspeck, K; Bethmann, B; Dressler, K; Moschner, JD; Fiedler, M; Brouwer, E; Droessler, R; Lenck, N; Heyer, F; Feldhaus, M; Seidl, A; Mueller, M; Metz, A. (2013). Rear-Surface Passivation Technology for Crystalline Silicon Solar Cells: A Versatile Process for Mass Production. 3: 125-130. <http://dx.doi.org/10.1109/JPHOTOV.2012.2211338>.
- Gates-Anderson, DD; Siegrist, RL; Cline, SR. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *J Environ Eng.* 127: 337-347.
- Gatz, S; Dullweber, T; Mertens, V; Einsele, F; Brendel, R. (2012). Firing stability of SiNy/SiNx stacks for the surface passivation of crystalline silicon solar cells. *Solar Energy Materials and Solar Cells.* 96: 180-185. <http://dx.doi.org/10.1016/j.solmat.2011.09.051>.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech.* 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers [Review]. *J Hazard Mater.* 68: 41-71.
- Gay, BW, Jr; Hanst, PL; Bufalini, JJ; Noonan, RC. (1976). Atmospheric oxidation of chlorinated ethylenes. *Environ Sci Technol.* 10: 58-67. <http://dx.doi.org/10.1021/es60112a005>.
- Ge, B; Ludois, DC. (2016). Design Concepts for a Fluid-Filled Three-Phase Axial-Peg-Style Electrostatic Rotating Machine Utilizing Variable Elastance. *I E E E Transactions on Industry Applications.* 52: 2156-2166. <http://dx.doi.org/10.1109/TIA.2016.2517075>.
- Ge, R; Tao, L; Kramer, PM; Cunningham, ML; Pereira, MA. (2002). Effect of peroxisome proliferators on the methylation and protein level of the c-myc protooncogene in B6C3F1 mice liver. *J Biochem Mol Toxicol.* 16: 41-47. <http://dx.doi.org/10.1002/jbt.10019>.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci.* 62: 28-35.
- Ge, R; Yang, S; Kramer, PM; Tao, L; Pereira, MA. (2001). The effect of dichloroacetic acid and trichloroacetic acid on DNA methylation and cell proliferation in B6C3F1 mice. *J Biochem Mol Toxicol.* 15: 100-106. <http://dx.doi.org/10.1002/jbt.5>.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; III, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett.* 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-1](http://dx.doi.org/10.1016/0378-4274(93)90126-1).
- Gebert, K. (1971). DYEING OF POLYESTER TEXTILE FABRIC IN PERCHLOROETHYLENE BY EXHAUST PROCESS. *J Soc Dyers Colour.* 87: 509-&.
- Gehring, PJ; Watanabe, PG; Blau, GE. (1979). Risk assessment of environmental carcinogens utilizing pharmacokinetic parameters. *Ann N Y Acad Sci.* 329: 137-152. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15341.x>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering.* 21: 523-538.
- Gehring, P; Eschweiler, H; Fiedler, H. (1995). OZONE-ELECTRON BEAM TREATMENT FOR GROUNDWATER REMEDIATION. *Radiat Phys Chem Oxf Engl* 1993. 46: 1075-1078.
- Gehring, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Sci Technol.* 37: 195-201.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). DECOMPOSITION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE IN DRINKING WATER BY A COMBINED RADIATION-OZONE TREATMENT. *Water Res.* 22: 645-646.
- Geller, AM. (2001). A table of color distance scores for quantitative scoring of the Lanthony Desaturate color vision test. *Neurotoxicol Teratol.* 23: 265-267. [http://dx.doi.org/10.1016/S0892-0362\(01\)00139-8](http://dx.doi.org/10.1016/S0892-0362(01)00139-8).
- Geller, AM; Hudnell, HK. (1997). Critical issues in the use and analysis of the Lanthony Desaturate Color Vision Test. *Neurotoxicol Teratol.* 19: 455-465.
- Gemici, U; Tarcan, G; Helvacı, C; Somay, AM. (2008). High arsenic and boron concentrations in groundwaters related to mining activity in the Bigadic borate deposits (Western Turkey). *Appl Geochem.* 23: 2462-2476. <http://dx.doi.org/10.1016/j.apgeochem.2008.02.013>.
- Gennari, P; Naldi, M; Motta, R; Nucci, MC; Giacomini, C; Violante, FS; Raffi, GB. (1992). gamma-Glutamyltransferase isoenzyme pattern in workers exposed to tetrachloroethylene. *Am J Ind Med.* 21: 661-671. <http://dx.doi.org/10.1002/ajim.4700210506>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700210506/abstract>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol.* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Gentry, PR; Covington, TR; Clewell, HJ, III. (2003). Evaluation of the potential impact of pharmacokinetic differences on tissue dosimetry in offspring during pregnancy and lactation. *Regul Toxicol Pharmacol.* 38: 1-16. [http://dx.doi.org/10.1016/S0273-2300\(03\)00047-3](http://dx.doi.org/10.1016/S0273-2300(03)00047-3).
- Gentry, PR; Covington, TR; Lawrence, G; McDonald, T; Snow, ET; Germolec, D; Moser, G; Yager, JW; Clewell III, HJ. (2005). Comparison of tissue dosimetry in the mouse following chronic exposure to arsenic compounds. *J Toxicol Environ Health A.* 68: 329-351. <http://dx.doi.org/10.1080/15287390590900813>.
- George, B; Mathews, V; Poonkuzhali, B; Shaji, RV; Srivastava, A; Chandy, M. (2004). Treatment of children with newly diagnosed acute promyelocytic leukemia with arsenic trioxide: A single center experience. *Leukemia.* 18: 1587-1590. <http://dx.doi.org/10.1038/sj.leu.2403480>.

## Fate Literature Search Results

### Off Topic

- George, J; Byth, K; Farrell, GC. (1996). Influence of clinicopathological variables on CYP protein expression in human liver. *J Gastroenterol Hepatol.* 11: 33-39.
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist.* 15: 160.
- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol.* 28: 610-618.
- Gerbino, TC; Nadotti, S; Castello, P. (1992). Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. *J Chromatogr.* 623: 123-127.
- Germolec, DR; Yang, RSH; Ackermann, MF; Rosenthal, GJ; Boorman, GA; Blair, P; Luster, MI. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: II. Immunosuppression in B6C3F1 mice. *Fundam Appl Toxicol.* 13: 377-387. [http://dx.doi.org/10.1016/0272-0590\(89\)90275-3](http://dx.doi.org/10.1016/0272-0590(89)90275-3).
- Getz, KD; Janulewicz, PA; Rowe, S; Weinberg, JM; Winter, MR; Martin, BR; Vieira, VM; White, RF; Aschengrau, A. (2012). Prenatal and early childhood exposure to tetrachloroethylene and adult vision. *Environ Health Perspect.* 120: 1327-1332. <http://dx.doi.org/10.1289/ehp.1103996>.
- Geyer, CJ. (1996). Markov Chain Monte Carlo In Practice Estimation and optimization of functions. London: Chapman & Hall.
- Ghai, NK. (1999). Comparison of international and NEMA standards for salient pole synchronous machines. *I E E E Transactions on Energy Conversion.* 14: 8-15.
- Ghai, NK. (1999). IEC and NEMA standards for large squirrel-cage induction motors - A comparison. *I E E E Transactions on Energy Conversion.* 14: 545-552.
- Ghanem, A; Soerens, TS; Adel, MM; Thoma, GJ. (2003). Investigation of fluorescent dyes as partitioning tracers for subsurface nonaqueous phase liquid (NAPL) characterization. *J Environ Eng.* 129: 740-744. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:8\(740\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:8(740)).
- Gharaibeh, SH; Moore, SV; Buck, A. (1998). Effluent treatment of industrial wastewater using processed solid residue of olive mill products and commercial activated carbon. *J Chem Tech Biotechnol.* 71: 291-298.
- Gharamti, ME; Valstar, J; Janssen, G; Marsman, A; Hoteit, I. (2016). On the efficiency of the hybrid and the exact second-order sampling formulations of the EnKF: a reality-inspired 3-D test case for estimating biodegradation rates of chlorinated hydrocarbons at the port of Rotterdam. *Hydrol Earth Syst Sci.* 20: 4561-4583. <http://dx.doi.org/10.5194/hess-20-4561-2016>.
- Ghasemzadeh-Mohammadi, V; Mohammadi, A; Hashemi, M; Khaksar, R; Haratian, P. (2012). Microwave-assisted extraction and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for isolation and determination of polycyclic aromatic hydrocarbons in smoked fish. *J Chromatogr A.* 1237: 30-36. <http://dx.doi.org/10.1016/j.chroma.2012.02.078>.
- Ghiaci, M; Arshadi, M; Sedaghat, ME; Kalbasi, RJ; Gil, A. (2008). Adsorption of Organic Pollutants from Aqueous Solutions on Cereal Ashes. *Journal of Chemical and Engineering Data.* 53: 2707-2709. <http://dx.doi.org/10.1021/jc800532p>.
- Gholami, M; Kebria, DY; Mahmudi, M. (2014). Electrokinetic remediation of perchloroethylene-contaminated soil. *Int J Environ Sci Tech.* 11: 1433-1438. <http://dx.doi.org/10.1007/s13762-014-0555-6>.
- Ghorpade, PA; Ha, M, inGyu; Choi, W, onHo; Park, J, ooY. (2013). Combined calcium sulfoaluminate and ordinary portland cement/Fe(II) system for enhanced dechlorination of trichloroethylene. *Chem Eng J.* 231: 326-333. <http://dx.doi.org/10.1016/j.cej.2013.07.031>.
- Ghorpade, PA; Ha, M, inGyu; Park, J, ooY. (2015). Effect of different types of calcium sulfate on the reactivity of cement/Fe(II) system in dechlorination of trichloroethylene. *Desalination and Water Treatment.* 54: 1426-1435. <http://dx.doi.org/10.1080/19443994.2014.950342>.
- Ghorpade, PA; Kim, JH; Choi, W, onHo; Park, J, ooY. (2014). Reactivity of different cement minerals in presence of Fe(II) for reducing trichloroethylene. *Desalination and Water Treatment.* 52: 805-815. <http://dx.doi.org/10.1080/19443994.2013.827300>.
- Ghorpade, PA; Kim, JH; Choi, WH; Park, JY. (2014). New and effective multi-element alpha-hematite systems for reduction of trichloroethylene. *Environ Technol.* 35: 27-35. <http://dx.doi.org/10.1080/09593330.2013.805819>.
- Ghosh, J; Tick, GR. (2013). A pore scale investigation of crude oil distribution and removal from homogeneous porous media during surfactant-induced remediation. *J Contam Hydrol.* 155: 20-30. <http://dx.doi.org/10.1016/j.jconhyd.2013.09.003>.
- Ghosh, S; Litasov, K; Ohtani, E. (2014). Phase relations and melting of carbonated peridotite between 10 and 20 GPa: a proxy for alkali- and CO<sub>2</sub>-rich silicate melts in the deep mantle. *Contributions to Mineralogy and Petrology.* 167. <http://dx.doi.org/10.1007/s00410-014-0964-z>.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere.* 33: 1531-1542.
- Giaya, A; Thompson, RW; Denkewicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials.* 40: 205-218.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauningner, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res.* 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem.* 13: 453-460.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp. JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation.* 30: 106-113. <http://dx.doi.org/10.1111/j1745-6592.2010.001283.x>.
- Giger, W; Molnarkubica, E. (1978). TETRACHLOROETHYLENE IN CONTAMINATED GROUND AND DRINKING WATERS. *Bull Environ Contam Toxicol.* 19: 475-480.

## Fate Literature Search Results

### Off Topic

- Gil, A; Elmchaouri, A; El Mouzdahir, Y; Korili, SA. (2015). Removal of Tetrachloroethylene from Aqueous Solutions by Adsorption on Clay Minerals. *AST*. 33: 355-367.
- Gilbert, KM; Whitlow, AB; Pumford, NR. (2004). Environmental contaminant and disinfection by-product trichloroacetaldehyde stimulates T cells in vitro. *Int Immunopharmacol*. 4: 25-36. <http://dx.doi.org/10.1016/j.intimp.2003.10.001>.
- Gillam, JE; Solevi, P; Oliver, JF; Casella, C; Heller, M; Joram, C; Rafecas, M. (2014). Sensitivity recovery for the AX-PET prototype using inter-crystal scattering events. *Phys Med Biol*. 59: 4065-4083. <http://dx.doi.org/10.1088/0031-9155/59/15/4065>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis*. 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res*. 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).
- Gillette, JR. (1976). Application of pharmacokinetic principles in the extrapolation of animal data to humans. *Clin Toxicol*. 9: 709-722. <http://dx.doi.org/10.3109/15563657608988176>.
- Gimmi, T; Fluhler, H; Studer, B; Rasmuson, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut*. 68: 291-305.
- Ginja, S; Bensefa-Colas, L; Conso, F. (2007). Epilepsy and cerebral atrophy in a dry-cleaning worker: perchloroethylene effect? *Arch Mal Prof Environ*. 68: 171-179.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect*. 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Smolenski, S; Hattis, D; Guyton, KZ; Johns, DO; B, S. (2009). Genetic polymorphism in glutathione transferases (GST): Population distribution of GSTM1, T1, and P1 conjugating activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 389-439. <http://dx.doi.org/10.1080/10937400903158375>.
- Ginsberg, GL; Foos, BP; Firestone, MP. (2005). Review and analysis of inhalation dosimetry methods for application to children's risk assessment [Review]. *J Toxicol Environ Health A*. 68: 573-615. <http://dx.doi.org/10.1080/15287390590921793>.
- Gioia, F; Alfani, G; Andreutti, S; Murena, F. (2003). Oil mobility in a saturated water-wetted bed of glass beads. *J Hazard Mater*. 97: 315-327.
- Gioia, F; Urciuolo, M. (2006). Combined effect of Bond and capillary numbers on hydrocarbon mobility in water saturated porous media. *J Hazard Mater*. 133: 218-225. <http://dx.doi.org/10.1016/j.jhazmat.2005.10.010>.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ*. 290: 231-237.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol*. 27: 177-184.
- Glinghammar, B; Skogsberg, J; Hamsten, A; Ehrenborg, E. (2003). PPARdelta activation induces COX-2 gene expression and cell proliferation in human hepatocellular carcinoma cells. *Biochem Biophys Res Commun*. 308: 361-368.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol*. 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol*. 31: 3154-3160.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos*. 106: 17831-17840.
- Glover, KC; Munakata-Marr, J; Illangasekare, TH. (2007). Biologically enhanced mass transfer of tetrachloroethene from DNAPL in source zones: experimental evaluation and influence of pool morphology. *Environ Sci Technol*. 41: 1384-1389. <http://dx.doi.org/10.1021/es060922n>.
- Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data*. 48: 535-540. <http://dx.doi.org/10.1021/je020065c>.
- Gobba, F; Ghittori, S; Imbriani, M; Maestri, L; Capodaglio, E; Cavalleri, A. (1997). The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review [Review]. *Sci Total Environ*. 199: 3-12.
- Gobba, F; Righi, E; Fantuzzi, G; Predieri, G; Cavazzuti, L; Aggazzotti, G. (1998). Two-year evolution of perchloroethylene-induced color-vision loss. *Arch Environ Health*. 53: 196-198. <http://dx.doi.org/10.1080/00039899809605695>.
- Gobba, F; Righi, E; Fantuzzi, G; Roccatto, L; Predieri, G; Aggazzotti, G. (2003). Perchloroethylene in alveolar air, blood, and urine as biologic indices of low-level exposure. *J Occup Environ Med*. 45: 1152-1157. <http://dx.doi.org/10.1097/01.jom.0000094990.52172.ea>.
- Gobel, R; Seitz, RW; Tomellini, SA; Kraska, R; Kellner, R. (1995). INFRARED ATTENUATED TOTAL-REFLECTION SPECTROSCOPIC INVESTIGATIONS OF THE DIFFUSION BEHAVIOR OF CHLORINATED HYDROCARBONS INTO POLYMER MEMBRANES. *Vibrational Spectroscopy*. 8: 141-149.
- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res*. 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Godsy, EM; Warren, E; Paganelli, VV. (2003). The role of microbial reductive dechlorination of TCE at a phytoremediation site. *Int J Phytoremediation*. 5: 73-87. <http://dx.doi.org/10.1080/16226510390856484>.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect*. 106: 41-44.
- Gold, LS; De Roos, AJ; Waters, M; Stewart, P. (2008). Systematic literature review of uses and levels of occupational exposure to tetrachloroethylene [Review]. *J Occup Environ Hyg*. 5: 807-839. <http://dx.doi.org/10.1080/15459620802510866>.

## Fate Literature Search Results

### Off Topic

- Gold, LS; Manley, NB; Slone, TH; Rohrbach, L; Garfinkel, GB. (2005). Supplement to the Carcinogenic Potency Database (CPDB): results of animal bioassays published in the general literature through 1997 and by the National Toxicology Program in 1997-1998. *Toxicol Sci.* 85: 747-808. <http://dx.doi.org/10.1093/toxsci/kfi161>.
- Gold, LS; Milliken, K; Stewart, P; Purdue, M; Severson, R; Seixas, N; Blair, A; Davis, S; Hartge, P; De Roos, AJ. (2010). Occupation and multiple myeloma: An occupation and industry analysis. *Am J Ind Med.* 53: 768-779. <http://dx.doi.org/10.1002/ajim.20857>.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldenhar, LM; Ruder, AM; Ewers, LM; Earnest, S; Haag, WM; Petersen, MR. (1999). Concerns of the dry-cleaning industry: A qualitative investigation of labor and management. *Am J Ind Med.* 35: 112-123.
- Goldman, JA. (1996). Connective tissue disease in people exposed to organic chemical solvents: Systemic sclerosis (scleroderma) in dry cleaning plant and aircraft industry workers. *J Clin Rheumatol.* 2: 185-190.
- Goldstein, A; Aronow, L; Kalman, SM. (1969). Principles of drug action: The basis of pharmacology. New York, NY: Harper and Row.
- Goldstein, L; Prasher, SO; Ghoshal, S. (2007). Three-dimensional visualization and quantification of non-aqueous phase liquid volumes in natural porous media using a medical X-ray Computed Tomography scanner. *J Contam Hydrol.* 93: 96-110. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.013>.
- Gomez, MR. (1997). Factors associated with exposure in occupational safety and health administration data. *Am Ind Hyg Assoc J.* 58: 186-195.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med.* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ.* 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gong, AK. (1995). Near-patient measurements of methemoglobin, oxygen saturation, and total hemoglobin: Evaluation of a new instrument for adult and neonatal intensive care. *Crit Care Med.* 23: 193-201.
- Gonikberg, MG; Zhulin, VM; Butuzov, VP. (1956). Thermal reactions of tetrachloroethylene at superhigh pressures. *Russian Chemical Bulletin.* 5: 739-741.
- Gonullu, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res.* 30: 649-653.
- Gonzalez, AJ; Aguilar, A; Conde, P; Hernandez, L; Moliner, L; Vidal, LF; Sanchez, F; Sanchez, S; Correcher, C; Molinos, C; Barbera, J; Lankes, K; Junge, S; Bruckbauer, T; Bruyndonckx, P; Benloch, JM. (2016). A PET Design Based on SiPM and Monolithic LYSO Crystals: Performance Evaluation. *IEEE Trans Nucl Sci.* 63: 2471-2477. <http://dx.doi.org/10.1109/TNS.2016.2522179>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO<sub>2</sub>-Washcoated Minimonoliths. *Ind Eng Chem Res.* 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- González, CA; López-Abente, G; Errezola, M; Escolar, A; Riboli, E; Izarzugaza, I; Nebot, M. (1989). Occupation and bladder cancer in Spain: A multi-centre case-control study. *Int J Epidemiol.* 18: 569-577. <http://dx.doi.org/10.1093/ije/18.3.569>.
- Gonzalez, CA; Montes de Correa, C. (2010). Catalytic Hydrodechlorination of Tetrachloroethylene over Pd/TiO<sub>2</sub> Minimonoliths. *Ind Eng Chem Res.* 49: 490-497. <http://dx.doi.org/10.1021/ie901027y>.
- Gonzalez, JC; Griffis, DP; Miao, TT; Russell, PE. (2001). Chemically enhanced focused ion beam micromachining of copper. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 19: 2539-2542.
- Gonzalez, MC; Le Roux, GC; Rosso, JA; Braun, AM. (2007). Mineralization of CCl<sub>4</sub> by the UVC-photolysis of hydrogen peroxide in the presence of methanol. *Chemosphere.* 69: 1238-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.076>.
- Gonzalez Sanchez, CA; Maya Patino, CO; de Correa, CM. (2008). Catalytic hydrodechlorination of dichloromethane in the presence of traces of chloroform and tetrachloroethylene. *Catalysis Today.* 133: 520-525. <http://dx.doi.org/10.1016/j.cattod.2007.12.024>.
- Gonzalez-Velasco, JR; Aranzabal, A; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gutierrez-Ortiz, MA. (1998). Activity and product distribution of alumina supported platinum and palladium catalysts in the gas-phase oxidative decomposition of chlorinated hydrocarbons. *Appl Catal B-Environ.* 19: 189-197.
- Gonzalez-Velasco, JR; Aranzabal, A; Lopez-Fonseca, R; Ferret, R; Gonzalez-Marcos, JA. (2000). Enhancement of the catalytic oxidation of hydrogen-lean chlorinated VOCs in the presence of hydrogen-supplying compounds. *Appl Catal B-Environ.* 24: 33-43.
- Gonzalez-Velasco, JR; Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Steltenpohl, P. (2000). Evaluation of H-type zeolites in the destructive oxidation of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 24: 233-242.
- Goody, DC; Bloomfield, JP; Harrold, G; Leharne, SA. (2002). Towards a better understanding of tetrachloroethene entry pressure in the matrix of Permo-Triassic sandstones. *J Contam Hydrol.* 59: 247-265.
- Goodman, DG; Ward, JM; Squire, RA; Chu, KC; Linhart, MS. (1979). Neoplastic and nonneoplastic lesions in aging F344 rats. *Toxicol Appl Pharmacol.* 48: 237-248. [http://dx.doi.org/10.1016/0041-008X\(79\)90029-2](http://dx.doi.org/10.1016/0041-008X(79)90029-2).
- Goodman, G; Wilson, R. (1991). Quantitative prediction of human cancer risk from rodent carcinogenic potencies: a closer look at the epidemiological evidence for some chemicals not definitively carcinogenic in humans. *Regul Toxicol Pharmacol.* 14: 118-146.
- Goodman, LS; Gilman, A; Gilman, AG. (1990). Goodman and Gilman's the pharmacological basis of therapeutics. In LS Goodman; A Gilman; AG Gilman (Eds.), (8th ed.). New York, NY: Pergamon Press.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology.* 1: 277-284.

## Fate Literature Search Results

### Off Topic

- Gorginpour, H; Oraee, H; Abdi, E. (2014). Calculation of Core and Stray Load Losses in Brushless Doubly Fed Induction Generators. *IEEE Transactions on Industrial Electronics*. 61: 3167-3177. <http://dx.doi.org/10.1109/TIE.2013.2279357>.
- Gorzka, Z; Paryczak, T; Zarczynski, A; Kazmierczak, M; Michniewicz, M. (2003). Dioxins in thermo-catalyzed oxidates of selected organochlorine compounds. *Przemysł Chemiczny*. 82: 1020-1022.
- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). *Acute poisoning Clinical toxicology of commercial products (4 ed.)*. Baltimore, MD: Williams & Wilkins.
- Gotpagar, J; Grulke, E; Tsang, T; Bhattacharyya, D. (1997). Reductive dehalogenation of trichloroethylene using zero-valent iron. *Environmental Progress*. 16: 137-143.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir*. 15: 8412-8420.
- Gotpagar, JK; Grulke, EA; Bhattacharyya, D. (1998). Reductive dehalogenation of trichloroethylene: Kinetic models and experimental verification. *J Hazard Mater*. 62: 243-264.
- Goud, BB; Venkatesu, P; Rao, MVP. (1995). EXCESS VOLUMES OF 1,1,2,2-TETRACHLOROETHANE OR TETRACHLOROETHENE PLUS 2-CHLOROTOLUENE, PLUS 3-CHLOROTOLUENE, AND PLUS 4-CHLOROTOLUENE AT 303.15 AND 313.15 K. *Journal of Chemical and Engineering Data*. 40: 1211-1213.
- Gourley, M; Miller, FW. (2007). Mechanisms of disease: Environmental factors in the pathogenesis of rheumatic disease. *Nat Clin Pract Rheumatol*. 3: 172-180. <http://dx.doi.org/10.1038/ncprheum0435>.
- Goyal, A; Singh, M. (2007). Densities, viscosities and thermodynamic excess properties of ternary liquid mixtures of aniline plus acetone plus (benzene or plus toluene or plus carbon tetrachloride or plus 1,4-dioxane) and their constituent binaries at 298.15 K. *J Indian Chem Soc*. 84: 250-255.
- Graber, ER; Laor, Y; Ronen, D. (2008). Aquifer contamination by chlorinated-VOCs: the case of an urban metropolis megasite overlying the Coastal Plain aquifer in Israel. *Hydrogeology Journal*. 16: 1615-1623. <http://dx.doi.org/10.1007/s10040-008-0366-2>.
- Graedel, TE. (1978). Bell Laboratories to H B Singh [Personal Communication].
- Graham, G; Patry, M. (1992). HAZARDOUS-WASTE MINIMIZATION AT TINKER AFB. *Plat Surf Finish*. 79: 28-29.
- Graham, MJ; Wilson, SA; Winham, MA; Spencer, AJ; Rees, JA; Old, SL; Bonner, FW. (1994). Lack of peroxisome proliferation in marmoset liver following treatment with ciprofibrate for 3 years. *Fundam Appl Toxicol*. 22: 58-64.
- Grandjean, P; Landrigan, PJ. (2006). Developmental neurotoxicity of industrial chemicals [Review]. *Lancet*. 368: 2167-2178. [http://dx.doi.org/10.1016/s0140-6736\(06\)69665-7](http://dx.doi.org/10.1016/s0140-6736(06)69665-7).
- Grant, GP; Gerhard, JI; Kueper, BH. (2007). Field scale impacts of spatially correlated relative permeability in heterogeneous multiphase systems. *Advances in Water Resources*. 30: 1144-1159. <http://dx.doi.org/10.1016/j.advwatres.2006.10.005>.
- Grant, WF. (1998). Higher plant assays for the detection of genotoxicity in air polluted environments. *Ecosys Health*. 4: 210-229. <http://dx.doi.org/10.1046/j.1526-0992.1998.98097.x>.
- Grant, WF; Owens, ET. (1998). Chromosome aberration assays in *Crepis* for the study of environmental mutagens. *Mutat Res*. 410: 291-307. [http://dx.doi.org/10.1016/S1383-5742\(98\)00004-0](http://dx.doi.org/10.1016/S1383-5742(98)00004-0).
- Gras, R; Shellie, RA; Cortes, H; Luong, J. (2013). Multidimensional Gas Chromatography using Planar Microfluidic Devices for the Characterization of Chlorinated Degreasers in Marine Gas Oil. 26: 450-454.
- Grasl-Kraupp, B; Huber, W; Schulte-Hermann, R. (1993). Are peroxisome proliferators tumour promoters in rat liver? In G Gibson; B Lake (Eds.), (pp. 667-693). London, England, UK: Taylor and Francis.
- Graton, J; Berthelot, M; Besseau, F; Laurence, C. (2005). An enthalpic scale of hydrogen-bond basicity. 3. Ammonia, primary, secondary, and tertiary amines. *J Org Chem*. 70: 7892-7901. <http://dx.doi.org/10.1021/jo050535g>.
- Graton, J; Berthelot, M; Laurence, C. (2001). Hydrogen-bond basicity pK(HB) scale of secondary amines. 2130-2135. <http://dx.doi.org/10.1039/b105082f>.
- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis*. 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Gray, TJ; Beamand, JA; Lake, BG; Foster, JR; Gangolli, SD. (1982). Peroxisome proliferation in cultured rat hepatocytes produced by clofibrate and phthalate ester metabolites. *Toxicol Lett*. 10: 273-279. [http://dx.doi.org/10.1016/0378-4274\(82\)90087-X](http://dx.doi.org/10.1016/0378-4274(82)90087-X).
- Gray, TJ; Lake, BG; Beamand, JA; Foster, JR; Gangolli, SD. (1983). Peroxisome proliferation in primary cultures of rat hepatocytes. *Toxicol Appl Pharmacol*. 67: 15-25.
- Gray, TJB; Lake, BG; Beamand, JA; Foster, JR; Gangolli, SD. (1983). Peroxisomal effects of phthalate esters in primary cultures of rat hepatocytes. *Toxicology*. 28: 167-179. [http://dx.doi.org/10.1016/0300-483X\(83\)90115-4](http://dx.doi.org/10.1016/0300-483X(83)90115-4).
- Green, MA. (2015). The Passivated Emitter and Rear Cell (PERC): From conception to mass production. *Solar Energy Materials and Solar Cells*. 143: 190-197. <http://dx.doi.org/10.1016/j.solmat.2015.06.055>.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GA. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *J Toxicol Environ Health A*. 63: 145-157. <http://dx.doi.org/10.1080/15287390151126487>.
- Green, T; Dow, J; Ellis, MK; Foster, JR; Odum, J. (1997). The role of glutathione conjugation in the development of kidney tumours in rats exposed to trichloroethylene. *Chem Biol Interact*. 105: 99-117.
- Green, T; Mainwaring, GW; Foster, JR. (1997). Trichloroethylene-induced mouse lung tumors: Studies of the mode of action and comparisons between species. *Fundam Appl Toxicol*. 37: 125-130. <http://dx.doi.org/10.1006/faat.1997.2312>.
- Greene, R. (2001). NEMA releases new standard. *Chemical Engineering Progress*. 97: 16-16.

## Fate Literature Search Results

### Off Topic

- Gregory, KB; Mason, MG; Picken, HD; Weathers, LJ; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci.* 17: 169-181.
- Gregory, R; Partridge, M; Flower, MA. (2006). Performance evaluation of the Philips "Gemini" PET/CT system. *IEEE Trans Nucl Sci.* 53: 93-101. <http://dx.doi.org/10.1109/TNS.2005.862968>.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol.* 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Gressler May, L; Kelly, J. R.; Bottino, MA; Hill, T. (2015). Influence of the resin cement thickness on the fatigue failure loads of CAD/CAM feldspathic crowns. *Dent Mater.* 31: 895-900. <http://dx.doi.org/10.1016/j.dental.2015.04.019>.
- Griffin, BM; Tiedje, JM. (2007). Microbial reductive dehalogenation in Antarctic melt pond sediments. *Antarct Sci.* 19: 411-416. <http://dx.doi.org/10.1017/S0954102007000570>.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environ Sci Technol.* 38: 4300-4303. <http://dx.doi.org/10.1021/es035439g>.
- Griffin, JM; Blossom, SJ; Jackson, SK; Gilbert, KM; Pumford, NR. (2000). Trichloroethylene accelerates an autoimmune response by Th1 T cell activation in MRL +/- mice. *Immunopharmacology.* 46: 123-137. [http://dx.doi.org/10.1016/S0162-3109\(99\)00164-2](http://dx.doi.org/10.1016/S0162-3109(99)00164-2).
- Griffin, JM; Gilbert, KM; Lamps, LW; Pumford, NR. (2000). CD4+ T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL+/+ mice. *Toxicol Sci.* 57: 345-352.
- Griffin, JM; Gilbert, KM; Pumford, NR. (2000). Inhibition of CYP2E1 reverses CD4+ T-cell alterations in trichloroethylene-treated MRL+/+ mice. *Toxicol Sci.* 54: 384-389.
- Griffiths, BS; Bonkowski, M; Dobson, G; Caul, S. (1999). Changes in soil microbial community structure in the presence of microbial-feeding nematodes and protozoa. *Pedobiologia.* 43: 297-304.
- Griggs, M; Hartzo, GD. (2006). Overload for ASD applications - How much is required? *I E E E Transactions on Industry Applications.* 42: 890-899. <http://dx.doi.org/10.1109/TIA.2006.876084>.
- Grimm, RE; Olhoeft, GR; Mckinley, K; Rossabi, J; Riha, B. (2005). Nonlinear complex-resistivity survey for DNAPL at the Savannah River site A-014 outfall. *J Environ Eng Geophys.* 10: 351-364.
- Grimrud, EP; Rasmussen, RA. (1975). Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. *Atmos Environ.* 9: 1014-1017. [http://dx.doi.org/10.1016/0004-6981\(75\)90022-0](http://dx.doi.org/10.1016/0004-6981(75)90022-0).
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOs) adsorption. *Korean J Chem Eng.* 20: 950-955.
- Grivennikov, SI; Greten, FR; Karin, M. (2010). Immunity, inflammation, and cancer. *Cell.* 140: 883-899. <http://dx.doi.org/10.1016/j.cell.2010.01.025>.
- Grobin, AC; Matthews, DB; Devaud, LL; Morrow, AL. (1998). The role of GABA(A) receptors in the acute and chronic effects of ethanol [Review]. *Psychopharmacology.* 139: 2-19.
- Gromiec, JP; Wesolowski, W; Brzezniczki, S; Wroblewska-Jakubowska, K; Kucharska, M. (2002). Occupational exposure to rubber vulcanization products during repair of rubber conveyor belts in a brown coal mine. *J Environ Monit.* 4: 1054-1059. <http://dx.doi.org/10.1039/b209207g>.
- Gros, V; Gaimoz, C; Herrmann, F; Custer, T; Williams, J; Bonsang, B; Sauvage, S; Locoge, N; D'Argouges, O; Sarda-Esteve, R; Sciare, J. (2011). Volatile organic compounds sources in Paris in spring 2007. Part I: qualitative analysis. *Environ Chem.* 8: 74-90. <http://dx.doi.org/10.1071/EN10068>.
- Grosjean, D; Williams, EL. (1992). PHOTOCHEMICAL POLLUTION AT 2 SOUTHERN CALIFORNIA SMOG RECEPTOR-SITES. *J Air Waste Manag Assoc.* 42: 805-809.
- Grosse, Y; Baan, R; Secretan-Laubay, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Guha, N; Islami, F; Galichet, L; Straif, K. (2011). Carcinogenicity of chemicals in industrial and consumer products, food contaminants and flavourings, and water chlorination byproducts. *Lancet Oncol.* 12: 328-329. [http://dx.doi.org/10.1016/S1470-2045\(11\)70088-2](http://dx.doi.org/10.1016/S1470-2045(11)70088-2).
- Groster, A; Chan, WW; Edwards, EA. (2009). 1,1,1-trichloroethane and 1,1-dichloroethane reductive dechlorination kinetics and co-contaminant effects in a Dehalobacter-containing mixed culture. *Environ Sci Technol.* 43: 6799-6807. <http://dx.doi.org/10.1021/es901038x>.
- Grotus, N; Reader, AJ; Stute, S; Rosenwald, JC; Giraud, P; Buvat, I. (2009). Fully 4D list-mode reconstruction applied to respiratory-gated PET scans. *Phys Med Biol.* 54: 1705-1721. <http://dx.doi.org/10.1088/0031-9155/54/6/020>.
- Groves, WA; Achutan, C. (2004). Laboratory and field evaluation of a SAW microsensor array for measuring perchloroethylene in breath. *J Occup Environ Hyg.* 1: 779-788. <http://dx.doi.org/10.1080/15459620490885626>.
- Groves, WA; Grey, AB; O'Shaughnessy, PT. (2006). Surface acoustic wave (SAW) microsensor array for measuring VOCs in drinking water. *J Environ Monit.* 8: 932-941. <http://dx.doi.org/10.1039/b608358g>.
- Groves, WA; Zellers, ET. (1996). Investigation of Organic Vapor Losses to Condensed Water Vapor in Tedlar Bags Used for Exhaled-Breath Sampling. *Am Ind Hyg Assoc J.* 57: 257-263.
- Groves, WA; Zellers, ET. (1996). Prototype Instrument Employing a Microsensor Array for the Analysis of Organic Vapors in Exhaled Breath. *Am Ind Hyg Assoc J.* 57: 1103-1108.
- Gu, AZ; Stensel, HD; Pietari, JMH; Strand, SE. (2003). Vinyl bromide as a surrogate for determining vinyl chloride reductive dechlorination potential. *Environ Sci Technol.* 37: 4410-4416. <http://dx.doi.org/10.1021/es0207899>.
- Gu, BH; West, OR; Siegrist, RL. (1995). USING C-14-LABELED RADIOCHEMICALS CAN CAUSE EXPERIMENTAL ERROR IN STUDIES OF THE BEHAVIOR OF VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol.* 29: 1210-1214.

## Fate Literature Search Results

### Off Topic

- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J.* 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Lin, K; Liu, Y; Luo, Q. (2012). Comparison of Photodegradation Performance of 1,1,1-Trichloroethane in Aqueous Solution with the Addition of H<sub>2</sub>O<sub>2</sub> or S<sub>2</sub>O<sub>8</sub><sup>2-</sup> Oxidants. *Ind Eng Chem Res.* 51: 7196-7204. <http://dx.doi.org/10.1021/ie202769d>.
- Gu, Z; Bao, Q; Taschereau, R; Wang, H; Bai, B; Chatziioannou, AF. (2014). Optimization of the Energy Window for PETbox4, a Preclinical PET Tomograph With a Small Inner Diameter. *IEEE Trans Nucl Sci.* 61: 1164-1173. <http://dx.doi.org/10.1109/TNS.2014.2321326>.
- Gu, Z; Prout, DL; Taschereau, R; Bai, B; Chatziioannou, AF. (2016). A New Pulse Pileup Rejection Method Based on Position Shift Identification. *IEEE Trans Nucl Sci.* 63: 22-29. <http://dx.doi.org/10.1109/TNS.2015.2495169>.
- Gu, Z; Taschereau, R; Vu, NT; Wang, H; Prout, DL; Silverman, RW; Bai, B; Stout, DB; Phelps, ME; Chatziioannou, AF. (2013). NEMA NU-4 performance evaluation of PETbox4, a high sensitivity dedicated PET preclinical tomograph. *Phys Med Biol.* 58: 3791-3814. <http://dx.doi.org/10.1088/0031-9155/58/11/3791>.
- Gu, ZW; Sele, B; Chmara, D; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Faure, J. Effects of trichloroethylene and its metabolites on the rate of sister-chromatidexchange in vivo and in vitro study on the human lymphocytes.
- Gu, ZW; Sele, B; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Chmara, D; Faure, J. (1981). Induction d'échanges entre les chromatides soeurs (SCE) par le trichloroéthylène et ses métabolites. *Toxicol Eur Res.* 3: 63-67.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res-Fundam Mol Mech Mutagen.* 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, J, un; Gao, K, ai; Wang, C; Yang, X; Lin, CH; Lu, C; Gao, P. (2014). Measurements of volatile organic compounds in aircraft cabins. Part I: Methodology and detected VOC species in 107 commercial flights. *Build Environ.* 72: 154-161. <http://dx.doi.org/10.1016/j.buildenv.2013.11.002>.
- Guan, X; Liu, F, ei; Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. *Environ Geochem Health.* 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.
- Guay, D; Divigalpitiya, WMR; Belanger, D; Feng, XH. (1994). CHEMICAL BONDING IN RESTACKED SINGLE-LAYER MOS(2) BY X-RAY-ABSORPTION SPECTROSCOPY. *Chem Mater.* 6: 614-619.
- Guberan, E; Fernandez, J. (1974). Control of industrial exposure to tetrachloroethylene by measuring alveolar concentrations: theoretical approach using a mathematical model. *Occup Environ Med.* 31: 159-167.
- Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2004). Remediation of NAPL below the water table by steam-induced heat conduction. *J Contam Hydrol.* 72: 207-225. <http://dx.doi.org/10.1016/j.jconhyd.2003.11.001>.
- Guengerich, FP; Macdonald, TL. (1984). Chemical mechanisms of catalysis by cytochrome P450: a unified view. *Acc Chem Res.* 17: 9-16.
- Guérin, B; Fakhri, GE. (2008). Realistic PET Monte Carlo Simulation With Pixelated Block Detectors, Light Sharing, Random Coincidences and Dead-Time Modeling. *IEEE Trans Nucl Sci.* 55: 942-952. <http://dx.doi.org/10.1109/TNS.2008.924064>.
- Guigard, SE; Stiver, WH; Zytner, RG. (1996). Retention capacities of immiscible chemicals in unsaturated soils. *Water Air Soil Pollut.* 89: 277-289.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ.* 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Castel, B. (2015). Workplace Nitrous Oxide Sampling: Alternative Adsorbents. *Ind Eng Chem Res.* 54: 7760-7765. <http://dx.doi.org/10.1021/acs.iecr.5b00832>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Adsorption of tetrachloroethylene on cationic X and Y zeolites: Influence of cation nature and of water vapor. *Ind Eng Chem Res.* 46: 4614-4620. <http://dx.doi.org/10.1021/ie0616390>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen.* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2008). Adsorption of tetrachloroethylene (PCE) in gas phase on zeolites of faujasite type: Influence of water vapour and of Si/Al ratio. *Microporous and Mesoporous Materials.* 111: 334-342. <http://dx.doi.org/10.1016/j.micromeso.2007.08.035>.
- Guiot, SR; Cimpoia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environ Sci Technol.* 42: 3011-3017. <http://dx.doi.org/10.1021/es702121u>.
- Guiot, SR; Kuhn, R; Lévesque, MJ; Cimpoia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water Sci Technol.* 55: 465-471. <http://dx.doi.org/10.2166/wst.2007.292>.
- Guittonneau, S; Glaze, WH; Duguet, JP; Wable, O; Mallevialle, J. (1992). CHARACTERIZATION OF NATURAL-WATER FOR POTENTIAL TO OXIDIZE ORGANIC POLLUTANTS WITH OZONE. *Ozone: Science and Engineering.* 14: 185-196.
- Gulyas, H; Hemmerling, L. (1990). Tetrachloroethene air pollution originating from coin-operated dry cleaning establishments. *Environ Res.* 53: 90-99.
- Guo, D; Sarkar, J; Suino-Powell, K; Xu, Y; Matsumoto, K; Jia, Y; Yu, S; Khare, S; Haldar, K; Rao, MS; Foreman, JE; Monga, SP; Peters, JM; Xu, HE; Reddy, JK. (2007). Induction of nuclear translocation of constitutive androstane receptor by peroxisome proliferator-activated receptor alpha synthetic ligands in mouse liver. *J Biol Chem.* 282: 36766-36776. <http://dx.doi.org/10.1074/jbc.M707183200>.
- Guo, H; Ding, AJ; Wang, T; Simpson, IJ; Blake, DR; Barletta, B; Meinardi, S; Rowland, FS; Saunders, SM; Fu, TM; Hung, WT; Li, YS. (2009). Source origins, modeled profiles, and apportionments of halogenated hydrocarbons in the greater Pearl River Delta region, southern China. *J Geophys Res Atmos.* 114. <http://dx.doi.org/10.1029/2008JD011448>.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res.* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).



## Fate Literature Search Results

### Off Topic

- Guo, H; Lee, SC; Louie, PK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere*. 57: 1363-1372. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.055>.
- Guo, H; Zhao, X. (2008). Preparation of microcapsules with narrow-size distribution by complex coacervation: Effect of sodium dodecyl sulphate concentration and agitation rate. *J Microencapsul*. 25: 221-227. <http://dx.doi.org/10.1080/02652040701861828>.
- Guo, HL; Zhao, XP. (2004). Preparation of a kind of red encapsulated electrophoretic ink. *Optical Materials*. 26: 297-300. <http://dx.doi.org/10.1016/j.optmat.2004.01.010>.
- Guo, HL; Zhao, XP; Wang, JP. (2005). The relation between narrow-dispersed microcapsules and surfactants. *J Microencapsul*. 22: 853-862. <http://dx.doi.org/10.1080/02652040500175198>.
- Guo, ZS; Tichenor, BA; Mason, MA; Plunket, CM. (1990). The temperature dependence of the emission of perchloroethylene from dry cleaned fabrics. *Environ Res*. 52: 107-115.
- Gupta, DK; Mohanty, KK. (2001). A laboratory study of surfactant flushing of DNAPL in the presence of macroemulsion. *Environ Sci Technol*. 35: 2836-2843. <http://dx.doi.org/10.1021/es001496n>.
- Gupta, H; Tanaka, S. (1995). PHOTOCATALYTIC MINERALISATION OF PERCHLOROETHYLENE USING TITANIUM DIOXIDE. *Water Sci Technol*. 31: 47-54.
- Gupta, ML; Cicerone, RJ; Blake, DR; Rowland, FS; Isaksen, ISA. (1998). Global atmospheric distributions and source strengths of light hydrocarbons and tetrachloroethene. *J Geophys Res Atmos*. 103: 28219-28235.
- Gupta, S; Seagren, EA. (2005). Comparison of bioenhancement of nonaqueous phase liquid pool dissolution with first- and zero-order biokinetics. *J Environ Eng*. 131: 165-169. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:1\(165\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:1(165)).
- Gurtler, R; Moller, U; Sommer, S; Muller, H; Kleinermanns, K. (1994). PHOTOOXIDATION OF EXHAUST POLLUTANTS .3. PHOTOOXIDATION OF THE CHLOROETHENES - DEGRADATION EFFICIENCIES, QUANTUM YIELDS AND PRODUCTS. *Chemosphere*. 29: 1671-1682.
- Guth, DJ. (1994). Comparison of quantitative exposure-response models: application to risk assessment of acute exposure to toluene or tetrachloroethylene [Abstract]. *Toxicologist*. 14: 400.
- Guth, DJ; Carroll, RJ; Simpson, DG; Zhou, H. (1997). Categorical regression analysis of acute exposure to tetrachloroethylene. *Risk Anal*. 17: 321-332.
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2004). Combustion of aliphatic C-2 chlorohydrocarbons over ceria-zirconia mixed oxides catalysts. *Appl Catal A-Gen*. 269: 147-155. <http://dx.doi.org/10.1016/j.apcata.2004.04.014>.
- Guvanis, A; Koc, A. (2015). Optimising delineation accuracy of tumours in PET for radiotherapy planning using blind deconvolution. *Radiat Prot Dosimetry*. 165: 495-498. <http://dx.doi.org/10.1093/rpd/ncv110>.
- Guyton, KZ; Chiu, WA; Bateson, TF; Jinot, J; Scott, CS; Brown, RC; Caldwell, JC. (2009). A reexamination of the PPAR-alpha activation mode of action as a basis for assessing human cancer risks of environmental contaminants [Review]. *Environ Health Perspect*. 117: 1664-1672. <http://dx.doi.org/10.1289/ehp.0900758>.
- Guyton, KZ; Hogan, KA; Scott, CS; Cooper, GS; Bale, AS; Kopylev, L; Barone, S; Makris, SL; Glenn, B; Subramaniam, RP; Gwinn, MR; Dzubow, RC; Chiu, WA. (2014). Human health effects of tetrachloroethylene: key findings and scientific issues. *Environ Health Perspect*. 122: 325-334. <http://dx.doi.org/10.1289/ehp.1307359>.
- Guyton, KZ; Liu, Y; Gorospe, M; Xu, Q; Holbrook, NJ. (1996). Activation of mitogen-activated protein kinase by H<sub>2</sub>O<sub>2</sub>. Role in cell survival following oxidant injury. *J Biol Chem*. 271: 4138-4142.
- Guyton, KZ; Xu, Q; Holbrook, NJ. (1996). Induction of the mammalian stress response gene GADD153 by oxidative stress: Role of AP-1 element. *Biochem J*. 314: 547-554.
- Guzelian, PS; Henry, CJ; Farland, WH; Olin, SS. (1992). Developmental toxicants risk assessment [Letter]. *Pediatrics*. 89: 353.
- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Gyftakis, KN; Kappatou, J; Safacas, AN. (2010). Study of Asynchronous Motors with Asymmetrical Rotor Slots Under FEM Steady-State Analysis. *International Review of Electrical Engineering*. 5: 2601-2609.
- Ha, JH; Seagren, EA; Song, X, in. (2014). Oxygen Transport across the Capillary Fringe in LNAPL Pool-Source Zones. *J Environ Eng*. 140: 14040-14040. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000866](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000866).
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Sci Technol*. 34: 557-564.
- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Int J Phytoremediation*. 10: 555-575.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta*. 63: 3429-3441.
- Hack, CE; Chiu, WA; Jay Zhao, Q; Clewell, HJ. (2006). Bayesian population analysis of a harmonized physiologically based pharmacokinetic model of trichloroethylene and its metabolites. *Regul Toxicol Pharmacol*. 46: 63-83. <http://dx.doi.org/10.1016/j.yrtph.2006.05.012>.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A*. 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddad, S; Withey, J; Lapare, S; Law, F; Krishnan, K. (1998). Physiologically-based pharmacokinetic modeling of pyrene in the rat. *Environ Toxicol Pharmacol*. 5: 245-255. [http://dx.doi.org/10.1016/S1382-6689\(98\)00008-8](http://dx.doi.org/10.1016/S1382-6689(98)00008-8).
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification*. 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.

## Fate Literature Search Results

### Off Topic

- Hadjoudj, R; Monnier, H; Roizard, C; Lapicque, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res.* 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol.* 119: 89-98. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.011>.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere.* 89: 1369-1375. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.097>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res.* 44: 331-339. <http://dx.doi.org/10.1016/j.watres.2009.09.033>.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol.* 75: 281-296. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.002>.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere.* 41: 1219-1225.
- Hagmar, L; Bellander, T; Högstedt, B; Hallberg, T; Attewell, R; Raihle, G; Au, WW; Legator, MS; Mitelman, F; Skerfving, S. (1988). Biological effects in a chemical factory with mutagenic exposure. I. Cytogenetic and haematological parameters. *Int Arch Occup Environ Health.* 60: 437-444. <http://dx.doi.org/10.1007/BF00381392>.
- Hake, CL; Stewart, RD. (1977). Human exposure to tetrachloroethylene: Inhalation and skin contact. *Environ Health Perspect.* 21: 231-238.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpaa, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol.* 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol.* 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol.* 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol.* 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.
- Halasz, J; Hodos, M; Hannus, I; Tasi, G; Kiricsi, I. (2005). Catalytic detoxification of C-2-chlorohydrocarbons over iron-containing oxide and zeolite catalysts. *Colloid Surface Physicochem Eng Aspect.* 265: 171-177. <http://dx.doi.org/10.1016/j.colsurfa.2005.03.030>.
- Hallam, B; Uruena, A; Russell, R; Aleman, M; Abbott, M; Dang, C, hi; Wenham, S; Tous, L; Poortmans, J, ef. (2015). Efficiency enhancement of i-PERC solar cells by implementation of a laser doped selective emitter. *Solar Energy Materials and Solar Cells.* 134: 89-98. <http://dx.doi.org/10.1016/j.solmat.2014.11.028>.
- Halmann, M; Hunt, AJ; Spath, D. (1992). PHOTODEGRADATION OF DICHLOROMETHANE, TETRACHLOROETHYLENE AND 1,2-DIBROMO-3-CHLOROPROPANE IN AQUEOUS SUSPENSIONS OF TIO(2) WITH NATURAL, CONCENTRATED AND SIMULATED SUNLIGHT. *Solar Energy Materials and Solar Cells.* 26: 1-16.
- Halonen, I; Tarhanen, J; Ollikainen, S; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1994). THE EFFECT OF INORGANIC AND ORGANIC CHLORINE ON FORMATION OF HIGHLY CHLORINATED ORGANIC-COMPOUNDS DURING INCINERATION - LABORATORY PILOT-STUDY. *Chemosphere.* 28: 2129-2138.
- Halonen, I; Tarhanen, J; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1995). Effect of catalysts and chlorine source on the formation of organic chlorinated compounds. *Chemosphere.* 30: 1261-1273.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut.* 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hamer, PS; Lowe, DM; Wallace, SE. (1997). Energy-efficient induction motors performance characteristics and life-cycle cost comparisons for centrifugal loads. *I E E E Transactions on Industry Applications.* 33: 1312-1320.
- Hamilton, A. (2006). NEMA sets sites on energy policy act implementation for T & D products. *I E E E Electrical Insulation Magazine.* 22: 56-57.
- Hamilton, R. (2004). NEMA and Magnet Wire Industry unite to improve toxic air pollutant standard. *I E E E Electrical Insulation Magazine.* 20: 57-58.
- Hamilton, R. (2006). NEMA releases first revision of 2003 Magnet Wire standard. *I E E E Electrical Insulation Magazine.* 22: 54-54.
- Hammond, GE; Valocchi, AJ; Lichtner, PC. (2005). Application of Jacobian-free Newton-Krylov with physics-based preconditioning to biogeochemical transport. *Advances in Water Resources.* 28: 359-376. <http://dx.doi.org/10.1016/j.advwatres.2004.12.001>.
- Hammond, WE. (1995). The status of healthcare standards in the United States. *Int J Bio Med Comput.* 39: 87-92.
- Hampson, MC; Coombes, JW; Murphy, AM. (1983). PROCEDURES FOR ISOLATING POPULATIONS OF WHOLE AND FRAGMENTED RESTING SPORANGIA OF SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC FROM POTATO TISSUE FOR ELECTRON-MICROSCOPY AND CHEMICAL-ANALYSIS. *Plant Soil.* 72: 49-55.
- Han, K; Hong, U; Park, S; Lee, G; Kwon, S; Kim, Y. (2016). Long-term monitoring and evaluating biological activity of in situ anaerobic reductive dechlorination at a highly recharged and TCE-contaminated aquifer. *Desalination and Water Treatment.* 57: 24085-24095. <http://dx.doi.org/10.1080/19443994.2016.1153903>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol.* 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell.* 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).

## Fate Literature Search Results

### Off Topic

- Hanefeld, M; Kemmer, C; Kadner, E. (1983). Relationship between morphological changes and lipid-lowering action of p-chlorophenoxyisobutyric acid (CPIB) on hepatic mitochondria and peroxisomes in man. *Atherosclerosis*. 46: 239-246. [http://dx.doi.org/10.1016/0021-9150\(83\)90115-6](http://dx.doi.org/10.1016/0021-9150(83)90115-6).
- Hanefeld, M; Kemmer, C; Leonhardt, W; Kunze, KD; Jaross, W; Haller, H. (1980). Effects of p-chlorophenoxyisobutyric acid (CPIB) on the human liver. *Atherosclerosis*. 36: 159-172.
- Haney, JT, Jr. (2016). Historical drinking water contamination at Camp Lejeune: Regulatory risk assessor and personal perspectives. *Hum Ecol Risk Assess*. 22: 1029-1035. <http://dx.doi.org/10.1080/10807039.2015.1129890>.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol*. 28: 273-280. <http://dx.doi.org/10.1007/BF00213102>; <http://link.springer.com/article/10.1007%2FBF00213102>.
- Hanioka, N; Omae, E; Yoda, R; Jinno, H; Nishimura, T; Ando, M. (1997). Effect of trichloroethylene on cytochrome P450 enzymes in the rat liver. *Bull Environ Contam Toxicol*. 58: 628-635.
- Hanna, RA; Buchler, PM; Cheeseman, CR. (2005). A study of the influence of organic compounds during the cement hydration by using XRD and DTA. *Materials Science Forum*. 498-499: 740-746.
- Hannebauer, H; Dullweber, T; Baumann, U; Falcon, T, om; Brendel, R. (2014). 21.2%-efficient fineline-printed PERC solar cell with 5 busbar front grid. *Physica Status Solidi Rapid Research Letters*. 8: 675-679. <http://dx.doi.org/10.1002/pssr.201409190>.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; McLaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med*. 43: 133-139.
- Hao, OJ; Phull, KK; Simmers, KW. (1992). LABORATORY EVALUATION OF THE LEACHING OF ORGANICS FROM FABRIC MATERIAL. *J Am Water Works Assoc*. 84: 92-98.
- Haque, MH. (2008). Determination of NEMA Design Induction Motor Parameters From Manufacturer Data. *I E E E Transactions on Energy Conversion*. 23: 997-1004. <http://dx.doi.org/10.1109/TEC.2008.2001451>.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon*. 49: 2206-2215. <http://dx.doi.org/10.1016/j.carbon.2011.01.050>.
- Harbec, D; Meunier, JL; Guo, L; Jureidini, J. (2007). A parametric study of carbon nanotubes production from tetrachloroethylene using a supersonic thermal plasma jet. *Carbon*. 45: 2054-2064. <http://dx.doi.org/10.1016/j.carbon.2007.05.025>.
- Harbottle, MJ; Al-Tabbaa, A. (2008). Degradation of 2-chlorobenzoic acid in stabilised/solidified soil systems. *Int Biodeterior Biodegradation*. 61: 173-181. <http://dx.doi.org/10.1016/j.ibiod.2007.07.002>.
- Hardell, L; Eriksson, M; Lenner, P; Lundgren, E. (1981). Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy acids: A case-control study. *Br J Cancer*. 43: 169-176.
- Hardie, DWF. (1964). Chlorocarbons and chlorohydrocarbons: Trichloroethylene. In RE Kirk; DF Othmer (Eds.), (2nd ed., pp. 183-195). New York, NY: John Wiley and Sons.
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health*. 7: 66-75.
- Harding, KC; Lee, PK; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of varying growth conditions on stable carbon isotope fractionation of trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environ Sci Technol*. 47: 12342-12350. <http://dx.doi.org/10.1021/es402617q>.
- Hardwick, JP; Song, BJ; Huberman, E; Gonzalez, FJ. (1987). Isolation, complementary DNA sequence, and regulation of rat hepatic lauric acid omega-hydroxylase (cytochrome P-450LA omega): Identification of a new cytochrome P-450 gene family. *J Biol Chem*. 262: 801-810.
- Harendra, S; Vipulanandan, C. (2011). Effects of Surfactants on Solubilization of Perchloroethylene (PCE) and Trichloroethylene (TCE). *Ind Eng Chem Res*. 50: 5831-5837. <http://dx.doi.org/10.1021/ie102589e>.
- Harendra, S; Vipulanandan, C. (2011). Fe/Ni Bimetallic Particles Transport in Columns Packed with Sandy Clay Soil. *Ind Eng Chem Res*. 50: 404-411. <http://dx.doi.org/10.1021/ie101546k>.
- Harendra, S; Vipulanandan, C. (2011). Solubilization and degradation of perchloroethylene (PCE) in cationic and nonionic surfactant solutions. *J Environ Sci*. 23: 1240-1248. [http://dx.doi.org/10.1016/S1001-0742\(10\)60576-1](http://dx.doi.org/10.1016/S1001-0742(10)60576-1).
- Harendra, S; Vipulanandan, C. (2012). Determination of Sodium Dodecyl Sulfate (SDS) and Biosurfactants Sorption and Transport Parameters in Clayey Soil. *Journal of Surfactants and Detergents*. 15: 805-813. <http://dx.doi.org/10.1007/s11743-012-1355-y>.
- Harendra, S; Vipulanandan, C. (2013). Sorption and transport studies of cetyl trimethylammonium bromide (CTAB) and Triton X-100 in clayey soil. *J Environ Sci*. 25: 576-584. [http://dx.doi.org/10.1016/S1001-0742\(12\)60070-9](http://dx.doi.org/10.1016/S1001-0742(12)60070-9).
- Haridy, SA; Persson, M; Berndtsson, R. (2004). Estimation of LNAPL saturation in fine sand using time-domain reflectometry. *Hydrological Sciences Journal*. 49: 987-1000.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol*. 151: 16-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.002>.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol*. 131: 100-118. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.011>.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweerdt, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environ Sci Technol*. 33: 1100-1109.
- Harmon, TC; Delabarre, BK; Roberts, PV. (1996). Estimating internal mass transfer rates in soils using scintillation fluid extraction. 6: 155-164.
- Harrap, KR. (1975). Deviant metabolic patterns in malignant disease. In EJ Ambrose; FJC Roe (Eds.), (2nd ed., pp. 96-125). New York: Halsted Press.

## Fate Literature Search Results

### Off Topic

- Harrington, JM; Whitby, H; Gray, CN; Reid, FJ; Aw, TC; Waterhouse, JA. (1989). Renal disease and occupational exposure to organic solvents: A case referent approach. *Br J Ind Med.* 46: 643-650. <http://dx.doi.org/10.1136/oem.46.9.643>.
- Harrington-Brock, K; Doerr, CL; Moore, MM. (1998). Mutagenicity of three disinfection by-products: Di- and trichloroacetic acid and chloral hydrate in L5178Y(+/-) --3.7.2C mouse lymphoma cells. *Mutat Res Genet Toxicol Environ Mutagen.* 413: 265-276.
- Harrington-Brock, K; Smith, TW; Parker, LM; Moore, MM. (1992). Environmental and Molecular Mutagenesis Genotoxic effects of by-products of the chlorination of drinking water. Reno, Nevada.
- Harris, MI. (1995). Chapter 1: Summary. In MI Harris; CC Cowie; MP Stern; EJ Boyko; GE Reiber; PH Bennett (Eds.), (2nd ed., pp. 1-14). Bethesda, MD: National Diabetes Data Group; National Institutes of Health; National Institute of Diabetes and Digestive and Kidney Diseases. <http://diabetes.niddk.nih.gov/dm/pubs/america/contents.htm>.
- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol.* 11: 3-10. [http://dx.doi.org/10.1093/annonc/11.suppl\\_1.S3](http://dx.doi.org/10.1093/annonc/11.suppl_1.S3).
- Harris, RA; Mihic, SJ; Dildy-Mayfield, JE; Machu, TK. (1995). Actions of anesthetics on ligand-gated ion channels: Role of receptor subunit composition [Review]. *FASEB J.* 9: 1454-1462.
- Harrold, G; Gooddy, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environ Sci Technol.* 37: 1919-1925. <http://dx.doi.org/10.1021/es020117i>.
- Hart, R; Turturro, A. (1988). Comments on Allen et al [Letter]. *Risk Anal.* 8: 545-547. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01194.x>.
- Harte, PT. (2002). Comparison of temporal trends in VOCs as measured with PDB samplers and low-flow sampling methods. *Ground Water Monitoring and Remediation.* 22: 45-47.
- Harte, PT; Flanagan, SM. (2011). Application of a New Vertical Profiling Tool (ESASS) for Sampling Groundwater Quality During Hollow-Stem Auger Drilling. *Ground Water Monitoring and Remediation.* 31: 86-98. <http://dx.doi.org/10.1111/j.1745-6592.2011.01326.x>.
- Harte, PT; Konikow, LF; Hornberger, GZ. (2006). Simulation of solute transport across low-permeability barrier walls. *J Contam Hydrol.* 85: 247-270. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.012>.
- Harte, PT; Smith, TE; Williams, JH; Degnan, JR. (2012). Time series geophysical monitoring of permanganate injections and in situ chemical oxidation of PCE, OU1 area, Savage Superfund Site, Milford, NH, USA. *J Contam Hydrol.* 132: 58-74. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.008>.
- Hartge, P; Cahill, JI; West, D; Hauck, M; Austin, D; Silverman, D; Hoover, R. (1984). Design and methods in a multi-center case-control interview study. *Am J Public Health.* 74: 52-56.
- Hartge, P; Hoover, R; Kantor, A. (1985). Bladder cancer risk and pipes, cigars, and smokeless tobacco. *Cancer.* 55: 901-906. [http://dx.doi.org/10.1002/1097-0142\(19850215\)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q](http://dx.doi.org/10.1002/1097-0142(19850215)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q).
- Hartwell, TD; Crowder, JH; Sheldon, LS; Pellizzari, ED; Wallace, L. (1985). Proceedings of the Air Pollution Control Association 78th Annual Meeting Levels of volatile organics in indoor air. Pittsburgh, PA: Air Pollution Control Association.
- Hasan, R; Mandler, R; Steinbeige, L. (2016). Hybrid Arc Flash Protection Within Electrically Classified Areas. *I E E E Transactions on Industry Applications.* 52: 3548-3556. <http://dx.doi.org/10.1109/TIA.2016.2544746>.
- Hasegawa, A; Yajima, I. (1991). DETERMINATION OF HALOCARBONS IN AIR BY USING ADSORBENT COLLECTION SOLVENT-EXTRACTION GC. *Bunseki Kagaku.* 40: 489-494.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ.* 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut.* 139: 35-41.
- Haselmann, KF; Laternus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere.* 41: 1769-1774.
- Haseman, JK; Hailey, JR; Morris, RW. (1998). Spontaneous neoplasm incidences in Fischer 344 rats and B6C3F1 mice in two-year carcinogenicity studies: A National Toxicology Program update. *Toxicol Pathol.* 26: 428-441. <http://dx.doi.org/10.1177/019262339802600318>.
- Hashisho, Z; Rood, M; Botich, L. (2005). Microwave-swing adsorption to capture and recover vapors from air streams with activated carbon fiber cloth. *Environ Sci Technol.* 39: 6851-6859. <http://dx.doi.org/10.1021/es050338z>.
- Hashsham, SA; Freedman, DL. (2003). Adsorption of vitamin B-12 to alumina, kaolinite, sand and sandy soil. *Water Res.* 37: 3189-3193. [http://dx.doi.org/10.1016/S0043-1354\(03\)00131-3](http://dx.doi.org/10.1016/S0043-1354(03)00131-3).
- Hasmall, S; Orphanides, G; James, N; Pennie, W; Hedley, K; Soames, A; Kimber, I; Roberts, R. (2002). Downregulation of lactoferrin by PPARalpha ligands: Role in perturbation of hepatocyte proliferation and apoptosis. *Toxicol Sci.* 68: 304-313.
- Hasmall, SC; James, NH; Macdonald, N; West, D; Chevalier, S; Cosulich, SC; Roberts, RA. (1999). Suppression of apoptosis and induction of DNA synthesis in vitro by the phthalate plasticizers monoethylhexylphthalate (MEHP) and diisononylphthalate (DINP): A comparison of rat and human hepatocytes in vitro. *Arch Toxicol.* 73: 451-456. <http://dx.doi.org/10.1007/s002040050634>.
- Hassoun, EA; Dey, S. (2008). Dichloroacetate- and trichloroacetate-induced phagocytic activation and production of oxidative stress in the hepatic tissues of mice after acute exposure. *J Biochem Mol Toxicol.* 22: 27-34. <http://dx.doi.org/10.1002/jbt.20210>.
- Hatfield, K; Stauffer, TB. (1992). Nonequilibrium modeling of transport in fine sand containing residual decane (pp. 369-382). (ISSN 0882-5696; BIOSIS/93/10481). Hatfield, K; Stauffer, TB.
- Hatt, JK; Ritalahti, KM; Ogles, DM; Lebrón, CA; Löffler, FE. (2013). Design and application of an internal amplification control to improve Dehalococcoides mccartyi 16S rRNA gene enumeration by qPCR. *Environ Sci Technol.* 47: 11131-11138. <http://dx.doi.org/10.1021/es4019817>.

## Fate Literature Search Results

### Off Topic

- Hattis, D; White, P; Koch, P. (1993). Uncertainties in pharmacokinetic modeling for perchloroethylene: II. Comparison of model predictions with data for a variety of different parameters [Review]. *Risk Anal.* 13: 599-610. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb01322.x>.
- Hattis, D; White, P; Marmorstein, L; Koch, P. (1990). Uncertainties in pharmacokinetic modeling for perchloroethylene. I. Comparison of model structure, parameters, and predictions for low-dose metabolism rates for models derived by different authors. *Risk Anal.* 10: 449-458. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00528.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1990.tb00528.x/abstract>.
- Haunschild, J; Reis, IE; Chiwei, T; Demant, M; Thaidigsmann, B; Linse, M; Rein, S. (2012). Rating and sorting of mc-Si as-cut wafers in solar cell production using PL imaging. *Solar Energy Materials and Solar Cells.* 106: 71-75. <http://dx.doi.org/10.1016/j.solmat.2012.05.027>.
- Hauswirth, SC; Miller, CT. (2014). A comparison of physicochemical methods for the remediation of porous medium systems contaminated with tar. *J Contam Hydrol.* 167: 44-60. <http://dx.doi.org/10.1016/j.jconhyd.2014.08.002>.
- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen.* 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2860050703/abstract>.
- Hawthorne, SB; Hegvik, KM; Yang, Y; Miller, DJ. (1994). DETERMINATION OF HEAVY HYDROCARBON CONTAMINATION USING SUPERCRITICAL-FLUID EXTRACTION WITH INFRARED DETECTION. *Fuel.* 73: 1876-1879.
- Hawthorne, SB; Miller, DJ; Louie, PKK; Butler, RD; Mayer, GG. (1996). Vapor-phase and particulate-associated pesticides and PCB concentrations in eastern North Dakota air samples. *J Environ Qual.* 25: 594-600.
- Hayden, N; Diebold, J; Farrell, C; Laible, J; Stacey, R. (2006). Characterization and removal of DNAPL from sand and clay layered media. *J Contam Hydrol.* 86: 53-71. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.008>.
- Hayden, NJ; Brooks, MC; Annable, MD; Zhou, HX. (2001). Activated carbon for removing tetrachloroethylene from alcohol solutions. *J Environ Eng.* 127: 1116-1123.
- Hayden, NJ; Diebold, J; Noyes, G. (1999). Phase behavior of chlorinated solvent plus water plus alcohol mixtures with application to alcohol flushing. *Journal of Chemical and Engineering Data.* 44: 1085-1090.
- Haydon, DA; Urban, BW. (1983). The action of alcohols and other non-ionic surface active substances on the sodium current of the squid giant axon. *J Physiol.* 341: 411-427.
- Haydon, DA; Urban, BW. (1983). The action of hydrocarbons and carbon tetrachloride on the sodium current of the squid giant axon. *J Physiol.* 338: 435-450.
- Haydon, DA; Urban, BW. (1983). The effects of some inhalation anaesthetics on the sodium current of the squid giant axon. *J Physiol.* 341: 429-439.
- He, F; Zhao, D; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res.* 44: 2360-2370. <http://dx.doi.org/10.1016/j.watres.2009.12.041>.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Löffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environ Sci Technol.* 36: 3945-3952. <http://dx.doi.org/10.1021/es025528d>.
- He, L, i; Huang, G, uohe; Lu, H, wei; Shen, J. (2013). Degradation kinetics of dense nonaqueous phase liquids in the environment under impacts of mixed white and colored noises. *Stoch Environ Res Risk Assess.* 27: 1947-1955. <http://dx.doi.org/10.1007/s00477-013-0729-7>.
- He, Q; Yan, Y; Li, H; Zhang, Y; Chen, L; Wang, Y. (2015). Characteristics and reactivity of volatile organic compounds from non-coal emission sources in China. *Atmos Environ.* 115: 153-162. <http://dx.doi.org/10.1016/j.atmosenv.2015.05.066>.
- He, Z; Yang, G; Lu, X; Zhang, H. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut.* 177: 28-37. <http://dx.doi.org/10.1016/j.envpol.2013.02.008>.
- He, Z; Yang, G, uIP; Lu, XL, an; Ding, QY, ao; Zhang, HH, ai. (2013). Halocarbons in the marine atmosphere and surface seawater of the south Yellow Sea during spring. *Atmos Environ.* 80: 514-523. <http://dx.doi.org/10.1016/j.atmosenv.2013.08.025>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere.* 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Health, NJDo. (2013). Public Health Assessment Final Release: Public Health Implication of Site-Related Exposures to Tetrachloroethylene and Trichloroethylene, Pohatcong Valley Groundwater Contamination Superfund Site, Warren County, New Jersey. EPA Facility ID: NJD981179047, May 8, 2013 (pp. 103).
- Health, NJDo. (2016). Health Assessment Final Release: Public Health Implications of Exposures to Chlorinated Volatile Organic Compounds in Public Supply Wells, Orange Valley Regional Ground Water Contamination Site, Orange and West Orange, Essex County, New Jersey. EPA Facility ID: NJD002148799. [https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange\\_Valley\\_Regional\\_Groundwater\\_Contamination\\_PHA\(PC\)\\_09-15-2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange_Valley_Regional_Groundwater_Contamination_PHA(PC)_09-15-2015_508.pdf).
- Health, ODo. (2012). Health Consultation: Jerry's Professional Cleaners Vapor Intrusion Site, Kent, Portage County, Ohio. EPA Facility ID: OHN000510524, September 17, 2012 (pp. 21).
- Health, TDo. (2015). Health Consultation: Evaluation of Indoor Air Sampling Events, Former Walker Machine Products, Collierville, Shelby County, Tennessee, July 28, 2015.
- Heavner, DL; Morgan, WT; Ogden, MW. (1995). Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ Int.* 21: 3-21.
- Heavner, GL; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular biomarker-based biokinetic modeling of a PCE-dechlorinating and methanogenic mixed culture. *Environ Sci Technol.* 47: 3724-3733. <http://dx.doi.org/10.1021/es303517s>.

## Fate Literature Search Results

### Off Topic

- Hedenqvist, MS; Ritums, JE; Conde-Brana, M; Bergman, G. (2004). Structure and properties of poly(ethylene-co-chlorotrifluoroethylene) and polyvinylidene fluoride exposed to water, hydrochloric acid, hydrobromic acid and tetrachloroethylene. *Polymer Engineering and Science*. 44: 113-122.
- Hegedus, M; Dombi, A. (2004). Comparative study of heterogeneous photocatalytic decomposition of tetrachloroethene and trichloroethene in the gas phase. *Appl Catal A-Gen*. 271: 177-184. <http://dx.doi.org/10.1016/j.apcata.2004.02.057>.
- Hegedus, M; Dombi, A. (2004). Gas-phase heterogeneous photocatalytic oxidation of chlorinated ethenes over titanium dioxide: perchloroethene. *Appl Catal B-Environ*. 53: 141-151. <http://dx.doi.org/10.1016/j.apcatb.2004.05.010>.
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis*. 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Heidari, M; Attari, SG; Rafieiemam, M. (2016). Application of solid phase microextraction and needle trap device with silica composite of carbon nanotubes for determination of perchloroethylene in laboratory and field. *Anal Chim Acta*. 918: 43-49. <http://dx.doi.org/10.1016/j.aca.2016.03.009>.
- Heidari, M; Bahrami, A; Ghiasvand, AR; Emam, MR; Shahna, FG; Soltanian, AR. (2015). Graphene packed needle trap device as a novel field sampler for determination of perchloroethylene in the air of dry cleaning establishments. *Talanta*. 131: 142-148. <http://dx.doi.org/10.1016/j.talanta.2014.07.043>.
- Heidari, M; Bahrami, A; Ghiasvand, AR; Shahna, FG; Soltanian, AR. (2012). A novel needle trap device with single wall carbon nanotubes sol-gel sorbent packed for sampling and analysis of volatile organohalogen compounds in air. *Talanta*. 101: 314-321. <http://dx.doi.org/10.1016/j.talanta.2012.09.032>.
- Heiderscheidt, JL; Crimi, M; Siegrist, RL; Singletary, MA. (2008). Optimization of Full-Scale Permanganate ISCO System Operation: Laboratory and Numerical Studies. *Ground Water Monitoring and Remediation*. 28: 72-84. <http://dx.doi.org/10.1111/j.1745-6592.2008.00213.x>.
- Heikes, DL; Hopper, ML. (1986). Purge and trap method for determination of fumigants in whole grains, milled grain products, and intermediate grain-based foods. *J Assoc Offic Anal Chem*. 69: 990-998.
- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res*. 39: 3579-3586. <http://dx.doi.org/10.1016/j.watres.2005.06.029>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med*. 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700260203/abstract>.
- Hejtmancik, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci*. 69: 234-243.
- Held, RJ; Illangasekare, TH. (1995). FINGERING OF DENSE NONAQUEOUS PHASE LIQUIDS IN POROUS-MEDIA .1. EXPERIMENTAL INVESTIGATION. *Water Resour Res*. 31: 1213-1222.
- Hellman, B; Ullberg, S. (1986). Rate of incorporation of [3H]thymidine in various tissues of the mouse. A basis for the evaluation of genotoxic effects of chemicals. *Cell Tissue Kinet*. 19: 183-194. <http://dx.doi.org/10.1111/j.1365-2184.1986.tb00729.x>.
- Hellweg, S; Demou, E; Bruzzi, R; Meijer, A; Rosenbaum, RK; Huijbregts, MA; Mckone, TE. (2009). Integrating human indoor air pollutant exposure within Life Cycle Impact Assessment [Review]. *Environ Sci Technol*. 43: 1670-1679. <http://dx.doi.org/10.1021/es8018176>.
- Hellweg, S; Demou, E; Scheringer, M; Mckone, TE; Hungerbuhler, K. (2005). Confronting workplace exposure to chemicals with LCA: examples of trichloroethylene and perchloroethylene in metal degreasing and dry cleaning. *Environ Sci Technol*. 39: 7741-7748. <http://dx.doi.org/10.1021/es047944z>.
- Helma, C; Eckl, P; Gottmann, E; Kassie, F; Rodinger, W; Steinkellner, H; Windpassinger, C; Schulte-Hermann, R; Knasmuller, S. (1998). Genotoxic and ecotoxic effects of groundwaters and their relation to routinely measured chemical parameters. *Environ Sci Technol*. 32: 1799-1805. <http://dx.doi.org/10.1021/es971049g>.
- Hemminki, K; Franssila, E; Vainio, H. (1980). Spontaneous abortions among female chemical workers in Finland. *Int Arch Occup Environ Health*. 45: 123-126. <http://dx.doi.org/10.1007/BF01274131>.
- Hemminki, K; Saloniemä, I; Luoma, K; Salonen, T; Partanen, T; Vainio, H; Hemminki, E. (1980). Transplacental carcinogens and mutagens: Childhood cancer, malformations, and abortions as risk indicators. *J Toxicol Environ Health A*. 6: 1115-1126. <http://dx.doi.org/10.1080/15287398009529932>.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res*. 203: 405-414.
- Hennighausen, RH. (2002). [Tetrachloroethylene in drycleaning shops]. *Gesundheitswesen*. 64: 683-688. <http://dx.doi.org/10.1055/s-2002-36456>.
- Henri, CV; Fernandez-Garcia, D. (2015). A random walk solution for modeling solute transport with network reactions and multi-rate mass transfer in heterogeneous systems: Impact of biofilms. *Advances in Water Resources*. 86: 119-132. <http://dx.doi.org/10.1016/j.advwatres.2015.09.028>.
- Henry, B; Grant, SG; Klopman, G; Rosenkranz, HS. (1998). Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: Evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res*. 397: 313-335. [http://dx.doi.org/10.1016/S0027-5107\(97\)00231-5](http://dx.doi.org/10.1016/S0027-5107(97)00231-5).
- Henry, SM; Hardcastle, CH; Warner, SD. (2003). Chlorinated solvent and DNAPL remediation: An overview of physical, chemical, and biological processes. *ACS Symp Ser Am Chem Soc*. 837: 1-20.
- Henschler, D. (1977). Metabolism and mutagenicity of halogenated olefins - A comparison of structure and activity. *Environ Health Perspect*. 21: 61-64.

## Fate Literature Search Results

### Off Topic

- Henschler, D; Bonse, G. (1977). Metabolic activation of chlorinated ethylenes: Dependence of mutagenic effect on electrophilic reactivity of the metabolically formed epoxides. *Arch Toxicol.* 39: 7-12. <http://dx.doi.org/10.1007/BF00343270>.
- Hentschel, W; Heudorf, U; Schmid, A. (1995). PERCHLORETHYLENE IMMISSIONS IN THE NEIGHBORHOOD OF DRY CLEANINGS. *Staub, Reinhaltung der Luft.* 55: 373-375.
- Hentschel, W; Kalker, U; Peters, M. (1993). PERCHLORETHYLENE CONCENTRATIONS IN THE NEIGHBORHOOD OF DRY CLEANINGS. *Staub, Reinhaltung der Luft.* 53: 335-340.
- Herbarth, O; Rolle-Kampczyk, U; Franck, U; Rehwagen, M; Weiss, H; Krumbiegel, P. (2004). Detecting exposure-dependent changes of liver detoxification capacity of children in a formerly high-loaded industrial area with a N-15-labelled diagnostic tool. *Isotopes Environ Health Stud.* 40: 69-74. <http://dx.doi.org/10.1080/10256010310001646545>.
- Herber, U; Meisch, HU. (1995). STUDIES ABOUT THE DESORPTION OF VOLATILE HALOCARBONS FROM ACTIVATED CARBON BY APPLICATION OF STATIC HEADSPACE GAS-CHROMATOGRAPHY. *Fresenius J Anal Chem.* 353: 219-221.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr.* 33: 1179-1182.
- Herman, BA; Harris, GR. (1999). Theoretical study of steady-state temperature rise within the eye due to ultrasound insonation. *IEEE Trans Ultrason Ferroelectr Freq Control.* 46: 1566-1574.
- Hernberg, S; Kauppinen, T; Riala, R; Korkala, ML; Asikainen, U. (1988). Increased risk for primary liver cancer among women exposed to solvents. *Scand J Work Environ Health.* 14: 356-365.
- Hernberg, S; Korkala, ML; Asikainen, U; Riala, R. (1984). Primary liver cancer and exposure to solvents. *Int Arch Occup Environ Health.* 54: 147-153. <http://dx.doi.org/10.1007/BF00378517>.
- Heron, G; Bierschenk, J; Swift, R; Watson, R; Kominek, M. (2016). Thermal DNAPL Source Zone Treatment Impact on a CVOC Plume. *Ground Water Monitoring and Remediation.* 36: 26-37. <http://dx.doi.org/10.1111/gwmr.12148>.
- Heron, G; Gierke, JS; Faulkner, B; Mravik, S; Wood, L; Enfield, CG. (2002). Pulsed air sparging in aquifers contaminated with dense nonaqueous phase liquids. *Ground Water Monitoring and Remediation.* 22: 73-82.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation.* 33: 31-43. <http://dx.doi.org/10.1111/gwmr.12028>.
- Herren-Freund, SL; Pereira, MA; Khoury, MD; Olson, G. (1987). The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol Appl Pharmacol.* 90: 183-189. [http://dx.doi.org/10.1016/0041-008X\(87\)90325-5](http://dx.doi.org/10.1016/0041-008X(87)90325-5).
- Herrera, E; Amusquivar, E; López-Soldado, I; Ortega, H. (2006). Maternal lipid metabolism and placental lipid transfer [Review]. *Horm Res.* 65: 59-64. <http://dx.doi.org/10.1159/000091507>.
- Herrera-Lopez, D; Poggi-Valardo, HM. (2007). A generalization of the model of reactions in series for reactor of complete mixture. *Afinidad.* 64: 41-47.
- Herrera-Lopez, D; Rinderknecht-Seijas, N; Poggi-Valardo, HM. (2007). A generalization of the series and parallel-series reaction model for complete mix reactors. *Interciencia.* 32: 324-327.
- Herrinton, LJ. (1998). Epidemiology of the Revised European-American Lymphoma Classification subtypes [Review]. *Epidemiol Rev.* 20: 187-203.
- Herzog, H; Tellmann, L; Hocke, C; Pietrzyk, U; Casey, ME; Kuwert, T. (2004). NEMA NU2-2001 guided performance evaluation of four siemens ECAT PET scanners. *IEEE Trans Nucl Sci.* 51: 2662-2669. <http://dx.doi.org/10.1109/TNS.2004.835778>.
- Hess, TF; Schrader, PS. (2002). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT). *J Environ Qual.* 31: 736-744.
- Hieslmair, H; Appel, J; Kasthuri, J; ai; Guo, J; Johnson, B; Binns, J. (2016). Impact of the injection-level-dependent lifetime on V-oc, FF, ideality m, J(02), and the dim light response in a commercial PERC cell. *Progress in Photovoltaics.* 24: 1448-1457. <http://dx.doi.org/10.1002/pip.2792>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol.* 27: 335-346.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med.* 58: 295-300.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environ Sci Technol.* 35: 3031-3039.
- Himeno, R; Ohashi, F; Kume, T; Asai, E; Ban, T; Suzuki, T; Iida, T; Habuchi, H; Tsutsumi, Y; Natsuhara, H; Nonomura, S. (2012). Optical band gap of semiconductive type II Si clathrate purified by centrifugation. *Journal of Non-Crystalline Solids.* 358: 2138-2140. <http://dx.doi.org/10.1016/j.jnoncrysol.2011.12.064>.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2011). Evaluation of a laboratory-scale bioreactive in situ sediment cap for the treatment of organic contaminants. *Water Res.* 45: 5365-5374. <http://dx.doi.org/10.1016/j.watres.2011.06.022>.
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol.* 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hinoshita, F; Hardin, JA; Sherr, DH. (1992). Fluoranthene induces programmed cell death and alters growth of immature B cell populations in bone marrow cultures. *Toxicology.* 73: 203-218. [http://dx.doi.org/10.1016/0300-483X\(92\)90103-L](http://dx.doi.org/10.1016/0300-483X(92)90103-L).
- Hinson, JA; Roberts, DW. (1992). Role of covalent and noncovalent interactions in cell toxicity: Effects on proteins [Review]. *Annu Rev Pharmacol Toxicol.* 32: 471-510. <http://dx.doi.org/10.1146/annurev.pa.32.040192.002351>.
- Hinton, RH; Mitchell, FE; Mann, A; Chescoe, D; Price, SC; Nunn, A; Grasso, P; Bridges, JW. (1986). Effects of phthalic acid esters on the liver and thyroid. *Environ Health Perspect.* 70: 195-210.
- Hiortdahl, KM; Borden, RC. (2014). Enhanced reductive dechlorination of tetrachloroethene dense nonaqueous phase liquid with EVO and Mg(OH)<sub>2</sub>. *Environ Sci Technol.* 48: 624-631. <http://dx.doi.org/10.1021/es4042379>.

## Fate Literature Search Results

### Off Topic

- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Sci Technol.* 37: 161-168.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. (1992). GROUNDWATER POLLUTION BY VOLATILE ORGANOCHLORINES IN JAPAN AND RELATED PHENOMENA IN THE SUBSURFACE ENVIRONMENT (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11335). Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K.
- Hirl, PJ; COUNCIL, NR. (1998). Combined anaerobic/aerobic biostimulation for remediation of rail yards contaminated by diesel engine repair and maintenance. *Trans Res Rec*114-119.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Sci Technol.* 35: 49-56.
- Hirvonen, A; Tuhkanen, T; Ettala, M; Korhonen, S; Kalliokoski, P. (1998). Evaluation of a field-scale UV/H<sub>2</sub>O<sub>2</sub>-oxidation system for the purification of groundwater contaminated with PCE. *Environ Technol.* 19: 821-828.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Formation of chlorinated acetic acids during UV H<sub>2</sub>O<sub>2</sub>-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere.* 32: 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). TREATMENT OF TCE-AND PCE-CONTAMINATED GROUNDWATER USING V-H-202 AND O-3H-2O-2 OXIDATION PROCESS. *Water Sci Technol.* 33: 67-73.
- Hisham, MWM; Grosjean, D. (1991). Air-pollution in southern California museums - indoor and outdoor levels of nitrogen-dioxide, peroxyacetyl nitrate, nitric-acid, and chlorinated hydrocarbons. *Environ Sci Technol.* 25: 857-862.
- Hisham, MWM; Grosjean, D. (1991). METHYLCHLOROFORM AND TETRACHLOROETHYLENE IN SOUTHERN CALIFORNIA, 1987-1990. *Environ Sci Technol.* 25: 1930-1936.
- Hisham, MWM; Grosjean, D. (1991). Sulfur dioxide, hydrogen sulfide, total reduced sulfur, chlorinated hydrocarbons and photochemical oxidants in southern California museums. *Atmos Environ.* 25: 1497-1505. [http://dx.doi.org/10.1016/0960-1686\(91\)90009-V](http://dx.doi.org/10.1016/0960-1686(91)90009-V).
- Ho, KF; Lee, SC; Guo, H; Tsai, WY. (2004). Seasonal and diurnal variations of volatile organic compounds (VOCs) in the atmosphere of Hong Kong. *Sci Total Environ.* 322: 155-166. <http://dx.doi.org/10.1016/j.scitotenv.2003.10.004>.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environ Sci Technol.* 33: 1092-1099.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med.* 22: 722-726.
- Hobson, ST; Cemalovic, S; Patel, SV. (2012). Preconcentration and detection of chlorinated organic compounds and benzene. *Analyst.* 137: 1284-1289. <http://dx.doi.org/10.1039/c2an16053f>.
- Hodder, SL; Mounzer, K; Dejesus, E; Ebrahimi, R; Grimm, K; Esker, S; Ecker, J; Farajallah, A; Flaherty, JF; Group, AS. (2010). Patient-reported outcomes in virologically suppressed, HIV-1-infected subjects after switching to a simplified, single-tablet regimen of efavirenz, emtricitabine, and tenofovir DF. *AIDS Patient Care STDS.* 24: 87-96. <http://dx.doi.org/10.1089/apc.2009.0259>.
- Hoekstra, EJ; De Leer, EWB; Brinkman, UAT. (1999). Mass balance of trichloroacetic acid in the soil top layer. *Chemosphere.* 38: 551-563.
- Hoelen, TP; Cunningham, JA; Hopkins, GD; Lebron, CA; Reinhard, M. (2006). Bioremediation of cis-DCE at a sulfidogenic site by amendment with propionate. *Ground Water Monitoring and Remediation.* 26: 82-91.
- Hoenig, JM; Heisey, DM. (2001). The abuse of power: The pervasive fallacy of power calculations for data analysis. *Am Stat.* 55: 19-24.
- Hoffmann, D; Rathkamp, G; Nesnow, S; Wynder, EL. (1972). Fluoranthenes: Quantitative determination in cigarette smoke, formation by pyrolysis, and tumor-initiating activity. *J Natl Cancer Inst.* 49: 1165-1175.
- Hofmann, M; Schmidt, C; Kohn, N; Rentsch, J; Glunz, SW; Preu, R. (2008). Stack system of PECVD amorphous silicon and PECVD silicon oxide for silicon solar cell rear side passivation. *Progress in Photovoltaics.* 16: 509-518. <http://dx.doi.org/10.1002/pip.835>.
- Hofstee, C; Dane, JH; Hill, WE. (1997). Three-fluid retention in porous media involving water, PCE and air. *J Contam Hydrol.* 25: 235-247.
- Hofstee, C; Gutiérrez Ziegler, C; Trötschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol.* 67: 61-78. [http://dx.doi.org/10.1016/S0169-7722\(03\)00088-3](http://dx.doi.org/10.1016/S0169-7722(03)00088-3).
- Hofstee, C; Oostrom, M; Dane, JH; Walker, RC. (1998). Infiltration and redistribution of perchloroethylene in partially saturated, stratified porous media. *J Contam Hydrol.* 34: 293-313.
- Hofstetter, J; Fenning, DP; Powell, DM; Morishige, AE; Wagner, H; Buonassisi, T. (2014). Sorting Metrics for Customized Phosphorus Diffusion Gettering. 4: 1421-1428. <http://dx.doi.org/10.1109/JPHOTOV.2014.2349736>.
- Höhener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol.* 182: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.006>.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environ Sci Technol.* 35: 4449-4456. <http://dx.doi.org/10.1021/es0110067>.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis.* 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Hollyfield, S; Sharma, VK. (1995). ORGANIC CONTAMINANTS AND CHARACTERISTICS OF SEDIMENTS FROM OSO BAY SOUTH TEXAS USA. *Environ Geol.* 25: 137-140.



## Fate Literature Search Results

### Off Topic

- Holm, AK; Rini, M; Nibbering, ETJ; Fidder, H. (2003). Femtosecond UV/mid-IR study of photochromism of the spiroopyran 1',3'-dihydro-1',3',3'-trimethyl-6-nitrospiro-[2H-1-benzopyran-2,2'-(2H)-indole] in solution. *Chem Phys Lett.* 376: 214-219. [http://dx.doi.org/10.1016/S0009-2614\(03\)00949-7](http://dx.doi.org/10.1016/S0009-2614(03)00949-7).
- Holoshitz, N; Alsheikh-Ali, AA; Karas, RH. (2008). Relative safety of gemfibrozil and fenofibrate in the absence of concomitant cerivastatin use. *Am J Cardiol.* 101: 95-97. <http://dx.doi.org/10.1016/j.amjcard.2007.07.057>.
- Hölscher, T; Lisec, J; Baani, M; Duan, TH; Adrian, L. (2010). Bacterial cultures preferentially removing singly flanked chlorine substituents from chlorobenzenes. *Environ Sci Technol.* 44: 8936-8942. <http://dx.doi.org/10.1021/es101971m>.
- Holson, RR; Pearce, B. (1992). Principles and pitfalls in the analysis of prenatal treatment effects in multiparous species. *Neurotoxicol Teratol.* 14: 221-228. [http://dx.doi.org/10.1016/0892-0362\(92\)90020-B](http://dx.doi.org/10.1016/0892-0362(92)90020-B).
- Holt, LA. (1984). SORPTION OF PERCHLOROETHYLENE AND TOLUENE BY WOOL AND OTHER TEXTILES - INFLUENCE OF CO-SOLVENTS. *Text Res J.* 54: 226-230.
- Holtcamp, W. (2012). Subtle shades of impairment: childhood tetrachloroethylene exposure may cause subclinical deficits in adult vision [Comment]. *Environ Health Perspect.* 120: A362.
- Holuszko, ME; Leeder, WR; Mackay, M; Giroux, L; Macphee, T; Ng, K, aW; Dexter, H. (2016). Effects of organic liquids on coking properties of a higher-inert Western Canadian coal. *Fuel Process Tech.* 155: 225-231. <http://dx.doi.org/10.1016/j.fuproc.2016.06.021>.
- Homem, V; Sousa, R; Moreira, JL; Santos, L; Alves, A. (2012). Response surface optimisation applied to a headspace-solid phase microextraction-gas chromatography-mass spectrometry method for the analysis of volatile organic compounds in water matrices. *Int J Environ Anal Chem.* 92: 166-189. <http://dx.doi.org/10.1080/03067319.2010.536228>.
- Hønning, J; Broholm, MM; Bjerg, PL. (2007). Quantification of potassium permanganate consumption and PCE oxidation in subsurface materials. *J Contam Hydrol.* 90: 221-239. <http://dx.doi.org/10.1016/j.jconhyd.2006.10.002>.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation.* 28: 98-107.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere.* 40: 1383-1388.
- Hooker, PD; Klabunde, KJ. (1994). DESTRUCTIVE ADSORPTION OF CARBON-TETRACHLORIDE ON IRON(III) OXIDE. *Environ Sci Technol.* 28: 1243-1247.
- Horbelt, R; Ebert, S; Ulbikaite, V; Hahn, G; Job, R; Terheiden, B. (2016). Al-density variation as one driving force for void formation in PERC solar cells. *Physica Status Solidi Rapid Research Letters.* 10: 515-519. <http://dx.doi.org/10.1002/pssr.201600078>.
- Horvatic, M. (1998). Potentials for self regulating equipment in perchlorethylene cleaning. *Tekstil.* 47: 486-487.
- Horvatic, PM. (1997). Hydrocarbon emissions or perchloroethylene? *Tekstil.* 46: 407-408.
- Horzel, JT; Shengzhao, Y; Bay, N; Passig, M; Pysch, D; Kuehnlein, H; Nussbaumer, H; Verlinden, P. (2015). Industrial Si Solar Cells With Cu-Based Plated Contacts. 5: 1595-1600. <http://dx.doi.org/10.1109/JPHOTOV.2015.2478067>.
- Hoshida, Y; Toffanin, S; Lachenmayer, A; Villanueva, A; Minguez, B; Llovet, JM. (2010). Molecular classification and novel targets in hepatocellular carcinoma: recent advancements. *Semin Liver Dis.* 30: 35-51. <http://dx.doi.org/10.1055/s-0030-1247131>.
- Hosoya, K; Kageyama, Y; Yoshizako, K; Kimata, K; Araki, T; Tanaka, N. (1995). UNIFORM-SIZED POLYMER-BASED SEPARATION MEDIA PREPARED USING VINYL METHACRYLATE AS A CROSS-LINKING AGENT - POSSIBLE POWERFUL ADSORBENT FOR SOLID-PHASE EXTRACTION OF HALOGENATED ORGANIC-SOLVENTS IN AN AQUEOUS ENVIRONMENT. *J Chromatogr A.* 711: 247-255.
- Hossain, A; Corapcioglu, MY. (1996). Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media. *Transport in Porous Media.* 24: 203-220.
- Hossain, SMG; Mclaughlan, RG. (2012). Oxidation of Chlorophenols in Aqueous Solution by Excess Potassium Permanganate. *Water Air Soil Pollut.* 223: 1429-1435. <http://dx.doi.org/10.1007/s11270-011-0955-x>.
- Hossaini, R; Chipperfield, MP; Saiz-Lopez, A; Fernandez, R; Monks, S; Feng, W; Brauer, P; von Glasow, R. (2016). A global model of tropospheric chlorine chemistry: Organic versus inorganic sources and impact on methane oxidation. *J Geophys Res Atmos.* 121: 14271-14297. <http://dx.doi.org/10.1002/2016JD025756>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria.* 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Hou, X, inYan; Bian, S, huG; Chen, JF; Le, Y. (2012). High charged red pigment nanoparticles for electrophoretic displays. *Optical Materials.* 35: 201-204. <http://dx.doi.org/10.1016/j.optmat.2012.07.030>.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci.* 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Houk, VS; Demarini, DM. (1991). Characterizing the genotoxicity of hazardous industrial wastes and effluents using short-term bioassays. In MS Simmons (Ed.), (pp. 211-245). Chelsea, MI: Lewis Publishers, Inc.
- Hours, M; Dananche, B; Fevotte, J; Bergeret, A; Ayzac, L; Cardis, E; Etard, JF; Pallen, C; Roy, P; Fabry, J. (1994). Bladder cancer and occupational exposures. *Scand J Work Environ Health.* 20: 322-330.
- Houston, JB. (1994). Relevance of in vitro kinetic parameters to in vivo metabolism of xenobiotics. *Toxicol In Vitro.* 8: 507-512. [http://dx.doi.org/10.1016/0887-2333\(94\)90002-7](http://dx.doi.org/10.1016/0887-2333(94)90002-7).
- Houston, JB. (1994). Utility of in vitro drug metabolism data in predicting in vivo metabolic clearance [Review]. *Biochem Pharmacol.* 47: 1469-1479.
- Houten, L; Sonneso, G. (1980). Occupational exposure and cancer of the liver. *Arch Environ Health.* 35: 51-53.
- Howard, CJ. (1976). Rate constants for the gas-phase reactions of OH radicals with ethylene and halogenated ethylene compounds. *J Chem Phys.* 65: 4771-4777. <http://dx.doi.org/10.1063/1.432932>.

## Fate Literature Search Results

### Off Topic

- Howe, RB. (1983). GLOBAL83, an experimental program developed for the U.S. Environmental Protection Agency as an update to GLOBAL82: A computer program to extrapolate quantal animal toxicity data to low doses (May 1982) (Version 1983) [Computer Program]. Ruston, LA: K.S. Crump and Co., Inc.
- Howie, SJ. (1981). Ambient perchloroethylene levels inside coin-operated laundries with drycleaning machines on the premises. (EPA 600/4-82-032). Research Triangle Park, NC: U.S. Environmental Protection Agency; Environmental Monitoring Systems Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82230947>.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol.* 32: 591-599.
- Howsawkung, J; Watts, RJ; Washington, DL; Teel, AL; Hess, TF; Crawford, RL. (2001). Evidence for simultaneous abiotic - Biotic oxidations in a microbial-Fenton's system. *Environ Sci Technol.* 35: 2961-2966.
- Howse, MLP; Bell, GM. (2007). Drugs and toxins that damage the kidney. *Medicine (Baltimore).* 35: 399-403. <http://dx.doi.org/10.1016/j.mpmed.2007.04.002>.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environ Sci Technol.* 39: 2888-2897. <http://dx.doi.org/10.1021/es049017y>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect.* 102: 31-34.
- Hsam, SLK; Huang, XQ; Zeller, FJ. (2001). Chromosomal location of genes for resistance to powdery mildew in common wheat (*Triticum aestivum* L. em Thell.) 6. Alleles at the Pm5 locus. *Theor Appl Genet.* 102: 127-133.
- HSDB. (1996). Phenothiazine (Version Last Revision Date: 20050623) [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov>
- HSDB. (2001). Tetrachloroethylene. Bethesda, Maryland: National Library of Medicine, National Toxicology Program, Hazardous Substances Data Bank.
- HSIA. (1984). Comments and additional corrections on the health assessment document tetrachloroethylene (perchloroethylene). Arlington, VA.
- HSIA. (2004). Comment entitled "evaluation of EPAs neurotoxicity of tetrachloroethylene" submitted by Paul H. Dugard, Ph.D, Halogenated Solvents Industry Alliance, Inc. for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0006>.
- HSIA. (2004). Comment focusing on "certain halogenated solvents" submitted by Paul H. Dugard, Director of Scientific Studies, the Halogenated Solvents Industry Alliance, Inc. (HSIA) for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0005>.
- Hsu, CH; Yang, CH; Wang, Y, iHan; Huang, CW, ei; Lien, SY; Kung, CY; Lou, J, enC. (2016). Low Cost Local Contact Opening by Using Polystyrene Spheres Spin-Coating Method for PERC Solar Cells. *Materials.* 9. <http://dx.doi.org/10.3390/ma9070549>.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull.* 15: 125-128.
- Hsu, HL; Demond, AH. (2007). Influence of organic acid and organic base interactions on interfacial properties in NAPL--water systems. *Environ Sci Technol.* 41: 897-902. <http://dx.doi.org/10.1021/es061676i>.
- Hsu, HL, an; Demond, AH. (2010). Impact of Multi-Interface Surfactant Adsorption on Wettability in Dense Nonaqueous Phase Liquid Systems. *Environ Eng Sci.* 27: 95-101. <http://dx.doi.org/10.1089/ees.2009.0240>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal.* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsueh, KP; Hao, OJ; Wu, YC. (1991). Removal of volatile organic compounds in a rotating disk contactor: Batch and continuous operation (pp. 67-74). (ISSN 1047-7624; BIOSIS/92/23712). Hsueh, KP; Hao, OJ; Wu, YC.
- Hu, C; Bi, A; Pan, ZH. (2009). Differential expression of three T-type calcium channels in retinal bipolar cells in rats. *Vis Neurosci.* 26: 177-187. <http://dx.doi.org/10.1017/S0952523809090026>.
- Hu, M; Zhang, Y; Liu, Y; Wang, X, in; Wong, P, oK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *Int Biodeterior Biodegradation.* 85: 103-107. <http://dx.doi.org/10.1016/j.ibiod.2013.06.008>.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 190: 1074-1078. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.088>.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun.* 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics.* 176: 53-56. <http://dx.doi.org/10.1016/j.ssi.2004.05.006>.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl4: Intermediates and byproducts. *Environ Sci Technol.* 30: 864-871.
- Huang, CH, ao; Chang, Y, uHsu; Lin, HK, ai; Peng, CW, ei; Chung, W, enS; Lee, C, hiY; Chiu, HT. (2007). Phase segregation assisted morphology sculpting: Growth of graphite and silicon crystals via vapor-solid reactions. *J Phys Chem C.* 111: 4138-4145. <http://dx.doi.org/10.1021/jp0666961>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethene concentrations. *Environ Sci Technol.* 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, HC; Lee, JF; Lee, CK; Chen, JC. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater.* 138: 485-492. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.094>.

## Fate Literature Search Results

### Off Topic

- Huang, J; Appiah-Sefah, G; Nkrumah, NP; Li, J. (2016). MAGNOLIA GRANDIFLORA FOR MONITORING TRICHLOROETHYLENE AND TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER. *Fresen Environ Bull.* 25: 783-792.
- Huang, J; Christ, JA; Goltz, MN; Demond, AH. (2015). Modeling NAPL dissolution from pendular rings in idealized porous media. *Water Resour Res.* 51: 8182-8197. <http://dx.doi.org/10.1002/2015WR016924>.
- Huang, J; Gan, H; Li, H; Wu, K. (1998). [Mutagenicity of typical organo-halogenated compounds from drinking water]. *Huanjing Kexue.* 19: 54-57.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater.* 87: 155-169.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere.* 46: 815-825.
- Hubert, P. (2010). Effects of low doses: Proof and inferences. *E R S.* 9: 295-302. <http://dx.doi.org/10.1684/ers.2010.0365>.
- Hubler, G; Montzka, DD; Norton, RB; Murphy, PC; Fehsenfeld, FC; Liu, SC; Ridley, BA; Walega, JG; Atlas, E; Grahek, FE; Heidt, LE; Merrill, J; Huebert, BJ; Bodhaine, BA. (1992). TOTAL REACTIVE OXIDIZED NITROGEN (NOY) IN THE REMOTE PACIFIC TROPOSPHERE AND ITS CORRELATION WITH O<sub>3</sub> AND CO - MAUNA-LOA-OBSERVATORY PHOTOCHEMISTRY EXPERIMENT 1988. *J Geophys Res Atmos.* 97: 10427-10447.
- Hubner, A; Hampe, C; Aberle, AG. (1997). A simple fabrication process for 20% efficient silicon solar cells. *Solar Energy Materials and Solar Cells.* 46: 67-77.
- Hubner, HJ; Worner, M; Kaiser, W; Seilmeier, A. (1991). SUBPICOSECOND VIBRATIONAL-RELAXATION OF SKELETAL MODES IN POLYATOMIC-MOLECULES. *Chem Phys Lett.* 182: 315-320.
- Hudnell, HK; Boyes, WK; Otto, DA; House, DE; Creason, JP; Geller, AM; Darcey, DJ; Broadwell, DK. (1996). Battery of neurobehavioral tests recommended to ATSDR: Solvent-induced deficits in microelectronic workers [Review]. *Toxicol Ind Health.* 12: 235-243.
- Hudnell, HK; House, D; Schmid, J; Koltai, D; Stopford, W; Wilkins, J; Savitz, DA; Swinker, M; Music, S. (2001). Human visual function in the North Carolina clinical study on possible estuary-associated syndrome. *J Toxicol Environ Health A.* 62: 575-594. <http://dx.doi.org/10.1080/15287390151079633>.
- Hudnell, HK; Otto, DA; House, DE. (1996). The influence of vision on computerized neurobehavioral test scores: A proposal for improving test protocols. *Neurotoxicol Teratol.* 18: 391-400. [http://dx.doi.org/10.1016/0892-0362\(96\)00040-2](http://dx.doi.org/10.1016/0892-0362(96)00040-2).
- Hudnell, HK; Schreiber, JS. (2004). Residential tetrachloroethylene exposure: Response. *Environ Health Perspect.* 112: A864-A865.
- Huff, J. (1995). Mechanisms, chemical carcinogenesis, and risk assessment: Cell proliferation and cancer. *Am J Ind Med.* 27: 293-300. <http://dx.doi.org/10.1002/ajim.4700270213>.
- Huff, J. (1996). Response: Alpha-2-mu-globulin nephropathy, posed mechanisms, and white ravens. *Environ Health Perspect.* 104: 1264-1267.
- Huffman, GP; Shah, N; Huggins, FE; Stock, LM; Chatterjee, K; Kilbane, JJ; Chou, MIM; Buchanan, DH. (1995). SULFUR SPECIATION OF DESULFURIZED COALS BY XANES SPECTROSCOPY. *Fuel.* 74: 549-555.
- Huggins, FE; Vaidya, SV; Shah, N; Huffman, GP. (1993). INVESTIGATION OF SULFUR FORMS EXTRACTED FROM COAL BY PERCHLOROETHYLENE. *Fuel Process Tech.* 35: 233-257.
- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng.* 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng.* 122: 99-106.
- Hughes, JP. (1954). Hazardous exposure to some so-called safe solvents. *JAMA.* 156: 234-237.
- Hughes, MA; Degroot, JLB. (1993). A PET RECYCLING PROCESS. *Chem Eng Res Des.* 71: 127-133.
- Huisman, BH; Kooyman, RPH; Vanveggel, F; Reinhoudt, DN. (1996). Molecular recognition by self-assembled monolayers detected with surface plasmon resonance. *Adv Mater Deerfield.* 8: 561-&.
- Huling, SG; Ko, S; Pivetz, B. (2011). Groundwater Sampling at ISCO Sites: Binary Mixtures of Volatile Organic Compounds and Persulfate. *Ground Water Monitoring and Remediation.* 31: 72-79. <http://dx.doi.org/10.1111/j.1745-6592.2011.01332.x>.
- Humayra, AS; Kimura, Y; Takamizawa, K; Sato, T. (2005). Transport of Clostridium bifermentans DPH-1 through the laboratory column can be explained by two-region model for bioremediation. *Environ Technol.* 26: 1151-1159.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO<sub>2</sub> films. *Environ Sci Technol.* 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO<sub>2</sub> films. *Environ Sci Technol.* 31: 1440-1445.
- Hung, HM; Hoffmann, MR. (1998). Kinetics and mechanism of the enhanced reductive degradation of CCl<sub>4</sub> by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 32: 3011-3016.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environ Sci Technol.* 33: 2733-2738.
- Hunkeler, D; Aravena, R; Cox, E. (2002). Carbon isotopes as a tool to evaluate the origin and fate of vinyl chloride: laboratory experiments and modeling of isotope evolution. *Environ Sci Technol.* 36: 3378-3384. <http://dx.doi.org/10.1021/es011479d>.
- Hunkeler, D; Aravena, R; Shouakar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and chlorine isotope ratios of chlorinated ethenes migrating through a thick unsaturated zone of a sandy aquifer. *Environ Sci Technol.* 45: 8247-8253. <http://dx.doi.org/10.1021/es201415k>.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environ Sci Technol.* 43: 6750-6756. <http://dx.doi.org/10.1021/es900579z>.
- Hurst, CH; Waxman, DJ. (2003). Activation of PPARalpha and PPARgamma by environmental phthalate monoesters. *Toxicol Sci.* 74: 297-308. <http://dx.doi.org/10.1093/toxsci/kfg145>.

## Fate Literature Search Results

### Off Topic

- Hurst, DF; Bakwin, PS; Elkins, JW. (1998). Recent trends in the variability of halogenated trace gases over the United States. *J Geophys Res Atmos.* 103: 25299-25306.
- Hurst, DF; Bakwin, PS; Myers, RC; Elkins, JW. (1997). Behavior of trace gas mixing ratios on a very tall tower in North Carolina. *J Geophys Res Atmos.* 102: 8825-8835.
- Huss, JM; Kelly, DP. (2005). Mitochondrial energy metabolism in heart failure: A question of balance. *J Clin Invest.* 115: 547-555. <http://dx.doi.org/10.1172/JCI24405>.
- Huttunen, J; Heinonen, O; Manninen, V; Koskinen, P; Hakulinen, T; Teppo, L; Mänttari, M; Frick, M. (1994). The Helsinki Heart Study: An 8.5-year safety and mortality follow-up. *J Intern Med.* 235: 31-39. <http://dx.doi.org/10.1111/j.1365-2796.1994.tb01029.x>.
- Huybrechts, G; Olbregts, J; Thomas, K. (1967). Gas-phase chlorine-photosensitized oxidation and oxygen-inhibited photochlorination of tetrachloroethylene and pentachloroethane. *Trans Faraday Soc.* 63: 1647-1655. <http://dx.doi.org/10.1039/TF9676301647>.
- Huybrechts, T; Dewulf, J; Moerman, O; Van Langenhove, H. (2000). Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l(-1) concentration level. *J Chromatogr A.* 893: 367-382.
- Hwang, I; Batchelor, B. (2000). Reductive dechlorination of tetrachloroethylene by Fe(II) in cement slurries. *Environ Sci Technol.* 34: 5017-5022.
- Hwang, I; Park, HJ; Kang, WH; Park, JY. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater.* 118: 103-111. <http://dx.doi.org/10.1016/j.jhazmat.2004.10.002>.
- Hwang, YK; Endres, AL; Piggott, SD; Parker, BL. (2008). Long-term ground penetrating radar monitoring of a small volume DNAPL release in a natural groundwater flow field. *J Contam Hydrol.* 97: 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2007.11.004>.
- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- Hyun, SP, il; Hayes, K, imF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *J Environ Eng.* 135: 1009-1014. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000073](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000073).
- IARC. (1995). Chloral and chloral hydrate. In *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans* (pp. 245-269). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/mono63-9.pdf>.
- IARC. (2000). Di(2-ethylhexyl) phthalate [Review]. In *IARC monographs on the evaluation of carcinogenic risks to humans* (pp. 41-148). Lyon, France.
- IARC. (2004). Some drinking-water disinfectants and contaminants, including arsenic. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 1-477). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol84/index.php>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLIN/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- IARC. (2010). Ingested nitrate and nitrite and cyanobacterial peptide toxins. In *IARC Monographs on the evaluation of carcinogenic risks to humans*. Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol94/mono94.pdf>.
- Iavicoli, I; Carelli, G; Marinaccio, A. (2006). Dose-response relationships in human experimental exposure to solvents. *Dose-Response.* 4: 155-168. <http://dx.doi.org/10.2203/dose-response.05-036.iavicoli>.
- Ibaraki, M. (2001). Source characteristics and contaminant plume evolution. *Transport in Porous Media.* 44: 577-589.
- ICRP. (1975). Report of the task group on reference man. In *ICRP Publication 23*. Oxford, UK: Pergamon Press. [http://ani.sagepub.com/site/includefiles/icrp\\_publications\\_collection.xhtml](http://ani.sagepub.com/site/includefiles/icrp_publications_collection.xhtml).
- Idrissou, M; Ngom, DF; Malou, R; Vayssade, B; Courbis, AL. (2015). Water balance simulation for resource evaluation at the catchment scale: application to the Nema (Sudano-Sahelian zone, Senegal). *Hydrological Sciences Journal.* 60: 1620-1630. <http://dx.doi.org/10.1080/02626667.2014.932055>.
- Ikbal, M; Tastekin, A; Dogan, H; Pirim, I; Ors, R. (2004). The assessment of genotoxic effects in lymphocyte cultures of infants treated with chloral hydrate. *Mutat Res.* 564: 159-164. <http://dx.doi.org/10.1016/j.mrgentox.2004.08.007>.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect.* 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikeda, M; Ohtsujii, H. (1972). COMPARATIVE STUDY OF EXCRETION OF FUJIWARA REACTION-POSITIVE SUBSTANCES IN URINE OF HUMANS AND RODENTS GIVEN TRICHLORO-DERIVATIVES OR TETRACHLORO-DERIVATIVES OF ETHANE AND ETHYLENE. *Br J Ind Med.* 29: 99-&. <http://dx.doi.org/10.1136/oem.29.3.328>; <http://oem.bmj.com/content/oemed/29/3/328.full.pdf>.
- Iloukhani, H; Reddy, KD; Rao, MVP. (1985). EXCESS VOLUMES OF TETRACHLOROETHYLENE WITH SOME ALIPHATIC AND ALICYCLIC KETONES AT 303.15-K AND 313.15-K. *Journal of Chemical and Engineering Data.* 30: 306-308.
- Iloukhani, H; Samiey, B. (2005). Studies of viscosities and excess molar volumes of the binary mixtures of 1-heptanol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, plus trichloroethylene and tetrachloroethylene at (293.15, 298.15, and 303.15) K for the liquid region and at ambient pressure. *Journal of Chemical and Engineering Data.* 50: 1911-1916. <http://dx.doi.org/10.1021/je0501890>.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environ Sci Technol.* 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Imaoka, T; Takatsuka, T; Yamamoto, K. (2006). Catalytic dehalogenation enhanced by appending dendritic ligands on cobalt porphyrins. *Journal of Porphyrins and Phthalocyanines.* 10: 1066-1070.
- Imbriani, M; Ghittori, S; Pezzagno, G; Capodaglio, E. (1988). Urinary excretion of tetrachloroethylene (perchloroethylene) in experimental and occupational exposure. *Arch Environ Occup Health.* 43: 292-298.

## Fate Literature Search Results

### Off Topic

- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res.* 42: 871-882. <http://dx.doi.org/10.1016/j.watres.2007.08.035>.
- Imfeld, G; Pieper, H; Shani, N; Rossi, P; Nikolausz, M; Nijenhuis, I; Paschke, H; Weiss, H; Richnow, HH. (2011). Characterization of Groundwater Microbial Communities, Dechlorinating Bacteria, and In Situ Biodegradation of Chloroethenes Along a Vertical Gradient. *Water Air Soil Pollut.* 221: 107-122. <http://dx.doi.org/10.1007/s11270-011-0774-0>.
- Imhoff, PT; Frizzell, A; Miller, CT. (1997). Evaluation of thermal effects on the dissolution of a nonaqueous phase liquid in porous media. *Environ Sci Technol.* 31: 1615-1622.
- Imhoff, PT; Gleyzer, SN; McBride, JF; Vancho, LA; Okuda, I; Miller, CT. (1995). COSOLVENT ENHANCED REMEDIATION OF RESIDUAL REUSE NONAQUEOUS PHASE LIQUIDS - EXPERIMENTAL INVESTIGATION. *Environ Sci Technol.* 29: 1966-1976.
- Imhoff, PT; Mann, AS; Mercer, M; Fitzpatrick, M. (2003). Scaling DNAPL migration from the laboratory to the field. *J Contam Hydrol.* 64: 73-92. [http://dx.doi.org/10.1016/S0169-7722\(02\)00106-7](http://dx.doi.org/10.1016/S0169-7722(02)00106-7).
- Imoberdorf, GE; Cassano, AE; Alfano, OM; Irazoqui, HA. (2006). Modeling of a multiannular photocatalytic reactor for perchloroethylene degradation in air. *AIChE J.* 52: 1814-1823. <http://dx.doi.org/10.1002/aic.10771>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Optimal design and modeling of annular photocatalytic wall reactors. *Catalysis Today.* 129: 118-126. <http://dx.doi.org/10.1016/j.cattod.2007.06.057>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Simulation of a multi-annular photocatalytic reactor for degradation of perchloroethylene in air: Parametric analysis of radiative energy efficiencies. *Chem Eng Sci.* 62: 1138-1154. <http://dx.doi.org/10.1016/j.ces.2006.10.024>.
- Imoberdorf, GE; Irazoqui, HA; Alfano, OM; Cassano, AE. (2007). Scaling-up from first principles of a photocatalytic reactor for air pollution remediation. *Chem Eng Sci.* 62: 793-804. <http://dx.doi.org/10.1016/j.ces.2006.10.004>.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2005). Photocatalytic degradation of tetrachloroethylene in gas phase on TiO<sub>2</sub> films: A kinetic study. *Ind Eng Chem Res.* 44: 6075-6085. <http://dx.doi.org/10.1021/ie049185z>.
- Infante-Rivard, C; Siemiatacki, J; Lakhani, R; Nadon, L. (2005). Maternal exposure to occupational solvents and childhood leukemia. *Environ Health Perspect.* 113: 787-792. <http://dx.doi.org/10.1289/ehp.7707>.
- Inoue, O; Ukai, H; Ikeda, M. (2006). Green chemistry in urinalysis for trichloroethanol and trichloroacetic acid as markers of exposure to chlorinated hydrocarbon solvents. *Ind Health.* 44: 207-214.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem.* 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Interagency Staff Group on Carcinogens. (1986). Chemical carcinogens: A review of the science and its associated principles [Review]. *Environ Health Perspect.* 67: 201-282.
- International Fabricare Institute. (1984). Comments of the laundry-cleaning council on the external review draft health assessment document for tetrachloroethylene (perchloroethylene).
- IOM. (2002). Gulf War and health. Vol. 2: Insecticides and solvents. Washington, DC: National Academies Press.
- lordache, M; Meghea, A; Neamtu, S; Popescu, LR; lordache, I. (2014). Evaluation of Contamination with Priority Hazardous Substances in Olt River Water and Sediments near the Industrial Platform of Ramnicu Valcea. *Rev Chim.* 65: 87-93.
- lordache, M; Popescu, LR; Neamtu, S; Pascu, LF; lordache, I. (2016). Assessment of Pollution with Organochlorine Substances in the Accumulation Lakes on the Olt River, Using the Fugacity Model. *Rev Chim.* 67: 1186-1190.
- IPCS. (1984). Tetrachloroethylene. In *Environmental Health Criteria*. Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc31.htm#PartNumber:1>.
- IPCS. (1986). Asbestos and other natural mineral fibres. In *Environmental Health Criteria* (pp. 112). (Environmental Health Criteria 53). Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc53.htm>.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environ Sci Technol.* 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial diversity and changes in the distribution of dehalogenase genes during dechlorination with different concentrations of cis-DCE. *Environ Sci Technol.* 45: 5339-5345. <http://dx.doi.org/10.1021/es104199y>.
- Ishmael, J; Lock, EA. (1986). Nephrotoxicity of hexachlorobutadiene and its glutathione-derived conjugates. *Toxicol Pathol.* 14: 258-262. <http://dx.doi.org/10.1177/019262338601400216>.
- Issemann, I; Green, S. (1990). Activation of a member of the steroid hormone receptor superfamily by peroxisome proliferators. *Nature.* 347: 645-650.
- Issemann, I; Prince, RA; Tugwood, JD; Green, S. (1993). The peroxisome proliferator-activated receptor:retinoid X receptor heterodimer is activated by fatty acids and fibrates hypolipidaemic drugs. *J Mol Endocrinol.* 11: 37-47.
- Istok, JD; Field, JA; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory and field investigation of surfactant sorption using single-well, "push-pull" tests. *Ground Water.* 37: 589-598.
- Isukapalli, SS; Roy, A; Georgopoulos, PG. (1998). Stochastic response surface methods (SRSMs) for uncertainty propagation: application to environmental and biological systems. *Risk Anal.* 18: 351-363.
- Isukapalli, SS; Roy, A; Georgopoulos, PG. (2000). Efficient Sensitivity/Uncertainty Analysis Using the Combined Stochastic Response Surface Method and Automated Differentiation: Application to Environmental and Biological Systems. *Risk Anal.* 20: 591-602.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health.* 49: 172-182.

## Fate Literature Search Results

### Off Topic

- Ito, Y; Yamanoshita, O; Kurata, Y; Kamijima, M; Aoyama, T; Nakajima, T. (2007). Induction of peroxisome proliferator-activated receptor alpha (PPARalpha)-related enzymes by di(2-ethylhexyl) phthalate (DEHP) treatment in mice and rats, but not marmosets. *Arch Toxicol.* 81: 219-226. <http://dx.doi.org/10.1007/s00204-006-0141-x>.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere.* 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Ivanov, WN; Hei, TK. (2006). Sodium arsenite accelerates TRAIL-mediated apoptosis in melanoma cells through upregulation of TRAIL-R1/R2 surface levels and downregulation of cFLIP expression. *Exp Cell Res.* 312: 4120-4138. <http://dx.doi.org/10.1016/j.yexcr.2006.09.019>.
- Iveson, SM; Galvin, KP. (2012). The effect of perchloroethylene on coking properties. *Fuel.* 95: 504-513. <http://dx.doi.org/10.1016/j.fuel.2011.10.009>.
- Jackson, R; Grainge, JW. (1975). Arsenic and cancer. *Can Med Assoc J.* 113: 396-401.
- Jackson, RE. (2003). The evolution of DNAPL remediation practice. *ACS Symp Ser Am Chem Soc.* 837: 21-35.
- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation.* 19: 102-110.
- Jackson, RE; Priddle, MW; Lesage, S. (1990). Transport and fate of CFC-113 in groundwater.
- Jackson, S, aml; Rananaware, A; Rix, C; Bhosale, SV; Latham, K, ay. (2015). Clathrate directed assembly of tetrapyrrolyl-tetraphenylethylene metal-organic frameworks. *RSC Advances.* 5: 84134-84141. <http://dx.doi.org/10.1039/c5ra18499a>.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol.* 52: 1253-1260. <http://dx.doi.org/10.1007/s00254-006-0563-z>.
- Jager, JW; Ostrosky-Wegman, P. (1997). Arsenic: A paradoxical human carcinogen [Review]. *Mutat Res.* 386: 181-184. [http://dx.doi.org/10.1016/s1383-5742\(97\)00002-1](http://dx.doi.org/10.1016/s1383-5742(97)00002-1).
- Jain, DVS; Wadi, RK; Saini, SB. (1981). ISOTHERMAL LIQUID-VAPOR EQUILIBRIA FOR ACETYLACETONE+, AND ACRYLONITRILE+ CARBON-TETRACHLORIDE AND ACRYLONITRILE+ TETRACHLOROETHYLENE AT 303.15 AND 323.15 K. 19: 167-170.
- Jain, R. (2016). Levels of selected urinary metabolites of volatile organic compounds in a representative sample of US adolescents. *Toxicol Environ Chem.* 98: 977-990. <http://dx.doi.org/10.1080/02772248.2015.1132319>.
- Jain, V; Demond, AH. (1999). Impact of surfactants for aquifer remediation on physical properties of the aqueous phase. *J Contam Hydrol.* 40: 25-35.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 1. Emulsion transport. *Environ Sci Technol.* 36: 5426-5433. <http://dx.doi.org/10.1021/es0113955>.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 2. Formation of emulsion in situ. *Environ Sci Technol.* 36: 5434-5440. <http://dx.doi.org/10.1021/es011396x>.
- Jakoby, BW; Bercier, Y; Conti, M; Casey, ME; Bendriem, B; Townsend, DW. (2011). Physical and clinical performance of the mCT time-of-flight PET/CT scanner. *Phys Med Biol.* 56: 2375-2389. <http://dx.doi.org/10.1088/0031-9155/56/8/004>.
- Jakoby, BW; Bercier, Y; Watson, CC; Bendriem, B; Townsend, DW. (2009). Performance Characteristics of a New LSO PET/CT Scanner With Extended Axial Field-of-View and PSF Reconstruction. *IEEE Trans Nucl Sci.* 56: 633-639. <http://dx.doi.org/10.1109/TNS.2009.2015764>.
- Jakusch, M; Mizaikoff, B; Kellner, R. (1997). Towards a remote IR fiber-optic sensor system for the determination of chlorinated hydrocarbons in water. *Sens Actuators B.* 38: 83-87.
- Jalbert, M; Dane, JH; Bahaminyakamwe, L. (2003). Influence of porous medium and NAPL distribution heterogeneities on partitioning inter-well tracer tests: a laboratory investigation. *J Hydrol.* 272: 79-94.
- Jalouli, M; Carlsson, L; Ameen, C; Linden, D; Ljungberg, A; Michalik, L; Eden, S; Wahli, W; Oscarsson, J. (2003). Sex difference in hepatic peroxisome proliferator-activated receptor alpha expression: Influence of pituitary and gonadal hormones. *Endocrinology.* 144: 101-109. <http://dx.doi.org/10.1210/en.2002-220630>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol.* 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- James, JT; Limeron, TF; Leano, HJ; Boyd, JF; Covington, PA. (1994). VOLATILE ORGANIC CONTAMINANTS FOUND IN THE HABITABLE ENVIRONMENT OF THE SPACE-SHUTTLE - STS-26 TO STS-55. *Aviat Space Environ Med.* 65: 851-857.
- James, KJ; Stack, MA. (1997). The impact of leachate collection on air quality in landfills. *Chemosphere.* 34: 1713-1721.
- Jamshidi, Y; Montgomery, HE; Hense, HW; Myerson, SG; Torra, IP; Stael, B; World, MJ; Doering, A; Erdmann, J; Hengstenberg, C; Humphries, SE; Schunkert, H; Flavell, DM. (2002). Peroxisome proliferator-activated receptor alpha gene regulates left ventricular growth in response to exercise and hypertension. *Circulation.* 105: 950-955.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. *Chemosphere.* 54: 917-925. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.033>.
- Jang, J, iS; Yeo, SD, o. (2015). Adsorption of Ethylbenzene and Tetrachloroethylene Using Natural and Organically Modified Clays. *Separation Science and Technology.* 50: 573-582. <http://dx.doi.org/10.1080/01496395.2014.956758>.
- Jang, JY; Droz, PO. (1997). Ethnic differences in biological monitoring of several organic solvents: II. A simulation study with a physiologically based pharmacokinetic model. *Int Arch Occup Environ Health.* 70: 41-50. <http://dx.doi.org/10.1007/s004200050184>.
- Jang, JY; Droz, PO; Berode, M. (1997). Ethnic differences in biological monitoring of several organic solvents. I. Human exposure experiment. *Int Arch Occup Environ Health.* 69: 343-349.
- Jang, JY; Droz, PO; Chung, HK. (1999). Uncertainties in physiologically based pharmacokinetic models caused by several input parameters. *Int Arch Occup Environ Health.* 72: 247-254.
- Jang, JY; Kang, SK; Chung, HK. (1993). Biological exposure indices of organic solvents for Korean workers. *Int Arch Occup Environ Health.* 65: S219-S222.

## Fate Literature Search Results

### Off Topic

- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2006). Learning disabilities as an outcome following prenatal exposure to tetrachloroethylene-contaminated drinking water. *Epidemiology*. 17: S234-S235.
- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2007). Prenatal exposure to tetrachloroethylene(PCE)-contaminated drinking water and the risk of learning and attention disabilities. *Neurotoxicol Teratol*. 29: 406. <http://dx.doi.org/10.1016/j.ntt.2007.03.037>.
- Janulewicz, PA; White, RF; Winter, MR; Weinberg, JM; Gallagher, LE; Vieira, V; Webster, TF; Aschengrau, A. (2008). Risk of learning and behavioral disorders following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol*. 30: 175-185. <http://dx.doi.org/10.1016/j.ntt.2008.01.007>.
- Jat, P; Serre, ML. (2016). Bayesian Maximum Entropy space/time estimation of surface water chloride in Maryland using river distances. *Environ Pollut*. 219: 1148-1155. <http://dx.doi.org/10.1016/j.envpol.2016.09.020>.
- Jawitz, JW; Sillan, RK; Annable, MD; Rao, PSC; Warner, K. (2000). In situ alcohol flushing of a DNAPL source zone at a dry cleaner site. *Environ Sci Technol*. 34: 3722-3729.
- Jayakody, P; Parajuli, PB; Sassenrath, GF; Ouyang, Y. (2014). Relationships between water table and model simulated ET. *Ground Water*. 52: 303-310. <http://dx.doi.org/10.1111/gwat.12053>.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environ Sci Technol*. 36: 5491-5497. <http://dx.doi.org/10.1021/es020566i>.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 39: 1399-1414. <http://dx.doi.org/10.1081/ESE-120037841>.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and carbon isotopes fractionation during volatilization and diffusive transport of trichloroethene in the unsaturated zone. *Environ Sci Technol*. 46: 3169-3176. <http://dx.doi.org/10.1021/es203547p>.
- Jeannotat, S; Hunkeler, D. (2013). Can soil gas VOCs be related to groundwater plumes based on their isotope signature? *Environ Sci Technol*. 47: 12115-12122. <http://dx.doi.org/10.1021/es4010703>.
- Jeffroy, M; Weber, G, uy; Hostachy, S; Bellat, JP; Fuchs, AH; Boutin, A. (2011). Structural Changes in Nanoporous MFI Zeolites Induced by Tetrachloroethene Adsorption: A Joint Experimental and Simulation Study. *J Phys Chem C*. 115: 3854-3865. <http://dx.doi.org/10.1021/jp109447n>.
- Jensen, OM; Wahrendorf, J; Knudsen, JB; Sorensen, BL. (1987). The Copenhagen case-referent study on bladder cancer: Risks among drivers, painters, and certain other occupations. *Scand J Work Environ Health*. 13: 129-134.
- Jensen, S; Rosenberg, R. (1975). Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res*. 9: 659-661.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol*. 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol*. 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol*. 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jeong, SW. (2005). Evaluation of the use of capillary numbers for quantifying the removal of DNAPL trapped in a porous medium by surfactant and surfactant foam floods. *J Colloid Interface Sci*. 282: 182-187. <http://dx.doi.org/10.1016/j.jcis.2004.08.108>.
- Jeong, SW; Ju, BK; Lee, BJ. (2009). Effects of alcohol-partitioning type and airflow on cosolvent flooding to benzene-LNAPL saturated porous media. *J Hazard Mater*. 166: 603-611. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.102>.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater*. 95: 125-135.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Enhanced contact of cosolvent and DNAPL in porous media by concurrent injection of cosolvent and air. *Environ Sci Technol*. 36: 5238-5244. <http://dx.doi.org/10.1021/es0157705>.
- Jeong, SW; Wood, AL; Lee, TR. (2003). Enhanced removal of DNAPL trapped in porous media using simultaneous injection of cosolvent with air: influencing factors and removal mechanisms. *J Hazard Mater*. 101: 109-122.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(II)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol*. 87: 1179-1186. <http://dx.doi.org/10.1002/jctb.3746>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol*. 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater*. 184: 234-240. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.027>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupation and bladder cancer: A cohort study in Sweden. *Br J Cancer*. 92: 1276-1278. <http://dx.doi.org/10.1038/sj.bjc.6602473>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupational risk factors for kidney cancer: A cohort study in Sweden. *World Journal of Urology*. 23: 271-278. <http://dx.doi.org/10.1007/s00345-005-0007-5>.
- Ji, J; Hemminki, K. (2005). Occupation and upper aerodigestive tract cancers: A follow-up study in Sweden. *J Occup Environ Med*. 47: 785-795. <http://dx.doi.org/10.1097/01.jom.0000165798.28569.b5>.
- Ji, J; Hemminki, K. (2005). Occurrences of leukemia subtypes by socioeconomic and occupational groups in Sweden. *J Occup Environ Med*. 47: 1131-1140. <http://dx.doi.org/10.1097/01.jom.0000174302.63621.e8>.

## Fate Literature Search Results

### Off Topic

- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health*. 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.
- Ji, J; Hemminki, K. (2006). Socioeconomic and occupational risk factors for pancreatic cancer: A cohort study in Sweden. *J Occup Environ Med*. 48: 283-288. <http://dx.doi.org/10.1097/01.jom.0000199511.14305.dc>.
- Ji, J; Hemminki, K. (2006). Socioeconomic/occupational risk factors for lymphoproliferative diseases in Sweden. *Ann Epidemiol*. 16: 370-376. <http://dx.doi.org/10.1016/j.annepidem.2005.09.002>.
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int*. 34: 922-931. <http://dx.doi.org/10.1016/j.envint.2008.02.002>.
- Jian, Y; Planeta, B; Carson, RE. (2015). Evaluation of bias and variance in low-count OSEM list mode reconstruction. *Phys Med Biol*. 60: 15-29. <http://dx.doi.org/10.1088/0031-9155/60/1/15>.
- Jin, B; Laskov, C; Rolle, M; Haderlein, SB. (2011). Chlorine isotope analysis of organic contaminants using GC-qMS: method optimization and comparison of different evaluation schemes. *Environ Sci Technol*. 45: 5279-5286. <http://dx.doi.org/10.1021/es200749d>.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res*. 69: 1094-1099.
- Jin, M; Hirasaki, GJ; Jackson, RE; Kostarelos, K; Pope, GA. (2007). Control of downward migration of dense nonaqueous phase liquid during surfactant flooding by design simulations. *Water Resour Res*. 43: 1412-1412. <http://dx.doi.org/10.1029/2006WR004858>.
- Jin, MQ; Delshad, M; Dwarakanath, V; Mckinney, DC; Pope, GA; Sepehrnoori, K; Tilburg, CE; Jackson, RE. (1995). PARTITIONING TRACER TEST FOR DETECTION, ESTIMATION, AND REMEDIATION PERFORMANCE ASSESSMENT OF SUBSURFACE NONAQUEOUS PHASE LIQUIDS. *Water Resour Res*. 31: 1201-1211.
- Jin, S; Fallgren, PH; Morris, JM; Edgar, ES. (2008). Degradation of trichloroethene in water by electron supplementation. *Chem Eng J*. 140: 642-645. <http://dx.doi.org/10.1016/j.cej.2008.01.035>.
- Jin, X, in; Mahinthakumar, G; Zechman, EM; Ranjithan, RS. (2009). A genetic algorithm-based procedure for 3D source identification at the Borden emplacement site. *J Hydroinform*. 11: 51-64. <http://dx.doi.org/10.2166/hydro.2009.002>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chlorinated solvents from carbonate-buffered water by zero-valent iron. *Central European Journal of Chemistry*. 5: 87-106. <http://dx.doi.org/10.2478/s11532-006-0071-8>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chloro derivatives of ethene from ground water with granulated-iron reaction barriers. *Chem Listy*. 101: 176-180.
- Jirtle, RL; Meyer, SA. (1991). Liver tumor promotion: effect of phenobarbital on EGF and protein kinase C signal transduction and transforming growth factor-beta 1 expression. *Dig Dis Sci*. 36: 659-668.
- Jo, WK; Kim, SH. (2001). Worker exposure to aromatic volatile organic compounds in dry cleaning stores. *AIHAJ*. 62: 466-471. [http://dx.doi.org/10.1202/0002-8894\(2001\)062<0466:WETAVO>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(2001)062<0466:WETAVO>2.0.CO;2).
- Jochmann, MA; Yuan, X; Schmidt, TC. (2007). Determination of volatile organic hydrocarbons in water samples by solid-phase dynamic extraction. *Anal Bioanal Chem*. 387: 2163-2174. <http://dx.doi.org/10.1007/s00216-006-1066->
- Johannsen, FR; Levinskas, GJ; Tegeris, AS. (1986). Effects of formaldehyde in the rat and dog following oral exposure. *Toxicol Lett*. 30: 1-6. [http://dx.doi.org/10.1016/0378-4274\(86\)90171-2](http://dx.doi.org/10.1016/0378-4274(86)90171-2).
- Johansen, K; Tinnerberg, H; Lynge, E. (2005). Use of history science methods in exposure assessment for occupational health studies. *Occup Environ Med*. 62: 434-441. <http://dx.doi.org/10.1136/oem.2004.016493>.
- Johanson, G; Filser, JG. (1992). Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch Toxicol*. 66: 291-295. <http://dx.doi.org/10.1007/BF02307176>.
- John, EM; Savitz, DA; Shy, CM. (1994). Spontaneous abortions among cosmetologists. *Epidemiology*. 5: 147-155. <http://dx.doi.org/10.1097/00001648-199403000-00004>.
- John, WW; Bao, GB; Johnson, WP; Stauffer, TB. (2000). Sorption of nonionic surfactant oligomers to sediment and PCE DNAPL: Effects on PCE distribution between water and sediment. *Environ Sci Technol*. 34: 672-679.
- Johnson, DN; Pedit, JA; Miller, CT. (2004). Efficient, near-complete removal of DNAPL from three-dimensional, heterogeneous porous media using a novel combination of treatment technologies. *Environ Sci Technol*. 38: 5149-5156. <http://dx.doi.org/10.1021/es0344765>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress*. 19: 157-166.
- Johnson, JC; Sun, SB; Jaffe, PR. (1999). Surfactant enhanced perchloroethylene dissolution in porous media: The effect on mass transfer rate coefficients. *Environ Sci Technol*. 33: 1286-1292.
- Johnson, LC; Ovchinnikov, O; Shokouhi, S; Peterson, TE. (2015). Development of a Germanium Small-Animal SPECT System. *IEEE Trans Nucl Sci*. 2015: 2036-2042. <http://dx.doi.org/10.1109/TNS.2015.2448673>.
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect*. 106: 995-999.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998). Cardiac teratogenicity of trichloroethylene metabolites. *J Am Coll Cardiol*. 32: 540-545. [http://dx.doi.org/10.1016/S0735-1097\(98\)00232-0](http://dx.doi.org/10.1016/S0735-1097(98)00232-0).
- Johnson, RH; Poeter, EP. (2007). Insights into the use of time-lapse GPR data as observations for inverse multiphase flow simulations of DNAPL migration. *J Contam Hydrol*. 89: 136-155. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.003>.
- Johnson, WP; Bao, GB; John, WW. (2002). Specific UV absorbance of Aldrich humic acid: Changes during transport in aquifer sediment. *Environ Sci Technol*. 36: 608-616. <http://dx.doi.org/10.1021/es010920x>.



## Fate Literature Search Results

### Off Topic

- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environ Sci Technol.* 45: 1007-1013. <http://dx.doi.org/10.1021/es102099h>.
- Johnston, JE; Gibson, JM. (2014). Spatiotemporal variability of tetrachloroethylene in residential indoor air due to vapor intrusion: a longitudinal, community-based study. *J Expo Sci Environ Epidemiol.* 24: 564-571. <http://dx.doi.org/10.1038/jes.2013.13>.
- Johnston, JJ; Borden, RC; Barlaz, MA. (1996). Anaerobic biodegradation of alkylbenzenes and trichloroethylene in aquifer sediment down gradient of a sanitary landfill. *J Contam Hydrol.* 23: 263-283.
- Jollet, V; Gissane, C; Schlaf, M. (2014). Optimization of the neutralization of Red Mud by pyrolysis bio-oil using a design of experiments approach. *Energ Environ Sci.* 7: 1125-1133. <http://dx.doi.org/10.1039/c3ee43585g>.
- Joly, JG; Doyon, C; Peasant, Y. (1975). Cytochrome P-450 measurement in rat liver homogenate and microsomes. Its use for correction of microsomal losses incurred by differential centrifugation. *Drug Metab Dispos.* 3: 577-586.
- Jones, BK; Hathway, DE. (1978). The biological fate of vinylidene chloride in rats. *Chem Biol Interact.* 20: 27-41.
- Jones, RB; Mackrodt, WC. (1982). Structure-mutagenicity relationships for chlorinated ethylenes: a model based on the stability of the metabolically derived epoxides. *Biochem Pharmacol.* 31: 3710-3713.
- Joos, GF. (2003). Bronchial hyperresponsiveness: Too complex to be useful? *Curr Opin Pharmacol.* 3: 233-238. [http://dx.doi.org/10.1016/S1471-4892\(03\)00046-8](http://dx.doi.org/10.1016/S1471-4892(03)00046-8).
- Jorgenson, TA; Meierhenry, EF; Rushbrook, CJ; Bull, RJ; Robinson, M. (1985). Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3F1 mice. *Fundam Appl Toxicol.* 5: 760-769. [http://dx.doi.org/10.1016/0272-0590\(85\)90200-3](http://dx.doi.org/10.1016/0272-0590(85)90200-3).
- Josse, F; Lukas, R; Zhou, RN; Schneider, S; Everhart, D. (1996). AC-impedance-based chemical sensors for organic solvent vapors. *Sens Actuators B.* 36: 363-369.
- Josyula, AB; Poplin, GS; Kurzius-Spencer, M; McClellan, HE; Kopplin, MJ; Sturup, S; Lantz, RC; Burgess, JL. (2006). Environmental arsenic exposure and sputum metalloproteinase concentrations. *Environ Res.* 102: 283-290. <http://dx.doi.org/10.1016/j.envres.2006.01.003>.
- Ju, Z; Fan, N, a; Ma, X; Li, J; Ma, X; Xu, L; Qian, Y. (2007). Synthesis of uniform TiC hollow spheres by a co-reduction route at low temperature. *J Phys Chem C.* 111: 16202-16206. <http://dx.doi.org/10.1021/jp074305c>.
- Juang, DF; Lee, CH; Hsueh, SC. (2009). Chlorinated volatile organic compounds found near the water surface of heavily polluted rivers. *Int J Environ Sci Tech.* 6: 545-556.
- Juang, DF; Yuan, CS; Hsueh, SC; Chiou, LJ. (2009). Distribution of volatile organic compounds around a polluted river. *Int J Environ Sci Tech.* 6: 91-104.
- Judd, MS; Vanclve, JE; Jenkins, JD. (1976). RECOVERY OF PERCHLOROETHYLENE SCRUBBING MEDIUM. *American Ceramic Society Bulletin.* 55: 442-442.
- Juhasz, AL; Smith, E; Weber, J; Rees, M; Rofe, A; Kuchel, T; Sansom, L; Naidu, R. (2006). In vivo assessment of arsenic bioavailability in rice and its significance for human health risk assessment. *Environ Health Perspect.* 114: 1826-1831. <http://dx.doi.org/10.1289/ehp.9322>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater.* 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere.* 71: 726-734. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.020>.
- Jung, B; Batchelor, B. (2009). Kinetics of transformation of 1,1,1-trichloroethane by Fe(II) in cement slurries. *J Hazard Mater.* 163: 1315-1321. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.102>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ.* 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research.* 8: 819-830.
- Jung, J; Yoo, DH; Lee, MJ. (2002). Radiation treatment of TCE and PCE in the presence of anatase, P25 and bentonite. *Journal of Radioanal Chem.* 251: 423-425.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2002). TCE and PCE decomposition by a combination of gamma-rays, ozone and titanium dioxide. *Journal of Radioanal Chem.* 252: 451-454.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H<sub>2</sub>O<sub>2</sub> and O<sub>3</sub> effects on radiation treatment of TCE and PCE. *Chemosphere.* 51: 881-885. [http://dx.doi.org/10.1016/S0045-6535\(03\)00039-0](http://dx.doi.org/10.1016/S0045-6535(03)00039-0).
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku.* 37: 395-400.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Jungclaus, GA; Lopez-Avila, V; Hites, RA. (1978). Organic compounds in an industrial wastewater: a case study of their environmental impact. *Environ Sci Technol.* 12: 88-96.
- Juntunen, J. (1986). Occupational toxicology of trichloroethylene with special reference to neurotoxicity. In PL Chambers; P Gehring; F Sakai (Eds.), (pp. 189-200). Amsterdam, Netherlands: Elsevier Science Publishers.
- Kacew, S; Lambert, GH. (1997). Environmental toxicology and pharmacology of human development. In S Kacew; GH Lambert (Eds.). Washington, DC: Taylor and Francis.
- Kaemmerer, K; Fink, J; Keitzmann, M. (1982). Studies on the pharmacodynamics of perchloroethylene. *Prakt Tierarzt.* 63: 171-182.

## Fate Literature Search Results

### Off Topic

- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Gonzalez, AL; Guenel, P; Hardell, L; Launoy, G; Merler, E; Merletti, F; Suarez-Varela, MM; Stang, A. (2000). Occupation and small bowel adenocarcinoma: a European case-control study. *Occup Environ Med.* 57: 760-766.
- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Guénel, P; Hardell, L; Cyr, D; Ballard, T; Zambon, P; Morales Suárez-Varela, MM; Stang, A; Olsen, J. (2002). Occupational risk factors for small bowel carcinoid tumor: A European population-based case-control study. *J Occup Environ Med.* 44: 516-522.
- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res.* 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kalimuthu, K; Solomon, RDJ; Ganesh-Kumar, S; Vimalan, J. (2011). REDUCTIVE DECHLORINATION OF PERCHLOROETHYLENE BY BACILLUS SP JSK1 ISOLATED FROM DRY CLEANING INDUSTRIAL SLUDGE. *Carpath J Earth Env.* 6: 165-170.
- Kalinovich, I; Allen-King, RM; Thomas, K. (2012). Distribution of carbonaceous matter in lithofacies: impacts on HOC sorption nonlinearity. *J Contam Hydrol.* 133: 84-93. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.007>.
- Kalluri, R; Weinberg, RA. (2009). The basics of epithelial-mesenchymal transition. *J Clin Invest.* 119: 1420-1428. <http://dx.doi.org/10.1172/jci39104>.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull.* 10: 520-526.
- Kamon, M; Endo, K; Kawabata, J; Inui, T; Katsumi, T. (2004). Two-dimensional DNAPL migration affected by groundwater flow in unconfined aquifer. *J Hazard Mater.* 110: 1-12. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.033>.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kaneda, S; Kaneko, N. (2008). Collembolans feeding on soil affect carbon and nitrogen mineralization by their influence on microbial and nematode activities. *Biol Fertil Soils.* 44: 435-442. <http://dx.doi.org/10.1007/s00374-007-0222-x>.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci.* 14: 183-192.
- Kang, JW; Lee, KH; Koh, CI; Nam, SN. (2001). The kinetics of the sonochemical process for the destruction of aliphatic and aromatic hydrocarbons. *Korean J Chem Eng.* 18: 336-341.
- Kang, N; Hua, I; Rao, PS. (2006). Enhanced Fenton's destruction of non-aqueous phase perchloroethylene in soil systems. *Chemosphere.* 63: 1685-1698. <http://dx.doi.org/10.1016/j.chemosphere.2005.10.011>.
- Kang, N; Hua, I; Rao, PSC. (2004). Production and characterization of encapsulated potassium permanganate for sustained release as an in situ oxidant. *Ind Eng Chem Res.* 43: 5187-5193. <http://dx.doi.org/10.1021/ie0499097>.
- Kang, ZH; Wang, EB; Lian, SY; Gao, L; Jiang, M; Hu, CW; Xu, L. (2004). Selected synthesis of carbon nanostructures directed by silver nanocrystals. *Nanotechnology.* 15: 490-493. <http://dx.doi.org/10.1088/0957-4484/15/5/015>.
- Kanters, J; Louw, R. (1996). Thermal and catalysed halogenation in combustion reactions. *Chemosphere.* 32: 89-97.
- Kanu, AB; Hill, HH; Gribb, MM; Walters, RN. (2007). A small subsurface ion mobility spectrometer sensor for detecting environmental soil-gas contaminants. *J Environ Monit.* 9: 51-60. <http://dx.doi.org/10.1039/b610493b>.
- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol.* 72: 87-93. <http://dx.doi.org/10.1007/s00128-003-0244-5>.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere.* 43: 1071-1078.
- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere.* 44: 925-934.
- Kao, CM; Chen, SC; Wang, JY; Chen, YL; Lee, SZ. (2003). Remediation of PCE-contaminated aquifer by an in situ two-layer biobarrier: laboratory batch and column studies. *Water Res.* 37: 27-38.
- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res.* 37: 4885-4894. <http://dx.doi.org/10.1016/j.watres.2003.08.001>.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res.* 34: 835-845.
- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Progress in Clinical and Biological Research* (pp. 377-384). New York, NY: Wiley.
- Karadagli, F; Rittmann, BE. (2005). Kinetic characterization of *Methanobacterium bryantii* M.o.H. *Environ Sci Technol.* 39: 4900-4905. <http://dx.doi.org/10.1021/es047993b>.
- Karasavvas, N; Carcamo, JM; Stratis, G; Golde, DW. (2005). Vitamin C protects HL60 and U266 cells from arsenic toxicity. *Blood.* 105: 4004-4012. <http://dx.doi.org/10.1182/blood-2003-03-0772>.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H<sub>2</sub>-based membrane biofilm reactor and community fingerprinting. *Water Res.* 58: 21-28. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.
- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen.* 22: 113-128. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S. (2013). KINETICS OF DEGRADATION OF PERCHLOROETHYLENE UNDER ULTRASONIC IRRADIATION AND PHOTOOXIDATION IN AQUEOUS SOLUTION. *Environ Protect Eng.* 39: 29-38. <http://dx.doi.org/10.5277/epe130403>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering.* 9: 32. <http://dx.doi.org/10.1186/1735-2746-9-32>.

## Fate Literature Search Results

### Off Topic

- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *J Am Water Works Assoc.* 89: 41-53.
- Karimi, M; Sereshti, H; Khojeh, V; Samadi, S. (2013). Ligandless-ultrasound-assisted emulsification microextraction followed by inductively coupled plasma-optical emission spectrometry for simultaneous determination of heavy metals in water samples. *Int J Environ Anal Chem.* 93: 401-415. <http://dx.doi.org/10.1080/03067319.2012.656308>.
- Karim-Nezhad, G; Ahmadi, M; Zare-Dizajdizi, B. (2011). Background Corrected Dispersive Liquid-Liquid Microextraction of Cadmium Combined with Flame Atomic Absorption Spectrometry. *J Braz Chem Soc.* 22: 1816-1822.
- Karpov, VV; Belkin, AI. (1975). DYEING OF POLYESTER FIBERS IN PERCHLOROETHYLENE AS SOLVENT. *J Appl Chem USSR.* 48: 2100-2102.
- Kaspar, S; Rathgeb, F; Nopper, D; Gauglitz, G. (1999). Influence of relative humidity in sensing halogenated hydrocarbons with Reflectometric Interference Spectroscopy (RIFS). *Fresenius J Anal Chem.* 363: 193-196.
- Kassebaum, JH. (1994). COMPREHENSIVE LOW-VOLTAGE MOTOR SPECIFICATIONS. *I E E E Transactions on Industry Applications.* 30: 1373-1382.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C<sub>2</sub>H<sub>4</sub>CL<sub>2</sub> AND CH<sub>4</sub>. *Combust Flame.* 83: 365-374.
- Kastenbaum, MA; Bowman, KO. (1970). Tables for determining the statistical significance of mutation frequencies. *DNA Repair.* 9: 527-549.
- Kaster, AK; Mayer-Blackwell, K; Pasarelli, B; Spormann, AM. (2014). Single cell genomic study of Dehalococcoidetes species from deep-sea sediments of the Peruvian Margin. *ISME J.* 8: 1831-1842. <http://dx.doi.org/10.1038/ismej.2014.24>.
- Katakay, R; Wylie, LA. (2001). Investigation of mechanisms for the reductive dechlorination of chlorinated ethylenes using electroanalytical techniques. *Analyst.* 126: 1901-1906.
- Katerkamp, A; Bolsmann, P; Niggemann, M; Pellmann, M; Cammann, K. (1995). MICROCHEMICAL SENSORS BASED ON FIBEROPTIC EXCITATION OF SURFACE-PLASMONS. *Mikrochim Acta.* 119: 63-72.
- Kato, I; Koenig, K; Shore, R; Baptiste, M; Lillquist, P; Frizzera, G; Burke, J; Watanabe, H. (2002). Use of anti-inflammatory and non-narcotic analgesic drugs and risk of non-Hodgkin's lymphoma (NHL) (United States). *Cancer Causes Control.* 13: 965-974. <http://dx.doi.org/10.1023/A:1021953224822>.
- Kato, I; Koenig, KL; Watanabe-Meserve, H; Baptiste, MS; Lillquist, PP; Frizzera, G; Burke, JS; Moseson, M; Shore, RE. (2005). Personal and occupational exposure to organic solvents and risk of non-Hodgkin's lymphoma (NHL) in women (United States). *Cancer Causes Control.* 16: 1215-1224.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology.* 130: 141-154. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol.* 21: 81-89. <http://dx.doi.org/10.1002/jat.717>.
- Katz, RM; Jowett, D. (1981). Female laundry and dry cleaning workers in Wisconsin: a mortality analysis. *Am J Public Health.* 71: 305-307.
- Kaufman, AS; McLean, JE; Reynolds, CR. (1988). Sex, race, residence, region, and education differences on the 11 WAIS-R subtests. *J Clin Psychol.* 44: 231-248.
- Kaufman, DS; Shipley, WU; Feldman, AS. (2009). Bladder cancer. *Lancet.* 374: 239-249. [http://dx.doi.org/10.1016/S0140-6736\(09\)60491-8](http://dx.doi.org/10.1016/S0140-6736(09)60491-8).
- Kaune, WT; Savitz, DA. (1994). Simplification of the Wertheimer-Leeper wire code. *Bioelectromagnetics.* 15: 275-282. <http://dx.doi.org/10.1002/bem.2250150402>.
- Kauppinen, T; Heikkilä, P; Plato, N; Woldbaek, T; Lenvik, K; Hansen, J; Kristjansson, V; Pukkala, E. (2009). Construction of job-exposure matrices for the Nordic Occupational Cancer Study (NOCCA). *Acta Oncol.* 48: 791-800. <http://dx.doi.org/10.1080/02841860902718747>.
- Kawaguchi, K; Oku, N; Rin, K; Yamanaka, K; Okada, S. (1996). Dimethylarsenics reveal DNA damage induced by superoxide anion radicals. *Biol Pharm Bull.* 19: 551-553.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health.* <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawase, T; Yamane, M; Fujii, T; Minagawa, M; Sawada, H; Moriya, Y. (1997). Fluoroalkylation of polyester by end-capped fluoroalkyl-functional silanes. *J Adhes Sci Tech.* 11: 1381-1397.
- Kawase, Y; Masuya, T; Yasuda, K; Nakamura, M. (2006). Development of small ultrasonic reactor for on-site treatment of wastewater including chlorinated hydrocarbon. *J Chem Eng Jpn.* 39: 95-98.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Kawata, K; Shimazaki, R; Okabe, S. (2009). Comparison of gene expression profiles in HepG2 cells exposed to arsenic, cadmium, nickel, and three model carcinogens for investigating the mechanisms of metal carcinogenesis. *Environ Mol Mutagen.* 50: 46-59. <http://dx.doi.org/10.1002/em.20438>.
- Kawauchi, T; Nishiyama, K. (1989). Residual tetrachloroethylene in dry-cleaned clothes. *Environ Res.* 48: 296-301.
- Kaye, AJ; Cho, J; Basu, NB; Chen, X; Annable, MD; Jawitz, JW. (2008). Laboratory investigation of flux reduction from dense non-aqueous phase liquid (DNAPL) partial source zone remediation by enhanced dissolution. *J Contam Hydrol.* 102: 17-28. <http://dx.doi.org/10.1016/j.jconhyd.2008.01.006>.
- Keating, A; Venkateswaran, K; Szoenyi, M; Macclune, K; Mechler, R. (2016). From event analysis to global lessons: disaster forensics for building resilience. *Natural Hazards and Earth System Sciences.* 16: 1603-1616. <http://dx.doi.org/10.5194/nhess-16-1603-2016>.
- Kebria, DY; Taghizadeh, M; Camacho, JV; Latifi, N. (2016). Remediation of PCE contaminated clay soil by coupling electrokinetics with zero-valent iron permeable reactive barrier. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5466-z>.
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forder, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular

## Fate Literature Search Results

### Off Topic

- events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet*. 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Keen, C; Dabill, DW; Groves, JA. (1996). On-site monitoring of personal exposure to tetrachloroethylene at dry cleaning establishments. *Ann Occup Hyg*. 40: 281-292.
- Keene, WC; Khalil, MAK; III, ED; McCulloch, A; Graedel, TE; Lobert, JM; Aucott, ML; Gong, SL; Harper, DB; Kleiman, G; Midgley, P; Moore, RM; Seuzaret, C; Sturges, WT; Benkovitz, CM; Koropalov, V; Barrie, LA; Li, YF. (1999). Composite global emissions of reactive chlorine from anthropogenic and natural sources: reactive chlorine emissions inventory. *J Geophys Res*. 104: 8429-8440.
- Keith, LH; Garrison, AW; Allen, FR; Carter, MH; Floyd, TL; Pope, JD; Thruston, AD, Jr. (1976). Identification of organic compounds in drinking water from thirteen US cities. In G Athens (Ed.), (pp. 329-373). Ann Arbor, MI: Ann Arbor Science Publishers.
- Keller, DA; Heck, H. (1988). Mechanistic studies on chloral toxicity: Relationship to trichloroethylene carcinogenesis. *Toxicol Lett*. 42: 183-191. [http://dx.doi.org/10.1016/0378-4274\(88\)90076-8](http://dx.doi.org/10.1016/0378-4274(88)90076-8).
- Keller, R. (1988). COMPARATIVE STUDIES OF DIFFUSION COLLECTORS AND OF ACTIVE SAMPLING FOR THE DETECTION OF TOLUENE AND TETRACHLOROETHENE IN THE AIR AT THE WORK PLACE. *Zentralbl Bakteriell Mikrobiol Hyg*. 186: 448-449.
- Kemp, BJ; Hruska, CB; McFarland, AR; Lenox, MW; Lowe, VJ. (2009). NEMA NU 2-2007 performance measurements of the Siemens Inveon preclinical small animal PET system. *Phys Med Biol*. 54: 2359-2376. <http://dx.doi.org/10.1088/0031-9155/54/8/007>.
- Kempton, H; Davis, A; Olsen, R. (1992). Remediation of solvent-contaminated soils by aeration. *J Environ Qual*. 21: 121-128.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol*. 24: 3-4.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc*. 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 1559-1569.
- Kepner, RE; Maarse, H; Strating, J. (1964). Gas chromatographic head space techniques for the quantitative determination of volatile components in multicomponent aqueous solutions. *Anal Chem*. 36: 77-82.
- Keppler, F; Borchers, R; Hamilton, JT; Kilian, G; Pracht, J; Schöler, HF. (2006). De novo formation of chloroethyne in soil. *Environ Sci Technol*. 40: 130-134. <http://dx.doi.org/10.1021/es0513279>.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environ Sci Technol*. 36: 2479-2483. <http://dx.doi.org/10.1021/es015611j>.
- Kerbey, AL; Randle, PJ; Cooper, RH; Whitehouse, S; Pask, HT; Denton, RM. (1976). Regulation of pyruvate dehydrogenase in rat heart. Mechanism of regulation of proportions of dephosphorylated and phosphorylated enzyme by oxidation of fatty acids and ketone bodies and of effects of diabetes: role of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide-adenine dinucleotide. *Biochem J*. 154: 327-348.
- Kerfoot, WB. (2003). Microbubble ozone sparging for chlorinated ethene spill remediation. *ACS Symp Ser Am Chem Soc*. 837: 86-108.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med*. 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kerr, M; Schmidt, J; Cuevas, A. (2000). Comparison of the open circuit voltage of simplified PERC cells passivated with PECVD silicon nitride and thermal silicon oxide. *Progress in Photovoltaics*. 8: 529-536.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol*. 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin*. 200: 5-6.
- Keymeulen, R; Voutetaki, A; Van Langenhove, H. (1995). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN PLANT LEAVES BY GAS CHROMATOGRAPHY-MASS SPECTROMETRY. *J Chromatogr A*. 699: 1-2.
- Kezic, S; Monster, AC; Kruse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health*. 73: 415-422. <http://dx.doi.org/10.1007/s004200000161>.
- Kezic, S; Monster, AC; van de Gevel, I; Kruse, J; Opdam, JG; Verberk, MM. (2001). Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J*. 62: 12-18. <http://dx.doi.org/10.1080/15298660108984604>.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl<sub>4</sub> by high surface-area aluminum oxide. *Environ Sci Technol*. 36: 1620-1624. <http://dx.doi.org/10.1021/es010650i>.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos*. 104: 8333-8346.
- Khalil, MAK; Rasmussen, RA. (1999). Atmospheric methyl chloride. *Atmos Environ*. 33: 1305-1321.
- Khan, AJ; Watts, RJ. (1996). Mineral-catalyzed peroxidation of tetra chloroethylene. *Water Air Soil Pollut*. 88: 247-260.
- Khattak, S; K-Moghtader, G; Marmar, K; Barrera, M; Kennedy, D; Koren, G. (1999). Pregnancy outcome following gestational exposure to organic solvents: A prospective controlled study. *JAMA*. 281: 1106-1109. <http://dx.doi.org/10.1001/jama.281.12.1106>.
- Khiutti, A; Afanasenko, O; Antonova, O; Shuvalov, O; Novikova, L; Krylova, E; Chalaya, N; Mironenko, N; Spooner, DM; Gavrilenko, T. (2012). Characterization of resistance to *Synchytrium endobioticum* in cultivated potato accessions from the collection of Vavilov Institute of Plant Industry. *Plant Breeding (Print)*. 131: 744-750. <http://dx.doi.org/10.1111/j.1439-0523.2012.02005.x>.
- Kiaei, D; Hoffman, AS; Horbett, TA. (1995). Platelet adhesion to fibrinogen adsorbed on glow discharge-deposited polymers. *ACS Symp Ser Am Chem Soc*. 602: 450-462.

## Fate Literature Search Results

### Off Topic

- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environ Sci Technol.* 36: 104-111. <http://dx.doi.org/10.1021/es010966q>.
- Kido, K; Shiratori, T; Watanabe, T; Nakatsuka, H; Ohashi, M; Ikeda, M. (1989). CORRELATION OF TETRACHLOROETHYLENE IN BLOOD AND IN DRINKING-WATER - A CASE OF WELL WATER-POLLUTION. *Bull Environ Contam Toxicol.* 43: 444-453.
- Kido, T; Sugaya, C; Ikeuchi, R; Kudo, Y; Tsunoda, M; Aizawa, Y. (2013). The Increases in mRNA Expressions of Inflammatory Cytokines by Adding Cleaning Solvent or Tetrachloroethylene in the Murine Macrophage Cell Line J774.1 Evaluated by Real-time PCR. *Ind Health.* 51: 319-325.
- Kielhorn, J; Melber, C; Wahnschaffe, U; Aitio, A; Mangelsdorf, I. (2000). Vinyl chloride: still a cause for concern [Review]. *Environ Health Perspect.* 108: 579-588.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg.* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kikuchi, Y; Hirao, M. (2008). Practical method of assessing local and global impacts for risk-based decision making: A case study of metal degreasing processes. *Environ Sci Technol.* 42: 4527-4533. <http://dx.doi.org/10.1021/es7024164>.
- Kikuchi, Y; Hirao, M. (2010). Local risks and global impacts considering plant-specific functions and constraints: a case study of metal parts cleaning. *Int J Life Cycle Assess.* 15: 17-31. <http://dx.doi.org/10.1007/s11367-009-0137-x>.
- Kilburn, K. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health.* 57: 113-120. <http://dx.doi.org/10.1080/00039890209602925>.
- Kim, DC; Ihm, SK. (2001). Role of water in the catalytic decomposition of chlorinated hydrocarbons over chromium-containing catalysts. *J Chem Eng Jpn.* 34: 143-147.
- Kim, ES; Lee, DH; Yum, BW; Chang, HW. (2005). The effect of ionic strength and hardness of water on the non-ionic surfactant-enhanced remediation of perchloroethylene contamination. *J Hazard Mater.* 119: 195-203. <http://dx.doi.org/10.1016/j.jhazmat.2004.12.015>.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol.* 184: 25-34. <http://dx.doi.org/10.1016/j.jconhyd.2015.11.002>.
- Kim, H; Annable, MD; Rao, PSC. (2001). Gaseous transport of volatile organic chemicals in unsaturated porous media: Effect of water-partitioning and air-water interfacial adsorption. *Environ Sci Technol.* 35: 4457-4462. <http://dx.doi.org/10.1021/es001965l>.
- Kim, H; Annable, MD; Rao, PSC; Cho, J. (2009). Laboratory evaluation of surfactant-enhanced air sparging for perchloroethene source mass depletion from sand. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 406-413. <http://dx.doi.org/10.1080/10934520802659786>.
- Kim, H; Kim, T; Shin, S; Annable, MD. (2012). Measurement of air and VOC vapor fluxes during gas-driven soil remediation: bench-scale experiments. *Environ Sci Technol.* 46: 9533-9540. <http://dx.doi.org/10.1021/es300821y>.
- Kim, H, eeSik; Lee, W, anSuk; Ahn, C, hiY; Kim, BH; Kim, JE, ok; Oh, H, eeM. (2010). Kinetic correlation between degradation and dechlorination of perchloroethylene in the Fenton reaction. *Korean J Chem Eng.* 27: 1750-1754. <http://dx.doi.org/10.1007/s11814-010-0304-6>.
- Kim, H; Rao, PSC; Annable, MD. (1999). Consistency of the interfacial tracer technique: experimental evaluation. *J Contam Hydrol.* 40: 79-94.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater.* 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere.* 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter (pp. 331-337). (BIOSIS/97/18416). Kim, JO.
- Kim, JO; Terkonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant (pp. 253-259). (BIOSIS/99/00164). Kim, JO; Terkonda, PK; Lee, SD.
- Kim, K; Guroi, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environ Sci Technol.* 39: 9303-9308. <http://dx.doi.org/10.1021/es050830j>.
- Kim, KS; Kwon, T, aeS; Yang, JS; Yang, J, iWon. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination.* 205: 87-96. <http://dx.doi.org/10.1016/j.desal.2006.04.043>.
- Kim, KS; Min, JY; Dickman, MB. (2008). Oxalic acid is an elicitor of plant programmed cell death during *Sclerotinia sclerotiorum* disease development. *Mol Plant Microbe Interact.* 21: 605-612. <http://dx.doi.org/10.1094/MPMI-21-5-0605>.
- Kim, M; Park, S; Kim, D. (2013). Highly efficient PERC cells fabricated using the low cost laser ablation process. *Solar Energy Materials and Solar Cells.* 117: 126-131. <http://dx.doi.org/10.1016/j.solmat.2013.04.025>.
- Kim, MY; Oskarsson, T; Acharyya, S; Nguyen, DX; Zhang, XH; Norton, L; Massague, J. (2009). Tumor self-seeding by circulating cancer cells. *Cell.* 139: 1315-1326. <http://dx.doi.org/10.1016/j.cell.2009.11.025>.
- Kim, NK. (2005). Cover letter addressed to Robert E. McGaughey [Personal Communication].
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, SY; Talbot, R; Mao, H; Blake, D; Vay, S; Fuelberg, H. (2008). Continental outflow from the US to the upper troposphere over the North Atlantic during the NASA INTEX-NA Airborne Campaign. *Atmos Chem Phys.* 8: 1989-2005.
- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environ Sci Technol.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.

## Fate Literature Search Results

### Off Topic

- Kimura, A; Ishida, Y; Hayashi, T; Wada, T; Yokoyama, H; Sugaya, T; Mukaida, N; Kondo, T. (2006). Interferon- $\gamma$  Plays protective roles in sodium arsenite-induced renal injury by up-regulating intrarenal multidrug resistance-associated protein 1 expression. *Am J Pathol.* 169: 1118-1128. <http://dx.doi.org/10.2353/ajpath.2006.060024>.
- Kindler, TP; Chameides, WL; Wine, PH; Cunnold, DM; Alyea, FN; Franklin, JA. (1995). THE FATE OF ATMOSPHERIC PHOSGENE AND THE STRATOSPHERIC CHLORINE LOADINGS OF ITS PARENT COMPOUNDS - CCL<sub>4</sub>, C<sub>2</sub>CL<sub>4</sub>, C<sub>2</sub>HCL<sub>3</sub>, CH<sub>3</sub>CCl<sub>3</sub>, AND CHCL<sub>3</sub>. *J Geophys Res Atmos.* 100: 1235-1251.
- King, MD; Thompson, KC. (2003). Rate constants for the reaction of NO and HO<sub>2</sub> with peroxy radicals formed from the reaction of OH, Cl or NO<sub>3</sub> with alkenes, dienes and alpha, beta-unsaturated carbonyls. *Atmos Environ.* 37: 4517-4527. [http://dx.doi.org/10.1016/S1352-2310\(03\)00570-3](http://dx.doi.org/10.1016/S1352-2310(03)00570-3).
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol.* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kini, PG; Bansal, RC; Aithal, RS. (2007). A novel approach toward interpretation and application of voltage unbalance factor. *I E E E Transactions on Industrial Electronics.* 54: 2315-2322. <http://dx.doi.org/10.1109/TIE.2007.899935>.
- Kinoshita, A; Wanibuchi, H; Morimura, K; Wei, M; Nakae, D; Arai, T; Minowa, O; Noda, T; Nishimura, S; Fukushima, S. (2007). Carcinogenicity of dimethylarsinic acid in Ogg1-deficient mice. *Cancer Sci.* 98: 803-814. <http://dx.doi.org/10.1111/j.1349-7006.2007.00475.x>.
- Kirov, AS; Piao, JZ; Schmidlein, CR. (2008). Partial volume effect correction in PET using regularized iterative deconvolution with variance control based on local topology. *Phys Med Biol.* 53: 2577-2591. <http://dx.doi.org/10.1088/0031-9155/53/10/009>.
- Kirtland, BC; Aelion, CM; Stone, PA. (2005). Assessing in situ mineralization of recalcitrant organic compounds in vadose zone sediments using delta<sup>13</sup>C and <sup>14</sup>C measurements. *J Contam Hydrol.* 76: 1-18. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.007>.
- Kishi, R; Harabuchi, I; Ikeda, T; Katakura, Y; Miyake, H. (1993). Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med.* 50: 470-480.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Faerber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health.* 211: 308-317. <http://dx.doi.org/10.1016/j.ijheh.2007.02.01>.
- Kitchin, KT; Wallace, K; Andrewes, P. (2003). Some chemical properties underlying arsenic's biological activity. In WR Chappell; CO Abernathy; RL Calderon; DJ Thomas (Eds.), *Proceedings of the Fifth International Conference on Arsenic Exposure and Health Effects, July 14–18, 2002, San Diego, California* (pp. 345-354). NA: Elsevier B.V. <http://dx.doi.org/10.1016/b978-044451441-7/50027-0>.
- Kiurski, JS; Oros, IB; Kecic, VS; Kovacevic, IM; Aksentijevic, SM. (2016). The temporal variation of indoor pollutants in photocopying shop. *Stoch Environ Res Risk Assess.* 30: 1289-1300. <http://dx.doi.org/10.1007/s00477-015-1107-4>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research.* 7: 109-116.
- Klaunig, JE; Ruch, RJ; DeAngelo, AB; Kaylor, WH. (1988). Inhibition of mouse hepatocyte intercellular communication by phthalate monoesters. *Cancer Lett.* 43: 65-71. [http://dx.doi.org/10.1016/0304-3835\(88\)90215-7](http://dx.doi.org/10.1016/0304-3835(88)90215-7).
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos.* 105: 28875-28893.
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere.* 38: 1175-1188. [http://dx.doi.org/10.1016/S0045-6535\(98\)00485-8](http://dx.doi.org/10.1016/S0045-6535(98)00485-8).
- Kligerman, AD; Doerr, CL; Tennant, AH; Harrington-Brock, K; Allen, JW; Winkfield, E; Poorman-Allen, P; Kundu, B; Funasaka, K; Roop, BC; Mass, MJ; Demarini, DM. (2003). Methylated trivalent arsenicals as candidate ultimate genotoxic forms of arsenic: Induction of chromosomal mutations but not gene mutations. *Environ Mol Mutagen.* 42: 192-205. <http://dx.doi.org/10.1002/em.10192>.
- Kline, SA; McCoy, EC; Rosenkranz, HS; Van Duuren, BL. (1982). Mutagenicity of chloroalkene epoxides in bacterial systems. *Mutat Res.* 101: 115-125. [http://dx.doi.org/10.1016/0165-1218\(82\)90002-7](http://dx.doi.org/10.1016/0165-1218(82)90002-7).
- Kline, SA; Solomon, JJ; Van Duuren, BL. (1978). Synthesis and reactions of chloroalkene epoxides. *J Org Chem.* 43: 3596-3600.
- Kline, SA; Van Duuren, BL; McCoy, EC; Rosenkranz, HS; DiPaolo, JA. (1980). Bacterial mutagenicity and transformation of mammalian cells by chloroalkene epoxides. *Proc Ann Mtg Am Assoc Canc Res.* 21: 78.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health.* 52: 348-354. <http://dx.doi.org/10.1080/00039899709602210>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis metropolitan area (vol 52, pg 348, 1997). *Arch Environ Health.* 52: 486-486.
- Kmetz, AA; Becker, MD; Lyon, BA; Foster, E; Xue, Z; Johnston, KP; Abriola, LM; Pennell, KD. (2016). Improved Mobility of Magnetite Nanoparticles at High Salinity with Polymers and Surfactants. *Energy Fuels.* 30: 1915-1926. <http://dx.doi.org/10.1021/acs.energyfuels.5b01785>.
- Knaak, JB; Al-Bayati, MA; Raabe, OG; Blancato, JN. (1993). Development of in vitro V<sub>max</sub> and K<sub>m</sub> values for the metabolism of isofenphos by P-450 liver enzymes in animals and human. *Toxicol Appl Pharmacol.* 120: 106-113. <http://dx.doi.org/10.1006/taap.1993.1092>.
- Knoll, JE; Smith, MA; Midgett, MR. (1979). Evaluation of emission test methods for halogenated hydrocarbons - volume I, CCl<sub>4</sub>, C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, C<sub>2</sub>Cl<sub>4</sub> and C<sub>2</sub>HCl<sub>3</sub>. (EPA-600/4-79-025). Research Triangle Park, N.C.: U.S. Environmental Protection Agency.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut.* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater.* 174: 876-879. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.043>.

## Fate Literature Search Results

### Off Topic

- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environ Sci Technol.* 41: 5824-5832. <http://dx.doi.org/10.1021/es070361f>.
- Ko, S; Batchelor, B. (2010). Effect of Cement Type on Performance of Ferrous Iron-Based Degradative Solidification and Stabilization. *Environ Eng Sci.* 27: 977-987. <http://dx.doi.org/10.1089/ees.2010.0189>.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage.* 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Ko, SO, h; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol.* 53: 359-364. <http://dx.doi.org/10.1007/s00254-007-0651-8>.
- Koch, J; Voelker, P. (1996). Formation of artefacts and its suppression during the determination of volatile halogenated hydrocarbons in water by means of headspace gas chromatography under the standard conditions of DIN 38407-F5. Part I: Formation of dehydrohalogenation products from saturated halogenated hydrocarbons. *Acta Hydrochim Hydrobiol.* 24: 176-178.
- Koeber, R; Hollert, H; Hornbruch, G; Jekel, M; Kamptner, A; Klaas, N; Maes, H; Mangold, KM; Martac, E; Matheis, A; Paar, H; Schaeffer, A; Schell, H; Schiwy, A; Schmidt, KR; Strutz, TJ; Thuemmler, S; Tiehm, A; Braun, J. (2014). Nanoscale zero-valent iron flakes for groundwater treatment. *Environ Earth Sci.* 72: 3339-3352. <http://dx.doi.org/10.1007/s12665-014-3239-0>.
- Koenig, J; Lee, M; Manefield, M. (2015). Aliphatic organochlorine degradation in subsurface environments. *Reviews in Environmental Science and Biotechnology.* 14: 49-71. <http://dx.doi.org/10.1007/s11157-014-9345-3>.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater.* 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Koenik, A; Madsen, MT; Sunderland, JJ. (2012). GATE Simulations of Small Animal SPECT for Determination of Scatter Fraction as a Function of Object Size. *IEEE Trans Nucl Sci.* 59: 1887-1891. <http://dx.doi.org/10.1109/TNS.2012.2205403>.
- Koepsell, TD; Daling, JR; Weiss, NS; Taylor, JW; Olshan, AF; Lyon, JL; Swanson, GM; Child, M. (1987). Antigenic stimulation and the occurrence of multiple myeloma. *Am J Epidemiol.* 126: 1051-1062.
- Kogevinas, M; 't Mannetje, A; Cordier, S; Ranft, U; González, C; Vineis, P; Chang-Claude, J; Lynge, E; Wahrendorf, J; Tzonou, A; Jöckel, K; Serra, C; Porru, S; Hours, M; Greiser, E; Boffetta, P. (2003). Occupation and bladder cancer among men in Western Europe. *Cancer Causes Control.* 14: 907-914. <http://dx.doi.org/10.1023/B:CACO.0000007962.19066.9c>.
- Kohan, MJ; Huggins-Clark, G; George, SE. Mutagenicity of chlorinated and brominated acetic acids.
- Kohan, MJ; Huggins-Clark, G; George, SE. (1998). Mutagenicity of chlorinated and brominated acetic acids. *Environ Mol Mutagen.* 31: 36. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)29+<27::AID-EM4>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)29+<27::AID-EM4>3.0.CO;2-F).
- Kohlmyer, SG; Miyaoka, RM; Lewellen, TK. (1999). Evaluation of low energy threshold settings for PVIPET systems. *IEEE Trans Nucl Sci.* 46: 2141-2145.
- Kohn, MC; Portier, CJ. (1993). Effects of the mechanism of receptor-mediated gene expression on the shape of the dose-response curve. *Risk Anal.* 13: 565-572. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00016.x>.
- Koizumi, A; Kumai, M; Ikeda, M. (1982). In vivo suppression of 1,1,1-trichloroethane metabolism by co-administered tetrachloroethylene: an inhalation study. *Bull Environ Contam Toxicol.* 29: 196-199.
- Kok, RJ; Haas, M; Moolenaar, F; de Zeeuw, D; Meijer, DK. (1998). Drug delivery to the kidneys and the bladder with the low molecular weight protein lysozyme. *Ren Fail.* 20: 211-217.
- Kolstad, HA; Bonde, JP; Spano, M; Giwercman, A; Zschiesche, W; Kaae, D; Larsen, SB; Roeleveld, N. (1999). Change in semen quality and sperm chromatin structure following occupational styrene exposure. *Int Arch Occup Environ Health.* 72: 135-141.
- Kolthammer, JA; Su, KH; Grover, A; Narayanan, M; Jordan, DW; Muzic, RF. (2014). Performance evaluation of the Ingenuity TF PET/CT scanner with a focus on high count-rate conditions. *Phys Med Biol.* 59: 3843-3859. <http://dx.doi.org/10.1088/0031-9155/59/14/3843>.
- Komaki, Y; Pals, J; Wagner, ED; Marinas, BJ; Plewa, MJ. (2009). Mammalian cell DNA damage and repair kinetics of monohaloacetic acid drinking water disinfection by-products. *Environ Sci Technol.* 43: 8437-8442. <http://dx.doi.org/10.1021/es901852z>.
- Komatsu, T; Momono, K; Matsuo, T; Hanaki, K. (1994). BIOTRANSFORMATION OF CIS-1,2-DICHLOROETHYLENE TO ETHYLENE AND ETHANE UNDER ANAEROBIC CONDITIONS. *Water Sci Technol.* 30: 75-84.
- Komatsu, T; Shinmyo, J; Momono, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Sci Technol.* 36: 125-132.
- Komulainen, H. (2004). Experimental cancer studies of chlorinated by-products [Review]. *Toxicology.* 198: 239-248. <http://dx.doi.org/10.1016/j.tox.2004.01.031>.
- Konik, A; Madsen, MT; Sunderland, JJ. (2010). GATE Simulations of Human and Small Animal PET for Determination of Scatter Fraction as a Function of Object Size. *IEEE Trans Nucl Sci.* 57: 2558-2563. <http://dx.doi.org/10.1109/TNS.2010.2065240>.
- Koper, O; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .3. Chloroform, trichloroethene, and tetrachloroethene. *Chem Mater.* 9: 2481-2485.
- Koper, O; Lagadic, I; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .2. *Chem Mater.* 9: 838-848.
- Koper, O; Li, YX; Klabunde, KJ. (1993). DESTRUCTIVE ADSORPTION OF CHLORINATED HYDROCARBONS ON ULTRAFINE (NANOSCALE) PARTICLES OF CALCIUM-OXIDE. *Chem Mater.* 5: 500-505.
- Kopinke, FD; Georgi, A; Voskamp, M; Richnow, HH. (2005). Carbon isotope fractionation of organic contaminants due to retardation on humic substances: implications for natural attenuation studies in aquifers. *Environ Sci Technol.* 39: 6052-6062. <http://dx.doi.org/10.1021/es040096n>.

## Fate Literature Search Results

### Off Topic

- Kopp, ML. (2012). The Vyatka deformations in the East European Platform: Formation dynamics and expression in recent structure. *Geotectonics*. 46: 435-454. <http://dx.doi.org/10.1134/S0016852112060040>.
- Koppmann, R; Johnen, FJ; Plassdulmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos*. 98: 20517-20526.
- Korn, J. (1977). Hvor mange endnu? Perklorforgiftning i møntrensierier. *Ugeskr Laeger*. 139: 303-304.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: The use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol*. 34: 383-397.
- Kostiainen, R. (1995). Volatile organic compounds in the indoor air of normal and sick houses. *Atmos Environ*. 29: 693-702.
- Kostopoulou, MN; Golfinopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere*. 40: 527-532.
- Kotasidis, FA; Matthews, JC; Angelis, GI; Noonan, PJ; Jackson, A; Price, P; Lionheart, WR; Reader, AJ. (2011). Single scan parameterization of space-variant point spread functions in image space via a printed array: the impact for two PET/CT scanners. *Phys Med Biol*. 56: 2917-2942. <http://dx.doi.org/10.1088/0031-9155/56/10/003>.
- Kotiaho, T; Gylling, S; Lunding, A; Lauritsen, FR. (1995). DIRECT DETERMINATION OF STYRENE AND TETRACHLOROETHYLENE IN OLIVE OIL BY MEMBRANE INLET MASS-SPECTROMETRY. *J Agric Food Chem*. 43: 928-930.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ*. 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data*. 46: 783-787.
- Koukouraki, EE; Berkhoudt, RA; Diamadopoulos, E. (1997). Determination of volatile chlorination by-products in drinking water in Greece. *Fresen Environ Bull*. 6: 160-165.
- Koul, H; Kennington, L; Honeyman, T; Jonassen, J; Menon, M; Scheid, C. (1996). Activation of c-myc gene mediates the mitogenic effects of oxalate in LLC-PK1 cells, a line of renal epithelial cells. *Kidney Int*. 50: 1525-1530. <http://dx.doi.org/10.1038/ki.1996.467>.
- Koul, H; Kennington, L; Nair, G; Honeyman, T; Menon, M; Scheid, C. (1994). Oxalate-induced initiation of DNA synthesis in LLC-PK1 cells, a line of renal epithelial cells. *Biochem Biophys Res Commun*. 205: 1632-1637. <http://dx.doi.org/10.1006/bbrc.1994.2854>.
- Kowalska, J; Gierczak, T. (2013). Qualitative and Quantitative Analyses of the Halogenated Volatile Organic Compounds Emitted from the Office Equipment Items. *Indoor Built Environ*. 22: 920-931. <http://dx.doi.org/10.1177/1420326X12458299>.
- Kowalska, J; Szewczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int*. 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Kozłowska, A. (2016). A new generic name, *Semigothograptus*, for *Gothograptus* & *meganassa*; Rickards & Palmer, 2002, from the Silurian post-lundgreni; Biozone recovery phase, and comparative morphology of retiolitids from the lowermost upper Homeric (upper Wenlock). *Zootaxa*. 4208: 4208. <http://dx.doi.org/10.11646/zootaxa.4208.6.2>.
- Kranz, C; Baumann, U; Wolpensinger, B; Lottspeich, F; Mueller, M; Palinginis, P; Brendel, R; Dullweber, T. (2016). Void formation in screen-printed local aluminum contacts modeled by surface energy minimization. *Solar Energy Materials and Solar Cells*. 158: 11-18. <http://dx.doi.org/10.1016/j.solmat.2016.06.039>.
- Kranz, C; Wolpensinger, B; Brendel, R; Dullweber, T. (2016). Analysis of Local Aluminum Rear Contacts of Bifacial PERC plus Solar Cells. 6: 830-836. <http://dx.doi.org/10.1109/JPHOTOV.2016.2551465>.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int*. 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kranzioch, I; Stoll, C; Holbach, A; Chen, H; Wang, L; Zheng, B; Norra, S; Bi, Y; Schramm, KW; Tiehm, A. (2013). Dechlorination and organohalide-respiring bacteria dynamics in sediment samples of the Yangtze Three Gorges Reservoir. *Environ Sci Pollut Res Int*. 20: 7046-7056. <http://dx.doi.org/10.1007/s11356-013-1545-9>.
- Kranzioch-Seipel, I; Beckert, U; Shen, C; Yin, D; Tiehm, A. (2016). Microbial dechlorination of HCB, PCP, PCB180, HCH and PCE in a Yangtze Three Gorges Reservoir enrichment culture, China. *Environ Earth Sci*. 75: 928-928. <http://dx.doi.org/10.1007/s12665-016-5653-y>.
- Krasovskii, GN. (1976). Extrapolation of experimental data from animals to man. *Environ Health Perspect*. 13: 51-58.
- Krasowski, M; Harrison, N. (2000). The actions of ether, alcohol and alkane general anaesthetics on GABAA and glycine receptors and the effects of TM2 and TM3 mutations. *Br J Pharmacol*. 129: 731-743. <http://dx.doi.org/10.1038/sj.bjp.0703087>.
- Krasteva, N; Fogel, Y; Bauer, RE; Muellen, K; Joseph, Y; Matsuzawa, N; Yasuda, A; Vossmeier, T. (2007). Vapor sorption and electrical response of Au-nanoparticle-dendrimer composites. *Adv Funct Mater*. 17: 881-888. <http://dx.doi.org/10.1002/adfm.200600598>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res*. 50: 3701-3708.
- Kraupp-Grasl, B; Huber, W; Taper, H; Schulte-Hermann, R. (1991). Increased susceptibility of aged rats to hepatocarcinogenesis by the peroxisome proliferator nafenopin and the possible involvement of altered liver foci occurring spontaneously. *Cancer Res*. 51: 666-671.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther*. 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Krauss, K; Fertig, F; Greulich, J; Rein, S; Preu, R. (2016). biPERC silicon solar cells enabling bifacial applications for industrial solar cells with passivated rear sides. *Physica Status Solidi A: Applications and Materials Science (Print)*. 213: 68-71. <http://dx.doi.org/10.1002/pssa.201532737>.



## Fate Literature Search Results

### Off Topic

- Kreiling, JA; Stephens, RE; Reinisch, CL. (2005). A mixture of environmental contaminants increases cAMP-dependent protein kinase in *Spisula* embryos. *Environ Toxicol Pharmacol.* 19: 9-18. <http://dx.doi.org/10.1016/j.etap.2004.02.007>.
- Kreppel, H; Liu, J; Liu, Y; Reichl, FX; Klaassen, CD. (1994). Zinc-induced arsenite tolerance in mice. *Fundam Appl Toxicol.* 23: 32-37. <http://dx.doi.org/10.1006/faat.1994.1075>.
- Kriebel, D; Zeka, A; Eisen, EA; Wegman, DH. (2004). Quantitative evaluation of the effects of uncontrolled confounding by alcohol and tobacco in occupational cancer studies. *Int J Epidemiol.* 33: 1040-1045.
- Kringstad, KP; Ljungquist, PO; De, SF; Stroemberg, LM. Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination.
- Kringstad, KP; Ljungquist, PO; de Sousa, F; Stromberg, LM. (1981). Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination. *Environ Sci Technol.* 15: 562-566. <http://dx.doi.org/10.1021/es00087a006>.
- Krishnaiah, A; Surendranath, KN. (1996). Densities, speeds of sound, and viscosities of mixtures of oxolane with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 41: 1012-1014.
- Krishnaiah, A; Surendranath, KN; Viswanath, DS. (1994). EXCESS VOLUMES AND VISCOSITIES OF 1,4-DIOXANE PLUS CHLORINATED ETHANES OR PLUS CHLORINATED ETHENES AT 303.15-K. *Journal of Chemical and Engineering Data.* 39: 756-758.
- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krochmal, D. (1999). Determination of organic volatile compounds in workplace air by use of passive samplers and gas chromatography. Part I. A method of determination of chlorinated aliphatic hydrocarbons after solvent desorption. *Chemia analityczna.* 44: 963-976.
- Krost, KJ; Pellizzari, ED; Walburn, SG; Hubbard, SA. (1982). Collection and analysis of hazardous organic emissions. *Anal Chem.* 54: 810-817.
- Krumbiegel, P; Kulicke, K; Rasenberger, U; Starke, M. (1992). MEASUREMENT OF LIVER-DAMAGE BY PERCHLOROETHYLENE WITH THE INVIVO N-15 METHACETIN TEST. *Isotopenpraxis.* 28: 27-30.
- Kruper, WJ; Emmons, AH. (1991). SYNTHESIS OF ALPHA-HALOCINNAMATE ESTERS VIA SOLVOLYTIC REARRANGEMENT OF TRICHLOROALLYL ALCOHOLS. *J Org Chem.* 56: 3323-3329.
- Krzemień, A; Riesgo fernández, P; Suárez sánchez, A; Diego álvarez, I. (2016). Beyond the pan-european standard for reporting of exploration results, mineral resources and reserves. *Resources Policy.* 49: 81-91.
- Kubal, M; Janda, V; Benes, P; Hendrych, J. (2008). In situ chemical oxidation and its application to remediation of contaminated soil and groundwater. *Chem Listy.* 102: 493-499.
- Kuc, T; Pawelka, Z; Sobczyk, L. (2001). Solvent assisted proton transfer processes in phenol-amine complexes revealed in effective dipole moments. *Phys Chem Chem Phys.* 3: 5201-5207.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: carbon, chlorine, and hydrogen isotope fractionation in transformation of TCE to ethene by a Dehalococcoides culture. *Environ Sci Technol.* 47: 9668-9677. <http://dx.doi.org/10.1021/es400463p>.
- Kueper, BH; Frind, EO. (1991). 2-PHASE FLOW IN HETEROGENEOUS POROUS-MEDIA .1. MODEL DEVELOPMENT. *Water Resour Res.* 27: 1049-1057.
- Kueper, BH; Gerhard, JI. (1995). Variability of point source infiltration rates for two-phase flow in heterogeneous porous media. *Water Resour Res.* 31: 2971-2980.
- Kuhn, TK; Hamonts, K; Dijk, JA; Kalka, H; Stichler, W; Springael, D; Dejonghe, W; Meckenstock, RU. (2009). Assessment of the intrinsic bioremediation capacity of an eutrophic river sediment polluted by discharging chlorinated aliphatic hydrocarbons: a compound-specific isotope approach. *Environ Sci Technol.* 43: 5263-5269. <http://dx.doi.org/10.1021/es803600s>.
- Kulabako, RN; Nalubega, M; Wozzi, E; Thunvik, R. (2010). Environmental health practices, constraints and possible interventions in peri-urban settlements in developing countries--a review of Kampala, Uganda [Review]. *Int J Environ Health Res.* 20: 231-257. <http://dx.doi.org/10.1080/09603120903545745>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Kumagai, Y; Sumi, D. (2007). Arsenic: Signal transduction, transcription factor, and biotransformation involved in cellular response and toxicity [Review]. *Annu Rev Pharmacol Toxicol.* 47: 243-262. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105144>.
- Kumar, NS; Palanivelu, K. (2007). Pervaporative recovery of perchloroethylene from spent solvent of electroplating industry: Experiment and modelling studies. *Journal of Sci Ind Res.* 66: 490-494.
- Kumar, P; Prasad, AK; Dutta, KK. (2000). Steroidogenic alterations in testes and sera of rats exposed to trichloroethylene (TCE) by inhalation. *Hum Exp Toxicol.* 19: 117-121.
- Kumar, S; Lange, JP; Van Rossum, G; Kersten, SRA. (2015). Liquefaction of lignocellulose: Do basic and acidic additives help out? *Chem Eng J.* 278: 99-104. <http://dx.doi.org/10.1016/j.cej.2014.12.026>.
- Kumari, PG; Radhama, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 47: 425-427. <http://dx.doi.org/10.1021/je0102661>.
- Kume, K; Ohura, T; Amagai, T; Fusaya, M. (2008). Field monitoring of volatile organic compounds using passive air samplers in an industrial city in Japan. *Environ Pollut.* 153: 649-657. <http://dx.doi.org/10.1016/j.envpol.2007.09.023>.
- Kumm, J; Hartmann, P; Eberlein, D; Wolf, A. (2016). Adhesion quality of evaporated aluminum layers on passivation layers for rear metallization of silicon solar cells. *Thin Solid Films.* 612: 393-399. <http://dx.doi.org/10.1016/j.tsf.2016.05.031>.
- Kummert, R; Molnar-Kubica, E; Giger, W. (1978). Trace determination of tetrachloroethylene in natural waters by direct aqueous injection high-pressure liquid chromatography. *Anal Chem.* 50: 1637-1639.

## Fate Literature Search Results

### Off Topic

- Kundu, SK; Kennedy, EM; Mackie, JC; Holdsworth, CI; Molloy, TS; Gaikwad, VV; Dlugogorski, BZ. (2016). Experimental Study on the Reaction of CCl<sub>3</sub>F and CH<sub>4</sub> in a Dielectric Barrier Discharge Nonequilibrium Plasma Reactor. *Ind Eng Chem Res.* 55: 463-471. <http://dx.doi.org/10.1021/acs.iecr.5b04010>.
- Kung, JW; Currie, IS; Forbes, SJ; Ross, JA. (2010). Liver development, regeneration, and carcinogenesis. *J Biomed Biotechnol.* 2010: 984248. <http://dx.doi.org/10.1155/2010/984248>.
- Kungsanant, S; Kitiyanan, B; Rirksomboon, T; Osuwan, S; Scamehorn, JF. (2009). Recovery of nonionic surfactant from VOC-contaminated coacervate phase solutions by co-current vacuum stripping: Effect of surfactant concentration, temperature, and solute type. *Separation and Purification Technology.* 66: 510-516. <http://dx.doi.org/10.1016/j.seppur.2009.02.008>.
- Kuo, SL; Hines, AL. (1992). ADSORPTION OF 1,1,1-TRICHLOROETHANE AND TETRACHLOROETHYLENE ON SILICA-GEL. *Journal of Chemical and Engineering Data.* 37: 1-3.
- Kurata, Y; Kidachi, F; Yokoyama, M; Toyota, N; Tsuchitani, M; Katoh, M. (1998). Subchronic toxicity of Di(2-ethylhexyl)phthalate in common marmosets: lack of hepatic peroxisome proliferation, testicular atrophy, or pancreatic acinar cell hyperplasia. *Toxicol Sci.* 42: 49-56. <http://dx.doi.org/10.1006/toxs.1997.2414>.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). DESTRUCTION RATE OF VOLATILE ORGANOCHLORINE COMPOUNDS IN WATER BY OZONATION WITH ULTRAVIOLET-RADIATION. *Water Res.* 25: 1199-1203.
- Kustov, LM; Al-Abed, SR; Virkutyte, J; Kirichenko, OA; Shuvalova, EV; Kapustin, GI; Mishin, IV; Nissenbaum, VD; Tkachenko, OP; Finashina, ED. (2014). Novel Fe-Pd/SiO<sub>2</sub> catalytic materials for degradation of chlorinated organic compounds in water. *Pure Appl Chem.* 86: 1141-1158. <http://dx.doi.org/10.1515/pac-2014-0207>.
- Kustov, LM; Finashina, ED; Shuvalova, EV; Tkachenko, OP; Kirichenko, OA. (2011). Pd-Fe nanoparticles stabilized by chitosan derivatives for perchloroethene dechlorination. *Environ Int.* 37: 1044-1052. <http://dx.doi.org/10.1016/j.envint.2011.05.003>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kwon, G; Jung, HT; Shin, K; Sung, BJ. (2011). The Structure and the Percolation Behavior of a Mixture of Carbon Nanotubes and Molecular Junctions: A Monte Carlo Simulation Study. *J Nanosci Nanotechnol.* 11: 4317-4323. <http://dx.doi.org/10.1166/jnn.2011.3659>.
- Kwon, J; Weisel, CP; Morandi, MT; Stock, TH. (2016). Source proximity and meteorological effects on residential outdoor VOCs in urban areas: Results from the Houston and Los Angeles RIOPA studies. *Sci Total Environ.* 573: 954-964. <http://dx.doi.org/10.1016/j.scitotenv.2016.08.186>.
- Kwon, J; Weisel, CP; Turpin, BJ; Zhang, JF; Korn, LR; Morandi, MT; Stock, TH; Colome, S. (2006). Source proximity and outdoor-residential VOC concentrations: Results from the RIOPA study. *Environ Sci Technol.* 40: 4074-4082. <http://dx.doi.org/10.1021/es051828u>.
- Kwon, K, iD; Jo, W; Lim, H; Jeong, W. (2008). Volatile pollutants emitted from selected liquid household products. *Environ Sci Pollut Res Int.* 15: 521-526. <http://dx.doi.org/10.1007/s11356-008-0028-x>.
- Kwon, S; Sullivan, EJ; Katz, LE; Bowman, RS; Kinney, KA. (2011). Laboratory and field evaluation of a pretreatment system for removing organics from produced water. *Water Environ Res.* 83: 843-854. <http://dx.doi.org/10.2175/106143011X12928814445212>.
- Kwon, SM; Kim, YH, o; Jung, I, IH; Park, D; Hwang, J; Kim, Y. (2009). Size classification of airborne particle for air-based lab-on-a-chip using micromachined electrical mobility analyzer. *Curr Appl Phys.* 9: E308-E310. <http://dx.doi.org/10.1016/j.cap.2009.06.049>.
- Kwon, TS; Yang, JS; Baek, K; Lee, JY; Yang, JW. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: batch and column studies. *J Hazard Mater.* 136: 610-617. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.038>.
- Kyrklund, T. (1992). The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: Acute and chronic exposures to organic solvents [Review]. *Am J Ind Med.* 21: 15-24. <http://dx.doi.org/10.1002/ajim.4700210105>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid composition of rat cerebral cortex. *Scand J Work Environ Health.* 14: 91-94.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res.* 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Kyyronen, P; Taskinen, H; Lindbohm, ML; Hemminki, K; Heinonen, OP. (1989). Spontaneous abortions and congenital malformations among women exposed to tetrachloroethylene in dry cleaning. *J Epidemiol Community Health.* 43: 346-351. <http://dx.doi.org/10.1136/jech.43.4.346>; <http://jech.bmj.com/content/jech/43/4/346.full.pdf>.
- Labra, M; Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air Soil Pollut.* 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res.* 68: 348-358.
- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol.* 149: 761-770.
- Lacinova, L; Cernikova, M; Hrabal, J; Cernik, M. (2013). IN-SITU COMBINATION OF BIO AND ABIO REMEDIATION OF CHLORINATED ETHENES. 20: 463-473. <http://dx.doi.org/10.2478/eces-2013-0034>.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). FEASIBILITY TESTING FOR THE ON-SITE BIOREMEDIATION OF ORGANIC WASTES BY NATIVE MICROBIAL CONSORTIA. *Int Biodeterior Biodegradation.* 33: 41-59.

## Fate Literature Search Results

### Off Topic

- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2012). Evaluation of Silicate Minerals for pH Control During Bioremediation: Application to Chlorinated Solvents. *Water Air Soil Pollut.* 223: 2663-2684. <http://dx.doi.org/10.1007/s11270-011-1058-4>.
- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2014). Control of groundwater pH during bioremediation: improvement and validation of a geochemical model to assess the buffering potential of ground silicate minerals. *J Contam Hydrol.* 160: 21-29. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.006>.
- Lacroix, E; Brovelli, A; Maillard, J; Rohrbach-Brandt, E; Barry, DA; Holliger, C. (2014). Use of silicate minerals for long-term pH control during reductive dechlorination of high tetrachloroethene concentrations in continuous flow-through columns. *Sci Total Environ.* 482-483: 23-35. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.099>.
- Ladaa, TI; Lee, CM; Coates, JT; Falta, RW. (2001). Cosolvent effects of alcohols on the Henry's law constant and aqueous solubility of tetrachloroethylene (PCE). *Chemosphere.* 44: 1137-1143.
- Lafuente, A; Mallol, J. (1986). THIOETHERS IN URINE DURING OCCUPATIONAL EXPOSURE TO TETRACHLOROETHYLENE. *Br J Ind Med.* 43: 68-69.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc.* 81: 583-596.
- Lage, E; Vaquero, JJ; Sisniega, A; España, S; Tapias, G; Abella, M; Rodríguez-Ruano, A; Ortuño, JE; Udías, A; Desco, M. (2009). Design and performance evaluation of a coplanar multimodality scanner for rodent imaging. *Phys Med Biol.* 54: 5427-5441. <http://dx.doi.org/10.1088/0031-9155/54/18/005>.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere.* 125: 147-154. <http://dx.doi.org/10.1016/j.chemosphere.2014.12.023>.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *J Environ Eng.* 133: 859-868. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372](http://dx.doi.org/10.1061/(ASCE)0733-9372).
- Lai, SC; Baker, AK; Schuck, TJ; van Velthoven, P; Oram, DE; Zahn, A; Hermann, M; Weigelt, A; Slemr, F; Brenninkmeijer, CAM; Ziείς, H. (2010). Pollution events observed during CARIBIC flights in the upper troposphere between South China and the Philippines. *Atmos Chem Phys.* 10: 1649-1660.
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a Dehalococcoides - Dehalobacter coculture. *Environ Sci Technol.* 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Lajtos, I; Czernin, J; Dahlbom, M; Daver, F; Emri, M; Farshchi-Heydari, S; Forgacs, A; Hoh, CK; Jozsai, I; Krizsan, AK; Lantos, J; Major, P; Molnar, J; Opposits, G; Tron, L; Vera, DR; Balkay, L. (2014). Cold wall effect eliminating method to determine the contrast recovery coefficient for small animal PET scanners using the NEMA NU-4 image quality phantom. *Phys Med Biol.* 59: 2727-2746. <http://dx.doi.org/10.1088/0031-9155/59/11/2727>.
- Lake, BG; Evans, JG; Cunninghame, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect.* 101: 241-247.
- Lakshminathiraj, P; Raju, GB; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO<sub>2</sub>-Ta<sub>2</sub>O<sub>5</sub> electrode from aqueous solution. *Chem Eng J.* 198: 211-218. <http://dx.doi.org/10.1016/j.cej.2012.05.092>.
- Lam, RHF; Brown, JP; Fan, AM; Milea, A. (1994). Chemicals in California drinking water: source contaminants, risk assessment, risk management, and regulatory standards. *J Hazard Mater.* 39: 173-192. [http://dx.doi.org/10.1016/0304-3894\(94\)00053-0](http://dx.doi.org/10.1016/0304-3894(94)00053-0).
- Lamare, F; Turzo, A; Bizais, Y; Le Rest, CC; Visvikis, D. (2006). Validation of a Monte Carlo simulation of the Philips Allegro/GEMINI PET systems using GATE. *Phys Med Biol.* 51: 943-962. <http://dx.doi.org/10.1088/0031-9155/51/4/013>.
- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res.* 35: 3077-3084.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Landry, TD; Ramsey, JC; McKenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol.* 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum.* 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lanthony, P. (1978). The desaturated panel D-15. *Doc Ophthalmol.* 46: 185-189. <http://dx.doi.org/10.1007/BF00174107>.
- Lapare, S; Tardif, R; Brodeur, J. (1993). Effect of various exposure scenarios on the biological monitoring of organic solvents in alveolar air: 1. Toluene and m-xylene. *Int Arch Occup Environ Health.* 64: 569-580.
- Lapinskas, PJ; Corton, JC. (1997). Peroxisome proliferator-activated receptor alpha: Central mediator of peroxisome proliferator toxicity. *CIIT Activities.* 17: 1-9.
- Lapointe, MC; Martel, R; Lange, SF; Coté, S. (2016). Effect of energetic materials wettability on their outdoor effective elution rate. *J Hazard Mater.* 311: 194-202. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.075>.
- Lapsley, M; Akers, K; Norden, AG. (1998). Sensitive assays for urinary retinol-binding protein and beta-2-glycoprotein-1 based on commercially available standards. *Ann Clin Biochem.* 35: 115-119.
- Larsen, GL. (1985). Distribution of cysteine conjugate beta-lyase in gastrointestinal bacteria and in the environment. *Xenobiotica.* 15: 199-209. <http://dx.doi.org/10.3109/00498258509045350>.

## Fate Literature Search Results

### Off Topic

- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol*. 29: 97-103.
- Larson, CD; Love, OT; Reynolds, G. (1983). TETRACHLOROETHYLENE LEACHED FROM LINED ASBESTOS CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc*. 75: 184-188.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A*. 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.
- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol*. 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Lash, LH; Nelson, RM; Van Dyke, RA; Anders, MW. (1990). Purification and characterization of human kidney cytosolic cysteine conjugate beta-lyase activity. *Drug Metab Dispos*. 18: 50-54.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect*. 108: 225-240.
- Lash, LH; Qian, W; Putt, DA; Jacobs, K; Elfarrar, AA; Krause, RJ; Parker, JC. (1998). Glutathione conjugation of trichloroethylene in rats and mice: Sex-, species-, and tissue-dependent differences. *Drug Metab Dispos*. 26: 12-19.
- Laslo-Baker, D; Barrera, M; Knittel-Keren, D; Kozer, E; Wolpin, J; Khattak, S; Hackman, R; Rovet, J; Koren, G. (2004). Child neurodevelopmental outcome and maternal occupational exposure to solvents. *Arch Pediatr Adolesc Med*. 158: 956-961. <http://dx.doi.org/10.1001/archpedi.158.10.956>.
- Latendresse, JR; Pereira, MA. (1997). Dissimilar characteristics of n-methyl-n-nitrosourea-initiated foci and tumors promoted by dichloroacetic acid or trichloroacetic acid in the liver of female B6C3F1 mice. *Toxicol Pathol*. 25: 433-440. <http://dx.doi.org/10.1177/019262339702500501>.
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl<sub>3</sub>) - An overview. *Biogeochemistry*. 60: 121-139.
- Laueremann, T; Froehlich, B; Hahn, G; Terheiden, B. (2015). Diffusion-based model of local Al back surface field formation for industrial passivated emitter and rear cell solar cells. *Progress in Photovoltaics*. 23: 10-18. <http://dx.doi.org/10.1002/pip.2388>.
- Laumbach, AD; Lee, S; Wong, J; Streips, UN. (1976). Detection and prevention of cancer; Proceedings of the Third International Symposium on Detection and Prevention of Cancer Studies on the mutagenicity of vinyl chloride metabolites and related chemicals. New York, NY: Marcel Dekker, Inc.
- Lauwerys, R; Herbrand, J; Buchet, JP; Bernard, A; Gaussin, J. (1983). Health surveillance of workers exposed to tetrachloroethylene in dry-cleaning shops. *Int Arch Occup Environ Health*. 52: 69-77. <http://dx.doi.org/10.1007/BF00380609>; <http://link.springer.com/article/10.1007%2FBF00380609>.
- Lavrenteva, OM; Holenberg, Y; Nir, A. (2009). Motion of viscous drops in tubes filled with yield stress fluid. *Chem Eng Sci*. 64: 4772-4786. <http://dx.doi.org/10.1016/j.ces.2009.06.055>.
- Lawrence, AR; Geol, C; Stuart, ME; Barker, JA; Tester, DJ. (1996). Contamination of chalk groundwater by chlorinated solvents: Case study of deep penetration by non-aqueous phase liquids. *J Inst Water Environ Manag*. 10: 263-272.
- Lawrence, R; Miller, D. (2015). Optimizing System Efficiency Using Premium Efficient Motors. *I E E E Transactions on Industry Applications*. 51: 163-168. <http://dx.doi.org/10.1109/TIA.2014.2349853>.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *J Air Waste Manag Assoc*. 49: 1315-1323.
- Lay, JP; Schauerte, W; Klein, W; Korte, F. (1984). INFLUENCE OF TETRACHLOROETHYLENE ON THE BIOTA OF AQUATIC SYSTEMS - TOXICITY TO PHYTOPLANKTON AND ZOOPLANKTON SPECIES IN COMPARTMENTS OF A NATURAL POND. *Arch Environ Contam Toxicol*. 13: 135-142.
- Le, CF; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking waters. *Revue des Sciences de l'Eau*. 11: 103-108.
- Le Curieux, F; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking water. *Revue des Sciences de l'Eau*. 11: 103-118.
- Leake, HC. (1997). Sizing of cables in randomly-filled trays with consideration for load diversity. *I E E E Transactions on Power Delivery*. 12: 39-44.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis*. 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol*. 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol*. 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, C, chi; Doong, R, an. (2014). Enhanced dechlorination of tetrachloroethylene by polyethylene glycol-coated zerovalent silicon in the presence of nickel ions. *Appl Catal B-Environ*. 144: 182-188. <http://dx.doi.org/10.1016/j.apcatb.2013.06.033>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol*. 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CL, i; Lin, C; Jou, C. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air and Waste Management Association*. 62: 1443-1448. <http://dx.doi.org/10.1080/10962247.2012.719579>.
- Lee, D, aeY; Lee, HH, o; Ahn, J, unY; Park, HJ; Kim, JH; Kwon, HJ, in; Jeong, J, iW. (2011). A new back surface passivation stack for thin crystalline silicon solar cells with screen-printed back contacts. *Solar Energy Materials and Solar Cells*. 95: 26-29. <http://dx.doi.org/10.1016/j.solmat.2010.05.004>.
- Lee, DW; Alexandrovskii, SV; Tolochko, OV; Kim, D; Kim, BK. (2005). Synthesis and kinetics for nanocrystalline titanium carbide upon metallothermic reduction of liquid chlorides. *Glass Physics and Chemistry*. 31: 549-553.

## Fate Literature Search Results

### Off Topic

- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int.* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, EJ; Kim, DS; Lee, SH. (2002). Ni/Cu metallization for low-cost high-efficiency PERC cells. *Solar Energy Materials and Solar Cells.* 74: 65-70.
- Lee, G; Min, S; Hong, JP, yo. (2013). Optimal Shape Design of Rotor Slot in Squirrel-Cage Induction Motor Considering Torque Characteristics. *I E E Transactions on Magnetics.* 49: 2197-2200. <http://dx.doi.org/10.1109/TMAG.2013.2239626>.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere.* 76: 1082-1087. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.032>.
- Lee, IS; Bae, JH; Mccarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol.* 94: 76-85. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.003>.
- Lee, IS; Bae, JH; Yang, Y; Mccarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol.* 74: 313-331. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.006>.
- Lee, KU, k; Park, KJ, u; Kim, MH, o; Kwon, O, hj; Kim, J, aeJ. (2014). Preparation of the carbon sphere coated with iron oxide and its application for electronic paper. *Dyes and Pigments.* 102: 22-28. <http://dx.doi.org/10.1016/j.dyepig.2013.10.012>.
- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol.* 43: 132-137. <http://dx.doi.org/10.1007/s00254-002-0618-8>.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater.* 128: 218-226. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.005>.
- Lee, KY; Ha, DT. (2009). Phase separation behavior of three common alcohols with methoxy-nonafluorobutane or ethoxy-nonafluorobutane in water. *Can J Civ Eng.* 36: 738-742. <http://dx.doi.org/10.1139/L09-020>.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *J Environ Eng.* 131: 1441-1446. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1441\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1441)).
- Lee, KY; Lee, JY; Khinast, J; Stencel, JR; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *J Environ Eng.* 130: 100-103. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(100\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(100)).
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol.* 46: 883-889. <http://dx.doi.org/10.1007/s00254-004-1098-9>.
- Lee, LJ, -H; Chung, CW; Ma, YC; Wang, GS; Chen, PC; Hwang, YH; Wang, JD. (2003). Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater. *Occup Environ Med.* 60: 364-369. <http://dx.doi.org/10.1136/oem.60.5.364>.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lee, M. (2000). A numerical study of surfactant flushing to remediate NAPL (Non-aqueous phase liquid). *Water Air Soil Pollut.* 121: 289-307.
- Lee, M; Fountain, JC. (1999). The effectiveness of surfactants for remediation of organic pollutants in the unsaturated zone. *Journal of Soil Contamination.* 8: 39-62.
- Lee, M; Kang, H; Do, W. (2005). Application of nonionic surfactant-enhanced in situ flushing to a diesel contaminated site. *Water Res.* 39: 139-146. <http://dx.doi.org/10.1016/j.waters.2004.09.012>.
- Lee, MD; Sehayek, L; Sleep, BE; Vandell, TD. (1999). Investigation and remediation of a 1,2-dichloroethane spill part II: Documentation of natural attenuation. *Ground Water Monitoring and Remediation.* 19: 82-88.
- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environ Sci Technol.* 41: 4277-4285. <http://dx.doi.org/10.1021/es062736d>.
- Lee, S. (2007). Enhanced dissolution of TCE in NAPL by TCE-degrading bacteria in wetland soils. *J Hazard Mater.* 145: 17-22. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.073>.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.005>.
- Lee, SS; Pineau, T; Drago, J; Lee, EJ; Owens, JW; Kroetz, DL; Fernandez-Salguero, PM; Westphal, H; Gonzalez, FJ. (1995). Targeted disruption of the alpha isoform of the peroxisome proliferator-activated receptor gene in mice results in abolishment of the pleiotropic effects of peroxisome proliferators. *Mol Cell Biol.* 15: 3012-3022.
- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with co-metabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Sci Technol.* 36: 6-7.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.

## Fate Literature Search Results

### Off Topic

- Lee, WJ; Chen, CY; Lin, WC; Wang, YT; Chin, CJ. (1996). Phosgene formation from the decomposition of 1,1-C<sub>2</sub>H<sub>2</sub>Cl<sub>2</sub> contained gas in an RF plasma reactor. *J Hazard Mater.* 48: 51-67.
- Lee, WJ; Cicek, B; Senkan, SM. (1993). Chemical structures of fuel-rich and fuel-lean flames of chloroform/methane mixtures. *Environ Sci Technol.* 27: 949-960. <http://dx.doi.org/10.1021/es00042a019>.
- Lee, Y; Buchanan, BG; Klopman, G; Dimayuga, M; Rosenkranz, HS. (1996). The potential of organ specific toxicity for predicting rodent carcinogenicity. *Mutat Res-Fundam Mol Mech Mutagen.* 358: 37-62. [http://dx.doi.org/10.1016/0027-5107\(96\)00110-8](http://dx.doi.org/10.1016/0027-5107(96)00110-8).
- Lee, YC; Kim, CW; Lee, J, aeY; Shin, HJ, ae; Yang, J, iWon. (2009). Characterization of nanoscale zero valent iron modified by nonionic surfactant for trichloroethylene removal in the presence of humic acid: A research note. *Desalination and Water Treatment.* 10: 33-38.
- Lee, YC; Kwon, TS; Yang, JS; Yang, JW. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.036>.
- Leen, JB. (2012). Laser-based spectrometer for real-time monitoring of VOCs at Superfund sites.
- Lehman, B; Wilkins, A; Berman, S, am; Poplawski, M; Miller, NJ. (2011). Proposing Measures of Flicker in the Low Frequencies for Lighting Applications. *Leukos.* 7: 189-195. <http://dx.doi.org/10.1582/LEUKOS.2010.07.03004>.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health.* 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, I; Thielke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol.* 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>; <http://onlinelibrary.wiley.com/doi/10.1002/tox.10055/abstract>.
- Lehmann, KB. (1911). Experimentelle Studien über den Einfluss technisch und hygienisch wichtiger Gase und Dämpfe auf den Organismus (XVI-XXIII) Die gechlorten Kohlenwasserstoffe der Fettreihe nebst Betrachtungen über die einphasische und zweiphasische Giftigkeit atherischer Körper [Experimental studies on the effect of technical and hygienically important gases and vapors on the organism (XVI-XXIII): chlorinated aliphatic hydrocarbons, and considerations on the one-stage and two-stage toxicity of volatile products]. *Int J Hyg Environ Health.* 74: 1-60.
- Lehmann, KB; Schmidt-Kehl, L. (1936). Die 13 wichtigsten Chlorkohlenwasserstoffe der Fettreihe von Standpunkt der Gewerbehygiene [The 13 most important chlorinated hydrocarbons from the standpoint of occupational hygiene]. *Archiv fuer Hygiene und Bakteriologie.* 116: 131-268.
- Leibman, KC; Ortiz, E. (1970). Epoxide intermediates in microsomal oxidation of olefins to glycols. *J Pharmacol Exp Ther.* 173: 242-246.
- Lelieveld, J; van Aardenne, J; Fischer, H; de Reus, M; Williams, J; Winkler, P. (2004). Increasing ozone over the Atlantic Ocean. *Science.* 304: 1483-1487. <http://dx.doi.org/10.1126/science.1096777>.
- Lellbach, H; Efmert, M. (1990). RESULTS OF DIALLEL ANALYSIS OF THE GENETICS OF RESISTANCE TO SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC, PATHOTYPE-1 (DL) OF THE POTATO (SOLANUM-TUBEROSUM L). *Potato Research.* 33: 251-256.
- Lemic, J; Milosevic, S; Vukasinovic, M; Radosavljevic-Mihajlovic, A, na; Kovacevic, D. (2006). Surface modification of a zeolite and the influence of pH and ionic strength on the desorption of an amine. *Serbian Chemical Society Journal.* 71: 1161-1172. <http://dx.doi.org/10.2298/JSC0611161L>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech.* 134: 367-387.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag.* 18: 361-370.
- Lemke, LD; Abriola, LM. (2003). Predicting DNAPL entrapment and recovery: the influence of hydraulic property correlation. *Stoch Environ Res Risk Assess.* 17: 408-418. <http://dx.doi.org/10.1007/s00477-003-0162-4>.
- Lemke, LD; Abriola, LM; Goovaerts, P. (2004). Dense nonaqueous phase liquid (DNAPL) source zone characterization: Influence of hydraulic property correlation on predictions of DNAPL infiltration and entrapment. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR001980>.
- Lemke, LD; Abriola, LM; Lang, JR. (2004). Influence of hydraulic property correlation on predicted dense nonaqueous phase liquid source zone architecture, mass recovery and contaminant flux. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2004WR003061>.
- Lenczewski, M; Jardine, P; Mckay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol.* 64: 151-168. [http://dx.doi.org/10.1016/S0169-7722\(02\)00090-6](http://dx.doi.org/10.1016/S0169-7722(02)00090-6).
- Lenczewski, ME; Mckay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water.* 42: 534-541.
- Lendvay, JM; Loffler, FE; Dollhopf, M; Aiello, MR; Daniels, G; Fathepure, BZ; Gebhard, M; Heine, R; Helton, R; Shi, J; Krajmalnik-Brown, R; Major, CL; Barcelona, MJ; Petrovskis, E; Hickey, R; Tiedje, JM; Adriaens, P. (2003). Bioreactive barriers: A comparison of bioaugmentation and biostimulation for chlorinated solvent remediation. *Environ Sci Technol.* 37: 1422-1431. <http://dx.doi.org/10.1021/es025985u>.
- Lenio, MAT; Howard, J; Lu, D; Jentschke, F; Augarten, Y; Lennon, A; Wenham, SR. (2012). Series Resistance Analysis of Passivated Emitter Rear Contact Cells Patterned Using Inkjet Printing. *Advances in Materials Science and Engineering.* <http://dx.doi.org/10.1155/2012/965418>.
- Lenio, MAT; Lennon, AJ; Ho-Baillie, A; Wenham, SR. (2010). Effect of electroless nickel on the series resistance of high-efficiency inkjet printed passivated emitter rear contacted solar cells. *Solar Energy Materials and Solar Cells.* 94: 2102-2107. <http://dx.doi.org/10.1016/j.solmat.2010.06.035>.
- Lenoble, J. (1993). Atmospheric radiative transfer. Hampton, VA: A. Deepak Publishing. <http://www.worldcat.org/title/atmospheric-radiative-transfer/oclc/27769441>.

## Fate Literature Search Results

### Off Topic

- Leong, MI; Huang, SD. (2008). Dispersive liquid-liquid microextraction method based on solidification of floating organic drop combined with gas chromatography with electron-capture or mass spectrometry detection. *J Chromatogr A*. 1211: 8-12. <http://dx.doi.org/10.1016/j.chroma.2008.09.111>.
- Leopardi, P; Zijno, A; Bassani, B; Pacchierotti, F. (1993). In vivo studies on chemically induced aneuploidy in mouse somatic and germinal cells. *Mutat Res*. 287: 119-130. [http://dx.doi.org/10.1016/0027-5107\(93\)90151-5](http://dx.doi.org/10.1016/0027-5107(93)90151-5).
- Lesage, S; Brown, S. (1994). OBSERVATION OF THE DISSOLUTION OF NAPL MIXTURES. *J Contam Hydrol*. 15: 1-2.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicol*. 32: 241-257.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation*. 16: 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation*. 23: 102-110.
- Letkiewicz, F; Johnston, P; Macaluso, C; Elder, R; Yu, W. (1982). Occurrence in tetrachloroethylene (perchloroethylene) in drinking water, food and air. (JRB28130385229). McLean, VA: JRB Associates, Inc.
- Lettenberger, M; Emmerling, F; Gottfried, NH; Laubereau, A. (1995). ORIENTATIONAL MOTION OF ANTHRACENE IN LIQUID SOLUTION STUDIED BY IR/UV DOUBLE-RESONANCE SPECTROSCOPY. *Chem Phys Lett*. 240: 324-329.
- Letterman, RG; Deyonker, NJ; Burkey, TJ; Webster, CE. (2016). Calibrating Reaction Enthalpies: Use of Density Functional Theory and the Correlation Consistent Composite Approach in the Design of Photochromic Materials. *J Phys Chem A*. 120: 9982-9997. <http://dx.doi.org/10.1021/acs.jpca.6b09278>.
- Leung, CT; Brugge, JS. (2009). Tumor self-seeding: Bidirectional flow of tumor cells. *Cell*. 139: 1226-1228. <http://dx.doi.org/10.1016/j.cell.2009.12.013>.
- Leung, HW. (1992). Use of physiologically based pharmacokinetic models to establish biological exposure indexes. *AIHA J*. 53: 369-374. <http://dx.doi.org/10.1080/15298669291359799>.
- Leung, SW; Watts, RJ; Miller, GC. (1992). DEGRADATION OF PERCHLOROETHYLENE BY FENTON REAGENT - SPECIATION AND PATHWAY. *J Environ Qual*. 21: 377-381.
- Leuschner, J; Beuscher, N. (1998). Studies on the mutagenic and carcinogenic potential of chloral hydrate. *Arzneimittelforschung*. 48: 961-968.
- Leuschner, J; Leuschner, F. (1991). Evaluation of the mutagenicity of chloral hydrate in vitro and in vivo. *Arzneimittelforschung*. 41: 1101-1103.
- Lévesque, B; Ayotte, P; Tardif, R; Ferron, L; Gingras, S; Schlouch, E; Gingras, G; Levallois, P; Dewailly, E. (2002). Cancer risk associated with household exposure to chloroform. *J Toxicol Environ Health A*. 65: 489-502. <http://dx.doi.org/10.1080/15287390252807957>.
- Lewellen, TK; Kohlmyer, SG; Miyaoka, RS; Kaplan, MS. (1996). Investigation of the performance of the general electric ADVANCE positron emission tomograph in 3D mode. *IEEE Trans Nucl Sci*. 43: 2199-2206.
- Lewellen, TK; Kohlmyer, SG; Miyaoka, RS; Schubert, S; Stearns, CW. (1995). INVESTIGATION OF THE COUNT RATE PERFORMANCE OF GENERAL-ELECTRIC ADVANCE POSITRON EMISSION TOMOGRAPH. *IEEE Trans Nucl Sci*. 42: 1051-1057.
- Lewis, AC; Hopkins, JR; Carpenter, LJ; Stanton, J; Read, KA; Pilling, MJ. (2005). Sources and sinks of acetone, methanol, and acetaldehyde in North Atlantic marine air. *Atmos Chem Phys*. 5: 1963-1974.
- Lezak, MD. (1995). *Neuropsychological assessment*. New York: Oxford University Press.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH<sub>2</sub>Cl<sub>2</sub> decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol*. 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Chen, CY; Hsieh, LT. (2003). Decomposition of 1,2-dichloroethane in an RF plasma environment. *J Chem Tech Biotechnol*. 78: 817-823. <http://dx.doi.org/10.1002/jctb.868>.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O<sub>2</sub>/Ar in the cold plasma environment. *Chem Eng J*. 92: 177-184.
- Li, D, a; Le, Y; Hou, X; Chen, JF; Shen, Z. (2011). Colored nanoparticles dispersions as electronic inks for electrophoretic display. *Synthetic Metals*. 161: 1270-1275. <http://dx.doi.org/10.1016/j.synthmet.2011.04.022>.
- Li, D, ao; Zheng, Y, i; Wang, X. (2008). Effect of phosphoric acid on catalytic combustion of trichloroethylene over Pt/P-MCM-41. *Appl Catal A-Gen*. 340: 33-41. <http://dx.doi.org/10.1016/j.apcata.2008.01.035>.
- Li, DQ; Swanson, BI. (1993). SURFACE-ACOUSTIC-WAVE THIN-FILM CHEMICAL MICROSENSORS BASED ON COVALENTLY BOUND C-60 DERIVATIVES - A MOLECULAR SELF-ASSEMBLY APPROACH. *Langmuir*. 9: 3341-3344.
- Li, G; Feng, YQ; Li, XG; Gao, P; Wang, J; Xie, JY. (2007). Preparation and characterization of polyurea microcapsules containing colored electrophoretic responsive fluid. *Journal of Materials Science*. 42: 4838-4844. <http://dx.doi.org/10.1007/s10853-006-0639-x>.
- Li, H; Shen, TT; Wang, XL; Lin, KF; Liu, YD; Lu, SG; Gu, JD; Wang, P; Lu, Q; Du, XM. (2013). Biodegradation of perchloroethylene and chlorophenol co-contamination and toxic effect on activated sludge performance. *Bioresour Technol*. 137: 286-293. <http://dx.doi.org/10.1016/j.biortech.2013.02.050>.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environ Sci Technol*. 39: 4864-4870. <http://dx.doi.org/10.1021/es050424z>.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environ Sci Technol*. 35: 568-574.
- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem*. 21: 1377-1383.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environ Sci Technol*. 38: 440-448. <http://dx.doi.org/10.1021/es034830z>.

## Fate Literature Search Results

### Off Topic

- Li, MT; Hao, LL; Sheng, LX; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol.* 99: 6878-6884. <http://dx.doi.org/10.1016/j.biortech.2008.01.048>.
- Li, T; Guo, Y; Hu, H; Zhang, X; Jin, Y; Zhang, X; Zhang, Y. (2016). Determination of volatile chlorinated hydrocarbons in water samples by static headspace gas chromatography with electron capture detection. *J Sep Sci.* 39: 358-366. <http://dx.doi.org/10.1002/jssc.201500771>.
- Li, X; Sundquist, J; Sundquist, K. (2008). Socioeconomic and occupational risk factors for rheumatoid arthritis: A nationwide study based on hospitalizations in Sweden. *J Rheumatol.* 35: 986-991.
- Li, XH; Xu, XB; Wang, XT; Ma, LL. (2004). Headspace single-drop microextraction with gas chromatography for determination of volatile halocarbons in water samples. *Int J Environ Anal Chem.* 84: 633-645. <http://dx.doi.org/10.1080/0306731042000208743>.
- Li, Y; Abriola, LM; Phelan, TJ; Ramsburg, CA; Pennell, KD. (2007). Experimental and numerical validation of the total trapping number for prediction of DNAPL mobilization. *Environ Sci Technol.* 41: 8135-8141. <http://dx.doi.org/10.1021/es070834i>.
- Li, Y; Zhang, Z; Fei, Y; Chen, H; Qian, Y; Dun, Y, u. (2016). Investigation of quality and pollution characteristics of groundwater in the Hutuo River Alluvial Plain, North China Plain. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5366-2>.
- Li, YL; Zhang, TZ; Liang, P. (2005). Application of continuous-flow liquid-phase microextraction to the analysis of volatile halohydrocarbons in water. *Anal Chim Acta.* 536: 245-249.
- Li, Z; Bowman, RS. (2001). Regeneration of surfactant-modified zeolite after saturation with chromate and perchloroethylene. *Water Res.* 35: 322-326.
- Li, Z; Hanlie, H. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res.* 42: 605-614. <http://dx.doi.org/10.1016/j.watres.2007.08.010>.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant--a column study. *Water Res.* 40: 3811-3819. <http://dx.doi.org/10.1016/j.watres.2006.08.025>.
- Li, Z; Yoshida, N; Wang, A; Nan, J; Liang, B; Zhang, C; Zhang, D; Suzuki, D; Zhou, X; Xiao, Z; Katayama, A. (2015). Anaerobic mineralization of 2,4,6-tribromophenol to CO<sub>2</sub> by a synthetic microbial community comprising *Clostridium*, *Dehalobacter*, and *Desulfatiglanis*. *Bioresour Technol.* 176: 225-232. <http://dx.doi.org/10.1016/j.biortech.2014.10.097>.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere.* 54: 419-423. [http://dx.doi.org/10.1016/S0045-6535\(03\)00752-5](http://dx.doi.org/10.1016/S0045-6535(03)00752-5).
- Li, ZH; Bowman, RS. (1998). Sorption of perchloroethylene by surfactant-modified zeolite as controlled by surfactant loading. *Environ Sci Technol.* 32: 2278-2282.
- Li, ZH; Jones, HR; Bowman, RS; Helferich, R. (1999). Enhanced reduction of chromate and PCE by palletized surfactant-modified zeolite/zerovalent iron. *Environ Sci Technol.* 33: 4326-4330.
- Liang, C; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol.* 177-178: 158-166. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.006>.
- Liang, C; Huang, CF, en; Mohanty, N; Lu, CJ, en; Kurakalva, RM. (2007). Hydroxypropyl-beta-cyclodextrin-mediated iron-activated persulfate oxidation of trichloroethylene and tetrachloroethylene. *Ind Eng Chem Res.* 46: 6466-6479. <http://dx.doi.org/10.1021/ie0705148>.
- Liang, C; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol.* 100: 91-100. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.012>.
- Liang, H; Falta, RW. (2008). Modeling field-scale cosolvent flooding for DNAPL source zone remediation. *J Contam Hydrol.* 96: 1-16. <http://dx.doi.org/10.1016/j.jconhyd.2007.09.005>.
- Liang, X; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res.* 44: 2125-2132. <http://dx.doi.org/10.1016/j.watres.2009.12.026>.
- Liang, X; Dong, Y; Kuder, T; Krumholz, L, eeR; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environ Sci Technol.* 41: 7094-7100. <http://dx.doi.org/10.1021/es070970n>.
- Liang, X; Mundle, SO; Nelson, JL; Passeport, E; Chan, CC; Lacrampe-Couloume, G; Zinder, SH; Sherwood Lollar, B. (2014). Distinct carbon isotope fractionation during anaerobic degradation of dichlorobenzene isomers. *Environ Sci Technol.* 48: 4844-4851. <http://dx.doi.org/10.1021/es4054384>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology.* 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lide, D. . R. (1990). *CRC Handbook of Chemistry and Physics*. In DR Lide (Ed.). Boca Raton, FL: CRC Press.
- Lieber, CS. (1997). Cytochrome P-4502E1: Its physiological and pathological role. *Physiol Rev.* 77: 517-544.
- Lieberzeit, PA; Greibl, W; Stathopoulos, H; Dickert, FL; Fischerauer, G; Bulst, WE. (2006). Covalently anchored supramolecular monolayers on quartz surfaces for use in SAW sensors. *Sens Actuators B.* 113: 677-683. <http://dx.doi.org/10.1016/j.snb.2005.07.018>.
- Lieberzeit, PA; Palfinger, C; Dickert, FL; Fischerauer, G. (2009). SAW RFID-Tags for Mass-Sensitive Detection of Humidity and Vapors. 9: 9805-9815. <http://dx.doi.org/10.3390/s91209805>.
- Lien, HL; Zhang, WX. (2001). Nanoscale iron particles for complete reduction of chlorinated ethenes. *Colloid Surface Physicochem Eng Aspect.* 191: 97-105.
- Lien, SY; Yang, CH; Wu, KC; Kung, CY. (2015). Investigation on the passivated Si/Al<sub>2</sub>O<sub>3</sub> interface fabricated by non-vacuum spatial atomic layer deposition system. *Nanoscale Res Lett.* 10: 93. <http://dx.doi.org/10.1186/s11671-015-0803-9>.



## Fate Literature Search Results

### Off Topic

- Lifshitz, JM; Gandselman, M. (1997). Effect of near-surface impact-induced damage on the residual strength of woven glass epoxy composite beams. *Compos Sci Tech*. 57: 205-216.
- Lillford, L; Beevers, C; Bowen, D; Kirkland, D. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133–138, 2010) [Letter]. *Mutagenesis*. 25: 427-428. <http://dx.doi.org/10.1093/mutage/geq020>.
- Lillian, D; Singh, HB. (1974). Absolute determination of atmospheric halocarbons by gas phase coulometry. *Anal Chem*. 46: 1060-1063. <http://dx.doi.org/10.1021/ac60344a003>.
- Lillian, D; Singh, HB; Appleby, A. (1976). Gas chromatographic analysis of ambient halogenated compounds. *Journal of the Air and Waste Management Association*. 26: 141-143.
- Lim, B; Brendemuehl, T; Dullweber, T; Brendel, R. (2016). Loss Analysis of n-Type Passivated Emitter Rear Totally Diffused Back-Junction Silicon Solar Cells with Efficiencies up to 21.2%. 6: 447-453. <http://dx.doi.org/10.1109/JPHOTOV.2016.2520211>.
- Lim, DH, ee; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environ Sci Technol*. 43: 5443-5448. <http://dx.doi.org/10.1021/es9003203>.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol*. 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res*. 41: 875-883. <http://dx.doi.org/10.1016/j.watres.2006.11.01>.
- Lima, G; Parker, B; Meyer, J. (2012). Dechlorinating microorganisms in a sedimentary rock matrix contaminated with a mixture of VOCs. *Environ Sci Technol*. 46: 5756-5763. <http://dx.doi.org/10.1021/es300214f>.
- Limmer, MA; Balouet, JC; Karg, F; Vrobesky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol*. 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Limmer, MA; Burken, JG. (2015). Phytoscreening with SPME: Variability Analysis. *Int J Phytoremediation*. 17: 1115-1122. <http://dx.doi.org/10.1080/15226514.2015.1045127>.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environ Sci Technol*. 48: 10634-10640. <http://dx.doi.org/10.1021/es502680p>.
- Lin, C; Jou, CJ; Wang, CL. (2009). Visible-light-sensitized dechlorination of perchloroethylene. *Water Environ Res*. 81: 76-81. <http://dx.doi.org/10.2175/106143008X304802>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere*. 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, W; Li, Z. (2010). Detection and quantification of trace organic contaminants in water using the FT-IR-attenuated total reflectance technique. *Anal Chem*. 82: 505-515. <http://dx.doi.org/10.1021/ac901192d>.
- Lin, YS; Egeghy, PP; Rappaport, SM. (2008). Relationships between levels of volatile organic compounds in air and blood from the general population. *J Expo Sci Environ Epidemiol*. 18: 421-429. <http://dx.doi.org/10.1038/sj.jes.7500635>.
- Lindbohm, ML. (1999). Effects of occupational solvent exposure on fertility [Review]. *Scand J Work Environ Health*. 25: 44-46.
- Lindbohm, ML; Hemminki, K. (1988). Nationwide data base on medically diagnosed spontaneous abortions in Finland. *Int J Epidemiol*. 17: 568-573. <http://dx.doi.org/10.1093/ije/17.3.568>.
- Linderman, RG; Davis, EA. (2004). Varied response of marigold (*Tagetes* spp.) genotypes to inoculation with different arbuscular mycorrhizal fungi. *Sci Hortic (Amsterdam)*. 99: 67-78. [http://dx.doi.org/10.1016/S0304-4238\(03\)0081-5](http://dx.doi.org/10.1016/S0304-4238(03)0081-5).
- Lindsay, E; Vlcek, A; Langford, CH. (1993). MECHANISM OF ASSOCIATIVE PHOTOINDUCED LIGAND SUBSTITUTION IN W(CO)4PHEN UNDER METAL-TO-LIGAND CHARGE-TRANSFER EXCITATION - SUBNANOSECOND TRANSIENT SPECTRA AND SOLVENT AND WAVELENGTH DEPENDENCE EVIDENCE FOR RAPID PRIMARY PROCESSES. *Inorg Chem*. 32: 2269-2275.
- Lindsay, EM; Langford, CH; Kirk, AD. (1999). Photochemical Reactivity of W(CO)(4)(phen): Evidence for Prompt One-Electron Transfer in Competition with Vibrational Relaxation. *Inorg Chem*. 38: 4771-4776.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull*. 32: 807-816.
- Linke, D; Dropka, N; Kiessling, PM; Konig, M; Krause, J; Lange, RP; Sontag, D. (2014). Characterization of a 75 kg multicrystalline Si ingot grown in a KRISTMAG (R)-type G2-sized directional solidification furnace. *Solar Energy Materials and Solar Cells*. 130: 652-660. <http://dx.doi.org/10.1016/j.solmat.2014.04.028>.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos*. 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun*. 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Lipscomb, JC; Poet, TS. (2008). In vitro measurements of metabolism for application in pharmacokinetic modeling [Review]. *Pharmacol Ther*. 118: 82-103. <http://dx.doi.org/10.1016/j.pharmthera.2008.01.006>.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; Mclaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med*. 53: 992-1007. <http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Lisa, GA; Tudose, RZ. (2003). Individual mass transfer coefficients in heterogeneous liquid-liquid systems. *Rev Chim*. 54: 348-351.
- Liteplo, RG; Meek, ME. (1994). Tetrachloroethylene: Evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 12: 493-506. <http://dx.doi.org/10.1080/10590509409373463>.
- Liu, B; Jia, C. (2014). Effects of exposure to mixed volatile organic compounds on the neurobehavioral test performance in a cross-sectional study of US adults. *Int J Environ Health Res*. 25: 1-15. <http://dx.doi.org/10.1080/09603123.2014.945514>.

## Fate Literature Search Results

### Off Topic

- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragric Acrisols. *J Environ Qual.* 45: 331-340. <http://dx.doi.org/10.2134/jeq2015.07.0406>.
- Liu, F; Cichocka, D; Nijenhuis, I; Richnow, HH; Fennell, DE. (2010). Carbon isotope fractionation during dechlorination of 1,2,3,4-tetrachlorodibenzo-p-dioxin by a Dehalococcoides-containing culture. *Chemosphere.* 80: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2010.06.027>.
- Liu, F; Fennell, DE. (2008). Dechlorination and detoxification of 1,2,3,4,7,8-hexachlorodibenzofuran by a mixed culture containing Dehalococcoides ethenogenes Strain 195. *Environ Sci Technol.* 42: 602-607. <http://dx.doi.org/10.1021/es071380s>.
- Liu, J; Drane, W; Liu, X; Wu, T. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: application of canonical correlation analysis. *Environ Res.* 109: 193-199. <http://dx.doi.org/10.1016/j.envres.2008.11.002>.
- Liu, P; Zhang, X; Sun, L; Dai, S; Yu, C; Luo, X. (2014). Optimization of Rear Local Al-Contacts on High Efficiency Commercial PERC Solar Cells with Dot and Line Openings. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/515969>.
- Liu, S; Wu, G; Chen, HZ; Wang, M. (2012). Preparation and characterization of Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub> particles for dual-particle electrophoretic display. *Synthetic Metals.* 162: 89-94. <http://dx.doi.org/10.1016/j.synthmet.2011.11.016>.
- Liu, TG; Liu, SJ; Yang, ZY. (2010). A method to monitor non-ferrous debris in ferrographic analysis. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology.* 224: 203-208. <http://dx.doi.org/10.1243/13506501JET609>.
- Liu, W, ei; Chai, J; Chen, L, uS; Xu, L, ei; Zhu, M; Lu, J. (2012). Effect of the Composition of Mixed Oils on the Phase Behavior and Solubilization Ability of Microemulsion Systems. *Journal of Chemical and Engineering Data.* 57: 469-474. <http://dx.doi.org/10.1021/je201060w>.
- Liu, Y; Guyton, KZ; Gorospe, M; Xu, Q; Lee, JC; Holbrook, NJ. (1996). Differential activation of ERK, JNK/SAPK and P38/CSBP/RK map kinase family members during the cellular response to arsenite. *Free Radic Biol Med.* 21: 771-781.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol.* 157: 11-24. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.008>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater.* 308: 187-191. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.044>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ.* 548-549: 1-5. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.011>.
- Liu, YJ. (2001). Single-point determination of intrinsic viscosity of semirigid thermotropic copolyesters in phenol/1,1,2,2-tetrachloroethane. *Macromolecular Materials & Engineering.* 286: 611-617.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lô, A; Tall-Dia, A; Bonfoh, B; Schelling, E. (2016). Tuberculosis among transhumant pastoralist and settled communities of south-eastern Mauritania. *Global Health Action.* 9: 30334. <http://dx.doi.org/10.3402/gha.v9.30334>.
- Lo, VL; Pey, KL; Tung, CH; Ang, DS; Foo, TS; Tang, LJ. (2006). Percolation resistance evolution during progressive breakdown in narrow MOSFETs. *I E E E Electron Device Letters.* 27: 396-398. <http://dx.doi.org/10.1109/LED.2006.873422>.
- Lochner, F. (1976). Perchlorathylen -- eine Bestandsaufnahme. *Umwelt.* 6: 434-436.
- Lock, EA; Sani, Y; Moore, RB; Finkelstein, MB; Anders, MW; Seawright, AA. (1996). Bone marrow and renal injury associated with haloalkene cysteine conjugates in calves. *Arch Toxicol.* 70: 607-619. <http://dx.doi.org/10.1007/s002040050319>.
- Loh, MM; Levy, JI; Spengler, JD; Houseman, EA; Bennett, DH. (2007). Ranking cancer risks of organic hazardous air pollutants in the United States. *Environ Health Perspect.* 115: 1160-1168. <http://dx.doi.org/10.1289/ehp.9884>.
- Lohman, JH. (2002). A history of dry cleaners and sources of solvent releases from dry cleaning equipment. *Environ Forensics.* 3: 35-58. <http://dx.doi.org/10.1006/enfo.2002.0079>.
- Lohmueller, E; Thaidigsmann, B; Pospischil, M; Jaeger, U; Mack, S; Specht, J; Nekarda, J; Retzlaff, M; Krieg, A; Clement, F; Wolf, A; Biro, D; Preu, R. (2011). 20% Efficient Passivated Large-Area Metal Wrap Through Solar Cells on Boron-Doped Cz Silicon. *I E E E Electron Device Letters.* 32: 1719-1721. <http://dx.doi.org/10.1109/LED.2011.2167709>.
- Lohner, ST; Becker, D; Mangold, KM; Tiehm, A. (2011). Sequential reductive and oxidative biodegradation of chloroethenes stimulated in a coupled bioelectro-process. *Environ Sci Technol.* 45: 6491-6497. <http://dx.doi.org/10.1021/es200801r>.
- Lohner, ST; Tiehm, A. (2009). Application of Electrolysis to Stimulate Microbial Reductive PCE Dechlorination and Oxidative VC Biodegradation. *Environ Sci Technol.* 43: 7098-7104. <http://dx.doi.org/10.1021/es900835d>.
- Loizou, GD; Urban, G; Dekant, W; Anders, MW. (1994). GAS-UPTAKE PHARMACOKINETICS OF 2,2-DICHLORO-1,1,1-TRIFLUOROETHANE (HCFC-123). *Drug Metab Dispos.* 22: 511-517.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water.* 50: 754-764. <http://dx.doi.org/10.1111/j.1745-6584.2011.00897.x>.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frappe, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE abiotic and biotic degradation pathways in a permeable reactive barrier using compound specific isotope analysis. *Ground Water Monitoring and Remediation.* 32: 53-62. <http://dx.doi.org/10.1111/j.1745-6592.2012.01403.x>.
- Long, DL; Blake, AJ; Champness, NR; Wilson, C; Schroder, M. (2002). Constructing terbium co-ordination polymers of 4,4'-bipyridine-N,N'-dioxide by means of diffusion solvent mixtures. *Chemistry.* 8: 2026-2033.
- Longino, BL; Kueper, BH. (1995). THE USE OF UPWARD GRADIENTS TO ARREST DOWNWARD DENSE, NONAQUEOUS PHASE LIQUID (DNAPL) MIGRATION IN THE PRESENCE OF SOLUBILIZING SURFACTANTS. *Canadian Geotechnical Journal.* 32: 296-308.

## Fate Literature Search Results

### Off Topic

- Longino, BL; Kueper, BH. (1999). Effects of capillary pressure and use of polymer solutions on dense, non-aqueous-phase liquid retention and mobilization in a rough-walled fracture. *Environ Sci Technol.* 33: 2447-2455.
- Longino, BL; Kueper, BH. (1999). Nonwetting phase retention and mobilization in rock fractures. *Water Resour Res.* 35: 2085-2093.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lookman, R; Borremans, B; De Ceuster, T; Gemoets, J; Diels, L. (2005). Effects of carbon source amendment on the anaerobic degradation of 1,1,1-trichloroethane (TCA) in a contaminated aquifer. *Water Air Soil Pollut.* 166: 197-216. <http://dx.doi.org/10.1007/s11270-005-6967-7>.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngaert, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Loop, CM; White, WB. (2001). A conceptual model for DNAPL transport in karst ground water basins. *Ground Water.* 39: 119-127.
- Loper, JC. (1980). Mutagenic effects of organic compounds in drinking water. *Mutat Res.* 76: 241-268. [http://dx.doi.org/10.1016/0165-1110\(80\)90019-6](http://dx.doi.org/10.1016/0165-1110(80)90019-6).
- Lopes, FVS; Miranda, SM; Monteiro, RAR; Martins, SDS; Silva, AMT; Faria, JL; Boaventura, R; Vilar, VJP. (2013). Perchloroethylene gas-phase degradation over titania-coated transparent monoliths. *Appl Catal B-Environ.* 140: 444-456. <http://dx.doi.org/10.1016/j.apcatb.2013.04.034>.
- Lopes, FVS; Monteiro, RAR; Silva, AMT; Silva, GV; Faria, JL; Mendes, AM; Vilar, VJP; Boaventura, R, uiAR. (2012). Insights into UV-TiO<sub>2</sub> photocatalytic degradation of PCE for air decontamination systems. *Chem Eng J.* 204: 244-257. <http://dx.doi.org/10.1016/j.cej.2012.07.079>.
- Lopez, E; Ordenez, S. (2008). Effect of organosulphur, organonitrogen and organooxygen compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al<sub>2</sub>O<sub>3</sub>. *Appl Catal B-Environ.* 82: 264-272. <http://dx.doi.org/10.1016/j.apcatb.2008.02.001>.
- Lopez, E; Ordenez, S; Diez, F. (2006). Deactivation of a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ.* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez, E; Ordenez, S; Diez, FV. (2003). Inhibition effects of organosulphur compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al<sub>2</sub>O<sub>3</sub> catalysts. *Catalysis Today.* 84: 121-127. [http://dx.doi.org/10.1016/S0920-5861\(03\)00265-7](http://dx.doi.org/10.1016/S0920-5861(03)00265-7).
- Lopez, E; Ordenez, S; Sastre, H; Diez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater.* 97: 281-294.
- Lopezavila, V; Young, R; Kim, R; Beckert, WF. (1993). INTERLABORATORY EVALUATION OF AN OFF-LINE SUPERCRITICAL-FLUID EXTRACTION INFRARED SPECTROMETRIC METHOD FOR DETERMINATION OF PETROLEUM-HYDROCARBONS IN SOLID MATRICES. *J AOAC Int.* 76: 555-564.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Uriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ.* 30: 303-313.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal.* 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol.* 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Forlaseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen.* 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res.* 35: 3811-3827.
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol.* 70: 117-145. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.01>.
- Loraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res.* 35: 1453-1460.
- Lord, DL; Demond, AH; Hayes, KF. (2005). Comparison of capillary pressure relationships of organic liquid-water systems containing an organic acid or base. *J Contam Hydrol.* 77: 195-208. <http://dx.doi.org/10.1016/j.jconhyd.2005.01.001>.
- Lorefice, S; di Meane, EA; Sega, M. (2010). Stability assessment of density reference liquids supported by GC-MS analysis (density reference liquids stability supported by GC-MS). *Measurement.* 43: 637-644. <http://dx.doi.org/10.1016/j.measurement.2010.01.005>.
- Lou, JC; Chang, YS. (1997). Thermal oxidation of chloroform. *Combust Flame.* 109: 188-197.
- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste and Hazardous Materials.* 13: 399-407.
- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *J Environ Eng.* 132: 940-948. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:8\(940\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:8(940)).
- Loughran, TP, Jr. (1993). Clonal diseases of large granular lymphocytes [Review]. *Blood.* 82: 1-14.
- Loukiala, A; Tuna, U; Beer, S; Jahnke, S; Ruotsalainen, U. (2010). Gap-filling methods for 3D PlantIS data. *Phys Med Biol.* 55: 6125-6139. <http://dx.doi.org/10.1088/0031-9155/55/20/006>.
- Lovell, D. (2010). Is tetrachloroethylene genotoxic or not [Comment]. *Mutagenesis.* 25: 443-446. <http://dx.doi.org/10.1093/mutage/geq036>.
- Lovelock, JE. (1974). Atmospheric halocarbons and stratospheric ozone. *Nature.* 252: 292-294. <http://dx.doi.org/10.1038/252292a0>.

## Fate Literature Search Results

### Off Topic

- Lowengart, RA; Peters, JM; Cicioni, C; Buckley, J; Bernstein, L; Preston-Martin, S; Rappaport, E. (1987). Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst.* 79: 39-46. <http://dx.doi.org/10.1093/jnci/79.1.39>.
- Lowenheim, FA; Moran, MK. (1975). Perchloroethylene (tetrachloroethylene). In FA Lowenheim; MK Moran (Eds.), (pp. 604-611). New York: John Wiley & Sons.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol.* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Lu, AH; Liu, J; Zhao, D; Guo, YJ; Li, QR; Li, N. (2004). Photocatalysis of V-bearing rutile on degradation of halohydrocarbons. *Catalysis Today.* 90: 337-342. <http://dx.doi.org/10.1016/j.cattod.2004.04.044>.
- Lu, C; Broholm, MM; Fabricius, I, da; Bjerg, PL. (2014). Determination of Matrix Pore Size Distribution in Fractured Clayey Till and Assessment of Matrix Migration of Dechlorinating Bacteria. *Bioremediat J.* 18: 295-308. <http://dx.doi.org/10.1080/10889868.2014.939133>.
- Lu, GX; Zhang, Y, i; Noyce, DA. (2011). Intelligent Traffic Signal System for Isolated Intersections Dynamic Pedestrian Accommodation. *Trans Res Rec* 96-111. <http://dx.doi.org/10.3141/2259-09>.
- Lu, LH; Kang, XH; Xie, HQ. (2002). Effects of surfactant on zinc recovery by solvent extraction during leaching in HCl-FeCl<sub>3</sub> solution. *Chinese Journal of Chemical Engineering.* 10: 109-111.
- Lü, W; Kamiya, I. (2012). The influence of interlayer molecules in luminescence of self-assembled bilayer PbS quantum dot films. *J Nanosci Nanotechnol.* 12: 410-415. <http://dx.doi.org/10.1166/jnn.2012.5361>.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1725-1734.
- Luber, S; Adamczyk, K; Nibbering, ET; Batista, VS. (2013). Photoinduced proton coupled electron transfer in 2-(2'-hydroxyphenyl)-benzothiazole. *J Phys Chem A.* 117: 5269-5279. <http://dx.doi.org/10.1021/jp403342w>.
- Lucas, D; Herve, A; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2011). Clinical impact assessment of chronic exposure to tetrachloroethylene in a population of 50 dry-cleaning workers. *Arch Mal Prof Environ.* 72: 439-448. <http://dx.doi.org/10.1016/j.admp.2011.09.002>.
- Lucas, D; Hervé, A; Lucas, R; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2015). Assessment of Exposure to Perchloroethylene and its Clinical Repercussions for 50 Dry-Cleaning Employees. *J Occup Environ Hyg.* 12: 767-773. <http://dx.doi.org/10.1080/15459624.2015.1048346>.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res.* 8: 197-211. [http://dx.doi.org/10.1016/S1093-0191\(02\)00132-6](http://dx.doi.org/10.1016/S1093-0191(02)00132-6).
- Ludwig, HR; Meister, MV; Roberts, DR; Cox, C. (1983). Worker exposure to perchloroethylene in the commercial dry cleaning industry. *Am Ind Hyg Assoc J.* 44: 600-605. <http://dx.doi.org/10.1080/15298668391405391>.
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2003). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett.* 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2004). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett.* 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Luka, T; Grosser, S; Hagendorf, C; Ramspeck, K; Turek, M. (2016). Intra-grain versus grain boundary degradation due to illumination and annealing behavior of multi-crystalline solar cells. *Solar Energy Materials and Solar Cells.* 158: 43-49. <http://dx.doi.org/10.1016/j.solmat.2016.05.061>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos.* 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol.* 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol.* 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Lunn, SRD; Kueper, BH. (1997). Removal of pooled dense, nonaqueous phase liquid from saturated porous media using upward gradient alcohol floods. *Water Resour Res.* 33: 2207-2219.
- Lunn, SRD; Kueper, BH. (1999). Manipulation of density and viscosity for the optimization of DNAPL recovery by alcohol flooding. *J Contam Hydrol.* 38: 427-445.
- Lunn, SRD; Kueper, BH. (1999). Risk reduction during chemical flooding: Preconditioning DNAPL density in situ prior to recovery by miscible displacement. *Environ Sci Technol.* 33: 1703-1708.
- Luo, W; Anashkin, E; Matthews, CG. (2010). Performance Evaluation of a PEM Scanner Using the NEMA NU 4-2008 Small Animal PET Standards. *IEEE Trans Nucl Sci.* 57: 94-103. <http://dx.doi.org/10.1109/TNS.2009.2036847>.
- Lutes, CC; Liles, DS; Suthersan, SS; Lenzo, F; Hansen, M; Payne, FC; Burdick, JV; Vance, D. (2003). Comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environ Sci Technol.* 37: 2618-2619. <http://dx.doi.org/10.1021/es030355t>.
- Lutz, W; Krajewska, B. (1987). Ocena Czynności Watroby Na Podstawie Niektórych Parametrow Biochemicznych I Testu CBJ-131 U Pracowników Przewlekłe Ekspozowanych Na Działanie Rozpuszczalników Organicznych [Evaluation of the liver function basing on certain biochemical parameters and CBJ-131 test in workers chronically exposed to organic solvents]. *Med Pr.* 38: 34-39.

## Fate Literature Search Results

### Off Topic

- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol.* 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail.* 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lyew, D; Tartakovsky, B; Manuel, MF; Guiot, SR. (2002). A microcosm test for potential mineralization of chlorinated compounds under coupled aerobic/anaerobic conditions. *Chemosphere.* 47: 695-699.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res.* 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lyngge, E. (1994). Danish Cancer Registry as a resource for occupational research. *J Occup Med.* 36: 1169-1173.
- Lyngge, E. (2008). Comments on toxicological review of tetrachloroethylene CAS no. 127-18-4 EPA/635/R-08/011A external draft review [Personal Communication].
- Lyngge, E; Andersen, A; Rylander, L; Tinnerberg, H; Lindbohm, ML; Pukkala, E; Romundstad, P; Jensen, P; Clausen, LB; Johansen, K. (2006). Cancer in persons working in dry cleaning in the Nordic countries. *Environ Health Perspect.* 114: 213-219. <http://dx.doi.org/10.1289/ehp.8425>.
- Lyngge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control.* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lyngge, E; Tinnerberg, H; Rylander, L; Romundstad, P; Johansen, K; Lindbohm, ML; Heikkilä, P; Westberg, H; Clausen, LB; Piombino, A; Thorsted, BL. (2011). Exposure to tetrachloroethylene in dry cleaning shops in the Nordic countries. *Ann Occup Hyg.* 55: 387-396. <http://dx.doi.org/10.1093/annhyg/meq101>.
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 30: 1627-1639.
- Lysychnenko, G; Weber, R; Kovach, V; Gertsyuk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)--a review of the risks and the remediation options. *Environ Sci Pollut Res Int.* 22: 14391-14404. <http://dx.doi.org/10.1007/s11356-015-5184-1>.
- Ma, C; Wu, Y. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol.* 55: 47-54. <http://dx.doi.org/10.1007/s00254-007-0963-8>.
- Ma, C; Wu, Y; Sun, C; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol.* 52: 1511-1519. <http://dx.doi.org/10.1007/s00254-006-0595-4>.
- Ma, H; Zhang, H; Wang, L; Wang, J; Chen, J. (2014). Comprehensive screening and priority ranking of volatile organic compounds in Daliao River, China. *Environ Monit Assess.* 186: 2813-2821. <http://dx.doi.org/10.1007/s10661-013-3582-8>.
- Ma, HW; Wu, KY; Ton, CD. (2002). Setting information priorities for remediation decisions at a contaminated-groundwater site. *Chemosphere.* 46: 75-81.
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al2O3 catalysts for dichloromethane oxidation. *Catalysis Today.* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, TH; Sandhu, SS; Peng, Y; Chen, TD; Kim, TW. (1992). Synergistic and antagonistic effects on genotoxicity of chemicals commonly found in hazardous waste sites. *Mutat Res-Fundam Mol Mech Mutagen.* 270: 71-77. [http://dx.doi.org/10.1016/0027-5107\(92\)90103-9](http://dx.doi.org/10.1016/0027-5107(92)90103-9).
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918. [http://dx.doi.org/10.1016/S0043-1354\(03\)00111-8](http://dx.doi.org/10.1016/S0043-1354(03)00111-8).
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H2 gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166. <http://dx.doi.org/10.1016/j.watres.2006.01.005>.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med.* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Macdonald, LR; Harrison, RL; Alessio, AM; Hunter, WC; Lewellen, TK; Kinahan, PE. (2011). Effective count rates for PET scanners with reduced and extended axial field of view. *Phys Med Biol.* 56: 3629-3643. <http://dx.doi.org/10.1088/0031-9155/56/12/011>.
- Macdonald, LR; Schmitz, RE; Alessio, AM; Wollenweber, SD; Stearns, CW; Ganin, A; Harrison, RL; Lewellen, TK; Kinahan, PE. (2008). Measured count-rate performance of the Discovery STE PET/CT scanner in 2D, 3D and partial collimation acquisition modes. *Phys Med Biol.* 53: 3723-3738. <http://dx.doi.org/10.1088/0031-9155/53/14/002>.
- Maciel, JV; Soares, BM; Mandlate, JS; Picoloto, RS; Bizzi, CA; Flores, EM; Duarte, FA. (2014). Simple and fast method for iron determination in white and red wines using dispersive liquid-liquid microextraction and ultraviolet-visible spectrophotometry. *J Agric Food Chem.* 62: 8340-8345. <http://dx.doi.org/10.1021/jf5019774>.
- Mack, S; Wolf, A; Walczak, A; Thaidigsmann, B; Wotke, EA; Spiegelman, JJ; Preu, R; Biro, D. (2011). Properties of purified direct steam grown silicon thermal oxides. *Solar Energy Materials and Solar Cells.* 95: 2570-2575. <http://dx.doi.org/10.1016/j.solmat.2011.03.002>.
- Mackay, D; Bobra, A; Chan, DW; Shiu, WY. (1982). Vapor pressure correlations for low-volatility environmental chemicals. *Environ Sci Technol.* 16: 645-649. <http://dx.doi.org/10.1021/es00104a004>.
- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. *J Contam Hydrol.* 41: 81-131.

## Fate Literature Search Results

### Off Topic

- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis*. 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.
- Mackenzie, K; Bleyl, S; Kopinke, FD; Doose, H; Bruns, J. (2015). Carbo-Iron as improvement of the nanoiron technology: From laboratory design to the field test. *Sci Total Environ*. 563-564: 641-648. <http://dx.doi.org/10.1016/j.scitotenv.2015.07.107>.
- Mackinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. *J Contam Hydrol*. 56: 49-74.
- Macko, T; Denayer, JF; Pasch, H; Pan, L; Li, J; Raphael, A. (2004). Adsorption of polypropylene and polyethylene on liquid chromatographic column packings. *Chromatographia*. 59: 461-467. <http://dx.doi.org/10.1365/s10337-004-0228-6>.
- MacNaughton, MG; Uddin, DE. (1984). Toxicology of mixed distillate and high-energy synthetic fuels. In MA Mehlman; GP Hemstreet; JJ Thorpe; NK Weaver (Eds.), (pp. 121-132). Princeton, NJ: Princeton Scientific Publishers, Inc.
- Maçõas, EM; Kananavicius, R; Myllyperkiö, P; Pettersson, M; Kunttu, H. (2007). Ultrafast electronic and vibrational energy relaxation of Fe(acetylacetonate)<sub>3</sub> in solution. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory*. 111: 2054-2061. <http://dx.doi.org/10.1021/jp066271z>.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health*. 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Macpherson, AN; Truscott, TG; Turner, PH. (1994). FOURIER-TRANSFORM LUMINESCENCE SPECTROSCOPY OF SOLVATED SINGLET OXYGEN. *J Chem Soc Faraday Trans*. 90: 1065-1072.
- Maddalena, RL; Mckone, TE; Layton, DW; Hsieh, DP. (1995). Comparison of multi-media transport and transformation models: regional fugacity model vs. CalTOX. *Chemosphere*. 30: 869-889. [http://dx.doi.org/10.1016/0045-6535\(94\)00447-3](http://dx.doi.org/10.1016/0045-6535(94)00447-3).
- Mader, C; Mueller, J; Eidelloth, S; Brendel, R. (2012). Local rear contacts to silicon solar cells by in-line high-rate evaporation of aluminum. *Solar Energy Materials and Solar Cells*. 107: 272-282. <http://dx.doi.org/10.1016/j.solmat.2012.06.047>.
- Magnusson, J; Ramel, C; Eriksson, A. (1977). Mutagenic effects of chlorinated phenoxyacetic acids in *Drosophila melanogaster*. *Hereditas*. 87: 121-123. <http://dx.doi.org/10.1111/j.1601-5223.1977.tb01252.x>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A*. 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahler, B; Massei, N. (2007). Anthropogenic contaminants as tracers in an urbanizing karst aquifer. *J Contam Hydrol*. 91: 81-106. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.010>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen*. 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Mailhes, JB; Preston, RJ; Yuan, ZP; Payne, HS. (1988). Analysis of mouse metaphase II oocytes as an assay for chemically induced aneuploidy. *Mutat Res*. 198: 145-152. [http://dx.doi.org/10.1016/0027-5107\(88\)90049-8](http://dx.doi.org/10.1016/0027-5107(88)90049-8).
- Maimone, M. (1997). Coping with groundwater contamination. *Chem Eng*. 104: 195-&.
- Mainz, EL. (1993). ORGANIC AND IONIC SOIL REMOVAL BY VAPOR DEGREASING WITH A HETEROGENEOUS AZEOTROPE OF PERCHLOROETHYLENE AND WATER. *Plat Surf Finish*. 80: 24-26.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol*. 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maithreepala, RA; Doong, RA. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater*. 164: 337-344. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.007>.
- Maitre, A; Hours, M; Bonnetterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol*. 31: 2395-2401.
- Majdan, M; Tarasiuk, B; Gladysz-Plaska, A; Pikus, S. (2007). Adsorption of organic pollutants on organo-clays. *Przemysł Chemiczny*. 86: 126-131.
- Major, D; Edwards, E; Mccarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation*. 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environ Sci Technol*. 36: 5106-5116. <http://dx.doi.org/10.1021/es0255711>.
- Mak, C; Cornu, E; Moresoli, C; Chen, P. (2004). Surface tension, diffusion and kinetics studies of an air-stripping process. *Separation and Purification Technology*. 36: 95-106. [http://dx.doi.org/10.1016/S1383-5866\(03\)00202-8](http://dx.doi.org/10.1016/S1383-5866(03)00202-8).
- Makide, Y; Kanai, Y; Tominaga, T. (1980). Background atmospheric concentrations of halogenated hydrocarbons in Japan. *Bull Chem Soc Jpn*. 53: 2681-2682. <http://dx.doi.org/10.1246/bcsj.53.2681>.
- Makris, KC; Andra, SS. (2014). Limited representation of drinking-water contaminants in pregnancy-birth cohorts. *Sci Total Environ*. 468-469: 165-175. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.012>.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environ Sci Technol*. 45: 8395-8402. <http://dx.doi.org/10.1021/es201270z>.
- Malaveille, C; Bartsch, H; Barbin, A; Camus, AM; Montesano, R; Croisy, A; Jacquignon, P. (1975). Mutagenicity of vinyl chloride, chloroethyleneoxide, chloroacetaldehyde and chloroethanol. *Biochem Biophys Res Commun*. 63: 363-370. [http://dx.doi.org/10.1016/0006-291X\(75\)90697-X](http://dx.doi.org/10.1016/0006-291X(75)90697-X).

## Fate Literature Search Results

### Off Topic

- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett.* 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Mallin, K. (1990). Investigation of a bladder cancer cluster in northwestern Illinois. *Am J Epidemiol.* 132: S96-S106.
- Mallinson, CF; Kozlowski, S; Harvey, A, nn; Watts, JF. (2016). An investigation of the effect of chlorinated solvents on surface characteristics of S-65 beryllium. *Surf Interface Anal.* 48: 689-693. <http://dx.doi.org/10.1002/sia.5912>.
- Malonova, H; Bardodej, Z. (1983). Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. *Cent Eur J Public Health.* 27: 319-328.
- Mancini, SA; Lacrampe-Couloume, G; Lollar, BS. (2008). Source differentiation for benzene and chlorobenzene groundwater contamination: A field application of stable carbon and hydrogen isotope analyses. *Environ Forensics.* 9: 177-186. <http://dx.doi.org/10.1080/15275920802119086>.
- Mannervik, B. (1985). The isoenzymes of glutathione transferase [Review]. *Adv Enzymol Relat Areas Mol Biol.* 57: 357-417.
- Manogue, WH. (1958). The kinetics of the absorption of phosgene into water and aqueous solutions. *Dissertation Abstracts International, B: The Sciences and Engineering.* 18: 984.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol.* 131: 64-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.004>.
- Manookin, MB; Weick, M; Stafford, BK; Demb, JB. (2010). NMDA receptor contributions to visual contrast coding. *Neuron.* 67: 280-293. <http://dx.doi.org/10.1016/j.neuron.2010.06.020>.
- Mantel, N. (1963). Chi-square tests with one degree of freedom; extensions of the Mantel-Haenszel procedure. *J Am Stat Assoc.* 58: 690-700.
- Mantilla, LF. (2008). Analysis of the voltage phasors characteristics for motor unbalanced supplies under constant voltage level. *Electrical Engineering (Archiv fur Elektrotechnik).* 90: 395-406. <http://dx.doi.org/10.1007/s00202-007-0089-8>.
- Manz, L. (1997). Applying adjustable-speed drives to three-phase induction NEMA frame motors. *I E E Transactions on Industry Applications.* 33: 402-407.
- Manzo, L; Artigas, F; Martinez, E; Mutti, A; Bergamaschi, E; Nicotera, P; Tonini, M; Candura, SM; Ray, DE; Costa, LG. (1996). Biochemical markers of neurotoxicity A review of mechanistic studies and applications [Review]. *Hum Exp Toxicol.* 1]: S20-S35.
- Mao, H; Talbot, RW; Sive, BC; Kim, S, uY; Blake, DR; Weinheimer, AJ. (2010). Arctic mercury depletion and its quantitative link with halogens. *J Atmos Chem.* 65: 145-170. <http://dx.doi.org/10.1007/s10874-011-9186-1>.
- Mao, X; Ciblak, A, li; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environ Sci Technol.* 45: 6517-6523. <http://dx.doi.org/10.1021/es200943z>.
- Mao, X; Ciblak, A, li; Baek, K; Amiri, M; Loch-Carusio, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res.* 46: 1847-1857. <http://dx.doi.org/10.1016/j.watres.2012.01.002>.
- Mao, X; Wang, J; Ciblak, A, li; Cox, EE; Riis, C; Terkelsen, M; Gent, DB; Alshawabkeh, AN. (2012). Electrokinetic-enhanced bioaugmentation for remediation of chlorinated solvents contaminated clay. *J Hazard Mater.* 213: 311-317. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.001>.
- Maphosa, F; van Passel, MW; de Vos, WM; Smidt, H. (2012). Metagenome analysis reveals yet unexplored reductive dechlorinating potential of *Dehalobacter* sp. E1 growing in co-culture with *Sedimentibacter* sp. *Environmental Microbiology Reports.* 4: 604-616. <http://dx.doi.org/10.1111/j.1758-2229.2012.00376.x>.
- Marais, LJ; Otero, R; Riga, E. (2010). CONTROL OF PLANT-PARASITIC NEMATODES WITH THE BIONEMATICIDE NEMA-Q (R) AN EXTRACT OF *QUILLAJA SAPONARIA*. *Journal of Nematology.* 42: 254-255.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg.* 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.
- Marcatili, S; Pettinato, C; Daniels, S; Lewis, G; Edwards, P; Fanti, S; Spezi, E. (2013). Development and validation of RAYDOSE: a Geant4-based application for molecular radiotherapy. *Phys Med Biol.* 58: 2491-2508. <http://dx.doi.org/10.1088/0031-9155/58/8/2491>.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe<sup>2+</sup> activated persulfate. *Sci Total Environ.* 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillén, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol.* 100: 5757-5762. <http://dx.doi.org/10.1016/j.biortech.2009.06.078>.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol.* 83: 1190-1196. <http://dx.doi.org/10.1002/jctb.1914>.
- Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G; Vicent, T; Reddy, CA. (2006). Novel aerobic Perchloroethylene degradation by the white-rot fungus *Trametes versicolor*. *Environ Sci Technol.* 40: 7796-7802. <http://dx.doi.org/10.1021/es0622958>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol.* 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marcus, DL; Bonds, C. (1999). Results of the reactant sand-fracking pilot test and implications for the in situ remediation of chlorinated VOCs and metals in deep and fractured bedrock aquifers. *J Hazard Mater.* 68: 125-153.
- Marcus, SL; Miyata, K; Zhang, B; Subramani, S; Rachubinski, RA; Capone, JP. (1993). Diverse peroxisome proliferator-activated receptors bind to the peroxisome proliferator-responsive elements of the rat hydratase/dehydrogenase and fatty acyl-CoA oxidase genes but differentially induce expression. *Proc Natl Acad Sci USA.* 90: 5723-5727.
- Marcus, Y. (2006). Preferential solvation in mixed solvents 13. Mixtures of tetrahydrofuran with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Solution Chemistry.* 35: 251-277. <http://dx.doi.org/10.1007/s10953-006-9366-9>.

## Fate Literature Search Results

### Off Topic

- Marcus, Y. (2006). Preferential solvation in mixed solvents. 14. Mixtures of 1,4-dioxane with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Molecular Liquids*. 128: 115-126. <http://dx.doi.org/10.1016/j.molliq.2005.12.005>.
- Marczinek, S; Schafer, W; Peiffer, S. (2006). Identification and quantification of natural degradation processes in an aquifer contaminated with chlorinated ethenes. *Grundwasser*. 11: 207-216. <http://dx.doi.org/10.1007/s00767-006-0146-7>.
- Margard, W. (1978). In vitro bioassay of chlorinated hydrocarbon solvents [Unpublished]. Frederick, MD: Batelle Laboratories.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng*. 120: 1207-1231.
- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology*. 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marotta, E; Paradisi, C. (2002). Isomerization and dissociation of C2X5+ and C2X4+\* ions (X = Cl, F) from chlorofluoroethanes in an ion trap mass spectrometer. *J Mass Spectrom*. 37: 1280-1286. <http://dx.doi.org/10.1002/jms.403>.
- Marquardt, JU; Thorgeirsson, SS. (2010). Stem cells in hepatocarcinogenesis: Evidence from genomic data [Review]. *Semin Liver Dis*. 30: 26-34. <http://dx.doi.org/10.1055/s-0030-1247130>.
- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis*. 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr*. 45: 516-519.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylylidino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res*. 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrac acid. *Carcinogenesis*. 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Marsman, DS; Popp, JA. (1994). Biological potential of basophilic hepatocellular foci and hepatic adenoma induced by the peroxisome proliferator, Wy-14,643. *Carcinogenesis*. 15: 111-117. <http://dx.doi.org/10.1093/carcin/15.1.111>.
- Martens, J. (2016). *Sinostoma yunnanicum*, the first nemastomatine harvestman in China (Arachnida: Opiliones: Nemastomatidae). *Zootaxa*. 4126: 444-450. <http://dx.doi.org/10.11646/zootaxa.4126.3.9>.
- Marth, E; Stuenzner, D; Binder, H; Moese, JR. (1985). Tetrachlorethylen: eine Studie uber die Wirkung niedriger Konzentrationen von 1,1,2,2-Tetrachlorethylen (Perchlorethylen) am Organismus der Maus II Ruckstandsuntersuchungen von Tetrachlorethylen in verschiedenen Organen und Nachweis von histologischen Veranderungen der untersuchten organe. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 541-547.
- Marth, E; Stunzner, D; Binder, H; Mose, JR. (1985). [Tetrachloroethylene: effect of low concentrations of 1,1,2,2-tetrachloroethylene (perchloroethylene) on organisms in the mouse. I. Laboratory chemical research]. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 525-540.
- Martin, PM; Mailman, RB. (1988). Permanent alteration in licking pattern of rats due to neonatal lead exposure. *14*: 361.
- Martin, VB; Smith, CB; Gupta, BS. (1998). Identification of source emissions from finished textile fabrics. *Text Chem Color*. 30: 15-19.
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit*. 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Martinez-Rodriguez, MJ; Fox, EB; Rhodes, WD; Mcwhorter, CS; Greenway, S; Colon-Mercado, HR. (2011). The Effect of Low Concentrations of Tetrachloroethylene on the Performance of PEM Fuel Cells. *J Electrochem Soc*. 158: B698-B702. <http://dx.doi.org/10.1149/1.3563799>.
- Martin-Martin, D; Garcia-Tabares, E; Rey-Stolle, I. (2016). Assessment of Rear-Surface Processing Strategies for III-V on Si Multijunction Solar Cells Based on Numerical Simulations. *I E E Transactions on Electron Devices*. 63: 252-258. <http://dx.doi.org/10.1109/TED.2015.2498527>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ*. 20: 301-307.
- Mashayekhi, HA, li; Abroomand-Azar, P; Saber-Tehrani, M; Waqif-Husain, S. (2011). Rapid and sensitive determination of biphenyl and biphenyl oxide in water samples using dispersive liquid-liquid microextraction followed by gas chromatography. *Int J Environ Anal Chem*. 91: 516-524. <http://dx.doi.org/10.1080/03067310903525167>.
- Maslia, ML; Aral, MM; Faye, RE; Grayman, WM; Suárez-Soto, RJ; Sautner, JB; Anderson, BA; Bove, FJ; Ruckart, PZ; Moore, SM. (2012). Complexities in hindcasting models--when should we say enough is enough [Comment]. *Ground Water*. 50: 10-16; discussion 16-18. <http://dx.doi.org/10.1111/j.1745-6584.2011.00884.x>.
- Maslia, ML; Aral, MM; Ruckart, PZ; Bove, FJ. (2016). Reconstructing Historical VOC Concentrations in DrinkingWater for Epidemiological Studies at a US Military Base: Summary of Results. *Water*. 8. <http://dx.doi.org/10.3390/w8100449>.
- Mason, AR; Kueper, BH. (1996). Numerical simulation of surfactant-enhanced solubilization of pooled DNAPL. *Environ Sci Technol*. 30: 3205-3215.
- Masten, SJ. (1991). Ozonation of VOC's in the presence of humic acid and soils (pp. 287-312). (ISSN 0191-9512; EISSN 1547-6545; BIOSIS/91/25845). Masten, SJ.
- Matejova, L; Brunatova, T; Danis, S. (2015). TiO2-CeO2 prepared by using pressurized and supercritical fluids: effect of processing parameters and cerium amount on (micro)structural and morphological properties. *Res Chem Intermed*. 41: 9243-9257. <http://dx.doi.org/10.1007/s11164-015-1990-9>.
- Matejova, L; Cieslarova, M; Matej, Z; Danis, S; Peikertova, P; Sihor, M; Lang, J; Matejka, V. (2016). Microstructure, Optical and Photocatalytic Properties of TiO2 Thin Films Prepared by Chelating-Agent Assisted Sol-Gel Method. *J Nanosci Nanotechnol*. 16: 504-514. <http://dx.doi.org/10.1166/jnn.2016.10684>.
- Materna, BL. (1985). Occupational exposure to perchloroethylene in the dry cleaning industry. *AIHA J*. 46: 268-273.



## Fate Literature Search Results

### Off Topic

- Mathes, SE; Rasmussen, TC. (2006). Combining multivariate statistical analysis with geographic information systems mapping: a tool for delineating groundwater contamination. *Hydrogeology Journal*. 14: 1493-1507. <http://dx.doi.org/10.1007/s10040-006-0041-4>.
- Mathias, E; Sanhueza, E; Hisatsune, IC; Heicklen, J. (1974). The chlorine atom sensitized oxidation and ozonolysis of C<sub>2</sub>Cl<sub>4</sub>. *Can J Chem*. 52: 3852-3862.
- Matsuda, H; Ose, Y; Nagase, H; Sato, T; Kito, H; Sumida, K. (1991). MUTAGENICITY OF OZONATION AND CHLORINATION PRODUCTS FROM PARA-HYDROXYBENZALDEHYDE. *Sci Total Environ*. 103: 141-149.
- Matsunaga, K; Yamabe, S; Mori, T. (1997). Photodegradation of polychlorobiphenyls by titanium dioxide/ferric ion/hydrogen peroxide/UV light system. *JTTHE*. 43: 174-181.
- Mattei, F; Guida, F; Matrat, M; Cenée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med*. 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattsson, S; Vañó, E. (2013). ICRP perspective on criteria of acceptability for medical radiological equipment [Review]. *Radiat Prot Dosimetry*. 153: 158-160. <http://dx.doi.org/10.1093/rpd/ncs296>.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ*. 545-546: 445-452. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.098>.
- Matucha, M; Forczek, ST; Gryndler, M; Uhlírova, H; Fuksova, K; Schroder, P. (2003). Trichloroacetic acid in Norway spruce/soil-system I Biodegradation in soil. *Chemosphere*. 50: 303-309.
- Mauzerall, DL; Jacob, DJ; Fan, SM; Bradshaw, JD; Gregory, GL; Sachse, GW; Blake, DR. (1996). Origin of tropospheric ozone at remote high northern latitudes in summer. *J Geophys Res Atmos*. 101: 4175-4188.
- Maxwell, RM; Kastenber, WE. (1999). Stochastic environmental risk analysis: an integrated methodology for predicting cancer risk from contaminated groundwater. *Stoch Environ Res Risk Assess*. 13: 27-47.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JE; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environ Sci Technol*. 40: 5704-5709. <http://dx.doi.org/10.1021/es052521y>.
- May, R. (1976) Aufnahme Metabolisierung und Ausscheidung von Tetrachloräthylen und Beeinflussung durch gleichzeitige Aufnahme von Athanol beim Menschen. (Doctoral Dissertation). Universität Würzburg, Würzburg, Germany.
- Mayeno, AN; Yang, RS; Reisfeld, B. (2005). Biochemical reaction network modeling: predicting metabolism of organic chemical mixtures. *Environ Sci Technol*. 39: 5363-5371. <http://dx.doi.org/10.1021/es0479991>.
- Mayer, VW; Goin, CJ. (1980). Induction of mitotic recombination by certain hair-dye chemicals in *Saccharomyces cerevisiae*. *Mutat Res*. 78: 243-252. [http://dx.doi.org/10.1016/0165-1218\(80\)90105-6](http://dx.doi.org/10.1016/0165-1218(80)90105-6).
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating *Dehalococcoides mccartyi* Consortium. *Environ Sci Technol*. 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.
- Mayes, MD. (1999). Epidemiologic studies of environmental agents and systemic autoimmune diseases [Review]. *Environ Health Perspect*. 107: 743-748.
- Maymó-Gatell, X; Nijenhuis, I; Zinder, SH. (2001). Reductive dechlorination of cis-1,2-dichloroethene and vinyl chloride by "Dehalococcoides ethenogenes". *Environ Sci Technol*. 35: 516-521. <http://dx.doi.org/10.1021/es001285i>.
- Mazari-Hiriart, M; Hernandez-Eugenio, C; Rojo-Callejas, F; Lozano-Santacruz, R. (2000). Vertical variability of PCE sorption in the lacustrine clays of Mexico city. *Environ Geol*. 39: 595-602.
- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environ Sci Technol*. 35: 4783-4788. <http://dx.doi.org/10.1021/es0110372>.
- McAllister, SS; Gifford, AM; Greiner, AL; Kelleher, SP; Saelzler, MP; Ince, TA; Reinhardt, F; Harris, LN; Hylander, BL; Repasky, EA; Weinberg, RA. (2008). Systemic endocrine instigation of indolent tumor growth requires osteopontin. *Cell*. 133: 994-1005. <http://dx.doi.org/10.1016/j.cell.2008.04.045>.
- Mccall, RE; Patel, FMA; Mock, GN; Grady, PL. (1998). Solvent and ultrasonic alternatives to perchloroethylene drycleaning of textiles. *Text Chem Color*. 30: 11-18.
- Mccallie, SW. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A MANUFACTURERS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc*. 75: 189-189.
- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA*. 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarthy, MC; Hafner, HR; Montzka, SA. (2006). Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc*. 56: 3-11.
- Mccarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect*. 117: 790-796. <http://dx.doi.org/10.1289/ehp.11861>.
- Mccarthy, TB; Jones, RD. (1983). Industrial gassing poisonings due to trichlorethylene, perchlorethylene, and 1,1,1-trichloroethane, 1961-80. *Br J Ind Med*. 40: 450-455.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol*. 42: 49-60.
- Mccarty, PL; Chu, M, inY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology*. 43: 276-282. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.004>.

## Fate Literature Search Results

### Off Topic

- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol.* 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- McCarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther.* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- McCauley, KM; Pratt, DA; Wilson, S. R.; Shey, J; Burkey, TJ; van Der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B-12-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc.* 127: 1126-1136. <http://dx.doi.org/10.1021/ja0488573p>.
- McCauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem.* 41: 5844-5848. <http://dx.doi.org/10.1021/ic025714k>.
- McClenny, WA; Jacumin, HH; Oliver, KD; Daughtrey, EH; Whitaker, DA. (2006). Comparison of 24 h averaged VOC monitoring results for residential indoor and outdoor air using Carbopack X-filled diffusive samplers and active sampling--a pilot study. *J Environ Monit.* 8: 263-269. <http://dx.doi.org/10.1039/b507850d>.
- McConnell, EE; Wagner, JC; Skidmore, JW; Moore, JA. (1984). Biological effects of man-made mineral fibres: Proceedings of a WHO/IARC conference in association with JEMRB and TIMA, Copenhagen, 2-22 April 1982A comparative study of the fibrogenic and carcinogenic effects of UICC Canadian chrysotile B asbestos and glass microfibre (JM 100). Copenhagen: WHO.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med.* 50: 349-354.
- McCue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Sci Technol.* 47: 79-84.
- Mcculloch, A. (2002). Trichloroacetic acid in the environment. *Chemosphere.* 47: 667-686.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8417-8427.
- Mcculloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ.* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(99\)50032-5](http://dx.doi.org/10.1016/1352-2310(99)50032-5).
- Mcdaniel, TV; Martin, PA; Ross, N; Brown, S; Lesage, S; Pauli, BD. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.
- Mcdaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AM; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol.* 52: 410-417. <http://dx.doi.org/10.1007/s00244-005-8218-8>.
- Mcdermott, MJ; Mazor, KA; Shost, SJ; Narang, RS; Aldous, KM; Storm, JE. (2005). Tetrachloroethylene (PCE, Perc) levels in residential dry cleaner buildings in diverse communities in New York City. *Environ Health Perspect.* 113: 1336-1343. <http://dx.doi.org/10.1289/ehp.7414>.
- McDiarmid, MA; Gehle, K. (2006). Preconception brief: Occupational/environmental exposures. *Matern Child Health J.* 10: 123-128. <http://dx.doi.org/10.1007/s10995-006-0089-8>.
- McDonald, AD; Armstrong, B; Cherry, NM; Delorme, C; Diodati-Nolin, A; McDonald, JC; Robert, D. (1986). Spontaneous abortion and occupation. *J Occup Med.* 28: 1232-1238.
- McDonald, AD; McDonald, JC; Armstrong, B; Cherry, N; Delorme, C; Nolin, A; Robert, D. (1987). Occupation and pregnancy outcome. *Br J Ind Med.* 44: 521-526.
- Mcdonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in subslab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation.* 27: 86-92.
- Mcelveen, R; Melfi, M. (2016). Locked-Rotor Test Methods for Induction Motors Investigated. *I E E E Transactions on Industry Applications.* 52: 3595-3602. <http://dx.doi.org/10.1109/TIA.2016.2544925>.
- Mcginley, PM; Katz, LE; Weber, WJ. (1996). Competitive sorption and displacement of hydrophobic organic contaminants in saturated subsurface soil systems. *Water Resour Res.* 32: 3571-3577.
- Mcgregor, DB; Brown, A; Cattanaach, P; Edwards, I; McBride, D; Riach, C; Caspary, WJ. (1988). Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. *Environ Mol Mutagen.* 12: 85-154. <http://dx.doi.org/10.1002/em.2860120111>.
- Mcguire, MM; Hamers, RJ. (2000). Extraction and quantitative analysis of elemental sulfur from sulfide mineral surfaces by high-performance liquid chromatography. *Environ Sci Technol.* 34: 4651-4655.
- Mcguire, T; Hughes, JB. (2003). Effects of surfactants on the dechlorination of chlorinated ethenes. *Environ Toxicol Chem.* 22: 2630-2638.
- Mchedlidze, T; Herguth, A; Weber, J. (2016). Monitoring of Si-solar cell degradation with electroluminescence. *Solar Energy Materials and Solar Cells.* 155: 38-42. <http://dx.doi.org/10.1016/j.solmat.2016.05.008>.
- Mchugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to distinguish between vapor intrusion and indoor sources of VOCs. *Environ Sci Technol.* 45: 5952-5958. <http://dx.doi.org/10.1021/es200988d>.
- Mckeown, C; Gillen, G; Dempsey, MF; Findlay, C. (2016). Influence of slice overlap on positron emission tomography image quality. *Phys Med Biol.* 61: 1259-1277. <http://dx.doi.org/10.1088/0031-9155/61/3/1259>.
- Mckernan, LT; Ruder, AM; Petersen, MR; Hein, MJ; Forrester, CL; Sanderson, WT; Ashley, DL; Butler, MA. (2008). Biological exposure assessment to tetrachloroethylene for workers in the dry cleaning industry. *Environ Health.* 7: 12. <http://dx.doi.org/10.1186/1476-069X-7-12>.
- McKinney, LL; Weakley, FB; Eldridge, AC; Campbell, RE; Cowan, JC; Picken, JC; Blester, HE. (1957). S-(dichlorovinyl) L-cysteine: an agent causing fatal aplastic anemia in calves. *J Am Chem Soc.* 79: 3932-3933. <http://dx.doi.org/10.1021/ja01571a093>.
- McKone, T; Bogen, K. (1993). CaLTOX, a multimedia total-exposure model for hazardous waste sites. Part II: The dynamic multimedia transport and transformation model. Sacramento, CA: California Environmental Protection Agency.

## Fate Literature Search Results

### Off Topic

- Mckone, TE; Bogen, KT. (1991). PREDICTING THE UNCERTAINTIES IN RISK ASSESSMENT - A CALIFORNIA GROUNDWATER CASE-STUDY. *Environ Sci Technol.* 25: 1674-1681.
- McKone, TE; Bogen, KT. (1992). Uncertainties in health-risk assessment: an integrated case study based on tetrachloroethylene in California groundwater. *Regul Toxicol Pharmacol.* 15: 86-103.
- Mckone, TE; Daniels, JI. (1991). Estimating human exposure through multiple pathways from air, water, and soil. *Regul Toxicol Pharmacol.* 13: 36-61. [http://dx.doi.org/10.1016/0273-2300\(91\)90040-3](http://dx.doi.org/10.1016/0273-2300(91)90040-3).
- McLaughlin, JK. (1993). Renal cell cancer and exposure to gasoline: A review [Review]. *Environ Health Perspect.* 101: 111-114.
- McLaughlin, JK; Blot, WJ. (1997). A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer [Review]. *Int Arch Occup Environ Health.* 70: 222-231. <http://dx.doi.org/10.1007/s004200050211>.
- McLean, D; Mannetje, A; Dryson, E; Walls, C; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2009). Leukaemia and occupation: A New Zealand Cancer Registry-based case-control Study. *Int J Epidemiol.* 38: 594-606. <http://dx.doi.org/10.1093/ije/dyn220>.
- McMartin, KI; Koren, G. (1999). Exposure to organic solvents. Does it adversely affect pregnancy? *Can Fam Physician.* 45: 1671-1673.
- Mcnab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environ Sci Technol.* 34: 149-153.
- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering.* 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from [http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn\\_childhood\\_leukemia\\_follow.pdf](http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf)
- Meade, TW; Framework, FtBMRCGPR; clinics, pv. (2001). Design and intermediate results of the Lower Extremity Arterial Disease Event Reduction (LEADER)\* trial of bezafibrate in men with lower extremity arterial disease [ISRCTN4119421]. *Current Controlled Trials in Cardiovascular Medicine.* 2: 195-204. <http://dx.doi.org/10.1186/cvm-2-4-195>.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol.* 33: 141-146.
- Meharg, AA; Cairney, JWG. (2000). Ectomycorrhizas - extending the capabilities of rhizosphere remediation? *Soil Biol Biochem.* 32: 1475-1484.
- Mehendale, HM. (2005). Tissue repair: An important determinant of final outcome of toxicant-induced injury [Review]. *Toxicol Pathol.* 33: 41-51. <http://dx.doi.org/10.1080/01926230590881808>.
- Mehranian, A; Kotasidis, F; Zaidi, H. (2016). Accelerated time-of-flight (TOF) PET image reconstruction using TOF bin subsetization and TOF weighting matrix pre-computation. *Phys Med Biol.* 61: 1309-1331. <http://dx.doi.org/10.1088/0031-9155/61/3/1309>.
- Meier, KL; Bailer, AJ; Portier, CJ. (1993). A measure of tumorigenic potency incorporating dose-response shape. *Biometrics.* 49: 917-926.
- Meier, MA; Hungerbuhler, K; Aleankirkpatrick, P. (1997). Integrated product and process development using case studies: A challenge to the education of science and engineering undergraduates. *Chimia.* 51: 171-175.
- Meijer, J; Afzelius, BA. (1989). Effects of clofibrate treatment and of starvation on peroxisomes, mitochondria, and lipid droplets in mouse hepatocytes: a morphometric study. *J Ultra Mol Struct Res.* 102: 87-94. [http://dx.doi.org/10.1016/0889-1605\(89\)90037-2](http://dx.doi.org/10.1016/0889-1605(89)90037-2).
- Mejia, JM; Ochoa Dominguez, H; Vergara Villegas, OO; Ortega Máñez, L; Mederos, B. (2014). Noise reduction in small-animal PET images using a multiresolution transform. *IEEE Trans Med Imaging.* 33: 2010-2019. <http://dx.doi.org/10.1109/TMI.2014.2329702>.
- Melcher, RG; Langner, RR; Kagel, RO. (1978). Criteria for the evaluation of methods for the collection of organic pollutants in air using solid sorbents. *Am Ind Hyg Assoc J.* 39: 349-361. <http://dx.doi.org/10.1080/0002889778507771>.
- Melfi, MJ. (2006). Low-voltage PWM inverter-fed motor insulation issues. *I E E E Transactions on Industry Applications.* 42: 128-133. <http://dx.doi.org/10.1109/TIA.2005.861308>.
- Melfi, MJ; Umans, SD; Atem, JE. (2015). Viability of Highly Efficient Multi-Horsepower Line-Start Permanent-Magnet Motors. *I E E E Transactions on Industry Applications.* 51: 120-128. <http://dx.doi.org/10.1109/TIA.2014.2347239>.
- Melnick, RL. (2001). Is peroxisome proliferation an obligatory precursor step in the carcinogenicity of di(2-ethylhexyl)phthalate (DEHP)? [Review]. *Environ Health Perspect.* 109: 437-442.
- Melnick, RL. (2002). The IARC evaluation of di(2-ethylhexyl)phthalate (DEHP): A flawed decision based on an untested hypothesis. *Int J Occup Environ Health.* 8: 284-286.
- Melnick, RL; Kohn, MC; Huff, J. (1997). Weight of evidence versus weight of speculation to evaluate the alpha2u-globulin hypothesis. *Environ Health Perspect.* 105: 904-906.
- Melwanki, MB; Fuh, MR. (2008). Dispersive liquid-liquid microextraction combined with semi-automated in-syringe back extraction as a new approach for the sample preparation of ionizable organic compounds prior to liquid chromatography. *J Chromatogr A.* 1198-1199: 1-6. <http://dx.doi.org/10.1016/j.chroma.2008.05.007>.
- Melwanki, MB; Fuh, MR. (2008). Partitioned dispersive liquid-liquid microextraction: an approach for polar organic compounds extraction from aqueous samples. *J Chromatogr A.* 1207: 24-28. <http://dx.doi.org/10.1016/j.chroma.2008.08.052>.
- Men, Y; Feil, H; Verberkmoes, NC; Shah, MB; Johnson, DR; Lee, PK; West, KA; Zinder, SH; Andersen, GL; Alvarez-Cohen, L. (2012). Sustainable syntrophic growth of Dehalococcoides ethenogenes strain 195 with Desulfovibrio vulgaris Hildenborough and Methanobacterium congolense: global transcriptomic and proteomic analyses. *ISME J.* 6: 410-421. <http://dx.doi.org/10.1038/ismej.2011.111>.
- Mendler, R; Hasan, R; Trolle, JB; Mina, NL. (2015). Hazardous-Rated Electrical Equipment and the Arc-Flash Hazard. *I E E E Transactions on Industry Applications.* 51: 4335-4341. <http://dx.doi.org/10.1109/TIA.2015.2424881>.

## Fate Literature Search Results

### Off Topic

- Mendoza-Figueroa, T; López-Revilla, R; Villa-Trevino, S. (1983). DNA breaks induced by micromolar concentrations of dimethylnitrosamine in liver primary cell cultures from untreated and phenobarbital treated rats. *Toxicology*. 27: 55-69. [http://dx.doi.org/10.1016/0300-483X\(83\)90075-6](http://dx.doi.org/10.1016/0300-483X(83)90075-6).
- Meng, X; Wen, T; Sun, S; Zheng, R; Ren, J; Tang, F. (2010). Synthesis and Application of Carbon-Iron Oxide Microspheres' Black Pigments in Electrophoretic Displays. *Nanoscale Res Lett*. 5: 1664-1668. <http://dx.doi.org/10.1007/s11671-010-9692-0>.
- Menear, J; Maronpot, R; Boorman, G; Eustis, S; Huff, J; Haseman, J; Mcconnell, E; Ragan, H; Miller, R. (1986). New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986 Toxicologic and carcinogenic effects of inhaled tetrachloroethylene in rats and mice. New York: Elsevier Science Publishers.
- Mentzen, BF; Lefebvre, F. (2002). Evolution of host/guest interactions during adsorption of tetrachloroethylene (TCET) by silicalite (MFI) - A study by X-ray powder diffraction, NMR and molecular mechanics. *Materials Research Bulletin*. 37: 957-970.
- Mera, N; Ohmori, S; Itahashi, K; Kiuchi, M; Igarashi, T; Rikihisa, T; Kitada, M. (1994). Immunochemical evidence for the occurrence of Mu class glutathione S-transferase in human fetal livers. *J Biochem*. 116: 315-320.
- Merck. (1996). The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals. In S Budavari (Ed.), (12th ed.). Rahway, NJ: Merck & Co., Inc.
- Mergler, D. (1987). Worker participation in occupational health research: Theory and practice. *Int J Health Serv*. 17: 151-167.
- Mergler, D; Belanger, S; De Grosbois, S; Vachon, N. (1988). Chromal focus of acquired chromatic discrimination loss and solvent exposure among printshop workers. *Toxicology*. 49: 341-348. [http://dx.doi.org/10.1016/0300-483X\(88\)90017-0](http://dx.doi.org/10.1016/0300-483X(88)90017-0).
- Mergler, D; Blain, L. (1987). Assessing color vision loss among solvent-exposed workers. *Am J Ind Med*. 12: 195-203. <http://dx.doi.org/10.1002/ajim.4700120208>.
- Mergler, D; Blain, L; Lemaire, J; Lalonde, F. (1988). Colour vision impairment and alcohol consumption. *Neurotoxicol Teratol*. 10: 255-260. [http://dx.doi.org/10.1016/0892-0362\(88\)90025-6](http://dx.doi.org/10.1016/0892-0362(88)90025-6).
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health*. 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Mergler DHuel, G; Belanger, S; Bowler, RM; Truchon, G; Drolet, D; Ostiguy, C. (1996). Surveillance of early neurotoxic dysfunction. *Neurotoxicology*. 17: 803-812.
- Merlo-Sosa, L; Cota-Sanchez, G; Soucy, G. (2006). Effect of the liquid atomization quality on the pyrolysis of organic compounds by induction thermal plasma. *High Temperature Material Processes*. 10: 79-102.
- Mersch-Sundermann, V; Schneider, U; Klopman, G; Rosenkranz, HS. (1994). SOS induction in Escherichia coli and Salmonella mutagenicity: A comparison using 330 compounds [Review]. *Mutagenesis*. 9: 205-224. <http://dx.doi.org/10.1093/mutage/9.3.205>.
- Mertens, R; Vonsonntag, C. (1995). PHOTOLYSIS (LAMBDA=254 NM) OF TETRACHLOROETHENE IN AQUEOUS-SOLUTIONS. *J Photochem Photobiol A*. 85: 1-9.
- Meskar, A; Plee-Gautier, E; Amet, Y; Berthou, F; Lucas, D. (2001). Interactions alcool-xénobiotiques. Rôle du cytochrome P450 2E1 [Alcohol-xenobiotic interactions. Role of cytochrome P450 2E1] [Review]. *Pathol Biol*. 49: 696-702. [http://dx.doi.org/10.1016/S0369-8114\(01\)00235-8](http://dx.doi.org/10.1016/S0369-8114(01)00235-8).
- Mesrobian, A; Hudson, JA. (1997). Comparative performance of open and totally enclosed machines. *I E E E Transactions on Industry Applications*. 33: 154-159.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene. *Environ Sci Technol*. 46: 2772-2780. <http://dx.doi.org/10.1021/es203152a>.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene (vol 46, pg 2772, 2012). *Environ Sci Technol*. 46: 12241-12241. <http://dx.doi.org/10.1021/es304055d>.
- Messing, K; Dumais, L; Courville, J; Seifert, AM; Boucher, M. (1994). Evaluation of exposure data from men and women with the same job title. *J Occup Med*. 36: 913-917.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med*. 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Meszaros, E, va; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of Dehalococoides and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1768-x>.
- Meszaros, E; Sipos, R; Pal, R; Romsics, C; Marialigeti, K. (2013). Stimulation of trichloroethene biodegradation in anaerobic three-phase microcosms. *Int Biodeterior Biodegradation*. 84 (Oct 2013): 126-133. <http://dx.doi.org/10.1016/j.ibiod.2012.08.006>.
- Mettivier, G; Tabacchini, V; Conti, M; Russo, P. (2012). Signal-to-Noise Gain at Variable Randoms Ratio in TOF PET. *IEEE Trans Nucl Sci*. 59: 1948-1957. <http://dx.doi.org/10.1109/TNS.2012.2198833>.
- Meyer, AH; Penning, H; Lowag, H; Elsner, M. (2008). Precise and Accurate Compound Specific Carbon and Nitrogen Isotope Analysis of Atrazine: Critical Role of Combustion Oven Conditions. *Environ Sci Technol*. 42: 7757-7763. <http://dx.doi.org/10.1021/es800534h>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgeirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis*. 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremou, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem*. 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.

## Fate Literature Search Results

### Off Topic

- Mi, J; Ren, J; Wang, JC; Bao, WR. (2007). Ultrasonic and microwave desulfurization of coal in tetrachloroethylene. *Energy Source Part A*. 29: 1261-1268. <http://dx.doi.org/10.1080/00908310500431040>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater*. 300: 530-537. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.047>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Zhang, X; Fu, X; Danish, M; Qiu, Z; Sui, Q. (2015). Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. *Chem Eng J*. 281: 286-294. <http://dx.doi.org/10.1016/j.cej.2015.06.076>.
- Miao, Z; Gu, X; Lu, S; Dionysiou, DD; Al-Abed, SR; Zang, X; Wu, X; Qiu, Z; Sui, Q; Danish, M. (2015). Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. *Chem Eng J*. 275: 53-62. <http://dx.doi.org/10.1016/j.cej.2015.04.014>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Miceli, A; Glister, J; Andreyev, A; Bryman, D; Kurchaninov, L; Lu, P; Muennich, A; Retiere, F; Sossi, V. (2012). Simulations of a micro-PET system based on liquid xenon. *Phys Med Biol*. 57: 1685-1700. <http://dx.doi.org/10.1088/0031-9155/57/6/1685>.
- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001480>.
- Michalak, AM; Kitanidis, PK. (2004). Application of geostatistical inverse modeling to contaminant source identification at Dover AFB, Delaware. *Journal of Hydraulic Research*. 42: 9-18.
- Michalkiewicz, B; Kalucki, K. (2002). Direct conversion of methane into methanol formaldehyde and organic acids. *Przemysł Chemiczny*. 81: 165-170.
- Michel, K; Bureau, B; Pouvreau, C; Sangleboeuf, JC; Boussard-Pledel, C; Jouan, T; Rouxel, T; Adam, JL; Staubmann, K; Steinner, H; Baumann, T; Katzir, A; Bayona, J; Konz, W. (2003). Development of a chalcogenide glass fiber device for in situ pollutant detection. *Journal of Non-Crystalline Solids*. 326: 434-438. [http://dx.doi.org/10.1016/S0022-3093\(03\)00438-1](http://dx.doi.org/10.1016/S0022-3093(03)00438-1).
- Michulec, M; Wardencki, W. (2006). The application of single drop extraction technique for chromatographic determination of solvent residues in edible oils and pharmaceutical products. *Chromatographia*. 64: 191-197. <http://dx.doi.org/10.1365/s10337-006-0009-5>.
- Michulec, M; Wardencki, W. (2007). Validation of SPME-GC and HS-GC procedures for the determination of selected solvent residues in edible oil matrices. *Accreditation and Quality Assurance*. 12: 94-104. <http://dx.doi.org/10.1007/s00769-006-0235-4>.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Sci Technol*. 37: 105-110.
- Mieles, J; Zhan, H. (2012). Analytical solutions of one-dimensional multispecies reactive transport in a permeable reactive barrier-aquifer system. *J Contam Hydrol*. 134-135: 54-68. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.002>.
- Miettinen, OS. (1970). Matching and design efficiency in retrospective studies. *Am J Epidemiol*. 91: 111-118.
- Miettinen, OS. (1976). Stratification by a multivariate confounder score. *Am J Epidemiol*. 104: 609-620.
- Miettinen, OS; Wang, JD. (1981). An alternative to the proportionate mortality ratio. *Am J Epidemiol*. 114: 144-148.
- Mieure, JP. (1980). Determining volatile organics in water. *Environ Sci Technol*. 14: 930-935. <http://dx.doi.org/10.1021/es60168a002>.
- Miguet, M; Goetz, V; Plantard, G; Jaeger, Y. (2015). Removal of a Chlorinated Volatile Organic Compound (Perchloroethylene) from the Aqueous Phase by Adsorption on Activated Carbon. *Ind Eng Chem Res*. 54: 9813-9823. <http://dx.doi.org/10.1021/acs.iecr.5b02364>.
- Miguet, M; Goetz, V; Plantard, G; Jaeger, Y. (2016). Sustainable Thermal Regeneration of Spent Activated Carbons by Solar Energy: Application to Water Treatment. *Ind Eng Chem Res*. 55: 7003-7011. <http://dx.doi.org/10.1021/acs.iecr.6b01260>.
- Mihic, SJ. (1999). Acute effects of ethanol on GABAA and glycine receptor function. *Neurochem Int*. 35: 115-123. [http://dx.doi.org/10.1016/S0197-0186\(99\)00053-4](http://dx.doi.org/10.1016/S0197-0186(99)00053-4).
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res*. 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Sci Technol*. 43: 365-372.
- Mikhaylova, E; De Lorenzo, G; Chmeissani, M; Kolstein, M; Cañadas, M; Arce, P; Calderón, Y; Uzun, D; Ariño, G; Macias-Montero, JG; Martinez, R; Puigdengoles, C; Cabruja, E. (2014). Simulation of the expected performance of a seamless scanner for brain PET based on highly pixelated CdTe detectors. *IEEE Trans Med Imaging*. 33: 332-339. <http://dx.doi.org/10.1109/TMI.2013.2284657>.
- Miligi, L; Seniori, CA; Crosignani, P; Fontana, A; Masala, G; Nanni, O; Ramazzotti, V; Rodella, S; Stagnaro, E; Tumino, R; Vigano, C; Vindigni, C; Vineis, P. (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. *Am J Ind Med*. 36: 60-69. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<60::AID-AJIM9>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<60::AID-AJIM9>3.0.CO;2-Z).
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis*. 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environ Sci Technol*. 39: 2631-2635.
- Miller, JS; Ledakowicz, S. (1993). PHOTOCHEMICAL DECHLORINATION OF TETRACHLOROETHENE IN CARBON-TETRACHLORIDE SOLUTIONS. *Journal of Physical Organic Chemistry*. 6: 545-550.
- Miller, LJ; Uhler, AD. (1988). VOLATILE HALOCARBONS IN BUTTER - ELEVATED TETRACHLOROETHYLENE LEVELS IN SAMPLES OBTAINED IN CLOSE PROXIMITY TO DRY CLEANING ESTABLISHMENTS. *Bull Environ Contam Toxicol*. 41: 469-474.
- Miller, RE; Guengerich, FP. (1982). Oxidation of trichloroethylene by liver microsomal cytochrome P-450: Evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry*. 21: 1090-1097. <http://dx.doi.org/10.1021/bi00534a041>.

## Fate Literature Search Results

### Off Topic

- Miller, RE; Guengerich, FP. (1983). Metabolism of trichloroethylene in isolated hepatocytes, microsomes, and reconstituted enzyme systems containing cytochrome P-450. *Cancer Res.* 43: 1145-1152.
- Min, S; Chaigneau, M; Courtois, YA; Festy, B. (1987). [Genotoxic activity of organic esters apt to form from 2-chloroethanol generated by the sterilization by ethylene oxide]. *Ann Pharm Fr.* 45: 353-359.
- Minnich, MM; Schumacher, BA; Zimmerman, JH. (1997). Comparison of soil VOCs measured by soil gas, heated headspace, and methanol extraction techniques. *Journal of Soil Contamination.* 6: 187-203.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from amputated, dry, fortified soils. *J Environ Qual.* 26: 108-114.
- Minsley, B. (1983). TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER IN KALAMAZOO. *J Am Water Works Assoc.* 75: 272-279.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res.* 43: 4429-4429. <http://dx.doi.org/10.1029/2005WR003996>.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Mirfazaalian, A; Kim, KB; Lee, S; Kim, HJ; Bruckner, JV; Fisher, JW. (2007). Organ growth functions in maturing male Sprague-Dawley rats. *J Toxicol Environ Health A.* 70: 429-438. <http://dx.doi.org/10.1080/15287390600755265>.
- Mitchell, AE; Morin, D; Lakritz, J; Jones, AD. (1997). Quantitative profiling of tissue- and gender-related expression of glutathione S-transferase isoenzymes in the mouse. *Biochem J.* 325: 207-216.
- Mitchell, AM; Bridges, JW; Elcombe, CR. (1984). Factors influencing peroxisome proliferation in cultured rat hepatocytes. *Arch Toxicol.* 55: 239-246.
- Mitchell, AM; Lhuguenot, JC; Bridges, JW; Elcombe, CR. (1985). Identification of the proximate peroxisome proliferator(s) derived from di(2-ethylhexyl) phthalate. *Toxicol Appl Pharmacol.* 80: 23-32. [http://dx.doi.org/10.1016/0041-008X\(85\)90097-3](http://dx.doi.org/10.1016/0041-008X(85)90097-3).
- Mitra, S; Gupta, SK. (2013). Biodegradation of tetrachloroethylene-rich synthetic wastewater in anaerobic hybrid reactor. *Desalination and Water Treatment.* 51: 4506-4513. <http://dx.doi.org/10.1080/19443994.2013.770232>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of Trichloroethylene in Anaerobic Hybrid Reactor. *Environ Prog Sustain Energy.* 32: 1055-1060. <http://dx.doi.org/10.1002/ep.11705>.
- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloroethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. *Clean Tech Environ Pol.* 16: 947-956. <http://dx.doi.org/10.1007/s10098-013-0695-2>.
- Mizobuchi, M; Okuda, S; Nishikawa, Y; Hasuike, A; Sakaguchi, S. (1987). DECOMPOSITION OF 1,1,1,2-TETRACHLOROETHYLENE USED AS INNER STANDARD SUBSTANCE ON GAS CHROMATOGRAPHY. *Eisei Kagaku.* 33: 165-169.
- Mo, J; Xu, N; Xiao, C; Cheng, B; Han, X. (2015). Polymethacrylate-based Fiber Containing an Interpenetrating Polymer Network and Its Use for Oil Absorption. *Fibers and Polymers.* 16: 8-16. <http://dx.doi.org/10.1007/s12221-015-0008-y>.
- Mochida, K; Saito, K. (1985). Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. *Bull Environ Contam Toxicol.* 35: 593-595.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. *J Hydrol.* 542: 437-449. <http://dx.doi.org/10.1016/j.jhydrol.2016.09.023>.
- Moerbeek, M; Piersma, AH; Slob, W. (2004). A comparison of three methods for calculating confidence intervals for the benchmark dose. *Risk Anal.* 24: 31-40. <http://dx.doi.org/10.1111/j.0272-4332.2004.00409.x>.
- Moeschlin, S. (1965). Poisoning: diagnosis and treatment. New York: Grune and Stratton.
- Moghaddam, AP; Abbas, R; Fisher, JW; Lipscomb, JC. (1997). The role of mouse intestinal microflora in the metabolism of trichloroethylene, an in vivo study. *Hum Exp Toxicol.* 16: 629-635. <http://dx.doi.org/10.1177/096032719701601101>.
- Moghaddam, AP; Abbas, R; Fisher, JW; Stavrou, S; Lipscomb, JC. (1996). Formation of dichloroacetic acid by rat and mouse gut microflora, an in vitro study. *Biochem Biophys Res Commun.* 228: 639-645. <http://dx.doi.org/10.1006/bbrc.1996.1709>.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. *Environ Sci Technol.* 39: 1698-1706. <http://dx.doi.org/10.1021/es048810o>.
- Mohammed, OF; Lubber, S; Batista, VS; Nibbering, ET. (2011). Ultrafast branching of reaction pathways in 2-(2'-hydroxyphenyl)benzothiazole in polar acetonitrile solution. *J Phys Chem A.* 115: 7550-7558. <http://dx.doi.org/10.1021/jp202277t>.
- Mohammed, OF; Xiao, D; Batista, VS; Nibbering, ET. (2014). Excited-state intramolecular hydrogen transfer (ESIHT) of 1,8-dihydroxy-9,10-anthraquinone (DHAQ) characterized by ultrafast electronic and vibrational spectroscopy and computational modeling. *J Phys Chem A.* 118: 3090-3099. <http://dx.doi.org/10.1021/jp501612f>.
- Molins, E; Miravittles, C; Espinosa, E; Ballester, M. (2002). 1,1',3,3',6,6',8,8'-octachloro-9,9'-bifluorenylidene and perchloro-9,9'-bifluorenylidene, two exceedingly twisted ethylenes. *J Org Chem.* 67: 7175-7178. <http://dx.doi.org/10.1021/jo010979m>.
- Molnar, IL; O'Carroll, DM; Gerhard, JI. (2011). Impact of surfactant-induced wettability alterations on DNAPL invasion in quartz and iron oxide-coated sand systems. *J Contam Hydrol.* 119: 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.004>.
- Moloney, WC; King, VP. (1973). Reduction of leukemia incidence following splenectomy in the rat. *Cancer Res.* 33: 573-574.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater.* 313: 37-48. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.049>.
- Monnier, H; Falk, L. (2011). Intensification of G/L absorption in microstructured falling film. Application to the treatment of chlorinated VOC's - part II: Modeling and geometric optimization. *Chem Eng Sci.* 66: 2475-2490. <http://dx.doi.org/10.1016/j.ces.2011.01.016>.

## Fate Literature Search Results

### Off Topic

- Monnier, H; Falk, L; Lapicque, F; Hadjoudj, R; Roizard, C. (2010). Intensification of G/L absorption in microstructured falling film. Application to the treatment of chlorinated VOC's - part I: Comparison between structured and microstructured packings in absorption devices. *Chem Eng Sci.* 65: 6425-6434. <http://dx.doi.org/10.1016/j.ces.2010.09.027>.
- Monnier, H; Mhiri, N; Falk, L. (2010). Falling liquid film stability in microgas/liquid absorption. *Chemical Engineering and Processing: Process Intensification.* 49: 953-957. <http://dx.doi.org/10.1016/j.cep.2010.05.001>.
- Monster, A; Regouin-Peeters, W; Van Schijndel, A; Van der Tuin, J. (1983). Biological monitoring of occupational exposure to tetrachloroethene. *Scand J Work Environ Health.* 9: 273-281.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health.* 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>; <http://link.springer.com/article/10.1007%2FBF00377785>.
- Monster, AC. (1984). Trichloroethylene. In A Aitio; V Riihimaki; H Vainio (Eds.), (pp. 111-130). Washington, DC: Hemisphere Publishing Corporation.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of 1,1,1,-trichloroethane in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health.* 42: 293-301. <http://dx.doi.org/10.1007/BF00377783>.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of tetrachloroethylene in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health.* 42: 303-309.
- Monster, AC; Smolders, JF. (1984). Tetrachloroethene in exhaled air of persons living near pollution sources. *Int Arch Occup Environ Health.* 53: 331-336. <http://dx.doi.org/10.1007/BF00380672>.
- Monteiro, RAR; Miranda, SM; Rodrigues-Silva, C; Faria, JL; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Gas phase oxidation of n-decane and PCE by photocatalysis using an annular photoreactor packed with a monolithic catalytic bed coated with P25 and PC500. *Appl Catal B-Environ.* 165: 306-315. <http://dx.doi.org/10.1016/j.apcatb.2014.10.026>.
- Monteiro, RAR; Rodrigues-Silva, C; Lopes, FVS; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Evaluation of a solar/UV annular pilot scale reactor for 24 h continuous photocatalytic oxidation of n-decane. *Chem Eng J.* 280: 409-416. <http://dx.doi.org/10.1016/j.cej.2015.06.014>.
- Monteiro, RAR; Silva, AMT; Angelo, JRM; Silva, GV; Mendes, AM; Boaventura, R, uiAR; Vilar, VJP. (2015). Photocatalytic oxidation of gaseous perchloroethylene over TiO<sub>2</sub> based paint. *J Photochem Photobiol A.* 311: 41-52. <http://dx.doi.org/10.1016/j.jphotochem.2015.06.007>.
- Moody, DE; Reddy, JK; Lake, BG; Popp, JA; Reese, DH. (1991). Peroxisome proliferation and nongenotoxic carcinogenesis: commentary on a symposium. *Toxicol Sci.* 16: 233-248.
- Moon, CS; Lee, JT; Chun, JH; Ikeda, M. (2001). Use of solvents in industries in Korea: experience in Sinpyeong-Jangrim industrial complex. *Int Arch Occup Environ Health.* 74: 148-152.
- Moon, IS; Kim, DS; Lee, SH. (2001). New method for patterning the rear passivation layers of high-efficiency solar cells. *Journal of Materials Science: Materials in Electronics.* 12: 605-607.
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 108: 215-223.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurekkoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med.* 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Moran, MJ; Lapham, WW; Rowe, BL; Zogorski, JS. (2004). VOLATILE ORGANIC COMPOUNDS IN GROUND WATER FROM RURAL PRIVATE WELLS, 1986 TO 1999(1). *J Am Water Resour Assoc.* 40: 1141-1157.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environ Sci Technol.* 41: 74-81. <http://dx.doi.org/10.1021/es061553y>.
- Morelli, S; Grigioni, M; Giovagnoli, MR; Balzano, S; Giansanti, D. (2010). Picture archiving and communication systems in digital cytology. *Ann Ist Super Sanita.* 46: 130-137. [http://dx.doi.org/10.4415/ANN\\_10\\_02\\_05](http://dx.doi.org/10.4415/ANN_10_02_05).
- Moreno-Barbero, E; Kim, Y; Saenton, S; Illangasekare, TH. (2007). Intermediate-scale investigation of nonaqueous-phase liquid architecture on partitioning tracer test performance. *Vadose Zone Journal.* 6: 725-734. <http://dx.doi.org/10.2136/vzj2006.0108>.
- Moreno-Medina, CU; Breton-Deval, L; Rios-Leal, E; Barrera-Cortes, J; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2011). PERCHLOROETHYLENE SOLUBILIZATION WITH A NON-IONIC TENSIOACTIVE. *Interciencia.* 36: 224-228.
- Mori, N; Ohta, S; Chiba, H; Takagi, T; Niimi, Y; Shinde, V; Kajale, MD; Osada, T. (2013). Rediscovery of Indian dwarf wheat (*Triticum aestivum* L. ssp *sphaerococcum* (Perc.) MK.) an ancient crop of the Indian subcontinent. *Genetic Resources and Crop Evolution.* 60: 1771-1775. <http://dx.doi.org/10.1007/s10722-013-9994-z>.
- Morimoto, Y; Ueno, Y; Takeuchi, W; Kojima, S; Matsuzaki, K; Ishitsu, T; Umegaki, K; Kiyanagi, Y; Kubo, N; Katoh, C; Shiga, T; Shirato, H; Tamaki, N. (2011). Development of a 3D Brain PET Scanner Using CdTe Semiconductor Detectors and Its First Clinical Application. *IEEE Trans Nucl Sci.* 58: 2181-2189. <http://dx.doi.org/10.1109/TNS.2011.2146790>.
- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis.* 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morishige, AE; Jensen, MA; Needleman, DB; Nakayashiki, K; Hofstetter, J; Li, T, suTA; Buonassisi, T. (2016). Lifetime Spectroscopy Investigation of Light-Induced Degradation in p-type Multicrystalline Silicon PERC. 6: 1466-1472. <http://dx.doi.org/10.1109/JPHOTOV.2016.2606699>.
- Morita, Z; Uchimura, K; Motomura, H. (1975). FUNDAMENTAL STUDIES OF SOLVENT DYEING WITH TETRACHLOROETHYLENE .2. DIFFUSION OF 1,4-DIAMINOANTHRAQUINONE IN NYLON-6. *Bull Chem Soc Jpn.* 48: 1081-1082.

## Fate Literature Search Results

### Off Topic

- Moriya, M; Ohta, T; Watanabe, K; Miyazawa, T; Kato, K; Shirasu, Y. (1983). Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res.* 116: 185-216.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Sherwood Lollar, B. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol.* 76: 279-293. <http://dx.doi.org/10.1016/j.jconhyd.2004.11.002>.
- Morrill, PL; Seepersad, DJ; Lacrampe-Couloume, G; Edwards, EA; Sleep, BE; McMaster, ML; Major, DW; Lollar, BS. (2004). The use of stable carbon isotope analysis to model enhanced dissolution of tetrachloroethene. *Geochim Cosmo Acta.* 68: A458-A458.
- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; Lebron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol.* 110: 60-71. <http://dx.doi.org/10.1016/j.jconhyd.2009.08.006>.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: toward an improved quantification of biodegradation. *Environ Sci Technol.* 40: 3886-3892. <http://dx.doi.org/10.1021/es051513e>.
- Morrison, G; Li, H; Mishra, S; Buechlein, M. (2015). Airborne phthalate partitioning to cotton clothing. *Atmos Environ.* 115: 149-152. <http://dx.doi.org/10.1016/j.atmosenv.2015.05.051>.
- Morrison, G; Shakila, NV; Parker, K. (2015). Accumulation of gas-phase methamphetamine on clothing, toy fabrics, and skin oil. *Indoor Air.* 25: 405-414. <http://dx.doi.org/10.1111/ina.12159>.
- Morrison, GC; Weschler, CJ; Bekö, G; Koch, HM; Salthammer, T; Schripp, T; Toftum, J; Clausen, G. (2016). Role of clothing in both accelerating and impeding dermal absorption of airborne SVOCs. *J Expo Sci Environ Epidemiol.* 26: 113-118. <http://dx.doi.org/10.1038/jes.2015.42>.
- Morse, HC, III; Anver, MR; Fredrickson, TN; Haines, DC; Harris, AW; Harris, NL; Jaffe, ES; Kogan, SC; MacLennan, IC; Pattengale, PK; Ward, JM. (2002). Bethesda proposals for classification of lymphoid neoplasms in mice. *Neoplasia.* 100: 246-258.
- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, W; Marjanovic, D. (1984). Leukemia incidence by occupation in the Portland-Vancouver metropolitan area. *Am J Ind Med.* 6: 185-205.
- Moryama, MT; Domiki, C; Miyazawa, K; Tanaka, T; Suzuki, K. (2005). Effects of oxalate exposure on Madin-Darby canine kidney cells in culture: Renal prothrombin fragment-1 mRNA expression. *Urol Res.* 33: 470-475. <http://dx.doi.org/10.1007/s00240-005-0510-6>.
- Moschandreass, DJ; Odea, DS. (1995). MEASUREMENT OF PERCHLOROETHYLENE INDOOR AIR LEVELS CAUSED BY FUGITIVE EMISSIONS FROM UNVENTED DRY-TO-DRY DRY-CLEANING UNITS. *J Air Waste Manag Assoc.* 45: 111-115.
- Möse, JR; Wilfinger, G; Zeichen, R. (1985). [Pollution of drinking water by tetrachloroethylene]. *Zentralbl Bakteriol Mikrobiol Hyg.* 181: 111-120.
- Moser, RH. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A WATER SUPPLIERS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 189-190.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A.* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol.* 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moslen, MT; Reynolds, ES; Boor, PJ; Bailey, K; Szabo, S. (1977). Trichloroethylene-induced deactivation of cytochrome P-450 and loss of liver glutathione in vivo. *Res Comm Chem Pathol Pharmacol.* 16: 109-120.
- Moss, RA. (2010). "Carbon Dichloride": Dihalocarbenes Sixty Years After Hine. *J Org Chem.* 75: 5773-5783.
- Mouafi, YPB; Zuschlag, AS; Pichon, PY; Fritz, JM; Schonecker, A; Hahn, G. (2016). Novel RGS materials with high fill factors and no material-induced shunts with record solar cell efficiencies exceeding 16%. *Solar Energy Materials and Solar Cells.* 146: 25-34. <http://dx.doi.org/10.1016/j.solmat.2015.11.022>.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). ADSORPTION-ISOTHERMS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY VARIOUS NATURAL SOLIDS. *J Hydrol.* 149: 163-182.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology.* 31: 89-95.
- Mueller, J; Cen, YW; Davis, RH. (1997). Crossflow microfiltration of oily water. *J Memb Sci.* 129: 221-235.
- Mueller, J; Hinken, D; Blankemeyer, S; Kohlenberg, H; Sonntag, U; Bothe, K; Dullweber, T; Koentges, M; Brendel, R. (2015). Resistive Power Loss Analysis of PV Modules Made From Halved 15.6 x 15.6 cm(2) Silicon PERC Solar Cells With Efficiencies up to 20.0%. 5: 189-194. <http://dx.doi.org/10.1109/JPHOTOV.2014.2367868>.
- Mueller, M; Altermatt, PP; Wagner, H; Fischer, G. (2014). Sensitivity Analysis of Industrial Multicrystalline PERC Silicon Solar Cells by Means of 3-D Device Simulation and Metamodeling. 4: 107-113. <http://dx.doi.org/10.1109/JPHOTOV.2013.2287753>.
- Mueser, KT; McGurk, SR. (2004). Schizophrenia [Review]. *Lancet.* 363: 2063-2072. [http://dx.doi.org/10.1016/S0140-6736\(04\)16458-1](http://dx.doi.org/10.1016/S0140-6736(04)16458-1).
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res.* 29: 2434-2439.
- Mujahid, A; Stathopoulos, H; Lieberzeit, PA; Dickert, FL. (2010). Solvent vapour detection with cholesteric liquid crystals-optical and mass-sensitive evaluation of the sensor mechanism. *Sensors.* 10: 4887-4897. <http://dx.doi.org/10.3390/s100504887>.



## Fate Literature Search Results

### Off Topic

- Mukerjee, S; Smith, LA; Thoma, ED; Oliver, KD; Whitaker, DA; Wu, T; Colon, M; Alston, L; Cousett, TA; Stallings, C. (2016). Spatial analysis of volatile organic compounds in South Philadelphia using passive samplers. *Journal of the Air and Waste Management Association*. 66: 492-498. <http://dx.doi.org/10.1080/10962247.2016.1147505>.
- Mukherjee, R; Jow, L; Noonan, D; McDonnell, DP. (1994). Human and rat peroxisome proliferator activated receptors (PPARs) demonstrate similar tissue distribution but different responsiveness to PPAR activators. *J Steroid Biochem Mol Biol*. 51: 157-166. [http://dx.doi.org/10.1016/0960-0760\(94\)90089-2](http://dx.doi.org/10.1016/0960-0760(94)90089-2).
- Mullen, K; Carron, K. (1994). ADSORPTION OF CHLORINATED ETHYLENES AT 1-OCTADECANETHIOL-MODIFIED SILVER SURFACES. *Anal Chem*. 66: 478-483.
- Mullens, J; Reggers, G; Ruysen, M; Carleer, R; Yperman, J; Franco, D; Vanpoucke, LC. (1997). The determination of the gases released during heating of a flame retardant for polymers - Coupling of TG with FTIR, MS and GC-MS. 49: 1061-1067.
- Muller, G; Spassovski, M; Henschler, D. (1974). Metabolism of trichloroethylene in man: II. Pharmacokinetics of metabolites. *Arch Toxicol*. 32: 283-295. <http://dx.doi.org/10.1007/BF00330110>.
- Mumford, KG; Smith, JE; Dickson, SE. (2008). Mass flux from a non-aqueous phase liquid pool considering spontaneous expansion of a discontinuous gas phase. *J Contam Hydrol*. 98: 85-96. <http://dx.doi.org/10.1016/j.jconhyd.2008.02.007>.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water*. 45: 692-702. <http://dx.doi.org/10.1111/j.1745-6584.2007.00359.x>.
- Mundt, KA; Birk, T; Burch, MT. (2003). Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer [Review]. *Int J Occup Environ Health*. 76: 473-491. <http://dx.doi.org/10.1007/s00420-003-0457-2>.
- Munoz, MJ; Rodriguez, M; Martin, R; Galan, M. (1994). A STUDY OF THE VISCOSITY OF METHYL MYRISTATE SOLUTIONS IN ORGANIC-SOLVENTS. 90: 177-180.
- Murakami, K; Horikawa, K. (1995). The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere*. 31: 3733-3739. [http://dx.doi.org/10.1016/0045-6535\(95\)00222-T](http://dx.doi.org/10.1016/0045-6535(95)00222-T).
- Murata, K; Inoue, O; Akutsu, M; Iwata, T. (2010). Neuromotor Effects of Short-Term and Long-Term Exposures to Trichloroethylene in Workers. *Am J Ind Med*. 53: 915-921. <http://dx.doi.org/10.1002/ajim.20850>.
- Murphy, B; Kirwan, P; Mcloughlin, R. (2003). Investigation into polymer-diffusant interactions using ATR-FTIR spectroscopy. *Vibrational Spectroscopy*. 33: 75-82. [http://dx.doi.org/10.1016/S0924-2031\(03\)00091-2](http://dx.doi.org/10.1016/S0924-2031(03)00091-2).
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. [http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn\\_exposure\\_wells.pdf](http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf).
- Murray, AJ; Riley, JP. (1973). The determination of chlorinated aliphatic hydrocarbons in air, natural waters, marine organisms, and sediments. *Anal Chim Acta*. 65: 261-270.
- Murray, WD; Richardson, M. (1993). DEVELOPMENT OF BIOLOGICAL AND PROCESS TECHNOLOGIES FOR THE REDUCTION AND DEGRADATION OF PULP-MILL WASTES THAT POSE A THREAT TO HUMAN HEALTH. *Crit Rev Environ Sci Tech*. 23: 157-194.
- Musgrove, M; Katz, BG; Fahlquist, LS; Crandall, CA; Lindgren, RJ. (2014). Factors Affecting Public-Supply Well Vulnerability in Two Karst Aquifers. *Ground Water*. 52: 63-75. <http://dx.doi.org/10.1111/gwat.12201>.
- Mutti, A. (2012). Biological monitoring as a means to assess exposure and to predict adverse effects of chemical pollutants: an overview of current activities in key Italian laboratories CONCLUSION. *Med Lav*. 103: 413-416.
- Mutti, A; Ferroni, C; Vescovi, PP; Bottazzi, R; Selis, L; Gerra, G; Franchini, I. (1989). Endocrine effects of psychological stress associated with neurobehavioral performance testing. *Life Sci*. 44: 1831-1836.
- Mutti, A; Smargiassi, A. (1998). Selective vulnerability of dopaminergic systems to industrial chemicals: risk assessment of related neuroendocrine changes. *Toxicol Ind Health*. 14: 311-323.
- Muttray, A; Wolff, U; Jung, D; Konietzko, J. (1997). Blue-yellow deficiency in workers exposed to low concentrations of organic solvents. *Int Arch Occup Environ Health*. 70: 407-412.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.
- Myszkowski, J; Pelech, R; Wroblewska, A; Milchert, E. (2006). Formation of environmentally friendly processes by utilization of wastes and by-products. *Przemysł Chemiczny*. 85: 638-640.
- Naessens, M; Tran-Minh, A. (1998). Whole-cell biosensor for determination of volatile organic compounds in the form of aerosols. *Anal Chim Acta*. 364: 153-158.
- Naessens, M; Tran-Minh, C. (1999). Biosensor using immobilized *Chlorella* microalgae for determination of volatile organic compounds. *Sens Actuators B*. 59: 100-102.
- Nagano, K; Nishizawa, T; Yamamoto, S; Matsushima, T. (1998). Inhalation carcinogenesis studies of six halogenated hydrocarbons in rats and mice. In K Chiyotani; Y Hosoda; Y Aizawa (Eds.), (pp. 741-746). Amsterdam: Elsevier Science.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE*. 38: 240-246.
- Nakahama, T; Fukuhara, M; Inouye, Y. (1997). Volatile halogenated hydrocarbons in ambient air and the metabolites in human urine in an urban area (pp. 280-284). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/98/03630). Nakahama, T; Fukuhara, M; Inouye, Y.

## Fate Literature Search Results

### Off Topic

- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A*. 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakajima, T; Kamijo, Y; Usuda, N; Liang, Y; Fukushima, Y; Kametani, K; Gonzalez, FJ; Aoyama, T. (2000). Sex-dependent regulation of hepatic peroxisome proliferation in mice by trichloroethylene via peroxisome proliferator-activated receptor alpha (PPARalpha). *Carcinogenesis*. 21: 677-682.
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater*. 165: 388-393. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.030>.
- Nakamura, Y; Shimazoe, K; Takahashi, H; Yoshimura, S; Seto, Y; Kato, S; Takahashi, M; Momose, T. (2016). Development of a novel handheld intra-operative laparoscopic Compton camera for (18)F-Fluoro-2-deoxy-2-D-glucose-guided surgery. *Phys Med Biol*. 61: 5837-5850. <http://dx.doi.org/10.1088/0031-9155/61/15/5837>.
- Nakanishi, S; Hino, T. (1993). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN SOIL USING SAMPLING VIALS FOR STORAGE AND EXTRACTION BY MEANS OF WATER-HEXANE EXTRACTION METHOD. *JTTHE*. 39: 29-36.
- Nakasa, H; Mera, N; Ohmori, S; Itahashi, K; Igarashi, T; Ishii, I; Kitada, M. (1997). Nucleotide sequence of pi class glutathione S-transferase in human fetal liver. *Res Commun Mol Pathol Pharmacol*. 97: 67-78.
- Nakatsuka, H; Watanabe, T; Takeuchi, Y; Hisanaga, N; Shibata, E; Suzuki, H; Huang, MY; Chen, Z; Qu, QS; Ikeda, M. (1992). Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health*. 64: 113-117. <http://dx.doi.org/10.1007/BF00381478>; <http://link.springer.com/article/10.1007%2FBF00381478>.
- Nakayashiki, K; Hofstetter, J; Morishige, AE; Li, T, suTA; Needleman, DB; Jensen, MA; Buonassisi, T. (2016). Engineering Solutions and Root-Cause Analysis for Light-Induced Degradation in p-Type Multicrystalline Silicon PERC Modules. 6: 860-868. <http://dx.doi.org/10.1109/JPHOTOV.2016.2556981>.
- Nam, J; Kim, I; Kwon, J; Kim, YD, o. (2016). Applications of electrochemical ferrate(VI) for degradation of trichloroethylene in the aqueous phase. *Desalination and Water Treatment*. 57: 5138-5145. <http://dx.doi.org/10.1080/19443994.2014.1001440>.
- Nambi, IM; Werth, CJ; Sanford, RA; Valocchi, AJ. (2003). Pore-scale analysis of anaerobic halo-respiring bacterial growth along the transverse mixing zone of an etched silicon pore network. *Environ Sci Technol*. 37: 5617-5624. <http://dx.doi.org/10.1021/es034271w>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res*. 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria*. 68: 281-290.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria*. 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data*. 37: 387-390.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data*. 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria*. 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data*. 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. *Fluid Phase Equilibria*. 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. *Fluid Phase Equilibria*. 145: 89-97.
- Nath, J; Pandey, JG. (1996). Excess molar volumes, relative permittivities, and refractive indexes of 1,1,2,2-tetrachloroethane plus pyridine, plus anisole, plus methyl ethyl ketone, and plus 1,4-dioxane at 303.15 K. *Journal of Chemical and Engineering Data*. 41: 844-847.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria*. 58: 319-324.

## Fate Literature Search Results

### Off Topic

- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria*. 50: 297-303.
- Navarri, P; Marchal, D; Ginestet, A. (2001). Activated carbon fibre materials for VOC removal. *Filtrat Separ*. 38: 34-40.
- Nayak, JN; Aralaguppi, MI; Toti, US; Aminabhavi, TM. (2003). Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of Tri- n -butylamine + Triethylamine, + Tetrahydrofuran, + Tetradecane, + Tetrachloroethylene, + Pyridine, or + Trichloroethylene at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data*. 48: 1483-1488. <http://dx.doi.org/10.1021/jc030147g>.
- NCI. (1977). Bioassay of lindane for possible carcinogenicity. (DHEW Publication No. (NIH) 77-814). Bethesda, Maryland.
- NCI. (2010). SEER stat fact sheets: Non-Hodgkin lymphoma: Survival & stage. Bethesda, MD. <http://seer.cancer.gov/statfacts/html/nhl.html#survival>.
- NCI. (2010). What you need to know about cervical cancer. (NIH Publication No. 08-2407). Washington, D.C.: U.S. Department of Health and Human Services. <http://www.cancer.gov/cancertopics/wyntk/cervix.pdf>.
- Ndjou'ou, AC; Bou-Nasr, J; Cassidy, D. (2006). Effect of Fenton reagent dose on coexisting chemical and microbial oxidation in soil. *Environ Sci Technol*. 40: 2778-2783. <http://dx.doi.org/10.1021/es0525152>.
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. *Water Res*. 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. *Environ Monit Assess*. 60: 329-336.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Enhanced Photocatalytic Activity of TiO<sub>2</sub> Nanosheets by Doping with Cu for Chlorinated Solvent Pollutants Degradation. *Ind Eng Chem Res*. 53: 1368-1376. <http://dx.doi.org/10.1021/ie403405z>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Lu, M; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO<sub>2</sub> Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air Soil Pollut*. 225. <http://dx.doi.org/10.1007/s11270-014-1951-8>.
- Ndong, LBB, i; Ibondou, MP; Miao, Z; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO<sub>2</sub> nano-sheets in aqueous phase. *J Environ Sci*. 26: 1188-1194. [http://dx.doi.org/10.1016/S1001-0742\(13\)60541-0](http://dx.doi.org/10.1016/S1001-0742(13)60541-0).
- Nduta, KG; Mwangi, IW; Wanjau, RW; Ngila, JC. (2016). Removal of Chlorine and Chlorinated Organic Compounds from Aqueous Media Using Substrate-Anchored Zero-Valent Bimetals. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-015-2685-y>.
- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 362-388. <http://dx.doi.org/10.1080/10937400903158359>.
- Neasham, D; Sifi, A; Nielsen, KR; Overvad, K; Raaschou-Nielsen, O; Tjønneland, A; Barricarte, A; González, CA; Navarro, C; Rodriguez Suarez, L; Travis, RC; Key, T; Linseisen, J; Kaaks, R; Crosignani, P; Berrino, F; Rosso, S; Mattiello, A; Vermeulen, RC; Bueno-de-Mesquita, HB; Berglund, G; Manjer, J; Zackrisson, S; Hallmans, G; Malmer, B; Bingham, S; Khaw, KT; Bergmann, MM; Boeing, H; Trichopoulou, A; Masala, G; Tumino, R; Lund, E; Slimani, N; Ferrari, P; Boffetta, P; Vineis, P; Riboli, E. (2011). Occupation and risk of lymphoma: A multicentre prospective cohort study (EPIC) - Erratum [Erratum]. *Occup Environ Med*. 68: 550. <http://dx.doi.org/10.1136/oem.2009.048173corr1>.
- Neely, WB; Branson, DR; Blau, GE. (1974). Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environ Sci Technol*. 8: 1113-1115. <http://dx.doi.org/10.1021/es60098a008>.
- Nelson, A; Mendoza, T; Hoyle, G; Brody, A; Fermin, C; Morris, G. (2001). Enhancement of fibrogenesis by the p53 tumor suppressor protein in asbestos-exposed rodents. *Chest*. 120: S33-S34. [http://dx.doi.org/10.1378/chest.120.1\\_suppl.S33](http://dx.doi.org/10.1378/chest.120.1_suppl.S33).
- Nelson, BK; Snyder, DL; Shaw, PB. (2001). Developmental toxicity interactions of methanol and radiofrequency radiation or 2-methoxyethanol in rats. *Int J Toxicol*. 20: 89-100.
- Nelson, DE; Emont, SL; Brackbill, RM; Cameron, LL; Peddicord, J; Fiore, MC. (1994). Cigarette smoking prevalence by occupation in the United States. A comparison between 1978 to 1980 and 1987 to 1990 [Review]. *J Occup Med*. 36: 516-525.
- Nelson, DK; Lapara, TM; Novak, PJ. (2012). Structure and function of assemblages of Bacteria and Archaea in model anaerobic aquifer columns: can functional instability be practically beneficial? *Environ Sci Technol*. 46: 10137-10144. <http://dx.doi.org/10.1021/es300652z>.
- Nelson, GM; Swank, AE; Brooks, LR; Bailey, KC; George, SE. (2001). Metabolism, microflora effects, and genotoxicity in haloacetic acid-treated cultures of rat cecal microbiota. *Toxicol Sci*. 60: 232-241. <http://dx.doi.org/10.1093/toxsci/60.2.232>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis*. 16: 1243-1245.
- Nelson, JL; Fung, JM; Cadillo-Quiroz, H; Cheng, X; Zinder, SH. (2011). A role for Dehalobacter spp. in the reductive dehalogenation of dichlorobenzenes and monochlorobenzene. *Environ Sci Technol*. 45: 6806-6813. <http://dx.doi.org/10.1021/es200480k>.
- Nelson, JL; Jiang, J; Zinder, SH. (2014). Dehalogenation of chlorobenzenes, dichlorotoluenes, and tetrachloroethene by three Dehalobacter spp. *Environ Sci Technol*. 48: 3776-3782. <http://dx.doi.org/10.1021/es4044769>.
- Nelson, MA; Bull, RJ. (1988). Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver in vivo. *Toxicol Appl Pharmacol*. 94: 45-54. [http://dx.doi.org/10.1016/0041-008X\(88\)90335-3](http://dx.doi.org/10.1016/0041-008X(88)90335-3).
- Nelson, MA; Lansing, AJ; Sanchez, IM; Bull, RJ; Springer, DL. (1989). Dichloroacetic acid and trichloroacetic acid-induced DNA strand breaks are independent of peroxisome proliferation. *Toxicology*. 58: 239-248. [http://dx.doi.org/10.1016/0300-483X\(89\)90139-X](http://dx.doi.org/10.1016/0300-483X(89)90139-X).
- Nelson, MD; Parker, BL; Al, TA; Cherry, JA; Loomer, D. (2001). Geochemical reactions resulting from in situ oxidation of PCE-DNAPL by KMnO<sub>4</sub> in a sandy aquifer. *Environ Sci Technol*. 35: 1266-1275.
- Nelson, YM; Jewell, WJ. (1993). VINYL-CHLORIDE BIODEGRADATION WITH METHANOTROPHIC ATTACHED FILMS. *J Environ Eng*. 119: 890-907.

## Fate Literature Search Results

### Off Topic

- Nemali, MR; Usuda, N; Reddy, MK; Oyasu, K; Hashimoto, T; Osumi, T; Rao, MS; Reddy, JK. (1988). Comparison of constitutive and inducible levels of expression of peroxisomal beta-oxidation and catalase genes in liver and extrahepatic tissues of rat. *Cancer Res.* 48: 5316-5324.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A, my; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere.* 80: 600-607. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.036>.
- Nessler, F; Marzin, D. (1999). A micromethod for the in vitro micronucleus assay. *Mutagenesis.* 14: 403-410. <http://dx.doi.org/10.1093/mutage/14.4.403>.
- Nestmann, ER; Chu, I; Kowbel, DJ; Matula, TI. (1980). Short-lived mutagen in Salmonella produced by reaction of trichloroacetic acid and dimethyl sulphoxide. *Can J Genet Cytol.* 22: 35-40. <http://dx.doi.org/10.1139/g80-006>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med.* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Neumann, HP; Rittel, A; Hertwig, K; Weber, A. (1995). EXPERIMENTAL INVESTIGATIONS OF THE KINETICS OF CATHODIC REDUCTION OF CHLORINATED HYDROCARBONS. *Chem Tech (Leipzig).* 47: 74-80.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination.* 7: 531-542.
- Newman, TB; Hulley, SB. (1996). Carcinogenicity of lipid-lowering drugs [Review]. *JAMA.* 275: 55-60.
- Nexo, BA. (1995). Risk assessment methodologies for carcinogenic compounds in indoor air. *Scand J Work Environ Health.* 21: 376-381.
- Ni, Y; Wong, T; Kadlubar, F; Fu, P. (1994). Hepatic metabolism of chloral hydrate to free radical(s) and induction of lipid peroxidation. *Biochem Biophys Res Commun.* 204: 937-943. <http://dx.doi.org/10.1006/bbrc.1994.2550>.
- Ni, YC; Kadlubar, FF; Fu, PP. (1995). Formation of malondialdehyde-modified 2'-deoxyguanosinyl adduct from metabolism of chloral hydrate by mouse liver microsomes. *Biochem Biophys Res Commun.* 216: 1110-1117. <http://dx.doi.org/10.1006/bbrc.1995.2735>.
- Ni, YC; Wong, TY; Lloyd, RV; Heinze, TM; Shelton, S; Casciano, D; Kadlubar, FF; Fu, PP. (1996). Mouse liver microsomal metabolism of chloral hydrate, trichloroacetic acid, and trichloroethanol leading to induction of lipid peroxidation via a free radical mechanism. *Drug Metab Dispos.* 24: 81-90.
- Ni, Z; Smit, M; Grotenhuis, T, im; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol.* 164: 209-218. <http://dx.doi.org/10.1016/j.jconhyd.2014.06.005>.
- Ni, Z; van Gaans, P; Smit, M; Rijnaarts, H; Grotenhuis, T. (2015). Biodegradation of cis-1,2-Dichloroethene in Simulated Underground Thermal Energy Storage Systems. *Environ Sci Technol.* 49: 13519-13527. <http://dx.doi.org/10.1021/acs.est.5b03068>.
- Nickelsen, MG; Cooper, WJ; Secker, DA; Rosocha, LA; Kurucz, CN; Waite, TD. (2002). Kinetic modeling and simulation of PCE and TCE removal in aqueous solutions by electron-beam irradiation. *Radiat Phys Chem Oxf Engl* 1993. 65: 579-587.
- Nicolai, M; Zanucoli, M; Magnone, P; Tonini, D; Sangiorgi, E; Fiegna, C. (2016). Theoretical study of the impact of rear interface passivation on MWT silicon solar cells. *Journal of Computational Electronics.* 15: 277-286. <http://dx.doi.org/10.1007/s10825-015-0763-4>.
- Nicolle-Mir, L. (2010). Evaluation of the residential exposure to tetrachloroethylene used in dry cleaning. *E R S.* 9: 102-103.
- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf.* 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol.* 20: 51-66.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere.* 25: 449-462.
- Niemczewski, B. (2001). N-methylpyrrolidone and dowlanol DPM as replacements for chlorinated solvents in ultrasonic cleaning. *Institute of Metal Finishing Transactions.* 79: 68-72.
- Niemczewski, B. (2003). Propylene glycol ethers for ultrasonic cleaning. *Plat Surf Finish.* 90: 38-43.
- Niemczewski, B. (2004). Temperature of maximal cavitation intensity of glycol ethers in ultrasonic cleaning. *Institute of Metal Finishing Transactions.* 82: 71-73.
- Nietert, PJ; Sutherland, SE; Silver, RM; Pandey, JP; Knapp, RG; Hoel, DG; Dosemeci, M. (1998). Is occupational organic solvent exposure a risk factor for scleroderma? *Arthritis Rheum.* 41: 1111-1118. [http://dx.doi.org/10.1002/1529-0131\(199806\)41:6<1111::AID-ART19>3.0.CO;2-J](http://dx.doi.org/10.1002/1529-0131(199806)41:6<1111::AID-ART19>3.0.CO;2-J).
- Niewohner, J; Cox, P; Gerrard, S; Pidgeon, N. (2004). Evaluating the efficacy of a mental models approach for improving occupational chemical risk protection. *Risk Anal.* 24: 349-361.
- Niggemann, M; Katerkamp, A; Pellmann, M; Bolsmann, P; Reinbold, J; Cammann, K. (1996). Remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy. *Sens Actuators B.* 34: 328-333.
- Niinobe, D; Morikawa, H; Hiza, S; Sato, T; Matsuno, S; Fujioka, H; Katsura, T; Okamoto, T; Hamamoto, S; Ishihara, T; Arimoto, S. (2011). Large-size multi-crystalline silicon solar cells with honeycomb textured surface and point-contacted rear toward industrial production. *Solar Energy Materials and Solar Cells.* 95: 49-52. <http://dx.doi.org/10.1016/j.solmat.2010.04.035>.
- Nijenhuis, I; Nikolausz, M; Köth, A; Felföldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kästner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere.* 67: 300-311. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.084>.

## Fate Literature Search Results

### Off Topic

- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol.* 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nilsson, T; Pelusco, F; Montanarella, L; Larsen, B; Facchetti, S; Madsen, JO. (1995). An evaluation of solid-phase microextraction for analysis of volatile organic compounds in drinking water. *HRC - Journal of High Resolution Chromatography.* 18: 617-624. <http://dx.doi.org/10.1002/jhrc.1240181002>.
- Nimios, MR; Jacoby, WA; Blake, DM; Milne, TA. (1993). DIRECT MASS-SPECTROMETRIC STUDIES OF THE DESTRUCTION OF HAZARDOUS WASTES .2. GAS-PHASE PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE OVER TIO<sub>2</sub> - PRODUCTS AND MECHANISMS. *Environ Sci Technol.* 27: 732-740.
- Ninomiya, K; Sakai, M; Ohba, E; Kashiwagi, N. (1994). KINETIC-MODEL FOR THE BIOTRANSFORMATION OF TETRACHLOROETHYLENE IN GROUNDWATER. *Water Sci Technol.* 30: 13-18.
- NIOSH. (1976). Criteria for a recommended standard occupational exposure to tetrachloroethylene (perchloroethylene). (NIOSH-HSM-99-73-20; PB90-180092). Cincinnati, OH.
- NIOSH. (1977). NIOSH manual of analytical methods: Second edition, volume 3, part II: Standards completion program validated methods (2nd ed.). (DHEW (NIOSH) Publication No. 77-157-C). Cincinnati, Ohio.
- Nishijima, W; Ochi, Y; Tsai, TY; Nakano, Y; Okada, M. (2004). Catalytic hydrodechlorination of chlorinated ethylenes in organic solvents at room temperature and atmospheric pressure. *Appl Catal B-Environ.* 51: 135-140. <http://dx.doi.org/10.1016/j.apcatb.2004.02.001>.
- Nomiyama, K; Liu, SJ; Nomiyama, H. (1992). Critical levels of blood and urinary cadmium, urinary beta 2-microglobulin and retinol-binding protein for monitoring cadmium health effects. In GF Nordberg; RFM Herber; L Alessio (Eds.), *IARC Sci Publ* (pp. 325-340). Lyon, France: International Agency for Research on Cancer.
- Norman, KNT. (1991). DETERMINATION OF TETRACHLOROETHYLENE IN OLIVE OIL BY AUTOMATED HEADSPACE GAS-CHROMATOGRAPHY. *Food Addit Contam.* 8: 513-516.
- Nowell, PC. (1991). *Boundaries between promotion and progression during carcinogenesis Genetic instability and tumor development [Review]*. New York: Plenum Press.
- NRC. (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). *Pesticides in the diets of infants and children*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1995). *Biologic markers in urinary toxicology*. Washington, DC: The National Academies Press. <http://www.nap.edu/openbook.php?isbn=0309052289>.
- NRC. (2006). *Assessing the human health risks of trichloroethylene: Key scientific issues*. Washington, DC: The National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=11707](http://www.nap.edu/catalog.php?record_id=11707).
- NRC. (2008). *Phthalates and cumulative risk assessment: The task ahead*. Washington, DC: National Academies Press. <http://dx.doi.org/10.17226/12528>.
- NRC. (2009). *Contaminated water supplies at Camp Lejeune: Assessing potential health effects*. Washington, DC: National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=12618](http://www.nap.edu/catalog.php?record_id=12618).
- NRC. (2010). *Review of the Environmental Protection Agency's draft IRIS assessment of tetrachloroethylene*. Washington, DC: National Academies Press.
- NTP. (1983). *Carcinogenesis studies of 1,1,1,2-tetrachloroethane (CAS no 630-20-6) in F344/N rats and B6C3F1 mice (gavage studies)*. Research Triangle Park, North Carolina. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr237.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr237.pdf).
- NTP. (1983). *Carcinogenesis studies of pentachloroethane (CAS No. 76-01-7) in F344/N rats and B6C3F1 mice (gavage study)*. Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr232.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr232.pdf).
- NTP. (1983). *Unpublished data on tetrachloroethylene: on Salmonella/microsome preincubation test provided by Dr E Zeiger*. Research Triangle Park. <http://ntp.niehs.nih.gov/index.cfm?objectid=0706C9B3-A7E6-5FFA-616B1853179EE1C2>.
- NTP. (1986). *Toxicology and carcinogenesis studies of isophorone (CAS No. 78-59-1) in F344/N rats and B6C3F1 mice (gavage studies)*. Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr291.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr291.pdf).
- NTP. (1987). *Toxicology and carcinogenesis studies of dimethyl methylphosphonate (CAS No. 756-79-6) in F344/N rats and B6C3F1 mice*. Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr323.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr323.pdf).
- NTP. (1988). *Toxicology and carcinogenesis studies of trichloroethylene (CAS No. 79-01-6) in four strains of rats (ACI, August, Marshall, Osborne-Mendel) (gavage studies)*. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr273.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr273.pdf).
- NTP. (1989). *Toxicology and carcinogenesis studies of hexachloroethane (CAS no. 67-72-1) in F344/N rats (gavage studies)*. (NTP TR 361). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr361.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr361.pdf).
- NTP. (1990). *Carcinogenesis studies of trichloroethylene (without epichlorohydrin) (CAS No. 79-01-6) in F344/N rats and B6C3F1 mice (gavage studies)*. In *Technical Report Series*. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr243.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr243.pdf).

## Fate Literature Search Results

### Off Topic

- NTP. (1990). Toxicology and carcinogenesis studies of d-limonene (CAS NO. 5989-27-5) in F344/N rats and B6C3F1 mice (gavage studies). (PB90231416). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr347.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr347.pdf).
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (ad libitum and dietary controlled) (CAS No. 302-17-0) in male B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B281C-F52B-BFE3-3DB705CBE8D93129>.
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (CAS No. 302-17-0) in B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B1E0A-B8EA-DC24-EBFD0E177564EAE3>.
- NTP. (2004). NTP 11th Report on Carcinogens [NTP] (11 ed.). (PB2005104914). Research Triangle Park, NC. <http://ntp.niehs.nih.gov/index.cfm?objectid=32BA9724-F1F6-975E-7FCE50709CB4C932>.
- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53(tm1Brd) (N5) haploinsufficient] mice (drinking water studies). (NIH Publication No. 07-4428). Bethesda, MD: National Institutes of Health.
- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53tm1Brd(N5) haploinsufficient] mice (drinking water studies). (PB2008-109740; NTP GMM 11; NIH PUB 07-4428). Research Triangle Park. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2008109740>.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry. *Anal Chim Acta*. 455: 1-9.
- Nurok, D; Kleyle, RM; Muhoberac, BB; Frost, MC; Hajdu, P; Robertson, DH; Kamat, SV; Russell, AJ. (1999). Study of enzyme-catalyzed reactions in organic solvents using multiple linear regression. *Journal of Molecular Catalysis B: Enzymatic*. 7: 273-282.
- Nutley, E; Tcheong, A; Allen, J; Collins, B; Ma, M; Lowe, X; Bishop, J; Moore, D; Wyrobek, A. (1996). Micronuclei induced in round spermatids of mice after stem-cell treatment with chloral hydrate: evaluations with centromeric DNA probes and kinetochore antibodies. *Environ Mol Mutagen*. 28: 80-89. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)28:2<80::AID-EM3>3.0.CO;2-I](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)28:2<80::AID-EM3>3.0.CO;2-I).
- Nyairo, WN; Owuor, PO; Kengara, FO. (2015). Effect of anthropogenic activities on the water quality of Amala and Nyangores tributaries of River Mara in Kenya. *Environ Monit Assess*. 187: 691. <http://dx.doi.org/10.1007/s10661-015-4913-8>.
- Nyberg, K. (1971). UDDEHOLM - TRICHLOROETHYLENE AND PERCHLOROETHYLENE BY A NEW PROCESS - ETHYLENE AND ACETYLENE PROCESSES - OXICHLORINATION AND HYDROXYCHLORINATION-FLOW SHEET. 83: 24-&.
- NYS OAG. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Judith S. Schreiber, Ph.D., Environmental Protection Bureau for EPA docket ORD-2003-0014 (March 1, 2004). Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0003>.
- NYS OAG. (2004). Comment focusing on "peer review workshop of the neurotoxicity of tetrachloroethylene discussion paper" submitted Judith S. Schreiber, Ph.D., Chief Scientist, Albany Environmental Protection Bureau (EHP) for EPA docket ORD-2003-0014. Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0007>.
- NYSDOH. (1997). Tetrachloroethene ambient air criteria document. Final report. Albany, NY.
- NYSDOH. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Jan E. Storm and Kimberly A. Mazor, New York State Department of Health for EPA docket ORD-2003-0014 (March 3, 2004). Troy, NY. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0004>.
- NYSDOH. (2005). Pumpkin patch day care center follow-up evaluation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- NYSDOH. (2005). Pumpkin patch day care center investigation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol*. 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Nzengung, VA; Jeffers, P. (2001). Sequestration, Phytoreduction, and Phytooxidation of Halogenated Organic Chemicals by Aquatic and Terrestrial Plants. *Int J Phytoremediation*. 3: 13-40. <http://dx.doi.org/10.1080/15226510108500048>.
- Obidiegwu, JE; Flath, K; Gebhardt, C. (2014). Managing potato wart: a review of present research status and future perspective [Review]. *Theor Appl Genet*. 127: 763-780. <http://dx.doi.org/10.1007/s00122-014-2268-0>.
- O'Brien, M; Spear, B; Glauert, H. (2005). Role of oxidative stress in peroxisome proliferator-mediated carcinogenesis [Review]. *Crit Rev Toxicol*. 35: 61-88. <http://dx.doi.org/10.1080/10408440590905957>.
- O'Carroll, DM; Bradford, SA; Abriola, LM. (2004). Infiltration of PCE in a system containing spatial wettability variations. *J Contam Hydrol*. 73: 39-63. <http://dx.doi.org/10.1016/j.jconhyd.2003.12.004>.
- O'Carroll, DM; Mumford, KG; Abriola, LM; Gerhard, JI. (2010). Influence of wettability variations on dynamic effects in capillary pressure. *Water Resour Res*. 46. <http://dx.doi.org/10.1029/2009WR008712>.
- Oesch, F. (1973). Mammalian epoxide hydrases: inducible enzymes catalyzing the inactivation of carcinogenic and cytotoxic metabolites derived from aromatic and olefinic compounds [Review]. *Xenobiotica*. 3: 305-340. <http://dx.doi.org/10.3109/00498257309151525>.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. *Environ Sci Technol*. 43: 2891-2898. <http://dx.doi.org/10.1021/es803080c>.
- O'Flaherty, EJ; Scott, W; Schreiner, C; Beliles, RP. (1992). A physiologically based kinetic model of rat and mouse gestation: disposition of a weak acid. *Toxicol Appl Pharmacol*. 112: 245-256. [http://dx.doi.org/10.1016/0041-008X\(92\)90194-W](http://dx.doi.org/10.1016/0041-008X(92)90194-W).

## Fate Literature Search Results

### Off Topic

- Ogata, M; Hasegawa, T. (1981). Effects of chlorinated aliphatic hydrocarbons on mitochondrial oxidative phosphorylation in the rat with reference to the effects of chlorinated aromatic hydrocarbons. *Ind Health*. 19: 71-75.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1971). EXCRETION OF ORGANIC CHLORINE COMPOUNDS IN URINE OF PERSONS EXPOSED TO VAPOURS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Br J Ind Med*. 28: 386-&.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. *Environ Geochem Health*. 29: 331-336. <http://dx.doi.org/10.1007/s10653-007-9094-0>.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. *J Hazard Mater*. 153: 157-163. <http://dx.doi.org/10.1016/j.jhazmat.2007.08.045>.
- Ohandja, DG, uy; Stuckey, DC. (2006). Development of a membrane-aerated biofilm reactor to completely mineralise perchloroethylene in wastewaters. *J Chem Tech Biotechnol*. 81: 1736-1744. <http://dx.doi.org/10.1002/jctb.1596>.
- Ohandja, DG, uy; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *J Environ Eng*. 133: 20-27. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:1\(20\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:1(20)).
- Ohandja, DG, uy; Stuckey, DC. (2010). Effect of perchloroethylene (PCE) and hydraulic shock loads on a membrane-aerated biofilm reactor (MABR) biodegrading PCE. *J Chem Tech Biotechnol*. 85: 294-301. <http://dx.doi.org/10.1002/jctb.2307>.
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water*. 36: 164-170.
- O'Haver, JH; Walk, R; Kitiyanan, B; Harwell, JH; Sabatini, DA. (2004). Packed column and hollow fiber air stripping of a contaminant-surfactant stream. *J Environ Eng*. 130: 4-11. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(4\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(4)).
- Ohno, H; Aoyama, T; Kishimoto, H. (1992). Simultaneous determination of volatile organic pollutants in water by headspace gas chromatographic analysis with dual detection. *JTTE*. 38: 84-92.
- Ohta, T; Morita, M; Mizoguchi, I. (1976). Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. *Atmos Environ*. 10: 557-560. [http://dx.doi.org/10.1016/0004-6981\(76\)90182-7](http://dx.doi.org/10.1016/0004-6981(76)90182-7).
- Ohtsuki, T; Sato, K; Koizumi, A; Kumai, M; Ikeda, M. (1983). Limited capacity of humans to metabolize tetrachloroethylene. *Int Arch Occup Environ Health*. 51: 381-390. <http://dx.doi.org/10.1007/BF00378352>; <http://link.springer.com/article/10.1007%2FBF00378352>.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ*. 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol*. 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Okada, Y; Nakagoshi, A; Tsurukawa, M; Matsumura, C; Eiho, J; Nakano, T. (2012). Environmental risk assessment and concentration trend of atmospheric volatile organic compounds in Hyogo Prefecture, Japan. *Environ Sci Pollut Res Int*. 19: 201-213. <http://dx.doi.org/10.1007/s11356-011-0550-0>.
- Okitsu, K; Yoshioka, Y; Tanabe, S. (2006). Effect of transition metal powder and low-energy ultrasound frequency on degradation rate of chlorinated hydrocarbons in water. *Bunseki Kagaku*. 55: 567-571.
- Okuda, I; McBride, JF; Gleyzer, SN; Miller, CT. (1996). Physicochemical transport processes affecting the removal of residual DNAPL by nonionic surfactant solutions. *Environ Sci Technol*. 30: 1852-1860.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int*. 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Olaniran, AO; Pillay, D; Pillay, B. (2008). Aerobic biodegradation of dichloroethenes by indigenous bacteria isolated from contaminated sites in Africa. *Chemosphere*. 73: 24-29. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.003>.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere*. 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Oliveira, AAS; Teixeira, IF; Christofani, T; Tristao, JC; Guimaraes, IR; Moura, FCC. (2014). Biphasic oxidation reactions promoted by amphiphilic catalysts based on red mud residue. *Appl Catal B-Environ*. 144: 144-151. <http://dx.doi.org/10.1016/j.apcatb.2013.07.015>.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol*. 33: 1145-1147.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol*. 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- Olshan, AF; Anderson, L; Roman, E; Fear, N; Wolff, M; Whyatt, R; Vu, V; Diwan, BA; Potischman, N. (2000). Workshop to identify critical windows of exposure for children's health: Cancer work group summary [Review]. *Environ Health Perspect*. 108: 595-597.
- Olson, MJ; Garg, BD; Murty, CV; Roy, AK. (1987). Accumulation of alpha 2u-globulin in the renal proximal tubules of male rats exposed to unleaded gasoline. *Toxicol Appl Pharmacol*. 90: 43-51. [http://dx.doi.org/10.1016/0041-008X\(87\)90304-8](http://dx.doi.org/10.1016/0041-008X(87)90304-8).
- Omae, K; Takebayashi, T; Sakurai, H. (1999). Occupational exposure limits based on biological monitoring: The Japan Society for Occupational Health. *Int Arch Occup Environ Health*. 72: 271-273. <http://dx.doi.org/10.1007/s004200050372>.
- Onasch, J. (2011). A feasibility and cost comparison of perchloroethylene dry cleaning to professional wet cleaning: case study of Silver Hanger Cleaners, Bellingham, Massachusetts. *J Clean Prod*. 19: 477-482. <http://dx.doi.org/10.1016/j.jclepro.2010.07.015>.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj*. 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).
- Onoda, K; Yoshikawa, S. (2008). Applications of anodized TiO2 films for environmental purifications. *Appl Catal B-Environ*. 80: 277-285. <http://dx.doi.org/10.1016/j.apcatb.2007.11.023>.

## Fate Literature Search Results

### Off Topic

- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol.* 37: 179-197.
- Opdam, JJ; Smolders, JF. (1986). Alveolar sampling and fast kinetics of tetrachloroethene in man. I. Alveolar sampling. *Br J Ind Med.* 43: 814-824. <http://dx.doi.org/10.1136/oem.43.12.814>; <http://oem.bmj.com/content/oemed/43/12/814.full.pdf>.
- Opdam, JJ; Smolders, JF. (1987). Alveolar sampling and fast kinetics of tetrachloroethene in man. II. Fast kinetics. *Occup Environ Med.* 44: 26-34. <http://dx.doi.org/10.1136/oem.44.1.26>.
- Orbay, O; Gao, S; Barbaris, B; Rupp, E; Sáez, AE; Arnold, RG; Betterton, EA. (2008). Catalytic Dechlorination of Gas-phase Perchloroethylene under Mixed Redox Conditions. *Appl Catal B-Environ.* 79: 43-52. <http://dx.doi.org/10.1016/j.apcatb.2007.09.034>.
- Ordaz, AA; Rocha, JM; Aguilar, FJA; Granados, SG; Bedioui, F. (2000). Electrocatalysis of the reduction of organic halide derivatives at modified electrodes coated by cobalt and iron macrocyclic complex-based films: application to the electrochemical determination of pollutants. *Analisis.* 28: 238-244.
- Ordóñez, S; Díaz, E; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). Carbon nanofibre-supported palladium catalysts as model hydrodechlorination catalysts. *J Catal.* 272: 158-168. <http://dx.doi.org/10.1016/j.jcat.2010.03.001>.
- Ordóñez, S; Díez, FV; Sastre, H. (2001). Characterisation of the deactivation of platinum and palladium supported on activated carbon used as hydrodechlorination catalysts. *Appl Catal B-Environ.* 31: 113-122.
- Ordóñez, S; Díez, FV; Sastre, H. (2002). Catalytic hydrodechlorination of chlorinated olefins over a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst: Kinetics and inhibition phenomena. *Ind Eng Chem Res.* 41: 505-511. <http://dx.doi.org/10.1021/ie010679v>.
- Ordóñez, S; Díez, FV; Sastre, H. (2002). Hydrodechlorination of tetrachloroethylene over sulfided catalysts: kinetic study. *Catalysis Today.* 73: 325-331.
- Ordóñez, S; Sastre, H; Díez, FV. (1999). Deactivation of red mud and modified red mud used as catalyst for the hydrodechlorination of tetrachloroethylene. *Stud Surf Sci Catal.* 126: 443-446.
- Ordóñez, S; Sastre, H; Díez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ.* 25: 49-58.
- Ordóñez, S; Sastre, H; Díez, FV. (2001). Characterisation and deactivation studies of sulfided red mud used as catalyst for the hydrodechlorination of tetrachloroethylene. *Appl Catal B-Environ.* 29: 263-273.
- Ordóñez, S; Sastre, H; Díez, FV. (2001). Hydrodechlorination of tetrachloroethylene over modified red mud: deactivation studies and kinetics. *Appl Catal B-Environ.* 34: 213-226.
- Ordóñez, S; Sastre, H; Díez, FV. (2003). Hydrodechlorination of tetrachloroethene over Pd/Al<sub>2</sub>O<sub>3</sub>: influence of process conditions on catalyst performance and stability. *Appl Catal B-Environ.* 40: 119-130.
- Ordóñez, S; Sastre, H; Díez, FV. (2001). Catalytic hydrodechlorination of tetrachloroethylene over red mud. *J Hazard Mater.* 81: 103-114.
- Ortali, VA; Cardamone, G; Salvini, P; Di Giuseppe, G; Carere, A. (1977). Mutagenicity of several chemicals tested in two different systems: *Salmonella typhimurium* and *streptomyces coelicolor*. *Atti Assoc Genet Ital.* 22: 53-54.
- Ortega, P; Orpella, A; Martin, I; Colina, M; Lopez, G; Voz, C; Sanchez, MI; Molpeceres, C; Alcubilla, R. (2012). Laser-fired contact optimization in c-Si solar cells. *Progress in Photovoltaics.* 20: 173-180. <http://dx.doi.org/10.1002/pip.1115>.
- Ortiz, AM; Sipes, BS; Miyasaka, SC; Arakaki, AS. (2015). Green Manure Crops for Management of *Meloidogyne javanica* and *Pythium aphanidermatum*. *HortScience.* 50: 90-98.
- Osejo, RE; Wilson, DJ. (1991). SOIL CLEAN UP BY INSITU AERATION .9. DIFFUSION CONSTANTS OF VOLATILE ORGANICS AND REMOVAL OF UNDERLYING LIQUID. *Separation Science and Technology.* 26: 1433-1466.
- Oster, T; Illenberger, E. (1990). FORMATION OF SOLVATED IONS BY ELECTRON-CAPTURE IN VANDERWAALS AGGREGATES. *Berichte der Bunsengesellschaft für physikalische Chemie.* 94: 1287-1290.
- O'Sullivan, DW; Heikes, BG; Snow, J; Burrow, P; Avery, M; Blake, DR; Sachse, GW; Talbot, RW; Thornton, DC; Bandy, AR. (2004). Long-term and seasonal variations in the levels of hydrogen peroxide, methylhydroperoxide, and selected compounds over the Pacific Ocean. *J Geophys Res Atmos.* 109. <http://dx.doi.org/10.1029/2003JD003689>.
- Otieno, MA; Baggs, RB; Hayes, JD; Anders, MW. (1997). Immunolocalization of microsomal glutathione S-transferase in rat tissues. *Drug Metab Dispos.* 25: 12-20.
- Otson, R; Williams, DT. (1982). Headspace chromatographic determination of water pollutants. *Anal Chem.* 54: 942-946. <http://dx.doi.org/10.1021/ac00243a023>.
- Otte, X; Lejeune, R; Thunus, L. (1997). Fourier Transform Infrared Spectrometry (FTIR) for qualitative and quantitative analysis of azodicarboxamide and its potential impurities. *Anal Chim Acta.* 355: 7-13.
- Ouyan, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res.* 36: 33-40.
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere.* 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Overby, LH; Gardlik, S; Philpot, RM; Serabjit-Singh, CJ. (1994). Unique distribution profiles of glutathione S-transferases in regions of kidney, ureter, and bladder of rabbit. *Lab Invest.* 70: 468-478.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ.* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozturk, ZZ; Zhou, R; Ahsen, V; Bekaroglu, O; Gopel, W. (1996). Molecular recognition with metal containing supramolecular compounds: Soluble tetradentate dithioglyoximes for the detection of organic solvents in the gas phase. *Sens Actuators B.* 36: 404-408.



## Fate Literature Search Results

### Off Topic

- Paaso, N; Peuravuori, J; Pihlaja, K. (2000). Extraction efficiency of chloroethenes from contaminated dry cleaner's sludge with three different methods. *Waste Manag.* 20: 69-74.
- Padgett, PK; Hayden, NJ. (1999). Mobilization of Residual Tetrachloroethylene During Alcohol Flushing of Clay-Containing Porous Media. *J Contam Hydrol.* 40: 285.
- Padilla, M; Hoefler, H; Reichel, C; Chu, H; Greulich, J; Rein, S; Warta, W; Hermle, M; Schubert, MC. (2014). Surface recombination parameters of interdigitated-back-contact silicon solar cells obtained by modeling luminescence images. *Solar Energy Materials and Solar Cells.* 120: 363-375. <http://dx.doi.org/10.1016/j.solmat.2013.05.050>.
- Page, BD; Conacher, HB; Salminen, J; Nixon, GR; Riedel, G; Mori, B; Gagnon, J; Brousseau, Y. (1993). Survey of bottled drinking water sold in Canada. Part 2. Selected volatile organic compounds. *J AOAC Int.* 76: 26-31.
- Page, NP; Saffiotti, U. (1976). Report on carcinogenesis bioassay of chloroform. (DHEWPUBNIH761279). Bethesda, MD: National Cancer Institute.
- Page, T; Harris, RH; Epstein, SS. (1976). Drinking water and cancer mortality in Louisiana. 193: 55-57.
- Pal, A. (1994). PHOTOCHEMICAL-REACTION OF TRICHLOROACETIC-ACID WITH DIPHENYLAMINE AND ITS ANALYTICAL APPLICATION. *Bull Chem Soc Jpn.* 67: 2420-2423.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria.* 143: 241-251.
- Pal, A; Sharma, S. (1998). Viscosities and densities of some n-alkoxyethanols with trichloroethylene and tetrachloroethylene at 298.15 K. *Journal of Chemical and Engineering Data.* 43: 21-24.
- Pal, A; Singh, W. (1995). EXCESS MOLAR VOLUMES OF 2-(2-ALKOXYETHOXY)ETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data.* 40: 1130-1133.
- Pal, A; Singh, W. (1996). Excess molar volumes of 2-[2-(2-alkoxyethoxy)ethoxy] ethanols with trichloroethylene and tetrachloroethylene at 298.15 and 308.15 K. *Journal of Chemical and Engineering Data.* 41: 181-184.
- Pal, A; Singh, W. (1996). Excess molar volumes of linear and cyclic ethers plus chloroethenes at 298.15 K. *Journal of Chemical and Engineering Data.* 41: 428-430.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria.* 129: 211-221.
- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ.* 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.
- Palau, J; Soler, A; Canals, À; Aravena, R. (2010). Use of Environmental Isotopes (<sup>13</sup>C, <sup>15</sup>N, and <sup>18</sup>O) for Evaluating Sources and Fate of Nitrate and Tetrachloroethene in an Alluvial Aquifer. *Environ Forensics.* 11: 237-247. <http://dx.doi.org/10.1080/15275922.2010.494997>.
- Palit, DK; Zhang, TQ; Kumazaki, S; Yoshihara, K. (2003). Hydrogen-bond dynamics in the excited state of coumarin 102-aniline hydrogen-bonded complex. *J Phys Chem A.* 107: 10798-10804. <http://dx.doi.org/10.1021/jp030633a>.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol.* 53: 14-22.
- Pan, C; Hilpert, M; Miller, CT. (2004). Lattice-Boltzmann simulation of two-phase flow in porous media. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR002120>.
- Pan, Y; Yang, J; Jia, Y; Xu, Z. (2016). Experimental study on non-aqueous phase liquid multiphase flow characteristics and controlling factors in heterogeneous porous media. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-015-4888-3>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Marneri, M; Parapouli, M; Hatziloukas, E; Tandoi, V. (2007). Dechlorinating ability of TCE-fed microcosms with different electron donors. *J Hazard Mater.* 149: 582-589. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.113>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. *Water Air Soil Pollut.* 225. <http://dx.doi.org/10.1007/s11270-013-1785-9>.
- Panek, D; Konieuny, K. (2007). Preparation and applying the membranes with carbon black to pervaporation of toluene from the diluted aqueous solutions. *Separation and Purification Technology.* 57: 507-512. <http://dx.doi.org/10.1016/j.seppur.2006.10.011>.
- Pang, L, inLin; Bi, JQ; Bai, Y, uJun; Zhu, H, uil; Qi, YX, in; Wang, CG, uo; Han, F, uD; Li, SJ, ie. (2008). Synthesis of carbon spheres via a low-temperature metathesis reaction. *J Phys Chem C.* 112: 12134-12137. <http://dx.doi.org/10.1021/jp801935m>.
- Pannett, B; Coggon, D; Acheson, E. (1985). A job-exposure matrix for use in population based studies in England and Wales. *Br J Ind Med.* 42: 777-783.
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. *Ground Water Monitoring and Remediation.* 32: 106-119. <http://dx.doi.org/10.1111/j.1745-6592.2011.01372.x>.
- Paracosterman, D; Dugan, L. (1995). Softeners in pigment printing. *Tekstil.* 44: 355-360.
- Paras, P. (1993). OPERATIONAL PERFORMANCE AND QUALITY-CONTROL OF ANGER TYPE GAMMA CAMERAS INCLUDING SPECT. *Radiat Prot Dosimetry.* 49: 311-316.
- Paredes, JR; Ordonez, S; Vega, A; Diez, FV. (2004). Catalytic combustion of methane over red mud-based catalysts. *Appl Catal B-Environ.* 47: 37-45. [http://dx.doi.org/10.1016/S0926-3373\(03\)00325-4](http://dx.doi.org/10.1016/S0926-3373(03)00325-4).
- Park, E; Parker, JC. (2005). Evaluation of an upscaled model for DNAPL dissolution kinetics in heterogeneous aquifers. *Advances in Water Resources.* 28: 1280-1291. <http://dx.doi.org/10.1016/j.advwatres.2005.04.002>.
- Park, EJ; Lee, JH; Yu, GY; He, G; Ali, SR; Holzer, RG; Osterreicher, CH; Takahashi, H; Karin, M. (2010). Dietary and genetic obesity promote liver inflammation and tumorigenesis by enhancing IL-6 and TNF expression. *Cell.* 140: 197-208. <http://dx.doi.org/10.1016/j.cell.2009.12.052>.

## Fate Literature Search Results

### Off Topic

- Park, JH; Spengler, JD; Yoon, DW; Dumyahn, T; Lee, K; Ozkaynak, H. (1998). Measurement of air exchange rate of stationary vehicles and estimation of in-vehicle exposure. *J Expo Anal Environ Epidemiol.* 8: 65-78.
- Park, KT; Klier, K; Wang, CB; Zhang, WX. (1997). Interaction of tetrachloroethylene with Pd(100) studied by high-resolution X-ray photoemission spectroscopy. *J Phys Chem B.* 101: 5420-5428.
- Park, SJ; Ionascu, D; Killoran, J; Mamede, M; Gerbaudo, VH; Chin, L; Berbeco, R. (2008). Evaluation of the combined effects of target size, respiratory motion and background activity on 3D and 4D PET/CT images. *Phys Med Biol.* 53: 3661-3679. <http://dx.doi.org/10.1088/0031-9155/53/13/018>.
- Park, T; Rettich, TR; Battino, R; Wilhelm, E. (1987). BINARY GASEOUS-DIFFUSION COEFFICIENTS .6. CHLOROBENZENE, 1,2-DICHLOROBENZENE, 1,3-DICHLOROBENZENE, 1,1,1-TRICHLOROETHANE, TETRACHLOROETHENE, 1,4-DIOXANE AND OCTAMETHYLCYCLOTETRAILOXANE WITH AIR AT 1-ATM AND 283-K TO 343-K. *Mater Chem Phys.* 16: 397-410.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water.* 32: 805-820.
- Parker, JC; Davidson, IWF. (1984). Extrapolation of the carcinogenic response. *making:* 38.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR002807>.
- Parker, LV; Ranney, TA. (1994). EFFECT OF CONCENTRATION ON SORPTION OF DISSOLVED ORGANICS BY PVC, PTFE, AND STAINLESS-STEEL WELL CASINGS. *Ground Water Monitoring and Remediation.* 14: 139-149.
- Parker, W; Monteith, H; Melcer, H. (1995). Preliminary assessment of the removal of volatile organic compounds in a biological selector process. *Water Environ Res.* 67: 798-801. <http://dx.doi.org/10.2175/106143095x131709>.
- Parker, WJ; Monteith, HD; Melcer, H. (1996). VOCs in fixed film processes .1. Pilot studies. *J Environ Eng.* 122: 557-563.
- Parker, WJ; Yu, JY. (2001). Dynamic modeling to assess worker exposure to gas-phase volatile organic compounds in collector sewers. *Water Environ Res.* 73: 450-460.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res.* 71: 1158-1164.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol.* 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of C2Cl6 and C2Cl4 Multilayers with Fe-0 Atoms over FeO(111). *J Phys Chem C.* 113: 10233-10241. <http://dx.doi.org/10.1021/jp901040f>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of Fe-0 Atoms, Clusters, and Nanoparticles with CCl4 Multilayers on FeO(111). *J Phys Chem C.* 113: 1818-1829. <http://dx.doi.org/10.1021/jp8076062>.
- Parodi, S; Malacarne, D; Romano, P; Taningher, M. (1991). Are genotoxic carcinogens more potent than nongenotoxic carcinogens? *Environ Health Perspect.* 95: 199-204.
- Parrett, JW, Jr; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environ Sci Technol.* 33: 1691-1696.
- Parris, CA. (1986). NEMA AND TRAFFIC CONTROL. *Institute of Transportation Engineers ITE Journal.* 56: 31-33.
- Parris, CA. (1986). NEW NEMA TRAFFIC CONTROLLER CONCEPT. *Institute of Transportation Engineers ITE Journal.* 56: 41-42.
- Parrish, JM; Austin, EW; Stevens, DK; Kinder, DH; Bull, RJ. (1996). Haloacetate-induced oxidative damage to DNA in the liver of male B6C3F1 mice. *Toxicology.* 110: 103-111. [http://dx.doi.org/10.1016/0300-483X\(96\)03342-2](http://dx.doi.org/10.1016/0300-483X(96)03342-2).
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere.* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Sci Technol.* 58: 1629-1636. <http://dx.doi.org/10.2166/wst.2008.543>.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO<sub>2</sub> nanocomposites in the presence of UV light under anoxic conditions. *Water Res.* 45: 4198-4210. <http://dx.doi.org/10.1016/j.watres.2011.05.019>.
- Parzefall, W; Berger, W; Kainzbauer, E; Teufelhofer, O; Schulte-Hermann, R; Thurman, R. (2001). Peroxisome proliferators do not increase DNA synthesis in purified rat hepatocytes. *Carcinogenesis.* 22: 519-523.
- Pasquini, DA. (1978). Evaluation of glass sampling tubes for industrial breath analysis. *Am Ind Hyg Assoc J.* 39: 55-62. <http://dx.doi.org/10.1080/0002889778507713>.
- Pastewski, S; Hallmann, E; Medrzycka, K. (2006). Physicochemical aspects of the application of surfactants and biosurfactants in soil remediation. *Environ Eng Sci.* 23: 579-588.
- Pastewski, S; Hallmann, E; Medrzycka, K. (2006). The solubilizing and emulsifying properties of nonionic surfactants with reference to soil remediation. *Przemysł Chemiczny.* 85: 1346-1348.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect.* 108: 201-214.
- Patel, R; Zhou, RN; Zinszer, K; Josse, F; Cernosek, R. (2000). Real-time detection of organic compounds in liquid environments using polymer-coated thickness shear mode quartz resonators. *Anal Chem.* 72: 4888-4898. <http://dx.doi.org/10.1021/ac0003955>.
- Patel, SV. (2012). Unattended Vapor Intrusion Monitor.

## Fate Literature Search Results

### Off Topic

- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst*. 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.
- Patel, UD; Suresh, S. (2007). Dechlorination of chlorophenols using magnesium-palladium bimetallic system. *J Hazard Mater*. 147: 431-438. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.029>.
- Patil, SS; Adetutu, EM; Sheppard, PJ; Morrison, P; Menz, IR; Ball, AS. (2014). Site-specific pre-evaluation of bioremediation technologies for chloroethene degradation. *Int J Environ Sci Tech*. 11: 1869-1880. <http://dx.doi.org/10.1007/s13762-013-0383-0>.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol*. 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Patterson, BM; Pribac, F; Barber, C; Davis, GB; Gibbs, R. (1993). BIODEGRADATION AND RETARDATION OF PCE AND BTEX COMPOUNDS IN AQUIFER MATERIAL FROM WESTERN-AUSTRALIA USING LARGE-SCALE COLUMNS. *J Contam Hydrol*. 14: 261-278.
- Paudel, A; Van den Mooter, G. (2012). Influence of solvent composition on the miscibility and physical stability of naproxen/PVP K 25 solid dispersions prepared by cosolvent spray-drying. *Pharm Res*. 29: 251-270. <http://dx.doi.org/10.1007/s11095-011-0539-x>.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere*. 111: 471-477. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.057>.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. *Chemosphere*. 119: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.022>.
- Paulu, C; Aschengrau, A; Ozonoff, D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect*. 107: 265-271.
- Paulu, C; Aschengrau, A; Ozonoff, D. (2002). Exploring associations between residential location and breast cancer incidence in a case-control study. *Environ Health Perspect*. 110: 471-478.
- Paulus, DH; Tellmann, L; Quick, HH. (2013). Towards improved hardware component attenuation correction in PET/MR hybrid imaging. *Phys Med Biol*. 58: 8021-8040. <http://dx.doi.org/10.1088/0031-9155/58/22/8021>.
- Paykoc, ZV; Powell, JF. (1945). The excretion of sodium trichloroacetate. *J Pharmacol Exp Ther*. 85: 289-293.
- Payne, DNR; Chan, CE; Hallam, BJ; Hoex, B; Abbott, MD; Wenham, SR, SR; Bagnall, DM. (2016). Acceleration and mitigation of carrier-induced degradation in p-type multi-crystalline silicon. *Physica Status Solidi Rapid Research Letters*. 10: 237-241. <http://dx.doi.org/10.1002/pssr.201510437>.
- Payne, DNR; Chan, CE; Hallam, BJ; Hoex, B; Abbott, MD; Wenham, SR; Bagnall, DM. (2016). Rapid passivation of carrier-induced defects in p-type multi-crystalline silicon. *Solar Energy Materials and Solar Cells*. 158: 102-106. <http://dx.doi.org/10.1016/j.solmat.2016.05.022>.
- Pearce, N; Checkoway, H; Kriebel, D. (2007). Bias in occupational epidemiology studies [Review]. *Occup Environ Med*. 64: 562-568. <http://dx.doi.org/10.1136/oem.2006.026690>.
- Pearson, CR; Mcconnell, G. (1975). Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc Biol Sci*. 189: 305-332.
- Pecher, K; Kusel, K; Fischer, U; Herrmann, R. (1995). REDUCTIVE DEHALOGENATION OF CHLORINATED HYDROCARBONS DURING ANAEROBIC STABILIZATION OF MUNICIPAL WASTES. *Acta Hydrochim Hydrobiol*. 23: 271-279.
- Pecoraino, G; Scalici, L, ea; Avellone, G; Ceraulo, L; Favara, R; Candela, EG; Provenzano, MC; Scaletta, C. (2008). Distribution of volatile organic compounds in Sicilian groundwaters analysed by head space-solid phase micro extraction coupled with gas chromatography mass spectrometry (SPME/GC/MS) [Review]. *Water Res*. 42: 3563-3577. <http://dx.doi.org/10.1016/j.watres.2008.07.022>.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environ Sci Technol*. 31: 2791-2796.
- Pedrozo, MF; Siqueira, M. (1996). [Spectrophotometric and gas chromatographic analysis of trichloroacetic acid in urine]. *Rev Saude Publica*. 30: 261-266. <http://dx.doi.org/10.1590/S0034-89101996000300009>.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST*. 21: 707-720.
- Pelech, R; Lewandowski, G; Milchert, E. (2006). Recovering organochlorine compounds from industrial wastewaters. *Przemysł Chemiczny*. 85: 641-643.
- Pelech, R; Milchert, E; Bartkowiak, M. (2006). Fixed-bed adsorption of chlorinated hydrocarbons from multicomponent aqueous solution onto activated carbon: equilibrium column model. *J Colloid Interface Sci*. 296: 458-464. <http://dx.doi.org/10.1016/j.jcis.2005.09.020>.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater*. 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Pelekis, M; Poulin, P; Krishnan, K. (1995). An approach for incorporating tissue composition data into physiologically based pharmacokinetic models. *Toxicol Ind Health*. 11: 511-522.
- Pelkonen, O; Kaltiala, EH; Larmi, TK; Karki, NT. (1973). Comparison of activities of drug-metabolizing enzymes in human fetal and adult livers. *Clin Pharmacol Ther*. 14: 840-846.
- Pellizzari, E; Lioy, P; Quackenboss, J; Whitmore, R; Clayton, A; Freeman, N; Waldman, J; Thomas, K; Rodes, C; Wilcosky, T. (1995). Population-based exposure measurements in EPA region 5: A phase I field study in support of the National Human Exposure Assessment Survey. *J Expo Anal Environ Epidemiol*. 5: 327-358.
- Pellizzari, ED. (1975). Development of analytical techniques for measuring ambient atmospheric carcinogenic vapors. Pellizzari, ED.
- Pellizzari, ED. (1977). The measurement of carcinogenic vapors in ambient atmospheres. (EPA-600/7-77-055). Research Triangle Park, NC: Environmental Protection Agency, Environmental Sciences Research Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB269582>.

## Fate Literature Search Results

### Off Topic

- Pellizzari, ED. (1978). Measurement of carcinogenic vapors in ambient atmospheres: final report. Research Triangle Park, NC: Research Triangle Institute. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB283023>.
- Pellizzari, ED. (1979). Information on the characteristics of ambient organic vapors in areas of high chemical production. Research Triangle Park, NC: Research Triangle Institute.
- Pellizzari, ED; Bunch, JE. (1979). Ambient air carcinogenic vapors: improved sampling and analytical techniques and field studies. (EPA-600/2-79-081 & NTIS PB-297932). Research Triangle Park, NC: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20006DVU.txt>.
- Pellizzari, ED; Bunch, JE; Berkley, RE; Mcrae, J. (1976). Collection and analysis of trace organic vapor pollutants in ambient atmospheres The performance of a Tenax GC cartridge sampler for hazardous vapors. *Anal Lett.* 9: 45-63.
- Pellizzari, ED; Erickson, MD; Zweidinger, RA. (1979). Formulation of a preliminary assessment of halogenated organic compounds in man and environmental media [EPA Report]. (EPA-560/13-79-006). Research Triangle Park, NC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80112170>.
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol.* 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pellizzari, EE. (1974). Development of method for carcinogenic vapor analysis in ambient atmospheres. Pellizzari, EE.
- Peng, J; Wan, A. (1997). Measurement of Henry's constants of high-volatility organic compounds using a headspace autosampler. *Environ Sci Technol.* 31: 2998-3003.
- Peng, J; Wan, A. (1998). Effect of ionic strength on Henry's constants of volatile organic compounds. *Chemosphere.* 36: 2731-2740.
- Peng, P; Xie, HQ; Lu, LZ. (2005). Coupling leaching of sphalerite concentrate. *Miner Eng.* 18: 553-555. <http://dx.doi.org/10.1016/j.mineng.2004.08.012>.
- Peng, Q; Choong, WS; Vu, C; Huber, JS; Janeczek, M; Wilson, D; Huesman, RH; Qi, J; Zhou, J; Moses, WW. (2015). Performance of the Tachyon Time-of-Flight PET Camera. *IEEE Trans Nucl Sci.* 62: 111-119. <http://dx.doi.org/10.1109/TNS.2014.2375176>.
- Pennell, KD; Adinolfi, AM; Abriola, LM; Diallo, MS. (1997). Solubilization of dodecane, tetrachloroethylene, and 1,2-dichlorobenzene in micellar solutions of ethoxylated nonionic surfactants. *Environ Sci Technol.* 31: 1382-1389.
- Pennell, KD; Jin, MQ; Abriola, LM; Pope, GA. (1994). SURFACTANT ENHANCED REMEDIATION OF SOIL COLUMNS CONTAMINATED BY RESIDUAL TETRACHLOROETHYLENE. *J Contam Hydrol.* 16: 35-53.
- Pennell, KD; Karagunduz, A; Young, MH. (2004). Impacts of surfactant adjuvants on pesticide availability and transport in soils. *ACS Symp Ser Am Chem Soc.* 863: 231-245.
- Pennell, KD; Pope, GA; Abriola, LM. (1996). Influence of viscous and buoyancy forces on the mobilization of residual tetrachloroethylene during surfactant flushing. *Environ Sci Technol.* 30: 1328-1335.
- Pennell, KG; Scammell, MK; Mcclean, MD; Ames, J; Weldon, B; Friguglietti, L; Suuberg, EM; Shen, R; Indeglia, PA; Heiger-Bernays, WJ. (2013). Sewer Gas: An Indoor Air Source of PCE to Consider During Vapor Intrusion Investigations. *Ground Water Monitoring and Remediation.* 33: 119-126. <http://dx.doi.org/10.1111/gwmmr.12021>.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environ Sci Technol.* 42: 7764-7771. <http://dx.doi.org/10.1021/es801101c>.
- Peppe, A; Stanzione, P; Pierantozzi, M; Semprini, R; Bassi, A; Santilli, AM; Formisano, R; Piccolino, M; Bernardi, G. (1998). Does pattern electroretinogram spatial tuning alteration in Parkinson's disease depend on motor disturbances or retinal dopaminergic loss? *Electroencephalography and Clinical Neurophysiology.* 106: 374-382.
- Pereira, MA; Tao, L; Wang, W; Li, Y; Umar, A; Steele, VE; Lubet, RA. (2004). Modulation by celecoxib and difluoromethylornithine of the methylation of DNA and the estrogen receptor-alpha gene in rat colon tumors. *Carcinogenesis.* 25: 1917-1923.
- Pereira, MA; Wang, W; Kramer, PM; Tao, L. (2004). Prevention by methionine of dichloroacetic acid-induced liver cancer and DNA hypomethylation in mice. *Toxicol Sci.* 77: 243-248. <http://dx.doi.org/10.1093/toxsci/kfh031>.
- Pérez-De-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of chlorinated ethenes in fractured bedrock and associated changes in dechlorinating and nondechlorinating microbial populations. *Environ Sci Technol.* 48: 5770-5779. <http://dx.doi.org/10.1021/es404122y>.
- Perkins, AE; Muehllhner, G; Surti, S; Karp, JS. (2003). Performance measurements of a pixelated NaI(Tl) PET scanner. *IEEE Trans Nucl Sci.* 50: 373-377. <http://dx.doi.org/10.1109/TNS.2003.812439>.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen. *Environ Sci Technol.* 30: 3408-3417.
- Perrone, CE; Shao, L; Williams, GM. (1998). Effect of rodent hepatocarcinogenic peroxisome proliferators on fatty acyl-CoA oxidase, DNA synthesis, and apoptosis in cultured human and rat hepatocytes. *Toxicol Appl Pharmacol.* 150: 277-286.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest.* 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.
- Persoff, P; Apps, J; Moridis, G; Whang, JM. (1999). Effect of dilution and contaminants on sand grouted with colloidal silica. *Journal of Geotechnical and Geoenvironmental Engineering.* 125: 461-469.
- Persson, M; Berndtsson, R. (2002). Measuring nonaqueous phase liquid saturation in soil using time domain reflectometry. *Water Resour Res.* 38: 1064-1064. <http://dx.doi.org/10.1029/2001WR000523>.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis.* 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Peters, JM; Cheung, C; Gonzalez, FJ. (2005). Peroxisome proliferator-activated receptor-alpha and liver cancer: where do we stand [Review]. *J Mol Med.* 83: 774-785. <http://dx.doi.org/10.1007/s00109-005-0678-9>.

## Fate Literature Search Results

### Off Topic

- Peters, JM; Hennuyer, N; Staels, B; Fruchart, JC; Fievet, C; Gonzalez, FJ; Auwerx, J. (1997). Alterations in lipoprotein metabolism in peroxisome proliferator-activated receptor alpha-deficient mice. *J Biol Chem.* 272: 27307-27312.
- Peters, JM; Rusyn, I; Rose, ML; Gonzalez, FJ; Thurman, RG. (2000). Peroxisome proliferator-activated receptor alpha is restricted to hepatic parenchymal cells, not Kupffer cells: implications for the mechanism of action of peroxisome proliferators in hepatocarcinogenesis. *Carcinogenesis.* 21: 823-826.
- Peters, JM; Vanden Heuvel, JP. (2002). Peroxisome, peroxisome proliferators and peroxisome-proliferator activated receptors (PPARs). In JP Vanden Heuvel; GH Perdew; WB Mattes; WF Greenlee (Eds.), (pp. 133-158). Amsterdam: Elsevier Science.
- Peters, S; Vermeulen, R; Cassidy, A; Mannetje, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med.* 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Petit, N; Bouzaza, A; Wolbert, D; Petit, P; Dussaud, J. (2007). Photocatalytic degradation of gaseous perchloroethylene in continuous flow reactors: Rate enhancement by chlorine radicals. *Catalysis Today.* 124: 266-272. <http://dx.doi.org/10.1016/j.cattod.2007.03.050>.
- Petitta, M; Pacioni, E, va; Sbarbati, C; Corvatta, G; Fanelli, M; Aravena, R. (2013). Hydrodynamic and isotopic characterization of a site contaminated by chlorinated solvents: Chienti River Valley, Central Italy. *Appl Geochem.* 32: 164-174. <http://dx.doi.org/10.1016/j.apgeochem.2012.09.012>.
- Petreas, MX; Woodlee, J; Becker, CE; Rappaport, SM. (1995). Retention of styrene following controlled exposure to constant and fluctuating air concentrations. *Int Arch Occup Environ Health.* 67: 27-34.
- Petrov, RV; Zirka, AA; Reshetnikov, SI. (2013). Determination of parameters of a mathematical model for regeneration of a chromium-aluminum catalyst for gas-phase perchloroethylene hydrofluorination into pentafluoroethane (Freon 125). *Kinet Catal.* 54: 644-647. <http://dx.doi.org/10.1134/S0023158413050133>.
- Peyton, GR; Huang, FY; Burlinson, JL; Glaze, WH. (1982). DESTRUCTION OF POLLUTANTS IN WATER WITH OZONE IN COMBINATION WITH ULTRAVIOLET-RADIATION .1. GENERAL-PRINCIPLES AND OXIDATION OF TETRACHLOROETHYLENE. *Environ Sci Technol.* 16: 448-453.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res.* 39: 4521-4527. <http://dx.doi.org/10.1016/j.watres.2005.09.016>.
- Phares, D; Verma, M; Horvath, B; Rodgers, N. (2013). Comparing International Standards to North American Standards for Large Adjustable-Speed Drives. *I E E E Transactions on Industry Applications.* 49. <http://dx.doi.org/10.1109/TIA.2013.2260811>.
- Phelan, TJ; Abriola, LM; Gibson, JL; Smits, KM; Christ, JA. (2015). Development and application of a screening model for evaluating bioenhanced dissolution in DNAPL source zones. *J Contam Hydrol.* 183: 1-15. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.001>.
- Phelan, TJ; Lemke, LD; Bradford, SA; O'Carroll, DM; Abriola, LM. (2004). Influence of textural and wettability variations on predictions of DNAPL persistence and plume development in saturated porous media. *Advances in Water Resources.* 27: 411-427. <http://dx.doi.org/10.1016/j.advwatres.2004.02.011>.
- Phelps, TJ; Niedzielski, JJ; Malachowsky, KJ; Schram, RM; Herbes, SE; White, DC. (1991). BIODEGRADATION OF MIXED-ORGANIC WASTES BY MICROBIAL CONSORTIA IN CONTINUOUS-RECYCLE EXPANDED-BED BIOREACTORS. *Environ Sci Technol.* 25: 1461-1465.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res.* 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. *Environ Sci Technol.* 47: 1510-1517. <http://dx.doi.org/10.1021/es303390q>.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. *J Contam Hydrol.* 147: 25-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.002>.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. *J Contam Hydrol.* 170: 28-38. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.010>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere.* 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. *Chemosphere.* 91: 7-13. <http://dx.doi.org/10.1016/j.chemosphere.2012.11.016>.
- Phillips, RD; Moran, EJ; Dodd, DE; Fowler, EH; Kary, CD; O'Donoghue, J. (1987). A 14-week vapor inhalation toxicity study of methyl isobutyl ketone. *Fundam Appl Toxicol.* 9: 380-388.
- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted fenton reaction. *Environ Sci Technol.* 33: 1832-1839.
- Pike, MC; Casagrande, J; Smith, PG. (1975). Statistical analysis of individually matched case-control studies in epidemiology: Factor under study a discrete variable taking multiple values. *Br J Prev Soc Med.* 29: 196-201.
- Pillay, P; Hofmann, P; Manyge, M. (2002). Derating of induction motors operating with a combination of unbalanced voltages and over or undervoltages. *I E E E Transactions on Energy Conversion.* 17: 485-491. <http://dx.doi.org/10.1109/TEC.2002.805228>.
- Pinisakul, A; Kritayakornupong, C; Ruangpornvisuti, V. (2008). Molecular modeling of nitrosamines adsorbed on H-ZSM-5 zeolite: an ONIOM study. *J Mol Model.* 14: 1035-1041. <http://dx.doi.org/10.1007/s00894-008-0346-4>.
- Pipino, AC; Woodward, JT; Meuse, CW; Silin, V. (2004). Surface-plasmon-resonance-enhanced cavity ring-down detection. *J Chem Phys.* 120: 1585-1593. <http://dx.doi.org/10.1063/1.1629279>.

## Fate Literature Search Results

### Off Topic

- Pirsaraei, SRA; Khavanin, A, li; Ailian, H; Soleimani, A. (2009). Occupational Exposure to Perchloroethylene in Dry-cleaning Shops in Tehran, Iran. *Ind Health*. 47: 155-159.
- Pitkaaho, S; Matejova, L; Jiratova, K; Ojala, S; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V2O5 catalysts supported on Al2O3, Al2O3-TiO2 and Al2O3-CeO2. Part 2. *Appl Catal B-Environ*. 126: 215-224. <http://dx.doi.org/10.1016/j.apcatb.2012.07.025>.
- Pitkaaho, S; Matejova, L; Ojala, S; Gaalova, J; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V2O5 catalysts supported on Al2O3, Al2O3-TiO2 and Al2O3-CeO2. *Appl Catal B-Environ*. 113: 150-159. <http://dx.doi.org/10.1016/j.apcatb.2011.11.032>.
- Pitkaaho, S; Nevanpera, T; Matejova, L; Ojala, S; Keiski, RL. (2013). Oxidation of dichloromethane over Pt, Pd, Rh, and V(2)O(5) catalysts supported on Al(2)O(3), Al(2)O(3)-TiO(2) and Al(2)O(3)-CeO(2). *Appl Catal B-Environ*. 138-139 (Jul 17): 33-42. <http://dx.doi.org/10.1016/j.apcatb.2013.01.058>.
- Pitkaaho, S; Ojala, S; Kinnunen, T; Silvonen, R; Keiski, RL. (2011). Catalytic Oxidation of Dichloromethane and Perchloroethylene: Laboratory and Industrial Scale Studies. *Top Catal*. 54: 1257-1265. <http://dx.doi.org/10.1007/s11244-011-9748-0>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ*. 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pittman, CU; He, J. (2002). Dechlorination of PCBs, CAHs, herbicides and pesticides neat and in soils at 25 degrees C using Na/NH3. *J Hazard Mater*. 92: 51-62.
- Pizzol, L; Zabeo, A; Critto, A; Giubilato, E; Marcomini, A. (2015). Risk-based prioritization methodology for the classification of groundwater pollution sources. *Sci Total Environ*. 506-507: 505-517. <http://dx.doi.org/10.1016/j.scitotenv.2014.11.014>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol*. 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Platteborzestienlet, K; Zeegershuyskens, T. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct*. 378: 29-34.
- Plattner, T. (2005). Modelling public risk evaluation of natural hazards: a conceptual approach. *Natural Hazards and Earth System Sciences*. 5: 357-366.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull*. 13: 1151-1157.
- Plevova, J; Frantik, E; Chladkova, D. (1975). A contribution to the problem of interaction between drugs and some air pollutants. *Proceedings of the European Soc Toxicola*. 16: 303-306.
- Plotnikov, VA; Petrov, AP. (1976). Combined effect of trichloroacetic acid and dimethyl sulfate on arabidopsis with respect to the role of histones in mutation process. *Cytology and Genetics*. 10: 33-36.
- Plummer, LN; Sibrell, PL; Casile, GC; Busenberg, E; Hunt, AG; Schlosser, P. (2013). Tracing groundwater with low-level detections of halogenated VOCs in a fractured carbonate-rock aquifer, Leetown Science Center, West Virginia, USA. *Appl Geochem*. 33: 260-280. <http://dx.doi.org/10.1016/j.apgeochem.2013.02.021>.
- Pocklington, WD. (1992). Determination of tetrachloroethylene: Results of a collaborative study and the standardized method. *J Am Oil Chem Soc*. 69: 789-793. <http://dx.doi.org/10.1007/BF02635916>.
- Pogribny, IP; Tryndyak, VP; Woods, CG; Witt, SE; Rusyn, I. (2007). Epigenetic effects of the continuous exposure to peroxisome proliferator WY-14,643 in mouse liver are dependent upon peroxisome proliferator activated receptor alpha. *Mutat Res-Fundam Mol Mech Mutagen*. 625: 62-71. <http://dx.doi.org/10.1016/j.mrfmmm.2007.05.004>.
- Pohl, HR; Roney, N; Wilbur, S; Hansen, H; De Rosa, CT. (2003). Six interaction profiles for simple mixtures. *Chemosphere*. 53: 183-197. [http://dx.doi.org/10.1016/S0045-6535\(03\)00436-3](http://dx.doi.org/10.1016/S0045-6535(03)00436-3).
- Pohlbeln, H; Boffetta, P; Ahrens, W; Merletti, F; Agudo, A; Benhamou, E; Benhamou, S; Bruske-Hohlfeld, I; Ferro, G; Fortes, C; Kreuzer, M; Mendes, A; Nyberg, F; Pershagen, G; Saracci, R; Schmid, G; Siemiatycki, J; Simonato, L; Whitley, E; Wichmann, HE; Winck, C; Zambon, P; Jockel, KH. (2000). Occupational risks for lung cancer among nonsmokers. *Epidemiology*. 11: 532-538.
- Pohlbeln, H; Jöckel, KH; Bolm-Audorff, U. (1999). Non-occupational risk factors for cancer of the lower urinary tract in Germany. *Eur J Epidemiol*. 15: 411-419. <http://dx.doi.org/10.1023/A:1007595809278>.
- Pokorska, Z; Piszczewska, E; Andrysiak, A; Krueger, A; Wesek, W. (1987). PROCESS OF TETRACHLOROMETHANE AND TETRACHLOROETHYLENE SOLVENTS PRODUCTION. *Przemysl Chemiczny*. 66: 88-91.
- Polak, J; Murakami, S; Lam, VT; Benson, GC. (1970). EXCESS ENTHALPY, VOLUME, AND GIBBS FREE ENERGY OF CYCLOPENTANE-TETRACHLOROETHYLENE MIXTURES AT 25 DEGREES C. *Journal of Chemical and Engineering Data*. 15: 323-&.
- Poli, D; Manini, P; Andreoli, R; Franchini, I; Mutti, A. (2005). Determination of dichloromethane, trichloroethylene and perchloroethylene in urine samples by headspace solid phase microextraction gas chromatography-mass spectrometry. *Journal of Chromatography B*. 820: 95-102. <http://dx.doi.org/10.1016/j.jchromb.2005.03.00>.
- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol*. 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).
- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environ Sci Technol*. 37: 3181-3188. <http://dx.doi.org/10.1021/es026352i>.
- Ponangi, R; Pintauro, PN. (1998). Measurement and interpretation of equilibrium organic vapor sorption in polyurethane membranes. *J Memb Sci*. 144: 25-35.

## Fate Literature Search Results

### Off Topic

- Ponangi, R; Pintauro, PN; De Kee, D. (2000). Free volume analysis of organic vapor diffusion in polyurethane membranes. *J Memb Sci.* 178: 151-164.
- Ponangi, RP; Pintauro, PN. (1996). Separation of volatile organic compounds from dry and humidified nitrogen using polyurethane membranes. *Ind Eng Chem Res.* 35: 2756-2765.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 549-559. <http://dx.doi.org/10.1080/10934521003595233>.
- Poon, JK; Dahlbom, ML; Casey, ME; Qi, J; Cherry, SR; Badawi, RD. (2015). Validation of the SimSET simulation package for modeling the Siemens Biograph mCT PET scanner. *Phys Med Biol.* 60: N35-N45. <http://dx.doi.org/10.1088/0031-9155/60/3/N35>.
- Poon, JK; Dahlbom, ML; Moses, WW; Balakrishnan, K; Wang, W; Cherry, SR; Badawi, RD. (2012). Optimal whole-body PET scanner configurations for different volumes of LSO scintillator: a simulation study. *Phys Med Biol.* 57: 4077-4094. <http://dx.doi.org/10.1088/0031-9155/57/13/4077>.
- Popat, SC; Deshusses, MA. (2009). Reductive dehalogenation of trichloroethene vapors in an anaerobic biotrickling filter. *Environ Sci Technol.* 43: 7856-7861. <http://dx.doi.org/10.1021/es901305x>.
- Popat, SC; Zhao, K; Deshusses, MA. (2012). Bioaugmentation of an anaerobic biotrickling filter for enhanced conversion of trichloroethene to ethene. *Chem Eng J.* 183: 98-103. <http://dx.doi.org/10.1016/j.cej.2011.12.026>.
- Popota, FD; Aguiar, P; España, S; Lois, C; Udias, JM; Ros, D; Pavia, J; Gispert, JD. (2015). Monte Carlo simulations versus experimental measurements in a small animal PET system. A comparison in the NEMA NU 4-2008 framework. *Phys Med Biol.* 60: 151-162. <http://dx.doi.org/10.1088/0031-9155/60/1/151>.
- Popota, FD; Aguiar, P; Raul Herance, J; Pareto, D; Rojas, S; Ros, D; Pavia, J; Domingo Gispert, J. (2012). Comparison of the Performance Evaluation of the MicroPET R4 Scanner According to NEMA Standards NU 4-2008 and NU 2-2001. *IEEE Trans Nucl Sci.* 59: 1879-1886. <http://dx.doi.org/10.1109/TNS.2012.2208760>.
- Popp, JA. (1984). *Mouse liver neoplasia.* Washington, DC: Hemisphere.
- Popp, W; Muller, G; Baltes-Schmitz, B; Wehner, B; Vahrenholz, C; Schmieding, W; Benninghoff, M; Norpoth, K. (1992). Concentrations of tetrachloroethene in blood and trichloroacetic acid in urine in workers and neighbours of dry-cleaning shops. *Int Arch Occup Environ Health.* 63: 393-395.
- Porru, S; Aulenti, V; Donato, F; Boffetta, P; Fazioli, R; Cosciani Cunico, S; Alessio, L. (1996). Bladder cancer and occupation: A case-control study in northern Italy. *Occup Environ Med.* 53: 6-10.
- Portier, CJ. (1988). Species correlation of chemical carcinogens. *Risk Anal.* 8: 551-553. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01196.x>.
- Potyrailo, RA; May, RJ; Sivavec, TM. (2004). Recognition and quantification of perchloroethylene, trichloroethylene, vinyl chloride, and three isomers of dichloroethylene using acoustic wave sensor array. *Sensor Letters.* 2: 31-36. <http://dx.doi.org/10.1166/sl.2004.019>.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem.* 76: 7023-7027. <http://dx.doi.org/10.1021/ac049481l>.
- Poulson, SR; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environ Sci Technol.* 36: 3270-3274. <http://dx.doi.org/10.1021/es0205380>.
- Poulson, SR; Naraoka, H. (2006). Carbon isotope fractionation during degradation of benzene, trichloroethene, and tetrachloroethene under ultraviolet light. *Geochemical Journal.* 40: 291-296.
- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands.* 31: 45-52. <http://dx.doi.org/10.1007/s13157-010-0134-7>.
- Powell, JF. (1945). Trichlorethylene: Absorption, elimination and metabolism. *Br J Ind Med.* 2: 142-145.
- Prade, K; Schmax, S. (1998). Rapid headspace-GC determination of the soil-water partition ratio of volatile hydrocarbons. *Z Pflanzenernaehr Bodenkd.* 161: 647-651.
- Prado, C; Marin, P; Periago, JF. (2003). Application of solid-phase microextraction and gas chromatography-mass spectrometry to the determination of volatile organic compounds in end-exhaled breath samples. *J Chromatogr A.* 1011: 125-134. [http://dx.doi.org/10.1016/S0021-9673\(03\)01103-8](http://dx.doi.org/10.1016/S0021-9673(03)01103-8).
- Prager, L; Dowideit, P; Langguth, H; Schuchmann, HP; von Sonntag, C. (2001). Hydrolytic removal of the chlorinated products from the oxidative free-radical-induced degradation of chloroethylenes: acid chlorides and chlorinated acetic acids. 1641-1647. <http://dx.doi.org/10.1039/b101687n>.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng.* 126: 622-628.
- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol.* 72: 47-54.
- Prasad, R; Ratib, O; Zaidi, H. (2011). NEMA NU-04-based performance characteristics of the LabPET-8™ small animal PET scanner. *Phys Med Biol.* 56: 6649-6664. <http://dx.doi.org/10.1088/0031-9155/56/20/009>.
- Prasad, TEV; Banerjee, S; Babu, JK; Prasad, DHL. (2004). Boiling temperature measurements on the binary mixtures formed by dimethyl carbonate with some chloroethanes and chloroethylenes at 95.8 kPa. *Fluid Phase Equilibria.* 218: 291-293. <http://dx.doi.org/10.1016/j.fluid.2004.01.027>.
- Prasad, TEV; Harish, G; Krupavaram, N; Prasad, S; Jaiswal, A; Prasad, DHL. (2005). Bubble points of some binary mixtures formed by o-cresol at 95.75 kPa. *Fluid Phase Equilibria.* 238: 45-51. <http://dx.doi.org/10.1016/j.fluid.2005.09.012>.
- Prasad, TEV; Kumar, AS; Prasad, DHL. (2002). Boiling temperature measurements on the binary mixtures formed by acetonitrile with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria.* 201: 47-55.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Densities and viscosities of the binary mixtures of chloroethylenes with some aliphatic alcohols. *Journal of Chemical and Engineering Data.* 47: 68-71. <http://dx.doi.org/10.1021/je010141w>.

## Fate Literature Search Results

### Off Topic

- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Vapor-liquid equilibria in trichloroethylene plus ethanol, plus isopropanol, and plus isobutanol and in tetrachloroethylene plus methanol at 95 kPa. *Journal of Chemical and Engineering Data*. 47: 816-817. <http://dx.doi.org/10.1021/je010248j>.
- Prasad, TEV; Patanjali, V; Sudhakar, TA; Radhika, BS; Arvind, VM; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures of n-heptane or nitrobenzene or chlorobenzene with some chloroethanes and chloroethylenes at (94.6 to 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 199-201. <http://dx.doi.org/10.1021/je030185>.
- Prasad, TEV; Phanibhushan, A; Prasad, DHL. (1998). Bubble temperature measurements on m-cresol with some chlorohydrocarbons. *Fluid Phase Equilibria*. 153: 81-85.
- Prasad, TEV; Prasad, DHL; Babu, JK; Banarjee, S. (2004). Bubble temperature measurements on the binary mixtures formed by 1,2-dimethylbenzene with some chloroethanes and chloroethylenes at 95.8 KPA. *Chemical Engineering Communications*. 191: 1323-1328. <http://dx.doi.org/10.1080/00986440490464246>.
- Prasad, TEV; Prasad, DHL; Krishna, VBV. (2005). Bubble temperature measurements on the binary mixtures of sec-butanol with chloroethanes and chloroethylenes at 94.6 kPa. *Chemical Engineering Communications*. 192: 168-173. <http://dx.doi.org/10.1080/00986440590473371>.
- Prasad, TEV; Prasad, DHL; Patanjali, V. (2005). Bubble temperature measurements on seven binary mixtures containing 1-4-dimethylbenzene at 95.8 kPa. *Chemical Engineering Communications*. 192: 18-22. <http://dx.doi.org/10.1080/00986440590473164>.
- Prasad, TEV; Raj, EDA; Maheedhar, G; Reddy, MS; Kumar, VS; Garapati, S; Patanjali, V; Prasad, DHL. (2004). Bubble-temperature measurements on some binary mixtures formed by tetrahydrofuran or amyl alcohol with hydrocarbons, chlorohydrocarbons, or butanols at (94.6 or 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 746-749. <http://dx.doi.org/10.1021/je030141r>.
- Prasad, TEV; Sankar, B; Kumar, RP; Prasad, DHL. (2003). Boiling temperature measurements on the binary mixtures formed by tert-butanol with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria*. 213: 147-152. [http://dx.doi.org/10.1016/S0378-3812\(03\)00287-5](http://dx.doi.org/10.1016/S0378-3812(03)00287-5).
- Prasad, TEV; Sravani, Y; Ranjita, VS, ri; Prasada, DHL. (2006). Excess Gibbs' energies of selected binary mixtures formed by N,N-dimethyl formamide at 95.5 kPa. *Fluid Phase Equilibria*. 249: 49-54. <http://dx.doi.org/10.1016/j.fluid.2006.08.018>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of dehydroepiandrosterone (DHEA) on the metabolism of 7,12-dimethylbenz[a]anthracene (DMBA) in rats. *Carcinogenesis*. 10: 953-955. <http://dx.doi.org/10.1093/carcin/10.5.953>.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H<sub>2</sub>O<sub>2</sub>/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag*. 16: 327-333.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research*. 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, RG; Taylor, SA; Chivers, I; Arce-Tomas, M; Crutcher, E; Franchini, I; Slinovi, R; Cavazzini, S; Bergamaschi, E; Mutti, A; Vettori, MV; Lauwerys, R; Bernard, A; Kabanda, A; Roels, H; Thielemans, N; Hotz, P; De Broe, ME; Elseviers, MM; Nuyts, GD; Gelpi, E; Hotter, G; Rosello, J; Ramis, I; Stolte, H; Fels, LM; Eisenberger, U. (1996). Development and validation of new screening tests for nephrotoxic effects [Review]. *Hum Exp Toxicol*. 15: S10-S19.
- Propper, R; Wong, P; Bui, S; Austin, J; Vance, W; Alvarado, Á; Croes, B; Luo, D. (2015). Ambient and Emission Trends of Toxic Air Contaminants in California. *Environ Sci Technol*. 49: 11329-11339. <http://dx.doi.org/10.1021/acs.est.5b02766>.
- Provoost, J; Reijnders, L; Swartjes, F; Bronders, J, an; Seuntjens, P; Lijzen, J. (2009). Accuracy of seven vapour intrusion algorithms for VOC in groundwater. *Journal of Soils and Sediments*. 9: 62-73. <http://dx.doi.org/10.1007/s11368-008-0036-y>.
- Przetakiewicz, J. (2015). The Viability of Winter Sporangia of *Synchytrium endobioticum* (Schilb.) Perc. from Poland. *American Journal of Potato Research*. 92: 704-708. <http://dx.doi.org/10.1007/s12230-015-9480-6>.
- Ptacek, B; Dalard, F; Rameau, JJ. (1996). Iron phosphating in a trichloroethylene solution. *Surf Coating Tech*. 82: 277-283.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol*. 10: 119-158. [http://dx.doi.org/10.1016/0169-7722\(92\)90026-B](http://dx.doi.org/10.1016/0169-7722(92)90026-B).
- Pu, Z; Mi, J, ie; Kang, J; Zhang, S. (2015). Kinetics and activation energy of solvent swelling of coal altered by an ultrasonication-enhanced process. *Korean J Chem Eng*. 32: 74-78. <http://dx.doi.org/10.1007/s11814-014-0189-x>.
- Pukkala, E; Malila, N; Hakama, M. (2010). Socioeconomic differences in incidence of cervical cancer in Finland by cell type. *Acta Oncol*. 49: 180-184. <http://dx.doi.org/10.3109/02841860903386390>.
- Pukkala, E; Martinsen, J; Lynge, E; Gunnarsdottir, H; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kjaerheim, K. (2009). Occupation and cancer - follow-up of 15 million people in five Nordic countries. *Acta Oncol*. 48: 646-790. <http://dx.doi.org/10.1080/02841860902913546>.
- Puma, GL, i; Salvado-Estivill, I; Obee, TN; Hay, SO. (2009). Kinetics rate model of the photocatalytic oxidation of trichloroethylene in air over TiO<sub>2</sub> thin films. *Separation and Purification Technology*. 67: 226-232. <http://dx.doi.org/10.1016/j.seppur.2009.03.011>.
- Putnam, ML; Sindermann, AB. (1994). ERADICATION OF POTATO WART DISEASE FROM MARYLAND. *Am Potato J*. 71: 743-747.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *J Environ Eng*. 131: 196-205. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(196\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(196)).
- Pyle, JA; Ashfold, MJ; Harris, NRP; Robinson, AD; Warwick, NJ; Carver, GD; Gostlow, B; O'Brien, LM; Manning, AJ; Phang, SM; Yong, SE; Leong, KP; Ung, EH; Ong, S. (2011). Bromoform in the tropical boundary layer of the Maritime Continent during OP3. *Atmos Chem Phys*. 11: 529-542. <http://dx.doi.org/10.5194/acp-11-529-2011>.
- Qian, L; Ren, Y, u; Liu, T; Pan, D; Wang, H; Chen, G. (2012). Influence of KIT-6's pore structure on its surface properties evaluated by inverse gas chromatography. *Chem Eng J*. 213: 186-194. <http://dx.doi.org/10.1016/j.cej.2012.09.110>.



## Fate Literature Search Results

### Off Topic

- Qiao, Q, i; Lu, H; Ge, J; Xi, X, i; Chen, R; Yang, J; Zhu, J; Shi, Z; Chu, J. (2014). 18.5% efficient AlOx/SiNy rear passivated industrial multicrystalline silicon solar cells. *Appl Surf Sci.* 305: 439-444. <http://dx.doi.org/10.1016/j.apsusc.2014.03.108>.
- Qin, H, ua; Brookes, PC; Xu, J; Feng, Y. (2014). Bacterial degradation of Aroclor 1242 in the mycorrhizosphere soils of zucchini (*Cucurbita pepo* L.) inoculated with arbuscular mycorrhizal fungi. *Environ Sci Pollut Res Int.* 21: 12790-12799. <http://dx.doi.org/10.1007/s11356-014-3231-Y>.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ.* 381: 17-37. <http://dx.doi.org/10.1016/j.scitotenv.2007.04.011>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A.* 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Quack, B; Suess, E. (1999). Volatile halogenated hydrocarbons over the western Pacific between 43 degrees and 4 degrees N. *J Geophys Res Atmos.* 104: 1663-1678.
- Quadri, G; Chen, X; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased surfactant-like molecules from organic wastes: The effect of waste composition and composting process on surfactant properties and on the ability to solubilize tetrachloroethene (PCE). *Environ Sci Technol.* 42: 2618-2623. <http://dx.doi.org/10.1021/es702144t>.
- Quadri, G; Chen, X; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased Surfactant-Like Molecules from Organic Wastes: The Effect of Waste Composition and Composting Process on Surfactant Properties and on the Ability to Solubilize Tetrachloroethene (PCE) (vol 42, pg 2618, 2008). *Environ Sci Technol.* 42: 8613-8613.
- Quan, ZJ, un; Ren, RG, uo; Da, Y, uXia; Zhang, Z; Wang, X, iCun. (2011). Alkylation of SH-Heterocycles with Diethyl Phosphite Using Tetrachloroethylene as an Efficient Solvent. *Heteroatom Chemistry.* 22: 653-658. <http://dx.doi.org/10.1002/hc.20729>.
- Qui, W; Zhou, YB; Shao, CH; Sun, YD; Zhang, QY; Chen, CY; Jia, JH. (2009). *Helicobacter pylori* Proteins Response to Nitric Oxide Stress. *J Microbiol.* 47: 486-493. <http://dx.doi.org/10.1007/s12275-008-0266-0>.
- Quigley, CJ; Corsi, RL. (1995). EMISSIONS OF VOCs FROM A MUNICIPAL SEWER. *J Air Waste Manag Assoc.* 45: 395-403.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol.* 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Rabbani, GH; Gilman, RH; Kabir, I; Mondel, G. (1985). The treatment of Fasciolopsis buski infection in children: a comparison of thiabendazole, mebendazole, levamisole, pyrantel pamoate, hexylresorcinol and tetrachloroethylene. *Trans Roy Soc Trop Med Hyg.* 79: 513-515.
- Rachootin, P; Olsen, J. (1983). The risk of infertility and delayed conception associated with exposures in the Danish workplace. *J Occup Med.* 25: 394-402.
- Radhamma, M; Hsieh, CT; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2008). Isobaric vapor-liquid equilibrium for dimethylsulfoxide with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 53: 374-377. <http://dx.doi.org/10.1021/je700408x>.
- Radhamma, M; Sivakumar, K; Rao, MVP. (2004). Molecular interactions in binary liquid mixtures of dimethylsulphoxide with chloroethanes and chloroethenes. *Indian J Chem Tech.* 11: 710-713.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med.* 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Rae, I, anD. (2016). Substance Abuse: Carbon Tetrachloride and the Ozone Layer. *Australian Journal of Chemistry.* 69: 1375-1379. <http://dx.doi.org/10.1071/CH16451>.
- Raghavan, AS; Palmer, TA; Kragh-Buetow, KC; Domask, AC; Reutzel, EW; Mohney, SE; Debroy, T. (2015). Employing microsecond pulses to form laser-fired contacts in photovoltaic devices. *Progress in Photovoltaics.* 23: 1025-1036. <http://dx.doi.org/10.1002/pip.2523>.
- Rahm, BG; Richardson, RE. (2008). Correlation of respiratory gene expression levels and pseudo-steady-state PCE respiration rates in *Dehalococcoides ethenogenes*. *Environ Sci Technol.* 42: 416-421. <http://dx.doi.org/10.1021/es071455s>.
- Rahm, BG; Richardson, RE. (2008). *Dehalococcoides*' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environ Sci Technol.* 42: 5099-5105. <http://dx.doi.org/10.1021/es7D2912t>.
- Rai, SN; Bartlett, S; Krewski, D; Paterson, J. (2002). The use of probabilistic risk assessment in establishing drinking water quality objectives. *Hum Ecol Risk Assess.* 8: 493-509.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod.* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Raisanen, J; Niemela, R; Rosenberg, C. (2001). Tetrachloroethylene emissions and exposure in dry cleaning. *Journal of the Air and Waste Management Association.* 51: 1671-1675.
- Rajagopal, VK; Burris, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem.* 18: 1779-1782.
- Rajamanikandan, S; Sindhu, T; Durgapriya, D; Sophia, D; Ragavendran, P; Gopalakrishnan, VK. (2012). Protective effect of *Mollugo nudicaulis* Lam. on acute liver injury induced by perchloroethylene in experimental rats. *Asian Pacific Journal of Tropical Medicine.* 5: 862-867. [http://dx.doi.org/10.1016/S1995-7645\(12\)60161-8](http://dx.doi.org/10.1016/S1995-7645(12)60161-8).
- Rall, DP. (1977). Species differences in carcinogenesis testing. NY: 1383-1390.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect.* 113: 55-61.
- Ramlow, J; Bloemen, L. (1995). DRINKING-WATER AND LEUKEMIA. *Environ Health Perspect.* 103: 538-540.
- Ramlow, JM. (1995). [Comments on Aschengrau et al study on relationship of PCE and human leukemia] [letter] [Letter]. *Arch Environ Health.* 50: 170-171.
- Ramlow, JM. (1995). CRITIQUE OF REVIEW OF CHLORINATED SOLVENTS EPIDEMIOLOGY. *Am J Ind Med.* 27: 313-316.

## Fate Literature Search Results

### Off Topic

- Ramos-Dorta, CV; Pino, V; Afonso, A. (2013). Monitoring polycyclic aromatic hydrocarbons in seawaters and wastewaters using a dispersive liquid-liquid microextraction method. *Environ Technol.* 34: 607-616. <http://dx.doi.org/10.1080/09593330.2012.710255>.
- Ramsburg, CA; Abriola, LM; Pennell, KD; Löffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environ Sci Technol.* 38: 5902-5914. <http://dx.doi.org/10.1021/es049675i>.
- Ramsburg, CA; Christ, JA; Douglas, S. R.; Boroumand, A, li. (2011). Analytical modeling of degradation product partitioning kinetics in source zones containing entrapped DNAPL. *Water Resour Res.* 47: 3507-3507. <http://dx.doi.org/10.1029/2010WR009958>.
- Ramsburg, CA; Pennell, KD. (2001). Experimental and economic assessment of two surfactant formulations for source zone remediation at a former dry cleaning facility. *Ground Water Monitoring and Remediation.* 21: 68-82.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for dense nonaqueous-phase liquid source-zone remediation: Density conversion using a partitioning alcohol. *Environ Sci Technol.* 36: 2082-2087. <http://dx.doi.org/10.1021/es0113571>.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environ Sci Technol.* 36: 3176-3187. <http://dx.doi.org/10.1021/es011403h>.
- Ramsburg, CA; Pennell, KD; Abriola, LM; Daniels, G; Drummond, CD; Gamache, M; Hsu, HL; Petrovskis, EA; Rathfelder, KM; Ryder, JL; Yavaraski, TP. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 2. System operation and evaluation. *Environ Sci Technol.* 39: 1791-1801. <http://dx.doi.org/10.1021/es049563r>.
- Ramsburg, CA; Pennell, KD; Kibbey, TC; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol.* 74: 105-131. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.008>.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environ Sci Technol.* 37: 4246-4253. <http://dx.doi.org/10.1021/es0210291>.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation product partitioning in source zones containing chlorinated ethene dense non-aqueous-phase liquid. *Environ Sci Technol.* 44: 9105-9111. <http://dx.doi.org/10.1021/es102536f>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol.* 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ran, Y; Xing, BS; Rao, PSC; Sheng, GY; Fu, JM. (2005). Sorption kinetics of organic contaminants by sandy aquifer and its kerogen isolate. *Environ Sci Technol.* 39: 1649-1657. <http://dx.doi.org/10.1021/es049114r>.
- Ranjan, RS; Karthigesu, T. (1996). A capillary flow meter for measuring the hydraulic conductivity of clay under low gradients. *Canadian Geotechnical Journal.* 33: 504-509.
- Rao, HV; Brown, DR. (1993). A physiologically based pharmacokinetic assessment of tetrachloroethylene in groundwater for a bathing and showering determination. *Risk Anal.* 13: 37-49. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00727.x>.
- Rao, KV; Prasad, AR. (1984). MEASUREMENT, CORRELATION AND PREDICTION OF BINARY VAPOR LIQUID EQUILIBRIA FOR ALCOHOL TETRACHLOROETHENE SYSTEMS. *Can J Chem Eng.* 62: 142-148.
- Rao, KV; Raviprasad, A; Chiranjivi, C. (1980). VAPOR-LIQUID-EQUILIBRIA OF SOME NORMAL-ALCOHOL-TETRACHLOROETHENE SYSTEMS. *Fluid Phase Equilibria.* 4: 293-302.
- Rao, MS; Reddy, JK. (1991). An overview of peroxisome proliferator-induced hepatocarcinogenesis. *Environ Health Perspect.* 93: 205-209.
- Rappaport, SM. (1993). Biological considerations in assessing exposures to genotoxic and carcinogenic agents. *Int Arch Occup Environ Health.* 65: S29-S35.
- Rappaport, SM; Kupper, LL. (2004). Variability of environmental exposures to volatile organic compounds. *J Expo Anal Environ Epidemiol.* 14: 92-107. <http://dx.doi.org/10.1038/sj.jea.7500309>.
- Rapson, WH; Nazar, MA; Butsky, VV. (1980). Mutagenicity produced by aqueous chlorination of organic compounds. *Bull Environ Contam Toxicol.* 24: 590-596. <http://dx.doi.org/10.1007/BF01608160>.
- Rasile, DA; Donovick, PJ; Burreight, RG. (1988). Cumulative and residual effects of low level lead exposure on development and behavioral activity in three generations of mice. 14: 326.
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation.* 20: 72-81.
- Rastkari, N; Ahmadkhaniha, R; Yunesian, M. (2012). Simultaneous determination of trichloroethylene, perchloroethylene and trichloroacetic acid in human urine using solid-phase microextraction fibre coated with single-walled carbon nanotubes. *Int J Environ Anal Chem.* 92: 1650-1665. <http://dx.doi.org/10.1080/03067319.2011.581367>.
- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol.* 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Rathfelder, KM; Abriola, LM; Singletary, MA; Pennell, KD. (2003). Influence of surfactant-facilitated interfacial tension reduction on chlorinated solvent migration in porous media: observations and numerical simulation. *J Contam Hydrol.* 64: 227-252. [http://dx.doi.org/10.1016/S0169-7722\(02\)00205-X](http://dx.doi.org/10.1016/S0169-7722(02)00205-X).
- Rathfelder, KM; Abriola, LM; Taylor, TP; Pennell, KD. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 2. Numerical simulation. *J Contam Hydrol.* 48: 351-374. [http://dx.doi.org/10.1016/S0169-7722\(00\)00186-8](http://dx.doi.org/10.1016/S0169-7722(00)00186-8).
- Raucy, JL. (1995). Risk assessment: Toxicity from chemical exposure resulting from enhanced expression of CYP2E1. *Toxicology.* 105: 217-224. [http://dx.doi.org/10.1016/0300-483X\(95\)03216-3](http://dx.doi.org/10.1016/0300-483X(95)03216-3).
- Raul, SK; Panda, SN. (2013). Simulation-Optimization Modeling for Conjunctive Use Management under Hydrological Uncertainty. *Water Resources Management.* 27: 1323-1350. <http://dx.doi.org/10.1007/s11269-012-0240-9>.

## Fate Literature Search Results

### Off Topic

- Raunio, H; Husgafvel-Pursiainen, K; Anttila, S; Hietanen, E; Hirvonen, A; Pelkonen, O. (1995). Diagnosis of polymorphisms in carcinogen-activating and inactivating enzymes and cancer susceptibility--a review [Review]. *Gene*. 159: 113-121.
- Raviprasad, A; Rao, KV; Chiranjivi, C. (1981). BINARY VAPOR-LIQUID-EQUILIBRIA OF ISO ALCOHOL-TETRACHLOROETHENE SYSTEMS. *Journal of Chemical and Engineering Data*. 26: 211-213.
- Raylman, RR; Stolin, AV; Martone, PF; Smith, MF. (2016). TandemPET- A High Resolution, Small Animal, Virtual Pinhole-Based PET Scanner: Initial Design Study. *IEEE Trans Nucl Sci*. 63: 75-83. <http://dx.doi.org/10.1109/TNS.2015.2482459>.
- Razafindratsima, S; Guerin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal*. 22: 1433-1446. <http://dx.doi.org/10.1007/s10040-014-1133-1>.
- Rea, WJ; Ross, GH; Johnson, AR; Smiley, RE; Fenyes, EJ. (1991). Chemical sensitivity in physicians [Review]. *Bol Asoc Med P R*. 83: 383-388.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO<sub>2</sub> pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination*. 5: 187-202.
- Rebelakos, A; Trichopoulos, D; Tzonou, A; Zavitsanos, X; Velonakis, E; Trichopoulos, A. (1985). Tobacco smoking, coffee drinking, and occupation as risk factors for bladder cancer in Greece. *J Natl Cancer Inst*. 75: 455-461.
- Rectanus, HV; Widdowson, MA; Chapelle, FH; Kelly, CA; Novak, JT. (2007). Investigation of reductive dechlorination supported by natural organic carbon. *Ground Water Monitoring and Remediation*. 27: 53-62.
- Reddy, AVB; Madhavi, V; Reddy, KG; Madhavi, G. (2013). Remediation of Chlorpyrifos-Contaminated Soils by Laboratory-Synthesized Zero-Valent Nano Iron PArticles: Effect of pH and Aluminum Salts. *J Chem*. <http://dx.doi.org/10.1155/2013/521045>.
- Reddy, JK; Azarnoff, DL. (1980). Hypolipidaemic hepatic peroxisome proliferators form a novel class of chemical carcinogens. *Nature*. 283: 397-398.
- Reddy, JK; Lalwani, ND; Qureshi, SA; Reddy, MK; Moehle, CM. (1984). Induction of hepatic peroxisome proliferation in nonrodent species, including primates. *Am J Pathol*. 114: 171-183.
- Reddy, JK; Rao, MS. (1986). Peroxisome proliferators and cancer: mechanisms and implications. *Trends Pharmacol Sci*. 7: 438-443.
- Reddy, JK; Reddy, MK; Usman, MI; Lalwani, ND; Rao, MS. (1986). Comparison of hepatic peroxisome proliferative effect and its implication for hepatocarcinogenicity of phthalate esters, di(2-ethylhexyl) phthalate, and di(2-ethylhexyl) adipate with a hypolipidemic drug. *Environ Health Perspect*. 65: 317-327.
- Reed, PM; Ellsworth, TR; Minsker, BS. (2004). Spatial interpolation methods for nonstationary plume data. *Ground Water*. 42: 190-202.
- Regan, D. (1989). *Human brain electrophysiology*. New York: Elsevier Science.
- Regan, F; Walsh, F; Walsh, J. (2003). Development of plasticised PVC sensing films for the determination of BTEX compounds in aqueous samples. *Int J Environ Anal Chem*. 83: 621-631. <http://dx.doi.org/10.1080/0306731021000049635>.
- Reichard-Brown, JL; Spinner, H; McBride, K. (2009). Sea urchin embryos exposed to thalidomide during early cleavage exhibit abnormal morphogenesis later in development. *Birth Defects Res B Dev Reprod Toxicol*. 86: 496-505. <http://dx.doi.org/10.1002/bdrb.20215>.
- Reichert, D; Neudecker, T; Spengler, U; Henschler, D. (1983). Mutagenicity of dichloroacetylene and its degradation products trichloroacetyl chloride, trichloroacryloyl chloride and hexachlorobutadiene. *Mutat Res Genet Toxicol Environ Mutagen*. 117: 21-29. [http://dx.doi.org/10.1016/0165-1218\(83\)90149-0](http://dx.doi.org/10.1016/0165-1218(83)90149-0).
- Reichert, D; Spengler, U; Romen, W; Henschler, D. (1980). Nephrotoxic, mutagenic and carcinogenic potentials of dichloroacetylene and its decomposition products. *Naunyn Schmiedebergs Arch Pharmacol*. 311: R25.
- Reichert, D; Werner, HW; Metzler, M; Henschler, D. (1979). Molecular mechanism of 1,1-dichloroethylene toxicity: excreted metabolites reveal different pathways of reactive intermediates. *Arch Toxicol*. 42: 159-169.
- Reif, J. (1989). Passive household smoking and canine lung cancer. *J Am Vet Med Assoc*. 194: 1787.
- Reif, J; Pearce, N; Kawachi, I; Fraser, J. (1989). Soft-tissue sarcoma, non-Hodgkin's lymphoma and other cancers in New Zealand forestry workers. *Int J Cancer*. 43: 49-54.
- Reif, JS; Dunn, K; Ogilvie, GK; Harris, CK. (1992). Passive smoking and canine lung cancer risk. *Am J Epidemiol*. 135: 234-239.
- Reinhard, K; Dulson, W; Exner, M. (1989). CONCENTRATIONS OF TETRACHLOROETHYLENE IN INDOOR-AIR AND FOOD IN APARTMENTS IN THE VICINITY OF DRY CLEANING SHOPS. *Zentralblatt fuer Hygiene und Umweltmedizin*. 189: 111-116.
- Reitsma, S; Dai, QL. (2001). Reaction-enhanced mass transfer and transport from non-aqueous phase liquid source zones. *J Contam Hydrol*. 49: 49-66.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol*. 136: 289-306. <http://dx.doi.org/10.1006/taap.1996.0036>.
- Reitz, RH; Mendrala, AL; Guengerich, FP. (1989). In vitro metabolism of methylene chloride in human and animal tissues: Use in physiologically based pharmacokinetic models. *Toxicol Appl Pharmacol*. 97: 230-246. [http://dx.doi.org/10.1016/0041-008X\(89\)90328-1](http://dx.doi.org/10.1016/0041-008X(89)90328-1).
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol*. 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol*. 49: 4293-4301. <http://dx.doi.org/10.1021/es506108j>.
- Renwick, AG. (1998). Toxicokinetics in infants and children in relation to the ADI and TDI. *Food Addit Contam*. 15: 17-35. <http://dx.doi.org/10.1080/02652039809374612>.

## Fate Literature Search Results

### Off Topic

- Reshetnikov, SI; Zirka, AA; Petrov, RV; Ivanov, EA. (2011). Kinetics study of the perchloroethylene hydrofluorination into pentafluoroethane (Freon 125) over chromium-based catalyst. *Chem Eng J.* 176: 22-25. <http://dx.doi.org/10.1016/j.cej.2011.05.109>.
- Reulen, R; Kellen, E; Buntinx, F; Zeegers, M. (2007). Bladder cancer and occupation: A report from the Belgian case-control study on bladder cancer risk. *Am J Ind Med.* 50: 449-454. <http://dx.doi.org/10.1002/ajim.20469>.
- Reulen, RC; Kellen, E; Buntinx, F; Brinkman, M; Zeegers, MP. (2008). A meta-analysis on the association between bladder cancer and occupation [Review]. *Scand J Urol Nephrol Suppl*64-78. <http://dx.doi.org/10.1080/03008880802325192>.
- Révész, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and <sup>2</sup>HH<sub>2</sub>O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol.* 156: 62-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.004>.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E, va; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *Int Biodeterior Biodegradation.* 58: 239-247. <http://dx.doi.org/10.1016/j.ibiod.2006.06.018>.
- Reya, T; Morrison, SJ; Clarke, MF; Weissman, IL. (2001). Stem cells, cancer, and cancer stem cells [Review]. *Nature.* 414: 105-111. <http://dx.doi.org/10.1038/35102167>.
- Reyes Sanchez-Herrera, M; Salmeron-Revuelta, P; Perez-Litran, S; Perez-Valles, A. (2012). ASSESSMENT OF VOLTAGE UNBALANCE DEFINITIONS IN POWER SYSTEMS. *Dyna.* 87: 198-203. <http://dx.doi.org/10.6036/4375>.
- Reynolds, WD. (2016). A unified Perc Test-Well Permeameter methodology for absorption field investigations. *Geoderma.* 264: 160-170. <http://dx.doi.org/10.1016/j.geoderma.2015.10.015>.
- Rhomberg, L. (2008). Hypothesis-based weight of evidence and uncertainty characterization in a MoA framework [Paper]. California Mode of Action Workshop.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect.* 108: 343-358.
- Rhomberg, LR. (2007). Hypothesis-based weight of evidence: An approach to hazard identification and to uncertainty analysis for quantitative risk assessment. Arlington, VA: Aerospace Industries Association of America, Inc. <http://www.sra-ne.org/seminars/NAS%20Weight%20of%20Evidence%20Paper%20-%20Rhomberg.pdf>.
- Ribeiro, DS; Abraham, RJ. (2002). Conformational analysis: Part 37. A C-13 and H-1 NMR and theoretical investigation of the conformational equilibrium of 2-methylcyclohexanone oxime and of its O-methyl ether. *Magn Reson Chem.* 40: 49-56. <http://dx.doi.org/10.1002/mrc.950>.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environ Sci Technol.* 36: 2652-2662. <http://dx.doi.org/10.1021/es0157797>.
- Richiardi, L; Boffetta, P; Simonato, L; Forastiere, F; Zambon, P; Fortes, C; Gaborieau, V; Merletti, F. (2004). Occupational risk factors for lung cancer in men and women: A population-based case-control study in Italy. *Cancer Causes Control.* 15: 285-294. <http://dx.doi.org/10.1023/B:CACO.0000024223.91059.ed>.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol.* 65: 101-120. [http://dx.doi.org/10.1016/S0169-7722\(02\)00233-4](http://dx.doi.org/10.1016/S0169-7722(02)00233-4).
- Richnow, HH; Meckenstock, RU; Ask reitzel, L; Baun, A; Ledin, A; Christensen, TH. (2003). In situ biodegradation determined by carbon isotope fractionation of aromatic hydrocarbons in an anaerobic landfill leachate plume (Vejen, Denmark). *J Contam Hydrol.* 64: 59-72. [http://dx.doi.org/10.1016/S0169-7722\(02\)00104-3](http://dx.doi.org/10.1016/S0169-7722(02)00104-3).
- Richter, LP; Fischer, G; Sylla, L; Hentsche, M; Steckemetz, S; Mueller, M; Cobb, CL; Solberg, SE; Rao, R; Elrod, S; Palinginis, P; Schneiderloechner, E; Neuhaus, DH. (2015). Progress in fine-line metallization by co-extrusion printing on cast monosilicon PERC solar cells. *Solar Energy Materials and Solar Cells.* 142: 18-23. <http://dx.doi.org/10.1016/j.solmat.2015.05.023>.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation.* 28: 85-94. <http://dx.doi.org/10.1111/j.1745-6592.2008.00215.x>.
- Rickert, J; Weiss, T; Gopel, W. (1996). Self-assembled monolayers for chemical sensors: Molecular recognition by immobilized supramolecular structures. *Sens Actuators B.* 31: 45-50.
- Rieker, J. (1977). OPTIMUM EXPULSION OF PERCHLORETHYLENE FROM DISTILLATION RESIDUES - ESSENTIAL CONDITION FOR ECONOMICAL SOLVENT RECOVERY IN TEXTILE SOLVENT TECHNIQUES. 58: 502-510.
- Rieker, J. (1981). PROCESS TECHNICAL FUNDAMENTALS IN THE REMOVAL OF WATER FROM TEXTILE MATERIALS USING PERCHLOROETHYLENE. *Textilveredlung.* 16: 237-246.
- Rieker, J; Braun, W. (1978). CHARACTERIZATION AND TESTING OF COLLOIDAL CHEMICAL PROPERTIES OF TEXTILE AUXILIARIES FOR USE IN DRY CLEANING PROCESSES INVOLVING PERCHLOROETHYLENE. *Textilveredlung.* 13: 70-73.
- Rieker, J; Braun, W. (1981). CONTINUOUS CLEANING WITH PERCHLOROETHYLENE OF POLYESTER-COTTON FABRICS DYED WITH DISPERSE AND REACTIVE DYES. 62: 496-501.
- Rieker, J; Gerlinger, D. (1980). THE PROBLEM OF PERCHLOROETHYLENE RETENTION BY POLYESTER FIBERS AND ITS SOLUTION BY THE USE OF STEAM. 61: 884-889.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlader, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruse, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2005](http://seer.cancer.gov/csr/1975_2005).
- Rijhsinghani, KS; Abrahams, C; Swerdlow, MA; Rao, KV; Ghose, T. (1986). Induction of neoplastic lesions in the livers of C57BL x C3HF1 mice by chloral hydrate. *Cancer Detect Prev.* 9: 279-288.

## Fate Literature Search Results

### Off Topic

- Rine, JM; Shafer, JM; Covington, E; Berg, RC. (2006). Testing of stack-unit/aquifer sensitivity analysis using contaminant plume distribution in the subsurface of Savannah River Site, South Carolina, USA. *Hydrogeology Journal*. 14: 1620-1634. <http://dx.doi.org/10.1007/s10040-006-0083-7>.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Methionine S-oxidation in human and rabbit liver microsomes: evidence for a high-affinity methionine S-oxidase activity that is distinct from flavin-containing monooxygenase 3. *Arch Biochem Biophys*. 367: 322-332. <http://dx.doi.org/10.1006/abbi.1999.1247>.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos*. 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol*. 51: 507-515.
- Rippelova, V; Janku, J; Kubal, M. (2009). Modelling Sorption of Volatile Organic Contaminants on Clay Soils Containing Organic Carbon. *Chem Listy*. 103: 569-574.
- Ris, H. (1949). The anaphase movement of chromosomes in the spermatocytes of the grasshopper. *Biol Bull*. 96: 90-106.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol*. 11: 1229-1238.
- Rivett, MO; Chapman, SW; Allen-King, RM; Feenstra, S; Cherry, JA. (2006). Pump-and-treat remediation of chlorinated solvent contamination at a controlled field-experiment site. *Environ Sci Technol*. 40: 6770-6781. <http://dx.doi.org/10.1021/es0602748>.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environ Sci Technol*. 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (1994). TRANSPORT OF A DISSOLVED-PHASE PLUME FROM A RESIDUAL SOLVENT SOURCE IN A SAND AQUIFER. *J Hydrol*. 159: 27-41.
- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics*. 7: 313-323. <http://dx.doi.org/10.1080/15275920600996180>.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol*. 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Rivier, L; Ciais, P; Hauglustaine, DA; Bakwin, P; Bousquet, P; Peylin, P; Klonecki, A. (2006). Evaluation of SF6, C2Cl4, and CO to approximate fossil fuel CO2 in the Northern Hemisphere using a chemistry transport model. *J Geophys Res Atmos*. 111. <http://dx.doi.org/10.1029/2005JD006725>.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol*. 86: 3-31. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.013>.
- Roberts, AL; Gschwend, PM. (1991). MECHANISM OF PENTACHLOROETHANE DEHYDROCHLORINATION TO TETRACHLOROETHYLENE. *Environ Sci Technol*. 25: 76-86.
- Roberts, AL; Gschwend, PM. (1994). Interaction of abiotic and microbial processes in hexachloroethane reduction in groundwater. *J Contam Hydrol*. 16: 157-174. [http://dx.doi.org/10.1016/0169-7722\(94\)90050-7](http://dx.doi.org/10.1016/0169-7722(94)90050-7).
- Roberts, AL; Totten, LA; Arnold, WA; Burris, DR; Campbell, TJ. (1996). REDUCTIVE ELIMINATION OF CHLORINATED ETHYLENES BY ZERO-VALENT METALS. *Environ Sci Technol*. 30: 2654-2659.
- Roberts, RA; James, NH; Hasmail, SC; Holden, PR; Lambe, K; Macdonald, N; West, D; Woodyatt, NJ; Whitcome, D. (2000). Apoptosis and proliferation in nongenotoxic carcinogenesis: Species differences and role of PPARalpha [Review]. *Toxicol Lett*. 112-113: 49-57. [http://dx.doi.org/10.1016/S0378-4274\(99\)00243-X](http://dx.doi.org/10.1016/S0378-4274(99)00243-X).
- Roberts, RA; Soames, AR; Gill, JH; James, NH; Wheeldon, EB. (1995). Non-genotoxic hepatocarcinogens stimulate DNA synthesis and their withdrawal induces apoptosis, but in different hepatocyte populations. *Carcinogenesis*. 16: 1693-1698.
- Robertson, WD; Murphy, AM; Cherry, JA. (1995). LOW-COST ON-SITE TREATMENT OF LANDFILL LEACHATE USING INFILTRATION BEDS - PRELIMINARY FIELD TRIAL. *Ground Water Monitoring and Remediation*. 15: 107-115.
- Robinson, AD; Harris, NRP; Ashfold, MJ; Gostlow, B; Warwick, NJ; O'Brien, LM; Beardmore, EJ; Nadzir, MSM; Phang, SM; Samah, AA; Ong, S; Ung, HE; Peng, LK; Yong, SE; Mohamad, M; Pyle, JA. (2014). Long-term halocarbon observations from a coastal and an inland site in Sabah, Malaysian Borneo. *Atmos Chem Phys*. 14: 8369-8388. <http://dx.doi.org/10.5194/acp-14-8369-2014>.
- Robinson, C; Barry, DA. (2009). Design tool for estimation of buffer requirement for enhanced reductive dechlorination of chlorinated solvents in groundwater. *Environ Modell Softw*. 24: 1332-1338. <http://dx.doi.org/10.1016/j.envsoft.2009.03.012>.
- Robinson, C; Barry, DA; McCarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ*. 407: 4560-4573. <http://dx.doi.org/10.1016/j.scitotenv.2009.03.029>.
- Robinson, S; Julyan, PJ; Hastings, DL; Zweit, J. (2004). Performance of a block detector PET scanner in imaging non-pure positron emitters - modelling and experimental validation with I-124. *Phys Med Biol*. 49: 5505-5528. <http://dx.doi.org/10.1088/0031-9155/49/24/008>.
- Robinson-Lora, M; Brennan, RA. (2009). The use of crab-shell chitin for biological denitrification: Batch and column tests. *Bioresour Technol*. 100: 534-541. <http://dx.doi.org/10.1016/j.biortech.2008.06.052>.
- Robra, BP; Seidler, A. (1994). A job-exposure matrix for exposure to solvents and other industry-related agents [Personal Communication].
- Roda, C; Kousignian, I; Ramond, A; Momas, I. (2013). Indoor tetrachloroethylene levels and determinants in Paris dwellings. *Environ Res*. 120: 1-6. <http://dx.doi.org/10.1016/j.envres.2012.09.005>.
- Rodilla, V; Banzie, AA; Veitch, JM; Murray, GI; Rowe, JD; Hawksworth, GM. (1998). Glutathione S-transferases in human renal cortex and neoplastic tissue: enzymatic activity, isoenzyme profile and immunohistochemical localization. *Xenobiotica*. 28: 443-456. <http://dx.doi.org/10.1080/004982598239371>.

## Fate Literature Search Results

### Off Topic

- Rodriguez-Kabana, R; Gazaway, WS; Weaver, DW; King, PS; Weaver, CF. (1998). Host suitability of selected tropical legumes and other crops for the reniform nematode, *Rotylenchulus reniformis* Linford & Oliveira, 1940. *Nematropica*. 28: 195-203.
- Roeder, E; Falta, RW; Lee, CM; Coates, JT. (2001). DNAPL to LNAPL transitions during horizontal cosolvent flooding. *Ground Water Monitoring and Remediation*. 21: 77-88.
- Rogers, B; Logan, BE. (2000). Bacterial transport in NAPL-contaminated porous media. *J Environ Eng*. 126: 657-666.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull*. 24: 82-91.
- Rogers, L. (1992). HISTORY MATCHING TO DETERMINE THE RETARDATION OF PCE IN GROUND-WATER. *Ground Water*. 30: 50-60.
- Rohleder, K; Wieczorek, H; Haeseler, E. (1984). PERCHLORETHYLENE IN TISSUES OF FATTENING PIGS .1. ANALYSIS AND DECONTAMINATION EXPERIMENTS. *Landwirtsch Forsch*. 37: 30-35.
- Roldán-Arjona, T; García-Pedrajas, MD; Luque-Romero, FL; Hera, C; Pueyo, C. (1991). An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis*. 6: 199-205. <http://dx.doi.org/10.1093/mutage/6.3.199>.
- Rombaldoni, F; Demichelis, R; Mazzuchetti, G; Ferri, A, da; Banchemo, M; Dotti, F. (2009). Effect of Carbon Dioxide Dry Cleaning on Low-stress Mechanical Properties, Air Permeability and Crease Pressing Performance of Men's Suit Fabrics. *Text Res J*. 79: 1168-1177. <http://dx.doi.org/10.1177/0040517509102397>.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal*. 4: 337-344. <http://dx.doi.org/10.2136/vzj2004.0100>.
- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res*. 44: 2107-2112. <http://dx.doi.org/10.1016/j.watres.2009.12.016>.
- Rong, Y; Wang, RF; Chou, R. (1998). Monte Carlo simulation for a groundwater mixing model in soil remediation of tetrachloroethylene. *Journal of Soil Contamination*. 7: 87-102.
- Rong, Y; Wu, G; Chen, HZ; Wang, M. (2005). Preparation of electrophoretic ink microcapsules and electrophoretic display prototype. *Chem J Chin Univ-Chin*. 26: 982-984.
- Roose, P; Van Thuyne, G; Belpaire, C; Raemaekers, M; Brinkman, UA. (2003). Determination of VOCs in yellow eel from various inland water bodies in Flanders (Belgium). *J Environ Monit*. 5: 876-884. <http://dx.doi.org/10.1039/b307862k>.
- Rose, MG; Berliner, N. (2004). T-cell large granular lymphocyte leukemia and related disorders [Review]. *Oncologist*. 9: 247-258.
- Rose, ML; Rivera, CA; Bradford, BU; Graves, LM; Cattley, RC; Schoonhoven, R; Swenberg, JA; Thurman, RG. (1999). Kupffer cell oxidant production is central to the mechanism of peroxisome proliferators. *Carcinogenesis*. 20: 27-33. <http://dx.doi.org/10.1093/carcin/20.1.27>.
- Rosenberg, C; Nylund, L; Aalto, T; Kontsas, H; Norppa, H; Jappinen, P; Vainio, H. (1991). VOLATILE ORGANOHALOGEN COMPOUNDS FROM THE BLEACHING OF PULP OCCURRENCE AND GENOTOXIC POTENTIAL IN THE WORK ENVIRONMENT (pp. 10-14). (ISSN 0045-6535; EISSN 1879-1298; BIOSIS/92/10857). Committee for Compounds Toxic to Reproduction.
- Rosenberg, E; Krska, R; Kellner, R. (1994). THEORETICAL AND PRACTICAL RESPONSE EVALUATION OF A FIBER OPTIC SENSOR FOR CHLORINATED HYDROCARBONS IN WATER. *Fresenius J Anal Chem*. 348: 560-562.
- Rosenkranz, HS; Klopman, G. (1990). 'Cryptic' mutagens and carcinogenicity [Review]. *Mutagenesis*. 5: 199-202. <http://dx.doi.org/10.1093/mutage/5.2.199>.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of Fe0 enhanced by a mixed culture containing two Dehalococcoides strains. *Chemosphere*. 55: 661-669. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.053>.
- Ross, JA. Dichloroacetic acid is mutagenic in big blue transgenic b6c3f1 mouse liver au - leavitt sa.
- Rossabi, J; Riha, BD; Eddy-Dilek, CA; Looney, BB; Hyde, WK. (2003). Recent advances in characterization of vadose zone dense non-aqueous phase liquids (DNAPL) in heterogeneous media. *Environmental and Engineering Geoscience*. 9: 25-36.
- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environ Sci Technol*. 39: 6845-6850. <http://dx.doi.org/10.1021/es0500052>.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res*. 40: 450-458.
- Rouze, NC; Hutchins, GD. (2003). Design and characterization of IndyPET-II: A high-resolution, high-sensitivity dedicated research scanner. *IEEE Trans Nucl Sci*. 50: 1491-1497. <http://dx.doi.org/10.1109/TNS.2003.817378>.
- Rowe, AR; Mansfeldt, CB; Heavner, GL; Richardson, RE. (2013). Methanospirillum respiratory mRNA biomarkers correlate with hydrogenotrophic methanogenesis rate during growth and competition for hydrogen in an organochlorine-respiring mixed culture. *Environ Sci Technol*. 47: 372-381. <http://dx.doi.org/10.1021/es303061y>.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc*. 102: 133-+.
- Rowe, BL; Toccalino, PL; Moran, MJ; Zogorski, JS; Price, CV. (2007). Occurrence and potential human-health relevance of volatile organic compounds in drinking water from domestic wells in the United States. *Environ Health Perspect*. 115: 1539-1546. <http://dx.doi.org/10.1289/ehp.10253>.
- Rowell, FJ; Fletcher, A; Packham, C. (1997). Recovery of some common solvents from an adhesive commercial skin adsorption pad by thermal desorption-gas chromatography. *Analyst*. 122: 793-796.
- Roy, A; Chien, YC; Weisel, CP; Georgopoulos, PG. (1999). Evaluation of a physiologically based pharmacokinetic model for perchloroethylene in humans at environmental exposure levels. *Epidemiology*. 10: S80-S80.

## Fate Literature Search Results

### Off Topic

- Roy, AK; McMinn, DM; Biswas, NM. (1975). Estrogenic inhibition of the hepatic synthesis of alpha<sub>2</sub>u globulin in the rat. *Endocrinology*. 97: 1501-1508.
- Roy, G; Mielczarski, JA. (2002). Infrared detection of chlorinated hydrocarbons in water at ppb levels of concentrations. *Water Res*. 36: 1902-1908.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol*. 59: 163-186.
- Roy, JW; Smith, JE; Gillham, RW. (2004). Laboratory evidence of natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol*. 74: 145-161. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.009>.
- Roy, JW; Smith, JE; Gillham, RW. (2007). Capillary effects on natural remobilization of pools of dense non-aqueous phase liquid mixtures in porous media. *Soil Sediment Contam*. 16: 253-268. <http://dx.doi.org/10.1080/15320380701285659>.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *Int Biodeterior Biodegradation*. 51: 61-66.
- Rubin, H; Rathfelder, K; Spiller, M; Kongeter, J. (2006). Enhancement of remediation of NAPL contaminated fractured permeable formations - Modeling study. *J Environ Eng*. 132: 58-67. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(58\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(58)).
- Rubins, HB; Robins, SJ; Collins, D; Fye, CL; Anderson, JW; Elam, MB; Faas, FH; Linares, E; Schaefer, EJ; Schectman, G; Wilt, TJ; Wittes, J. (1999). Gemfibrozil for the secondary prevention of coronary heart disease in men with low levels of high-density lipoprotein cholesterol. Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial Study Group. *N Engl J Med*. 341: 410-418. <http://dx.doi.org/10.1056/NEJM199908053410604>.
- Rubins, HB; Robins, SJ; Iwane, MK; Boden, WE; Elam, MB; Fye, CL; Gordon, DJ; Schaefer, EJ; Schectman, G; Wittes, JT. (1993). Rationale and design of the Department of Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial (HIT) for secondary prevention of coronary artery disease in men with low high-density lipoprotein cholesterol and desirable low-density lipoprotein cholesterol. *Am J Cardiol*. 71: 45-52.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health*. 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health*. 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.
- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health*. 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci*. 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Ward, EM; Brown, DP. (1994). Cancer mortality in female and male dry-cleaning workers. *J Occup Med*. 36: 867-874.
- Ruder, AM; Ward, EM; Brown, DP. (2001). Mortality in dry-cleaning workers: An update. *Am J Ind Med*. 39: 121-132. [http://dx.doi.org/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H](http://dx.doi.org/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H); [http://onlinelibrary.wiley.com/doi/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract](http://onlinelibrary.wiley.com/doi/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract).
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med*. 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem*. 22: 67-80.
- Rudolph, J; Koppmann, R; Plassdulmer, C. (1996). The budgets of ethane and tetrachloroethene: Is there evidence for an impact of reactions with chlorine atoms in the troposphere? *Atmos Environ*. 30: 1887-1894.
- Rudolph, J; Ramacher, B; Plass-Dulmer, C; Muller, KP; Koppmann, R. (1997). The indirect determination of chlorine atom concentration in the troposphere from changes in the patterns of non-methane hydrocarbons. *Tellus B Chem Phys Meteorol*. 49: 592-601. <http://dx.doi.org/10.1034/j.1600-0889.49.issue5.13.x>.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit*. 11: 1028-1036. <http://dx.doi.org/10.1039/b818487a>.
- Ruiz-Haas, P; Ingle, JD, Jr. (2007). Monitoring redox conditions with flow-based and fiber optic sensors based on redox indicators: Application to reductive dehalogenation in a bioaugmented soil column. *Geomicrobiology Journal*. 24: 365-378. <http://dx.doi.org/10.1080/01490450701459226>.
- Rule, KL; Comber, SD; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment--trace organic chemicals. *Chemosphere*. 63: 581-591. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.016>.
- Ruppe, S; Neumann, A; Braekevelt, E; Tomy, GT; Stern, GA; Maruya, KA; Vetter, W. (2004). Anaerobic transformation of compounds of technical toxaphene. 2. Fate of compounds lacking geminal chlorine atoms. *Environ Toxicol Chem*. 23: 591-598. <http://dx.doi.org/10.1897/03-221>.
- Ruppe, S; Neumann, A; Diekert, G; Vetter, W. (2004). Abiotic transformation of toxaphene by superreduced vitamin B12 and dicyanocobinamide. *Environ Sci Technol*. 38: 3063-3067. <http://dx.doi.org/10.1021/es034994f>.
- Ruppe, S; Neumann, A; Vetter, W. (2003). Anaerobic transformation of compounds of technical toxaphene. I. Regiospecific reaction of chlorobornanes with geminal chlorine atoms. *Environ Toxicol Chem*. 22: 2614-2621.

## Fate Literature Search Results

### Off Topic

- Russell, JW; Shadoff, LA. (1977). The sampling and determination of halocarbons in ambient air using concentration on porous polymer. *J Chromatogr A*. 134: 375-384.
- Russell, LB; Matter, BE. (1980). Whole-mammal mutagenicity tests: evaluation of five methods. *DNA Repair*. 75: 279-302.
- Russell, PE; Stark, TJ; Griffis, DP; Phillips, JR; Jarausch, KF. (1998). Chemically and geometrically enhanced focused ion beam micromachining. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 16: 2494-2498.
- Russo, A; Levis, AG. (1992). Detection of aneuploidy in male germ cells of mice by means of a meiotic micronucleus assay. *Mutat Res*. 281: 187-191. [http://dx.doi.org/10.1016/0165-7992\(92\)90007-5](http://dx.doi.org/10.1016/0165-7992(92)90007-5).
- Russo, A; Levis, AG. (1992). Further evidence for the aneuploidogenic properties of chelating agents: Induction of micronuclei in mouse male germ cells by EDTA. *Environ Mol Mutagen*. 19: 125-131.
- Russo, A; Pacchierotti, F; Metallì, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen*. 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, A; Stocco, A; Majone, F. (1992). Identification of kinetochore-containing (CREST+) micronuclei in mouse bone marrow erythrocytes. *Mutagenesis*. 7: 195-197. <http://dx.doi.org/10.1093/mutage/7.3.195>.
- Russo, AV; Toriggia, LF; Jacobo, SE. (2014). Natural clinoptilolite-zeolite loaded with iron for aromatic hydrocarbons removal from aqueous solutions. *Journal of Materials Science*. 49: 614-620. <http://dx.doi.org/10.1007/s10853-013-7741-7>.
- Russo, RS. (2003). Chemical composition of Asian continental outflow over the western Pacific: Results from Transport and Chemical Evolution over the Pacific (TRACE-P). *J Geophys Res*. 108: 8804. <http://dx.doi.org/10.1029/2002jd003184>.
- Russo, RS; Zhou, Y; White, ML; Mao, H; Talbot, R; Sive, BC. (2010). Multi-year (2004-2008) record of nonmethane hydrocarbons and halocarbons in New England: seasonal variations and regional sources. *Atmos Chem Phys*. 10: 4909-4929. <http://dx.doi.org/10.5194/acp-10-4909-2010>.
- Rust, CM; Aelion, CM; Flora, JR. (2002). Laboratory sand column study of encapsulated buffer release for potential in situ pH control. *J Contam Hydrol*. 54: 81-98.
- Rusyn, I; Denissenko, MF; Wong, VA; Butterworth, BE; Cunningham, ML; Upton, PB; Thurman, RG; Swenberg, JA. (2000). Expression of base excision repair enzymes in rat and mouse liver is induced by peroxisome proliferators and is dependent upon carcinogenic potency. *Carcinogenesis*. 21: 2141-2145. <http://dx.doi.org/10.1093/carcin/21.12.2141>.
- Rusyn, I; Kadiiska, MB; Dikalova, A; Kono, H; Yin, M; Tsuchiya, K; Mason, RP; Peters, JM; Gonzalez, FJ; Segal, BH; Holland, SM; Thurman, RG. (2001). Phthalates rapidly increase production of reactive oxygen species in vivo: Role of Kupffer cells. *Mol Pharmacol*. 59: 744-750.
- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol*. 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.
- Rusyn, I; Rose, ML; Bojes, HK; Thurman, RG. (2000). Novel role of oxidants in the molecular mechanism of action of peroxisome proliferators [Review]. *Antioxid Redox Signal*. 2: 607-621. <http://dx.doi.org/10.1089/15230860050192350>.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health*. 49: 126-132.
- Rutkiewicz, I; Kujawski, W; Namieśnik, J. (2010). Pervaporation of volatile organohalogen compounds through polydimethylsiloxane membrane. *Desalination*. 264: 160-164. <http://dx.doi.org/10.1016/j.desal.2010.07.020>.
- Rutkiewicz, I; Kujawski, W; Namieśnik, J. (2011). A procedure for the determination of dichloromethane and tetrachloroethene in water using pervaporation and gas chromatography. *Chem Paper Chem Zvesti*. 65: 578-583. <http://dx.doi.org/10.2478/s11696-011-0065-7>.
- Rychlicki, G; Terzyk, AP. (1998). Thermodynamic verification of the theory of volume filling of micropores for adsorption on activated carbons. *AST*. 16: 641-653.
- Rydberg, T. (1994). ALTERNATIVES TO PERCHLOROETHYLENE AS A DRY-CLEANING SOLVENT. *J Text Inst*. 85: 402-405.
- Ryder, JL; Demond, AH. (2008). Wettability hysteresis and its implications for DNAPL source zone distribution. *J Contam Hydrol*. 102: 39-48. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.010>.
- Sachsenroder, H; Brunner, E; Koch, M; Pfeifer, H; Staudte, B. (1996). Low-temperature H-1 MAS NMR and FTIR investigations on the interaction of tetrachloroethylene with surface hydroxyl groups in H-zeolites. 6: 341-347.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ*. 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saenton, S; Illangasekare, TH; Soga, K; Saba, TA. (2002). Effects of source zone heterogeneity on surfactant-enhanced NAPL dissolution and resulting remediation end-points. *J Contam Hydrol*. 59: 27-44.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Gonzalez-Garcia, J. (2010). Electrochemical Degradation of Perchloroethylene in Aqueous Media: Influence of the Electrochemical Operational Variables in the Viability of the Process. *Ind Eng Chem Res*. 49: 4123-4131. <http://dx.doi.org/10.1021/ie100134t>.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20 kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater*. 183: 648-654. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.074>.
- Saez, V; Esclapez, MD; Frias-Ferre, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems*. 11: 287-295.
- Saez, V; Tudela, I; Deseada Esclapez, M; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonoelectrochemical degradation of perchloroethylene in water: Enhancement of the process by the absence of background electrolyte. *Chem Eng J*. 168: 649-655. <http://dx.doi.org/10.1016/j.cej.2011.01.052>.
- Sahl, JW; Munakata-Marr, J; Crimi, ML; Siegrist, RL. (2007). Coupling permanganate oxidation with microbial dechlorination of tetrachloroethene. *Water Environ Res*. 79: 5-12. <http://dx.doi.org/10.2175/106143006X136720>.



## Fate Literature Search Results

### Off Topic

- Sakaguchi-Söder, K; Jager, J; Grund, H; Matthäus, F; Schüth, C. (2007). Monitoring and evaluation of dechlorination processes using compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom.* 21: 3077-3084. <http://dx.doi.org/10.1002/rcm.3170>.
- Sakamoto, N. (1976). [Metabolism of tetrachloroethylene in guinea pigs (author's transl)]. *Sangyo Igaku.* 18: 11-16.
- Sale, TC; Mcwhorter, DB. (2001). Steady state mass transfer from single-component dense nonaqueous phase liquids in uniform flow fields. *Water Resour Res.* 37: 393-404.
- Saleh, N; Sirk, K; Liu, Y; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci.* 24: 45-57.
- Sallmen, M; Lindbohm, ML; Anttila, A; Kyyronen, P; Taskinen, H; Nykyri, E; Hemminki, K. (1998). Time to pregnancy among the wives of men exposed to organic solvents. *Occup Environ Med.* 55: 24-30.
- Sallmen, M; Lindbohm, ML; Kyyronen, P; Nykyri, E; Anttila, A; Taskinen, H; Hemminki, K. (1995). Reduced fertility among women exposed to organic solvents. *Am J Ind Med.* 27: 699-713. <http://dx.doi.org/10.1002/ajim.4700270506>.
- Salmon, AG; Kizer, KW; Zeise, L; Jackson, RJ; Smith, MT. Potential carcinogenicity of chloral hydrate--a review [Review]. *J Toxicol Clin Toxicol.* 2: 115-121.
- Sana, B; Ghosh, D; Saha, M; Mukherjee, J. (2006). Purification and characterization of a salt, solvent, detergent and bleach tolerant protease from a new gamma-Proteobacterium isolated from the marine environment of the Sundarbans. *Process Biochemistry.* 41: 208-215. <http://dx.doi.org/10.1016/j.procbio.2005.09.010>.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology.* 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).
- Sánchez, MJS; Peña, GS; Lorente, VC; Gallego, TM; Albert, JC. (2001). La contaminación atmosférica en los bosques: Guía para la identificación de daños visibles causados por Ozono. Madrid, Spain: Ministerio de Medio Ambiente. [http://www.ceam.es/VentaLibros/guia\\_O3/index.htm](http://www.ceam.es/VentaLibros/guia_O3/index.htm).
- Sandholm, ST; Bradshaw, JD; Chen, G; Singh, HB; Talbot, RW; Gregory, GL; Blake, DR; Sachse, GW; Browell, EV; Barrick, JDW; Shipham, MA; Bachmeier, AS; Owen, D. (1992). SUMMERTIME TROPOSPHERIC OBSERVATIONS RELATED TO NXOY DISTRIBUTIONS AND PARTITIONING OVER ALASKA - ARCTIC BOUNDARY-LAYER EXPEDITION 3A. *J Geophys Res.* 97: 16481-16509.
- Sandoval, TE; Garate, MP; Scavia, J; Florusse, LJ; Peters, C, orJ. (2013). Effect of the ethoxy groups distribution on the phase behaviour of the binary systems carbon dioxide CO<sub>2</sub> with industrial non-ionic surfactants (CiEOj). *The Journal of Chemical Thermodynamics.* 57: 224-229. <http://dx.doi.org/10.1016/j.jct.2012.09.001>.
- Sandoval, TE; Pilar Garate, M. (2012). Measurement of the phase behaviour of the binary systems {carbon dioxide (CO<sub>2</sub>) + non-ionic surfactants (CiEOj)}. *The Journal of Chemical Thermodynamics.* 45: 109-113. <http://dx.doi.org/10.1016/j.jct.2011.09.018>.
- Sanhueza, E. (2000). Photochemical oxidation of chlorocarbons: A significant source of hci in remote tropical rains. *Interciencia.* 25: 186-+.
- Sanjuán-Herráez, D; Lliso, I; Pastor, A; de la Guardia, M. (2012). Green determination of the presence of volatile organic compounds in vehicle repair shops through passive sampling. *Talanta.* 98: 40-48. <http://dx.doi.org/10.1016/j.talanta.2012.06.034>.
- Sanner, T; Dybing, E. (2005). Comparison of carcinogen hazard characterisation based on animal studies and epidemiology. *Basic Clin Pharmacol Toxicol.* 96: 66-70. <http://dx.doi.org/10.1111/j.1742-7843.2005.pto960110.x>.
- Sapone, A; Peters, JM; Sakai, S; Tomita, S; Papiha, SS; Dai, R; Friedman, FK; Gonzalez, FJ. (2000). The human peroxisome proliferator-activated receptor alpha gene: identification and functional characterization of two natural allelic variants. *Pharmacogenetics.* 10: 321-333.
- Sarafraz-Yazdi, A, Ii; Mosadegh, M; Amiri, A. (2011). Determination of volatile organic compounds in environmental water samples using three solid-phase microextraction fibers based on sol-gel technique with gas chromatography-flame ionization detector. *Analytical Methods.* 3: 1877-1886. <http://dx.doi.org/10.1039/c1ay05181d>.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health.* 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sarkany-Kiss, A; Herczeg, I; Palombi, B; Grigorszky, I; Antal, L; Bacsı, I; Mozsar, A; Kalmar, AF; Nagy, SA. (2012). Toxicity tests of chlorinated hydrocarbons on the river mussel, *Unio crassus* (Bivalvia, Unionidae). *North - Western Journal of Zoology.* 8: 358-361.
- Sassi, G; Ruggeri, B. (2008). Uncertainty evaluation of human risk analysis (HRA) of chemicals by multiple exposure routes. *Risk Anal.* 28: 1343-1356. <http://dx.doi.org/10.1111/j.1539-6924.2008.01097.x>.
- Sata, F; Sapone, A; Elizondo, G; Stocker, P; Miller, VP; Zheng, W; Raunio, H; Crespi, CL; Gonzalez, FJ. (2000). CYP3A4 allelic variants with amino acid substitutions in exons 7 and 12: Evidence for an allelic variant with altered catalytic activity. *Clin Pharmacol Ther.* 67: 48-56. <http://dx.doi.org/10.1067/mcp.2000.104391>.
- Sathiakumar, C; Som, S; Eberl, S; Lin, P. (2010). NEMA NU 2-2001 performance testing of a Philips Gemini GXL PET/CT scanner. *Australas Phys Eng Sci Med.* 33: 199-209. <http://dx.doi.org/10.1007/s13246-010-0016-6>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg.* 35: 525-541.
- Sato, A; Nakajima, T. (1979). Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. *Br J Ind Med.* 36: 231-234. <http://dx.doi.org/10.1136/oem.36.3.231>.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *J Environ Eng.* 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, C; Yao, J. (2006). Simultaneous and sequential photolysis of TCE and PCE. *J Environ Eng.* 132: 32-41. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(32\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(32)).
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photolysis of TCA, TCE, and PCE in flow-through reactor system. *J Environ Eng.* 127: 620-629.

## Fate Literature Search Results

### Off Topic

- Sato, K; Shidahara, M; Watabe, H; Watanuki, S; Ishikawa, Y; Arakawa, Y; Nai, YH; Furumoto, S; Tashiro, M; Shoji, T; Yanai, K; Gonda, K. (2016). Performance evaluation of the small-animal PET scanner ClairvivoPET using NEMA NU 4-2008 Standards. *Phys Med Biol.* 61: 696-711. <http://dx.doi.org/10.1088/0031-9155/61/2/696>.
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances. *Sci Total Environ.* 46: 229-241. [http://dx.doi.org/10.1016/0048-9697\(85\)90296-7](http://dx.doi.org/10.1016/0048-9697(85)90296-7).
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances 360. *Sci Total Environ.* 46.
- Satsuma, K; Masuda, M. (2012). Reductive dechlorination of methoxychlor by bacterial species of environmental origin: evidence for primary biodegradation of methoxychlor in submerged environments. *J Agric Food Chem.* 60: 2018-2023. <http://dx.doi.org/10.1021/jf2048614>.
- Sausen, PJ; Elfarra, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem.* 265: 6139-6145.
- Savolainen, H; Pfäffli, P; Tengén, M; Vainio, H. (1977). Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol.* 38: 229-237. <http://dx.doi.org/10.1007/BF00293657>.
- Sawant, SY; Somani, RS; Bajaj, HC; Sharma, SS. (2012). A dechlorination pathway for synthesis of horn shaped carbon nanotubes and its adsorption properties for CO<sub>2</sub>, CH<sub>4</sub>, CO and N<sub>2</sub>. *J Hazard Mater.* 227: 317-326. <http://dx.doi.org/10.1016/j.jhazmat.2012.05.062>.
- Sawyers, CL; Denny, CT; Witte, ON. (1991). Leukemia and the disruption of normal hematopoiesis. *Cell.* 64: 337-350.
- Sax, NI; Lewis, RJ, Sr. (1987). Hazardous chemicals desk reference. New York, NY: Van Nostrand Reinhold.
- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res.* 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr.* 44: 703-707.
- Scatena, R; Bottoni, P; Vincenzoni, F; Messina, I; Martorana, G; Nocca, G; De Sole, P; Maggiano, N; Castagnola, M; Giardina, B. (2003). Bezafibrate induces a mitochondrial derangement in human cell lines: a PPAR-independent mechanism for a peroxisome proliferator. *Chem Res Toxicol.* 16: 1440-1447. <http://dx.doi.org/10.1021/tx0341052>.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: comparison between batch and column experiments. *Chemosphere.* 75: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.041>.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environ Sci Technol.* 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res.* 79: 57-62. <http://dx.doi.org/10.2175/106143006X136784>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, H. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere.* 119: 744-749. <http://dx.doi.org/10.1016/j.chemosphere.2014.08.005>.
- Schaefer, CE; Towne, RM; Root, D; Mccray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *J Environ Eng.* 138: 1-7. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000466](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000466).
- Schaefer, CE; Towne, RM; Vainberg, S; Mccray, JE; Steffan, RJ. (2010). Bioaugmentation for treatment of dense non-aqueous phase liquid in fractured sandstone blocks. *Environ Sci Technol.* 44: 4958-4964. <http://dx.doi.org/10.1021/es1002428>.
- Schaefer, D. (2012). Determinability of NAPL mass by measuring concentrations downstream of a contaminant source. *Environ Earth Sci.* 67: 2459-2467. <http://dx.doi.org/10.1007/s12665-012-1696-x>.
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol.* 71: 283-306. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.003>.
- Schaerlaekens, J; Vanderborgh, J; Merckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol.* 46: 1-16.
- Schäfer, D; Köber, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron-experimental results and numerical simulation. *J Contam Hydrol.* 65: 183-202. [http://dx.doi.org/10.1016/S0169-7722\(02\)00239-5](http://dx.doi.org/10.1016/S0169-7722(02)00239-5).
- Schaller, KH; Angerer, J; Lehnert, G. (1993). 1ST RESULTS OF 2 EXTERNAL INTERCOMPARISON PROGRAMS FOR THE DETERMINATION OF ORGANOCHLORINE COMPOUNDS IN BLOOD SPECIMENS RELEVANT IN ENVIRONMENTAL AND OCCUPATIONAL-MEDICINE. *Fresenius J Anal Chem.* 346: 830-832.
- Scharre, JE; Cotter, SA; Block, SS; Kelly, SA. (1990). Normative contrast sensitivity data for young children. *Optometry and Vision Science.* 67: 826-832.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol.* 75: 9-20.
- Schattenberg, JM; Galle, PR; Schuchmann, M. (2006). Apoptosis in liver disease. *Liver Int.* 26: 904-911.
- Scheele, GF; Clark, DB. (1980). THE EFFECT OF IMPACT VELOCITY ON THE COALESCENCE OF TETRACHLOROETHYLENE DROPS AT A PLANAR TETRACHLOROETHYLENE WATER INTERFACE. *Chemical Engineering Communications.* 5: 23-35.
- Scheid, C; Koul, H; Hill, WA; Lubner-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells. *J Urol.* 155: 1112-1116. [http://dx.doi.org/10.1016/S0022-5347\(01\)66402-4](http://dx.doi.org/10.1016/S0022-5347(01)66402-4).
- Scheid, C; Koul, H; Hill, WA; Lubner-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells 62. *J Urol.* 155.
- Schellin, M; Popp, P. (2006). Miniaturized membrane-assisted solvent extraction combined with gas chromatography/electron-capture detection applied to the analysis of volatile organic compounds. *J Chromatogr A.* 1103: 211-218. <http://dx.doi.org/10.1016/j.chroma.2005.11.01>.

## Fate Literature Search Results

### Off Topic

- Schenk, M; Purdue, MP; Colt, JS; Hartge, P; Blair, A; Stewart, P; Cerhan, JR; De Roos, AJ; Cozen, W; Severson, RK. (2009). Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. *Occup Environ Med.* 66: 23-31. <http://dx.doi.org/10.1136/oem.2007.036723>.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environ Sci Technol.* 32: 3026-3033.
- Scherr, PA; Hutchison, GB; Neiman, RS. (1992). Non-Hodgkin's lymphoma and occupational exposures. *Cancer Res.* 52: 5503s-5509s.
- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jørgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent ethene generation and growth of Dehalococcoides containing vinyl chloride reductive dehalogenase genes during an enhanced reductive dechlorination field demonstration. *Environ Sci Technol.* 42: 9302-9309. <http://dx.doi.org/10.1021/es800764t>.
- Schiebaum, KD; Gerlach, A; Gopel, W; Muller, WM; Vogtle, F; Dominik, A; Roth, HJ. (1994). SURFACE AND BULK INTERACTIONS OF ORGANIC-MOLECULES WITH CALIXARENE LAYERS. *Fresenius J Anal Chem.* 349: 372-379.
- Schierbaum, KD; Hierlemann, A; Gopel, W. (1994). MODIFIED POLYMERS FOR RELIABLE DETECTION OF ORGANIC-SOLVENTS - THERMODYNAMICALLY CONTROLLED SELECTIVITIES AND SENSITIVITIES. *Sens Actuators B.* 19: 448-452.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schiwy, A; Maes, HM; Koske, D; Flecken, M; Schmidt, KR; Schell, H; Tiehm, A; Kamptner, A; Thümmler, S; Stanjek, H; Heggen, M; Dunin-Borkowski, RE; Braun, J; Schäffer, A; Hollert, H. (2016). The ecotoxic potential of a new zero-valent iron nanomaterial, designed for the elimination of halogenated pollutants, and its effect on reductive dechlorinating microbial communities. *Environ Pollut.* 216: 419-427. <http://dx.doi.org/10.1016/j.envpol.2016.05.051>.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol.* 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schlichting, LM; Wright, PF; Stacey, NH. (1992). Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicol Ind Health.* 8: 255-266.
- Schmidt, J; Merkle, A; Brendel, R; Hoex, B; van De Sanden, MCM; Kessels, WMM. (2008). Surface passivation of high-efficiency silicon solar cells by atomic-layer-deposited Al<sub>2</sub>O<sub>3</sub>. *Progress in Photovoltaics.* 16: 461-466. <http://dx.doi.org/10.1002/pip.823>.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two Dehalococcoides strains. *Water Res.* 52: 146-154. <http://dx.doi.org/10.1016/j.watres.2013.12.042>.
- Schmidt, R; Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2002). Removal of NAPLs from the unsaturated zone using steam: prevention of downward migration by injecting mixtures of steam and air. *J Contam Hydrol.* 55: 233-260.
- Schmidt, R; Shafii, F; Hild, M. (1999). The mechanism of the solvent perturbation of the a(1)Delta(g)-> X-3 Sigma(-)(g) radiative transition of O-2. *J Phys Chem A.* 103: 2599-2605.
- Schmidt, TC; Zwank, L; Elsner, M; Berg, M; Meckenstock, RU; Haderlein, SB. (2004). Compound-specific stable isotope analysis of organic contaminants in natural environments: a critical review of the state of the art, prospects, and future challenges [Review]. *Anal Bioanal Chem.* 378: 283-300. <http://dx.doi.org/10.1007/s00216-003-2350-y>.
- Schmitz, RPH; Wolf, J; Habel, A; Neumann, A; Ploss, K; Svatos, A; Boland, W; Diekert, G. (2007). Evidence for a radical mechanism of the dechlorination of chlorinated propenes mediated by the tetrachloroethene reductive dehalogenase of *Sulfurospirillum multivorans*. *Environ Sci Technol.* 41: 7370-7375. <http://dx.doi.org/10.1021/es071026u>.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale configuration of organic immiscible liquid in multiphase systems with synchrotron X-ray microtomography. *Vadose Zone Journal.* 5: 641-648. <http://dx.doi.org/10.2136/vzj2005.0063>.
- Schnabel, WE; Dietz, AC; Burken, JG; Schnoor, JL; Alvarez, PJ. (1997). Uptake and transformation of trichloroethylene by edible garden plants. *Water Res.* 31: 816-824.
- Schnable, JG; Capangpangan, MB; Suffet, IH. (1991). CONTINUOUS AUTOMATIC MONITORING OF VOLATILE ORGANIC-COMPOUNDS IN AQUEOUS STREAMS BY A MODIFIED PURGE-AND-TRAP SYSTEM. *J Chromatogr A.* 549: 335-344.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol.* 29: 205-224.
- Schneider, M; Luxenhofer, O; Deissler, A; Ballschmiter, K. (1998). C1-C15 alkyl nitrates, benzyl nitrate, and bifunctional nitrates: Measurements in California and South Atlantic air and global comparison using C2Cl4 and CHBr3 as marker molecules. *Environ Sci Technol.* 32: 3055-3062.
- Schneiderman, MA; Decoufle, P; Brown, CC. (1979). Thresholds for environmental cancer: Biologic and statistical considerations. *Ann N Y Acad Sci.* 329: 92-130. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15339.x>.
- Schoenberg, JB; Stemhagen, A; Mogielnicki, AP; Altman, R; Abe, T; Mason, TJ. (1984). Case-control study of bladder cancer in New Jersey. I. Occupational exposures in white males. *J Natl Cancer Inst.* 72: 973-981.
- Scholer, HF; Keppler, F; Fahimi, IJ; Niedan, VW. (2003). Fluxes of trichloroacetic acid between atmosphere, biota, soil, and groundwater. *Chemosphere.* 52: 339-354. [http://dx.doi.org/10.1016/S0045-6535\(03\)00214-5](http://dx.doi.org/10.1016/S0045-6535(03)00214-5).
- Schollhorn, A; Savary, C; Stucki, G; Hanselmann, KW. (1997). Comparison of different substrates for the fast reductive dechlorination of trichloroethene under groundwater conditions. *Water Res.* 31: 1275-1282.

## Fate Literature Search Results

### Off Topic

- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ.* 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.
- Schrader, PS; Hess, TF. (2004). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT) in soil slurry. *J Environ Qual.* 33: 1202-1209.
- Schreiber, JS. (1993). Predicted infant exposure to tetrachloroethene in human breastmilk [Review]. *Risk Anal.* 13: 515-524. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00010.x>.
- Schreiber, JS; House, S; Prohonic, E; Smead, G; Hudson, C; Styk, M; Lauber, J. (1993). An investigation of indoor air contamination in residences above dry cleaners. *Risk Anal.* 13: 335-344. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb01085.x>.
- Schreiber, JS; Hudnell, HK; Geller, AM; House, DE; Aldous, KM; Force, MS; Langguth, K; Prohonic, EJ; Parker, JC. (2002). Apartment residents' and day care workers' exposures to tetrachloroethylene and deficits in visual contrast sensitivity. *Environ Health Perspect.* 110: 655-664.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere.* 29: 1743-1753.
- Schreier, CG; Reinhard, M. (1995). CATALYTIC DEHYDROHALOGENATION AND HYDROGENATION USING H<sub>2</sub> AND PALLADIUM AS A METHOD FOR THE REMOVAL OF TETRACHLOROETHYLENE FROM WATER. Abstracts of Papers - American Chemical Society. 209: 227-ENVR.
- Schreier, CG; Reinhard, M. (1995). CATALYTIC HYDRODEHALOGENATION OF CHLORINATED ETHYLENES USING PALLADIUM AND HYDROGEN FOR THE TREATMENT OF CONTAMINATED WATER. *Chemosphere.* 31: 3475-3487.
- Schubauer-Berigan, MK; Couch, JR; Petersen, MR; Carreón, T; Jin, Y; Deddens, JA. (2011). Cohort mortality study of workers at seven beryllium processing plants: update and associations with cumulative and maximum exposure. *Occup Environ Med.* 68: 345-353. <http://dx.doi.org/10.1136/oem.2010.056481>.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med.* 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.
- Schueller, MJ; Mulinix, TL; Christian, BT; Jensen, M; Holm, S; Oakes, TR; Roberts, AD; Dick, DW; Martin, CC; Nickles, RJ. (2003). Addressing the third gamma problem in PET. *IEEE Trans Nucl Sci.* 50: 50-52. <http://dx.doi.org/10.1109/TNS.2002.807868>.
- Schug, D; Lerche, C; Weissler, B; Gebhardt, P; Goldschmidt, B; Wehner, J; Dueppenbecker, PM; Salomon, A; Hallen, P; Kiessling, F; Schulz, V. (2016). Initial PET performance evaluation of a preclinical insert for PET/MRI with digital SiPM technology. *Phys Med Biol.* 61: 2851-2878. <http://dx.doi.org/10.1088/0031-9155/61/7/2851>.
- Schultz, R; Yan, W; Toppari, J; Volkl, A; Gustafsson, JA; Pelto-Huikko, M. (1999). Expression of peroxisome proliferator-activated receptor alpha messenger ribonucleic acid and protein in human and rat testis. *Endocrinology.* 140: 2968-2975. <http://dx.doi.org/10.1210/en.140.7.2968>.
- Schultze, MO; Klubes, P; Perman, V; Mizuno, NS; Bates, FW; Sautter, JH. (1959). Blood dyscrasia in calves induced by S-(dichlorovinyl)-L-cysteine. *Blood.* 14: 1015-1025.
- Schwarz, BCE; Deviny, JS; Tsotsis, TT. (1999). Degradation of PCE in an anaerobic waste gas by biofiltration. *Chem Eng Sci.* 54: 3187-3195.
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol.* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Scott, CS; Richards, SJ; Sivakumaran, M. (1994). Disorders of large granular lymphocytes and natural killer-associated cells [Letter]. *Blood.* 83: 301-303.
- Scott, WJ, Jr; Collins, MD; Nau, H. (1994). Pharmacokinetic determinants of embryotoxicity in rats associated with organic acids. *Environ Health Perspect.* 102: 97-101.
- Seagren, EA; Becker, JG. (2015). Predictions of bioenhancement of nonaqueous phase liquid ganglia dissolution using first- and zero-order biokinetic models. *J Contam Hydrol.* 182: 210-220. <http://dx.doi.org/10.1016/j.jconhyd.2015.08.004>.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res.* 303: 163-169.
- Seglen, PO. (1973). Preparation of rat liver cells. 3. Enzymatic requirements for tissue dispersion. *Exp Cell Res.* 82: 391-398. [http://dx.doi.org/10.1016/0014-4827\(73\)90357-1](http://dx.doi.org/10.1016/0014-4827(73)90357-1).
- Seiber, JN. (1996). Toxic air contaminants in urban atmospheres: Experience in California. *Atmos Environ.* 30: 751-756.
- Seigies, A, nNT; Pritts, M. (2006). Cover crop rotations alter soil microbiology and reduce replant disorders in strawberry. *HortScience.* 41: 1303-1308.
- Seiji, K; Inoue, O; Jin, C; Liu, YT; Cai, SX; Ohashi, M; Watanabe, T; Nakatsuka, H; Kawai, T; Ikeda, M. (1989). Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med.* 16: 675-684. <http://dx.doi.org/10.1002/ajim.4700160607>.
- Seiji, K; Jin, C; Watanabe, T; Nakatsuka, H; Ikeda, M. (1990). Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health.* 62: 171-176. <http://dx.doi.org/10.1007/BF00383594>; <http://link.springer.com/article/10.1007%2FBF00383594>.
- Sekhar, GC; Venkatesu, P; Rao, MVP. (2001). Excess molar volumes and speeds of sound of N,N-dimethylacetamide with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 46: 377-380.
- Seldén, AI; Ahlborg, G. (2011). Cancer morbidity in Swedish dry-cleaners and laundry workers: Historically prospective cohort study. *Int Arch Occup Environ Health.* 84: 435-443. <http://dx.doi.org/10.1007/s00420-010-0582-7>.
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A.* 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.
- Seliger, B. (2005). Strategies of tumor immune evasion. *BioDrugs.* 19: 347-354.

## Fate Literature Search Results

### Off Topic

- Sellaoui, L; Knani, S; Erto, A; Hachicha, MA; Ben Lamine, A. (2016). Equilibrium isotherm simulation of tetrachlorethylene on activated carbon using the double layer model with two energies: Steric and energetic interpretations. *Fluid Phase Equilibria*. 408: 259-264. <http://dx.doi.org/10.1016/j.fluid.2015.09.022>.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther*. 13: 37-49.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO<sub>2</sub>-photocatalyzed degradation of tetrachloroethene in water. *Water Res*. 33: 1827-1836.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation*. 31: 68-78. <http://dx.doi.org/10.1111/j.1745-6592.2010.01321.x>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect*. 103: 101-105.
- Semprini, L; Kitanidis, PK; Kampbell, DH; Wilson, JT. (1995). ANAEROBIC TRANSFORMATION OF CHLORINATED ALIPHATIC-HYDROCARBONS IN A SAND AQUIFER BASED ON SPATIAL CHEMICAL-DISTRIBUTIONS. *Water Resour Res*. 31: 1051-1062.
- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Augmentation of antigen-stimulated allergic responses by a small amount of trichloroethylene ingestion from drinking water. *Regul Toxicol Pharmacol*. 52: 140-146. <http://dx.doi.org/10.1016/j.yrtph.2008.07.006>.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation*. 21: 124-132.
- Seppäläinen, AM; Antti-Poika, M. (1983). Time course of electrophysiological findings for patients with solvent poisoning. A descriptive study. *Scand J Work Environ Health*. 9: 15-24.
- Sereshti, H; Bakhtiari, S; Khojeh, V. (2011). Simultaneous determination of aluminum, copper, iron and zinc in *Oscillatoria*, *Juncus littoralis* tissues and wetland water samples by ultrasound-assisted emulsification-microextraction combined with ICP-OES. *Analytical Methods*. 3: 2936-2942. <http://dx.doi.org/10.1039/c1ay05456b>.
- Sereshti, H; Bakhtiari, S; Toghyani, R; Samadi, S; Besharati-Seidani, T; Mahmoodi, NO. (2014). An Investigation on Heavy Metals Bio-Sorption by *Azolla filiculoides* in the International Anzali Wetland. *International Journal of Environmental Research*. 8: 377-386.
- Sereshti, H; Far, AR; Samadi, S. (2012). OPTIMIZED ULTRASOUND-ASSISTED EMULSIFICATION-MICROEXTRACTION FOLLOWED BY ICP-OES FOR SIMULTANEOUS DETERMINATION OF LANTHANUM AND CERIUM IN URINE AND WATER SAMPLES. *Anal Lett*. 45: 1426-1439. <http://dx.doi.org/10.1080/00032719.2012.675490>.
- Sereshti, H; Khojeh, V; Karimi, M; Samadi, S. (2012). Ligandless-ultrasound-assisted emulsification-microextraction combined with inductively coupled plasma-optical emission spectrometry for simultaneous determination of heavy metals in water samples. *Analytical Methods*. 4: 236-241. <http://dx.doi.org/10.1039/c1ay05354j>.
- Serra, C; Bonfill, X; Sunyer, J; Urrutia, G; Turuguet, D; Bastús, R; Roqué, M; 't Mannetje, A; Kogevinas, M; Occidental, WGotSoBCitCoV. (2000). Bladder cancer in the textile industry. *Scand J Work Environ Health*. 26: 476-481.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A study of mixtures of organic solvents and triglycerides of linseed oil or the free fatty acids .2. Application to the viscosity of the Andrade, Krone, McAllister and Hildebrand equations. *Grasas y Aceites*. 46: 289-294.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A STUDY OF MIXTURES OF ORGANIC-SOLVENTS AND TRIGLYCERIDES OF LINSEED OIL OR THE FREE FATTY-ACIDS .1. MOLAR VOLUME, MOLAR REFRACTION AND DYNAMIC VISCOSITY. *Grasas y Aceites*. 46: 183-195.
- Serrano-Trespalacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol*. 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Sertzign, P; Seifert, M; Tilgen, W; Reichrath, J. (2007). Present concepts and future outlook: Function of peroxisome proliferator-activated receptors (PPARs) for pathogenesis, progression, and therapy of cancer [Review]. *J Cell Physiol*. 212: 1-12. <http://dx.doi.org/10.1002/jcp.20998>.
- Services, MDoHaS. (2015). Health Assessment Final Release: Vienna Wells, Maries County, Missouri. EPA Facility ID: MON000705803, October 20, 2015.
- Services, NHDoE. (2012). Letter Health Consultation: Evaluation of Indoor Air and Soil Gas Data, Former Circle Tri Cleaners (CTC), Plymouth, New Hampshire, December 7, 2012 (pp. 7).
- Services, NJDoHaS. (2012). Health Consultation: Public Health Implications of Site-Related Indoor Air Exposures. Cornell-Dubilier Electronics Site, South Plainfield (Middlesex County), New Jersey. EPA Facility ID: NJD981557879, February 15, 2012 (pp. 40).
- Services, TDoSH. (2016). Consultation: Main Street Groundwater Plume Site (a/k/a Burnet Groundwater), Burnet, Burnet County, Texas. EPA Facility ID: TXN0006070441, February 25, 2016.
- Sewell, GW; Gibson, SA. (1991). Stimulation of the Reductive Dechlorination of Tetrachloroethene in Anaerobic Aquifer Microcosms by the Addition of Toluene (pp. 982-984). (ISSN 0013-936X; EISSN 1520-5851; NTIS/02976854\_a). Sewell, GW; Gibson, SA.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect*. 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Linder, SH; Marko, D; Bethel, H; Lupo, PJ. (2007). Comparative assessment of air pollution-related health risks in Houston. *Environ Health Perspect*. 115: 1388-1393. <http://dx.doi.org/10.1289/ehp.10043>.
- Seyedabbasi, M, irA; Farthing, MW; Imhoff, PT; Miller, CT. (2008). The influence of wettability on NAPL dissolution fingering. *Advances in Water Resources*. 31: 1687-1696. <http://dx.doi.org/10.1016/j.advwatres.2008.08.003>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol*. 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.

## Fate Literature Search Results

### Off Topic

- Shadley, J. R.; Wilson, BL; Dorney, MS. (1992). UNSTABLE SELF-EXCITATION OF TORSIONAL VIBRATION IN AC-INDUCTION MOTOR DRIVEN ROTATIONAL SYSTEMS. *Journal of Vibration and Acoustics*. 114: 226-231.
- Shah, CD; Jain, DK. (1985). SOLVENT (PERCHLOROETHYLENE) DYEING OF DISPERSE DYES ON POLYESTER. *Text Res J*. 55: 23-27.
- Shahin, MM. (1975). Genetic activity of niridazole in yeast. *DNA Repair*. 30: 191-198.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos*. 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Shapiro, SD; Busenberg, E; Focazio, MJ; Plummer, LN. (2004). Historical trends in occurrence and atmospheric inputs of halogenated volatile organic compounds in untreated ground water used as a source of drinking water. *Sci Total Environ*. 321: 201-217. <http://dx.doi.org/10.1016/j.scitotenv.2003.09.007>.
- Sharmin, R; Ioannidis, MA; Legge, RL. (2006). Effect of nonionic surfactant partitioning on the dissolution kinetics of residual perchloroethylene in a model porous medium. *J Contam Hydrol*. 82: 145-164. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.001>.
- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ*. 140: 1309-1318.
- Shaw, A. (1994). PREDICTION OF TEMPERATURE RISE IN LAYERED MEDIA FROM MEASURED ULTRASONIC INTENSITY DATA. *Phys Med Biol*. 39: 1203-1218.
- Shawn, SH; Robins, JM. (1986). Comment. *J Am Stat Assoc*. 84: 604-609.
- She, HY; Sleep, BE. (1998). The effect of temperature on capillary pressure-saturation relationships for air-water and perchloroethylene-water systems. *Water Resour Res*. 34: 2587-2597.
- She, HY; Sleep, BE. (1999). Removal of perchloroethylene from a layered soil system by steam flushing. *Ground Water Monitoring and Remediation*. 19: 70-77.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem*. 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Shelby, MD; Tice, RR; DeMarini, DM; Yang, RS. (1990). Toxicity and mutagenicity of a mixture of 25 chemicals found in contaminated groundwater. In H Vainio; M Sorsa; AJ McMichael (Eds.), (pp. 314-332). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=104>.
- Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H. (1985). Human exposure assessment to environmental chemicals: nursing mothers study. Final report. U.S. Environmental Protection Agency: Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H.
- Shen, H; Sewell, GW. (2005). Reductive biotransformation of tetrachloroethene to ethene during anaerobic degradation of toluene: experimental evidence and kinetics. *Environ Sci Technol*. 39: 9286-9294. <http://dx.doi.org/10.1021/es05030v>.
- Shen, H, ai; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environ Sci Technol*. 41: 4077-4083. <http://dx.doi.org/10.1021/es.0626180>.
- Shen, JM; Huang, Z; Li, JY; Gao, LS; Zhou, HY; Qian, YT. (2005). Synthesis of multi-walled carbon nanotubes at low temperature through anhydrous AlCl<sub>3</sub>-assisted ethylene tetrachloride dechlorination: A new dechlorination pathway. *Carbon*. 43: 2823-2826. <http://dx.doi.org/10.1016/j.carbon.2005.05.030>.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O<sub>3</sub> process. *Water Res*. 32: 2669-2679.
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry*. 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Sherlach, KS; Gorka, AP; Dantzler, A; Roepe, PD. (2011). Quantification of perchloroethylene residues in dry-cleaned fabrics. *Environ Toxicol Chem*. 30: 2481-2487. <http://dx.doi.org/10.1002/etc.665>.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere*. 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater*. 284: 222-232. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.023>.
- Sheu, YT; Lien, PJ; Chen, KF; Ou, JH; Kao, CM. (2016). Application of NZVI-contained emulsified substrate to bioremediate PCE-contaminated groundwater - A pilot-scale study. *Chem Eng J*. 304: 714-727. <http://dx.doi.org/10.1016/j.cej.2016.06.126>.
- Shevchenko, VV; Grinikh, LI; Alekseenok, AY. (1985). Clastogenic effect of oxalic acid and its specificity. *Sov Genet*. 21: 606-610.
- Shi, T; Yang, X; Christakos, G; Wang, J; Liu, L, i. (2015). Spatiotemporal Interpolation of Rainfall by Combining BME Theory and Satellite Rainfall Estimates. *Atmosphere (Basel)*. 6: 1307-1326. <http://dx.doi.org/10.3390/atmos6091307>.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (2000). Chlorinated solvent removal using food grade surfactants: Column studies. *J Environ Eng*. 126: 611-621.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environ Sci Technol*. 30: 97-103.
- Shields, HC; Fleischer, DM; Weschler, CJ. (1996). Comparisons among VOCs measured in three types of US commercial buildings with different occupant densities. *Indoor Air*. 6: 2-17. <http://dx.doi.org/10.1111/j.1600-0668.1996.t01-3-00002.x>.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther*. 270: 414-423.
- Shimada, Y. (1988). Studies on monochlorobenzene poisoning. Part III. Distribution of monochlorobenzene in the organs of pregnant mice and transfer to the fetus through the placenta: comparison with trichloroethylene and 1,1,1-trichloroethane. *Okayama Igakkai Zasshi*. 100: 147-153.

## Fate Literature Search Results

### Off Topic

- Shimizu, Y; Usui, K; Araki, K; Kurosaki, N; Takanobu, H; Takanishi, A. (2005). Study of finite element modeling from CT images. *Dent Mater J.* 24: 447-455.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual.* 34: 1435-1438. <http://dx.doi.org/10.2134/jeq2004.0265>.
- Shimotori, T; Arnold, WA. (2003). Measurement and estimation of Henry's law constants of chlorinated ethylenes in aqueous surfactant solutions. *Journal of Chemical and Engineering Data.* 48: 253-261. <http://dx.doi.org/10.1021/je025553z>.
- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut.* 119: 227-236.
- Shin, M, inC; Choi, HD, oc; Kim, D, oH; Baek, K. (2008). Effect of surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Desalination.* 223: 299-307. <http://dx.doi.org/10.1016/j.desal.2007.01.223>.
- Shin, M, inC; Yang, JS; Park, GY; Baek, K. (2011). Influence of mixed-surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Korean J Chem Eng.* 28: 1047-1053. <http://dx.doi.org/10.1007/s11814-010-0473-3>.
- Shipman, AJ; Whim, BP. (1980). Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the UK. *Ann Occup Hyg.* 23: 197-204. <http://dx.doi.org/10.1093/annhyg/23.2.197>.
- Shippey, K; Gorgens, A; Terblanche, D; Luger, M. (2004). Environmental challenges to operational isation of South African rainfall enhancement. *Water SA.* 30: 636-640.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res.* 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shirin, S; Buncel, E; Vanloon, GW. (2003). The use of beta-cyclodextrins to enhance the aqueous solubility of trichloroethylene and perchloroethylene and their removal from soil organic matter: Effect of substituents. *Can J Chem.* 81: 45-52. <http://dx.doi.org/10.1139/V02-205>.
- Shirin, S; Buncel, E; Vanloon, GW. (2008). The use of beta-cyclodextrins to enhance the aqueous solubility of trichloroethylene and perchloroethylene and their removal from soil organic matter - Effect of substituents (vol 81, pg 45, 2003). *Can J Chem.* 86: 79-79. <http://dx.doi.org/10.1139/V07-144>.
- Shook, GM; Pope, GA; Kostarelos, K. (1998). Prediction and minimization of vertical migration of DNAPLS using surfactant enhanced aquifer remediation at neutral buoyancy. *J Contam Hydrol.* 34: 363-382.
- Short, BG. (1993). Cell proliferation and renal carcinogenesis [Review]. *Environ Health Perspect.* 101: 115-120.
- Shouakar-Stash, O; Drimmie, RJ; Zhang, M; Frape, SK. (2006). Compound-specific chlorine isotope ratios of TCE, PCE and DCE isomers by direct injection using CF-IRMS. *Appl Geochem.* 21: 766-781. <http://dx.doi.org/10.1016/j.apgeochem.2006.02.006>.
- Shouakar-Stash, O; Frape, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol.* 60: 211-228. [http://dx.doi.org/10.1016/S0169-7722\(02\)00085-2](http://dx.doi.org/10.1016/S0169-7722(02)00085-2).
- Showers, J. (1998). NEMA to release breakthrough language for electronic commerce. *I E E E Electrical Insulation Magazine.* 14: 49-49.
- Shrestha, A; Ritz, B; Wilhelm, M; Qiu, J; Cockburn, M; Heck, JE. (2014). Prenatal exposure to air toxics and risk of Wilms' tumor in 0- to 5-year-old children. *J Occup Environ Med.* 56: 573-578. <http://dx.doi.org/10.1097/JOM.000000000000167>.
- Shrivastav, BB; Narahashi, T; Kitz, RJ; Roberts, JD. (1976). Mode of action of trichloroethylene on squid axon membranes. *J Pharmacol Exp Ther.* 199: 179-188.
- Shu, Y; Liu, P; Zhang, Q; Wei, D. (2013). Competitive sorption between 1,2,4-trichlorobenzene/tetrachloroethene and 1,2,4,5-tetrachlorobenzene by soils/sediments from South China. *Sci Total Environ.* 463-464: 258-263. <http://dx.doi.org/10.1016/j.scitotenv.2013.06.028>.
- Shugart, LR. (1990). DNA damage as an indicator of pollutant-induced genotoxicity. In WG Landis; WHvd Schalie (Eds.), (pp. 348-355). Philadelphia, PA: American Society for Testing and Materials.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol.* 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Shvedchikov, AP; Belousova, EV; Ponizovskii, AZ; Ponizovskii, LZ. (1998). Removal of perchloroethylene and trichloroethylene impurities from the atmospheric air by combined action of a pulsed corona discharge and UV irradiation. *High Energy Chemistry.* 32: 411-415.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health.* 56: 13-16.
- Sidonia, V; Haydee, KM; Ristoiu, D; Luminita, SD. (2009). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY FROM DEJ TOWN, ROMANIA. 54: 125-134.
- Sieber, H. (1982). CLEANSING AND MILLING OF WOOL YARNS IN PERCHLOROETHYLENE - REVIEW MOTIVATIONS PROSPECTS. 63: 219-224.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation.* 26: 114-124.
- Siemiatycki, J, . (1991). Risk factors for cancer in the workplace. In J Siemiatycki (Ed.). Boca Raton, FL: CRC Press.
- Siemiatycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health.* 13: 486-492.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res.* 45: 2452-2462. <http://dx.doi.org/10.1016/j.watres.2011.01.030>.
- Silbergeld, E. (1988). Epidemiology versus risk assessment: Resolving some old controversies. *Risk Anal.* 8: 555-557. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01197.x>.

## Fate Literature Search Results

### Off Topic

- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low f(oc) geomeedia. *Environ Sci Technol.* 36: 1613-1619. <http://dx.doi.org/10.1021/es010812a>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med.* 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverman, DT; Levin, LI; Hoover, RN. (1989). Occupational risks of bladder cancer in the United States: II. Nonwhite men. *J Natl Cancer Inst.* 81: 1480-1483. <http://dx.doi.org/10.1093/jnci/81.19.1480>.
- Simmonds, PG; Kerrin, SL; Lovelock, JE; Shair, FH. (1974). Distribution of atmospheric halocarbons in the air over the Los Angeles basin. *Atmos Environ.* 8: 209-216.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos.* 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Simmons, JE; Boyes, WK; Bushnell, PJ; Raymer, JH; Limsakun, T; McDonald, A; Sey, YM; Evans, MV. (2002). A physiologically based pharmacokinetic model for trichloroethylene in the male Long-Evans rat. *Toxicol Sci.* 69: 3-15. <http://dx.doi.org/10.1093/toxsci/69.1.3>.
- Simon, R; Vano, E; Prieto, C; Fernandez, JM; Ordiales, JM; Martinez, D. (2008). Criteria to optimise a dynamic flat detector system used for interventional radiology. *Radiat Prot Dosimetry.* 129: 261-264. <http://dx.doi.org/10.1093/rpd/ncn027>.
- Simonova, LG; Zirka, AA; Reshetnikov, SI; Larina, TV; Litvak, GS; Pinaeva, LG; Isupova, LA. (2011). Influence of heat treatment conditions on the physicochemical and catalytic properties of a chromium-containing catalyst for tetrachloroethylene hydrofluorination to pentafluoroethane. *Kinet Catal.* 52: 418-426. <http://dx.doi.org/10.1134/S0023158411030189>.
- Simpson, AE; Brammar, WJ; Pratten, MK; Cockcroft, N; Elcombe, CR. (1996). Placental transfer of the hypolipidemic drug, clofibrate, induces CYP4A expression in 18.5-day fetal rats. *Drug Metab Dispos.* 24: 547-554.
- Simpson, AEC, M; Brammar, WJ; Pratten, MK; Elcombe, CR. (1995). Translactational induction of CYP4A expression in 10.5-day neonatal rats by the hypolipidemic drug clofibrate. *Biochem Pharmacol.* 50: 2021-2032. [http://dx.doi.org/10.1016/0006-2952\(95\)02103-5](http://dx.doi.org/10.1016/0006-2952(95)02103-5).
- Simpson, DG; Carroll, RJ; Xie, M; Guth, DJ. (1996). Weighted logistic regression and robust analysis of diverse toxicology data. *Communications in Statistics: Theory and Methods.* 25: 2615-2632.
- Simpson, IJ; Blake, NJ; Barletta, B; Diskin, GS; Fuelberg, HE; Gorham, K; Huey, LG; Meinardi, S; Rowland, FS; Vay, SA; Weinheimer, AJ; Yang, M; Blake, DR. (2010). Characterization of trace gases measured over Alberta oil sands mining operations: 76 speciated C-2-C-10 volatile organic compounds (VOCs), CO<sub>2</sub>, CH<sub>4</sub>, CO, NO, NO<sub>2</sub>, NO<sub>y</sub>, O-3 and SO<sub>2</sub>. *Atmos Chem Phys.* 10: 11931-11954. <http://dx.doi.org/10.5194/acp-10-11931-2010>.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ.* 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Singh, HB. (1977). Atmospheric halocarbons: Evidence in favor of reduced average hydroxyl radical concentration in the troposphere. *Geophys Res Lett.* 4: 101-104. <http://dx.doi.org/10.1029/GL004i003p00101>.
- Singh, HB. (1978). [Personal communication] [Personal Communication].
- Singh, HB; Gregory, GL; Anderson, B; Browell, E; Sachse, GW; Davis, DD; Crawford, J; Bradshaw, JD; Talbot, R; Blake, DR; Thornton, D; Newell, R; Merrill, J. (1996). Low ozone in the marine boundary layer of the tropical Pacific Ocean: Photochemical loss, chlorine atoms, and entrainment. *J Geophys Res Atmos.* 101: 1907-1917.
- Singh, HB; Herlth, D; Kolyer, R; Salas, L; Bradshaw, JD; Sandholm, ST; Davis, DD; Crawford, J; Kondo, Y; Koike, M; Talbot, R; Gregory, GL; Sachse, GW; Browell, E; Blake, DR; Rowland, FS; Newell, R; Merrill, J; Heikes, B; Liu, SC; Crutzen, PJ; Kanakidou, M. (1996). Reactive nitrogen and ozone over the western Pacific: distribution, partitioning, and sources. *J Geophys Res.* 101: 1793-1808. <http://dx.doi.org/10.1029/95JD01029>.
- Singh, HB; Herlth, D; Ohara, D; Zahnle, K; Bradshaw, JD; Sandholm, ST; Talbot, R; Gregory, GL; Sachse, GW; Blake, DR; Wofsy, SC. (1994). SUMMERTIME DISTRIBUTION OF PAN AND OTHER REACTIVE NITROGEN SPECIES IN THE NORTHERN HIGH-LATITUDE ATMOSPHERE OF EASTERN CANADA. *J Geophys Res Atmos.* 99: 1821-1835.
- Singh, HB; Lillian, D; Appleby, A. (1975). Absolute determination of phosgene: pulsed flow coulometry. *Anal Chem.* 47: 860-864.
- Singh, HB; Lillian, D; Appleby, A; Lobban, L. (1975). Atmospheric formation of carbon tetrachloride from tetrachloroethylene. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 10: 253-256. <http://dx.doi.org/10.1080/00139307509435827>.
- Singh, HB; Ohara, D; Herlth, D; Bradshaw, JD; Sandholm, ST; Gregory, GL; Sachse, GW; Blake, DR; Crutzen, PJ; Kanakidou, MA. (1992). ATMOSPHERIC MEASUREMENTS OF PEROXYACETYL NITRATE AND OTHER ORGANIC NITRATES AT HIGH-LATITUDES - POSSIBLE SOURCES AND SINKS. *J Geophys Res.* 97: 16511-16522.
- Singh, HB; Ohara, D; Herlth, D; Sachse, W; Blake, DR; Bradshaw, JD; Kanakidou, M; Crutzen, PJ. (1994). ACETONE IN THE ATMOSPHERE - DISTRIBUTION, SOURCES, AND SINKS. *J Geophys Res Atmos.* 99: 1805-1819.
- Singh, HB; Salas, L; Lillian, D; Arnts, RR; Appleby, A. (1977). Generation of accurate halocarbon primary standards with permeation tubes. *Environ Sci Technol.* 11: 511-513. <http://dx.doi.org/10.1021/es60128a009>.
- Singh, HB; Salas, L; Shigeishi, H; Crawford, A. (1977). Urban-nonurban relationships of halocarbons, SF<sub>6</sub>, N<sub>2</sub>O, and other atmospheric trace constituents. *Atmos Environ.* 11: 819-828.
- Singh, HB; Salas, LJ; Cavanagh, LA. (1977). Distribution, sources and sinks of atmospheric halogenated compounds. *Journal of the Air and Waste Management Association.* 27: 332-336.
- Singh, HB; Salas, LJ; Shiegeishi, H; Smith, AH. (1978). Fate of halogenated compounds in the atmosphere Interim report-1977. Singh, HB; Salas, LJ; Shiegeishi, H; Smith, AH.



## Fate Literature Search Results

### Off Topic

- Singh, HB; Salas, LJ; Shigeishi, H; Scribner, E. (1978). Global distribution of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O Phase II interim report. NC: 803020.
- Singh, HB; Salas, LJ; Shigeishi, H; Smith, AJ; Scribner, E; Cavanagh, LA. (1979). Atmospheric distributions, sources and sinks of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O. (PB80-142706; EPA600379107). Menlo Park, CA: SRI International. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80142706>.
- Singh, HB; Salas, LJ; Smith, A; Stiles, R; Shigeishi, H. (1981). Atmospheric measurements of selected hazardous organic chemicals Interim report-1980 [EPA Report]. (600/3-81-032). Research Triangle Park, NC: Environmental Protection Agency.
- Singh, HB; Salas, LJ; Smith, AJ; Shigeishi, H. (1981). Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ*. 15: 601-612. [http://dx.doi.org/10.1016/0004-6981\(81\)90191-8](http://dx.doi.org/10.1016/0004-6981(81)90191-8).
- Singh, HB; Salas, LJ; Stiles, R; Shigeishi, H. (1983). Measurements of hazardous organic chemicals in the ambient atmosphere. (EPA-600/3-83-002; PB83-156935). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB83156935>.
- Singh, HB; Vizee, W; Chen, Y; Thakur, AN; Kondo, Y; Talbot, RW; Gregory, GL; Sachse, GW; Blake, DR; Bradshaw, JD; Wang, Y; Jacob, DJ. (1998). Latitudinal distribution of reactive nitrogen in the free troposphere over the Pacific Ocean in late winter early spring. *J Geophys Res Atmos*. 103: 28237-28246.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia*. 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet*. 14: 1-4.
- Singh, R; Singh, J. (1996). Irrigation planning in cotton through simulation modeling. *Irrigation Science*. 17: 31-36.
- Singh, R; Singh, J. (1997). Irrigation planning in wheat (*Triticum aestivum*) under deep water table conditions through simulation modelling. *Agricultural Water Management*. 33: 19-29.
- Sinkkonen, S; Veijanen, A; Paasivirta, J; Lahtipera, M; Vattulainen, A. (1995). CHLORINATED SHORT-CHAIN ALIPHATIC-HYDROCARBONS IN PINE NEEDLES BY PURGE-AND-TRAP GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Chemosphere*. 30: 2343-2352.
- Sinsheimer, P; Gottlieb, R; Farrar, C. (2002). Integrating pollution prevention technology into public policy: The case of professional wet cleaning. *Environ Sci Technol*. 36: 1649-1655. <http://dx.doi.org/10.1021/es010584k>.
- Sinsheimer, P; Grout, C; Namkoong, A; Gottlieb, R; Latif, A. (2007). The viability of professional wet cleaning as a pollution prevention alternative to perchloroethylene dry cleaning. *J Air Waste Manag Assoc*. 57: 172-178.
- Sizirici, B; Tansel, B. (2010). Projection of landfill stabilization period by time series analysis of leachate quality and transformation trends of VOCs. *Waste Manag*. 30: 82-91. <http://dx.doi.org/10.1016/j.wasman.2009.09.006>.
- Skender, L. (1995). ASSESSMENT OF URBAN-POPULATION EXPOSURE TO TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY MEANS OF BIOLOGICAL MONITORING (VOL 49, PG 445, 1994). *Arch Environ Health*. 50: 174-174.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1993). Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health*. 65: S163-S165.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1994). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Occup Health*. 49: 445-451.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health*. 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Skold, ME; Thyne, GD; Drexler, JW; Macalady, DL; Mccray, JE. (2008). Enhanced solubilization of a metal-organic contaminant mixture (Pb, Sr, Zn, and perchloroethylene) by cyclodextrin. *Environ Sci Technol*. 42: 8930-8934. <http://dx.doi.org/10.1021/es801835x>.
- Skowron, J; Miranowicz-Dzierzawska, K; Zapor, L; Golofit-Szymczak, M; Starek, A. (2001). Interactions of some organic solvents: Hydrocarbons and chloroalkene. *Int J Occup Saf Ergon*. 7: 35-47.
- Skowronski, GA; Abdelrahman, MS. (1997). Interspecies comparison of kinetic data of chlorinated chemicals of potential relevance to risk assessment. *Hum Ecol Risk Assess*. 3: 635-653.
- Skramstad, JD; Hurst, CJ; Novak, PJ. (2003). Survival of indicator organisms during enrichment on tetrachloroethene. *Water Environ Res*. 75: 368-376.
- Skupinova, S; Vejil, P; Sedlak, P; Bardova, M; Srbek, L; Klapste, P; Zouhar, M; Tesarova, B. (2004). Using DNA markers for characterisation of tomato resistance against root nematode *Meloidogyne incognita*. *Plant Soil Environ*. 50: 59-64.
- Slaten, BL. (1977). USE OF PERCHLOROETHYLENE IN SOLVENT FINISHING - RETENTION AND REMOVAL FROM POLYESTER FABRICS. Abstracts of Papers - American Chemical Society. 173: 13-13.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation*. 23: 59-67.
- Sleep, BE; Ma, YF. (1997). Thermal variation of organic fluid properties and impact on thermal remediation feasibility. *Journal of Soil Contamination*. 6: 281-306.
- Sleep, BE; Seepersad, DJ; Mo, K; Heidorn, CM; Hrapovic, L; Morrill, PL; McMaster, ML; Hood, ED; Lebron, C; Lollar, BS; Major, DW; Edwards, EA. (2006). Biological enhancement of tetrachloroethene dissolution and associated microbial community changes. *Environ Sci Technol*. 40: 3623-3633. <http://dx.doi.org/10.1021/es051493g>.
- Small, MJ. (2008). Methods for assessing uncertainty in fundamental assumptions and associated models for cancer risk assessment. *Risk Anal*. 28: 1289 - 1308. <http://dx.doi.org/10.1111/j.1539-6924.2008.01134.x>.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1996). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture. *Environ Sci Technol*. 30: 2850-2858.

## Fate Literature Search Results

### Off Topic

- Smatlak, CR; Gossett, JM; Zinder, SH. (1997). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture (vol 30, pg 2850, 1996). *Environ Sci Technol.* 31: 1252-1252.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1997). Response to Comment on "Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture". *Environ Sci Technol.* 31: 1251-1251.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H<sub>2</sub>O<sub>2</sub> Propagations. *J Environ Eng.* 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, DM; Ortiz, LW; Archuleta, RF. (1984). Long-term exposure of Syrian hamsters and Osborne-Mendel rats to aerosolized 045 um mean diameter fibrous glass. Denmark: R.
- Smith, JE; Zhang, ZF. (2001). Determining effective interfacial tension and predicting finger spacing for DNAPL penetration into water-saturated porous media. *J Contam Hydrol.* 48: 167-183.
- Smith, JH; Bomberger, DC, Jr; Haynes, DL. (1980). Prediction of the volatilization rates of high-volatility chemicals from natural water bodies. *Environ Sci Technol.* 14: 1332-1337.
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1989). Teratogenic activity of trichloroacetic acid in the rat. *Teratology.* 40: 445-451. <http://dx.doi.org/10.1002/tera.1420400506>.
- Smith, MM; Silva, JAK; Munakata-Marr, J; Mccray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environ Sci Technol.* 42: 9296-9301. <http://dx.doi.org/10.1021/es800757g>.
- Smits, TH; Assal, A; Hunkeler, D; Holliger, C. (2011). Anaerobic degradation of vinyl chloride in aquifer microcosms. *J Environ Qual.* 40: 915-922. <http://dx.doi.org/10.2134/jeq2010.0403>.
- Soares, BM; Pereira, ER; Maciel, JV; Vieira, AA; Duarte, FA. (2013). Assessment of dispersive liquid-liquid microextraction for the simultaneous extraction, preconcentration, and derivatization of Hg<sup>2+</sup> and CH<sub>3</sub>Hg<sup>+</sup> for further determination by GC-MS. *J Sep Sci.* 36: 3411-3418. <http://dx.doi.org/10.1002/jssc.201300599>.
- Sobhi, HR; Kashtiaray, A; Farahani, H; Abrahimpour, F; Esrafil, A, li. (2010). Quantitation of valproic acid in pharmaceutical preparations using dispersive liquid-liquid microextraction followed by gas chromatography-flame ionization detection without prior derivatization. *Drug Testing and Analysis.* 2: 362-366. <http://dx.doi.org/10.1002/dta.131>.
- Sofuni, T; Hayashi, M; Matsuoka, A; Sawada, M; Hatanaka, M; Jr, IM. (1985). [Mutagenicity tests on organic chemical contaminants in city water and related compounds. II. Chromosome aberration tests in cultured mammalian cells]. *Kokuritsu Iyakuin Shokuhin Eisei Kenkyusho Hokoku.* 103: 64-75.
- Sohlenius-Sternbeck, AK. (2006). Determination of the hepatocellularity number for human, dog, rabbit, rat and mouse livers from protein concentration measurements. *Toxicol In Vitro.* 20: 1582-1586. <http://dx.doi.org/10.1016/j.tiv.2006.06.003>.
- Sokol, L; Loughran, TP, Jr. (2006). Large granular lymphocyte leukemia. *Oncologist.* 11: 263-273. <http://dx.doi.org/10.1634/theoncologist.11-3-263>.
- Solet, D; Robins, TG. (1991). Renal function in dry cleaning workers exposed to perchloroethylene. *Am J Ind Med.* 20: 601-614.
- Solet, D; Robins, TG; Sampaio, C. (1990). Perchloroethylene exposure assessment among dry cleaning workers. *AIHA J.* 51: 566-574.
- Soljacic, I; Pusic, T. (2005). Ecology in finishing processes and textile care. *Tekstil.* 54: 390-401.
- Soljacic, I, vo; Pusic, T. (2009). Dry cleaning solvents. *Tekstil.* 58: 493-506.
- Soljacic, I, vo; Pusic, T. (2011). Solvent care in dry cleaning. *Tekstil.* 60: 219-225.
- Solleveld, HA; Haseman, JK; McConnell, EE. (1984). Natural history of body weight gain, survival, and neoplasia in the F344 rat. *J Natl Cancer Inst.* 72: 929-940.
- Soltanian, MR; Ritz, RW; Huang, CC; Dai, Z. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 1. Time-dependent effective retardation factor. *Water Resour Res.* 51: 1586-1600. <http://dx.doi.org/10.1002/2014WR016353>.
- Soltanian, MR; Ritz, RW; Huang, CC; Dai, Z. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 2. Particle displacement variance. *Water Resour Res.* 51: 1601-1618. <http://dx.doi.org/10.1002/2014WR016354>.
- Sommer, R; Pribil, W; Pflieger, S; Haider, T; Werderitsch, M; Gehringer, P. (2004). Microbicidal efficacy of an advanced oxidation process using ozone/hydrogen peroxide in water treatment. *Water Sci Technol.* 50: 159-164.
- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (2008). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Talanta.* 74: 1265-1270. <http://dx.doi.org/10.1016/j.talanta.2007.08.04>.
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environ Sci Technol.* 36: 2262-2268. <http://dx.doi.org/10.1021/es011162d>.
- Song, H; Carraway, ER. (2008). Catalytic hydrodechlorination of chlorinated ethenes by nanoscale zero-valent iron. *Appl Catal B-Environ.* 78: 53-60. <http://dx.doi.org/10.1016/j.apcatb.2007.07.034>.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere.* 73: 1420-1427. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.006>.
- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol.* 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.
- Sonoyama, N; Ezaki, K; Sakata, T. (2001). Continuous electrochemical decomposition of dichloromethane in aqueous solution using various column electrodes. *Adv Environ Res.* 6: 1-8.

## Fate Literature Search Results

### Off Topic

- Sonoyama, N; Sakata, T. (1999). Electrochemical Continuous Decomposition of Chloroform and Other Volatile Chlorinated Hydrocarbons in Water Using a Column Type Metal Impregnated Carbon Fiber Electrode. *Environ Sci Technol.* 33: 3438-3442. <http://dx.doi.org/10.1021/es980903g>.
- Sora, S; Agostini Carbone, ML. Chloral Hydrate, Methylmercury Hydroxide and Ethidium Bromide Affect Chromosomal Segregation during Meiosis of *Saccharomyces Cerevisiae*. *Mutat Res.* 190: 13-17.
- Sora, S; Agostini Carbone, ML. (1987). Chloral hydrate, methylmercury hydroxide and ethidium bromide affect chromosomal segregation during meiosis of *Saccharomyces cerevisiae*. *Mutat Res Lett.* 190: 13-17. [http://dx.doi.org/10.1016/0165-7992\(87\)90075-3](http://dx.doi.org/10.1016/0165-7992(87)90075-3).
- Sorbo, NW; Chang, DPY. (1992). OBSERVATIONS OF CHLORINATED-HYDROCARBON DROPLET GASIFICATION. *Combust Sci Tech.* 85: 419-435.
- Sorel, D; Cherry, JA; Lesage, S. (1998). In situ vertical circulation column: Containment system for small-scale DNAPL field experiments. *Ground Water Monitoring and Remediation.* 18: 114-125.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Sorenson, KS. (2003). Enhanced bioremediation for treatment of chlorinated solvent residual source areas. *ACS Symp Ser Am Chem Soc.* 837: 119-131.
- Sossi, V; Morin, O; Celler, A; Rempel, TD; Belzberg, A; Carhart, C. (2003). PET and SPECT performance of the siemens HD3 E.Cam(duet)(R): A 1" Na(I) hybrid camera. *IEEE Trans Nucl Sci.* 50: 1504-1509. <http://dx.doi.org/10.1109/TNS.2003.817323>.
- Sossi, V; Pointon, B; Boudoux, C; Cohen, P; Hudkins, K; Jivan, S; Nitzek, K; Derosario, J; Stevens, C; Ruth, TJ. (2001). NEMA NU 2-2000+performance measurements on an ADAC MCD camera. *IEEE Trans Nucl Sci.* 48: 1518-1523.
- Soulodre, GA; Lavoie, MC; Norcross, SG. (2003). Objective measures of listener envelopment in multichannel surround systems. 51: 826-840.
- Soutter, D; Mcbean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation.* 27: 129-132.
- Spaeth, K; Gauglitz, G. (1998). Characterisation of the optical properties of thin polymer films for their application in detection of volatile organic compounds. *Mater Sci Eng C.* 5: 187-191.
- Spaeth, K; Kraus, G; Gauglitz, G. (1997). In-situ characterization of thin polymer films for applications in chemical sensing of volatile organic compounds by spectroscopic ellipsometry. *Fresenius J Anal Chem.* 357: 292-296.
- Spanel, P; Cocker, J; Rajan, B; Smith, D. (1997). Validation of the SIFT Technique for Trace Gas Analysis of Breath Using the Syringe Injection Technique. *Ann Occup Hyg.* 41: 373-382.
- Speerschneider, P; Dekant, W. (1995). Renal tumorigenicity of 1,1-dichloroethene in mice: the role of male-specific expression of cytochrome P450 2E1 in the renal bioactivation of 1,1-dichloroethene. *Toxicol Appl Pharmacol.* 130: 48-56. <http://dx.doi.org/10.1006/taap.1995.1007>.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health.* 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2002). Effects of tetrachloroethylene on the viability and development of embryos of the Japanese medaka, *Oryzias latipes*. *Arch Environ Contam Toxicol.* 42: 463-469. <http://dx.doi.org/10.1007/s00244-001-0050-1>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol.* 27: 1-5.
- Spinatonda, G; Colombo, R; Capodaglio, EM; Imbriani, M; Pasetti, C; Minuco, G; Pinelli, P. (1997). Processes of speech production: Application in a group of subjects chronically exposed to organic solvents (II). *G Ital Med Lav Ergon.* 19: 85-88.
- Spinks, TJ; Karia, D; Leach, MO; Flux, G. (2014). Quantitative PET and SPECT performance characteristics of the Albira Trimodal pre-clinical tomograph. *Phys Med Biol.* 59: 715-731. <http://dx.doi.org/10.1088/0031-9155/59/3/715>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 213-236.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *Int Biodeterior Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82. <http://dx.doi.org/10.1016/j.procbio.2003.11.046>.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem.* 23: 2162-2169.
- Squillace, PJ; Moran, MJ. (2007). Factors associated with sources, transport, and fate of volatile organic compounds and their mixtures in aquifers of the United States. *Environ Sci Technol.* 41: 2123-2130. <http://dx.doi.org/10.1021/es061079w>.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environ Sci Technol.* 38: 5327-5338. <http://dx.doi.org/10.1021/es0349756>.
- Stacpoole, PW; Henderson, GN; Yan, Z; James, MO. (1998). Clinical pharmacology and toxicology of dichloroacetate. *Environ Health Perspect.* 106: 989-994.
- Stacpoole, PW; Wright, EC; Baumgartner, TG; Bersin, RM; Buchalter, S; Curry, SH; Duncan, CA; Harman, EM; Henderson, GN; Jenkinson, S; Lachin, JM; Lorenz, A; Schneider, SH; Siegel, JH; Summer, WR; Thompson, D; Wolfe, CL; Zorovich, B; Group, D-LAS. (1992). A controlled clinical trial of dichloroacetate for treatment of lactic acidosis in adults. *N Engl J Med.* 327: 1564-1569. <http://dx.doi.org/10.1056/NEJM199211263272204>.

## Fate Literature Search Results

### Off Topic

- Staff, CE. (2002). NEMA's 3Q02 control indices show uneven recovery. *Control Engineering Online*. 49: 13-13.
- Staff, CE. (2003). NEMA'S control indices for 3Q03 are flat despite economic growth. *Control Engineering Online*. 50: 24-24.
- Staff, CE. (2004). NEMA's industrial control business index up 14% from 2003. *Control Engineering Online*. 51: 12-12.
- Staff, CE. (2005). NEMA reports industrial control indices surge in 2005. *Control Engineering Online*. 52: 24-24.
- Staff, CE. (2007). Standards: NEMA reaffirms several for industrial control systems. *Control Engineering Online*. 54: 43-43.
- Staff, CE. (2008). NEMA offers free download of interactive standards and products guide. *Control Engineering Online*. 55: 27-27.
- Stanescu, G; Trutia, A, th. (2006). Optical spectra of the CoCl<sub>2</sub>/PEG systems. *Optical Materials*. 29: 332-336.  
<http://dx.doi.org/10.1016/j.optmat.2005.08.040>.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepage sediments: tree selection. *Int J Phytoremediation*. 10: 529-546. <http://dx.doi.org/10.1080/15226510802115067>.
- Stankiewicz, Z; Schreiner, H. (1993). TEMPERATURE-VACUUM PROCESS FOR THE DESORPTION OF ACTIVATED-CHARCOAL. *Process Saf Environ Protect*. 71: 134-140.
- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F1 and C57BL/10J mouse liver tumours. *Carcinogenesis*. 15: 1125-1131.
- Stapf, A; Honeit, F; Gondek, C; Kroke, E. (2017). Texturing of monocrystalline silicon wafers by HF-HCl-H<sub>2</sub>O<sub>2</sub> mixtures: Generation of random inverted pyramids and simulation of light trapping in PERC solar cells. *Solar Energy Materials and Solar Cells*. 159: 112-120.  
<http://dx.doi.org/10.1016/j.solmat.2016.08.034>.
- Stauber, AJ; Bull, RJ. (1997). Differences in phenotype and cell replicative behavior of hepatic tumors induced by dichloroacetate (DCA) and trichloroacetate (TCA). *Toxicol Appl Pharmacol*. 144: 235-246. <http://dx.doi.org/10.1006/taap.1997.8159>.
- Stefaniak, AB; Breyse, PN; Murray, MPM; Rooney, BC; Schaefer, J. (2000). An evaluation of employee exposure to volatile organic compounds in three photocopy centers. *Environ Res*. 83: 162-173. <http://dx.doi.org/10.1006/enrs.2000.4061>.
- Steiman, R; Seiglemurandi, F; Guiraud, P; Benoitguyod, JL. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual*. 10: 283-285.
- Steineck, G; Plato, N; Gerhardsson, M; Norell, SE; Hogstedt, C. (1990). Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. *Int J Cancer*. 45: 1012-1017. <http://dx.doi.org/10.1002/ijc.2910450605>.
- Steinmoeller, S; Bandte, M; Buettner, C; Mueller, P. (2012). Effects of sanitation processes on survival of *Synchytrium endobioticum* and *Globodera rostochiensis*. *European Journal of Plant Pathology*. 133: 753-763. <http://dx.doi.org/10.1007/s10658-012-9955-y>.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med*. 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Steitz, W. (1979). PRE-CLEANING OF POLYESTER MATERIAL AND CLEANING OF FIXED POLYESTER PRINTS IN PERCHLOROETHYLENE. *Textilveredlung*. 14: 440-442.
- Stelzer, N; Imfeld, G; Thullner, M; Lehmann, J; Poser, A; Richnow, H-H; Nijenhuis, I. (2009). Integrative approach to delineate natural attenuation of chlorinated benzenes in anoxic aquifers. *Environ Pollut*. 157: 1800-1806. <http://dx.doi.org/10.1016/j.envpol.2009.01.029>.
- Stemhagen, A; Slade, J; Altman, R; Bill, J. (1983). Occupational risk factors and liver cancer: A retrospective case-control study of primary liver cancer in New Jersey. *Am J Epidemiol*. 117: 443-454.
- Stenner, RD; Merdink, JL; Fisher, JW; Bull, RJ. (1998). Physiologically-based pharmacokinetic model for trichloroethylene considering enterohepatic recirculation of major metabolites. *Risk Anal*. 18: 261-269.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics*. 4: 185-192.
- Sterchele, PF; Sun, H; Peterson, RE; Vanden Heuvel, JP. (1996). Regulation of peroxisome proliferator-activated receptor-alpha mRNA in rat liver. *Arch Biochem Biophys*. 326: 281-289.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol*. 23: 761-765.
- Stevens, JL. (1985). Isolation and characterization of a rat liver enzyme with both cysteine conjugate beta-lyase and kynureninase activity. *J Biol Chem*. 260: 7945-7950.
- Stevenson, DE; McClain, RM; Popp, JA; Slaga, TJ; Ward, JM; Pitot, HC. (1990). *Mouse liver carcinogenesis: mechanisms and species comparisons*. New York, NY: Wiley-Liss.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med*. 48: 531-537.
- Stewart, RD; Baretta, ED; Dodd, HC; Torkelson, TR. (1970). Experimental human exposure to tetrachloroethylene. *Arch Environ Health*. 20: 224-229.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health*. 20: 64-71.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. *J Occup Environ Med*. 3: 586-590.
- Stewart, RD; Hake, CL; Forster, AJ; Lubrun, AJ; Peterson, JE; Wu, A. (1974). Tetrachloroethylene: Development of a biologic standard for the industrial worker by breath analysis. Atlanta, GA: National Institute of Occupational Safety and Health.  
<https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82152166>.
- Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A. (1981). Tetrachloroethylene: development of a biologic standard for the industrial worker by breath analysis. Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A.
- Stingone, JA; Mcveigh, KH; Claudio, L. (2016). Association between prenatal exposure to ambient diesel particulate matter and perchloroethylene with children's 3rd grade standardized test scores. *Environ Res*. 148: 144-153.  
<http://dx.doi.org/10.1016/j.envres.2016.03.035>.

## Fate Literature Search Results

### Off Topic

- Stiteler, WM; Knauf, LA; Hertzberg, RC; Schoeny, RS. (1993). A statistical test of compatibility of data sets to a common dose-response model. *Regul Toxicol Pharmacol.* 18: 392-402. <http://dx.doi.org/10.1006/rtp.1993.1065>.
- Stoebener, K; Klein, P; Horsch, M; Kuefer, K; Hasse, H. (2016). Parametrization of two-center Lennard-Jones plus point-quadrupole force field models by multicriteria optimization. *Fluid Phase Equilibria.* 411: 33-42. <http://dx.doi.org/10.1016/j.fluid.2015.11.028>.
- Stonard, MD; Phillips, PGN; Foster, JR; Simpson, MG; Lock, EA. (1986). alpha2u-Globulin: Measurement in rat kidney and relationship to hyaline droplets. *Clin Chim Acta.* 160: 197-203. [http://dx.doi.org/10.1016/0009-8981\(86\)90142-7](http://dx.doi.org/10.1016/0009-8981(86)90142-7).
- Storer, RD; Mckelvey, TW; Kraynak, AR; Elia, MC; Barnum, JE; Harmon, LS; Nichols, WW; Deluca, JG. (1996). Revalidation of the in vitro alkaline elution/rat hepatocyte assay for DNA damage: Improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res Genet Toxicol Environ Mutagen.* 368: 59-101. [http://dx.doi.org/10.1016/0165-1218\(95\)00070-4](http://dx.doi.org/10.1016/0165-1218(95)00070-4).
- Storey, RF; Baugh, DW. (1999). Plasticization of poly(styrene-b-isobutylene-b-styrene) ionomers by acid salts of 2-ethylhexyl-p-dimethylaminobenzoate. *Polymer Engineering and Science.* 39: 1328-1334.
- Storm. (2011). Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene (vol 66, pg 166, 2011). *Arch Environ Occup Health.* 66: 250-250. <http://dx.doi.org/10.1080/19338244.2011.623084>.
- Storm, J, anE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2012). Response to "Comment on 'Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene' by Storm et al". *Arch Environ Occup Health.* 67: 53-55. <http://dx.doi.org/10.1080/19338244.2012.645396>.
- Storm, JE; Mazor, KA. (2004). Update of residential tetrachloroethylene exposure and decreases in visual contrast sensitivity [Letter]. *Environ Health Perspect.* 112: A862-A864.
- Storm, JE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2011). Visual contrast sensitivity in children exposed to tetrachloroethylene. *Arch Environ Occup Health.* 66: 166-177. <http://dx.doi.org/10.1080/19338244.2010.539638>.
- Storm, JE; Mazor, KA; Shost, SJ; Serle, J; Aldous, KM; Blount, BC. (2013). Socioeconomic disparities in indoor air, breath, and blood perchloroethylene level among adult and child residents of buildings with or without a dry cleaner. *Environ Res.* 122: 88-97. <http://dx.doi.org/10.1016/j.envres.2013.02.001>.
- Stott, WT. (1988). Chemically induced proliferation of peroxisomes: implications for risk assessment. *Regul Toxicol Pharmacol.* 8: 125-159.
- Stott, WT; Quast, JF; Watanabe, PG. (1982). The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol.* 62: 137-151.
- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol.* 71: 155-192. <http://dx.doi.org/10.1016/j.jconhyd.2003.09.010>.
- Strachan, D. (1999). NEMA releases premiere next-level cable standard. *I E E Electrical Insulation Magazine.* 15: 50-+.
- Strating, SJ; Juarez, TJ; Stevens, ME; White, DW; Smith, PA. (2013). Short duration needle trap sampling with gas chromatography analysis to determine nearly instantaneous concentrations of selected organic vapor contaminants. *J Occup Environ Hyg.* 10: 674-684. <http://dx.doi.org/10.1080/15459624.2013.831982>.
- Strickland, JA; Guth, DJ. (2002). Quantitative exposure-response assessment approaches to evaluate acute inhalation toxicity of phosgene. *Hum Ecol Risk Assess.* 8: 511-536.
- Stromberg, PC. (1985). Large granular lymphocyte leukemia in F344 rats: Model for human T gamma lymphoma, malignant histiocytosis, and T-cell chronic lymphocytic leukemia. *Am J Pathol.* 119: 517-519.
- Stromberg, PC; Rojko, JL; Vogtsberger, LM; Cheney, C; Berman, R. (1983). Immunologic, biochemical, and ultrastructural characterization of the leukemia cell in F344 rats. *J Natl Cancer Inst.* 71: 173-181.
- Stroo, HF; Unger, M; Ward, CH; Kavanaugh, MC; Vogel, C; Leeson, A; Marqusee, J; Smith, BP. (2003). Remediating chlorinated solvent source zones. *Environ Sci Technol.* 37: 224A-230A.
- Strub, MP; Lepot, B; Morin, A. (2009). Metrological aspects of collaborative field trials, including coping with unexpected events. *Trends Analyt Chem.* 28: 245-261. <http://dx.doi.org/10.1016/j.trac.2008.12.003>.
- Struckhoff, GC; Burken, JG; Schumacher, JG. (2005). Vapor-phase exchange of perchloroethene between soil and plants. *Environ Sci Technol.* 39: 1563-1568. <http://dx.doi.org/10.1021/es049411w>.
- Sturaro, A; Parvoli, G; Doretto, L; Bancomina, C; Neonato, C. (1994). GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC DETERMINATION OF VINYL-ACETATE LEVELS IN AIR. 29: 575-577.
- Sturm, J. (2012). GLOBAL LIGHTING ASSOCIATION: THE GLOBAL VOICE OF THE LIGHTING INDUSTRY. 20: 16-18.
- Styles, JA; Mackay, JM; Randall, V; Jones, K; Fox, DA; Howard, CA; Ashby, J. (1992). Trichloroacetic acid: Investigation of chromosomal damage in vitro and in vivo. Abstract of the twenty-third meeting of the Environmental Mutagen Society. *Environ Mol Mutagen.* 19: 62. <http://dx.doi.org/10.1002/em.2850190503>.
- Styles, JA; Wyatt, I; Coutts, C. (1991). Trichloroacetic acid: Studies on uptake and effects on hepatic DNA and liver growth in mouse. *Carcinogenesis.* 12: 1715-1719. <http://dx.doi.org/10.1093/carcin/12.9.1715>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2013). Travel distance and transformation of injected emulsified zerovalent iron nanoparticles in the subsurface during two and half years. *Water Res.* 47: 4095-4106. <http://dx.doi.org/10.1016/j.watres.2012.12.042>.
- Su, CM; Evans, LJ. (1996). Soil solution chemistry and alfalfa response to CaCO<sub>3</sub> and MgCO<sub>3</sub> on an acidic Gleysol. *Can J Soil Sci.* 76: 41-47.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environ Sci Technol.* 33: 163-168.
- Su, FC; Mukherjee, B; Batterman, S. (2011). Trends of VOC exposures among a nationally representative sample: Analysis of the NHANES 1988 through 2004 data sets. *Atmos Environ.* 45: 4858-4867. <http://dx.doi.org/10.1016/j.atmosenv.2011.06.016>.

## Fate Literature Search Results

### Off Topic

- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Suarez, L; Weiss, NS; Martin, J. (1989). Primary liver cancer death and occupation in Texas. *Am J Ind Med.* 15: 167-175.
- Suárez sánchez, A; Krzemień, A; Riesgo fernández, P; Iglesias rodríguez, FJ; Sánchez lasherás, F; De Cos juez, FJ. (2015). Investment in new tungsten mining projects. *Resources Policy.* 46: 177-190.
- Subramoniam, A; Goel, SK; Pandya, KP; Seth, PK. (1989). Influence of trichloroethylene treatment on phosphoinositides in rat brain. *Toxicol Lett.* 49: 55-60. [http://dx.doi.org/10.1016/0378-4274\(89\)90101-X](http://dx.doi.org/10.1016/0378-4274(89)90101-X).
- Suchomel, EJ; Pennell, KD. (2006). Reductions in contaminant mass discharge following partial mass removal from DNAPL source zones. *Environ Sci Technol.* 40: 6110-6116. <http://dx.doi.org/10.1021/es060298e>.
- Suda, Y. (1977). DYEING OF NYLON-6 WITH DISPERSE DYES IN MIXED-SOLVENTS OF TETRACHLOROETHYLENE AND N,N-DIMETHYLACETAMIDE. 1530-1535.
- Suffet, IH; Brenner, L; Radziul, JV. (1976). GC/MS identification of trace organic compounds in Philadelphia waters, chap 23. 375-397.
- Sun, YW; Lu, XJ; Petersen, JN; Buscheck, TA. (2004). An analytical solution of tetrachloroethylene transport and biodegradation. *Transport in Porous Media.* 55: 301-308.
- Sunder, M; D-C, H. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res.* 31: 33-40.
- Sundlov, SP; Manahan, JM; Potter, RC, Jr; Cary, SM; Holub, RA. (2013). Facing Today's Installation Challenges of Adjustable-Speed Drives for Controlling Motors in Hazardous Location Areas. *I E E E Transactions on Industry Applications.* 49. <http://dx.doi.org/10.1109/TIA.2013.2262256>.
- Sung, MM; Kim, HJ; Kim, EK; Kwak, JY; Yoo, JK; Yoo, HS. (2002). Clinical evaluation of JPEG2000 compression for digital mammography. *IEEE Trans Nucl Sci.* 49: 827-832.
- Sung, TI; Chen, PC; Lee, LJH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health.* 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Sung, TI; Wang, JD; Chen, PC. (2008). Increased risk of cancer in the offspring of female electronics workers. *Reprod Toxicol.* 25: 115-119. <http://dx.doi.org/10.1016/j.reprotox.2007.08.004>.
- Sung, TI; Wang, JD; Chen, PC. (2009). Increased risks of infant mortality and of deaths due to congenital malformation in the offspring of male electronics workers. *Birth Defects Res A Clin Mol Teratol.* 85: 119-124. <http://dx.doi.org/10.1002/bdra.20496>.
- Sunkara, B; Su, Y; Zhan, J; He, J; Mcpherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. 9: 939-947. <http://dx.doi.org/10.1007/s11783-015-0807-9>.
- Suri, RP; Liu, J; Crittenden, JC; Hand, DW. (1999). Removal and Destruction of Organic Contaminants in Water Using Adsorption, Steam Regeneration, and Photocatalytic Oxidation: A Pilot-Scale Study. *J Air Waste Manag Assoc.* 49: 951-958. <http://dx.doi.org/10.1080/10473289.1999.10463861>.
- Surti, S; Karp, JS. (2005). A count-rate model for PET scanners using pixelated Anger-logic detectors with different scintillators. *Phys Med Biol.* 50: 5697-5715. <http://dx.doi.org/10.1088/0031-9155/50/23/020>.
- Surti, S; Karp, JS; Muehllehner, G; Raby, PS. (2003). IEEE NUCLEAR SCIENCE SYMPOSIUM - CONFERENCE RECORD Investigation of Lanthanum scintillators for 3-D PET. <http://dx.doi.org/10.1109/TNS.2003.812450>.
- Surti, S; Karp, JS; Popescu, LM; Daube-Witherspoon, ME; Werner, M. (2006). Investigation of time-of-flight benefit for fully 3-D PET. *IEEE Trans Med Imaging.* 25: 529-538. <http://dx.doi.org/10.1109/TMI.2006.871419>.
- Sutanto, S; van Roosmalen, MJE; Witkamp, GJ. (2013). Redeposition in CO2 textile dry cleaning. *Journal of Supercritical Fluids.* 81: 183-192. <http://dx.doi.org/10.1016/j.supflu.2013.05.013>.
- Sutanto, S; van Roosmalen, MJE; Witkamp, GJ. (2014). Mechanical action in CO2 dry cleaning. *Journal of Supercritical Fluids.* 93: 138-143. <http://dx.doi.org/10.1016/j.supflu.2013.09.019>.
- Suthawaree, J; Tajima, Y; Khunchornyakong, A; Kato, S; Sharp, A; Kajii, Y. (2012). Identification of volatile organic compounds in suburban Bangkok, Thailand and their potential for ozone formation. *Atmos Res.* 104-105: 245-254. <http://dx.doi.org/10.1016/j.atmosres.2011.10.019>.
- Sutherland, IW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2011). Chlorination and dehydrochlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene Part 1. Reaction pathways. *Appl Catal A-Gen.* 399: 1-11. <http://dx.doi.org/10.1016/j.apcata.2011.02.035>.
- Sutherland, K, inW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2014). Chlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene, Part 2: Effects of chlorine supply. *Appl Catal A-Gen.* 471: 149-156. <http://dx.doi.org/10.1016/j.apcata.2013.11.030>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water.* 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.
- Suuronen, K; Henriks-Eckerman, ML; Riala, R; Tuomi, T. (2008). Respiratory exposure to components of water-miscible metalworking fluids. *Ann Occup Hyg.* 52: 607-614. <http://dx.doi.org/10.1093/annhyg/men048>.
- Suxiang, Z; Qi, Q; Song, Z; Jingjia, J; Zhengrong, S; Guohua, L. (2014). Rear passivation of commercial multi-crystalline PERC solar cell by PECVD Al2O3. *Appl Surf Sci.* 290: 66-70. <http://dx.doi.org/10.1016/j.apsusc.2013.10.190>.
- Suzuki, T; Kawai, K; Moribe, M; Niinae, M. (2014). Recovery of Cr as Cr(III) from Cr(VI)-contaminated kaolinite clay by electrokinetics coupled with a permeable reactive barrier. *J Hazard Mater.* 278: 297-303. <http://dx.doi.org/10.1016/j.jhazmat.2014.05.086>.

## Fate Literature Search Results

### Off Topic

- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EIoRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther.* 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere.* 24: 1845-1853.
- Swanson, GM; Burns, PB. (1995). Cancer incidence among women in the workplace: A study of the association between occupation and industry and 11 cancer sites. *J Occup Environ Med.* 37: 282-287.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg.* 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Swenberg, JA; Lehman-McKeeman, LD. (1999). alpha 2-Urinary globulin-associated nephropathy as a mechanism of renal tubule cell carcinogenesis in male rats. In CC Capen; E Dybing; JM Rice; JD Wilbourn (Eds.), *IARC Sci Publ* (pp. 95-118). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=147>.
- Swenberg, JA; Short, B; Borghoff, S; Strasser, J; Charbonneau, M. (1989). The comparative pathobiology of alpha2u-globulin nephropathy. *Toxicol Appl Pharmacol.* 97: 35-46.
- Swerdlow, SH; Campo, E; Harris, NL; Jaffe, ES; Pileri, SA; Stein, H; Thiele, J; Vardiman, JW. (2008). WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues. In th (Ed.). Geneva, Switzerland: WHO Press. <http://apps.who.int/bookorders/anglais/detart1.jsp?codlan=1&codcol=70&codcch=4002>.
- Swinker, M; Burke, WA. (2002). Visual contrast sensitivity as a diagnostic tool [Letter]. *Environ Health Perspect.* 110: A120-A123. <http://dx.doi.org/10.1289/ehp.110-a120>.
- Syeda, AB; Koula, AJ; Boodida, S; Nallani, S. (2010). Excess Molar Volumes and Sound Speed in (Phenylacetone+nitrile+1,2-Dichloroethane), (Phenylacetone+nitrile+1,1,2-Trichloroethane), (Phenylacetone+nitrile+1,1,2,2-Tetrachloroethane), (Phenylacetone+nitrile plus Trichloroethene), and (Phenylacetone+nitrile plus Tetrachloroethene) at Temperatures of (303.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data.* 55: 1405-1410. <http://dx.doi.org/10.1021/jc900570e>.
- Szelag, H; Makuch, B; Zwierzykowski, W. (1992). DETERMINATION OF TETRACHLOROETHYLENE IN COCOA BUTTER. 94: 436-438.
- Szydowski, J; Milewska, A. (1999). Deuterium isotope effect on miscibility of some binary mixtures containing acetonitrile or nitromethane. *Fluid Phase Equilibria.* 162: 181-191.
- 't Mannelte, A; Dryson, E; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). High risk occupations for non-Hodgkin's lymphoma in New Zealand: Case-control study. *Occup Environ Med.* 65: 354-363. <http://dx.doi.org/10.1136/oem.2007.035014>.
- Tabacova, S. (1986). Maternal exposure to environmental chemicals [Review]. *Neurotoxicology.* 7: 421-440.
- Tabernacka, A. (2014). Biological Treatment of Groundwaters Polluted with Chlorinated Ethene. 36: 9-13.
- Tabernacka, A; Zborowska, E, wa; Lebkowska, M. (2012). Removal of Chlorinated Ethenes (TCE and PCE) from the Air by Using Integrated Bioreactors with Immobilized Biomass. 34: 11-18.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater.* 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Taechangam, P; Scamehorn, JF; Osuwan, S; Rirksomboon, T. (2008). Continuous Cloud Point Extraction of Volatile Organic Contaminants from Wastewater in a Multi-Stage Rotating Disc Contactor: Effect of Structure and Concentration of Solutes. *Separation Science and Technology.* 43: 3601-3623. <http://dx.doi.org/10.1080/01496390802282339>.
- Taghavy, A; Costanza, J, ed; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol.* 118: 128-142. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.001>.
- Tahara, M; Mabuchi, N; Takagishi, T. (2003). Shrink proofing of wool fabrics by pulse corona discharge and enzymes. *Sen'i Gakkaishi.* 59: 153-157.
- Tai, ES; Collins, D; Robins, SJ; O'Connor, JJ; Bloomfield, HE; Ordovas, JM; Schaefer, EJ; Brousseau, ME. (2006). The L162V polymorphism at the peroxisome proliferator activated receptor alpha locus modulates the risk of cardiovascular events associated with insulin resistance and diabetes mellitus: The Veterans Affairs HDL Intervention Trial (VA-HIT). *Atherosclerosis.* 187: 153-160. <http://dx.doi.org/10.1016/j.atherosclerosis.2005.08.034>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health.* 50: 169-180.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY APPLYING RETICULATED IRON AS REDUCING AGENT. *Kagaku Kogaku Ronbunshu.* 21: 22-31.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY FENTONS REACTION ON RETICULATED IRON. *Kagaku Kogaku Ronbunshu.* 21: 32-40.
- Takemura, Y; Senoo, K; Mukai, T; Suzuki, M. (1994). DECOMPOSING ORGANIC CHLORINE COMPOUNDS IN DRY-CLEANING WASTE-WATER BY FENTONS REACTION ON RETICULATED IRON. *Water Sci Technol.* 30: 129-137.
- Takeuchi, Y; Hisanaga, N; Koike, Y; Mabuchi, C. (1978). 2 CASES PRESUMABLY POISONED BY PERCHLOROETHYLENE IN JAPANESE-STYLE SILK CLOTHES CLEANING. *Sangyo Igaku.* 20: 146-155.
- Takigawa, T; Ogawa, H; Tamura, K; Murakami, S. (1997). Excess enthalpies of binary mixtures {x-dioxane isomer plus (1-x)non-polar liquid} at 298.15 K. *Fluid Phase Equilibria.* 136: 257-267.
- Takigawa, T; Tamura, K. (2000). Thermodynamic properties of (1,3-dioxane, or 1,4-dioxane plus a non-polar liquid) at T=298.15 K; speed of sound, excess isentropic and isothermal compressibilities and excess isochoric heat capacity. *The Journal of Chemical Thermodynamics.* 32: 1045-1055.

## Fate Literature Search Results

### Off Topic

- Talawat, J; Sabatini, DA; Tongcumpou, C. (2013). Behavior of DNAPL mixture of organometallic and chlorinated solvent in the presence of surfactants and alcohols as density modifying agents. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 1619-1627. <http://dx.doi.org/10.1080/10934529.2013.815093>.
- Talbot, R; Dibb, J; Scheuer, E; Seid, G; Russo, R; Sandholm, S; Tan, D; Singh, H; Blake, D; Blake, N; Atlas, E; Sachse, G; Jordan, C; Avery, M. (2003). Reactive nitrogen in Asian continental outflow over the western Pacific: Results from the NASA Transport and Chemical Evolution over the Pacific (TRACE-P) airborne mission. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003129>.
- Talbot, R; Mao, H; Scheuer, E; Dibb, J; Avery, M; Browell, E; Sachse, G; Vay, S; Blake, D; Huey, G; Fuelberg, H. (2008). Factors influencing the large-scale distribution of Hg<sup>0</sup> in the Mexico City area and over the North Pacific. *Atmos Chem Phys.* 8: 2103-2114. <http://dx.doi.org/10.5194/acp-8-2103-2008>.
- Talbot, RW; Bradshaw, JD; Sandholm, ST; Smyth, S; Blake, DR; Blake, NR; Sachse, GW; Collins, JE; Heikes, BG; Anderson, BE; Gregory, GL; Singh, HB; Lefer, BL; Bachmeier, AS. (1996). Chemical characteristics of continental outflow over the tropical South Atlantic Ocean from Brazil and Africa. *J Geophys Res Atmos.* 101: 24187-24202.
- Talbot, RW; Dibb, JE; Klemm, KI; Bradshaw, JD; Sandholm, ST; Blake, DR; Sachse, GW; Collins, J; Heikes, BG; Gregory, GL; Anderson, BE; Singh, HB; Thornton, DC; Merrill, JT. (1996). Chemical characteristics of continental outflow from Asia to the troposphere over the western Pacific Ocean during September-October 1991: Results from PEM-West A. *J Geophys Res Atmos.* 101: 1713-1725.
- Talbot, RW; Dibb, JE; Lefer, BL; Bradshaw, JD; Sandholm, ST; Blake, DR; Blake, NJ; Sachse, GW; Collins, JE; Heikes, BG; Merrill, JT; Gregory, GL; Anderson, BE; Singh, HB; Thornton, DC; Bandy, AR; Poeschel, RF. (1997). Chemical characteristics of continental outflow from Asia to the troposphere over the western Pacific Ocean during February-March 1994: Results from PEM-West B. *J Geophys Res Atmos.* 102: 28255-28274.
- Talbot, RW; Dibb, JE; Lefer, BL; Scheuer, EM; Bradshaw, JD; Sandholm, ST; Smyth, S; Blake, DR; Blake, NJ; Sachse, GW; Collins, JE; Gregory, GL. (1997). Large-scale distributions of tropospheric nitric, formic, and acetic acids over the western Pacific basin during wintertime. *J Geophys Res Atmos.* 102: 28303-28313.
- Talbot, RW; Dibb, JE; Scheuer, EM; Blake, DR; Blake, NJ; Gregory, GL; Sachse, GW; Bradshaw, JD; Sandholm, ST; Singh, HB. (1999). Influence of biomass combustion emissions on the distribution of acidic trace gases over the southern Pacific basin during austral springtime. *J Geophys Res Atmos.* 104: 5623-5634.
- Talbot, RW; Dibb, JE; Scheuer, EM; Bradshaw, JD; Sandholm, ST; Singh, HB; Blake, DR; Blake, NJ; Atlas, E; Flocke, F. (2000). Tropospheric reactive odd nitrogen over the South Pacific in austral springtime. *J Geophys Res Atmos.* 105: 6681-6694.
- Taleb, D; Bahri, MA, I; Warnock, G; Salmon, E; Luxen, A; Plenevaux, A; Anizan, N; Seret, A. (2012). Performance Measurements of the MicroPET FOCUS 120 for Iodine-124 Imaging. *IEEE Trans Nucl Sci.* 59: 1868-1878. <http://dx.doi.org/10.1109/TNS.2012.2205402>.
- Talguen, V; Turzo, A; Bizais, Y; Visvikis, D. (2004). Evaluation of attenuation correction methodology in the allegro PET system. *IEEE Trans Nucl Sci.* 51: 2688-2692. <http://dx.doi.org/10.1109/TNS.2004.835741>.
- Tan, LK; Liem, AJ. (1998). Effect of hydrochloric acid on sampling and analysis of semivolatile organic compounds in incineration flue gas. 4. Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans. *Environ Sci Technol.* 32: 157-162.
- Tan, T; Wang, S; Bian, S; Li, X. (2009). Polymer-induced generation and characterization of electrophoretic properties of hollow TiO<sub>2</sub>(X) nanospheres for electronic paper. *Synthetic Metals.* 159: 1739-1743. <http://dx.doi.org/10.1016/j.synthmet.2009.05.015>.
- Tan, T; Wang, S; Li, X; Wang, C; An, Y. (2009). Facile preparation and characterization of hollow poly(St-co-MMA-co-BA-co-MAA) core-double shell latex nanoparticles for electrophoretic displays. *Curr Appl Phys.* 9: 989-992. <http://dx.doi.org/10.1016/j.cap.2008.10.008>.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydeloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol.* 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanaka, S; Ikeda, M. (1968). A method for determination of trichloroethanol and trichloroacetic acid in urine. *Occup Environ Med.* 25: 214-219.
- Tanaka, T; Ordovas, JM; Delgado-Lista, J; Perez-Jimenez, F; Marin, C; Perez-Martinez, P; Gomez, P; Lopez-Miranda, J. (2007). Peroxisome proliferator-activated receptor alpha polymorphisms and postprandial lipemia in healthy men. *J Lipid Res.* 48: 1402-1408. <http://dx.doi.org/10.1194/jlr.M700066-JLR200>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol.* 28: 973-979.
- Tang, ML; Kemp, AS; Thorburn, J; Hill, DJ. (1994). Reduced interferon-gamma secretion in neonates and subsequent atopy. *Lancet.* 344: 983-985. [http://dx.doi.org/10.1016/S0140-6736\(94\)91641-1](http://dx.doi.org/10.1016/S0140-6736(94)91641-1).
- Tang, Q; Bo, Y; Zhu, Y. (2016). Spatiotemporal fusion of multiple-satellite aerosol optical depth (AOD) products using Bayesian maximum entropy method. *J Geophys Res Atmos.* 121: 4034-4048. <http://dx.doi.org/10.1002/2015JD024571>.
- Tang, Y; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Sci Technol.* 68: 1158-1163. <http://dx.doi.org/10.2166/wst.2013.362>.
- Tang, YF; Kline, JA. (1996). Modeling and design optimization of switched reluctance machine by boundary element analysis and simulation. *IEEE Transactions on Energy Conversion.* 11: 673-680.
- Tanimura, T; Yoshida, A; Yamazaki, S. (2005). Reduced formation of undesirable by-products from photocatalytic degradation of trichloroethylene. *Appl Catal B-Environ.* 61: 346-351. <http://dx.doi.org/10.1016/j.apcatb.2005.05.015>.
- Tao, L; Ge, R; Xie, M; Kramer, PM; Pereira, MA. (1999). Effect of trichloroethylene on DNA methylation and expression of early-intermediate protooncogenes in the liver of B6C3F1 mice. *J Biochem Mol Toxicol.* 13: 231-237.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci.* 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.



## Fate Literature Search Results

### Off Topic

- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci.* 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. (1996). Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261. [http://dx.doi.org/10.1016/S0304-3835\(96\)04451-5](http://dx.doi.org/10.1016/S0304-3835(96)04451-5).
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci.* 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Effect of trichloroethylene and its metabolites, dichloroacetic acid and trichloroacetic acid, on the methylation and expression of c-jun and c-myc protooncogenes in mouse liver: Prevention by methionine. *Toxicol Sci.* 54: 399-407. <http://dx.doi.org/10.1093/toxsci/54.2.399>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Hypomethylation and overexpression of c-jun and c-myc protooncogenes and increased DNA methyltransferase activity in dichloroacetic and trichloroacetic acid-promoted mouse liver tumors. *Cancer Lett.* 158: 185-193. [http://dx.doi.org/10.1016/S0304-3835\(00\)00518-8](http://dx.doi.org/10.1016/S0304-3835(00)00518-8).
- Tao, X; Wang, X; Li, Z; Zhou, S. (2015). Ultralow temperature synthesis and improved adsorption performance of graphene oxide nanosheets. *Appl Surf Sci.* 324: 363-368. <http://dx.doi.org/10.1016/j.apsusc.2014.10.153>.
- Tardif, R; Laparé, S; Charest-Tardif, G; Brodeur, J; Krishnan, K. (1995). Physiologically-based pharmacokinetic modeling of a mixture of toluene and xylene in humans. *Risk Anal.* 15: 335-342.
- Tartakovsky, B; Manuel, ME; Guiot, SR. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J.* 26: 72-81. <http://dx.doi.org/10.1016/j.bej.2005.06.007>.
- Tartakovsky, B; Manuel, MF; Guiot, SR. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environ Sci Technol.* 37: 5823-5828.
- Tas, DO; Pavlostathis, SG. (2008). Effect of nitrate reduction on the microbial reductive transformation of pentachloronitrobenzene. *Environ Sci Technol.* 42: 3234-3240. <http://dx.doi.org/10.1021/es702261w>.
- Taskinen, HK. (1993). EPIDEMIOLOGIC STUDIES IN MONITORING REPRODUCTIVE EFFECTS. *Environ Health Perspect.* 101: 279-283.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem.* 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci.* 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech.* 101: 135-152.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation.* 10: 455-471. <http://dx.doi.org/10.1080/15226510802100655>.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame.* 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame.* 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of hexachloropropene: Kinetic analysis of pathways to formation of perchloro-arylbenzenes. *Combust Flame.* 105: 486-498.
- Taylor, PH; Tirey, DA; Rubey, WA; Dellinger, B. (1994). DETAILED MODELING OF THE PYROLYSIS OF TRICHLOROETHENE - FORMATION OF CHLORINATED AROMATIC SPECIES. *Combust Sci Tech.* 101: 75-102.
- Taylor, TP; Pennell, KD; Abriola, LM; Dane, JH. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 1. Experimental studies. *J Contam Hydrol.* 48: 325-350.
- Taylor, TP; Rathfelder, KM; Pennell, KD; Abriola, LM. (2004). Effects of ethanol addition on micellar solubilization and plume migration during surfactant enhanced recovery of tetrachloroethene. *J Contam Hydrol.* 69: 73-99. [http://dx.doi.org/10.1016/S0169-7722\(03\)00151-7](http://dx.doi.org/10.1016/S0169-7722(03)00151-7).
- Teel, AL; Cutler, LM; Watts, RJ. (2009). Effect of sorption on contaminant oxidation in activated persulfate systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1098-1103. <http://dx.doi.org/10.1080/10934520903005095>.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists.* 77: 174-178.
- Templin, MV; Parker, JC; Bull, RJ. (1993). Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice. *Toxicol Appl Pharmacol.* 123: 1-8. <http://dx.doi.org/10.1006/taap.1993.1214>.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health.* 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Tenhunen, M; Pyykkonen, J; Tenhunenkeskinen, M; Jaatinen, K; Kuikka, JT. (1996). Components of the flood-field uniformity index in a gamma camera. *Phys Med Biol.* 41: 1209-1216.
- Tenkanen, L; Mänttari, M; Kovanen, PT; Virkkunen, H; Manninen, V. (2006). Gemfibrozil in the treatment of dyslipidemia: an 18-year mortality follow-up of the Helsinki Heart Study. *Arch Intern Med.* 166: 743-748. <http://dx.doi.org/10.1001/archinte.166.7.743>.
- Terrier, P; Townsend, AJ; Coindre, JM; Triche, TJ; Cowan, KH. (1990). An immunohistochemical study of pi class glutathione S-transferase expression in normal human tissue. *Am J Pathol.* 137: 845-853.

## Fate Literature Search Results

### Off Topic

- Terzyk, AP; Rychlicki, G. (1999). Calorimetric investigations of molecular interactions in the adsorbate/microporous activated carbon system. Towards the mechanism of adsorption in micropores? *AST*. 17: 323-373.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Surveillance of nasal and bladder cancer to locate sources of exposure to occupational carcinogens. *Occup Environ Med*. 54: 443-451.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol*. 26: 171-177.
- Thai, SF; Allen, JW; Deangelo, AB; George, MH; Fuscoe, JC. (2003). Altered gene expression in mouse livers after dichloroacetic acid exposure. *Mutat Res Rev Mutat Res*. 543: 167-180. [http://dx.doi.org/10.1016/S1383-5742\(03\)00014-0](http://dx.doi.org/10.1016/S1383-5742(03)00014-0).
- Thaidigsmann, B; Drews, A; Fellmeth, T; Saint-Cast, P; Wolf, A; Clement, F; Preu, R; Biro, D. (2012). Synergistic Effects of Rear-Surface Passivation and the Metal Wrap Through Concept. 2: 109-113. <http://dx.doi.org/10.1109/JPHOTOV.2012.2183577>.
- Thaidigsmann, B; Greulich, J; Lohmueller, E; Schmeisser, S; Clement, F; Wolf, A; Biro, D; Preu, R. (2012). Loss analysis and efficiency potential of p-type MWT-PERC solar cells. *Solar Energy Materials and Solar Cells*. 106: 89-94. <http://dx.doi.org/10.1016/j.solmat.2012.04.045>.
- Thaidigsmann, B; Kick, C; Drews, A; Clement, F; Wolf, A; Biro, D. (2013). Fire-through contacts-a new approach to contact the rear side of passivated silicon solar cells. *Solar Energy Materials and Solar Cells*. 108: 164-169. <http://dx.doi.org/10.1016/j.solmat.2012.09.029>.
- Thangada, S; Alvares, K; Mangino, M; Usman, MI; Rao, MS; Reddy, JK. (1989). An in vitro demonstration of peroxisome proliferation and increase in peroxisomal beta-oxidation system mRNAs in cultured rat hepatocytes treated with ciprofibrate. *FEBS Lett*. 250: 205-210.
- Thatoi, H; Das, S; Mishra, J; Rath, BP; Das, N. (2014). Bacterial chromate reductase, a potential enzyme for bioremediation of hexavalent chromium: a review [Review]. *J Environ Manage*. 146: 383-399. <http://dx.doi.org/10.1016/j.jenvman.2014.07.014>.
- Thaus, DM; Stark, TJ; Griffis, DP; Russell, PE. (1996). Development of focused ion-beam machining techniques for Permalloy structures. 14: 3928-3932.
- Theiss, JC; Stoner, GD; Shimkin, MB; Weisburger, EK. (1977). Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. *Cancer Res*. 37: 2717-2720.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol*. 26: 1159-1164.
- Thomas, J; Haseman, JK; Goodman, JI; Ward, JM; Loughran, TP, Jr; Spencer, PJ. (2007). A review of large granular lymphocytic leukemia in Fischer 344 rats as an initial step toward evaluating the implication of the endpoint to human cancer risk assessment [Review]. *Toxicol Sci*. 99: 3-19. <http://dx.doi.org/10.1093/toxsci/kfm098>.
- Thomas, KW; Pellizzari, ED; Perritt, RL; Nelson, WC. (1991). Effect of dry-cleaned clothes on tetrachloroethylene levels in indoor air, personal air, and breath for residents of several New Jersey homes. *J Expo Anal Environ Epidemiol*. 1: 475-490.
- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *J Environ Eng*. 139: 54-60. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000597](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000597).
- Thompson, K; Zhang, J; Zhang, C. (2011). Use of fugacity model to analyze temperature-dependent removal of micro-contaminants in sewage treatment plants. *Chemosphere*. 84: 1066-1071. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.063>.
- Thompson, KM; Evans, JS. (1993). Workers' breath as a source of perchloroethylene (Perc) in the home. *J Expo Anal Environ Epidemiol*. 3: 417-430.
- Thompson, KM; Evans, JS. (1997). The Value of Improved National Exposure Information for Perchloroethylene (Perc): A Case Study for Dry Cleaners. *Risk Anal*. 17: 253-271.
- Thomson, J; Webb, G; Winfield, J; Bonniface, D; Shortman, C; Winterton, N. (1993). AMBIENT-TEMPERATURE CATALYTIC FLUORINATION OF C-1 CHLOROHYDROCARBONS TO C-3 CHLOROHYDROCARBONS AND RELATED-COMPOUNDS USING OXIDE-SUPPORTED ORGANIC LAYER CATALYSTS. *Appl Catal A-Gen*. 97: 67-76.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation*. 27: 74-85.
- Thullner, M; Kampara, M; Richnow, HH; Harms, H; Wick, LY. (2008). Impact of bioavailability restrictions on microbially induced stable isotope fractionation. 1. Theoretical calculation. *Environ Sci Technol*. 42: 6544-6551. <http://dx.doi.org/10.1021/es702782c>.
- Tice, RR; Stack, HF; Waters, MD. (1996). Human exposures to mutagens: An analysis using the genetic activity profile database. *Environ Health Perspect*. 104: 585-589.
- Tichenor, BA; Sparks, LE; Jackson, MD; Guo, Z; Mason, MA; Plunket, CM; Rasor, SA. (1990). Emissions of perchloroethylene from dry cleaned fabrics. *Atmos Environ*. 24: 1219-1229. [http://dx.doi.org/10.1016/0960-1686\(90\)90087-4](http://dx.doi.org/10.1016/0960-1686(90)90087-4).
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere*. 42: 571-577.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst*. 28: 1495-1502.
- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-015-2636-7>.
- Tick, GR; Lourenso, F; Wood, AL; Brusseau, ML. (2003). Pilot-scale demonstration of cyclodextrin as a solubility-enhancement agent for remediation of a tetrachloroethene-contaminated aquifer. *Environ Sci Technol*. 37: 5829-5834. <http://dx.doi.org/10.1021/es030417f>.
- Ticknor, JL; Elsayed-Ali, O; Kim, W, onS; Trotz, MA; Cunningham, JA. (2013). Simplified Analysis of Chlorinated Ethenes in Water Samples by Gas Chromatography with Flame Ionization Detection. *Environ Eng Sci*. 30: 30-37. <http://dx.doi.org/10.1089/ees.2012.0101>.

## Fate Literature Search Results

### Off Topic

- Tiehm, A; Krassnitzer, S; Kolytyn, Y; Gedanken, A. (2009). Chloroethene dehalogenation with ultrasonically produced air-stable nano iron. *Ultrason Sonochem.* 16: 617-621. <http://dx.doi.org/10.1016/j.ultsonch.2009.01.005>.
- Till, C; Koren, G; Rovet, JF. (2001). Prenatal exposure to organic solvents and child neurobehavioral performance. *Neurotoxicol Teratol.* 23: 235-245. [http://dx.doi.org/10.1016/S0892-0362\(01\)00141-6](http://dx.doi.org/10.1016/S0892-0362(01)00141-6).
- Till, C; Westall, CA; Rovet, JF; Koren, G. (2001). Effects of maternal occupational exposure to organic solvents on offspring visual functioning: A prospective controlled study. *Teratology.* 64: 134-141. <http://dx.doi.org/10.1002/tera.1056>.
- Tirey, DA; Taylor, PH; Kasner, J; Dellinger, B. (1990). GAS-PHASE FORMATION OF CHLORINATED AROMATIC-COMPOUNDS FROM THE PYROLYSIS OF TETRACHLOROETHYLENE. *Combust Sci Tech.* 74: 137-157.
- Tobiszewski, M; Bigus, P; Namiesnik, J. (2014). Determination of parent and methylated polycyclic aromatic hydrocarbons in water samples by dispersive liquid-liquid microextraction-two dimensional gas chromatography-time-of-flight mass spectrometry. *Analytical Methods.* 6: 6678-6687. <http://dx.doi.org/10.1039/c4ay00887a>.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol.* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Toledo, LC; Silva, AC; Augusti, R; Lago, RM. (2003). Application of Fenton's reagent to regenerate activated carbon saturated with organochloro compounds. *Chemosphere.* 50: 1049-1054.
- Tominaga, T; Park, T; Rettich, TR; Battino, R; Wilhelm, E. (1988). BINARY GASEOUS-DIFFUSION COEFFICIENTS .7. TETRACHLOROETHENE AND 1,1,1-TRICHLOROETHANE WITH METHANE AND TETRAFLUOROMETHANE AT 100-KPA AND 283-343-K. *Journal of Chemical and Engineering Data.* 33: 479-481.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Tong, M; Yuan, S; Long, H; Zheng, M; Wang, L; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol.* 122: 16-25. <http://dx.doi.org/10.1016/j.jconhyd.2010.10.003>.
- Tong, S; Alessio, AM; Kinahan, PE. (2010). Noise and signal properties in PSF-based fully 3D PET image reconstruction: an experimental evaluation. *Phys Med Biol.* 55: 1453-1473. <http://dx.doi.org/10.1088/0031-9155/55/5/013>.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta-catalyzed biotransformation of dichloroacetic acid and other alpha-haloacids. *Chem Res Toxicol.* 11: 1332-1338. <http://dx.doi.org/10.1021/tx980144f>.
- Tontonoz, P; Hu, E; Spiegelman, BM. (1994). Stimulation of adipogenesis in fibroblasts by PPAR gamma 2, a lipid-activated transcription factor. *Cell.* 79: 1147-1156.
- Topping, MD; Forster, HW; Dolman, C; Luczynska, CM; Bernard, AM. (1986). Measurement of urinary retinol-binding protein by enzyme-linked immunosorbent assay, and its application to detection of tubular proteinuria. *Clin Chem.* 32: 1863-1866.
- Topurdur, K; Keefe, M; Wooliever, P; Lewis, N. (1994). FIELD-EVALUATION OF PEROX-PURE(TM) CHEMICAL OXIDATION TECHNOLOGY. *Water Sci Technol.* 30: 95-104.
- Torlapati, J; Clement, TP; Schaefer, CE; Lee, KK, un. (2012). Modeling Dehalococoides sp Augmented Bioremediation in a Single Fracture System. *Ground Water Monitoring and Remediation.* 32: 75-83. <http://dx.doi.org/10.1111/j.1745-6592.2011.01392.x>.
- Totten, CT; Annable, MD; Jawitz, JW; Delfino, JJ. (2007). Fluid and porous media property effects on dense nonaqueous phase liquid migration and contaminant mass flux. *Environ Sci Technol.* 41: 1622-1627. <http://dx.doi.org/10.1021/es061639r>.
- Towara, J; Hiller, B; Hutzinger, O; Kurz, J; Klein, P. (1992). PCDD/F IN DISTILLATION RESIDUES FROM DRY CLEANERS. *Chemosphere.* 25: 1509-1516.
- Trantham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol.* 36: 377-400.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travier, N; Gridley, G; De Roos, AJ; Plato, N; Moradi, T; Boffetta, P. (2002). Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. *Scand J Work Environ Health.* 28: 341-348.
- Travis, CC. (2011). On the Definition of Internal Dose Metrics. *Hum Ecol Risk Assess.* 17: 467-477. <http://dx.doi.org/10.1080/10807039.2011.552399>.
- Treigene, R; Musnickas, J. (2003). Solvent pre-treated wool fabric permanent set and physical properties. 11: 37-40.
- Trevisan, A; Cristofori, P; Fanelli, G. (1999). Glutamine synthetase activity in rat urine as sensitive marker to detect S3 segment-specific injury of proximal tubule induced by xenobiotics. *Arch Toxicol.* 73: 255-262. <http://dx.doi.org/10.1007/s002040050614>.
- Tripathy, SC; Lakervi, E. (2000). Evaluation of transformer loading above nameplate rating. 28: 971-981.
- Troia, A; Ripa, DM. (2011). The role of vapour pressure in multibubble sonoluminescence from organic solvents. *Ultrason Sonochem.* 18: 1180-1184. <http://dx.doi.org/10.1016/j.ultsonch.2011.01.002>.
- Troynikov, O; Watson, C; Jadhav, A; Nawaz, N; Kettlewell, R. (2016). Towards sustainable and safe apparel cleaning methods: A review [Review]. *J Environ Manage.* 182: 252-264. <http://dx.doi.org/10.1016/j.jenvman.2016.07.078>.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of combined zero-valent iron and electrical resistance heating for in situ trichloroethene remediation. *Environ Sci Technol.* 45: 5346-5351. <http://dx.doi.org/10.1021/es104266a>.

## Fate Literature Search Results

### Off Topic

- Tsai, TT; Kao, CM; Hong, A. (2009). Treatment of tetrachloroethylene-contaminated groundwater by surfactant-enhanced persulfate/BOF slag oxidation-A laboratory feasibility study. *J Hazard Mater.* 171: 571-576. <http://dx.doi.org/10.1016/j.jhazmat.2009.06.036>.
- Tsai, TT; Kao, CM; Yeh, TY; Liang, SH; Chien, HY. (2009). Application of surfactant enhanced permanganate oxidation and biodegradation of trichloroethylene in groundwater. *J Hazard Mater.* 161: 111-119. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.061>.
- Tsai, W, enT. (2012). An Analysis of Reducing Perchloroethylene Emissions in the Urban Environment: A Case Study of Taiwan. *CLEAN - Soil, Air, Water.* 40: 123-126. <http://dx.doi.org/10.1002/clen.201000462>.
- Tschopp, C; Safran, AB; Viviani, P; Bullinger, A; Reicherts, M; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part I: Experimental validation of a testing procedure. *Vision Res.* 38: 2203-2210.
- Tschopp, C; Safran, AB; Viviani, P; Reicherts, M; Bullinger, A; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part II: Normative values. *Vision Res.* 38: 2211-2218.
- Tseng, T, zuT; Uan, J, unYen; Tseng, WJ. (2011). Synthesis, microstructure, and photocatalysis of In<sub>2</sub>O<sub>3</sub> hollow particles. *Ceramics International.* 37: 1775-1780. <http://dx.doi.org/10.1016/j.ceramint.2011.01.046>.
- Tseng, WJ; Guo, SF, u. (2012). Synthesis of Nanoporous Al<sub>2</sub>O<sub>3</sub> Membranes from Polybutyl Methacrylate Functionalized SiO<sub>2</sub> Particles as a Sacrificial Template. *J Nanosci Nanotechnol.* 12: 7909-7914. <http://dx.doi.org/10.1166/jnn.2012.6621>.
- Tseng, WJ; Tseng, T, zuT; Wu, HM, ao; Her, YC; Yang, TJ, en. (2013). Facile Synthesis of Monodispersed In<sub>2</sub>O<sub>3</sub> Hollow Spheres and Application in Photocatalysis and Gas Sensing. *Journal of the American Ceramic Society.* 96: 719-725. <http://dx.doi.org/10.1111/jace.12166>.
- Tsuda, S. (1970). TRICHLOROETHYLENE AND PERCHLOROETHYLENE MADE VIA SIMPLE NEW ROUTE. *Chem Eng.* 77: 74-&.
- Tsuno, H; Kawamura, M; Oya, T. (2006). Application of biological activated carbon anaerobic reactor for treatment of hazardous chemicals. *Water Sci Technol.* 53: 251-260. <http://dx.doi.org/10.2166/wst.2006.360>.
- Tsunogai, U; Yoshida, N; Gamo, T. (1999). Carbon isotopic compositions of C-2-C-5 hydrocarbons and methyl chloride in urban, coastal, and maritime atmospheres over the western North Pacific. *J Geophys Res Atmos.* 104: 16033-16039.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology.* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tuck, DM. (1999). "DNAPL migration through a fractured perching layer" by Daniel B. Stephens, James A. Kelsey, Mark A. Prieksat, Mel G. Piepho, Chao Shan, and Mark D. Ankeny, July-August 1998 issue, v. 36, no. 4 : 605-610. Discussion. *Ground Water.* 37: 485-486.
- Tuck, DM; Bierck, BR; Jaffe, PR. (1998). Synchrotron radiation measurement of multiphase fluid saturations in porous media: Experimental technique and error analysis. *J Contam Hydrol.* 31: 231-256.
- Tuck, DM; Iversen, GM; Pirkle, WA. (2003). Organic dye effects on dense nonaqueous phase liquids (DNAPL) entry pressure in water saturated porous media. *Water Resour Res.* 39: 1207-1207. <http://dx.doi.org/10.1029/2001WR001000>.
- Tucker, JD; Sorensen, KJ; Ruder, AM; Mckernan, LT; Forrester, CL; Butler, MA. (2011). Cytogenetic analysis of an exposed-referent study: perchloroethylene-exposed dry cleaners compared to unexposed laundry workers. *Environ Health.* 10: 16. <http://dx.doi.org/10.1186/1476-069X-10-16>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci.* 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Tugwood, JD; Issemann, I; Anderson, RG; Bundell, KR; McPheat, WL; Green, S. (1992). The mouse peroxisome proliferator activated receptor recognizes a response element in the 5' flanking sequence of the rat acyl CoA oxidase gene. *EMBO J.* 11: 433-439.
- Tukey, JW. (1991). Use of many covariates in clinical trials. *International Statistical Review.* 59: 123-137.
- Tunncliffe, BS; Thomson, NR. (2004). Mass removal of chlorinated ethenes from rough-walled fractures using permanganate. *J Contam Hydrol.* 75: 91-114. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.006>.
- Turnbull, JC; Miller, JB; Lehman, SJ; Hurst, D; Peters, W; Tans, PP; Southon, J; Montzka, SA; Elkins, JW; Mondee, DJ; Romashkin, PA; Elansky, N; Skorokhod, A. (2009). Spatial distribution of  $\delta^{14}\text{C}$  across Eurasia: measurements from the TROICA-8 expedition. *Atmos Chem Phys.* 9: 175-187.
- Tyczkowski, A; Dzieniecki, P. (1980). INVESTIGATIONS ON THE APPLICATION OF THE ACTIVATED CARBON OF TYPE-N FOR REMOVAL OF PERCHLOROETHYLENE FROM AIR. *Przemysł Chemiczny.* 59: 33-35.
- Tzeng, HF; Blackburn, AC; Board, PG; Anders, MW. (2000). Polymorphism- and species-dependent inactivation of glutathione transferase zeta by dichloroacetate. *Chem Res Toxicol.* 13: 231-236. <http://dx.doi.org/10.1021/tx990175q>.
- U.S. EPA. (1978). In-depth studies on health and environmental impacts of selected water pollutants Task II Static acute bioassays and physical chemistry measurements [EPA Report]. Wareham, MA.
- U.S. EPA. (1980). Ambient water quality criteria for tetrachloroethylene [EPA Report]. (EPA/440/5-80/073). Office of Water. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000M4GG.txt>.
- U.S. EPA. (1980). Tetrachloroethylene: ambient water quality criteria [EPA Report]. Washington, DC.
- U.S. EPA. (1981). Environmental risk assessment of tetrachloroethylene, draft report [EPA Report].
- U.S. EPA. (1984). Proposed guidelines for carcinogen risk assessment. *Fed Reg.* 49: 46293-46301.
- U.S. EPA. (1985). Drinking water criteria document for tetrachloroethylene [EPA Report]. (PB86-118114). National Technical Information Service.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1987). Evaluation of the carcinogenicity of unleaded gasoline [EPA Report]. (EPA/600/8-87/001). Office of Health and Environmental Assessment, Office of Research and Development. <http://www.p2pays.org/ref/18/17565.pdf>.
- U.S. EPA. (1987). Technical analysis of new methods and data regarding dichloromethane hazard assessments [EPA Report]. (EPA/600/8-87/029A). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001GAN.txt>.

## Fate Literature Search Results

### Off Topic

- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA. (1989). Risk assessment guidance for superfund: Volume 1: Human health evaluation manual (part A): Interim final [EPA Report]. (EPA/540/1-89/002). Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. <http://www.epa.gov/oswer/riskassessment/ragsa/index.htm>.
- U.S. EPA. (1991). Alpha-2u-globulin: Association with chemically induced renal toxicity and neoplasia in the male rat (pp. 1-136). (EPA/625/3-91/019F). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB92143668>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA. (1991). Response to issues and the data submissions on the carcinogenicity of tetrachloroethylene (perchloroethylene) [EPA Report]. (EPA/600/6-91/002F). Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=35421>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg<sup>3/4</sup>/day [EPA Report] (pp. 24152-24161). Washington, DC.
- U.S. EPA. (1992). Draft report: A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg<sup>3/4</sup>/day. Fed Reg. 57: 24151-24173.
- U.S. EPA. (1993). Reference Dose (RfD): description and use in health risk assessments background document 1A, March 15, 1993. Washington, DC: U.S. Environmental Protection Agency, Integrated Risk Information System. <http://www.epa.gov/ncea/iris/rfd.htm>.
- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). Integrated Risk Information System (IRIS). IRIS summary of dichloromethane (CASRN 75-09-2) [EPA Report]. Office of Research and Development, National Center for Environmental Assessment. <http://www.epa.gov/iris/subst/0070.htm>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1996). Modeled ambient concentrations: perchloroethylene (CASRN 127-18-4) [EPA Report]. National Air Toxics Assessment, Technology Transfer Network, Office of Air and Radiation. [http://www.epa.gov/ttnatw01/nata/pdf/perch\\_conc.pdf](http://www.epa.gov/ttnatw01/nata/pdf/perch_conc.pdf).
- U.S. EPA. (1998). Dichloroacetic acid: carcinogenicity identification characterization summary [EPA Report]. (EPA 815-B-98-010). Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB99111387>.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727).
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of chloral hydrate [EPA Report]. (EPA/635/R-00/006). National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/toxreviews/0304tr.pdf>.
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20Data%5C00thru05%5Ctxt%5C00000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#>.
- U.S. EPA. (2001). Trichloroethylene health risk assessment: synthesis and characterization [external review draft] [EPA Report]. (EPA/600/P-01/002A). Washington, DC. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4580](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=4580).
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2003). IRIS summary of toxicological effects of dichloroacetic acid [EPA Report]. National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/subst/1001.htm>.
- U.S. EPA. (2003). Neurotoxicity of tetrachloroethylene (perchloroethylene): Discussion paper [EPA Report]. (EPA/600/P-03/005A). Washington, DC. [http://cfpub.epa.gov/ncea/iris\\_drafts/recordisplay.cfm?deid=75193](http://cfpub.epa.gov/ncea/iris_drafts/recordisplay.cfm?deid=75193).

## Fate Literature Search Results

### Off Topic

- U.S. EPA. (2003). Proposed OPPTS Science Policy: PPARa-mediated hepatocarcinogenesis in rodents and relevance to human health risk assessments [EPA Report]. Washington, DC.  
<http://www.epa.gov/scipoly/sap/meetings/2003/december9/peroxisomeproliferatorssciencepolicypaper.pdf>.
- U.S. EPA. (2004). Summary report of the peer review workshop on the neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper [EPA Report]. (EPA/600/R-04/041). National Center for Environmental Assessment.  
<http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=84351>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). Human testing; proposed plan and description of review process [Review]. 70: 6661-6667.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.  
[https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).
- U.S. EPA. (2005). Trichloroethylene issue paper 3: Role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [EPA Report]. (EPA/600/R-05/024). Washington, DC.  
[http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=438646](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=438646).
- U.S. EPA. (2006). Aging and toxic response: issues relevant to risk assessment. (EPA/600/P-03/004A). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=156648>.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment.  
<http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment.  
<http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>.
- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC.  
<http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=199243>.
- U.S. EPA. (2009). Benchmark dose software (BMDS) [Website]: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmds>
- U.S. EPA. (2009). Toxicological review of Trichloroacetic Acid (TCA) (External Review Draft) [EPA Report]. (EPA/635/R-09/003A). Washington, DC.
- U.S. EPA. (2009). Toxicological review of Trichloroethylene (CASRN 79-01-6) [External Review Draft] [EPA Report]. (EPA/635/R-09/011A). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=201006>.
- U.S. EPA. (2010). Benchmark dose software (BMDS) (Version 2.1.2 (Final Release)) [Computer Program]. RTP, NC: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmds/new.html>
- U.S. EPA. (2011). Final PBPK model simulation files [Database]. Washington, DC.
- Uchiyama, H; Acosta, E; Tran, S; Sabatini, DA; Harwell, JH. (2000). Supersolubilization in chlorinated hydrocarbon microemulsions: Solubilization enhancement by lipophilic and hydrophilic linkers. *Ind Eng Chem Res.* 39: 2704-2708.
- Ueno, Y; Morimoto, Y; Tsuchiya, K; Yanagita, N; Kojima, S; Ishitsu, T; Kitaguchi, H; Kubo, N; Zhao, S; Tamaki, N; Amemiya, K. (2009). Basic Performance Test of a Prototype PET Scanner Using CdTe Semiconductor Detectors. *IEEE Trans Nucl Sci.* 56: 24-28.  
<http://dx.doi.org/10.1109/TNS.2008.2004804>.
- Utrecht, J; Zahid, N; Rubin, R. (1988). Metabolism of procainamide to a hydroxylamine by human neutrophils and mononuclear leukocytes. *Chem Res Toxicol.* 1: 74-78.
- Uhlenhuth, P; Remy, E. (1936). Versuche zur Keimabtötung tuberkulösen Auswurfes mittels Casonex, Lavasteril, Thermo-Weidnerit, Weidnerit-Lösung, Trioform-Standard und Alkalyzol [Attempts to kill tuberculosis genes with Casonex, Lavasteril, Thermo-Weidnerit, Wiednerit-solution, Trioform-standard and Alkalyzol]. *Int J Hyg Environ Health.* 116: 131-138.
- Uhler, AD; Miller, LJ. (1988). Multiple headspace extraction gas chromatography for the determination of volatile halocarbon compounds in butter. *J Agric Food Chem.* 36: 772-775. <http://dx.doi.org/10.1021/jf00082a025>.
- Ulm, K; Henschler, D; Vamvakas, S. (1996). Occupational exposure to perchloroethylene. *Cancer Causes Control.* 7: 284-286.
- Ulrich, MM; Muller, S. R.; Singer, HP; Imboden, DM; Schwarzenbach, RP. (1994). INPUT AND DYNAMIC BEHAVIOR OF THE ORGANIC POLLUTANTS TETRACHLOROETHENE, ATRAZINE, AND NTA IN A LAKE - A STUDY COMBINING MATHEMATICAL-MODELING AND FIELD-MEASUREMENTS. *Environ Sci Technol.* 28: 1674-1685.
- Upton, AC; Clayson, DB; Jansen, JD; Rosenkranz, HS; Williams, GM. (1984). Report of ICPEMC Task Group 5 on the differentiation between genotoxic and non-genotoxic carcinogens [Review]. *Mutat Res.* 133: 1-49. [http://dx.doi.org/10.1016/0165-1110\(84\)90002-2](http://dx.doi.org/10.1016/0165-1110(84)90002-2).
- Upton, AC; Clayton, DB; Jansen, JD; Rosenkranz, HS; William, GM. (1985). Report of the international commission for protection against environmental mutagens and carcinogens task group on the differentiation between genotoxic and non-genotoxic carcinogens. 104.
- Uribe, J; Baghaei, H; Li, HD; Yokoyama, S; Zhang, N; Wang, JM; Dobbs, FR; Wong, WH. (1999). Basic imaging performance characteristics of a variable field of view PET camera using quadrant sharing detector design. *IEEE Trans Nucl Sci.* 46: 491-497.
- Urynowicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil Sediment Contam.* 17: 53-62. <http://dx.doi.org/10.1080/15320380701741412>.

## Fate Literature Search Results

### Off Topic

- Orynowicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.002>.
- USITC. (1983). Synthetic organic chemicals: United States production and sales, 1982.
- Uttamsingh, V; Keller, DA; Anders, MW. (1998). Acylase I-catalyzed deacetylation of N-acetyl-L-cysteine and S-alkyl-N-acetyl-L-cysteines. *Chem Res Toxicol.* 11: 800-809. <http://dx.doi.org/10.1021/tx980018b>.
- Vagnarelli, P; De Sario, A; De Carli, L. (1990). Aneuploidy induced by chloral hydrate detected in human lymphocytes with the Y97 probe. *Mutagenesis.* 5: 591-592. <http://dx.doi.org/10.1093/mutage/5.6.591>.
- Vahdat, N. (1987). PERMEATION OF PROTECTIVE CLOTHING MATERIALS BY METHYLENE-CHLORIDE AND PERCHLOROETHYLENE. *Am Ind Hyg Assoc J.* 48: 646-651.
- Vainio, H; Parkki, MG; Marniemi, J. (1976). Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vivo. *Xenobiotica.* 6: 599-604. <http://dx.doi.org/10.3109/00498257609151673>.
- Vajifdar, KJ; Chen, DH; Gossage, JL; Li, K; Ye, X; Gadiyar, G; Ardoin, B. (2007). Photocatalytic oxidation of PCE and butyraldehyde over Titania modified with perovskite optical crystal BaTiO<sub>3</sub>. *Chem Eng Tech.* 30: 474-480. <http://dx.doi.org/10.1002/ceat.200600194>.
- Valcke, M; Krishnan, K. (2010). An Assessment of the Interindividual Variability of internal Dosimetry during Multi-Route Exposure to Drinking Water Contaminants. *Int J Environ Res Public Health.* 7: 4002-4022. <http://dx.doi.org/10.3390/ijerph7114002>.
- Valentin, G. (1848). *Lehrbuch der Physiologie des Menschen 22 [Textbook of human physiology 22]*. Braunschweig, Germany: Friedrich Bieweg und Sohn.
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health.* 70: 403-406.
- Valles, EG; Laughter, AR; Dunn, CS; Swanson, CL; Cattley, RC; Corton, JC. (2003). Role of the peroxisome proliferator-activated receptor alpha in responses to diisononyl phthalate. *Toxicology.* 191: 211-225. [http://dx.doi.org/10.1016/S0300-483X\(03\)00260-9](http://dx.doi.org/10.1016/S0300-483X(03)00260-9).
- Vamvakas, S; Dekant, W; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1987). Enzymatic transformation of mercapturic acids derived from halogenated alkenes to reactive and mutagenic intermediates. *Biochem Pharmacol.* 36: 2741-2748. [http://dx.doi.org/10.1016/0006-2952\(87\)90258-9](http://dx.doi.org/10.1016/0006-2952(87)90258-9).
- Vamvakas, S; Dekant, W; Henschler, D. (1989). Assessment of unscheduled DNA synthesis in a cultured line of renal epithelial cells exposed to cysteine S-conjugates of haloalkenes and haloalkanes. *Mutat Res.* 222: 329-335. [http://dx.doi.org/10.1016/0165-1218\(89\)90108-0](http://dx.doi.org/10.1016/0165-1218(89)90108-0).
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Gils, CA; Beijst, C; van Rooij, R; de Jong, HW. (2016). Impact of reconstruction parameters on quantitative I-131 SPECT. *Phys Med Biol.* 61: 5166-5182. <http://dx.doi.org/10.1088/0031-9155/61/14/5166>.
- Van Hummelen, P; Kirsch-Volders, M. (1992). Analysis of eight known or suspected aeneugens by the in vitro human lymphocyte micronucleus test. *Mutagenesis.* 7: 447-455. <http://dx.doi.org/10.1093/mutage/7.6.447>.
- van Lieshout, EM; Peters, WH. (1998). Age and gender dependent levels of glutathione and glutathione S-transferases in human lymphocytes. *Carcinogenesis.* 19: 1873-1875.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci.* 27: 287-292. <http://dx.doi.org/10.1089/ees.2009.0271>.
- van Roosmalen, MJE; van Diggelen, M; Woerlee, GF; Witkamp, GJ. (2003). Dry-cleaning with high-pressure carbon dioxide - the influence of mechanical action on washing-results. *Journal of Supercritical Fluids.* 27: 97-108.
- van Roosmalen, MJE; Woerlee, GF; Witkamp, GJ. (2004). Amino acid based surfactants for dry-cleaning with high-pressure carbon dioxide. *Journal of Supercritical Fluids.* 32: 243-254. <http://dx.doi.org/10.1016/j.supflu.2004.01.005>.
- van Roosmalen, MJE; Woerlee, WF; Witkamp, GJ. (2004). Surfactants for particulate soil removal in dry-cleaning with high-pressure carbon dioxide. *Journal of Supercritical Fluids.* 30: 97-109. [http://dx.doi.org/10.1016/S0896-8446\(03\)00155-3](http://dx.doi.org/10.1016/S0896-8446(03)00155-3).
- Van Valkenburg, ME; Annable, MD. (2002). Mobilization and entry of DNAPL pools into finer sand media by cosolvents: two-dimensional chamber studies. *J Contam Hydrol.* 59: 211-230.
- van Wijngaarden, E; Hertz-Picciotto, I. (2004). A simple approach to performing quantitative cancer risk assessment using published results from occupational epidemiology studies. *Sci Total Environ.* 332: 81-87. <http://dx.doi.org/10.1016/j.scitotenv.2004.04.005>.
- Vanantwerp, DJ; Falta, RW; Gierke, JS. (2008). Numerical simulation of field-scale contaminant mass transfer during air sparging. *Vadose Zone Journal.* 7: 294-304. <http://dx.doi.org/10.2136/vzj2006.0126>.
- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle J D, J. R.; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environ Sci Technol.* 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environ Sci Technol.* 33: 2040-2045.
- Vanden Heuvel, JP. (1999). Peroxisome proliferator-activated receptors (PPARs) and carcinogenesis [Review]. *Toxicol Sci.* 47: 1-8.
- Vandyke, NA. (1978). NATURAL SOILS PERC UP WASTEWATER. 15: 35-&.
- Vane, LM; Alvarez, FR. (2005). Vibrating pervaporation modules: Effect of module design on performance. *J Memb Sci.* 255: 213-224. <http://dx.doi.org/10.1016/j.memsci.2005.01.047>.
- Vane, LM; Hitchens, L; Alvarez, FR; Giroux, EL. (2001). Field demonstration of pervaporation for the separation of volatile organic compounds from a surfactant-based soil remediation fluid. *J Hazard Mater.* 81: 141-166.
- Vanstone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water.* 42: 268-276.

## Fate Literature Search Results

### Off Topic

- Vanwarmerdam, EM; Frape, SK; Aravena, R; Drimmie, RJ; Flatt, H; Cherry, JA. (1995). Stable chlorine and carbon isotope measurements of selected chlorinated organic solvents. *Appl Geochem*. 10: 547-552.
- Varesano, A; Antognozzi, B; Tonin, C. (2010). Electrically conducting-adhesive coating on polyamide fabrics. *Synthetic Metals*. 160: 1683-1687. <http://dx.doi.org/10.1016/j.synthmet.2010.05.041>.
- Vartiainen, T; Pukkala, E; Rieno, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere*. 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).
- Vaughan, TL; Stewart, PA; Davis, S; Thomas, DB. (1997). Work in dry cleaning and the incidence of cancer of the oral cavity, larynx, and oesophagus. *Occup Environ Med*. 54: 692-695.
- Vay, SA; Choi, Y; Vadrevu, KP; Blake, DR; Tyler, SC; Wisthaler, A; Hecobian, A; Kondo, Y; Diskin, GS; Sachse, GW; Woo, JH; Weinheimer, AJ; Burkhardt, JF; Stohl, A; Wennberg, PO. (2011). Patterns of CO<sub>2</sub> and radiocarbon across high northern latitudes during International Polar Year 2008. *J Geophys Res Atmos*. 116. <http://dx.doi.org/10.1029/2011JD015643>.
- Vay, SA; Woo, JH; Anderson, BE; Thornhill, KL; Blake, DR; Westberg, DJ; Kiley, CM; Avery, MA; Sachse, GW; Streets, DG; Tsutsumi, Y; Nolf, SR. (2003). Influence of regional-scale anthropogenic emissions on CO<sub>2</sub> distributions over the western North Pacific. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003094>.
- Veitch, JM; Murray, GI; Juronen, E; Kilty, CG; Doyle, S; Hawksworth, GM; Rodilla, V. (1997). Theta-class glutathione S-transferases in human kidney and renal tumours. *Biochem Soc Trans*. 25: S605.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can*. 36: 1040-1048. <http://dx.doi.org/10.1139/f79-146>.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish : Supplemental materials [Supplemental Data]. *J Fish Res Board Can*. 36: 1040-1048.
- Vela, NP; Heitkemper, DT. (2004). Total arsenic determination and speciation in infant food products by ion chromatography-inductively coupled plasma-mass spectrometry. *J AOAC Int*. 87: 244-252.
- Velthof, GL; Van Bruggen, C; Groenestein, CM; De Haan, BJ; Hoogeveen, MW; Huijsmans, JFM. (2012). A model for inventory of ammonia emissions from agriculture in the Netherlands. *Atmos Environ*. 46: 248-255. <http://dx.doi.org/10.1016/j.atmosenv.2011.09.075>.
- Vemmer, H; Rohleder, K; Wiczorek, H; Haeseler, E. (1984). PERCHLORETHYLENE IN TISSUES OF FATTENING PIGS .2. TRANSFER OF PERCHLORETHYLENE FROM FEEDS TO SOME TISSUES OF FATTENING PIGS. *Landwirtsch Forsch*. 37: 36-43.
- Venkatesulu, D; Rao, MVP. (1992). EXCESS VOLUMES OF 2-ALKOXYETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data*. 37: 479-481.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1996). Excess volumes and viscosities of tetrachloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data*. 41: 819-820.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess enthalpies of ethyl acetate and butyl acetate with 2-alkoxyethanols at 298.15 K. *Fluid Phase Equilibria*. 136: 249-255.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environ Sci Technol*. 31: 2368-2374.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med*. 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verberk, MM; Scheffers, TML. (1980). Tetrachloroethylene in exhaled air of residents near dry-cleaning shops. *Environ Res*. 21: 432-437.
- Verce, MF; Madrid, VM; Gregory, SD; Demir, Z; Singleton, MJ; Salazar, EP; Jackson, PJ; Halden, RU; Verce, A. (2015). A Long-Term Field Study of In Situ Bioremediation in a Fractured Conglomerate Trichloroethene Source Zone. *Bioremediat J*. 19: 18-31. <http://dx.doi.org/10.1080/10889868.2014.978836>.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere*. 136: 72-78. <http://dx.doi.org/10.1016/j.chemosphere.2015.03.092>.
- Vermang, B; Fjallstrom, V; Gao, X; Edoff, M. (2014). Improved Rear Surface Passivation of Cu(In,Ga)Se<sub>2</sub> Solar Cells: A Combination of an Al<sub>2</sub>O<sub>3</sub> Rear Surface Passivation Layer and Nanosized Local Rear Point Contacts. 4: 486-492. <http://dx.doi.org/10.1109/JPHOTOV.2013.2287769>.
- Vermang, B; Goverde, H; Tous, L; Lorenz, A; Choulat, P; Horzel, J; John, J; Poortmans, J, ef; Mertens, R. (2012). Approach for Al<sub>2</sub>O<sub>3</sub> rear surface passivation of industrial p-type Si PERC above 19%. *Progress in Photovoltaics*. 20: 269-273. <http://dx.doi.org/10.1002/pip.2196>.
- Vermang, B; Goverde, H; Uruena, A; Lorenz, A; Cornagliotti, E; Rothschild, A; John, J; Poortmans, J; Mertens, R. (2012). Blistering in ALD Al<sub>2</sub>O<sub>3</sub> passivation layers as rear contacting for local Al BSF Si solar cells. *Solar Energy Materials and Solar Cells*. 101: 204-209. <http://dx.doi.org/10.1016/j.solmat.2012.01.032>.
- Vermang, B; Wätjen, JT; Fjällström, V; Rostvall, F; Edoff, M; Kotipalli, R; Henry, F; Flandre, D. (2014). Employing Si solar cell technology to increase efficiency of ultra-thin Cu(In,Ga)Se<sub>2</sub> solar cells. *Progress in Photovoltaics*. 22: 1023-1029. <http://dx.doi.org/10.1002/pip.2527>.
- Vermang, B; Wätjen, JT; Frisk, C; Fjallstrom, V; Rostvall, F; Edoff, M; Salome, P; Borme, J; Nicoara, N; Sadewasser, S. (2014). Introduction of Si PERC Rear Contacting Design to Boost Efficiency of Cu(In,Ga)Se<sub>2</sub> Solar Cells. 4: 1644-1649. <http://dx.doi.org/10.1109/JPHOTOV.2014.2350696>.
- Verplanke, AJ; Leummens, MH; Herber, RF. (1999). Occupational exposure to tetrachloroethene and its effects on the kidneys. *J Occup Environ Med*. 41: 11-16.
- Verreydt, G; Annable, MD; Kaskassian, S; Van Keer, I; Bronders, J; Diels, L; Vanderauwera, P. (2013). Field demonstration and evaluation of the Passive Flux Meter on a CAH groundwater plume. *Environ Sci Pollut Res Int*. 20: 4621-4634. <http://dx.doi.org/10.1007/s11356-012-1417-8>.



## Fate Literature Search Results

### Off Topic

- Vidal, CB; Raulino, GS; Barros, AL; Lima, AC; Ribeiro, JP; Pires, MJ; Nascimento, RF. (2012). BTEX removal from aqueous solutions by HDTMA-modified Y zeolite. *J Environ Manage.* 112: 178-185. <http://dx.doi.org/10.1016/j.jenvman.2012.07.026>.
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem.* 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vieira, V; Webster, T; Weinberg, J; Aschengrau, A; Ozonoff, D. (2005). Spatial analysis of lung, colorectal, and breast cancer on Cape Cod: An application of generalized additive models to case-control data. *Environ Health.* 4: 11. <http://dx.doi.org/10.1186/1476-069X-4-11>.
- Vieth, A; Müller, J; Strauch, G; Kästner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud.* 39: 113-124. <http://dx.doi.org/10.1080/1025601031000108688>.
- Vigneron, PY; Cadiou, B; Henon, G; Levacq, M; Saintjalmes, Y. (1995). Dosing methods applied to oil/water emulsions. 2: 471-481.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO(2) to CH(4) via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol.* 101: 3085-3090. <http://dx.doi.org/10.1016/j.biortech.2009.12.077>.
- Villano, M; De Bonis, L; Rossetti, S; Aulenta, F; Majone, M. (2011). Bioelectrochemical hydrogen production with hydrogenophilic dechlorinating bacteria as electrocatalytic agents. *Bioresour Technol.* 102: 3193-3199. <http://dx.doi.org/10.1016/j.biortech.2010.10.146>.
- Vineis, P; Magnani, C. (1985). Occupation and bladder cancer in males: A case-control study. *Int J Cancer.* 35: 599-606. <http://dx.doi.org/10.1002/ijc.2910350506>.
- Vingrys, AJ; King-Smith, PE. (1988). A quantitative scoring technique for panel tests of color vision. *Invest Ophthalmol Vis Sci.* 29: 50-63.
- Visez, N; Sawerysyn, JP. (2007). Thermal degradation of 2-chlorophenol promoted by CuCl<sub>2</sub> or CuCl: formation and destruction of PCDD/Fs. *Chemosphere.* 67: S144-149. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.09>.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med.* 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sørensen, P; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med.* 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lynge, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect.* 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res.* 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vo, E; Berardinelli, SP; Hall, RC. (1999). Recovery of some common solvents from protective clothing breakthrough indicator pads by microwave-solvent extraction and gas chromatography. *Analyst.* 124: 941-944.
- Vohl, MC; Lepage, P; Gaudet, D; Brewer, CG; Bétard, C; Perron, P; Houde, G; Cellier, C; Faith, JM; Després, JP; Morgan, K; Hudson, TJ. (2000). Molecular scanning of the human PPAR $\alpha$  gene: Association of the L162v mutation with hyperapobetalipoproteinemia. *J Lipid Res.* 41: 945-952.
- Volkel, W; Pahler, A; Dekant, W. (1999). Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins. *J Chromatogr A.* 847: 35-46. [http://dx.doi.org/10.1016/S0021-9673\(99\)00022-9](http://dx.doi.org/10.1016/S0021-9673(99)00022-9).
- Volkov, VA; Shchukina, EL; Amarlui, A; Ageev, AA; Kukleva, KK; Eleev, AF. (2008). Molecular stratification nanotechnology in antiadhesive modification of fabric fibres. *Fibre Chemistry.* 40: 127-135.
- Volpe, A; Del Moro, G; Rossetti, S; Tandoi, V; Lopez, A. (2007). Remediation of PCE-contaminated groundwater from an industrial site in southern Italy: A laboratory-scale study. *Process Biochemistry.* 42: 1498-1505. <http://dx.doi.org/10.1016/j.procbio.2007.07.017>.
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (trallate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.040>.
- von Berlepsch, H; Kirstein, S; Bottcher, C. (2002). Effect of alcohols on J-aggregation of a carbocyanine dye. *Langmuir.* 18: 7699-7705. <http://dx.doi.org/10.1021/la0203640>.
- von der Hude, W; Behm, C; Gürtler, R; Basler, A. (1988). Evaluation of the SOS chromotest. *Mutat Res.* 203: 81-94. [http://dx.doi.org/10.1016/0165-1161\(88\)90023-4](http://dx.doi.org/10.1016/0165-1161(88)90023-4).
- von Ehrenstein, OS; Aralis, H; Cockburn, M; Ritz, B. (2014). In Utero Exposure to Toxic Air Pollutants and Risk of Childhood Autism. *Epidemiology.* 25: 851-858. <http://dx.doi.org/10.1097/EDE.0000000000000150>.
- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbühler, K. (2002). Occupational exposure to perchloroethylene and trichloroethylene in metal degreasing over the last 30 years - Influences of technology innovation and legislation. *Epidemiology.* 13: S119-S119.
- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbühler, K. (2006). Assessing occupational exposure to perchloroethylene in dry cleaning. *J Occup Environ Hyg.* 3: 606-619. <http://dx.doi.org/10.1080/15459620600912173>.
- Von Grote, J; Hurlimann, JC; Scheringer, M; Hungerbühler, K. (2003). Reduction of Occupational Exposure to Perchloroethylene and Trichloroethylene in Metal Degreasing over the Last 30 years: Influence of Technology Innovation and Legislation. *J Expo Anal Environ Epidemiol.* 13: 325-340. <http://dx.doi.org/10.1038/sj.jea.7500288>.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere.* 39: 2479-2488.
- Von Tungeln, LS; Yi, P; Bucci, TJ; Samokyszyn, VM; Chou, MW; Kadlubar, FF; Fu, PP. (2002). Tumorigenicity of chloral hydrate, trichloroacetic acid, trichloroethanol, malondialdehyde, 4-hydroxy-2-nonenal, crotonaldehyde, and acrolein in the B6C3F1 neonatal mouse. *Cancer Lett.* 185: 13-19. [http://dx.doi.org/10.1016/S0304-3835\(02\)00231-8](http://dx.doi.org/10.1016/S0304-3835(02)00231-8).

## Fate Literature Search Results

### Off Topic

- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Sci Technol.* 37: 311-318.
- Voss, JU; Roller, M; Brinkmann, E; Mangelsdorf, I. (2005). Nephrotoxicity of organic solvents: biomarkers for early detection. *Int Arch Occup Environ Health.* 78: 475-485. <http://dx.doi.org/10.1007/s00420-005-0611-0>.
- Vouk, AO. (2003). Performance under design and test of the 20 500 HP TEAAC synchronous motors for the Shaybah project in the Rub-Al-Khali Desert, Saudi Arabia. *I E E E Transactions on Industry Applications.* 39: 1177-1180. <http://dx.doi.org/10.1109/TIA.2003.813741>.
- Vroblesky, D, onA; Petkewich, MD; Lowery, MA; Landmeyer, JE. (2011). Sewers as a Source and Sink of Chlorinated-Solvent Groundwater Contamination, Marine Corps Recruit Depot, Parris Island, South Carolina. *Ground Water Monitoring and Remediation.* 31: 63-69. <http://dx.doi.org/10.1111/j.1745-6592.2011.01349.x>.
- Vroblesky, DA; Chapelle, FH; Bradley, PM. (2007). A simple pore water hydrogen diffusion syringe sampler. *Ground Water.* 45: 798-802. <http://dx.doi.org/10.1111/j.1745-6584.2007.00362.x>.
- Vroblesky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol.* 18: 149-154.
- Wägli, P; Chang, YC; Hans, K; Homsy, A; Hvozdar, L; Herzig, HP; Sigrist, M; de Rooij, NF. (2013). Microfluidic droplet-based liquid-liquid extraction and on-chip IR spectroscopy detection of cocaine in human saliva. *Anal Chem.* 85: 7558-7565. <http://dx.doi.org/10.1021/ac401606p>.
- Wagner, A; Brooper, M; Ferdi, S; Seifert, J; Adrian, L. (2012). Growth of *Dehalococcoides mccartyi* strain CBDB1 by reductive dehalogenation of brominated benzenes to benzene. *Environ Sci Technol.* 46: 8960-8968. <http://dx.doi.org/10.1021/es3003519>.
- Wagner, L; Kalli, C; Fridjonsson, EO; May, EF; Stanwix, PL; Graham, BF; Carroll, MRJ; Johns, ML. (2016). Quantitative produced water analysis using mobile H-1 NMR. *Meas Sci Technol.* 27. <http://dx.doi.org/10.1088/0957-0233/27/10/105501>.
- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol.* 25: 639-645.
- Waksberg, J. (1978). Sampling methods for random digit dialing. *J Am Stat Assoc.* 73: 40-46.
- Wald, S; Glocker, B; Weiss, E; Pokryvailo, A; Labrune, P; Kempnaers, P; Handte, J. (2001). Treating hazardous wastes with pulsed-plasma technology. *J O M.* 53: 28-31.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). The effect of the trichloroethylene metabolites trichloroacetate and dichloroacetate on peroxisome proliferation and DNA synthesis in cultured human hepatocytes. *Cell Biol Toxicol.* 16: 257-273. <http://dx.doi.org/10.1023/A:1007638227821>.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). Expression of PPAR(alpha) in human hepatocytes and activation by trichloroacetate and dichloroacetate. *Res Commun Mol Pathol Pharmacol.* 108: 116-132.
- Walgren, JL; Jollow, DJ; McMillan, JM. (2004). Induction of peroxisome proliferation in cultured hepatocytes by a series of halogenated acetates. *Toxicology.* 197: 189-197. <http://dx.doi.org/10.1016/j.tox.2004.01.007>.
- Walgren, JL; Kurtz, DT; McMillan, JM. (2005). Lack of direct mitogenic activity of dichloroacetate and trichloroacetate in cultured rat hepatocytes. *Toxicology.* 211: 220-230. <http://dx.doi.org/10.1016/j.tox.2005.03.009>.
- Walker, GE; Morey, BG. (1999). Effects of chemicals and microbial antagonists on nematodes and fungal pathogens of citrus roots. *Aust J Exp Agr.* 39: 629-637.
- Walker, JT; Burnett, CA; Lalich, NR; Sestito, JP; Halperin, WE. (1997). Cancer mortality among laundry and dry cleaning workers. *Am J Ind Med.* 32: 614-619.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a nominally two-dimensional, saturated, stratified porous medium. *J Contam Hydrol.* 34: 17-30.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a partially saturated, stratified porous medium. *J Contam Hydrol.* 34: 31-46.
- Wallace, L; Pellizzari, E; Gordon, S. (1993). A linear-model relating breath concentrations to environmental exposures: application to a chamber study of 4 volunteers exposed to volatile organic chemicals. *J Expo Anal Environ Epidemiol.* 3: 75-102.
- Walter, DC; Lim, B; Schmidt, J, an. (2016). Realistic efficiency potential of next-generation industrial Czochralski-grown silicon solar cells after deactivation of the boron-oxygen-related defect center. *Progress in Photovoltaics.* 24: 920-928. <http://dx.doi.org/10.1002/pip.2731>.
- Wan, J; Li, Z; Lu, X; Yuan, S. (2010). Remediation of a hexachlorobenzene-contaminated soil by surfactant-enhanced electrokinetics coupled with microscale Pd/Fe PRB. *J Hazard Mater.* 184: 184-190. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.022>.
- Wander, JGN; van Den Berg, W; van Den Boogert, PHJ, F; Lamers, JG; van Leeuwen, GCM; Hendrickx, G; Bonants, P. (2007). A novel technique using the Hendrickx centrifuge for extracting winter sporangia of *Synchytrium endobioticum* from soil. *European Journal of Plant Pathology.* 119: 165-174. <http://dx.doi.org/10.1007/s10658-007-9156-2>.
- Wang, C; Shao, M, in; Huang, D; Lu, S; Zeng, L; Hu, M, in; Zhang, Q. (2014). Estimating halocarbon emissions using measured ratio relative to tracers in China. *Atmos Environ.* 89: 816-826. <http://dx.doi.org/10.1016/j.atmosenv.2014.03.025>.
- Wang, C; Wang, Y; Zhang, Y; Zhao, Q; Wang, R. (2010). Reclamation of elemental sulfur from flue gas biodesulfurization waste sludge. *Journal of the Air and Waste Management Association.* 60: 603-610. <http://dx.doi.org/10.3155/1047-3289.60.5.603>.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul.* 26: 37-45. <http://dx.doi.org/10.1080/02652040802127806>.
- Wang, F; Annable, MD; Jawitz, JW. (2013). Field-scale prediction of enhanced DNAPL dissolution based on partitioning tracers. *J Contam Hydrol.* 152: 147-158. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.001>.

## Fate Literature Search Results

### Off Topic

- Wang, F; Kuo, M; Shun, C; Ma, Y; Wang, J; Ueng, T. (2002). Chronic toxicity of a mixture of chlorinated alkanes and alkenes in ICR mice. *J Toxicol Environ Health A*. 65: 279-291. <http://dx.doi.org/10.1080/15287390252800864>.
- Wang, G, inC; Li, X; Niu, X; Du, H; Balakrishnan, K; Ye, H; Burr, K. (2016). PET Timing Performance Measurement Method Using NEMA NEC Phantom. *IEEE Trans Nucl Sci*. 63: 1335-1342. <http://dx.doi.org/10.1109/TNS.2016.2522766>.
- Wang, H; Chen, X; Jawitz, JW. (2008). Locally-calibrated light transmission visualization methods to quantify nonaqueous phase liquid mass in porous media. *J Contam Hydrol*. 102: 29-38. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.003>.
- Wang, H; Li, D; Wu, Y, an; Li, J, ie; Li, G. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics*. 67: 547-553. <http://dx.doi.org/10.1016/j.elstat.2008.11.004>.
- Wang, HL; Zhu, ZQ; Zhang, SH; Pei, LS; Chen, Y. (2005). Time-resolved kinetic studies on quenching of C-2 (d(3)Pi g 3) by alkanes and substituted methane molecules. *Chem Phys Lett*. 407: 217-221. <http://dx.doi.org/10.1016/j.cplett.2005.02.127>.
- Wang, J; Wei, L, i; Peng, F, ei; Li, Y, an. (2012). Facile preparation of Carbon nanotubes and graphene sheets by a catalyst-free refluxing approach. *Nano Research*. 5: 640-645. <http://dx.doi.org/10.1007/s12274-012-0249-7>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol*. 34: 2243-2248.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir*. 20: 10845-10850. <http://dx.doi.org/10.1021/la0490902>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2008). Preparation and response behavior of blue electronic ink microcapsules. *Optical Materials*. 30: 1268-1272. <http://dx.doi.org/10.1016/j.optmat.2007.05.057>.
- Wang, KS; Chiang, KY; Lin, SM; Tsai, CC; Sun, CJ. (1999). Effects of chlorides on emissions of hydrogen chloride formation in waste incineration. *Chemosphere*. 38: 1571-1582.
- Wang, L; Zhu, J; Liang, X; Niu, M; Wu, X; Kao, CM; Kim, H; Xie, Q. (2015). Performance evaluation of the Trans-PET® BioCaliburn® LH system: a large FOV small-animal PET system. *Phys Med Biol*. 60: 137-150. <http://dx.doi.org/10.1088/0031-9155/60/1/137>.
- Wang, M; Jia, T; Wang, J; Hu, Y; Liu, F; Wang, H, ui; Chang, L. (2016). Changes of sulfur forms in coal after tetrachloroethylene extraction and theirs transformations during pyrolysis. *Fuel*. 186: 726-733. <http://dx.doi.org/10.1016/j.fuel.2016.09.007>.
- Wang, Q; Cissoko, N; Zhou, M, i; Xu, X. (2011). Effects and mechanism of humic acid on chromium(VI) removal by zero-valent iron (Fe-0) nanoparticles. *Phys Chem Earth*. 36: 442-446. <http://dx.doi.org/10.1016/j.pce.2010.03.020>.
- Wang, S; Chng, KR; Chen, C; Bedard, DL; He, J. (2015). Genomic Characterization of Dehalococcoides mccartyi Strain JNA That Reductively Dechlorinates Tetrachloroethene and Polychlorinated Biphenyls. *Environ Sci Technol*. 49: 14319-14325. <http://dx.doi.org/10.1021/acs.est.5b01979>.
- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing Dehalococcoides and Dehalobacter. *Environ Sci Technol*. 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, S; Majeed, MA; Chu, P; Lin, H. (2009). Characterizing relationships between personal exposures to VOCs and socioeconomic, demographic, behavioral variables. *Atmos Environ*. 43: 2296-2302. <http://dx.doi.org/10.1016/j.atmosenv.2009.01.032>.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol*. 100: 111-117. <http://dx.doi.org/10.1016/j.biortech.2008.05.033>.
- Wang, T; Cheung, TF; Li, YS; Yu, XM; Blake, DR. (2002). Emission characteristics of CO, NOx, SO2 and indications of biomass burning observed at a rural site in eastern China. *J Geophys Res*. 107: 4157. <http://dx.doi.org/10.1029/2001JD000724>.
- Wang, T; Ding, AJ; Blake, DR; Zahorowski, W; Poon, CN; Li, YS. (2003). Chemical characterization of the boundary layer outflow of air pollution to Hong Kong during February-April 2001. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003272>.
- Wang, T; Wong, CH; Cheung, TF; Blake, DR; Arimoto, R; Baumann, K; Tang, J; Ding, GA; Yu, XM; Li, YS; Streets, DG; Simpson, JJ. (2004). Relationships of trace gases and aerosols and the emission characteristics at Lin'an, a rural site in eastern China, during spring 2001. *J Geophys Res Atmos*. 109. <http://dx.doi.org/10.1029/2003JD004119>.
- Wang, WC; Shigeto, S. (2011). Infrared electroabsorption spectroscopy of N,N-dimethyl-p-nitroaniline in acetonitrile/C2Cl4: solvation of the solute and self-association of acetonitrile. *J Phys Chem A*. 115: 4448-4456. <http://dx.doi.org/10.1021/jp110539k>.
- Wang, XJ; Lu, J; Gou, PP; Xie, Y. (2002). A "chemical-scissors-assemble" route to titanium carbide nanorods. *Chem Lett* 820-821.
- Wang, Y; Huang, YS. (2003). Hydrogen isotopic fractionation of petroleum hydrocarbons during vaporization: implications for assessing artificial and natural remediation of petroleum contamination. *Appl Geochem*. 18: 1641-1651. [http://dx.doi.org/10.1016/S0883-2927\(03\)00076-3](http://dx.doi.org/10.1016/S0883-2927(03)00076-3).
- Wang, Y, aFen; Peng, CF; Chao, HP. (2015). Sorption of Volatile Organic Compounds on Organic Substance-Modified Titanate Nanotubes. *Aerosol Air Qual Res*. 15: 2688-2699. <http://dx.doi.org/10.4209/aaqr.2015.10.0592>.
- Wang, YH; Shim, CS; Blake, N; Blake, D; Choi, Y; Ridley, B; Dibb, J; Wimmers, A; Moody, J; Flocke, F; Weinheimer, A; Talbot, R; Atlas, E. (2003). Intercontinental transport of pollution manifested in the variability and seasonal trend of springtime O-3 at northern middle and high latitudes. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2003JD003592>.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul*. 23: 762-768. <http://dx.doi.org/10.1080/02652040600788197>.
- Wang, Z; Han, P; Lu, H; Qian, H; Chen, L; Meng, Q; Tang, N; Gao, F; Jiang, Y; Wu, J; Wu, W; Zhu, H; Ji, J; Shi, Z; Sugianto, A; Mai, L, y; Hallam, B; Wenham, S. (2012). Advanced PERC and PERL production cells with 20.3% record efficiency for standard commercial p-type silicon wafers. *Progress in Photovoltaics*. 20: 260-268. <http://dx.doi.org/10.1002/pip.2178>.
- Ward, JM; Griesemer, RA; Weisburger, EK. (1979). The mouse liver tumor as an endpoint in carcinogenesis tests. *Toxicol Appl Pharmacol*. 51: 389-397.

## Fate Literature Search Results

### Off Topic

- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol.* 26: 240-246.
- Ward, JM; Rehm, S; Reynolds, CW. (1990). Tumours of the haematopoietic system. In VS Turusov; U Mohr (Eds.), IARC Scientific Publication No 99 (2nd ed., pp. 625-657). Lyon, France: International Agency for Research on Cancer.
- Ward, JM; Reynolds, CW. (1983). Large granular lymphocyte leukemia: A heterogeneous lymphocytic leukemia in F344 rats. *Am J Pathol.* 111: 1-10.
- Warner, JA; Miles, EA; Jones, AC; Quint, DJ; Colwell, BM; Warner, JO. (1994). Is deficiency of interferon gamma production by allergen triggered cord blood cells a predictor of atopic eczema? *Clin Exp Allergy.* 24: 423-430. <http://dx.doi.org/10.1111/j.1365-2222.1994.tb00930.x>.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneuploids. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).
- Warren, DA; Reigle, TG; Muralidhara, S; Dallas, CE. (1996). Schedule-controlled operant behavior of rats following oral administration of perchloroethylene: Time course and relationship to blood and brain solvent levels. *J Toxicol Environ Health.* 47: 345-362. <http://dx.doi.org/10.1080/009841096161690>.
- Warta, W; Glunz, SW; Dicker, J; Knobloch, J. (2000). Highly efficient 115-mu m-thick solar cells on industrial Czochralski silicon. *Progress in Photovoltaics.* 8: 465-471.
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect.* 108: 161-176.
- Waskell, L. (1978). A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res-Fundam Mol Mech Mutagen.* 57: 141-153. [http://dx.doi.org/10.1016/0027-5107\(78\)90261-0](http://dx.doi.org/10.1016/0027-5107(78)90261-0).
- Watanabe, K; Fujii, H; Takahashi, T; Kodama, M; Aizawa, Y; Ohta, Y; Ono, T; Hasegawa, G; Naito, M; Nakajima, T; Kamijo, Y; Gonzalez, FJ; Aoyama, T. (2000). Constitutive regulation of cardiac fatty acid metabolism through peroxisome proliferator-activated receptor alpha associated with age-dependent cardiac toxicity. *J Biol Chem.* 275: 22293-22299. <http://dx.doi.org/10.1074/jbc.M000248200>.
- Watanabe, K; Satamoto, K; Sasaki, T. (1998). Comparisons on chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. *Mutat Res.* 412: 17-31. [http://dx.doi.org/10.1016/S1383-5718\(97\)00155-1](http://dx.doi.org/10.1016/S1383-5718(97)00155-1).
- Watanabe, M; Shimizu, K; Omura, T; Sato, N; Takahashi, M; Kosugi, T; Ote, K; Katabe, A; Yamada, R; Yamashita, T; Tanaka, E. (2004). A high-throughput whole-body PET scanner using flat panel PS-PMTs. *IEEE Trans Nucl Sci.* 51: 796-800. <http://dx.doi.org/10.1109/TNS.2004.829787>.
- Waters, EM; Gerstner, HB; Huff, JE. (1977). Trichloroethylene I An overview [Review]. *J Toxicol Environ Health.* 2: 671-707. <http://dx.doi.org/10.1080/15287397709529469>.
- Watson, DB; Doll, WE; Gamey, TJ; Sheehan, JR; Jardine, PM. (2005). Plume and lithologic profiling with surface resistivity and seismic tomography. *Ground Water.* 43: 169-177. <http://dx.doi.org/10.1111/j.1745-6584.2005.0017.x>.
- Wawer, A; Szydlowski, J. (1996). Hydrogen isotope fractionation between methanol and diphenylphosphine or dimethylphosphine in the gas phase and in aprotic solvents. *Can J Chem.* 74: 1465-1469.
- Wawer, A; Wawer, I. (1990). KINETIC ISOTOPE EFFECT IN HYDROGEN ISOTOPE EXCHANGE BETWEEN DIPHENYLPHOSPHINE AND METHANOL OR 2-METHYLPROPANE-2-THIOL IN APROTIC-SOLVENTS. *J Chem Soc Perkin Trans* 22045-2050.
- Weast, RC. (1976). *Handbook of chemistry and physics* (57th ed.). Cleveland, OH: CRC Press.
- Weber, G; Bertrand, O; Fromont, E; Bourg, S; Bouvier, F; Bissinger, D; Simonotgrange, MH. (1996). TCE adsorption on hydrophobic Y and MFI zeolites. Possibilities of using such materials for solvent recovery. *J Chim Phys Phys Chim Biol.* 93: 1412-1425.
- Weber, G; Lea, MA. (1966). The molecular correlation concept of neoplasia. *Adv Enzyme Regul.* 4: 115-145.
- Webler, T; Brown, HS. (1993). Exposure to tetrachloroethylene via contaminated drinking water pipes in Massachusetts: A predictive model. *Arch Environ Health.* 48: 293-297. <http://dx.doi.org/10.1080/00039896.1993.9936716>.
- Webster, E; Mackay, D; Di Guardo, A; Kane, D; Woodfine, D. (2004). Regional differences in chemical fate model outcome. *Chemosphere.* 55: 1361-1376. <http://dx.doi.org/10.1016/j.chemosphere.2003.10.061>.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere.* 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Weeks, LD; Zhu, L, inL; Pellon, M; Haines, DR; Arumainayagam, CR. (2007). Low-energy electron-induced oligomerization of condensed carbon tetrachloride. *J Phys Chem C.* 111: 4815-4822. <http://dx.doi.org/10.1021/jp068562d>.
- Wei, J; Schaeffer, N; Pileni, MP. (2016). Solvent-Mediated Crystallization of Nanocrystal 3D Assemblies of Silver Nanocrystals: Unexpected Super lattice Ripening. *Chem Mater.* 28: 293-302. <http://dx.doi.org/10.1021/acs.chemmater.5b04120>.
- Wei, J; Xu, X; Liu, Y; Wang, D. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: reaction pathway and some experimental parameters. *Water Res.* 40: 348-354. <http://dx.doi.org/10.1016/j.watres.2005.10.017>.
- Wei, MJ; Fang, DC; Liu, RZ. (2002). Theoretical studies on cycloaddition reactions between 1-aza-2-azoniaallene cation and olefins. *J Org Chem.* 67: 7432-7438. <http://dx.doi.org/10.1021/jo0258709>.
- Wei, N, a; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environ Sci Technol.* 45: 7422-7430. <http://dx.doi.org/10.1021/es201501a>.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater.* 181: 147-153. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.109>.
- Weichardt, H; Lindner, J. (1975). Gesundheitsgefahren durch Perchlorathylene in Chemisch-Reinigungsbetrieben arbeitsmedizinisch-toxikologischer Sicht. *Gefahrst Reinhalt Luft.* 35: 416-420.

## Fate Literature Search Results

### Off Topic

- Weinberg, RA. (2008). Mechanisms of malignant progression. *Carcinogenesis*. 29: 1092-1095. <http://dx.doi.org/10.1093/carcin/bgn104>.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res*. 52: 5456s-5462s.
- Weiss, A. (1996). Sources of airborne CCl<sub>4</sub>: Critical remarks (pp. 112-114). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/96/31124). Weiss, A.
- Weiss, NS. (1995). Cancer in relation to occupational exposure to perchloroethylene [Review]. *Cancer Causes Control*. 6: 257-266. <http://dx.doi.org/10.1007/BF00051797>.
- Weiss, NS. (1996). Occupational exposure to perchloroethylene - Reply. *Cancer Causes Control*. 7: 285-286.
- Weiss, T; Schierbaum, KD; Vanvelzen, UT; Reinhoudt, DN; Gopel, W. (1995). SELF-ASSEMBLED MONOLAYERS OF SUPRAMOLECULAR COMPOUNDS FOR CHEMICAL SENSORS. *Sens Actuators B*. 26: 203-207.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ*. 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Weissflog, L; Kruger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, KU; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones--measurements on several continents. *Chemosphere*. 52: 443-449. [http://dx.doi.org/10.1016/S0045-6535\(03\)00209-1](http://dx.doi.org/10.1016/S0045-6535(03)00209-1).
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres--Part I Its formation, uptake and geographical distribution. *Atmos Environ*. 35: 4511-4521.
- Weiyang, H; Fei, L; Anhuai, L; Ximing, L. (2012). Decomposition of hydrogen peroxide in the remediation of trichloroethylene contaminated groundwater by Fenton oxidation technology. *Disaster Advances*. 5: 1179-1182.
- Wellert, S; Altmann, HJ; Richardt, A; Lapp, A; Falus, P; Farago, B; Hellweg, T. (2010). Dynamics of the interfacial film in bicontinuous microemulsions based on a partly ionic surfactant mixture: A neutron spin-echo study. *Eur Phys J E Soft Matter*. 33: 243-250. <http://dx.doi.org/10.1140/epje/i2010-10668-1>.
- Wellert, S; Imhof, H; Dolle, M; Altmann, HJ; Richardt, A; Hellweg, T. (2008). Decontamination of chemical warfare agents using perchloroethylene-Marlowet IHF-H<sub>2</sub>O-based microemulsions: wetting and extraction properties on realistic surfaces. *Colloid and Polymer Science*. 286: 417-426. <http://dx.doi.org/10.1007/s00396-007-1788-4>.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, Y; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int*. 22: 19039-19047. <http://dx.doi.org/10.1007/s11356-015-5117-z>.
- Wentz, M; Cates, DM. (1975). NON-AQUEOUS BLEACHING OF CELLULOSE BY PERCHLOROETHYLENE HYDROGEN PEROXIDE WATER. *Text Res J*. 45: 691-697.
- Wentz, M; Cates, DM. (1978). SORPTION OF SOLUBILIZED WATER BY CELLULOSE FROM PERCHLOROETHYLENE. *Text Res J*. 48: 166-172.
- Wenzel, DG; Gibson, RD. (1951). A study of the toxicity and anthelmintic activity of n-butylidene chloride. *J Pharmacokinetic Pharmacodyn*. 3: 169-176.
- Wesseldyke, ES; Becker, JG; Seagren, EA; Mayer, AS; Zhang, C. (2015). Numerical modeling analysis of hydrodynamic and microbial controls on DNAPL pool dissolution and detoxification: Dehalorespirers in co-culture. *Advances in Water Resources*. 78: 112-125. <http://dx.doi.org/10.1016/j.advwatres.2015.01.009>.
- Westlind, A; Lofberg, L; Tindberg, N; Andersson, TB; Ingelman-Sundberg, M. (1999). Interindividual differences in hepatic expression of CYP3A4: relationship to genetic polymorphism in the 5'-upstream regulatory region. *Biochem Biophys Res Commun*. 259: 201-205.
- Westphal, GA. (2007). Authors reply to the correspondence of Hannu Norppa concerning "Emmert et al., *Toxicology* 228, 66-76" [Letter]. *Toxicology*. 230: 268-269. <http://dx.doi.org/10.1016/j.tox.2006.11.003>.
- Wheeler, M; Kono, H; Yin, M; Nakagami, M; Uesugi, T; Arteel, G; Gäbele, E; Rusyn, I; Yamashina, S; Froh, M; Adachi, Y; Iimuro, Y; Bradford, B; Smutney, O; Connor, H; Mason, R; Goyert, S; Peters, J; Gonzalez, F; Samulski, R; Thurman, R. (2001). The role of Kupffer cell oxidant production in early ethanol-induced liver disease [Review]. *Free Radic Biol Med*. 31: 1544-1549.
- White, CM; Collins, LW; Veloski, GA; Irdi, GA; Rothenberger, KS; Gray, RJ; Lacount, RB; Kasrai, M; Bancroft, GM; Brown, J. R.; Huggins, FE; Shah, N; Huffman, GP. (1994). A STUDY OF MEQUINENZA LIGNITE. *Energy Fuels*. 8: 155-171.
- White, MA. (1976). MILLING OF WOOL GARMENTS IN PERCHLOROETHYLENE - REVIEW OF PROCESSING PROCEDURES AND PRACTICE. *J Soc Dyers Colour*. 92: 187-190.
- White, MD; Oostrom, M. (1998). Modeling surfactant-enhanced nonaqueous-phase liquid remediation of porous media. *Soil Sci*. 163: 931-940.
- Whittaker, SG; Johanson, CA. (2013). A health and environmental profile of the dry cleaning industry in King County, Washington. *J Environ Health*. 75: 14-22.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health*. 78: 8-13.
- Whittemore, AS. (1983). Estimating attributable risk from case-control studies. *Am J Epidemiol*. 117: 76-85.
- WHO. (1978). A co-operative trial in the primary prevention of ischaemic heart disease using clofibrate. Report from the Committee of Principal Investigators. *British Heart Journal*. 40: 1069-1118.
- WHO. (1980). W.H.O. cooperative trial on primary prevention of ischaemic heart disease using clofibrate to lower serum cholesterol: mortality follow-up. Report of the Committee of Principal Investigators. *Lancet*. 2: 379-385.
- WHO. (1984). WHO cooperative trial on primary prevention of ischaemic heart disease with clofibrate to lower serum cholesterol: final mortality follow-up. Report of the Committee of Principal Investigators. *Lancet*. 2: 600-604.

## Fate Literature Search Results

### Off Topic

- Wick, MJ; Mihic, SJ; Ueno, S; Mascia, MP; Trudell, JR; Brozowski, SJ; Ye, Q; Harrison, NL; Harris, RA. (1998). Mutations of gamma-aminobutyric acid and glycine receptors change alcohol cutoff: evidence for an alcohol receptor? *Proc Natl Acad Sci USA*. 95: 6504-6509.
- Wieczorek, H; Thon, A; Dey, T; Khanin, V; Rodnyi, P. (2016). Analytical model of coincidence resolving time in TOF-PET. *Phys Med Biol*. 61: 4699-4710. <http://dx.doi.org/10.1088/0031-9155/61/12/4699>.
- Wiedmann, TO; Guthner, B; Class, TJ; Ballschmiter, K. (1994). GLOBAL DISTRIBUTION OF TETRACHLOROETHENE IN THE TROPOSPHERE - MEASUREMENTS AND MODELING. *Environ Sci Technol*. 28: 2321-2329.
- Wilcox, AJ; Horney, LF. (1984). Accuracy of spontaneous abortion recall. *Am J Epidemiol*. 120: 727-733.
- Wilkins, MD; Abriola, LM; Pennell, KD. (1995). AN EXPERIMENTAL INVESTIGATION OF RATE-LIMITED NONAQUEOUS PHASE LIQUID VOLATILIZATION IN UNSATURATED POROUS-MEDIA - STEADY-STATE MASS-TRANSFER. *Water Resour Res*. 31: 2159-2172.
- Williams, D., PR. (2011). MTBE in California's Public Drinking Water Wells: Have Past Predictions Come True? *Environ Forensics*. 12: 270-289. <http://dx.doi.org/10.1080/15275922.2011.595053>.
- Williams, D., PR. (2014). Methyl Tertiary Butyl Ether (MTBE) and Other Volatile Organic Compounds (VOCs) in Public Water Systems, Private Wells, and Ambient Groundwater Wells in New Jersey Compared to Regulatory and Human-Health Benchmarks. *Environ Forensics*. 15: 97-119. <http://dx.doi.org/10.1080/15275922.2013.873096>.
- Williams, GM. (1997). Chemicals with carcinogenic activity in the rodent liver; mechanistic evaluation of human risk [Review]. *Cancer Lett*. 117: 175-188. [http://dx.doi.org/10.1016/S0304-3835\(97\)00229-2](http://dx.doi.org/10.1016/S0304-3835(97)00229-2).
- Williams, MB; Williams, MB; Goode, AR; Galbis-Reig, V; Majewski, S; Weisenberger, AG; Wojcik, R. (2000). Performance of a PSPMT based detector for scintimammography. *Phys Med Biol*. 45: 781-800.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal*. 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Williams, RL; Creasy, RK; Cunningham, GC; Hawes, WE; Norris, FD; Tashiro, M. (1982). Fetal growth and perinatal viability in California. *Obstet Gynecol*. 59: 624-632.
- Williamson, DG; Cvetanovic, RJ. (1968). Rates of reactions of ozone with chlorinated and conjugated olefins. *J Am Chem Soc*. 90: 4248-4252.
- Willinger, M; Rupp, E; Barbaris, B; Gao, S; Arnold, R; Betterton, E; Sáez, AE. (2009). Thermocatalytic destruction of gas-phase perchloroethylene using propane as a hydrogen source. *J Hazard Mater*. 167: 770-776. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.059>.
- Willson, CS; Hall, JL; Miller, CT; Imhoff, PT. (1999). Factors affecting bank formation during surfactant-enhanced mobilization of residual NAPL. *Environ Sci Technol*. 33: 2440-2446.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med*. 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Wiltgen, M; Gell, G; Schneider, GH. (1991). Some software requirements for a PACS: lessons from experiences in clinical routine. *Int J Bio Med Comput*. 28: 61-70.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med*. 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200210/abstract>.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect*. 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.
- Wingenter, OW; Blake, DR; Blake, NJ; Sive, BC; Rowland, FS; Atlas, E; Flocke, F. (1999). Tropospheric hydroxyl and atomic chlorine concentrations, and mixing timescales determined from hydrocarbon and halocarbon measurements made over the Southern Ocean. *J Geophys Res*. 104: 21,819-821,828. <http://dx.doi.org/10.1029/1999JD900203>.
- Wingenter, OW; Kubo, MK; Blake, NJ; Smith, TW; Blake, DR; Rowland, FS. (1996). Hydrocarbon and halocarbon measurements as photochemical and dynamical indicators of atmospheric hydroxyl, atomic chlorine, and vertical mixing obtained during Lagrangian flights. *J Geophys Res*. 101: 4331. <http://dx.doi.org/10.1029/95JD02457>.
- Witekowa, S; Ignaczak, W; Kaminski, W. (1978). INDICATOR TUBES FOR DETECTION OF TETRACHLOROETHYLENE IN AIR. *Przemysł Chemiczny*. 57: 195-197.
- Withey, RJ; Hall, JW. (1975). The joint toxic action of perchloroethylene with benzene or toluene in rats. *Toxicology*. 4: 5-15.
- Witteck, R; Hinken, D; Schulte-Huxel, H; Vogt, MR; Mueller, J; Blankemeyer, S; Koentges, M; Bothe, K; Brendel, R. (2016). Optimized Interconnection of Passivated Emitter and Rear Cells by Experimentally Verified Modeling. 6: 432-439. <http://dx.doi.org/10.1109/JPHOTOV.2016.2514706>.
- Wittlingerová, Z; Macháčková, J; Petruželková, A; Zimová, M. (2016). Occurrence of perchloroethylene in surface water and fish in a river ecosystem affected by groundwater contamination. *Environ Sci Pollut Res Int*. 23: 5676-5692. <http://dx.doi.org/10.1007/s11356-015-5806-7>.
- Wo, JJ; Zhang, Z; Xu, X, inhua. (2009). Dechlorination mechanism of 2,4-dichlorophenol by Ni/Fe nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A*. 10: 121-126. <http://dx.doi.org/10.1631/jzus.A0820277>.
- Wofsy, SC; Fan, SM; Blake, DR; Bradshaw, JD; Sandholm, ST; Singh, HB; Sachse, GW; Harriss, RC. (1994). FACTORS INFLUENCING ATMOSPHERIC COMPOSITION OVER SUB-ARCTIC NORTH-AMERICA DURING SUMMER. *J Geophys Res Atmos*. 99: 1887-1897.
- Wolf, CJ; Takacs, ML; Schmid, JE; Lau, C; Abbott, BD. (2008). Activation of mouse and human peroxisome proliferator-activated receptor alpha by perfluoroalkyl acids of different functional groups and chain lengths. *Toxicol Sci*. 106: 162-171. <http://dx.doi.org/10.1093/toxsci/kfn166>.
- Wollenweber, SD. (2002). Parameterization of a model-based 3-D PET scatter correction. *IEEE Trans Nucl Sci*. 49: 722-727.
- Wolska, L; Olszewska, C; Turska, M; Zygumt, B; Namieśnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere*. 37: 2645-2651.

## Fate Literature Search Results

### Off Topic

- Wolska, L; Zygmunt, B; Namieśnik, J. (2003). Organic pollutants in the Odra river ecosystem. *Chemosphere*. 53: 561-569. [http://dx.doi.org/10.1016/S0045-6535\(03\)00368-0](http://dx.doi.org/10.1016/S0045-6535(03)00368-0).
- Wolski, T; Glowinski, K; Doraczynskaszopa, A. (1991). TETRACHLOROETHYLENE AS A COMPONENT OF THE BINARY AND TEMARY ELUENTS FOR SEPARATION OF COUMARINS BY THIN-LAYER CHROMATOGRAPHY. *Chemia analityczna*. 36: 299-304.
- Won, D; Corsi, RL; Rynes, M. (2001). Sorptive interactions between VOCs and indoor materials. *Indoor Air*. 11: 246-256.
- Won, YS, oo. (2009). Thermal decomposition of tetrachloroethylene with excess hydrogen. *J Ind Eng Chem*. 15: 510-515. <http://dx.doi.org/10.1016/j.jiec.2009.01.007>.
- Won, YS, oo. (2012). Comparison for thermal decomposition and product distribution of chloroform under each argon and hydrogen reaction atmosphere. *Korean J Chem Eng*. 29: 1745-1751. <http://dx.doi.org/10.1007/s11814-012-0086-0>.
- Won, YS; Bozzelli, JW. (1992). CHLOROFORM PYROLYSIS - EXPERIMENT AND DETAILED REACTION MODEL. *Combust Sci Tech*. 85: 345-373.
- Wong, J; Sridharan, R; Shanmugam, V. (2015). Quantifying Edge and Peripheral Recombination Losses in Industrial Silicon Solar Cells. *IEEE Transactions on Electron Devices*. 62: 3750-3755. <http://dx.doi.org/10.1109/TED.2015.2480089>.
- Wong, W, aiHoi; Li, H; Zhang, Y; Ramirez, R; An, S; Wang, C; Liu, S; Dong, Y, un; Baghaei, H. (2015). A High-Resolution Time-of-Flight Clinical PET Detection System Using a Gapless PMT-Quadrant-Sharing Method. *IEEE Trans Nucl Sci*. 62: 2067-2074. <http://dx.doi.org/10.1109/TNS.2015.2455511>.
- Woo, JH; Streets, DG; Carmichael, GR; Tang, YH; Yoo, B; Lee, WC; Thongboonchoo, N; Pinnock, S; Kurata, G; Uno, I; Fu, QY; Vay, S; Sachse, GW; Blake, DR; Fried, A; Thornton, DC. (2003). Contribution of biomass and biofuel emissions to trace gas distributions in Asia during the TRACE-P experiment. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003200>.
- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. *Environ Technol*. 30: 1337-1342. <http://dx.doi.org/10.1080/09593330902840342>.
- Wood, PR; Parsons, FZ; DeMarco, J; Harween, HJ; Lang, RF; Payan, IL; Ruiz, MC. (1981). Introductory study of the biodegradation of the chlorinated methane, ethane and ethene compounds. (40-8024098). Midland, MI: Dow Chemical Company. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0509177>.
- Woods, CG; Burns, AM; Maki, A; Bradford, BU; Cunningham, ML; Connor, HD; Kadiiska, MB; Mason, RP; Peters, JM; Rusyn, I. (2007). Sustained formation of alpha-(4-pyridyl-1-oxide)-N-tert-butyl nitron radical adducts in mouse liver by peroxisome proliferators is dependent upon peroxisome proliferator-activated receptor-alpha, but not NADPH oxidase. *Free Radic Biol Med*. 42: 335-342. <http://dx.doi.org/10.1016/j.freeradbiomed.2006.10.053>.
- Wormuth, M; Demou, E; Scheringer, M; Hungerbuehler, K. (2007). Assessments of direct human exposure - the approach of EU risk assessments compared to scenario-based risk assessment. *Risk Anal*. 27: 979-990. <http://dx.doi.org/10.1111/j.1539-6924.2007.00936.x>.
- Wozniak, AJ; Glisson, BS; Hande, KR; Ross, WE. (1984). Inhibition of etoposide-induced DNA damage and cytotoxicity in L1210 cells by dehydrogenase inhibitors and other agents 73. *Cancer Res*. 44: 626-632.
- Wright, DJ; Birak, PS; Pedit, JA; Miller, CT. (2010). Effectiveness of Source-Zone Remediation of DNAPL-Contaminated Subsurface Systems. *J Environ Eng*. 136: 452-465. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000165](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000165).
- Wu, B; Harwell, JH; Sabatini, DA; Bailey, JD. (2000). Alcohol-free diphenyl oxide disulfonate middle-phase microemulsion systems. *Journal of Surfactants and Detergents*. 3: 465-474.
- Wu, C; Liu, LJS; Cullen, A; Westberg, H; Williamson, J. (2011). Spatial-temporal and cancer risk assessment of selected hazardous air pollutants in Seattle. *Environ Int*. 37: 11-17. <http://dx.doi.org/10.1016/j.envint.2010.06.006>.
- Wu, CC; Wu, H; Tai, YC; Lin, KP; Liu, R, enS. (2010). Evaluation of Scatter Fraction and Noise Equivalent Count Rate Performance of the microPET F-220 Scanner Integrated with the Micro Insert Device. *Journal of Medical and Biological Engineering*. 30: 261-266.
- Wu, G; Dai, R, unY; Li, W, eiG; Yin, P, eiPei; Chen, HZ; Wang, M. (2011). Preparation of stable gelatin/sodium carboxymethylcellulose/sodium lauryl sulfonate microcapsules with ultra-thin capsule wall for electrophoretic displays. *Curr Appl Phys*. 11: 321-326. <http://dx.doi.org/10.1016/j.cap.2010.07.027>.
- Wu, J; Liu, Y; Wang, X; Zhang, L. (2014). Application of ion Implantation Emitter in PERC Solar Cells. 4: 52-57. <http://dx.doi.org/10.1109/JPHOTOV.2013.2282893>.
- Wu, JW; Chen, HC; Ding, WH. (2013). Ultrasound-assisted dispersive liquid-liquid microextraction plus simultaneous silylation for rapid determination of salicylate and benzophenone-type ultraviolet filters in aqueous samples. *J Chromatogr A*. 1302: 20-27. <http://dx.doi.org/10.1016/j.chroma.2013.06.017>.
- Wu, MZ; Reynolds, DA; Fourie, A; Prommer, H; Thomas, DG. (2012). Electrokinetic in situ oxidation remediation: assessment of parameter sensitivities and the influence of aquifer heterogeneity on remediation efficiency. *J Contam Hydrol*. 136-137: 72-85. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.005>.
- Wu, MZ, hi; Reynolds, DA; Fourie, A; Thomas, DG. (2013). Optimal Field Approaches for Electrokinetic In Situ Oxidation Remediation. *Ground Water Monitoring and Remediation*. 33: 62-74. <http://dx.doi.org/10.1111/j.1745-6592.2012.01410.x>.
- Wu, Q; Cournede, PH. (2014). A comprehensive methodology of global sensitivity analysis for complex mechanistic models with an application to plant growth. *Ecological Complexity*. 20: 219-232. <http://dx.doi.org/10.1016/j.ecocom.2013.12.005>.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation*. 20: 78-86.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res*. 32: 1445-1454.
- Wu, X; Alshawabkeh, AN; Gent, DB; Larson, SL; Davis, JL. (2007). Lactate transport in soil by DC fields. *Journal of Geotechnical and Geoenvironmental Engineering*. 133: 1587-1596. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2007\)133:12\(1587\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2007)133:12(1587)).

## Fate Literature Search Results

### Off Topic

- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol*. 91: 1280-1289. <http://dx.doi.org/10.1002/jctb.4718>.
- Wu, Y; Ma, C. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut*. 45: 176-185.
- Wu, YPG; Lin, YF. (2002). High temperature oxidation of C2Cl4/CH4 mixtures. *J Hazard Mater*. 91: 239-256.
- Wu, YPG; Lin, YF; Huang, CL. (2004). Kinetic study of the pyrolysis of tetrachloroethylene in a hydrogen rich environment. *Fuel*. 83: 2237-2248. <http://dx.doi.org/10.1016/j.fuel.2004.06.012>.
- Wu, Z; Lifka, J; Ondruschka, B. (2005). Sonochemical reaction of selected cyclic C6Hx hydrocarbons in organic solvents. *Ultrason Sonochem*. 12: 127-131. <http://dx.doi.org/10.1016/j.ultsonch.2004.05.014>.
- Wu, Z, hiLin; Ondruschka, B; Braeutigam, P. (2007). Degradation of chlorocarbons driven by hydrodynamic cavitation. *Chem Eng Tech*. 30: 642-648. <http://dx.doi.org/10.1002/ceat.200600288>.
- Xiao, S; Xu, S. (2014). High-Efficiency Silicon Solar Cells-Materials and Devices Physics. *Crit Rev Solid State Mater Sci*. 39: 277-317. <http://dx.doi.org/10.1080/10408436.2013.834245>.
- Xiao, YK; Zhang, L; Shan, XM; Ren, Y; Ma, ZX. (2004). Neighbor-medium-aware MAC protocol with fairness for wireless ad hoc networks. *I E I C E Transactions on Communications*. E87B: 2738-2746.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering*. 12: 716-718.
- Xieqi, M; Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH AND FUEL-LEAN FLAMES OF CCL4/CH4 MIXTURES. *Combust Flame*. 94: 131-145.
- Xin, J; Han, J; Zheng, X; Shao, H; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage*. 150: 420-426. <http://dx.doi.org/10.1016/j.jenvman.2014.12.022>.
- Xing, WL; Ou, GR; Jiang, ZH; Ma, LRR; Chao, FH. (2000). Detection of multiple herbicide residues using a planar array evanescent field immunosensor. *Anal Lett*. 33: 1071-1078.
- Xiong, G; Chen, Y; Pawliszyn, J. (2003). On-site calibration method based on stepwise solid-phase microextraction. *J Chromatogr A*. 999: 43-50. [http://dx.doi.org/10.1016/S0021-9673\(03\)00602-2](http://dx.doi.org/10.1016/S0021-9673(03)00602-2).
- Xu, N; Vandegrift, S; Fine, DD; Sewell, GW. (1997). Ion-exclusion chromatographic determination of carboxylic acids used to support the microbially mediated reductive dechlorination of tetrachloroethene. *Environ Toxicol Chem*. 16: 2242-2248.
- Xu, N; Vandegrift, S; Sewell, GW. (1996). Determination of chloroethenes in environmental biological samples using gas chromatography coupled with solid phase micro extraction. *Chromatographia*. 42: 313-317.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis*. 5: 371-374.
- Xu, Z; Wu, Y; Yu, F, ei. (2012). A Three-Dimensional Flow and Transport Modeling of an Aquifer Contaminated by Perchloroethylene Subject to Multi-PRB Remediation. *Transport in Porous Media*. 91: 319-337. <http://dx.doi.org/10.1007/s11242-011-9847-1>.
- Xue, P; Lu, GZ; Guo, Y; Guo, YL; Wang, YS. (2003). Influence of preparation methods of copolymer supports containing oxirane groups on activity of immobilized penicillin acylase. *Chinese journal of catalysis*. 24: 733-738.
- Yager, RM; Bilotta, SE; Mann, CL; Madsen, EL. (1997). Metabolic adaptation and in situ attenuation of chlorinated ethenes by naturally occurring microorganisms in a fractured dolomite aquifer near Niagara Falls, New York. *Environ Sci Technol*. 31: 3138-3147.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). TETRACHLOROETHYLENE DEGRADATION BY CULTURE SUPERNATANT OF THE ANAEROBIC BACTERIUM, STRAIN-T. *JTHE*. 40: 252-258.
- Ya-Li, W; Li-Qin, Y; Yu-Wen, M; Jian-Ping, L; Li-Jun, H. (2016). Benzyl Functionalized Ionic Liquid as New Extraction Solvent of Dispersive Liquid-liquid Microextraction for Enrichment of Organophosphorus Pesticides and Aromatic Compounds. *Chin J Anal Chem*. 44: 942-948. [http://dx.doi.org/10.1016/S1872-2040\(16\)60937-4](http://dx.doi.org/10.1016/S1872-2040(16)60937-4).
- Yamakawa-Kobayashi, K; Ishiguro, H; Arinami, T; Miyazaki, R; Hamaguchi, H. (2002). A Val227Ala polymorphism in the peroxisome proliferator activated receptor- $\bar{A}$  (PPAR- $\bar{A}$ ) gene is associated with variations in serum lipid levels. *J Med Genet*. 39: 189-191.
- Yamakura, T; Mihic, SJ; Harris, RA. (1999). Amino acid volume and hydrophobicity of a transmembrane site determine glycine and anesthetic sensitivity of glycine receptors. *J Biol Chem*. 274: 23006-23012.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut*. 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res*. 35: 561-566.
- Yamamoto, N; Okayasu, H; Murayama, S; Mori, S; Hunahashi, K; Suzuki, K. (2000). Measurement of volatile organic compounds in the urban atmosphere of Yokohama, Japan, by an automated gas chromatographic system. *Atmos Environ*. 34: 4441-4446.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol*. 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-independent identification of candidate dehalorespiring bacteria in tetrachloroethylene degradation. *Environ Sci Technol*. 46: 7709-7716. <http://dx.doi.org/10.1021/es301288y>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, H; Yamaguchi, T; Yamauchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere*. 25: 665-673. [http://dx.doi.org/10.1016/0045-6535\(92\)90429-U](http://dx.doi.org/10.1016/0045-6535(92)90429-U).
- Yamazaki, S; Fujinaga, N; Araki, K. (2001). Effect of sulfate ions for sol-gel synthesis of titania photocatalyst. *Appl Catal A-Gen*. 210: 97-102.



## Fate Literature Search Results

### Off Topic

- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO<sub>2</sub> pellets. *Water Res.* 35: 1022-1028.
- Yamazaki, S; Tsukamoto, H; Araki, K; Tanimura, T; Tejedor-Tejedor, I; Anderson, MA. (2001). Photocatalytic degradation of gaseous tetrachloroethylene on porous TiO<sub>2</sub> pellets. *Appl Catal B-Environ.* 33: 109-117.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 3-4.
- Yang, C; Yang, C. (2014). Preparation of TiO<sub>2</sub> particles and surface silanization modification for electronic ink. *Journal of Materials Science: Materials in Electronics.* 25: 3285-3289. <http://dx.doi.org/10.1007/s10854-014-2015-y>.
- Yang, JS; Baek, K; Kwon, T, aeS; Yang, J, iWon. (2009). Adsorption of chlorinated solvents in nonionic surfactant solutions with activated carbon in a fixed bed. *J Ind Eng Chem.* 15: 777-779. <http://dx.doi.org/10.1016/j.jiec.2009.09.027>.
- Yang, JS; Baek, K; Kwon, TS; Yang, JW. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.020>.
- Yang, P; Shi, Z; Tao, F, ei; Yang, S; Zhou, R. (2015). Synergistic performance between oxidizability and acidity/texture properties for 1,2-dichloroethane oxidation over (Ce,Cr)(x)O-2/zeolite catalysts. *Chem Eng Sci.* 134: 340-347. <http://dx.doi.org/10.1016/j.ces.2015.05.024>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO<sub>2</sub>-CrO<sub>x</sub> catalysts for chlorinated VOCs elimination. *Chem Eng Sci.* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.
- Yang, P; Zuo, S; Shi, Z; Tao, F, ei; Zhou, R. (2016). Elimination of 1,2-dichloroethane over (Ce,Cr)(x)O-2/MO<sub>y</sub> catalysts (M =Ti, V, Nb, Mo, W and La). *Appl Catal B-Environ.* 191: 53-61. <http://dx.doi.org/10.1016/j.apcatb.2016.03.017>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis.* 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, Q; Nagano, T; Shah, Y; Cheung, C; Ito, S; Gonzalez, FJ. (2008). The PPAR alpha-humanized mouse: a model to investigate species differences in liver toxicity mediated by PPAR alpha. *Toxicol Sci.* 101: 132-139. <http://dx.doi.org/10.1093/toxsci/kfm206>.
- Yang, Q; Shang, HT; Wang, XL; Li, HD; Wang, JL. (2006). Anaerobic degradation of tetrachloroethylene using different co-substrates as electron donors. *Biomed Environ Sci.* 19: 73-76.
- Yang, W; Qiu, Z; Zhao, Z; Lu, S; Sui, Q; Gu, X. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol.* 38: 34-41. <http://dx.doi.org/10.1080/09593330.2016.1184320>.
- Yang, Y; Mccarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environ Sci Technol.* 32: 3591-3597.
- Yang, YR; Mccarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environ Sci Technol.* 34: 2979-2984.
- Yang, YR; Mccarty, PL. (2003). Response to comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environ Sci Technol.* 37: 2620-2621. <http://dx.doi.org/10.1021/es030395x>.
- Yasugi, T; Kawai, T; Mizunuma, K; Kishi, R; Harabuchi, I; Yuasa, J; Eguchi, T; Sugimoto, R; Seiji, K; Ikeda, M. (1994). Exposure monitoring and health effect studies of workers occupationally exposed to cyclohexane vapor. *Int Arch Occup Environ Health.* 65: 343-350. <http://dx.doi.org/10.1007/BF00405700>.
- Ye, C, uiP; Ding, XX; Li, W, enY; Wu, TT; Fan, MM; Feng, J, ie. (2016). Highly Efficient Solvent Screening for Separating Carbazole from Crude Anthracene. *Energy Fuels.* 30: 3529-3534. <http://dx.doi.org/10.1021/acs.energyfuels.5b02800>.
- Ye, S; Sleep, BE; Chien, C. (2009). The impact of methanogenesis on flow and transport in coarse sand. *J Contam Hydrol.* 103: 48-57. <http://dx.doi.org/10.1016/j.jconhyd.2008.09.004>.
- Ye, X; Chen, D; Li, K; Shah, V. (2007). Photocatalytic oxidation of aldehydes/PCE using porous anatase titania and visible-light-responsive brookite titania. *Chemical Engineering Communications.* 194: 368-381. <http://dx.doi.org/10.1080/00986440600899948>.
- Yeh, CKJ; Peng, SL; Hsu, IY. (2002). Co-surfactant of ethoxylated sorbitan ester and sorbitan monooleate for enhanced flushing of tetrachloroethylene. *Chemosphere.* 49: 421-430.
- Yeh, KJ; Chen, TC; Young, W. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci.* 30: 47-52. <http://dx.doi.org/10.1089/ees.2012.0001>.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater.* 81: 253-263.
- Yim, SD; Chang, KH; Koh, DJ; Nam, IS; Kim, YG. (2000). Catalytic removal of perchloroethylene (PCE) over supported chromium oxide catalysts. *Catalysis Today.* 63: 215-222.
- Yim, SD; Chang, KH; Nam, IS. (2001). Deactivation of chromium oxide catalyst for the removal of perchloroethylene (PCE). *Stud Surf Sci Catal.* 139: 173-180.
- Yim, SD; Koh, DJ; Nam, IS. (2002). A pilot plant study for catalytic decomposition of PCDDs/PCDFs over supported chromium oxide catalysts. *Catalysis Today.* 75: 269-276.
- Yim, SD; Koh, DJ; Nam, IS; Kim, YG. (2000). Effect of the catalyst supports on the removal of perchloroethylene (PCE) over chromium oxide catalysts. *Catalysis Letters.* 64: 201-207.
- Yim, SD; Nam, IS. (2004). Characteristics of chromium oxides supported on TiO<sub>2</sub> and Al<sub>2</sub>O<sub>3</sub> for the decomposition of perchloroethylene. *J Catal.* 221: 601-611. <http://dx.doi.org/10.1016/j.jcat.2003.09.026>.
- Yin, P, eiPei; Wu, G; Chen, HZ; Wang, M. (2011). Preparation and characterization of carbon black/acrylic copolymer hybrid particles for dual particle electrophoretic display. *Synthetic Metals.* 161: 1456-1462. <http://dx.doi.org/10.1016/j.synthmet.2011.03.029>.

## Fate Literature Search Results

### Off Topic

- Yin, P; Wu, G; Qin, W; Chen, X; Wang, M; Chen, H. (2013). CYM and RGB colored electronic inks based on silica-coated organic pigments for full-color electrophoretic displays. 1: 843-849. <http://dx.doi.org/10.1039/c2tc00344a>.
- Yin, Y; Chen, X; Li, C; Wu, H; Komarov, S; Guo, Q; Krawczynski, H; Meng, L; Tai, YC. (2014). Evaluation of PET Imaging Resolution Using 350 μm Pixelated CZT as a VP-PET Insert Detector. *IEEE Trans Nucl Sci.* 61: 154-161. <http://dx.doi.org/10.1109/TNS.2013.2294011>.
- Yokley, KA; Evans, MV. (2007). An example of model structure differences using sensitivity analyses in physiologically based pharmacokinetic models of trichloroethylene in humans. *Bull Math Biol.* 69: 2591-2625. <http://dx.doi.org/10.1007/s11538-007-9233-x>.
- Yokouchi, Y; Mukai, H; Yamamoto, H; Otsuki, A; Saitoh, C; Nojiri, Y. (1997). Distribution of methyl iodide, ethyl iodide, bromoform, and dibromomethane over the ocean (east and southeast Asian seas and the western Pacific). *J Geophys Res Atmos.* 102: 8805-8809.
- Yoo, JS; Guengerich, FP; Yang, CS. (1988). Metabolism of N-nitrosodialkylamines by human liver microsomes. *Cancer Res.* 48: 1499-1504.
- Yoon, JS; Mason, JM; Valencia, R; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. IV. Results of 45 coded compounds tested for the National Toxicology Program. *Environ Mutagen.* 7: 349-367. <http://dx.doi.org/10.1002/em.2860070310>.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *J Toxicol Environ Health A.* 54: 145-158.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut.* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol.* 15: 1096-1105. <http://dx.doi.org/10.1021/tx020028j>.
- You, L; Dallas, CE. (2000). Effects of inhaled 1,1,1-trichloroethane on the regional brain cyclic GMP levels in mice and rats. *J Toxicol Environ Health A.* 60: 331-341.
- You, YW; Zhao, HT; Vance, GF. (2002). Hybrid organic-inorganic derivatives of layered double hydroxides and dodecylbenzenesulfonate: Preparation and adsorption characteristics. *J Mater Chem.* 12: 907-912. <http://dx.doi.org/10.1039/b106811c>.
- Yount, EA; Felten, SY; O'Connor, BL; Peterson, RG; Powell, RS; Yum, MN; Harris, RA. (1982). Comparison of the metabolic and toxic effects of 2-chloropropionate and dichloroacetate. *J Pharmacol Exp Ther.* 222: 501-508.
- Youssef, J; Badr, M. (1998). Extraperoxisomal targets of peroxisome proliferators: Mitochondrial, microsomal, and cytosolic effects: Implications for health and disease [Review]. *Crit Rev Toxicol.* 28: 1-33. <http://dx.doi.org/10.1080/10408449891344182>.
- Youssef, J; Badr, M. (1999). Biology of senescent liver peroxisomes: role in hepatocellular aging and disease [Review]. *Environ Health Perspect.* 107: 791-797.
- Yu, AR, am; Kim, J, inSu; Kim, KM, in; Kim, H, eeJ. (2013). Comparison of Normalization Methods for I-124 PET on Siemens Inveon PET Scanner. *IEEE Trans Nucl Sci.* 60: 817-819. <http://dx.doi.org/10.1109/TNS.2013.2243843>.
- Yu, AR, am; Kim, J, inSu; Moon, J; Kim, H, eeJ; Lim, SM, oo; Kim, KM, in. (2013). The Effect of Attenuation and Scatter Correction in Rat Brain PET. *IEEE Trans Nucl Sci.* 60: 751-757. <http://dx.doi.org/10.1109/TNS.2012.2230338>.
- Yu, KO; Barton, HA; Mahle, DA; Frazier, JM. (2000). In vivo kinetics of trichloroacetate in male Fischer 344 rats. *Toxicol Sci.* 54: 302-311.
- Yu, S; Cao, WQ; Kashireddy, P; Meyer, K; Jia, Y; Hughes, DE; Tan, Y; Feng, J; Yeldandi, AV; Rao, MS; Costa, RH; Gonzalez, FJ; Reddy, JK. (2001). Human peroxisome proliferator-activated receptor alpha (PPAR $\alpha$ ) supports the induction of peroxisome proliferation in PPAR $\alpha$ -deficient mouse liver. *J Biol Chem.* 276: 42485-42491. <http://dx.doi.org/10.1074/jbc.M106480200>.
- Yu, S; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environ Sci Technol.* 39: 195-205. <http://dx.doi.org/10.1021/es0496773>.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater.* 167: 97-104. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.087>.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res.* 36: 4985-4996.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem.* 19: 2212-2217.
- Yuan, B; Chen, Y; Fu, M. (2012). Degradation efficiencies and mechanisms of trichloroethylene (TCE) by controlled-release permanganate (CRP) oxidation. *Chem Eng J.* 192: 276-283. <http://dx.doi.org/10.1016/j.cej.2012.03.049>.
- Yuan, C. (2006). The effect of Fe(0) on electrokinetic remediation of clay contaminated with perchloroethylene. *Water Sci Technol.* 53: 91-98. <http://dx.doi.org/10.2166/wst.2006.176>.
- Yuan, S; Wen, H; Wu, X; Chen, J; Wang, L. (2010). Effect of nonionic and cationic surfactants on the dechlorination kinetics and products distribution of various polychlorinated benzenes by Cu/Fe particles. *Separation and Purification Technology.* 74: 130-137. <http://dx.doi.org/10.1016/j.seppur.2010.05.015>.
- Yun, JY; Ha, SA, n; Kim, DK; Wang, J, eiPil. (2016). Synthesis of Nanosized Zirconium Carbide Powder by Magnesiothermic Reduction. 8: 2167-2171. <http://dx.doi.org/10.1166/sam.2016.2868>.
- Yunqiang, W; Ming'an, S. (2009). Infiltration characteristics of non-aqueous phase liquids in undisturbed loessal soil cores. *J Environ Sci.* 21: 1424-1431. [http://dx.doi.org/10.1016/S1001-0742\(08\)62435-3](http://dx.doi.org/10.1016/S1001-0742(08)62435-3).
- Zaa, CLY; Mclean, JE; Dupont, R; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation.* 30: 46-57. <http://dx.doi.org/10.1111/j1745-6592.2009.001268.x>.
- Zahlten, RN; Stratman, FW. (1974). The isolation of hormone-sensitive rat hepatocytes by a modified enzymatic technique. *Arch Biochem Biophys.* 163: 600-608. [http://dx.doi.org/10.1016/0003-9861\(74\)90519-0](http://dx.doi.org/10.1016/0003-9861(74)90519-0).
- Zaidi, H; Ojha, N; Morich, M; Griesmer, J; Hu, Z; Maniawski, P; Ratib, O; Izquierdo-Garcia, D; Fayad, ZA; Shao, L. (2011). Design and performance evaluation of a whole-body Ingenuity TF PET-MRI system. *Phys Med Biol.* 56: 3091-3106. <http://dx.doi.org/10.1088/0031-9155/56/10/013>.

## Fate Literature Search Results

### Off Topic

- Zanelli, U; Puccini, P; Acerbi, D; Ventura, P; Gervasi, PG. (1996). Induction of peroxisomal beta-oxidation and P-450 4A-dependent activities by pivalic and trichloroacetic acid in rat liver and kidney. *Arch Toxicol.* 70: 145-149. <http://dx.doi.org/10.1007/s002040050253>.
- Zanetti, MC; Fiore, S. (2005). Evaluation of mutual connections between zero-valent iron reactivity and groundwater composition in trichloroethylene degradation. *Ann Chim.* 95: 779-789.
- Zanuccoli, M; De Rose, R; Magnone, P; Sangiorgi, E; Fiegna, C. (2012). Performance Analysis of Rear Point Contact Solar Cells by Three-Dimensional Numerical Simulation. *I E E Transactions on Electron Devices.* 59: 1311-1319. <http://dx.doi.org/10.1109/TED.2012.2187297>.
- Zarabadi-Poor, P; Badiei, A; Yousefi, AA. (2013). Synthesis of novel carbon nanostructures through the solvothermal route. *Scientia Iranica.* 20: 2382-2385.
- Zarate-Segura, P; Rios-Leal, E; Esparza-Garcia, F; Garcia-Mena, J; Sanz, JL; Zaiat, M; Poggi-Valardo, HM. (2004). Perchloroethylene removal in two anaerobic continuous systems. *Interciencia.* 29: 562-+.
- Zarczynski, A; Kazmierczak, M; Gorzka, Z; Misiak, M. (2003). Destruction of organo-chlorine, -sulfur and -nitrogen compounds by thermocatalytic oxidation. *Przemysł Chemiczny.* 82: 1075-1077.
- Zare Sakhvidi, MJ; Bahrami, AR; Ghiasvand, A; Mahjub, H; Tuduri, L. (2013). SPME-based air sampling method for inhalation exposure assessment studies: case study on perchlorethylene exposure in dry cleaning. *Environ Monit Assess.* 185: 4933-4941. <http://dx.doi.org/10.1007/s10661-012-2914-4>.
- Zastrow, U; Houben, L; Meertens, D; Grohe, A; Brammer, T; Schneiderloechner, E. (2006). Characterization of laser-fired contacts in PERC solar cells: SIMS and TEM analysis applying advanced preparation techniques. *Appl Surf Sci.* 252: 7082-7085. <http://dx.doi.org/10.1016/j.apsusc.2006.02.114>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect.* 73: 259-306.
- Zeka, A; Sullivan, JR; Vokonas, PS; Sparrow, D; Schwartz, J. (2006). Inflammatory markers and particulate air pollution: Characterizing the pathway to disease [Commentary]. *Int J Epidemiol.* 35: 1347-1356.
- Zeka, A; Zanobetti, A; Schwartz, J. (2006). Individual-level modifiers of the effects of particulate matter on daily mortality. *Am J Epidemiol.* 163: 849-859. <http://dx.doi.org/10.1093/aje/kwj116>.
- Zeng, Y; Zeng, Z; Ju, T; Zhang, F, an. (2015). Adsorption performance and mechanism of perchloroethylene on a novel nano composite beta-FeOOH-AC. *Microporous and Mesoporous Materials.* 210: 60-68. <http://dx.doi.org/10.1016/j.micromeso.2015.02.021>.
- Zhai, X; Hua, I; Rao, PS; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol.* 82: 61-74. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.007>.
- Zhang, B; Marcus, SL; Miyata, KS; Subramani, S; Capone, JP; Rachubinski, RA. (1993). Characterization of protein-DNA interactions within the peroxisome proliferator-responsive element of the rat hydratase-dehydrogenase gene. *J Biol Chem.* 268: 12939-12945.
- Zhang, B; Marcus, SL; Sajjadi, FG; Alvares, K; Reddy, JK; Subramani, S; Rachubinski, RA; Capone, JP. (1992). Identification of a peroxisome proliferator-responsive element upstream of the gene encoding rat peroxisomal enoyl-CoA hydratase/3-hydroxyacyl-CoA dehydrogenase. *Proc Natl Acad Sci USA.* 89: 7541-7545.
- Zhang, C; Werth, CJ; Webb, AG. (2008). Investigation of surfactant-enhanced mass removal and flux reduction in 3D correlated permeability fields using magnetic resonance imaging. *J Contam Hydrol.* 100: 116-126. <http://dx.doi.org/10.1016/j.jconhyd.2008.06.002>.
- Zhang, D; Park, CS; Koh, CS. (2012). A New Optimal Design Method of Rotor Slot of Three-Phase Squirrel Cage Induction Motor for NEMA Class D Speed-Torque Characteristic Using Multi-Objective Optimization Algorithm. *I E E Transactions on Magnetics.* 48: 879-882. <http://dx.doi.org/10.1109/TMAG.2011.2174040>.
- Zhang, D; Ren, Z; Koh, CS. (2014). Multi-Objective Optimal Design of a NEMA Design D Three-phase Induction Machine Utilizing Gaussian-MOPSO Algorithm. *Journal of Electrical Engineering & Technology.* 9: 184-189. <http://dx.doi.org/10.5370/JEET.2014.9.1.184>.
- Zhang, H; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of dechlorination and sulfate reduction on the microbial community structure in denitrifying membrane-biofilm reactors. *Environ Sci Technol.* 44: 5159-5164. <http://dx.doi.org/10.1021/es100695n>.
- Zhang, JZ; Colon-Mercado, HR; Goodwin, JG, Jr. (2011). The effect of low concentrations of tetrachloroethylene on H-2 adsorption and activation on Pt in a fuel cell catalyst. *J Power Sources.* 196: 8391-8397. <http://dx.doi.org/10.1016/j.jpowsour.2011.06.081>.
- Zhang, L; Zhang, Y; Kershaw, SV; Zhao, Y; Wang, Y; Jiang, Y; Zhang, T; Yu, WW; Gu, P; Wang, Y; Zhang, H; Rogach, AL. (2014). Colloidal PbSe quantum dot-solution-filled liquid-core optical fiber for 1.55  $\mu\text{m}$  telecommunication wavelengths. *Nanotechnology.* 25: 105704. <http://dx.doi.org/10.1088/0957-4484/25/10/105704>.
- Zhang, LF; Kanki, T; Sano, N; Toyoda, A. (2003). Development of TiO<sub>2</sub> photocatalyst reaction for water purification. *Separation and Purification Technology.* 31: 105-110.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, PF; Simunek, J; Bowman, RS. (2004). Nonideal transport of solute and colloidal tracers through reactive zeolite/iron pellets. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR002445>.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environ Sci Technol.* 36: 3597-3603. <http://dx.doi.org/10.1021/es015816u>.
- Zhang, Q; Liang, T; Guan, L. (2013). Ultrasound-assisted dispersive liquid-liquid microextraction combined with gas chromatography-mass spectrometry in negative chemical ionization mode for the determination of polybrominated diphenyl ethers in water. *J Sep Sci.* 36: 1263-1269. <http://dx.doi.org/10.1002/jssc.201201049>.
- Zhang, S, hu; Pan, X; Jiao, H; Deng, W; Xu, J; Chen, Y; Altermatt, PP; Feng, Z; Verlinden, PJ. (2016). 335-W World-Record p-Type Monocrystalline Module With 20.6% Efficient PERC Solar Cells. 6: 145-152. <http://dx.doi.org/10.1109/JPHOTOV.2015.2498039>.

## Fate Literature Search Results

### Off Topic

- Zhang, T; Chen, X; Li, Y; Liang, P, ei. (2006). Application of headspace liquid-phase microextraction to the analysis of volatile halocarbons in water. *Chromatographia*. 63: 633-637. <http://dx.doi.org/10.1365/s10337-006-0823-9>.
- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol*. 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng*. 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W, ei; Li, L, i; Lin, K; Xiong, B; Li, B; Lu, S; Guo, M; Cui, X. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Sci Technol*. 65: 2258-2264. <http://dx.doi.org/10.2166/wst.2012.146>.
- Zhang, WX; Wang, CB; Lien, HL. (1998). Treatment of chlorinated organic contaminants with nanoscale bimetallic particles. *Catalysis Today*. 40: 387-395.
- Zhang, X; Qian, L; Xu, P; He, H; Du, Q. (2008). Study of H-beta-zeolite supported Rh catalyst by inverse gas chromatography. *Chem Eng J*. 137: 579-586. <http://dx.doi.org/10.1016/j.cej.2007.05.020>.
- Zhang, X; Stortz, G; Sossi, V; Thompson, CJ; Retière, F; Kozłowski, P; Thiessen, JD; Goertzen, AL. (2013). Development and evaluation of a LOR-based image reconstruction with 3D system response modeling for a PET insert with dual-layer offset crystal design. *Phys Med Biol*. 58: 8379-8399. <http://dx.doi.org/10.1088/0031-9155/58/23/8379>.
- Zhang, XH; Sewell, GW; Cui, SY. (2001). An improved method of hydrogen production as electron donor for anaerobic bioremediation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 1661-1670.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energy Eng*. 118: 123-129.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater*. 192: 1896-1899. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.087>.
- Zhang, Y; Lee, HK. (2012). Determination of ultraviolet filters in water samples by vortex-assisted dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. *J Chromatogr A*. 1249: 25-31. <http://dx.doi.org/10.1016/j.chroma.2012.06.019>.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci*. 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Sci Technol*. 69: 120-127. <http://dx.doi.org/10.2166/wst.2013.564>.
- Zhang, Y; Wang, X; Blake, DR; Li, L; Zhang, Z; Wang, S; Guo, H, ai; Lee, FSC; Gao, B, o; Chan, L; Wu, D, ui; Rowland, FS. (2012). Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. *J Geophys Res Atmos*. 117: n/a. <http://dx.doi.org/10.1029/2011JD017356>.
- Zhang, YL; Guo, H; Wang, XM; Simpson, IJ; Barletta, B; Blake, DR; Meinardi, S; Rowland, FS; Cheng, HR; Saunders, SM; Lam, SHM. (2010). Emission patterns and spatiotemporal variations of halocarbons in the Pearl River Delta region, southern China. *J Geophys Res Atmos*. 115. <http://dx.doi.org/10.1029/2009JD013726>.
- Zhang, Z; Wang, X; Zhang, Y; Lü, S; Huang, Z; Huang, X; Wang, Y. (2015). Ambient air benzene at background sites in China's most developed coastal regions: exposure levels, source implications and health risks. *Sci Total Environ*. 511: 792-800. <http://dx.doi.org/10.1016/j.scitotenv.2015.01.003>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A*. 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, Z; Zhang, Y; Wang, X; Lu, S; Huang, Z; Huang, X; Yang, W; Wang, Y; Zhang, Q. (2016). Spatiotemporal patterns and source implications of aromatic hydrocarbons at six rural sites across China's developed coastal regions. *J Geophys Res Atmos*. 121: 6669-6687. <http://dx.doi.org/10.1002/2016JD025115>.
- Zhang, ZF; Smith, JE. (2001). The velocity of DNAPL fingering in water-saturated porous media: laboratory experiments and a mobile-immobile-zone model. *J Contam Hydrol*. 49: 335-353.
- Zhang, ZF; Smith, JE. (2002). Visualization of DNAPL fingering processes and mechanisms in water-saturated porous media. *Transport in Porous Media*. 48: 41-59.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-dichloroethene biodegradation by other chloroethenes. *Water Res*. 44: 2276-2282. <http://dx.doi.org/10.1016/j.watres.2009.12.023>.
- Zhao, HT; Nagy, KL; Waples, JS; Vance, GF. (2000). Surfactant-templated mesoporous silicate materials as sorbents for organic pollutants in water. *Environ Sci Technol*. 34: 4822-4827. <http://dx.doi.org/10.1021/es000990o>.
- Zhao, S, hiX; Zhang, L, ij; Wang, Y, uXin. (2013). Enhanced performance of a Nafion membrane through ionomer self-organization in the casting solution. *J Power Sources*. 233: 309-312. <http://dx.doi.org/10.1016/j.jpowsour.2013.01.052>.
- Zhao, W; Ioannidis, MA. (2003). Pore network simulation of the dissolution of a single-component wetting nonaqueous phase liquid. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001861>.
- Zhao, Z; Fang, Y, uLun; Alvarez, PJJ; Wong, MS. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ*. 140: 468-477. <http://dx.doi.org/10.1016/j.apcatb.2013.04.032>.
- Zhen, H; Du, S; Rodenburg, LA; Mainelis, G; Fennell, DE. (2014). Reductive dechlorination of 1,2,3,7,8-pentachlorodibenzo-p-dioxin and Aroclor 1260, 1254 and 1242 by a mixed culture containing Dehalococcoides mccartyi strain 195. *Water Res*. 52: 51-62. <http://dx.doi.org/10.1016/j.watres.2013.12.038>.

## Fate Literature Search Results

### Off Topic

- Zheng, F, ei; Gao, B, in; Sun, Y; Shi, X; Xu, H; Wu, J; Gao, Y. (2016). Removal of tetrachloroethylene from homogeneous and heterogeneous porous media: Combined effects of surfactant solubilization and oxidant degradation. *Chem Eng J.* 283: 595-603. <http://dx.doi.org/10.1016/j.cej.2015.08.004>.
- Zheng, T; Cantor, KP; Zhang, Y; Lynch, CF. (2002). Occupation and bladder cancer: A population-based, case-control study in Iowa. *J Occup Environ Med.* 44: 685-691.
- Zhi-Jie, L; Xiang-Gao, L; Shi-Rong, W. (2012). Preparation of TiO<sub>2</sub> Nano-particles with Controllable Surface Charges for Electrophoretic Display. *Wuji Cailiao Xuebao.* 27: 649-654. <http://dx.doi.org/10.3724/SP.J.1077.2012.00649>.
- Zhou, H; Gong, Y; Zhou, M. (2007). Infrared spectra of chlorinated ethylene cations: C<sub>2</sub>Cl<sub>4</sub><sup>+</sup>, C<sub>2</sub>HCl<sub>3</sub><sup>+</sup>, 1,1-C<sub>2</sub>H<sub>2</sub>Cl<sub>2</sub><sup>+</sup>, and trans-C<sub>2</sub>H<sub>2</sub>Cl<sub>2</sub><sup>+</sup> in solid argon. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 111: 603-609. <http://dx.doi.org/10.1021/jp066618y>.
- Zhou, S; Wallace, K. (1999). The effect of peroxisome proliferators on mitochondrial bioenergetics. *Toxicol Sci.* 48: 82-89.
- Zhou, Y; Varner, RK; Russo, RS; Wingenter, OW; Haase, KB; Talbot, R; Sive, BC. (2005). Coastal water source of short-lived halocarbons in New England. *J Geophys Res Atmos.* 110. <http://dx.doi.org/10.1029/2004JD005603>.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect.* 106 Suppl 4: 983-988.
- Zhou, ZN; Dai, YK; Tian, WJ; Wu, S. R.; Jing, FY; Feng, ZL. (1992). SEQUENCE STRUCTURE OF ETHYLENE-VINYL SUBSTITUTED COPOLYMER WITH C-13 NMR .4. *Sci China Ser B-Chem.* 35: 769-775.
- Zhu, B, aoWei; Lim, TT; Feng, J. (2008). Influences of amphiphiles on dechlorination of a trichlorobenzene by nanoscale Pd/Fe: Adsorption, reaction kinetics, and interfacial interactions. *Environ Sci Technol.* 42: 4513-4519. <http://dx.doi.org/10.1021/es800227r>.
- Zhu, L; Bozzelli, JW; Lay, TH. (1998). Comparison of AM1 and PM3 in MOPAC6 with literature for the thermodynamic parameters of C-1 and C-2 chlorocarbons. *Ind Eng Chem Res.* 37: 3497-3507.
- Zhu, WM; Ford, WT. (1991). OXIDATION OF ALKENES WITH AQUEOUS POTASSIUM PEROXYMONOSULFATE AND NO ORGANIC-SOLVENT. *J Org Chem.* 56: 7022-7026.
- Zhu, Y; Fiedler, K; Rudiger, S; Kemnitz, E. (2003). Aliovalent-substituted chromium-based catalysts for the hydrofluorination of tetrachloroethylene. *J Catal.* 219: 8-16. [http://dx.doi.org/10.1016/S0021-9517\(03\)00183-0](http://dx.doi.org/10.1016/S0021-9517(03)00183-0).
- Zhuang, P; Pavlostathis, SG. (1994). EFFECT OF CHLORINATED ALKENES ON THE REDUCTIVE DECHLORINATION AND METHANE PRODUCTION PROCESSES. *Water Sci Technol.* 30: 85-94.
- Zhuang, P; Pavlostathis, SG. (1995). EFFECT OF TEMPERATURE, PH AND ELECTRON-DONOR ON THE MICROBIAL REDUCTIVE DECHLORINATION OF CHLOROALKENES. *Chemosphere.* 31: 3537-3548.
- Zielhuis, GA; Gijzen, R; van der Gulden, JWJ. (1989). Menstrual disorders among dry-cleaning workers [Letter]. *Scand J Work Environ Health.* 15: 238.
- Zielke, D; Sylla, D; Neubert, T; Brendel, R; Schmidt, J, an. (2013). Direct Laser Texturing for High-Efficiency Silicon Solar Cells. 3: 656-661. <http://dx.doi.org/10.1109/JPHOTOV.2012.2228302>.
- Ziémons, E; Goffin, E; Lejeune, R; Angenot, L; Thunus, L. (2004). FT-IR measurement of tagitinin C after solvent extraction from *Tithonia diversifolia*. *Talanta.* 62: 383-387. <http://dx.doi.org/10.1016/j.talanta.2003.08.007>.
- Ziener, CE; Braunsdorf, P. (2014). Trace Analysis in End-Exhaled Air Using Direct Solvent Extraction in Gas Sampling Tubes: Tetrachloroethene in Workers as an Example. *International Journal of Analytical Chemistry.* 2014: 904512. <http://dx.doi.org/10.1155/2014/904512>.
- Ziglio, G. (1981). Human exposure to environmental trichloroethylene and tetrachloroethylene: preliminary data on population groups of Milan, Italy. *Bull Environ Contam Toxicol.* 26: 131-136.
- Ziglio, G; Fara, GM; Beltramelli, G; Pregliasco, F. (1983). Human environmental exposure to trichloro- and tetrachloroethylene from water and air in Milan, Italy. *Arch Environ Contam Toxicol.* 12: 57-64.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium [Review]. *Environ Health Perspect.* 103: 5-7.
- Zingg, JM; Jones, PA. (1997). Genetic and epigenetic aspects of DNA methylation on genome expression, evolution, mutation and carcinogenesis. *Carcinogenesis.* 18: 869-882.
- Zitomer, DH; Owens, D; Speece, RE. (2000). Methanethiol production as an indicator of toxicity in anaerobic treatment. *Water Sci Technol.* 42: 231-235.
- Ziv-El, M; Kalinowski, T; Krajmalnik-Brown, R; Halden, RU. (2014). Simultaneous determination of chlorinated ethenes and ethene in groundwater using headspace solid-phase microextraction with gas chromatography. *J Chromatogr Sci.* 52: 137-142. <http://dx.doi.org/10.1093/chromsci/bms258>.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Insogna, S; Pastorini, E. (2010). On-line analysis of volatile chlorinated hydrocarbons in air by gas chromatography-mass spectrometry Improvements in preconcentration and injection steps. *J Chromatogr A.* 1217: 3890-3895. <http://dx.doi.org/10.1016/j.chroma.2010.04.013>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem.* 63: 91-98.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem.* 55: 27-32.
- Zoeteman, BCJ; Harmsen, K; Linders, JBH, J; Morra, CFH; Slooff, W. (1980). Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere.* 9: 231-249.
- Zordan, M; Osti, M; Pesce, M; Costa, R. (1994). Chloral hydrate is recombinogenic in the wing spot test in *Drosophila melanogaster*. *Mutat Res.* 322: 111-116. [http://dx.doi.org/10.1016/0165-1218\(94\)00017-4](http://dx.doi.org/10.1016/0165-1218(94)00017-4).

## Fate Literature Search Results

### Off Topic

- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO<sub>2</sub>-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis*. 22: 198-202.
- Zuraimi, MS; Tham, KW. (2008). Effects of child care center ventilation strategies on volatile organic compounds of indoor and outdoor origins. *Environ Sci Technol*. 42: 2054-2059. <http://dx.doi.org/10.1021/es0714033>.
- Zurita, JL; Garcia, DA; Postigo, MA. (1992). EXCESS MOLAR VOLUMES OF TETRACHLOROETHENE + 1,4-DIOXANE + TETRAHYDROFURAN AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data*. 37: 206-209.
- Zuurbier, M; Lundqvist, C; Salines, G; Stansfeld, S; Hanke, W; Babisch, W; Bistrup, ML; Van Den Hazel, P; Moshammer, H. (2007). The environmental health of children: Priorities in Europe [Review]. *Int J Occup Med Environ Health*. 20: 291-308. <http://dx.doi.org/10.2478/v10001-007-0022-4>.
- Zwank, L; Berg, M; Schmidt, TC; Haderlein, SB. (2003). Compound-specific carbon isotope analysis of volatile organic compounds in the low-microgram per liter range. *Anal Chem*. 75: 5575-5583. <http://dx.doi.org/10.1021/ac034230i>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Abriola, LM; Drummond, CD; Hahn, EJ; Hayes, KF; Kibbey, TCG; Lemke, LD; Pennell, KD; Petrovskis, EA; Ramsburg, CA; Rathfelder, KM. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 1. Site characterization and test design. *Environ Sci Technol*. 39: 1778-1790. <http://dx.doi.org/10.1021/es0495819>.
- Adachi, A; Sakurai, H; Okano, T. (2007). Effect of spherosome on degradation of tetrachloroethylene in soil. *J Agric Food Chem*. 55: 9149-9151. <http://dx.doi.org/10.1021/jf071336w>.
- Aggazzotti, G; Fantuzzi, G; Predieri, G; Righi, E; Moscardelli, S. (1994). Indoor exposure to perchloroethylene (PCE) in individuals living with dry-cleaning workers. *Sci Total Environ*. 156: 133-137. [http://dx.doi.org/10.1016/0048-9697\(94\)90349-2](http://dx.doi.org/10.1016/0048-9697(94)90349-2).
- Aggazzotti, G; Fantuzzi, G; Righi, E; Predieri, G; Gobba, FM; Paltrinieri, M; Cavalleri, A. (1994). Occupational and environmental exposure to perchloroethylene (PCE) in dry cleaners and their family members. *Arch Environ Occup Health*. 49: 487-493. <http://dx.doi.org/10.1080/00039896.1994.9955005>.
- Ahlborg, G, Jr. (1990). Pregnancy outcome among women working in laundries and dry-cleaning shops using tetrachloroethylene. *Am J Ind Med*. 17: 567-575. <http://dx.doi.org/10.1002/ajim.4700170503>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700170503/abstract>.
- Aitio, A; Riihimaki, V; Vainio, H. (1984). Biological monitoring and surveillance of workers exposed to chemicals. In A Aitio; V Riihimaki; H Vainio (Eds.). New York, NY: Hemisphere Publishing Corporation.
- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med*. 41: 500-509.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med*. 37: 797-806.
- Artimo, A. (2002). Application of flow and transport models to the polluted Honkala aquifer, Sakyla, Finland. *Boreal Environmental Research*. 7: 161-172.
- Atasoy, E; Döğeroğlu, T; Kara, S. (2004). The estimation of NMVOC emissions from an urban-scale wastewater treatment plant. *Water Res*. 38: 3265-3274. <http://dx.doi.org/10.1016/j.watres.2004.04.036>.
- Bajracharya, K; Barry, DA. (1994). NOTE ON COMMON MIXING CELL MODELS. *J Hydrol*. 153: 189-214.
- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation*. 26: 115-127.
- Barber, LB; Keefe, SH; Leblanc, DR; Bradley, PM; Chapelle, FH; Meyer, MT; Loftin, KA; Kolpin, DW; Rubio, F. (2009). Fate of Sulfamethoxazole, 4-Nonylphenol, and 17 beta-Estradiol in Groundwater Contaminated by Wastewater Treatment Plant Effluent. *Environ Sci Technol*. 43: 4843-4850. <http://dx.doi.org/10.1021/es803292v>.
- Baya, MP; Figa-Talamanca, I; Siskos, PA. (1998). Determination of selected volatile organic compounds in the air of dry-cleaning shops in the Athens area: Pilot study. *Indoor Built Environ*. 7: 315-318.
- Begerow, J; Jermann, E; Keles, T; Freier, I; Ranft, U; Dunemann, L. (1996). Internal and external tetrachloroethene exposure of persons living in differently polluted areas of Northrhine-Westphalia (Germany). *Zentralblatt fuer Hygiene und Umweltmedizin*. 198: 394-406.
- Benes, V; Frantik, E; Horvath, M; Kozena, L. (1986). Vigilance performance paralleled with blood levels of solvents: Acetone, styrene, tetrachloroethylene. *Homeost Health Dis*. 28: 234-236.
- Benignus, VA; Boyes, WK; Geller, AM; Bushnell, PJ. (2009). Long-term perchloroethylene exposure: A meta-analysis of neurobehavioral deficits in occupationally and residentially exposed groups. *J Toxicol Environ Health A*. 72: 824-831. <http://dx.doi.org/10.1080/15287390902800413>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res*. 68: 260-269.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med*. 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>; <http://oem.bmj.com/content/oemed/55/3/161.full.pdf>.
- Blair, A; Petralia, SA; Stewart, PA. (2003). Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol*. 13: 50-56. [http://dx.doi.org/10.1016/S1047-2797\(02\)00250-8](http://dx.doi.org/10.1016/S1047-2797(02)00250-8); <http://www.sciencedirect.com/science/article/pii/S1047279702002508>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of multiple chlorinated ethene sources in an industrialized area--a forensic field study using compound-specific isotope analysis. *Environ Sci Technol.* 43: 2701-2707. <http://dx.doi.org/10.1021/es803100p>.
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; McLaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Boillat, MA; Berode, M; Droz, PO. (1986). SURVEILLANCE OF WORKERS EXPOSED TO PERCHLOROETHYLENE OR STYRENE. *Soz Praventivmed.* 31: 260-262.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Brand, KP; Jang, CJ; Park, JH; Serrano, PI; Weker, RA; Lee, K; Yanagisawa, Y. (1999). Residual perchloroethylene in dry-cleaned acetate: The effect of pressing and extent of inter-dry-cleaner variability. *J Air Waste Manag Assoc.* 49: 213-218.
- Brodkin, CA; Daniell, W; Checkoway, H; Echeverria, D; Johnson, J; Wang, K; Sohaey, R; Green, D; Redlich, C; Gretch, D. (1995). Hepatic ultrasonic changes in workers exposed to perchloroethylene. *Occup Environ Med.* 52: 679-685.
- Brown, D; Kaplan, S. (1987). Retrospective cohort mortality study of dry cleaner workers using perchloroethylene. *J Occup Med.* 29: 535-541.
- Cai, SX; Huang, MY; Chen, Z; Liu, YT; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health.* 29: 111-121. <http://dx.doi.org/10.2486/indhealth.29.111>; [https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29\\_3\\_111/\\_pdf](https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29_3_111/_pdf).
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med.* 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol.* 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chang, Y; Tai, C; Lin, R; Yang, S; Chen, C; Shih, T; Liou, S. (2003). A proportionate cancer morbidity ratio study of workers exposed to chlorinated organic solvents in Taiwan. *Ind Health.* 41: 77-87.
- Checkoway, H; Echeverria, D; Moon, JD; Heyer, N; Costa, LG. (1994). Platelet monoamine oxidase B activity in workers exposed to styrene. *Int Arch Occup Environ Health.* 66: 359-362.
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiemchaisri, W; Chiemchaisri, C; Khananthal, U; Kumar, S; Bharti, A; Fan, M. (2010). Role of final cover soil in regulating volatile organic compounds: emissions from solid waste disposal sites in developing countries. *Int J Environ Pollut.* 43: 3-15.
- Chiesi, A; Gioia, TC; Modenese, A; Abbacchini, C; Borsari, L; Clò, E; Di Rico, R; Ferrari, D; Gobba, FM. (2016). [Early effects of PCE exposure on visual function among dry cleaning workers]. *Med Lav.* 107: 12-21.
- Chin, DL; Duffy, SA; Hong, O. (2016). Knowledge of Occupational Chemical Exposure and Smoking Behavior in Korean Immigrant Drycleaners. *J Immigr Minor Health.* 18: 243-251. <http://dx.doi.org/10.1007/s10903-014-9989-7>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air.* 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Chiriac, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, JM. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater.* 149: 249-263. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.094>.
- Chiriac, R; Carre, J; Perrodin, Y; Vaillant, H; Gasso, S; Miele, P. (2009). Study of the dispersion of VOCs emitted by a municipal solid waste landfill. *Atmos Environ.* 43: 1926-1931. <http://dx.doi.org/10.1016/j.atmosenv.2008.12.038>.
- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med.* 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry.* 59: 143-160.
- Coffin, RR; Witherell, LE; Novick, LF; Stone, KM. (1987). ESTABLISHMENT OF AN EXPOSURE LEVEL TO TETRACHLOROETHYLENE IN AMBIENT AIR IN VERMONT. *Public Health Rep.* 102: 681-686.
- Colman Lerner, JE; Kohajda, T; Elisabeth Aguilar, M; Andrea Massolo, L; Yanina Sanchez, E; Andres Porta, A; Opitz, P; Wichmann, G; Herbarth, O; If; Mueller, A. (2014). Improvement of health risk factors after reduction of VOC concentrations in industrial and urban areas. *Environ Sci Pollut Res Int.* 21: 9676-9688. <http://dx.doi.org/10.1007/s11356-014-2904-x>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit.* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Cordier, S; Garlantézec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology.* 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Demond, AH. (1982) A source of tetrachloroethylene in the drinking water of New England: An evaluation of the toxicity of tetrachloroethylene and the prediction of its leaching rates from vinyl-lined asbestos-cement pipe. (Master's Thesis). Massachusetts Institute of Technology, Cambridge, MA. Retrieved from <http://dspace.mit.edu/handle/1721.1/15478>

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Demou, E; Hellweg, S; Wilson, MP; Hammond, SK; Mckone, TE. (2009). Evaluating indoor exposure modeling alternatives for LCA: A case study in the vehicle repair industry. *Environ Sci Technol.* 43: 5804-5810. <http://dx.doi.org/10.1021/es803551y>.
- Desbaumes, E; Imhoff, C. (1971). Use of Saran bags for the determination of solvent concentration in the air of workshops. *Gefahrst Reinhalt Luft.* 31: 36-41.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics.* 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics.* 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Doyle, P; Roman, E; Beral, V; Brookes, M. (1997). Spontaneous abortion in dry cleaning workers potentially exposed to perchloroethylene. *Occup Environ Med.* 54: 848-853. <http://dx.doi.org/10.1136/oem.54.12.848>; <http://oem.bmj.com/content/oemed/54/12/848.full.pdf>.
- Droz, PO; Guillemin, MP. (1986). Occupational exposure monitoring using breath analysis. *J Occup Med.* 28: 593-602.
- Droz, PO; Wu, MM; Cumberland, WG. (1989). Variability in biological monitoring of organic solvent exposure II application of a population physiological model. *Occup Environ Med.* 46: 547-558.
- Echeverria, D; White, RF; Sampaio, C. (1995). A behavioral evaluation of PCE exposure in patients and dry cleaners: A possible relationship between clinical and preclinical effects. *J Occup Environ Med.* 37: 667-680.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *J Air Waste Manag Assoc.* 57: 753-760. <http://dx.doi.org/10.3155/1047-3289.57.6.753>.
- Eskenazi, B; Wyrobek, AJ; Fenster, L; Katz, DF; Sadler, M; Lee, J; Hudes, M; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on semen quality in dry cleaning workers. *Am J Ind Med.* 20: 575-591. <http://dx.doi.org/10.1002/ajim.4700200502>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200502/abstract>.
- Evans, JS; Thompson, KM; Hattis, D. (2000). Exposure efficiency: Concept and application to perchloroethylene exposure from dry cleaners. *J Air Waste Manag Assoc.* 50: 1700-1703.
- Everatt, R; Slapšytė, G; Mierauskienė, J; Dedonytė, V; Bakienė, L. (2013). Biomonitoring study of dry cleaning workers using cytogenetic tests and the comet assay. *J Occup Environ Hyg.* 10: 609-621. <http://dx.doi.org/10.1080/15459624.2013.818238>.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage.* 21: 635-642.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg.* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Flórez Menéndez, JC; Fernández Sánchez, ML; Fernández Martínez, E; Sánchez Uría, JE; Sanz-Medel, A. (2004). Static headspace versus headspace solid-phase microextraction (HS-SPME) for the determination of volatile organochlorine compounds in landfill leachates by gas chromatography. *Talanta.* 63: 809-814. <http://dx.doi.org/10.1016/j.talanta.2003.12.044>.
- Forczek, ST; Laturnus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ.* 61: 103-108. <http://dx.doi.org/10.17221/900/2014-PSE>.
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Furuki, K; Ukai, H; Okamoto, S; Takada, S; Kawai, T; Miyama, Y; Mitsuyoshi, K; Zhang, ZW; Higashikawa, K; Ikeda, M. (2000). Monitoring of occupational exposure to tetrachloroethene by analysis for unmetabolized tetrachloroethene in blood and urine in comparison with urinalysis for trichloroacetic acid. *Int Arch Occup Environ Health.* 73: 221-227.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol.* 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- García, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P. (1992). Emissions of volatile organic compounds by coal-fired power stations (pp. 1589-1597). (ISSN 0004-6981; BIOSIS/92/23588). García, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P.
- Garetano, G; Gochfeld, M. (2000). Factors influencing tetrachloroethylene concentrations in residences above dry-cleaning establishments. *Arch Environ Health.* 55: 59-68. <http://dx.doi.org/10.1080/00039890009603387>.
- Gennari, P; Naldi, M; Motta, R; Nucci, MC; Giacomini, C; Violante, FS; Raffi, GB. (1992). gamma-Glutamyltransferase isoenzyme pattern in workers exposed to tetrachloroethylene. *Am J Ind Med.* 21: 661-671. <http://dx.doi.org/10.1002/ajim.4700210506>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700210506/abstract>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol.* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Gilbert, D; Goyer, M; Lyman, W; Magil, G; Walker, P; Wallace, D; Wechsler, A; Yee, J. (1982). An exposure and risk assessment for tetrachloroethylene. (EPA-440/4-85-015). Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000LLOH.txt>.
- Ginja, S; Bensefa-Colas, L; Conso, F. (2007). Epilepsy and cerebral atrophy in a dry-cleaning worker: perchloethylene effect? *Arch Mal Prof Environ.* 68: 171-179.
- Gobba, F; Ghittori, S; Imbriani, M; Maestri, L; Capodaglio, E; Cavalleri, A. (1997). The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review [Review]. *Sci Total Environ.* 199: 3-12.
- Gobba, F; Righi, E; Fantuzzi, G; Predieri, G; Cavazzuti, L; Aggazzotti, G. (1998). Two-year evolution of perchloroethylene-induced color-vision loss. *Arch Environ Health.* 53: 196-198. <http://dx.doi.org/10.1080/00039899809605695>.



## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Gobba, F; Righi, E; Fantuzzi, G; Roccatto, L; Predieri, G; Aggazzotti, G. (2003). Perchloroethylene in alveolar air, blood, and urine as biologic indices of low-level exposure. *J Occup Environ Med.* 45: 1152-1157. <http://dx.doi.org/10.1097/01.jom.0000094990.52172.ea>.
- Gold, LS; De Roos, AJ; Waters, M; Stewart, P. (2008). Systematic literature review of uses and levels of occupational exposure to tetrachloroethylene [Review]. *J Occup Environ Hyg.* 5: 807-839. <http://dx.doi.org/10.1080/15459620802510866>.
- Golfinopoulos, SK; Kostopoulou, MN; Lekkas, TD. (1998). Volatile halogenated organics in the water supply system in Athens, Greece. *Water Res.* 32: 1811-1818. [http://dx.doi.org/10.1016/S0043-1354\(97\)00404-1](http://dx.doi.org/10.1016/S0043-1354(97)00404-1).
- Gomez, MR. (1997). Factors associated with exposure in occupational safety and health administration data. *Am Ind Hyg Assoc J.* 58: 186-195.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med.* 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gromiec, JP; Wesolowski, W; Brzezniak, S; Wroblewska-Jakubowska, K; Kucharska, M. (2002). Occupational exposure to rubber vulcanization products during repair of rubber conveyor belts in a brown coal mine. *J Environ Monit.* 4: 1054-1059. <http://dx.doi.org/10.1039/b209207g>.
- Gros, V; Gaimoz, C; Herrmann, F; Custer, T; Williams, J; Bonsang, B; Sauvage, S; Locoge, N; D'Argouges, O; Sarda-Estève, R; Sciare, J. (2011). Volatile organic compounds sources in Paris in spring 2007. Part I: qualitative analysis. *Environ Chem.* 8: 74-90. <http://dx.doi.org/10.1071/EN10068>.
- Guan, J, un; Gao, K, ai; Wang, C; Yang, X; Lin, CH; Lu, C; Gao, P. (2014). Measurements of volatile organic compounds in aircraft cabins. Part I: Methodology and detected VOC species in 107 commercial flights. *Build Environ.* 72: 154-161. <http://dx.doi.org/10.1016/j.buildenv.2013.11.002>.
- Guberan, E; Fernandez, J. (1974). Control of industrial exposure to tetrachloroethylene by measuring alveolar concentrations: theoretical approach using a mathematical model. *Occup Environ Med.* 31: 159-167.
- Gulyas, H; Hemmerling, L. (1990). Tetrachloroethene air pollution originating from coin-operated dry cleaning establishments. *Environ Res.* 53: 90-99.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res.* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Sci Technol.* 34: 557-564.
- Hake, CL; Stewart, RD. (1977). Human exposure to tetrachloroethylene: Inhalation and skin contact. *Environ Health Perspect.* 21: 231-238.
- Harley, RA; Cass, GR. (1994). Modeling the concentrations of gas-phase toxic organic air pollutants: Direct emissions and atmospheric formation. *Environ Sci Technol.* 28: 88-98. <http://dx.doi.org/10.1021/es00050a013>.
- Health, TDo. (2015). Health Consultation: Evaluation of Indoor Air Sampling Events, Former Walker Machine Products, Collierville, Shelby County, Tennessee, July 28, 2015.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700260203/abstract>.
- Hellweg, S; Demou, E; Scheringer, M; Mckone, TE; Hungerbühler, K. (2005). Confronting workplace exposure to chemicals with LCA: examples of trichloroethylene and perchloroethylene in metal degreasing and dry cleaning. *Environ Sci Technol.* 39: 7741-7748. <http://dx.doi.org/10.1021/es047944z>.
- Hentschel, W; Heudorf, U; Schmid, A. (1995). PERCHLORETHYLENE IMMISSIONS IN THE NEIGHBORHOOD OF DRY CLEANINGS. *Staub, Reinhaltung der Luft.* 55: 373-375.
- Hentschel, W; Kalker, U; Peters, M. (1993). PERCHLORETHYLENE CONCENTRATIONS IN THE NEIGHBORHOOD OF DRY CLEANINGS. *Staub, Reinhaltung der Luft.* 53: 335-340.
- Ho, KF; Lee, SC; Guo, H; Tsai, WY. (2004). Seasonal and diurnal variations of volatile organic compounds (VOCs) in the atmosphere of Hong Kong. *Sci Total Environ.* 322: 155-166. <http://dx.doi.org/10.1016/j.scitotenv.2003.10.004>.
- Hollyfield, S; Sharma, VK. (1995). ORGANIC CONTAMINANTS AND CHARACTERISTICS OF SEDIMENTS FROM OSO BAY SOUTH TEXAS USA. *Environ Geol.* 25: 137-140.
- Howie, SJ. (1981). Ambient perchloroethylene levels inside coin-operated laundries with drycleaning machines on the premises. (EPA 600/4-82-032). Research Triangle Park, NC: U.S. Environmental Protection Agency; Environmental Monitoring Systems Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82230947>.
- Hudnell, HK; Schreiber, JS. (2004). Residential tetrachloroethylene exposure: Response. *Environ Health Perspect.* 112: A864-A865.
- Hughes, MA; Degroot, JLB. (1993). A PET RECYCLING PROCESS. *Chem Eng Res Des.* 71: 127-133.
- Hurst, DF; Bakwin, PS; Elkins, JW. (1998). Recent trends in the variability of halogenated trace gases over the United States. *J Geophys Res Atmos.* 103: 25299-25306.
- Imbriani, M; Ghittori, S; Pezzagno, G; Capodaglio, E. (1988). Urinary excretion of tetrachloroethylene (perchloroethylene) in experimental and occupational exposure. *Arch Environ Occup Health.* 43: 292-298.
- IPCS. (1984). Tetrachloroethylene. In *Environmental Health Criteria*. Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc31.htm#PartNumber:1>.
- Jang, JY; Kang, SK; Chung, HK. (1993). Biological exposure indices of organic solvents for Korean workers. *Int Arch Occup Environ Health.* 65: S219-S222.
- Jo, WK; Kim, SH. (2001). Worker exposure to aromatic volatile organic compounds in dry cleaning stores. *AIHAJ.* 62: 466-471. [http://dx.doi.org/10.1202/0002-8894\(2001\)062<0466:WETAVO>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(2001)062<0466:WETAVO>2.0.CO;2).

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Johansen, K; Tinnerberg, H; Lynge, E. (2005). Use of history science methods in exposure assessment for occupational health studies. *Occup Environ Med.* 62: 434-441. <http://dx.doi.org/10.1136/oem.2004.016493>.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull.* 10: 520-526.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Keen, C; Dabill, DW; Groves, JA. (1996). On-site monitoring of personal exposure to tetrachloroethylene at dry cleaning establishments. *Ann Occup Hyg.* 40: 281-292.
- Keene, WC; Khalil, MAK; Ill, ED; McCulloch, A; Graedel, TE; Lobert, JM; Aucott, ML; Gong, SL; Harper, DB; Kleiman, G; Midgley, P; Moore, RM; Seuzaret, C; Sturges, WT; Benkovitz, CM; Koropalov, V; Barrie, LA; Li, YF. (1999). Composite global emissions of reactive chlorine from anthropogenic and natural sources: reactive chlorine emissions inventory. *J Geophys Res.* 104: 8429-8440.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8333-8346.
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos.* 105: 28875-28893.
- Knoll, JE; Smith, MA; Midgett, MR. (1979). Evaluation of emission test methods for halogenated hydrocarbons - volume I, CCl<sub>4</sub>, C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, C<sub>2</sub>Cl<sub>4</sub> and C<sub>2</sub>HCl<sub>3</sub>. (EPA-600/4-79-025). Research Triangle Park, N.C.: U.S. Environmental Protection Agency.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut.* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Kowalska, J; Szewczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int.* 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Krumbiegel, P; Kulicke, K; Rasenberger, U; Starke, M. (1992). MEASUREMENT OF LIVER-DAMAGE BY PERCHLOROETHYLENE WITH THE INVIVO N-15 METHACETIN TEST. *Isotopenpraxis.* 28: 27-30.
- Kumar, NS; Palanivelu, K. (2007). Pervaporative recovery of perchloroethylene from spent solvent of electroplating industry: Experiment and modelling studies. *Journal of Sci Ind Res.* 66: 490-494.
- Kume, K; Ohura, T; Amagai, T; Fusaya, M. (2008). Field monitoring of volatile organic compounds using passive air samplers in an industrial city in Japan. *Environ Pollut.* 153: 649-657. <http://dx.doi.org/10.1016/j.envpol.2007.09.023>.
- Kyyronen, P; Taskinen, H; Lindbohm, ML; Hemminki, K; Heinonen, OP. (1989). Spontaneous abortions and congenital malformations among women exposed to tetrachloroethylene in dry cleaning. *J Epidemiol Community Health.* 43: 346-351. <http://dx.doi.org/10.1136/jech.43.4.346>; <http://jech.bmj.com/content/jech/43/4/346.full.pdf>.
- Lafuente, A; Mallol, J. (1986). THIOETHERS IN URINE DURING OCCUPATIONAL EXPOSURE TO TETRACHLOROETHYLENE. *Br J Ind Med.* 43: 68-69.
- Lai, SC; Baker, AK; Schuck, TJ; van Velthoven, P; Oram, DE; Zahn, A; Hermann, M; Weigelt, A; Slemr, F; Brenninkmeijer, CAM; Ziereis, H. (2010). Pollution events observed during CARIBIC flights in the upper troposphere between South China and the Philippines. *Atmos Chem Phys.* 10: 1649-1660.
- Larson, CD; Love, OT; Reynolds, G. (1983). TETRACHLOROETHYLENE LEACHED FROM LINED ASBESTOS CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc.* 75: 184-188.
- Laslo-Baker, D; Barrera, M; Knittel-Keren, D; Kozer, E; Wolpin, J; Khattak, S; Hackman, R; Rovet, J; Koren, G. (2004). Child neurodevelopmental outcome and maternal occupational exposure to solvents. *Arch Pediatr Adolesc Med.* 158: 956-961. <http://dx.doi.org/10.1001/archpedi.158.10.956>.
- Lauwerys, R; Herbrand, J; Buchet, JP; Bernard, A; Gaussin, J. (1983). Health surveillance of workers exposed to tetrachloroethylene in dry-cleaning shops. *Int Arch Occup Environ Health.* 52: 69-77. <http://dx.doi.org/10.1007/BF00380609>; <http://link.springer.com/article/10.1007%2FBF00380609>.
- Lindbohm, ML. (1999). Effects of occupational solvent exposure on fertility [Review]. *Scand J Work Environ Health.* 25: 44-46.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; McLaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med.* 53: 992-1007. <http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res.* 35: 1975-1985.
- Lohman, JH. (2002). A history of dry cleaners and sources of solvent releases from dry cleaning equipment. *Environ Forensics.* 3: 35-58. <http://dx.doi.org/10.1006/enfo.2002.0079>.
- Lucas, D; Herve, A; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2011). Clinical impact assessment of chronic exposure to tetrachloroethylene in a population of 50 dry-cleaning workers. *Arch Mal Prof Environ.* 72: 439-448. <http://dx.doi.org/10.1016/j.admp.2011.09.002>.
- Lucas, D; Hervé, A; Lucas, R; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2015). Assessment of Exposure to Perchloroethylene and its Clinical Repercussions for 50 Dry-Cleaning Employees. *J Occup Environ Hyg.* 12: 767-773. <http://dx.doi.org/10.1080/15459624.2015.1048346>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Ludwig, HR; Meister, MV; Roberts, DR; Cox, C. (1983). Worker exposure to perchloroethylene in the commercial dry cleaning industry. *Am Ind Hyg Assoc J.* 44: 600-605. <http://dx.doi.org/10.1080/15298668391405391>.
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2003). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett.* 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Lynge, E. (1994). Danish Cancer Registry as a resource for occupational research. *J Occup Med.* 36: 1169-1173.
- Lynge, E; Andersen, A; Rylander, L; Tinnerberg, H; Lindbohm, ML; Pukkala, E; Romundstad, P; Jensen, P; Clausen, LB; Johansen, K. (2006). Cancer in persons working in dry cleaning in the Nordic countries. *Environ Health Perspect.* 114: 213-219. <http://dx.doi.org/10.1289/ehp.8425>.
- Lynge, E; Tinnerberg, H; Rylander, L; Romundstad, P; Johansen, K; Lindbohm, ML; Heikkilä, P; Westberg, H; Clausen, LB; Piombino, A; Thorsted, BL. (2011). Exposure to tetrachloroethylene in dry cleaning shops in the Nordic countries. *Ann Occup Hyg.* 55: 387-396. <http://dx.doi.org/10.1093/annhyg/meq101>.
- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg.* 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.
- Massabo, M; Catania, F; Piazza, DD; Paladino, O. (2008). GROUNDWATER RISK ASSESSMENT OF PCE AT A CONTAMINATED SITE. *Fresen Environ Bull.* 17: 1452-1459.
- Materna, BL. (1985). Occupational exposure to perchloroethylene in the dry cleaning industry. *AIHA J.* 46: 268-273.
- Mattei, F; Guida, F; Matrat, M; Cené, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med.* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mccarthy, TB; Jones, RD. (1983). Industrial gassing poisonings due to trichloroethylene, perchlorethylene, and 1,1,1-trichloroethane, 1961-80. *Br J Ind Med.* 40: 450-455.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8417-8427.
- McCulloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ.* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- McDiarmid, MA; Gehle, K. (2006). Preconception brief: Occupational/environmental exposures. *Matern Child Health J.* 10: 123-128. <http://dx.doi.org/10.1007/s10995-006-0089-8>.
- Mckernan, LT; Ruder, AM; Petersen, MR; Hein, MJ; Forrester, CL; Sanderson, WT; Ashley, DL; Butler, MA. (2008). Biological exposure assessment to tetrachloroethylene for workers in the dry cleaning industry. *Environ Health.* 7: 12. <http://dx.doi.org/10.1186/1476-069X-7-12>.
- Mclaughlin, JK; Blot, WJ. (1997). A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer [Review]. *Int Arch Occup Environ Health.* 70: 222-231. <http://dx.doi.org/10.1007/s004200050211>.
- Minsley, B. (1983). TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER IN KALAMAZOO. *J Am Water Works Assoc.* 75: 272-279.
- Monster, A; Regouin-Peeters, W; Van Schijndel, A; Van der Tuin, J. (1983). Biological monitoring of occupational exposure to tetrachloroethene. *Scand J Work Environ Health.* 9: 273-281.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurrekoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med.* 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Moschandreas, DJ; Odea, DS. (1995). MEASUREMENT OF PERCHLOROETHYLENE INDOOR AIR LEVELS CAUSED BY FUGITIVE EMISSIONS FROM UNVENTED DRY-TO-DRY DRY-CLEANING UNITS. *J Air Waste Manag Assoc.* 45: 111-115.
- Mundt, KA; Birk, T; Burch, MT. (2003). Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer [Review]. *Int J Occup Environ Health.* 76: 473-491. <http://dx.doi.org/10.1007/s00420-003-0457-2>.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics.* 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Mutti, A; Smargiassi, A. (1998). Selective vulnerability of dopaminergic systems to industrial chemicals: risk assessment of related neuroendocrine changes. *Toxicol Ind Health.* 14: 311-323.
- Nakatsuka, H; Watanabe, T; Takeuchi, Y; Hisanaga, N; Shibata, E; Suzuki, H; Huang, MY; Chen, Z; Qu, QS; Ikeda, M. (1992). Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health.* 64: 113-117. <http://dx.doi.org/10.1007/BF00381478>; <http://link.springer.com/article/10.1007%2FBF00381478>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med.* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Ohtsuki, T; Sato, K; Koizumi, A; Kumai, M; Ikeda, M. (1983). Limited capacity of humans to metabolize tetrachloroethylene. *Int Arch Occup Environ Health.* 51: 381-390. <http://dx.doi.org/10.1007/BF00378352>; <http://link.springer.com/article/10.1007%2FBF00378352>.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol.* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Okada, Y; Nakagoshi, A; Tsurukawa, M; Matsumura, C; Eiho, J; Nakano, T. (2012). Environmental risk assessment and concentration trend of atmospheric volatile organic compounds in Hyogo Prefecture, Japan. *Environ Sci Pollut Res Int.* 19: 201-213. <http://dx.doi.org/10.1007/s11356-011-0550-0>.
- Omae, K; Takebayashi, T; Sakurai, H. (1999). Occupational exposure limits based on biological monitoring: The Japan Society for Occupational Health. *Int Arch Occup Environ Health.* 72: 271-273. <http://dx.doi.org/10.1007/s004200050372>.
- Pellizzari, E; Liou, P; Quackenboss, J; Whitmore, R; Clayton, A; Freeman, N; Waldman, J; Thomas, K; Rodes, C; Wilcosky, T. (1995). Population-based exposure measurements in EPA region 5: A phase I field study in support of the National Human Exposure Assessment Survey. *J Expo Anal Environ Epidemiol.* 5: 327-358.
- Pirsaraei, SRA; Khavanin, A, li; Asilian, H; Soleimanian, A. (2009). Occupational Exposure to Perchloroethylene in Dry-cleaning Shops in Tehran, Iran. *Ind Health.* 47: 155-159.
- Plummer, LN; Sibrell, PL; Casile, GC; Busenberg, E; Hunt, AG; Schlosser, P. (2013). Tracing groundwater with low-level detections of halogenated VOCs in a fractured carbonate-rock aquifer, Leetown Science Center, West Virginia, USA. *Appl Geochem.* 33: 260-280. <http://dx.doi.org/10.1016/j.apgeochem.2013.02.021>.
- Pokorska, Z; Piszczewska, E; Andrysiak, A; Krueger, A; Wesek, W. (1987). PROCESS OF TETRACHLOROMETHANE AND TETRACHLOROETHYLENE SOLVENTS PRODUCTION. *Przemysł Chemiczny.* 66: 88-91.
- Quigley, CJ; Corsi, RL. (1995). EMISSIONS OF VOCs FROM A MUNICIPAL SEWER. *J Air Waste Manag Assoc.* 45: 395-403.
- Raisanen, J; Niemela, R; Rosenberg, C. (2001). Tetrachloroethylene emissions and exposure in dry cleaning. *Journal of the Air and Waste Management Association.* 51: 1671-1675.
- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol.* 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Rosenberg, C; Nylund, L; Aalto, T; Kontsas, H; Norppa, H; Jappinen, P; Vainio, H. (1991). VOLATILE ORGANOHALOGEN COMPOUNDS FROM THE BLEACHING OF PULP OCCURRENCE AND GENOTOXIC POTENTIAL IN THE WORK ENVIRONMENT (pp. 10-14). (ISSN 0045-6535; EISSN 1879-1298; BIOSIS/92/10857). Committee for Compounds Toxic to Reproduction.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci.* 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Ward, EM; Brown, DP. (1994). Cancer mortality in female and male dry-cleaning workers. *J Occup Med.* 36: 867-874.
- Ruder, AM; Ward, EM; Brown, DP. (2001). Mortality in dry-cleaning workers: An update. *Am J Ind Med.* 39: 121-132. [http://dx.doi.org/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H](http://dx.doi.org/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H); [http://onlinelibrary.wiley.com/doi/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract](http://onlinelibrary.wiley.com/doi/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract).
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med.* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rule, KL; Comber, SD; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment—trace organic chemicals. *Chemosphere.* 63: 581-591. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.016>.
- Russo, RS; Zhou, Y; White, ML; Mao, H; Talbot, R; Sive, BC. (2010). Multi-year (2004-2008) record of nonmethane hydrocarbons and halocarbons in New England: seasonal variations and regional sources. *Atmos Chem Phys.* 10: 4909-4929. <http://dx.doi.org/10.5194/acp-10-4909-2010>.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health.* 49: 126-132.
- Salkinoja-Salonen, M; Uotila, J; Jokela, J; Laine, M; Sasaki, E. (1995). ORGANIC HALOGENS IN THE ENVIRONMENT STUDIES OF ENVIRONMENTAL BIODEGRADABILITY AND HUMAN EXPOSURE. *Environ Health Perspect.* 103: 63-69.
- Sallmen, M; Lindbohm, ML; Anttila, A; Kyyronen, P; Taskinen, H; Nykyri, E; Hemminki, K. (1998). Time to pregnancy among the wives of men exposed to organic solvents. *Occup Environ Med.* 55: 24-30.
- Sanjuán-Herráez, D; Lliso, I; Pastor, A; de la Guardia, M. (2012). Green determination of the presence of volatile organic compounds in vehicle repair shops through passive sampling. *Talanta.* 98: 40-48. <http://dx.doi.org/10.1016/j.talanta.2012.06.034>.
- Schaller, KH; Angerer, J; Lehnert, G. (1993). 1ST RESULTS OF 2 EXTERNAL INTERCOMPARISON PROGRAMS FOR THE DETERMINATION OF ORGANOCHLORINE COMPOUNDS IN BLOOD SPECIMENS RELEVANT IN ENVIRONMENTAL AND OCCUPATIONAL-MEDICINE. *Fresenius J Anal Chem.* 346: 830-832.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol.* 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ.* 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.
- Schreiber, JS; House, S; Prohonic, E; Smead, G; Hudson, C; Styk, M; Lauber, J. (1993). An investigation of indoor air contamination in residences above dry cleaners. *Risk Anal.* 13: 335-344. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb01085.x>.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected non-methane organic compounds in landfill cover soils. *Environ Sci Technol.* 37: 5150-5158. <http://dx.doi.org/10.1021/es034016b>.
- Seiji, K; Inoue, O; Jin, C; Liu, YT; Cai, SX; Ohashi, M; Watanabe, T; Nakatsuka, H; Kawai, T; Ikeda, M. (1989). Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med.* 16: 675-684. <http://dx.doi.org/10.1002/ajim.4700160607>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Seiji, K; Jin, C; Watanabe, T; Nakatsuka, H; Ikeda, M. (1990). Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health*. 62: 171-176. <http://dx.doi.org/10.1007/BF00383594>; <http://link.springer.com/article/10.1007%2FBF00383594>.
- Seldén, AI; Ahlborg, G. (2011). Cancer morbidity in Swedish dry-cleaners and laundry workers: Historically prospective cohort study. *Int Arch Occup Environ Health*. 84: 435-443. <http://dx.doi.org/10.1007/s00420-010-0582-7>.
- Services, NHDoE. (2012). Letter Health Consultation: Evaluation of Indoor Air and Soil Gas Data, Former Circle Tri Cleaners (CTC), Plymouth, New Hampshire, December 7, 2012 (pp. 7).
- Shapiro, SD; Busenberg, E; Focazio, MJ; Plummer, LN. (2004). Historical trends in occurrence and atmospheric inputs of halogenated volatile organic compounds in untreated ground water used as a source of drinking water. *Sci Total Environ*. 321: 201-217. <http://dx.doi.org/10.1016/j.scitotenv.2003.09.007>.
- Sidonia, V; Haydee, KM; Ristoiu, D; Luminita, SD. (2009). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY FROM DEJ TOWN, ROMANIA. 54: 125-134.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med*. 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Simpson, IJ; Blake, NJ; Barletta, B; Diskin, GS; Fuelberg, HE; Gorham, K; Huey, LG; Meinardi, S; Rowland, FS; Vay, SA; Weinheimer, AJ; Yang, M; Blake, DR. (2010). Characterization of trace gases measured over Alberta oil sands mining operations: 76 speciated C-2-C-10 volatile organic compounds (VOCs), CO<sub>2</sub>, CH<sub>4</sub>, CO, NO, NO<sub>2</sub>, NO<sub>y</sub>, O-3 and SO<sub>2</sub>. *Atmos Chem Phys*. 10: 11931-11954. <http://dx.doi.org/10.5194/acp-10-11931-2010>.
- Singh, HB; Herlth, D; Ohara, D; Zahnle, K; Bradshaw, JD; Sandholm, ST; Talbot, R; Gregory, GL; Sachse, GW; Blake, DR; Wofsy, SC. (1994). SUMMERTIME DISTRIBUTION OF PAN AND OTHER REACTIVE NITROGEN SPECIES IN THE NORTHERN HIGH-LATITUDE ATMOSPHERE OF EASTERN CANADA. *J Geophys Res Atmos*. 99: 1821-1835.
- Singh, HB; Ohara, D; Herlth, D; Bradshaw, JD; Sandholm, ST; Gregory, GL; Sachse, GW; Blake, DR; Crutzen, PJ; Kanakidou, MA. (1992). ATMOSPHERIC MEASUREMENTS OF PEROXYACETYL NITRATE AND OTHER ORGANIC NITRATES AT HIGH-LATITUDES - POSSIBLE SOURCES AND SINKS. *J Geophys Res*. 97: 16511-16522.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health*. 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Solet, D; Robins, TG. (1991). Renal function in dry cleaning workers exposed to perchloroethylene. *Am J Ind Med*. 20: 601-614.
- Solet, D; Robins, TG; Sampaio, C. (1990). Perchloroethylene exposure assessment among dry cleaning workers. *AIHA J*. 51: 566-574.
- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol*. 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem*. 23: 2162-2169.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol*. 19: 643-666.
- Stefaniak, AB; Breyse, PN; Murray, MPM; Rooney, BC; Schaefer, J. (2000). An evaluation of employee exposure to volatile organic compounds in three photocopy centers. *Environ Res*. 83: 162-173. <http://dx.doi.org/10.1006/enrs.2000.4061>.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med*. 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Stewart, RD; Hake, CL; Forster, AJ; Lubrun, AJ; Peterson, JE; Wu, A. (1974). Tetrachloroethylene: Development of a biologic standard for the industrial worker by breath analysis. Atlanta, GA: National Institute of Occupational Safety and Health. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82152166>.
- Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A. (1981). Tetrachloroethylene: development of a biologic standard for the industrial worker by breath analysis. Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A.
- Stubin, AI; Brosnan, TM; Porter, KD; Jimenez, L; Lochan, H. (1996). Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res*. 68: 1037-1044.
- Su, FC; Mukherjee, B; Batterman, S. (2011). Trends of VOC exposures among a nationally representative sample: Analysis of the NHANES 1988 through 2004 data sets. *Atmos Environ*. 45: 4858-4867. <http://dx.doi.org/10.1016/j.atmosenv.2011.06.016>.
- Suthawaree, J; Tajima, Y; Khunchornyakong, A; Kato, S; Sharp, A; Kajii, Y. (2012). Identification of volatile organic compounds in suburban Bangkok, Thailand and their potential for ozone formation. *Atmos Res*. 104-105: 245-254. <http://dx.doi.org/10.1016/j.atmosres.2011.10.019>.
- Suuronen, K; Henriks-Eckerman, ML; Riala, R; Tuomi, T. (2008). Respiratory exposure to components of water-miscible metalworking fluids. *Ann Occup Hyg*. 52: 607-614. <http://dx.doi.org/10.1093/annhyg/men048>.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg*. 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Talbot, R; Mao, H; Scheuer, E; Dibb, J; Avery, M; Browell, E; Sachse, G; Vay, S; Blake, D; Huey, G; Fuelberg, H. (2008). Factors influencing the large-scale distribution of Hg<sup>0</sup> in the Mexico City area and over the North Pacific. *Atmos Chem Phys*. 8: 2103-2114. <http://dx.doi.org/10.5194/acp-8-2103-2008>.
- Talbot, RW; Bradshaw, JD; Sandholm, ST; Smyth, S; Blake, DR; Blake, NR; Sachse, GW; Collins, JE; Heikes, BG; Anderson, BE; Gregory, GL; Singh, HB; Lefer, BL; Bachmeier, AS. (1996). Chemical characteristics of continental outflow over the tropical South Atlantic Ocean from Brazil and Africa. *J Geophys Res Atmos*. 101: 24187-24202.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Talbot, RW; Dibb, JE; Klemm, KI; Bradshaw, JD; Sandholm, ST; Blake, DR; Sachse, GW; Collins, J; Heikes, BG; Gregory, GL; Anderson, BE; Singh, HB; Thornton, DC; Merrill, JT. (1996). Chemical characteristics of continental outflow from Asia to the troposphere over the western Pacific Ocean during September-October 1991: Results from PEM-West A. *J Geophys Res Atmos.* 101: 1713-1725.
- Talbot, RW; Dibb, JE; Lefer, BL; Scheuer, EM; Bradshaw, JD; Sandholm, ST; Smyth, S; Blake, DR; Blake, NJ; Sachse, GW; Collins, JE; Gregory, GL. (1997). Large-scale distributions of tropospheric nitric, formic, and acetic acids over the western Pacific basin during wintertime. *J Geophys Res Atmos.* 102: 28303-28313.
- Talbot, RW; Dibb, JE; Scheuer, EM; Blake, DR; Blake, NJ; Gregory, GL; Sachse, GW; Bradshaw, JD; Sandholm, ST; Singh, HB. (1999). Influence of biomass combustion emissions on the distribution of acidic trace gases over the southern Pacific basin during austral springtime. *J Geophys Res Atmos.* 104: 5623-5634.
- Talbot, RW; Dibb, JE; Scheuer, EM; Bradshaw, JD; Sandholm, ST; Singh, HB; Blake, DR; Blake, NJ; Atlas, E; Flocke, F. (2000). Tropospheric reactive odd nitrogen over the South Pacific in austral springtime. *J Geophys Res Atmos.* 105: 6681-6694.
- Thompson, KM; Evans, JS. (1993). Workers' breath as a source of perchloroethylene (Perc) in the home. *J Expo Anal Environ Epidemiol.* 3: 417-430.
- Thompson, KM; Evans, JS. (1997). The Value of Improved National Exposure Information for Perchloroethylene (Perc): A Case Study for Dry Cleaners. *Risk Anal.* 17: 253-271.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol.* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Tsai, W, et al. (2012). An Analysis of Reducing Perchloroethylene Emissions in the Urban Environment: A Case Study of Taiwan. *CLEAN - Soil, Air, Water.* 40: 123-126. <http://dx.doi.org/10.1002/clen.201000462>.
- Tucker, JD; Sorensen, KJ; Ruder, AM; Mckernan, LT; Forrester, CL; Butler, MA. (2011). Cytogenetic analysis of an exposed-referent study: perchloroethylene-exposed dry cleaners compared to unexposed laundry workers. *Environ Health.* 10: 16. <http://dx.doi.org/10.1186/1476-069X-10-16>.
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5CIndex%20Data%5C00thru05%5CTxt%5C0000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#>.
- Ulm, K; Henschler, D; Vamvakas, S. (1996). Occupational exposure to perchloroethylene. *Cancer Causes Control.* 7: 284-286.
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health.* 70: 403-406.
- van Wijngaarden, E; Hertz-Picciotto, I. (2004). A simple approach to performing quantitative cancer risk assessment using published results from occupational epidemiology studies. *Sci Total Environ.* 332: 81-87. <http://dx.doi.org/10.1016/j.scitotenv.2004.04.005>.
- Vane, LM; Hitchens, L; Alvarez, FR; Giroux, EL. (2001). Field demonstration of pervaporation for the separation of volatile organic compounds from a surfactant-based soil remediation fluid. *J Hazard Mater.* 81: 141-166.
- Vaughan, TL; Stewart, PA; Davis, S; Thomas, DB. (1997). Work in dry cleaning and the incidence of cancer of the oral cavity, larynx, and oesophagus. *Occup Environ Med.* 54: 692-695.
- Verplanke, AJ; Leummens, MH; Herber, RF. (1999). Occupational exposure to tetrachloroethene and its effects on the kidneys. *J Occup Environ Med.* 41: 11-16.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med.* 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sørensen, P; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med.* 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lynge, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect.* 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- von Grote, J; Hürlimann, C; Scheringer, M; Hungerbühler, K. (2006). Assessing occupational exposure to perchloroethylene in dry cleaning. *J Occup Environ Hyg.* 3: 606-619. <http://dx.doi.org/10.1080/15459620600912173>.
- Von Grote, J; Hürlimann, JC; Scheringer, M; Hungerbühler, K. (2003). Reduction of Occupational Exposure to Perchloroethylene and Trichloroethylene in Metal Degreasing over the Last 30 years: Influence of Technology Innovation and Legislation. *J Expo Anal Environ Epidemiol.* 13: 325-340. <http://dx.doi.org/10.1038/sj.jea.7500288>.
- Voss, JU; Roller, M; Brinkmann, E; Mangelsdorf, I. (2005). Nephrotoxicity of organic solvents: biomarkers for early detection. *Int Arch Occup Environ Health.* 78: 475-485. <http://dx.doi.org/10.1007/s00420-005-0611-0>.
- Vroblesky, D, et al.; Petkewich, MD; Lowery, MA; Landmeyer, JE. (2011). Sewers as a Source and Sink of Chlorinated-Solvent Groundwater Contamination, Marine Corps Recruit Depot, Parris Island, South Carolina. *Ground Water Monitoring and Remediation.* 31: 63-69. <http://dx.doi.org/10.1111/j.1745-6592.2011.01349.x>.

## Engineering/Occupational Exposure Literature Search Results

### On Topic

- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol*. 25: 639-645.
- Walker, JT; Burnett, CA; Lulich, NR; Sestito, JP; Halperin, WE. (1997). Cancer mortality among laundry and dry cleaning workers. *Am J Ind Med*. 32: 614-619.
- Wallace, L; Pellizzari, E; Gordon, S. (1993). A linear-model relating breath concentrations to environmental exposures: application to a chamber study of 4 volunteers exposed to volatile organic chemicals. *J Expo Anal Environ Epidemiol*. 3: 75-102.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol*. 34: 2243-2248.
- Wang, T; Wong, CH; Cheung, TF; Blake, DR; Arimoto, R; Baumann, K; Tang, J; Ding, GA; Yu, XM; Li, YS; Streets, DG; Simpson, JJ. (2004). Relationships of trace gases and aerosols and the emission characteristics at Lin'an, a rural site in eastern China, during spring 2001. *J Geophys Res Atmos*. 109. <http://dx.doi.org/10.1029/2003JD004119>.
- Wang, YH; Shim, CS; Blake, N; Blake, D; Choi, Y; Ridley, B; Dibb, J; Wimmers, A; Moody, J; Flocke, F; Weinheimer, A; Talbot, R; Atlas, E. (2003). Intercontinental transport of pollution manifested in the variability and seasonal trend of springtime O<sub>3</sub> at northern middle and high latitudes. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2003JD003592>.
- Webster, E; Mackay, D; Di Guardo, A; Kane, D; Woodfine, D. (2004). Regional differences in chemical fate model outcome. *Chemosphere*. 55: 1361-1376. <http://dx.doi.org/10.1016/j.chemosphere.2003.10.061>.
- Weiss, NS. (1995). Cancer in relation to occupational exposure to perchloroethylene [Review]. *Cancer Causes Control*. 6: 257-266. <http://dx.doi.org/10.1007/BF00051797>.
- Whittaker, SG; Johanson, CA. (2013). A health and environmental profile of the dry cleaning industry in King County, Washington. *J Environ Health*. 75: 14-22.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med*. 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200210/abstract>.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol*. 57: 61-80.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba*. 46: 119-122.
- Wittlingerová, Z; Macháčková, J; Petruželková, A; Zimová, M. (2016). Occurrence of perchloroethylene in surface water and fish in a river ecosystem affected by groundwater contamination. *Environ Sci Pollut Res Int*. 23: 5676-5692. <http://dx.doi.org/10.1007/s11356-015-5806-7>.
- Wollenweber, SD. (2002). Parameterization of a model-based 3-D PET scatter correction. *IEEE Trans Nucl Sci*. 49: 722-727.
- Wu, B; Harwell, JH; Sabatini, DA; Bailey, JD. (2000). Alcohol-free diphenyl oxide disulfonate middle-phase microemulsion systems. *Journal of Surfactants and Detergents*. 3: 465-474.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut*. 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res*. 35: 561-566.
- Yamamoto, N; Okayasu, H; Murayama, S; Mori, S; Hunahashi, K; Suzuki, K. (2000). Measurement of volatile organic compounds in the urban atmosphere of Yokohama, Japan, by an automated gas chromatographic system. *Atmos Environ*. 34: 4441-4446.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts*. 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, KL; Ting, CC; Wang, JL; Wingenter, OW; Chan, CC. (2005). Diurnal and seasonal cycles of ozone precursors observed from continuous measurement at an urban site in Taiwan. *Atmos Environ*. 39: 3221-3230. <http://dx.doi.org/10.1016/j.atmosenv.2005.02.003>.
- Yu, JJ; Chou, SY. (2000). Contaminated site remedial investigation and feasibility removal of chlorinated volatile organic compounds from groundwater by activated carbon fiber adsorption. *Chemosphere*. 41: 371-378. [http://dx.doi.org/10.1016/S0045-6535\(99\)00437-3](http://dx.doi.org/10.1016/S0045-6535(99)00437-3).
- Zare Sakhvidi, MJ; Bahrami, AR; Ghiasvand, A; Mahjub, H; Tuduri, L. (2013). SPME-based air sampling method for inhalation exposure assessment studies: case study on perchlorethylene exposure in dry cleaning. *Environ Monit Assess*. 185: 4933-4941. <http://dx.doi.org/10.1007/s10661-012-2914-4>.
- Zhang, Z; Wang, X; Zhang, Y; Lü, S; Huang, Z; Huang, X; Wang, Y. (2015). Ambient air benzene at background sites in China's most developed coastal regions: exposure levels, source implications and health risks. *Sci Total Environ*. 511: 792-800. <http://dx.doi.org/10.1016/j.scitotenv.2015.01.003>.
- Ziener, CE; Braunsdorf, P. (2014). Trace Analysis in End-Exhaled Air Using Direct Solvent Extraction in Gas Sampling Tubes: Tetrachloroethene in Workers as an Example. *International Journal of Analytical Chemistry*. 2014: 904512. <http://dx.doi.org/10.1155/2014/904512>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Aardema, MJ; Albertini, S; Arni, P; Henderson, LM; Kirsch-Volders, M; Mackay, JM; Sarrif, AM; Stringer, DA; Taalman, RDF. (1998). Aneuploidy: A report of an ECETOC task force [Review]. *Mutat Res Rev Mutat Res*. 410: 3-79. [http://dx.doi.org/10.1016/S1383-5742\(97\)00029-X](http://dx.doi.org/10.1016/S1383-5742(97)00029-X).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol.* 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abdelnour, AF; Nehmeh, SA; Pan, T; Humm, JL; Vernon, P; Schoder, H; Rosenzweig, KE; Mageras, GS; Yorke, E; Larson, SM; Erdi, YE. (2007). Phase and amplitude binning for 4D-CT imaging. *Phys Med Biol.* 52: 3515-3529. <http://dx.doi.org/10.1088/0031-9155/52/12/012>.
- Abe, Y; Aravena, R; Zopfi, J; Parker, B; Hunkeler, D. (2009). Evaluating the fate of chlorinated ethenes in streambed sediments by combining stable isotope, geochemical and microbial methods. *J Contam Hydrol.* 107: 10-21. <http://dx.doi.org/10.1016/j.jconhyd.2009.03.002>.
- Abou-Nemeh, I; Majumdar, S; Saraf, A; Sirkar, KK; Vane, LM; Alvarez, FR; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. II: Hollow fiber membrane modules. *Environmental Progress.* 20: 64-73.
- Abrahamsson, K; Ekdahl, A; Collen, J; Pedersen, M. (1995). Marine algae - A source of trichloroethylene and perchloroethylene. *Limnol Oceanogr.* 40: 1321-1326.
- Abramovitch, RA; Bangzhou, H; Abramovitch, DA; Jiangao, S. (1999). In situ decomposition of PAHs in soil and desorption of organic solvents using microwave energy. *Chemosphere.* 39: 81-87.
- Abriola, LM. (2005). Contaminant source zones: Remediation or perpetual stewardship? *Environ Health Perspect.* 113: A438-A439.
- Abriola, LM; Bradford, SA; Lang, J; Gaither, CL. (2004). Volatilization of binary nonaqueous phase liquid mixtures in unsaturated porous media. *Vadose Zone Journal.* 3: 645-655.
- Abriola, LM; Condit, WE; Cowell, MA. (2000). Influence of soil texture on rate-limited micellar solubilization. *J Environ Eng.* 126: 39-46.
- Abuin, E; Lissi, E; Duarte, R; Silber, JJ; Biasutti, MA. (2002). Solubilization in AOT-water reverse micelles. Effect of the external solvent. *Langmuir.* 18: 8340-8344. <http://dx.doi.org/10.1021/la020492o>.
- Abuin, E; Lissi, E; Jara, P. (2007). Effect of the organic solvent on the interfacial micropolarity of AOT-water reverse micelles. *Journal of the Chilean Chemical Society.* 52: 1082-1087.
- Abuodha, JOZ. (2002). Environmental impact assessment of the proposed titanium mining project in Kwale District, Kenya. *Marine Georesources and Geotechnology.* 20: 199-207. <http://dx.doi.org/10.1080/03608860290051895>.
- ACGIH. (1986). Documentation of the threshold limit values and biological exposure indices: Epichlorohydrin. Cincinnati, OH.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol.* 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Achanzar, WE; Brambila, EM; Diwan, BA; Webber, MM; Waalkes, MP. (2002). Inorganic arsenite-induced malignant transformation of human prostate epithelial cells. *J Natl Cancer Inst.* 94: 1888-1891. <http://dx.doi.org/10.1093/jnci/94.24.1888>.
- Acharya, S; Mehta, K; Rodrigues, S; Pereira, J; Krishnan, S; Rao, CV. (1995). Administration of subtoxic doses of t-butyl alcohol and trichloroacetic acid to male Wistar rats to study the interactive toxicity. *Toxicol Lett.* 80: 97-104. [http://dx.doi.org/10.1016/0378-4274\(95\)03340-Q](http://dx.doi.org/10.1016/0378-4274(95)03340-Q).
- Acharya, S; Mehta, K; Rodriguez, S; Pereira, J; Krishnan, S; Rao, CV. (1997). A histopathological study of liver and kidney in male Wistar rats treated with subtoxic doses of t-butyl alcohol and trichloroacetic acid. *Exp Toxicol Pathol.* 49: 369-373. [http://dx.doi.org/10.1016/S0940-2993\(97\)80119-4](http://dx.doi.org/10.1016/S0940-2993(97)80119-4).
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environ Sci Technol.* 36: 4618-4624. <http://dx.doi.org/10.1021/es0158859>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem.* 49: 1309-1314.
- Adamson, DT; Lyon, DY; Hughes, JB. (2004). Flux and product distribution during biological treatment of tetrachloroethene dense non-aqueous-phase liquid. *Environ Sci Technol.* 38: 2021-2028. <http://dx.doi.org/10.1021/es034737a>.
- Adamson, DT; Mcdade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environ Sci Technol.* 37: 2525-2533. <http://dx.doi.org/10.1021/es020236y>.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetrahaloethene-dechlorinating enrichment culture. *Environ Sci Technol.* 34: 1959-1965.
- Adani, F; Tambone, F; Davoli, E; Scaglia, B. (2010). Surfactant properties and tetrachloroethene (PCE) solubilisation ability of humic acid-like substances extracted from maize plant and from organic wastes: a comparative study. *Chemosphere.* 78: 1017-1022. <http://dx.doi.org/10.1016/j.chemosphere.2009.11.039>.
- Adetutu, EM; Gundry, TD; Patil, SS; Golneshin, A; Adigun, J, oy; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater.* 300: 48-57. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.055>.
- Adey, WH; Luckett, C; Smith, M. (1996). Purification of industrially contaminated groundwaters using controlled ecosystems. *Ecol Eng.* 7: 191-212.
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol.* 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect.* 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Adib, K; Camillone, N; Fitts, JP; Rim, KT; Flynn, GW; Joyce, SA; Osgood, RM. (2002). CCl<sub>4</sub> chemistry on the magnetite selvage of single-crystal hematite: competitive surface reactions. *Surf Sci.* 497: 127-138.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of mass-transfer limitations on carbon isotope fractionation during microbial dechlorination of trichloroethene. *Environ Sci Technol.* 43: 8813-8820. <http://dx.doi.org/10.1021/es901481b>.
- Aeppli, C; Hofstetter, TB; Amaral, HJ; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying in situ transformation rates of chlorinated ethenes by combining compound-specific stable isotope analysis, groundwater dating, and carbon isotope mass balances. *Environ Sci Technol.* 44: 3705-3711. <http://dx.doi.org/10.1021/es903895b>.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/jc034203p>.
- Agostinelli, S; Paoli, G. (2001). An object oriented fully 3D tomography visual toolkit. *Comput Methods Programs Biomed.* 65: 61-69.
- Ahlborg, G, Jr. (1990). Validity of exposure data obtained by questionnaire. Two examples from occupational reproductive studies. *Scand J Work Environ Health.* 16: 284-288.
- Ahlborg, G; Bodin, L. (1991). Tobacco smoke exposure and pregnancy outcome among working women. A prospective study at prenatal care centers in Orebro County, Sweden. *Am J Epidemiol.* 133: 338-347.
- Ahlers, J; Regelmann, J; Riedhammer, C. (2003). Environmental risk assessment of airborne trichloroacetic acid - a contribution to the discussion on the significance of anthropogenic and natural sources. *Chemosphere.* 52: 531-537. [http://dx.doi.org/10.1016/S0045-6535\(03\)00201-7](http://dx.doi.org/10.1016/S0045-6535(03)00201-7).
- Ahmadvand, M; Sereshti, H; Parastar, H. (2015). Chemometric-based determination of polycyclic aromatic hydrocarbons in aqueous samples using ultrasound-assisted emulsification microextraction combined to gas chromatography-mass spectrometry. *J Chromatogr A.* 1413: 117-126. <http://dx.doi.org/10.1016/j.chroma.2015.08.026>.
- Ahmed, AA; Chen, D. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J.* 24: 159-164. <http://dx.doi.org/10.1111/j.1747-6593.2009.00175.x>.
- Ahn, S; Ross, SG; Asma, E; Miao, J; Jin, X; Cheng, L; Wollenweber, SD; Manjeshwar, RM. (2015). Quantitative comparison of OSEM and penalized likelihood image reconstruction using relative difference penalties for clinical PET. *Phys Med Biol.* 60: 5733-5751. <http://dx.doi.org/10.1088/0031-9155/60/15/5733>.
- Ahn, YS; Jeong, KS; Kim, KS. (2012). Cancer morbidity of professional emergency responders in Korea. *Am J Ind Med.* 55: 768-778. <http://dx.doi.org/10.1002/ajim.22068>.
- Ahn, YS; Zerbán, H; Grobholz, R; Bannasch, P. (1992). Sequential changes in glycogen content, expression of glucose transporters and enzymic patterns during development of clear/acidophilic cell tumors in rat kidney. *Carcinogenesis.* 13: 2329-2334.
- Ahrens, W; Merletti, F. (1998). A standard tool for the analysis of occupational lung cancer in epidemiologic studies. *Int J Occup Environ Health.* 4: 236-240.
- Ajo-Franklin, JB; Geller, J, II; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Ajo-Franklin, JB; Minsley, BJ; Daley, TM. (2007). Applying compactness constraints to differential traveltome tomography. *Geophysics.* 72: R67-R75. <http://dx.doi.org/10.1190/1.2742496>.
- Akbar, M; Narayanan, S; Restaino, M; Agah, M. (2014). A purge and trap integrated microGC platform for chemical identification in aqueous samples. *Analyst.* 139: 3384-3392. <http://dx.doi.org/10.1039/c4an00254g>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual.* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.
- Akhan, B; Jakoby, BW; Watson, CC; Braun, H; Ritt, P; Quick, HH. (2015). GATE Monte Carlo simulations for variations of an integrated PET/MR hybrid imaging system based on the Biograph mMR model. *Phys Med Biol.* 60: 4731-4752. <http://dx.doi.org/10.1088/0031-9155/60/12/4731>.
- Akob, DM; Cozzarelli, IM; Dunlap, DS; Rowan, EL; Lorah, MM. (2015). Organic and inorganic composition and microbiology of produced waters from Pennsylvania shale gas wells. *Appl Geochem.* 60: 116-125. <http://dx.doi.org/10.1016/j.apgeochem.2015.04.011>.
- Aktaş, Ö; Schmidt, KR; Mungenast, S; Stoll, C; Tiehm, A. (2012). Effect of chloroethene concentrations and granular activated carbon on reductive dechlorination rates and growth of *Dehalococcoides* spp. *Bioresour Technol.* 103: 286-292. <http://dx.doi.org/10.1016/j.biortech.2011.09.119>.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Ulrich Mayer, K. (2006). Metal mobility during in situ chemical oxidation of TCE by KMnO<sub>4</sub>. *J Contam Hydrol.* 88: 137-152. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.004>.
- Ala, NK; Domenico, PA. (1992). INVERSE ANALYTICAL TECHNIQUES APPLIED TO COINCIDENT CONTAMINANT DISTRIBUTIONS AT OTIS-AIR-FORCE-BASE, MASSACHUSETTS. *Ground Water.* 30: 212-218.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage.* 104: 195-201. <http://dx.doi.org/10.1016/j.jenvman.2012.03.033>.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess.* 171: 171-180. <http://dx.doi.org/10.1007/s10661-009-1269-y>.
- Albergaria, JT; Alvim-Ferraz Maria da, C; Delerue, M. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere.* 73: 1557-1561. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.080>.
- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air Soil Pollut.* 225: 2058-2058. <http://dx.doi.org/10.1007/s11270-014-2058-y>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ.* 14: 55-68.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal.* 19: 1253-1267. <http://dx.doi.org/10.1007/s10040-011-0742-1>.
- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1565-1573. <http://dx.doi.org/10.1080/10934520903263538>.
- Alcantara-Garduño, ME; Okuda, T; Tsai, TY; Nishijima, W; Okada, M. (2008). Experimental and mathematical evaluation of trichloroethylene removal from saturated soil using acetic acid with saturated ozone. *Separation and Purification Technology.* 60: 299-307. <http://dx.doi.org/10.1016/j.seppur.2007.09.001>.
- Alden, CL. (1985). Species, sex, and tissue specificity in toxicologic and proliferative responses. *Toxicol Pathol.* 13: 135-140. <http://dx.doi.org/10.1177/019262338501300211>.
- Alden, WW; Repta, AJ. (1984). Exacerbation of cisplatin-induced nephrotoxicity by methionine. *Chem Biol Interact.* 48: 121-124. [http://dx.doi.org/10.1016/0009-2797\(84\)90012-7](http://dx.doi.org/10.1016/0009-2797(84)90012-7).
- Alidib, M; Christie, RM. (2013). Textile applications of photochromic dyes. Part 5: application of commercial photochromic dyes to polyester fabric by a solvent-based dyeing method. *Color Technol.* 129: 131-143. <http://dx.doi.org/10.1111/cote.12008>.
- Aleboye, A; Olya, ME; Aleboye, H. (2009). Oxidative treatment of azo dyes in aqueous solution by potassium permanganate. *J Hazard Mater.* 162: 1530-1535. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.089>.
- Alekshun, TJ; Sokol, L. (2007). Diseases of large granular lymphocytes [Review]. *Cancer Control.* 14: 141-150.
- Alekshun, TJ; Tao, J; Sokol, L. (2007). Aggressive T-cell large granular lymphocyte leukemia: A case report and review of the literature [Review]. *Am J Hematol.* 82: 481-485. <http://dx.doi.org/10.1002/ajh.20853>.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environ Sci Technol.* 35: 3713-3717.
- Alexander, HC; Mccarty, WM; Bartlett, EA. (1978). Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. *Bull Environ Contam Toxicol.* 20: 344-352. <http://dx.doi.org/10.1007/BF01683531>.
- Alfano, OM; Cassano, AE. (2008). Photoreactor modeling: Applications to advanced oxidation processes. *Int J Chem React Eng.* 6.
- Al-Ghobari, HM; Mohammad, FS; El Marazky, MSA. (2016). Evaluating two irrigation controllers under subsurface drip irrigated tomato crop. *Span J Agric Res.* 14. <http://dx.doi.org/10.5424/sjar/2016144-8615>.
- Al-Ghobari, HM; Mohammad, FS; El Marazky, SA. (2015). Assessment of smart irrigation controllers under subsurface and drip-irrigation systems for tomato yield in arid regions. *Crop and Pasture Science.* 66: 1086-1095. <http://dx.doi.org/10.1071/CP15065>.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation.* 35: 57-66. <http://dx.doi.org/10.1111/gwmmr.12133>.
- Alibegic, D; Tsuneda, S; Hirata, A. (2001). Kinetics of tetrachloroethylene (PCE) gas degradation and byproducts formation during UV/H2O2 treatment in UV-bubble column reactor. *Chem Eng Sci.* 56: 6195-6203.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). Oxidation of tetrachloroethylene in a bubble column photochemical reactor applying the UV/H2O2 technique. *Can J Chem Eng.* 81: 733-740.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). UV-bubble column reactor (UV-BCR) for photolytic removal of tetrachloroethylene (PCE) from the vapor phase: Methodological approach. *J Chem Eng Jpn.* 36: 178-186.
- Allegaert, K; Daniels, H; Naulaers, G; Tibboel, D; Devlieger, H. (2005). Pharmacodynamics of chloral hydrate in former preterm infants. *Eur J Pediatr.* 164: 403-407. <http://dx.doi.org/10.1007/s00431-005-1648-5>.
- Allen, BC; Crump, KS; Shipp, AM. (1988). Response to comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 559-561. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01198.x>.
- Allen, BC; Fisher, JW. (1993). Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal.* 13: 71-86.
- Allen-King, RM; Divine, DP; Robin, MJL; Alldredge, JR; Gaylord, DR. (2006). Spatial distributions of perchloroethylene reactive transport parameters in the Borden Aquifer. *Water Resour Res.* 42: 1413-1413. <http://dx.doi.org/10.1029/2005WR003977>.
- Allen-King, RM; Groenevelt, H; Warren, CJ; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol.* 22: 3-4.
- Allen-King, RM; Halket, RM; Gaylord, DR; Robin, MJL. (1998). Characterizing the heterogeneity and correlation of perchloroethene sorption and hydraulic conductivity using a facies-based approach. *Water Resour Res.* 34: 385-396.
- Allen-King, RM; Kalinovich, I; Dominic, DF; Wang, G; Polmanteer, R; Divine, D. (2015). Hydrophobic organic contaminant transport property heterogeneity in the Borden Aquifer. *Water Resour Res.* 51: 1723-1743. <http://dx.doi.org/10.1002/2014WR016161>.
- Almeida, CMM; Silverio, S; Silva, C; Paulino, A, na; Nascimento, S; Revez, CA. (2013). Optimization and Validation of FTIR Method with Tetrachloroethylene for Determination of Oils and Grease in Water Matrices. *J Braz Chem Soc.* 24: 1403-U1104. <http://dx.doi.org/10.5935/0103-5053.20130179>.
- Altare, CR; Bowman, RSB; Katz, LE; Kinney, KA; Sullivan, EJ. (2007). Regeneration and long-term stability of surfactant-modified zeolite for removal of volatile organic compounds from produced water. *Microporous and Mesoporous Materials.* 105: 305-316. <http://dx.doi.org/10.1016/j.micromeso.2007.04.001>.
- Altekruse, SF; Kosary, CL; Krapcho, M; Neyman, N; Aminou, R; Waldron, W; Ruhl, J; Howlader, N; Tatalovich, Z; Cho, H; Mariotto, A; Eisner, MP; Lewis, DR; Cronin, K; Chen, HS; Feuer, EJ; Stinchcomb, DG; Edwards, BK. (2010). SEER cancer statistics review, 1975-2007. Bethesda, MD: National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2007/](http://seer.cancer.gov/csr/1975_2007/).
- Altham, W. (2007). Benchmarking to trigger cleaner production in small businesses: drycleaning case study. *J Clean Prod.* 15: 798-813. <http://dx.doi.org/10.1016/j.jclepro.2006.07.005>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim.* 92: 61-71.
- Altmann, L; Neuhann, HF; Krämer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res.* 69: 83-89. <http://dx.doi.org/10.1006/enrs.1995.1028>.
- Altshuller, AP. (1980). Lifetimes of organic molecules in the troposphere and lower stratosphere. In JN Pitts Jr; RL Metcalf; D Grosjean (Eds.), (pp. 181-219). New York, NY: John Wiley & Sons.
- Alvarez, FR; Vane, LM; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. I: Spiral wound membrane modules. *Environmental Progress.* 20: 53-63.
- Alwin, PE. (1994). ACHIEVING IEC TYPE-2 SHORT-CIRCUIT COORDINATION. I E E E Transactions on Industry Applications. 30: 226-232.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ.* 8: 255-268.
- Amaral, HI; Aeppli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere.* 85: 774-781. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.063>.
- Amaral, HI; Fernandes, J; Berg, M; Schwarzenbach, RP; Kipfer, R. (2009). Assessing TNT and DNT groundwater contamination by compound-specific isotope analysis and 3H-3He groundwater dating: a case study in Portugal. *Chemosphere.* 77: 805-812. <http://dx.doi.org/10.1016/j.chemosphere.2009.08.011>.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). C-13/C-12 Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environ Sci Technol.* 44: 1023-1029. <http://dx.doi.org/10.1021/es901760q>.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res.* 30: 1876-1884.
- Amin, TA; Bindra, S; Narang, RS. (1998). Evaluation of passive samplers for analysis of chlorinated solvents. *J AOAC Int.* 81: 1027-1032.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J.* 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater.* 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amler, RW; Gilbertini, M. (1996). Pediatric environmental neurobehavioral test battery. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB96207352>.
- Amler, RW; Lybarger, JA; Anger, WK; Phifer, BL; Chappell, W; Hutchinson, L. (1994). Adoption of an adult environmental neurobehavioral test battery. *Neurotoxicol Teratol.* 16: 525-530. [http://dx.doi.org/10.1016/0892-0362\(94\)90131-7](http://dx.doi.org/10.1016/0892-0362(94)90131-7).
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng.* 30: 51-66. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.008>.
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Löffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environ Sci Technol.* 41: 963-970. <http://dx.doi.org/10.1021/es061438n>.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Löffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environ Sci Technol.* 41: 1710-1716. <http://dx.doi.org/10.1021/es061926v>.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Löffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environ Sci Technol.* 42: 5718-5726. <http://dx.doi.org/10.1021/es703227g>.
- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE. (2008). Microbial activity and distribution during enhanced contaminant dissolution from a NAPL source zone. *Water Res.* 42: 2963-2974. <http://dx.doi.org/10.1016/j.watres.2008.03.015>.
- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE. (2009). Spatial and temporal distributions of Geobacter lovleyi and Dehalococcoides spp. during bioenhanced PCE-NAPL dissolution. *Environ Sci Technol.* 43: 1977-1985. <http://dx.doi.org/10.1021/es8027692>.
- An, W; Le, Y; Chen, JF. (2011). Toluidine Red Nanoparticles and Their Application in Electrophoretic Display. *J Nanosci Nanotechnol.* 11: 10926-10929. <http://dx.doi.org/10.1166/jnn.2011.4018>.
- Anders, MW. (1991). Glutathione-dependent bioactivation of xenobiotics: Implications for mutagenicity and carcinogenicity [Review]. In L Ernster; H Esumi; Y Fujii; HV Gelboin; R Kato; T Sugimura (Eds.), (pp. 89-99). Tokyo, Japan; London, England: Japan Scientific Societies Press; Taylor & Francis, Ltd.
- Andersen, H; Larsen, S; Spliid, H; Christensen, ND. (1999). Multivariate statistical analysis of organ weights in toxicity studies. *Toxicology.* 136: 67-77. [http://dx.doi.org/10.1016/S0300-483X\(99\)00056-6](http://dx.doi.org/10.1016/S0300-483X(99)00056-6).
- Anderson, M; Church, G. (1998). Offshore passive soil vapor survey at a contaminated coastal site. *J Environ Eng.* 124: 555-563.
- Anderson, MR; Johnson, RL; Pankow, JF. (1992). DISSOLUTION OF DENSE CHLORINATED SOLVENTS INTO GROUND-WATER .1. DISSOLUTION FROM A WELL-DEFINED RESIDUAL SOURCE. *Ground Water.* 30: 250-256.
- Anderson, RC; Anderson, JH. (2000). Respiratory toxicity of fabric softener emissions. *J Toxicol Environ Health A.* 60: 121-136.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na2CO3 on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu.* 33: 261-266.
- Ando, Y; Hashimoto, S; Ohyama, N; Inamura, K. (1992). CURRENT STATUS OF IMAGE SAVE AND CARRY (IS-AND-C) STANDARDIZATION. *Comput Methods Programs Biomed.* 37: 319-325.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Anger, WK. (2003). Neurobehavioural tests and systems to assess neurotoxic exposures in the workplace and community. *Occup Environ Med.* 60: 531-538, 474. <http://dx.doi.org/10.1136/oem.60.7.531>.
- Anger, WK; Letz, R; Chrislip, DW; Frumkin, H; Hudnell, K; Russo, JM; Chappell, W; Hutchinson, L. (1994). Neurobehavioral test methods for environmental health studies of adults. *Neurotoxicol Teratol.* 16: 489-497. [http://dx.doi.org/10.1016/0892-0362\(94\)90128-7](http://dx.doi.org/10.1016/0892-0362(94)90128-7).
- Anon. (1978). Proposed guidelines for registering pesticides in the United States; hazard evaluation: humans and domestic animals. *Fed Reg.* 43: 37335-37402.
- Anon. (1979). Proposed health effects test standards for toxic substances control act test rules and proposed good laboratory practice standards for health effects. *Fed Reg.* 44: 44089-44092.
- Anon. (1995). SWEDES SUGGEST TAX TO PREVENT PERC USE. *European Chemical News.* 63: 21-21.
- Anon. (2001). NEMA releases Simulated Insertion Test. *I E E E Electrical Insulation Magazine.* 17: 58-58.
- Anon. (2001). NEMA releases standard for aerospace and industrial electrical cable; will replace military specification. *I E E E Electrical Insulation Magazine.* 17: 49-49.
- Anon. (2002). NEMA releases energy guide. 55: 18-18.
- Anon. (2002). NEMA releases safety guide. 55: 16-16.
- Anon. (2002). NEMA releases standard on enclosures. 55: 16-16.
- Anon. (2003). Environmental policy centre to provide global EHS regulatory monitoring for NEMA member companies. *I E E E Electrical Insulation Magazine.* 19: 71-71.
- Anon. (2003). NEMA joins alliance to boost recycling of mercury lamps. *I E E E Electrical Insulation Magazine.* 19: 71-71.
- Anon. (2003). NEMA's industrial control business indices rise. *Control Engineering Online.* 50: 9-9.
- Anon. (2004). NEMA launches electrical code monitoring service on website. *I E E E Electrical Insulation Magazine.* 20: 40-40.
- Anon. (2005). Revised NEMA standard covers Aramid papers used for electrical insulation. *I E E E Electrical Insulation Magazine.* 21: 54-54. <http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=1389277>.
- Anon. (2006). NEMA: More sustainable growth for controls expected in North America after torrid pace. *Control Engineering Online.* 53: 30-30.
- Anon. (2007). Industrial control equipment sales rising, says NEMA. *Control Engineering Online.* 54: 45-45.
- Anon. (2007). NEMA: More industrial control equipment. *Control Engineering Online.* 54: 45-45.
- Anonymous. (2000). AASHTO, ITE and NEMA release standard for control of roadside Dynamic Message Signs (DMS). *Institute of Transportation Engineers ITE Journal.* 70: 16-+.
- Antonelli, R; Dal PRA, A. (1991). PROBLEMS OF CONTAMINATION AND PROTECTION OF UNDERGROUND WATERS IN THE VENETO ALLUVIAL PLAIN NORTHERN ITALY (pp. 20-21). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/13845). Antonelli, R; Dal PRA, A.
- Antonio Lopez-Perez, J; Edwards, S; Ploeg, A. (2011). Control of Root-knot Nematodes on Tomato in Stone Wool Substrate with Biological Nematicides. *Journal of Nematology.* 43: 110-117.
- Anttila, S; Hirvonen, A; Husgafvel-Pursiainen, K; Karjalainen, A; Nurminen, T; Vainio, H. (1994). Combined effect of CYP1A1 inducibility and GSTM1 polymorphism on histological type of lung cancer. *Carcinogenesis.* 15: 1133-1135. <http://dx.doi.org/10.1093/carcin/15.6.1133>.
- Antti-Poika, M. (1986). Chronic intoxication due to occupational exposure to tri- or perchloroethylene: A clinical description of 30 cases. *Toxicol Lett.* 31S: 228.
- Aplett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc.* 837: 154-164.
- Apfalter, S; Krska, R; Linsinger, T; Oberhauser, A; Kandler, W; Grasserbauer, M. (1999). Interlaboratory comparison study for the determination of halogenated hydrocarbons in water. *Fresenius J Anal Chem.* 364: 660-665.
- Apreutesei, RE; Catrinescu, C; Teodosiu, C. (2008). Surfactant-modified natural zeolites for environmental applications in water purification. *Environmental Engineering and Management Journal.* 7: 149-161.
- Arancibia, R; Godoy, F; Garland, MT; Ibanez, A; Baggio, R; Klahn, AH. (2007). Reactions of the rhenium fragment ( $\eta(5)\text{-C}_5\text{Me}_5\text{Re}(\text{CO})_2$ ) with chlorinated ethylenes: Coordination and C-Cl bond activation. *J Organomet Chem.* 692: 963-967. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.050>.
- Aranzabal, A; Pereda-Ayo, B; Pilar Gonzalez-Marcos, M; Gonzalez-Marcos, JA; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2014). State of the art in catalytic oxidation of chlorinated volatile organic compounds. *Chem Paper Chem Zvesti.* 68: 1169-1186. <http://dx.doi.org/10.2478/s11696-013-0505-7>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol.* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Ardila Arias, AN; Angel martinez, M; Fuentes Zurita, G; Montes de Correa, C. (2007). Liquid-phase catalytic hydrodechlorination of perchloroethylene. *Revista Facultad de IngenierÃ-a Universidad de Antioquia*132-147.
- Ariadna Alvarez-Montero, M; Martin-Martinez, M; Gomez-Sainero, LM; Arevalo-Bastante, A; Bedia, J; Rodriguez, JJ. (2015). Kinetic Study of the Hydrodechlorination of Chloromethanes with Activated-Carbon-Supported Metallic Catalysts. *Ind Eng Chem Res.* 54: 2023-2029. <http://dx.doi.org/10.1021/ie5042484>.
- Arildskov, NP; Devlin, JF. (2000). Field and laboratory evaluation of a diffusive emitter for semipassive release of PCE to an aquifer. *Ground Water.* 38: 129-138.
- Ariya, PA; Catoire, V; Sander, R; Niki, H; Harris, GW. (1997). Trichloroethene and tetrachloroethene: Tropospheric probes for Cl- and Br-atom reactions during polar sunrise. *Tellus B Chem Phys Meteorol.* 49: 583-591.
- Arlie Sjøborg, P. (1992). *Solvent Neurotoxicity Methyl Chloride (Chapter 10)*. Boca Raton, FL: CRC Press.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. *J Contam Hydrol.* 40: 183-200.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). *Environ Sci Technol.* 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. *Environ Sci Technol.* 34: 1794-1805.
- Arpita, B; Ishimura, K; Nakamura, K; Takamizawa, K. (2013). Microbial dynamics in the process of restoration of groundwater contaminated by chlorinated ethene in the presence of *Escherichia coli*. *Journal of Material Cycles and Waste Management.* 15: 335-341. <http://dx.doi.org/10.1007/s10163-013-0124-y>.
- Arrebola, FJ; Gonzalez-Rodriguez, MJ; Frenich, AG; Marin-Juan, A; Vidal, JLM. (2005). Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography-mass spectrometry. *Anal Chim Acta.* 552: 60-66. <http://dx.doi.org/10.1016/j.aca.2005.07.054>.
- Aschengrau, A; Gallagher, LG; Winter, MR; Vieira, VM; Janulewicz, PA; Webster, TF; Ozonoff, DM. (2016). No Association Between Unintentional Head Injuries and Early-Life Exposure to Tetrachloroethylene (PCE)-Contaminated Drinking Water. *J Occup Environ Med.* 58: 1040-1045. <http://dx.doi.org/10.1097/JOM.0000000000000850>.
- Aschengrau, A; Janulewicz, PA; White, RF; Vieira, VM; Gallagher, LG; Getz, KD; Webster, TF; Ozonoff, DM. (2016). Long-term Neurotoxic Effects of Early-life Exposure to Tetrachloroethylene-contaminated Drinking Water. 82: 169-179. <http://dx.doi.org/10.1016/j.aogh.2016.01.013>.
- Aschengrau, A; Ozonoff, D; Paulu, C; Coogan, P; Vezina, R; Heeren, T; Zhang, Y. (1993). Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. *Arch Environ Health.* 48: 284-292. <http://dx.doi.org/10.1080/00039896.1993.9936715>.
- Aschengrau, A; Paulu, C; Ozonoff, D. (1998). Tetrachloroethylene-contaminated drinking water and the risk of breast cancer. *Environ Health Perspect.* 106: 947-953.
- Aschengrau, A; Rogers, S; Ozonoff, D. (2003). Perchloroethylene-contaminated drinking water and the risk of breast cancer: Additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect.* 111: 167-173. <http://dx.doi.org/10.1289/ehp.4980>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241345/pdf/ehp0111-000167.pdf>.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect.* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Exposure to tetrachloroethylene-contaminated drinking water and the risk of pregnancy loss. *Water Qual Expo Health.* 1: 23-34. <http://dx.doi.org/10.1007/s12403-009-0003-x>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health.* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Aschengrau, A; Winter, MR; Vieira, VM; Webster, TF; Janulewicz, PA; Gallagher, LG; Weinberg, J; Ozonoff, DM. (2015). Long-term health effects of early life exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 14: 36. <http://dx.doi.org/10.1186/s12940-015-0021-z>.
- Ashby, J. (1996). [Alpha]2[mu]-globulin nephropathy in white ravens. *Environ Health Perspect.* 104: 1264.
- Ashfold, MJ; Pyle, JA; Robinson, AD; Meneguz, E; Nadzir, MSM; Phang, SM; Samah, AA; Ong, S; Ung, HE; Peng, LK; Yong, SE; Harris, NRP. (2015). Rapid transport of East Asian pollution to the deep tropics. *Atmos Chem Phys.* 15: 3565-3573. <http://dx.doi.org/10.5194/acp-15-3565-2015>.
- Astrin, KH; Bishop, DF; Wetmur, JG; Kaul, B; Davidow, B; Desnick, RJ. (1987).  $\delta$ -aminolevulinic acid dehydratase isozymes and lead toxicity. *Ann N Y Acad Sci.* 514: 23-29. <http://dx.doi.org/10.1111/j.1749-6632.1987.tb48757.x>.
- Atlas, E; Pollock, W; Greenberg, J; Heidt, L; Thompson, AM. (1993). ALKYL NITRATES, NONMETHANE HYDROCARBONS, AND HALOCARBON GASES OVER THE EQUATORIAL PACIFIC-OCEAN DURING SAGA-3. *J Geophys Res.* 98: 16933-16947.
- Atlas, E; Schauffler, S. (1991). ANALYSIS OF ALKYL NITRATES AND SELECTED HALOCARBONS IN THE AMBIENT ATMOSPHERE USING A CHARCOAL PRECONCENTRATION TECHNIQUE. *Environ Sci Technol.* 25: 61-67.
- Atlas, E; Schauffler, SM; Merrill, JT; Hahn, CJ; Ridley, B; Walega, J; Greenberg, J; Heidt, L; Zimmerman, P. (1992). ALKYL NITRATE AND SELECTED HALOCARBON MEASUREMENTS AT MAUNA-LOA-OBSERVATORY, HAWAII. *J Geophys Res Atmos.* 97: 10331-10348.
- ATSDR. (2012). Health Consultation: Review of Indoor Air Data from January 2012 through April of 2012, at the Navy Yard Mills Site, Dracut, Massachusetts, July 26, 2012 (pp. 31).
- ATSDR. (2012). Letter Health Consultation: Cabo Rojo Ground Water Contamination Site, Cabo Rojo, Puerto Rico. EPA Facility ID: PRN000206319, February 24, 2012 (pp. 8).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- ATSDR. (2013). Public Health Assessment for Hormigas Ground Water Plume Site, Carretera 785 KM 4.9, Caguas, Puerto Rico 00725, October 31, 2013 (pp. 60).
- ATSDR. (2015). Health Assessment for Groundwater, Surface Water, Soil and Sediment Data Evaluation, Corozal Well Site, Corozal, Puerto Rico, July 29, 2015. EPA Facility ID: PRN000206452.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2015). Single-Walled Carbon Nanotube/Silica Composite as a Novel Coating for Solid-Phase Microextraction Fiber Based on Sol-Gel Technology. *Journal of Analytical Chemistry*. 70: 1192-1198. <http://dx.doi.org/10.1134/S1061934815100032>.
- Atteia, O; Hoehener, P. (2012). Fast semi-analytical approach to approximate plumes of dissolved redox-reactive pollutants in heterogeneous aquifers. 2: Chlorinated ethenes. *Advances in Water Resources*. 46: 74-83. <http://dx.doi.org/10.1016/j.advwatres.2012.02.006>.
- Auboeuf, D; Rieusset, J; Fajas, L; Vallier, P; Frering, V; Riou, JP; Staels, B; Auwerx, J; Laville, M; Vidal, H. (1997). Tissue distribution and quantification of the expression of mRNAs of peroxisome proliferator-activated receptors and liver X receptor-[alpha] in humans: No alteration in adipose tissue of obese and NIDDM patients. *Diabetes*. 46: 1319-1327. <http://dx.doi.org/10.2337/diabetes.46.8.1319>.
- Audí-Miró, C; Cretnik, S; Torrentó, C; Rosell, M; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. *J Hazard Mater*. 299: 747-754. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.052>.
- Auinger, H. (1999). Determination and designation of the efficiency of electrical machines. 13: 15-23.
- Aulenta, F; Beccari, M; Majone, M; Papini, MP; Tandoi, V. (2008). Competition for H<sub>2</sub> between sulfate reduction and dechlorination in butyrate-fed anaerobic cultures. *Process Biochemistry*. 43: 161-168. <http://dx.doi.org/10.1016/j.procbio.2007.11.006>.
- Aulenta, F; Bianchi, A; Majone, M; Petrangeli Papini, M; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int*. 31: 185-190. <http://dx.doi.org/10.1016/j.envint.2004.09.014>.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H<sub>2</sub> evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environ Sci Technol*. 42: 6185-6190. <http://dx.doi.org/10.1021/es800265b>.
- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environ Sci Technol*. 41: 2554-2559. <http://dx.doi.org/10.1021/es0624321>.
- Aulenta, F; Di Tomassi, C; Cupo, C; Papini, MP; Majone, M. (2006). Influence of hydrogen on the reductive dechlorination of tetrachloroethene (PCE) to ethene in a methanogenic biofilm reactor: role of mass transport phenomena. *J Chem Tech Biotechnol*. 81: 1520-1529. <http://dx.doi.org/10.1002/jctb.1562>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry*. 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments. *Water Sci Technol*. 52: 357-362.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments (vol 52, pg 357, 2005). *Water Sci Technol*. 52: 297-297.
- Aulenta, F; Fuoco, M; Canosa, A; Petrangeli Papini, M; Majone, M. (2008). Use of poly-beta-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Sci Technol*. 57: 921-925. <http://dx.doi.org/10.2166/wst.2008.073>.
- Aulenta, F; Pera, A; Rossetti, S; Petrangeli Papini, M; Majone, M. (2007). Relevance of side reactions in anaerobic reductive dechlorination microcosms amended with different electron donors. *Water Res*. 41: 27-38. <http://dx.doi.org/10.1016/j.watres.2006.09.019>.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. 25: 1796-1802. <http://dx.doi.org/10.1016/j.bios.2009.12.033>.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of trichloroethene in a continuous-flow bioelectrochemical reactor: effect of cathode potential on rate, selectivity, and electron transfer mechanisms. *Environ Sci Technol*. 45: 8444-8451. <http://dx.doi.org/10.1021/es202262y>.
- Austin, EW; Okita, JR; Okita, RT; Larson, JL; Bull, RJ. (1995). Modification of lipoperoxidative effects of dichloroacetate and trichloroacetate is associated with peroxisome proliferation. *Toxicology*. 97: 59-69. [http://dx.doi.org/10.1016/0300-483X\(94\)02926-L](http://dx.doi.org/10.1016/0300-483X(94)02926-L).
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol*. 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air and Waste Management Association*. 53: 889-896.
- Averyanov, VA; Ryltsova, SV; Alferov, VA. (1997). Effect of medium on concurrent chlorination of tetrachloroethene and 1,2-dichloroethane. *Kinet Catal*. 38: 14-18.
- Aver'yanov, VA; Svechnikova, AA; Ermakov, AI. (2002). Effect of solvents on the selectivity of free-radical chlorination of functionalized ethanes, propanes, and tetrachloroethene. *Kinet Catal*. 43: 175-184.
- Avila, P; Sanchez, B; Cardona, AI. (2002). Influence of the methods of TiO<sub>2</sub> incorporation in monolithic catalysts for the photocatalytic destruction of chlorinated hydrocarbons in gas phase. *Catalysis Today*. 76: 271-278.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Avramov, ID; Laenge, K; Rupp, S; Rapp, B; Rapp, M. (2007). Polymer coating behavior of Rayleigh-SAW resonators with gold electrode structure for gas sensor applications. *IEEE Trans Ultrason Ferroelectr Freq Control*. 54: 157-166.
- Axelsson, O. (1986). *New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986* Epidemiological studies of workers with exposure to tri- and tetrachloroethylenes [Review]. New York: Elsevier Science Publishers.
- Ayensu, WK; Tchounwou, PB; McMurray, RW. (2004). Molecular and cellular mechanisms associated with autoimmune diseases. *Int J Environ Res Public Health*. 1: 39-73. <http://dx.doi.org/10.3390/ijerph2004010039>.
- Ayral-Cinar, D; Otero-Diaz, M; Demond, AH. (2016). A mechanism of basal spacing reduction in sodium smectitic clay materials in contact with DNAPL wastes. *Chemosphere*. 159: 577-583. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.079>.
- Ayyildiz, O; Peters, RW. (2004). Synergy of combined sonication and vapor stripping treatment in the removal of PCE from water. *Fresen Environ Bull*. 13: 1515-1517.
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the Evanite enrichment culture. *J Contam Hydrol*. 100: 11-21. <http://dx.doi.org/10.1016/j.jconhyd.2008.04.006>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol*. 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Azuma, K; Uchiyama, I; Ikeda, K. (2007). The risk screening for indoor air pollution chemicals in Japan. *Risk Anal*. 27: 1623-1638. <http://dx.doi.org/10.1111/j.1539-6924.2007.00993.x>.
- Baarnhielm, C; Dahlback, H; Skanberg, I. (1986). In vivo pharmacokinetics of felodipine predicted from in vitro studies in rat, dog and man. *Acta Pharmacol Toxicol*. 59: 113-122. <http://dx.doi.org/10.1111/j.1600-0773.1986.tb00142.x>.
- Baayen, RP; Cochius, G; Hendriks, H; Meffert, JP; Bakker, J; Bekker, M; van Den Boogert, PHJ; Stachewicz, H; van Leeuwen, GCM. (2006). History of potato wart disease in Europe - a proposal for harmonisation in defining pathotypes. *European Journal of Plant Pathology*. 116: 21-31. <http://dx.doi.org/10.1007/s10658-006-9039-y>.
- Babb, M. (1993). IEC AND NEMA - QUESTIONS AND CONCERNS. *Control Engineering Online*. 40: 71-75.
- Babiker, M; Dillon, MF; Bass, G; Walsh, TN. (2012). Oesophageal carcinoma in a married couple following long-term exposure to dry cleaning agents [Letter]. *Occup Environ Med*. 69: 525. <http://dx.doi.org/10.1136/oemed-2011-100407>.
- Baciocchi, R; D'Aprile, L; Innocenti, I; Massetti, F; Verginelli, J. (2014). Development of technical guidelines for the application of in-situ chemical oxidation to groundwater remediation. *J Clean Prod*. 77: 47-55. <http://dx.doi.org/10.1016/j.jclepro.2013.12.016>.
- Bacon, DR; Shaw, A. (1993). EXPERIMENTAL VALIDATION OF PREDICTED TEMPERATURE RISES IN TISSUE-MIMICKING MATERIALS. *Phys Med Biol*. 38: 1647-1659.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology*. 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, I; Toeroek, T; B-Beres, V; Toeroek, P; Tothmeresz, B; Nagy, AS; Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia*. 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Badawi, RD; Domigan, P; Johnson, O; Kemp, B; Kudrolli, H; Rempel, T; Rohatgi, R; Romanov, LV; Surti, S; Worstell, WA; Zimmerman, RE. (2004). Count-rate dependent event mispositioning and NEC in PET. *IEEE Trans Nucl Sci*. 51: 41-45. <http://dx.doi.org/10.1109/TNS.2003.823045>.
- Badea, SL; Vogt, C; Weber, S; Danet, AF; Richnow, HH. (2009). Stable isotope fractionation of gamma-hexachlorocyclohexane (lindane) during reductive dechlorination by two strains of sulfate-reducing bacteria. *Environ Sci Technol*. 43: 3155-3161. <http://dx.doi.org/10.1021/es801284m>.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol*. 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple dual C-Cl isotope patterns associated with reductive dechlorination of tetrachloroethene. *Environ Sci Technol*. 48: 9179-9186. <http://dx.doi.org/10.1021/es500822d>.
- Badin, A; Schirmer, M; Wermeille, C; Hunkeler, D. (2015). Perchloroethene source delineation using carbon-chlorine isotopic analysis: field investigations of isotopic signature variability. *Grundwasser*. 20: 263-270. <http://dx.doi.org/10.1007/s00767-015-0301-0>.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environ Sci Technol*. 42: 1268-1275. <http://dx.doi.org/10.1021/es071552l>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl<sub>4</sub> over Pt/gamma-Al<sub>2</sub>O<sub>3</sub> - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen*. 217: 79-89.
- Baehr, AL; Stackelberg, PE; Baker, RJ. (1999). Evaluation of the atmosphere as a source of volatile organic compounds in shallow groundwater. *Water Resour Res*. 35: 127-136.
- Baek, NH; Jaffe, PR; Shingal, N. (1990). Simulating the degradation of TCE under methanogenesis. *J Environ Sci Health, Part A: Environ Sci Eng*. 25: 987-1006.
- Bagby, GCJ. (1994). Hematopoiesis. In G Stamatoyannopoulos; AW Nienhuis; PW Majerus; H Varmus (Eds.), (pp. 71-103). Philadelphia: W.B. Saunders Company.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Baggetto, LG. (1992). Deviant energetic metabolism of glycolytic cancer cells. *Biochimie*. 74: 959-974. [http://dx.doi.org/10.1016/0300-9084\(92\)90016-8](http://dx.doi.org/10.1016/0300-9084(92)90016-8).
- Bagley, DM. (1998). Systematic approach for modeling tetrachloroethene biodegradation. *J Environ Eng*. 124: 1076-1086.
- Bagley, DM; Brodkorb, TS. (1999). Modeling microbial kinetics in an anaerobic sequencing batch reactor - Model development and experimental validation. *Water Environ Res*. 71: 1320-1332.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res*. 34: 171-178.
- Bai, C; Conwell, R. (2011). New Daily Detector Uniformity Quality Control Methodology for Cardiac SPECT Using Solid-State Detectors. *IEEE Trans Nucl Sci*. 58: 2198-2204. <http://dx.doi.org/10.1109/TNS.2011.2163945>.
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health*. 8: 191-203.
- Bai, GY; Brusseau, ML; Miller, RM. (1998). Influence of cation type, ionic strength, and pH on solubilization and mobilization of residual hydrocarbon by a biosurfactant. *J Contam Hydrol*. 30: 265-279.
- Bailer, AJ; Smith, RJ. (1994). Estimating upper confidence limits for extra risk in quantal multistage models. *Risk Anal*. 14: 1001-1010. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00069.x>.
- Bailey, SR; Russell, EL; Martinez, A. (1997). Evaluation of the AVOXimeter: Precision, long-term stability, linearity, and use without heparin. *J Clin Monit Comput*. 13: 191-198. <http://dx.doi.org/10.1023/A:1007308616686>.
- Baillet, C; Fadli, A; J-P, S. (1996). Experimental study on the thermal oxidation of 1,3-hexachlorobutadiene at 500 - 1100 degrees C. *Chemosphere*. 32: 1261-1273.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation*. 36: 38-53. <http://dx.doi.org/10.1111/gwmr.12149>.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg*. 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Bakwin, PS; Hurst, DF; Tans, PP; Elkins, JW. (1997). Anthropogenic sources of halocarbons, sulfur hexafluoride, carbon monoxide, and methane in the southeastern United States. *J Geophys Res Atmos*. 102: 15915-15925.
- Balazova, A; Slodicka, M; Van Keer, R. (2006). Parameter determination for reductive dechlorination of chlorinated solvents. *Transport in Porous Media*. 65: 411-424. <http://dx.doi.org/10.1007/s11242-006-0001-4>.
- Baldwin, RA; Meinerz, R; Orloff, SB. (2016). Burrow fumigation versus trapping for pocket gopher (*Thomomys* spp.) management: a comparison of efficacy and cost effectiveness. *Wildlife Research*. 43: 389-397. <http://dx.doi.org/10.1071/WR16037>.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res*. 33: 2741-2757.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (2001). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard" by W. P. Ball et al. (vol 33, pg 2741, 1997). *Water Resour Res*. 37: 189-189.
- Ball, WP; Roberts, PV. (1991). LONG-TERM SORPTION OF HALOGENATED ORGANIC-CHEMICALS BY AQUIFER MATERIAL .2. INTRAPARTICLE DIFFUSION. *Environ Sci Technol*. 25: 1237-1249.
- Ballapragada, BS; Stensel, HD; Ferguson, JF. (1997). Comment on "Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture". *Environ Sci Technol*. 31: 1250-1250.
- Ballapragada, BS; Stensel, HD; Puhakka, JA; Ferguson, JF. (1997). Effect of hydrogen on reductive dechlorination of chlorinated ethenes. *Environ Sci Technol*. 31: 1728-1734.
- Ballvora, A; Flath, K; Lübeck, J; Strahwald, J; Tacke, E; Hofferbert, HR; Gebhardt, C. (2011). Multiple alleles for resistance and susceptibility modulate the defense response in the interaction of tetraploid potato (*Solanum tuberosum*) with *Synchytrium endobioticum* pathotypes 1, 2, 6 and 18. *Theor Appl Genet*. 123: 1281-1292. <http://dx.doi.org/10.1007/s00122-011-1666-9>.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere*. 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Balter, S. (2001). A new tool for benchmarking cardiovascular fluoroscopes. *Radiat Prot Dosimetry*. 94: 161-166.
- Baltruschat, H; Kamphausen, I; Oelgeklaus, R; Rose, J; Wahlkamp, M. (1997). Detection of volatile organic solvents using potentiodynamic gas sensors. *Anal Chem*. 69: 743-748.
- Balzarova, MA; Castka, P. (2008). Underlying mechanisms in the maintenance of ISO 14001 environmental management system. *J Clean Prod*. 16: 1949-1957. <http://dx.doi.org/10.1016/j.jclepro.2008.01.007>.
- Banerjee, S; Sutanto, S; Kleijn, JM; van Roosmalen, MJ; Witkamp, GJ; Stuart, MA. (2012). Colloidal interactions in liquid CO<sub>2</sub>--a dry-cleaning perspective [Review]. *Adv Colloid Interface Sci*. 175: 11-24. <http://dx.doi.org/10.1016/j.cis.2012.03.005>.
- Bao, GB; John, WW; Johnson, WP. (2000). Chromatographic alteration of a nonionic surfactant mixture during transport in dense nonaqueous phase liquid contaminated sediment. *Environ Sci Technol*. 34: 680-685.
- Baragi, JG; Aralaguppi, MI; Aminabhavi, TM; Kariduraganavar, MY; Kittur, AS. (2005). Density, Viscosity, Refractive Index, and Speed of Sound for Binary Mixtures of Anisole with 2-Chloroethanol, 1,4-Dioxane, Tetrachloroethylene, Tetrachloroethane, DMF, DMSO, and Diethyl Oxalate at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data*. 50: 910-916. <http://dx.doi.org/10.1021/je049610v>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V. (1994). PHASE-BEHAVIOR OF WATER PERCHLOROETHYLENE ANIONIC SURFACTANT SYSTEMS. *Langmuir*. 10: 1146-1150.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol.* 30: 2143-2147.
- Barbier, O; Duran-Sandoval, D; Pineda-Torra, I; Kosykh, V; Fruchart, JC; Staels, B. (2003). Peroxisome proliferator-activated receptor [alpha] induces hepatic expression of the human bile acid glucuronidating UDP-glucuronosyltransferase 2B4 enzyme. *J Biol Chem.* 278: 32852-32860. <http://dx.doi.org/10.1074/jbc.M305361200>.
- Barchet, R; Biermann, J; Feucht, M; Th, H; Jori, H; Wilk, G. (1972). [Results of chemical investigations on environmental protection]. *Dtsch Lebensm-Rundsch.* 68: 69-74.
- Baric, M; Majone, M; Beccari, M; Papini, MP. (2012). Coupling of polyhydroxybutyrate (PHB) and zero valent iron (ZVI) for enhanced treatment of chlorinated ethanes in permeable reactive barriers (PRBs). *Chem Eng J.* 195: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.04.026>.
- Barman, N; Singha, D; Sahu, K. (2013). Fluorescence quenching of hydrogen-bonded coumarin 102-phenol complex: effect of excited-state hydrogen bonding strength. *J Phys Chem A.* 117: 3945-3953. <http://dx.doi.org/10.1021/jp4019298>.
- Barnes, DG; Dourson, M. (1988). Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol.* 8: 471-486. [http://dx.doi.org/10.1016/0273-2300\(88\)90047-5](http://dx.doi.org/10.1016/0273-2300(88)90047-5).
- Barnes, DH; Wofsy, SC; Fehlau, BP; Gottlieb, EW; Elkins, JW; Dutton, GS; Montzka, SA. (2003). Urban/industrial pollution for the New York City - Washington, DC, corridor, 1996-1998: 1. Providing independent verification of CO and PCE emissions inventories. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2001JD001116>.
- Barnes, DH; Wofsy, SC; Fehlau, BP; Gottlieb, EW; Elkins, JW; Dutton, GS; Montzka, SA. (2003). Urban/industrial pollution for the New York City - Washington, DC, corridor, 1996-1998: 2. A study of the efficacy of the Montreal Protocol and other regulatory measures. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2001JD001117>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol.* 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Barrass, N; Stewart, M; Warburton, S; Aitchison, J; Jackson, D; Wadsworth, P; Marsden, A; Orton, T. (1993). Cell proliferation in the liver and thyroid of C57Bl/10J mice after dietary administration of chlordane. *Environ Health Perspect.* 101: 219-223.
- Barret, O; Carpenter, TA; Clark, JC; Ansorge, RE; Fryer, TD. (2005). Monte Carlo simulation and scatter correction of the GE advance PET scanner with SimSET and Geant4. *Phys Med Biol.* 50: 4823-4840. <http://dx.doi.org/10.1088/0031-9155/50/20/006>.
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab.* 8: 33-45.
- Barthos, R; Mehn, D; Demortier, A; Pierard, N; Morciaux, Y; Demortier, G; Fonseca, A; Nagy, JB. (2005). Functionalization of single-walled carbon nanotubes by using alkyl-halides. *Carbon.* 43: 321-325. <http://dx.doi.org/10.1016/j.carbon.2004.09.018>.
- Bartlett, KB; Sachse, GW; Slate, T; Harward, C; Blake, DR. (2003). Large-scale distribution of CH<sub>4</sub> in the western North Pacific: Sources and transport from the Asian continent. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003076>.
- Bartoli, A; Esposito, G; D'Angeli, L; Chaabane, L; Terreno, E. (2013). MRI and PET Compatible Bed for Direct Co-Registration in Small Animals. *IEEE Trans Nucl Sci.* 60: 1596-1602. <http://dx.doi.org/10.1109/TNS.2013.2262950>.
- Bartsch, H; Malaveille, C; Barbin, A; Bresil, H; Tomatis, L; Montesano, R. (1976). Mutagenicity and metabolism of vinyl chloride and related compounds [Review]. *Environ Health Perspect.* 17: 193-198.
- Bartulewicz, J; Bartulewicz, E; Gawlowski, J; Niedzielski, J. (1998). Simple and rapid method for the determination of methylene chloride, ethylene dichloride, trichloroethylene and tetrachloroethylene in atmospheric air. *Chemia analityczna.* 43: 887-895.
- Basu, D; Asolekar, SR. (2012). Effect of carbon sources on the removal of 1,1,2-trichloroethane and 1,1,2,2-tetrachloroethane in UASB reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 638-644. <http://dx.doi.org/10.1080/10934529.2012.650586>.
- Basu, D; Asolekar, SR. (2012). Evaluation of substrate removal kinetics for UASB reactors treating chlorinated ethanes. *Environ Sci Pollut Res Int.* 19: 2419-2427. <http://dx.doi.org/10.1007/s11356-012-0754-y>.
- Batchelor, B. (2006). Overview of waste stabilization with cement [Review]. *Waste Manag.* 26: 689-698. <http://dx.doi.org/10.1016/j.wasman.2006.01.020>.
- Bateman, AJ; Epstein, SS. (1971). Dominant lethal mutations in mammals. In A Hollaender (Ed.), (pp. 541-568). New York, NY: Plenum Press.
- Bates, BA; Brenniman, GR; Allen, RJ; Anderson, RJ. (1991). ELUTION PROFILES OF 3 CHLORINATED HYDROCARBONS LEACHING THROUGH SANDY SOIL. *J Environ Eng.* 117: 279-290.
- Bateson, TF; Schwartz, J. (2008). Children's response to air pollutants [Review]. *J Toxicol Environ Health A.* 71: 238-243. <http://dx.doi.org/10.1080/15287390701598234>.
- Bauer, P; Attinger, S; Kinzelbach, W. (2001). Transport of a decay chain in homogenous porous media: analytical solutions. *J Contam Hydrol.* 49: 217-239.
- Bauer, S; Wolff, I; Werner, N; Schmidt, R; Blume, R; Pelzing, M. (1995). Toxicological investigations in the semiconductor industry: IV: Studies on the subchronic oral toxicity and genotoxicity of vacuum pump oils contaminated by waste products from aluminum plasma etching processes. *Toxicol Ind Health.* 11: 523-541. <http://dx.doi.org/10.1177/074823379501100506>.
- Bauer, U. (1981). [Human exposure to environmental chemicals: Investigations on volatile organic halogenated compounds in water, air, food, and human tissues: IV. Communication: Calculation of human exposure to organic halogenated compounds from the environment]. *Zentralbl Bakteriell Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B.* 174: 556-583.
- Bauer, U. (1991). OCCURRENCE OF TETRACHLOROETHYLENE IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Chemosphere.* 23: 1777-1781.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Baum, G; Oppenlaender, T. (1995). Vacuum-UV: Oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere*. 30: 1781-1790.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol*. 78: 129-146. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.005>.
- Beck, BD; Rudel, R; Calabrese, EJ. (1994). The use of toxicology in the regulatory process. In AW Hayes (Ed.), (3 ed., pp. 19-58). New York, NY: Raven Press, Ltd.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococcoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environ Sci Technol*. 40: 4473-4480. <http://dx.doi.org/10.1021/es051849o>.
- Becker, JG; Berardesco, G; Rittmann, BE; Stahl, DA. (2005). The role of syntrophic associations in sustaining anaerobic mineralization of chlorinated organic compounds. *Environ Health Perspect*. 113: 310-316. <http://dx.doi.org/10.1289/ehp.6933>.
- Becker, JG; Seagren, EA. (2009). Modeling the Effects of Microbial Competition and Hydrodynamics on the Dissolution and Detoxification of Dense Nonaqueous Phase Liquid Contaminants. *Environ Sci Technol*. 43: 870-877. <http://dx.doi.org/10.1021/es801616f>.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol*. 57: 147-159.
- Beliles, RP. (2002). Concordance across species in the reproductive and developmental toxicity of tetrachloroethylene [Review]. *Toxicol Ind Health*. 18: 91-106. <http://dx.doi.org/10.1191/0748233702th1370a>.
- Bell, PR. (1988). A NEW STANDARD FOR TRAFFIC CONTROL-SYSTEMS - NEMA STANDARD TS2. *Institute of Transportation Engineers ITE Journal*. 58: 25-26.
- Bellar, TA; Lichtenberg, JJ. (1974). Determining volatile organics at microgram-per-litre levels by gas chromatographs. *J Am Water Works Assoc*. 66: 739-744.
- Bellar, TA; Lichtenberg, JJ; Kroner, RC. (1974). The occurrence of organohalides in chlorinated drinking waters. *J Am Water Works Assoc*. 66: 703-706.
- Bellat, JP; Bertrand, O; Bouvier, F; Broyer, M; Francois, V; Maure, S; Weber, G. (1999). Characterization and utilization of MFI zeolites and MCM-41 materials for gaseous pollutant adsorption. *Stud Surf Sci Catal*. 125: 737-744.
- Bellobono, IR; Gianturco, F; Chiodaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. *Fresen Environ Bull*. 6: 469-474.
- Benane, S; Blackman, C; House, D. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health*. 48: 427-437.
- Beneteau, KM; Aravena, R; Frape, SK. (1999). Isotopic characterization of chlorinated solvents-laboratory and field results. *Organic Geochemistry*. 30: 739-753.
- Benick, J; Zimmermann, K; Spiegelman, J; Hermle, M; Glunz, SW. (2011). Rear side passivation of PERC-type solar cells by wet oxides grown from purified steam. *Progress in Photovoltaics*. 19: 361-365. <http://dx.doi.org/10.1002/pip.1020>.
- Benmouyal, G; Bilodeau, H; Chano, S; Sybille, G. (1993). NEW ALGORITHM FOR PROTECTION OF CAPACITOR BANKS EXPOSED TO HARMONIC OVERVOLTAGES. *IEEE Transactions on Power Delivery*. 8: 898-904.
- Bennedson, LR; Muff, J; Sogaard, EG. (2012). Influence of chloride and carbonates on the reactivity of activated persulfate. *Chemosphere*. 86: 1092-1097. <http://dx.doi.org/10.1016/j.chemosphere.2011.12.011>.
- Bentley, P; Calder, I; Elcombe, C; Grasso, P; Stringer, D; Wiegand, HJ. (1993). Hepatic peroxisome proliferation in rodents and its significance for humans. *Food Chem Toxicol*. 31: 857-907. [http://dx.doi.org/10.1016/0278-6915\(93\)90225-N](http://dx.doi.org/10.1016/0278-6915(93)90225-N).
- Benvenuti, C; Canil, G; Chiggiato, P; Collin, P; Cosso, R; Guerin, J; Ilie, S; Latorre, D; Neil, KS. (1999). Surface cleaning efficiency measurements for UHV applications. *Vacuum*. 53: 317-320.
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. *J Environ Eng*. 132: 725-735. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(725\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(725)).
- Beranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of chlorinated ethenes: modeling and parameter estimation methods. *Advances in Water Resources*. 28: 87-98. <http://dx.doi.org/10.1016/j.advwatres.2004.08.014>.
- Bergamaschi, E; Mutti, A; Bocchi, MC; Alinovi, R; Olivetti, G; Ghiggeri, GM; Franchini, I. (1992). Rat model of perchloroethylene-induced renal dysfunctions. *Environ Res*. 59: 427-439. [http://dx.doi.org/10.1016/S0013-9351\(05\)80046-5](http://dx.doi.org/10.1016/S0013-9351(05)80046-5).
- Bergeron, M; Cadorette, J; Tetrault, MA; Beaudoin, JF; Leroux, JD; Fontaine, R; Lecomte, R. (2014). Imaging performance of LabPET APD-based digital PET scanners for pre-clinical research. *Phys Med Biol*. 59: 661-678. <http://dx.doi.org/10.1088/0031-9155/59/3/661>.
- Berggren, DRV; Marshall, I; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environ Sci Technol*. 47: 1879-1886. <http://dx.doi.org/10.1021/es304244z>.
- Bergmann, H. (1993). TEST PHANTOMS IN NUCLEAR-MEDICINE - PLANAR-GAMMA CAMERA. *Radiat Prot Dosimetry*. 49: 285-293.
- Bergmann, H; Dobrozemsky, G; Minear, G; Nicoletti, R; Samal, M. (2005). An inter-laboratory comparison study of image quality of PET scanners using the NEMA NU 2-2001 procedure for assessment of image quality. *Phys Med Biol*. 50: 2193-2207. <http://dx.doi.org/10.1088/0031-9155/50/10/001>.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. *J Environ Qual*. 32: 801-815.
- Berlin, K; Edling, C; Persson, B; Ahlborg, G; Hillert, L; Hogstedt, B; Lundberg, I; Svensson, BG; Thiringer, G; Orbaek, P. (1995). Cancer incidence and mortality of patients with suspected solvent-related disorders. *Scand J Work Environ Health*. 21: 362-367.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernard, A; Hermans, C. (1997). Biomonitoring of early effects on the kidney or the lung. *Sci Total Environ*. 199: 205-211.
- Bernard, A; Lauwerys, R. (1989). Epidemiological application of early markers of nephrotoxicity. *Toxicol Lett*. 46: 293-306. [http://dx.doi.org/10.1016/0378-4274\(89\)90137-9](http://dx.doi.org/10.1016/0378-4274(89)90137-9).
- Bernstein, A; Ronen, Z; Gelman, F. (2013). Insight on RDX degradation mechanism by Rhodococcus strains using 13C and 15N kinetic isotope effects. *Environ Sci Technol*. 47: 479-484. <http://dx.doi.org/10.1021/es302691g>.
- Berton, P; Vera-Candiotti, L; Goicoechea, HC; Wuilloud, RG. (2013). A microextraction procedure based on an ionic liquid as an ion-pairing agent optimized using a design of experiments for chromium species separation and determination in water samples. *Analytical Methods*. 5: 5065-5073. <http://dx.doi.org/10.1039/c3ay40617b>.
- Best, DE; Horii, SC; Bennett, W; Thomson, B; Snavely, D. (1992). REVIEW OF THE AMERICAN-COLLEGE-OF-RADIOLOGY-NATIONAL-ELECTRICAL-MANUFACTURERS-ASSOCIATION STANDARDS ACTIVITY. *Comput Methods Programs Biomed*. 37: 305-309.
- Bethke, J; Kopf, J; Margaretha, P; Pignon, B; Dupont, L; Christiaens, LE. (1997). Photochemistry of isothiocoumarin (= 1H-[2]benzothiopyran-1-one). *Helvetica Chimica Acta*. 80: 1865-1868.
- Bettoli, MG; Ravanelli, M; Tositti, L; Tubertini, O; Guzzi, L; Martinotti, W; Queirazza, G; Tamba, M. (1998). Radiation induced decomposition of halogenated organic compounds in water. *Radiat Phys Chem Oxf Engl* 1993. 52: 327-331.
- Beyer, T; Hahn, P; Hartwig, S; Konz, W; Scharring, S; Katzir, A; Steiner, H; Jakusch, M; Kraft, M; Mizaikoff, B. (2003). Mini spectrometer with silver halide sensor fiber for in situ detection of chlorinated hydrocarbons. *Sens Actuators B*. 90: 319-323. [http://dx.doi.org/10.1016/S0925-4005\(03\)00054-6](http://dx.doi.org/10.1016/S0925-4005(03)00054-6).
- Bezbarua, BK; Reckhow, DA. (2004). Modification of the standard neutral ozone decomposition model. *Ozone: Science and Engineering*. 26: 345-357. <http://dx.doi.org/10.1080/019195104904821479>.
- Bhargava, KP; Srivastava, VK; Barthwal, JP; Sinha, JN. (1976). Significance of spinal autonomic loci in post coronary ligation arrhythmia. *Neuropharmacology*. 15: 625-633. [http://dx.doi.org/10.1016/0028-3908\(76\)90019-8](http://dx.doi.org/10.1016/0028-3908(76)90019-8).
- Bhatia, SC; Bhatia, R; Dubey, GP. (2009). Studies on Transport and Thermodynamic Properties of Binary Mixtures of Hexan-1-ol with Halogenated Compounds at 293.15 K. *Journal of Chemical and Engineering Data*. 54: 3303-3306. <http://dx.doi.org/10.1021/jc900278v>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol*. 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhowmik, A; Asahino, A; Shiraki, T; Nakamura, K; Takamizawa, K. (2009). In situ study of tetrachloroethylene bioremediation with different microbial community shifting. *Environ Technol*. 30: 1607-1614. <http://dx.doi.org/10.1080/09593330903369986>.
- Bhowmik, A; Ishimura, K; Nakamura, K; Takamizawa, K. (2012). Degradation activity of Clostridium species DC-1 in the cis-1,2-dichloroethylene contaminated site in the presence of indigenous microorganisms and Escherichia coli. *Journal of Material Cycles and Waste Management*. 14: 212-219. <http://dx.doi.org/10.1007/s10163-012-0060-2>.
- Bhunya, SP; Das, P. (1987). Bone marrow chromosome aberration and sperm abnormality in mice in vivo induced by monochloroacetic acid (MCA). *Chrom Info Service*. 42: 28-30.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation*. 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bianchimosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS-STEEL VS PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monitoring and Remediation*. 12: 126-131.
- Bianchimosquera, GC; Mackay, DM. (1994). AN EVALUATION OF THE REPRODUCIBILITY OF FORCED-GRADIENT SOLUTE TRANSPORT TESTS. *Ground Water*. 32: 937-948.
- Bickle, GM; Suzuki, T; Mitarai, Y. (1994). CATALYTIC DESTRUCTION OF CHLOROFLUOROCARBONS AND TOXIC CHLORINATED HYDROCARBONS. *Appl Catal B-Environ*. 4: 141-153.
- Bielefeldt, AR; Stensel, HD; Strand, SE. (1995). COMETABOLIC DEGRADATION OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. *J Environ Eng*. 121: 791-797.
- Bignami, M; Cardamone, G; Comba, P; Ortali, VA; Morpurgo, G; Carere, A. (1977). Relationship between chemical structure and mutagenic activity in some pesticides: The use of Salmonella typhimurium and Aspergillus nidulans. *Mutat Res*. 46: 243-244. [http://dx.doi.org/10.1016/0165-1161\(77\)90103-0](http://dx.doi.org/10.1016/0165-1161(77)90103-0).
- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), NBS special publication (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bina, MT; Kashefi, A. (2011). Three-phase unbalance of distribution systems: Complementary analysis and experimental case study. *International Journal of Electrical Power & Energy Systems*. 33: 817-826. <http://dx.doi.org/10.1016/j.ijepes.2010.12.003>.
- Binger, CA; Martin, JP; Allen-King, RM; Fowler, M. (1999). Variability of chlorinated-solvent sorption associated with oxidative weathering of kerogen. *J Contam Hydrol*. 40: 137-158.
- Biswas, N; Zytner, RG; Bewtra, JK. (1992). MODEL FOR PREDICTING PCE DESORPTION FROM CONTAMINATED SOILS. *Water Environ Res*. 64: 170-178.
- Biswas, N; Zytner, RG; Mccorquodale, JA; Bewtra, JK. (1991). PREDICTION OF THE MOVEMENT OF PERCHLOROETHYLENE IN SOIL COLUMNS. *Water Air Soil Pollut*. 60: 361-380.
- Bizzigotti, GO; Reynolds, DA; Kueper, BH. (1997). Enhanced solubilization and destruction of tetrachloroethylene by hydroxypropyl-beta-cyclodextrin and iron. *Environ Sci Technol*. 31: 472-478.
- Black, D. (1982). Glue sniffing. *Arch Dis Child*. 57: 893-894.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Black, H. (2006). Pressed for hard facts: Multiple tetrachloroethylene-cancer links go unconfirmed. *Environ Health Perspect.* 114: A114. <http://dx.doi.org/10.1289/ehp.114-a114>.
- Black, WZ; Brown, KW; Harshe, BL. (1999). Ampacity of cables in trays surrounded with fire barrier material. *I E E Transactions on Power Delivery.* 14: 8-17.
- Black, WZ; Woodruff, GW; Kovalchik, PG; Duda, FT. (1994). AMPACITIES OF POWER-CABLES WOUND ON REELS. *I E E Transactions on Power Delivery.* 9: 1209-1216.
- Blair, A; Burg, J; Foran, J; Gibb, H; Greenland, S; Morris, R; Raabe, G; Savitz, D; Teta, J; Wartenberg, D; Wong, O; Zimmerman, R. (1995). Guidelines for application of meta-analysis in environmental epidemiology. *Regul Toxicol Pharmacol.* 22: 189-197. <http://dx.doi.org/10.1006/rtph.1995.1084>.
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environ Sci Technol.* 32: 294-298.
- Blake, DR; Blake, NJ; Smith, TW; Wingenter, OW; Rowland, FS. (1996). Nonmethane hydrocarbon and halocarbon distributions during Atlantic Stratocumulus Transition Experiment Marine Aerosol and Gas Exchange, June 1992. *J Geophys Res Atmos.* 101: 4501-4514.
- Blake, DR; Smith, TW; Chen, TY; Whipple, WJ; Rowland, FS. (1994). EFFECTS OF BIOMASS BURNING ON SUMMERTIME NONMETHANE HYDROCARBON CONCENTRATIONS IN THE CANADIAN WETLANDS. *J Geophys Res Atmos.* 99: 1699-1719. <http://dx.doi.org/10.1029/93JD02598>.
- Blake, NJ; Blake, DR; Chen, TY; Collins, JE; Sachse, GW; Anderson, BE; Rowland, FS. (1997). Distribution and seasonality of selected hydrocarbons and halocarbons over the western Pacific basin during PEM-West A and PEM-West B. *J Geophys Res Atmos.* 102: 28315-28331.
- Blake, NJ; Blake, DR; Simpson, IJ; Lopez, JP; Johnston, NAC; Swanson, AL; Katzenstein, AS; Meinardi, S; Sive, BC; Colman, JJ; Atlas, E; Flocke, F; Vay, SA; Avery, MA; Rowland, FS. (2001). Large-scale latitudinal and vertical distributions of NMHCs and selected halocarbons in the troposphere over the Pacific Ocean during the March-April 1999 Pacific Exploratory Mission (PEM-Tropics B). *J Geophys Res Atmos.* 106: 32627-32644.
- Blake, NJ; Blake, DR; Simpson, IJ; Meinardi, S; Swanson, AL; Lopez, JP; Katzenstein, AS; Barletta, B; Shirai, T; Atlas, E; Sachse, G; Avery, M; Vay, S; Fuelberg, HE; Kiley, CM; Kita, K; Rowland, FS. (2003). NMHCs and halocarbons in Asian continental outflow during the Transport and Chemical Evolution over the Pacific (TRACE-P) Field Campaign: Comparison with PEM-West B. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003367>.
- Blake, NJ; Blake, DR; Wingenter, OW; Sive, BC; Kang, CH; Thornton, DC; Bandy, AR; Atlas, E; Flocke, F; Harris, JM; Rowland, FS. (1999). Aircraft measurements of the latitudinal, vertical, and seasonal variations of NMHCs, methyl nitrate, methyl halides, and DMS during the First Aerosol Characterization Experiment (ACE 1). *J Geophys Res Atmos.* 104: 21803-21817.
- Blanch-Raga, N; Soriano, MD; Palomares, AE; Concepcion, P; Martinez-Triguero, J; Lopez Nieto, JM. (2013). Catalytic abatement of trichloroethylene over Mo and/or W-based bronzes. *Appl Catal B-Environ.* 130: 36-43. <http://dx.doi.org/10.1016/j.apcatb.2012.10.016>.
- Blando, JD; Schill, DP; De La Cruz, MP; Zhang, L; Zhang, J. (2010). Preliminary study of propyl bromide exposure among New Jersey dry cleaners as a result of a pending ban on perchloroethylene. *Journal of the Air and Waste Management Association.* 60: 1049-1056. <http://dx.doi.org/10.3155/1047-3289.60.9.1049>.
- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frape, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environ Sci Technol.* 34: 2768-2772. <http://dx.doi.org/10.1021/es991179k>.
- Blossom, SJ; Doss, JC; Gilbert, KM. (2007). Chronic exposure to a trichloroethylene metabolite in autoimmune-prone MRL+/+ mice promotes immune modulation and alopecia. *Toxicol Sci.* 95: 401-411. <http://dx.doi.org/10.1093/toxsci/kfl149>.
- Blossom, SJ; Gilbert, KM. (2006). Exposure to a metabolite of the environmental toxicant, trichloroethylene, attenuates CD4+ T cell activation-induced cell death by metalloproteinase-dependent FasL shedding. *Toxicol Sci.* 92: 103-114. <http://dx.doi.org/10.1093/toxsci/kfj212>.
- Blossom, SJ; Pumford, NR; Gilbert, KM. (2004). Activation and attenuation of apoptosis of CD4+ T cells following in vivo exposure to two common environmental toxicants, trichloroacetaldehyde hydrate and trichloroacetic acid. *J Autoimmun.* 23: 211-220. <http://dx.doi.org/10.1016/j.jaut.2004.06.007>.
- Blount, BC; Mcelprang, DO; Chambers, DM; Waterhouse, MG; Squibb, KS; Lakind, JS. (2010). Methodology for collecting, storing, and analyzing human milk for volatile organic compounds. *J Environ Monit.* 12: 1265-1273. <http://dx.doi.org/10.1039/b927022a>.
- Blunden, S. (1981). Drugs and the soldier. *J R Army Med Corps.* 127: 72-77.
- Blystone, PG; Johnson, MD; Haag, WR; Daley, PF. (1993). ADVANCED ULTRAVIOLET FLASH LAMPS FOR THE DESTRUCTION OF ORGANIC CONTAMINANTS IN AIR. *ACS Symp Ser Am Chem Soc.* 518: 380-392.
- Bob, MM; Brooks, MC; Mravik, SC; Wood, AL. (2008). A modified light transmission visualization method for DNAPL saturation measurements in 2-D models. *Advances in Water Resources.* 31: 727-742. <http://dx.doi.org/10.1016/j.advwatres.2008.01.016>.
- Bodenhofer, K; Hierlemann, A; Noetzel, G; Weimar, U; Gopel, W. (1996). Performances of mass-sensitive devices for gas sensing: Thickness shear mode and surface acoustic wave transducers. *Anal Chem.* 68: 2210-2218.
- Boehm, C; Landgraf, D; Makeschin, F. (2009). Effects of two contrasting agricultural land-use practices on nitrogen leaching in a sandy soil of Middle Germany. 172: 408-417. <http://dx.doi.org/10.1002/jpln.200700104>.
- Boellaard, R; Buijs, F; de Jong, HWA, M; Lenox, M; Gremillion, T; Lammertsma, AA. (2003). Characterization of a single LSO crystal layer high resolution research tomograph. *Phys Med Biol.* 48: 429-448. <http://dx.doi.org/10.1088/0031-9155/48/4/302>.
- Bogen, K; Keating, G; Meissner, S; Vogel, J. (1998). Initial uptake kinetics in human skin exposed to dilute aqueous trichloroethylene in vitro. *J Expo Anal Environ Epidemiol.* 8: 253-271.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bogen, KT. (1995). Methods to Approximate Joint Uncertainty and Variability in Risk. *Risk Anal.* 15: 411-419.
- Bogen, KT; Mckone, TE. (1988). Linking indoor air and pharmacokinetic models to assess tetrachloroethylene risk. *Risk Anal.* 8: 509-520.
- Bogh, D; Coffee, J; Stone, G; Custodio, J. (2006). Partial-discharge-inception testing on low-voltage motors. *I E E Transactions on Industry Applications.* 42: 148-154. <http://dx.doi.org/10.1109/TIA.2005.861369>.
- Bohme, R; Braun, A; Zimmer, K. (2002). Backside etching of UV-transparent materials at the interface to liquids. *Appl Surf Sci.* 186: 276-281.
- Bohy, M; Dridi, L; Schaefer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. *Vadose Zone Journal.* 5: 539-553. <http://dx.doi.org/10.2136/vzj2005.0079>.
- Bois, F. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci.* 895: 317-337.
- Boisson, F; Wimberley, CJ; Lehnert, W; Zahra, D; Pham, T; Perkins, G; Hamze, H; Gregoire, MC; Reilhac, A. (2013). NEMA NU 4-2008 validation and applications of the PET-SORTEO Monte Carlo simulations platform for the geometry of the Inveon PET preclinical scanner. *Phys Med Biol.* 58: 6749-6763. <http://dx.doi.org/10.1088/0031-9155/58/19/6749>.
- Bolesch, DG; Nielsen, RB; Keasling, JD. (1997). COMPLETE REDUCTIVE DECHLORINATION OF TRICHLOROETHENE BY A GROUNDWATER MICROBIAL CONSORTIUM (pp. NEW YORK). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/98/14946). Bolesch, DG; Nielsen, RB; Keasling, JD.
- Bollinger, PA. (1980). OPTIMIZING THE DESIGN OF A NEMA TYPE-7 EXPLOSION-PROOF ENCLOSURE USED FOR ELECTRO-MECHANICAL SWITCHING DEVICES. *I E E Transactions on Industry Applications.* 16: 44-50.
- Bolm-Audorff, U; Ahrens, W; Jöckel, KH; Greiser, E; Molik, B; Timm, J; Wichmann, HE. (1989). Experience with supplementary questionnaires in a lung cancer case reference study. In D Hemon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Office for Official Publications of the European Community.
- Bong, M; Laskowska-Klita, T; Szymczyk, T. (1985). Effect of the benzene fraction of petroleum on protein content in rat liver and kidney. *Bull Environ Contam Toxicol.* 34: 45-54.
- Bonnett, AH. (1991). THE BENEFITS OF ALLOWING FOR INCREASED STARTING CURRENT IN AC SQUIRREL CAGE INDUCTION-MOTORS. *I E E Transactions on Industry Applications.* 27: 1169-1174.
- Bonnett, AH. (2001). Operating temperature considerations and performance characteristics for IEEE 841 motors. *I E E Transactions on Industry Applications.* 37: 1120-1131.
- Bonse, G; Urban, T; Reichert, D; Henschler, D. (1975). Chemical reactivity, metabolic oxirane formation and biological reactivity of chlorinated ethylenes in the isolated perfused rat liver preparation. *Biochem Pharmacol.* 24: 1829-1834. [http://dx.doi.org/10.1016/0006-2952\(75\)90468-2](http://dx.doi.org/10.1016/0006-2952(75)90468-2).
- Bonutti, F; Cattaruzzi, E; Cragolini, E; Floreani, M; Foti, C; Malisan, MR; Moretti, E; Geatti, O; Padovani, R. (2008). Count-rate analysis from clinical scans in PET with LSO detectors. *Radiat Prot Dosimetry.* 129: 288-290. <http://dx.doi.org/10.1093/rpd/ncn153>.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res.* 34: 4437-4445.
- Borch, T; Ambus, P; Laternus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere.* 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. *J Contam Hydrol.* 94: 13-33. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.002>.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol.* 32: 2614-2622.
- Bortone, I; Di Nardo, A; Di Natale, M; Erto, A; Musmarra, D; Santonastaso, GF. (2013). Remediation of an aquifer polluted with dissolved tetrachloroethylene by an array of wells filled with activated carbon. *J Hazard Mater.* 260: 914-920. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.050>.
- Bosma, TN; Cottaar, FH; Posthumus, MA; Teunis, CJ; van Veldhuizen, A; Schraa, G; Zehnder, AJ. (1994). Comparison of reductive dechlorination of hexachloro-1,3-butadiene in Rhine sediment and model systems with hydroxocobalamin. *Environ Sci Technol.* 28: 1124-1128. <http://dx.doi.org/10.1021/es00055a023>.
- Botta, D; Dancelli, E; Mantica, E. (1996). A case history of contamination by polychloro-1,3-butadiene congeners. *Environ Sci Technol.* 30: 453-462.
- Bottero, S; Hassanizadeh, SM; Kleingeld, PJ; Heimovaara, TJ. (2011). Nonequilibrium capillarity effects in two-phase flow through porous media at different scales. *Water Resour Res.* 47: 10505-10505. <http://dx.doi.org/10.1029/2011WR010887>.
- Bouchardy, C; Schüller, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health.* 28: 1-88.
- Bouhamra, WS; Elkilani, AS. (1999). Investigation and modeling of surface sorption-desorption behavior of volatile organic compounds for indoor air quality analysis. *Environ Technol.* 20: 531-545.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). MIGRATION OF CHLORINATED-HYDROCARBON SOLVENTS THROUGH COVENTRY SANDSTONE ROCK COLUMNS. *J Hydrol.* 149: 183-207.
- Bouwer, EJ; Mccarty, PL; Lance, JC. (1981). Trace organic behavior in soil columns during rapid infiltration of secondary wastewater. *Water Res.* 15: 151-159. [http://dx.doi.org/10.1016/0043-1354\(81\)90195-0](http://dx.doi.org/10.1016/0043-1354(81)90195-0).
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review [Review]. *Environ Health Perspect.* 110: 61-74.
- Bove, FJ. (1996). Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. *Toxicol Ind Health.* 12: 255-266.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environ Sci Technol.* 33: 764-770.
- Bowen, SE; Batis, JC; Paez-Martinez, N; Cruz, SL. (2006). The last decade of solvent research in animal models of abuse: Mechanistic and behavioral studies [Review]. *Neurotoxicol Teratol.* 28: 636-647. <http://dx.doi.org/10.1016/j.ntt.2006.09.005>.
- Bowler, RM; Mergler, D; Huel, G; Harrison, R; Cone, J. (1991). Neuropsychological impairment among former microelectronics workers. *Neurotoxicology.* 12: 87-103.
- Bowman, KJ. (1982). A method for quantitative scoring of the Farnsworth Panel D-15. *Acta Ophthalmol.* 60: 907-916. <http://dx.doi.org/10.1111/j.1755-3768.1982.tb00621.x>.
- Bowman, RS; Haggerty, GM; Huddleston, RG; Neel, D; Flynn, MM. (1995). SORPTION OF NONPOLAR ORGANIC-COMPOUNDS, INORGANIC CATIONS, AND INORGANIC OXYANIONS BY SURFACTANT-MODIFIED ZEOLITES. *ACS Symp Ser Am Chem Soc.* 594: 54-64.
- Boyce, CP. (1998). Comparison of approaches for developing distributions for carcinogenic slope factors. *Hum Ecol Risk Assess.* 4: 527-577.
- Boyd, GR; Li, MH; Husserl, J; Ocampo-Gomez, AM. (2006). Dip-angle influence on areal DNAPL recovery by co-solvent flooding with and without pre-flooding. *J Contam Hydrol.* 82: 319-337. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.007>.
- Boyd, GR; Ocampo-Gomez, A; Li, M; Husserl, J. (2006). Effects of initial saturation on properties modification and displacement of tetrachloroethene with aqueous isobutanol. *J Contam Hydrol.* 88: 69-91. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.003>.
- Boyes, WK; Evans, MV; Eklund, C; Janssen, P; Simmons, JE. (2005). Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. *Risk Anal.* 25: 677-686. <http://dx.doi.org/10.1111/j.1539-6924.2005.00622.x>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol.* 136: 712-721.
- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health.* 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Bozzelli, JW; Kebbekus, BB. (1979). Analysis of selected volatile organic substances in ambient air. (PB80-144694). Newark, NJ: New Jersey Department of Environmental Protection. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80144694>.
- Braad, PE; Hansen, SB; Høilund-Carlsen, PF. (2015). Impact of high (131)I-activities on quantitative (124)I-PET. *Phys Med Biol.* 60: 5297-5312. <http://dx.doi.org/10.1088/0031-9155/60/13/5297>.
- Bradford, SA; Abriola, LM. (2001). Dissolution of residual tetrachloroethylene in fractional wettability porous media: Incorporation of interfacial area estimates. *Water Resour Res.* 37: 1183-1195.
- Bradford, SA; Phelan, TJ; Abriola, LM. (2000). Dissolution of residual tetrachloroethylene in fractional wettability porous media: correlation development and application. *J Contam Hydrol.* 45: 35-61.
- Bradford, SA; Rathfelder, KM; Lang, J; Abriola, LM. (2003). Entrapment and dissolution of DNAPLs in heterogeneous porous media. *J Contam Hydrol.* 67: 133-157. [http://dx.doi.org/10.1016/S0169-7722\(03\)00071-8](http://dx.doi.org/10.1016/S0169-7722(03)00071-8).
- Bradford, SA; Vendlinski, RA; Abriola, LM. (1999). The entrapment and long-term dissolution of tetrachloroethylene in fractional wettability porous media. *Water Resour Res.* 35: 2955-2964.
- Bradley, PM. (2000). Microbial degradation of chloroethenes in groundwater systems. *Hydrogeology Journal.* 8: 104-111.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55. <http://dx.doi.org/10.1111/j.1745-6592.2011.01344.x>.
- Bradley, PM; Chapelle, FH. (1996). Anaerobic mineralization of vinyl chloride in Fe(III)-reducing, aquifer sediments. *Environ Sci Technol.* 30: 2084-2086.
- Bradley, PM; Chapelle, FH. (1997). Kinetics of DCE and VC mineralization under methanogenic and Fe(III)-reducing conditions. *Environ Sci Technol.* 31: 2692-2696.
- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environ Sci Technol.* 32: 553-557.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethane biodegradation under methanogenic conditions. *Environ Sci Technol.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (1999). Role for acetotrophic methanogens in methanogenic biodegradation of vinyl chloride. *Environ Sci Technol.* 33: 3473-3476.
- Bradley, PM; Chapelle, FH. (2000). Acetogenic microbial degradation of vinyl chloride. *Environ Sci Technol.* 34: 2761-2763. <http://dx.doi.org/10.1021/es991371m>.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Bradley, PM; Lacombe, PJ; Imbrigiotta, TE; Chapelle, FH; Goode, DJ. (2009). Flowpath Independent Monitoring of Reductive Dechlorination Potential in a Fractured Rock Aquifer. *Ground Water Monitoring and Remediation.* 29: 46-55.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kusch, P; Kaestner, M. (2011). Adaptation of a Constructed Wetland to Simultaneous Treatment of Monochlorobenzene and Perchloroethene. *Int J Phytoremediation.* 13: 998-1013. <http://dx.doi.org/10.1080/15226514.2010.549860>.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol.* 67: 43-60. [http://dx.doi.org/10.1016/S0169-7722\(03\)00087-1](http://dx.doi.org/10.1016/S0169-7722(03)00087-1).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Brandes, D; Farley, KJ. (1993). Importance of phase behaviour on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res.* 65: 869-878.
- Brasse, D; Tararine, M; Lamer, O; Bendriem, B. (1998). Investigation of noise equivalent count rate in positron imaging using a dual head gamma camera. *IEEE Trans Nucl Sci.* 45: 438-442.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Bredeloux, P; Dubuc, I; Costentin, J. (2007). Comparisons between bupropion and dexamphetamine in a range of in vivo tests exploring dopaminergic transmission. *Br J Pharmacol.* 150: 711-719. <http://dx.doi.org/10.1038/sj.bjp.0707151>.
- Breitbarth, FW; Rottmayer, S. (1986). INVESTIGATION OF RADICAL REACTIONS IN C2CL4 AND C2CL4/O2 DISCHARGES BY ELECTRON-PARAMAGNETIC-RES, MASS, AND EMISSION-SPECTROSCOPY. *Plasma Chemistry and Plasma Processing.* 6: 381-399.
- Breitenstein, O; Fruehauf, F; Turek, M. (2016). Improved empirical method for calculating short circuit current density images of silicon solar cells from saturation current density images and vice versa. *Solar Energy Materials and Solar Cells.* 154: 99-103. <http://dx.doi.org/10.1016/j.solmat.2016.04.047>.
- Brendel, R; Dullweber, T; Peibst, R; Kranz, C; Merkle, A; Walter, D. (2016). Breakdown of the efficiency gap to 29% based on experimental input data and modeling. *Progress in Photovoltaics.* 24: 1475-1486. <http://dx.doi.org/10.1002/pip.2696>.
- Brendel, R; Peibst, R. (2016). Contact Selectivity and Efficiency in Crystalline Silicon Photovoltaics. 6: 1413-1420. <http://dx.doi.org/10.1109/JPHOTOV.2016.2598267>.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *J Environ Eng.* 132: 664-673. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(664\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(664)).
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corn cobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res.* 40: 2125-2134. <http://dx.doi.org/10.1016/j.watres.2006.04.011>.
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.
- Breslow, NE; Day, NE. (1994). Statistical Method in Cancer Research. Volume 2 - The Design and Analysis of Cohort Studies [Review]. In NE Breslow; NE Day (Eds.), (IARC Scientific Publications No. 82 ed., pp. 1-406). New York, NY: Oxford University Press. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Breton-Deval, L; Rossetti, S; Rios-Leal, E; Matturro, B; Poggi-Varaldo, HM. (2016). Effect of Coupling Zero-Valent Iron Side Filters on the Performance of Bioreactors Fed with a High Concentration of Perchloroethylene. *J Environ Eng.* 142: 16051-16051. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0001093](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0001093).
- Breuer, D. (1993). INTERLABORATORY TRIAL SERIES HALOGENATED HYDROCARBONS - QUALITY ASSURANCE WITHIN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCE OF EXTERNAL MEASURING SERVICES .3. Staub, Reinhaltung der Luft. 53: 435-440.
- Breuer, D; Schenk, H; Schirk, O. (1991). MULTICENTER TRIAL HALOGENATED HYDROCARBONS - QUALITY ASSURANCE IN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCES OF EXTERNAL MEASURING SERVICES (II). Staub, Reinhaltung der Luft. 51: 181-185.
- Brewster, ML; Annan, AP. (1994). GROUND-PENETRATING RADAR MONITORING OF A CONTROLLED DNAPL RELEASE - 200 MHZ RADAR. *Geophysics.* 59: 1211-1221.
- Brewster, ML; Annan, AP; Greenhouse, JP; Kueper, BH; Olhoeft, GR; Redman, JD; Sander, KA. (1995). OBSERVED MIGRATION OF A CONTROLLED DNAPL RELEASE BY GEOPHYSICAL METHODS. *Ground Water.* 33: 977-987.
- Brisson, VL; West, KA; Lee, PK; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *ISME J.* 6: 1702-1714. <http://dx.doi.org/10.1038/ismej.2012.15>.
- Broadwell, DK; Darcey, DJ; Hudnell, HK; Otto, DA; Boyes, WK. (1995). Work-site clinical and neurobehavioral assessment of solvent-exposed microelectronics workers. *Am J Ind Med.* 27: 677-698. <http://dx.doi.org/10.1002/ajim.4700270505>.
- Brodin, CA; Daniell, W; Echeverria, D; Redlich, C; Checkoway, H. (1999). Concerns and assumptions of labor and management in the dry-cleaning industry. *Am J Ind Med.* 36: 482-483.
- Brodsky, J; Brodessa, J; Bauer, C; Roembke, J. (1997). The environmental fate of six existing chemicals in laboratory tests. *Chemosphere.* 34: 515-538.
- Brodzinsky, R; Singh, HB. (1983). Volatile organic chemicals in the atmosphere: An assessment of available data. (EPA-600/3-83-027a; PB83-195503). Triangle Park, NC: U.S. Environmental Protection Agency.
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: enhanced dissolution by methanol injection. *Environ Technol.* 28: 11-18. <http://dx.doi.org/10.1080/09593332808618767>.
- Broholm, K; Christensen, TH; Jensen, BK. (1991). LABORATORY FEASIBILITY STUDIES ON BIOLOGICAL INSITU TREATMENT OF A SANDY SOIL CONTAMINATED WITH CHLORINATED ALIPHATICS. *Environ Technol.* 12: 279-289.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environ Sci Technol.* 33: 681-690.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res.* 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Brooks, MC; Annable, MD; Rao, PS; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2002). Controlled release, blind tests of DNAPL characterization using partitioning tracers. *J Contam Hydrol.* 59: 187-210.
- Brooks, MC; Annable, MD; Rao, PSC; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2004). Controlled release, blind test of DNAPL remediation by ethanol flushing. *J Contam Hydrol.* 69: 281-297. [http://dx.doi.org/10.1016/S0169-7722\(03\)00158-X](http://dx.doi.org/10.1016/S0169-7722(03)00158-X).
- Broster, BE; Pupek, DA. (2001). The significance of buried landscape in subsurface migration of dense non-aqueous phase liquids: The case of perchloroethylene in the Sussex aquifer, New Brunswick. *Environmental and Engineering Geoscience.* 7: 17-29.
- Brovelli, A; Barry, DA; Robinson, C; Gerhard, JI. (2012). Analysis of acidity production during enhanced reductive dechlorination using a simplified reactive transport model. *Advances in Water Resources.* 43: 14-27. <http://dx.doi.org/10.1016/j.advwatres.2012.04.001>.
- Brown, CD; Wong, BA; Fennell, TR. (1996). In vivo and in vitro kinetics of ethylene oxide metabolism in rats and mice. *Toxicol Appl Pharmacol.* 136: 8-19. <http://dx.doi.org/10.1006/taap.1996.0002>.
- Brown, DP. (1978). Memorandum. Unknown: Unknown.
- Brown, LM; Hoover, R; Silverman, D; Baris, D; Hayes, R; Swanson, GM; Schoenberg, J; Greenberg, R; Liff, J; Schwartz, A; Dosemeci, M; Pottern, L; Fraumeni, JF, Jr. (2001). Excess incidence of squamous cell esophageal cancer among US Black men: Role of social class and other risk factors. *Am J Epidemiol.* 153: 114-122. <http://dx.doi.org/10.1093/aje/153.2.114>.
- Brown, MJ; Burris, DR. (1996). Enhanced organic contaminant sorption on soil treated with cationic surfactants. *Ground Water.* 34: 734-744.
- Brown, RC; Backus, G; Euling, SY; Foos, B; Makris, S; Moya, J; Olsen, M; Raffaele, K; Sonawane, B; Strong, J. (2009). Consideration of susceptible populations in risk assessment. *Birth Defects Res A Clin Mol Teratol.* 85: 433.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere.* 36: 1799-1810.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere.* 38: 795-806.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health.* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Brown, T; Dassonville, C; Derbez, M; Ramalho, O; Kirchner, S; Crump, D; Mandin, C. (2015). Relationships between socioeconomic and lifestyle factors and indoor air quality in French dwellings. *Environ Res.* 140: 385-396. <http://dx.doi.org/10.1016/j.envres.2015.04.012>.
- Browne, TE; Cohen, Y. (1993). POLYMER-GRAFTED SILICA - A SCREENING SYSTEM FOR POLYMERIC ADSORPTION RESIN DEVELOPMENT. *Ind Eng Chem Res.* 32: 716-725.
- Browning, IA. (1995). A comparison of laboratory and field reactions of a range of potato cultivars to infection with *Synchytrium endobioticum* (Schilb) Perc. *Potato Research.* 38: 281-289.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control.* 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Brozek, JP. (1993). TYPE-2 PROTECTION OF IEC STARTERS - A RECOMMENDED METHOD. *I E E E Transactions on Industry Applications.* 29: 215-218.
- Bruno, P; Caselli, M; de Gennaro, G; Solito, M; Tutino, M. (2007). Monitoring of odor compounds produced by solid waste treatment plants with diffusive samplers. *Waste Manag.* 27: 539-544. <http://dx.doi.org/10.1016/j.wasman.2006.03.006>.
- Bruno, TJ; Wertz, KH. (1996). Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black .5. Heavier ethane- and ethene-based compounds. *J Chromatogr A.* 723: 325-335.
- Bruschi, SA; Bull, RJ. (1993). In vitro cytotoxicity of mono-, di-, and trichloroacetate and its modulation by hepatic peroxisome proliferation. *Fundam Appl Toxicol.* 21: 366-375. <http://dx.doi.org/10.1006/faat.1993.1109>.
- Brusseau, ML. (1991). Cooperative sorption of organic chemicals in systems composed of low organic carbon aquifer materials. *Environ Sci Technol.* 25: 1747-1752.
- Brusseau, ML. (1992). Nonequilibrium transport of organic chemicals: The impact of pore-water velocity. *J Contam Hydrol.* 9: 353-368.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere.* 89: 1302-1306. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.027>.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol.* 28: 115-155.
- Bruzzoniti, MC; Mentasti, E; Sarzanini, C; Onida, B; Bonelli, B; Garrone, E. (2000). Retention properties of mesoporous silica-based materials. *Anal Chim Acta.* 422: 231-238.
- Buchanan, DH; Coombs, KJ; Murphy, PM; Chaven, C. (1993). A CONVENIENT METHOD FOR THE QUANTITATIVE-DETERMINATION OF ELEMENTAL SULFUR IN COAL BY HPLC ANALYSIS OF PERCHLOROETHYLENE EXTRACTS. *Energy Fuels.* 7: 219-221.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ( $\delta(13)C$  and  $\delta(37)Cl$ ) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environ Sci Technol.* 49: 13230-13237. <http://dx.doi.org/10.1021/acs.est.5b02918>.
- Budde, WL; Eichelberger, JW. (1979). An EPA manual for organics analysis using gas chromatography-mass spectrometry. (EPA-600/8-79-006). Cincinnati, OH: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9100T9DX.txt>.
- Buelke-Sam, J; Kimmel, CA. (1979). Development and standardization of screening methods for behavioral teratology. *Teratology.* 20: 17-30.
- Buelke-Sam, J; Kimmel, CA; Adams, J; Nelson, CJ; Vorhees, CV; Wright, DC; St Omer, V; Korol, BA; Butcher, RE; Geyer, MA. (1985). Collaborative behavioral teratology study: Results. *Neurobehav Toxicol Teratol.* 7: 591-624.
- Bueres, RF; Asedegbega-Nieto, E; Diaz, E, va; Ordóñez, S; Diez, FV. (2010). Performance of carbon nanofibres, high surface area graphites, and activated carbons as supports of Pd-based hydrodechlorination catalysts. *Catalysis Today.* 150: 16-21. <http://dx.doi.org/10.1016/j.cattod.2009.05.020>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Bugaris, RM; Weber, NJ. (2013). Considerations in Applying Arc-Resistant Low Voltage Motor Control Centers in Refining Environments. *I E E Transactions on Industry Applications*. 49: 784-790. <http://dx.doi.org/10.1109/TIA.2013.2240433>.
- Buhlmann, K; Reinbold, J; Cammann, K; Shulga, AA; Sundermeier, C; Knoll, M; Wierig, A; Weber, E. (1995). CLATHRATES AS COATING MATERIALS FOR DIELECTRIC TRANSDUCERS WITH REGARD TO ORGANIC-SOLVENT VAPOR SENSORS. *Sens Actuators B*. 26: 158-161.
- Bukowski, J. (2012). Comment on: "Visual contrast sensitivity in children exposed to tetrachloroethylene" by Storm et al [Letter]. *Arch Environ Occup Health*. 67: 51-52; author reply 53-55. <http://dx.doi.org/10.1080/19338244.2011.646362>.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect*. 108: 241-259.
- Bull, RJ. (2004). Proceedings of New Scientific Research Related to the Health Effects of Trichloroethylene Trichloroethylene and liver tumors in mice: U.S. Environmental Protection Agency. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=432706](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=432706).
- Bull, RJ; Orner, GA; Cheng, RS; Stillwell, L; Stauber, AJ; Sasser, LB; Lingohr, MK; Thrall, BD. (2002). Contribution of dichloroacetate and trichloroacetate to liver tumor induction in mice by trichloroethylene. *Toxicol Appl Pharmacol*. 182: 55-65. <http://dx.doi.org/10.1006/taap.2002.9427>.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology*. 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology*. 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Bullock, D; Catarella, A; NRC. (1998). A real-time simulation environment for evaluating traffic signal systems. *Trans Res Rec*130-135.
- Bunn, WW; Deane, ER; Klein, DW; Kleopfer, RD. (1975). Sampling and characterization of air for organic compounds. *Water Air Soil Pollut*. 4: 367-380. <http://dx.doi.org/10.1007/BF00280722>.
- Burge, SR; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation*. 25: 113-122.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation*. 28: 95-106. <http://dx.doi.org/10.1111/j.1745-6592.2008.00214.x>.
- Burns, PB; Swanson, GM. (1991). Risk of urinary bladder cancer among blacks and whites: The role of cigarette use and occupation. *Cancer Causes Control*. 2: 371-379. <http://dx.doi.org/10.1007/BF00054297>.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *J Environ Eng*. 124: 1012-1019.
- Burris, DR; Antworth, CP. (1992). INSITU MODIFICATION OF AN AQUIFER MATERIAL BY A CATIONIC SURFACTANT TO ENHANCE RETARDATION OF ORGANIC CONTAMINANTS. *J Contam Hydrol*. 10: 325-337.
- Burris, DR; Antworth, CP; Stauffer, TB; Macintyre, WG. (1991). HUMIC-ACID MODIFIED SILICA AS A MODEL AQUIFER MATERIAL. *Environ Toxicol Chem*. 10: 433-440.
- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environ Sci Technol*. 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem*. 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol*. 30: 3047-3052.
- Bursch, W; Lauer, B; Timmermann-Trosiener, I; Barthel, G; Schuppler, J; Schulte-Hermann, R. (1984). Controlled death (apoptosis) of normal and putative preneoplastic cells in rat liver following withdrawal of tumor promoters. *Carcinogenesis*. 5: 453-458.
- Burstyn, I. (2011). The ghost of methods past: Exposure assessment versus job-exposure matrix studies. *Occup Environ Med*. 68: 2-3. <http://dx.doi.org/10.1136/oem.2009.054585>.
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *J Environ Eng*. 131: 934-942. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:6\(934\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:6(934)).
- Burton, DT; Dilorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic Hazard Assessment of a Contaminated Surficial Aquifer Discharge into the Bush River, Maryland (U.S.A.). *Water Air Soil Pollut*. 139: 159-182.
- Burton, WC; Harte, PT. (2013). Bedrock Geology and Outcrop Fracture Trends in the Vicinity of the Savage Municipal Well Superfund Site, Milford, New Hampshire. 25.
- Bus, JS; Rickert, DE; Norton, RM; Gibson, JE. (1978). The pharmacokinetics and metabolism of aniline hydrochloride in Fischer 344 rats [Abstract]. *Toxicol Appl Pharmacol*. 45: 256.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Benignus, VA; Krantz, QT; Kenyon, EM. (2007). A Dosimetric Analysis of the Acute Behavioral Effects of Inhaled Toluene in Rats. *Toxicol Sci*. 99: 181-189. <http://dx.doi.org/10.1093/toxsci/kfm146>.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *J Toxicol Environ Health A*. 70: 1806-1814. <http://dx.doi.org/10.1080/15287390701459155>.
- Bushnell, PJ; Shafer, TJ; Bale, AS; Boyes, WK; Simmons, JE; Eklund, C; Jackson, TL. (2005). Developing an exposure-dose-response model for the acute neurotoxicity of organic solvents: overview and progress on in vitro models and dosimetry. *Environ Toxicol Pharmacol*. 19: 607-614. <http://dx.doi.org/10.1016/j.etap.2004.12.026>.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation*. 33: 52-60. <http://dx.doi.org/10.1111/gwmmr.12015>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol.* 32: 1276-1284.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environ Sci Technol.* 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol.* 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Butler, PA; Kraeutler, B. (2007). Adenosyl-176-norcobinamide - A likely biosynthetic precursor to natural 176-norvitamin B-12 derivatives. *J Organomet Chem.* 692: 1285-1291. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.032>.
- Butler, PA; Murtaza, S; Kraeutler, B. (2006). Partial synthesis of Co alpha Co beta-dicyano-176-norcobinamide. *Monatshefte fur Chemie / Chemical Monthly.* 137: 1579-1589. <http://dx.doi.org/10.1007/s00706-006-0556-3>.
- Buvat, I; Castiglioni, I; Feuadent, J; Gilardi, MC. (2005). Unified description and validation of Monte Carlo simulators in PET. *Phys Med Biol.* 50: 329-346. <http://dx.doi.org/10.1088/0031-9155/50/2/011>.
- Byczkowski, JZ; Fisher, JW. (1994). Lactational transfer of tetrachloroethylene in rats. *Risk Anal.* 14: 339-349. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00250.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1994.tb00250.x/abstract>.
- Byczkowski, JZ; Fisher, JW. (1995). A computer program linking physiologically based pharmacokinetic model with cancer risk assessment for breast-fed infants. *Comput Methods Programs Biomed.* 46: 155-163. [http://dx.doi.org/10.1016/0169-2607\(94\)01616-N](http://dx.doi.org/10.1016/0169-2607(94)01616-N).
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria.* 62: 163-172.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). Role of methanogenic and sulfate-reducing bacteria in the reductive dechlorination of tetrachloroethylene in mixed culture. *Bull Environ Contam Toxicol.* 56: 817-824.
- Cacciato, A; Duerinckx, F; Baert, K; Moors, M; Caremans, T, om; Leys, G; De Keersmaecker, K; Szlufcik, J. (2013). Investigating manufacturing options for industrial PERL-type Si solar cells. *Solar Energy Materials and Solar Cells.* 113: 153-159. <http://dx.doi.org/10.1016/j.solmat.2013.02.012>.
- Cai, Z; Wilson, RD; Lerner, DN. (2012). Assessing TCE source bioremediation by geostatistical analysis of a flux fence. *Ground Water.* 50: 908-917. <http://dx.doi.org/10.1111/j.1745-6584.2012.00916.x>.
- Cal/EPA. (2001). Public health goal for tetrachloroethylene in drinking water. Sacramento, CA: Office of Environmental Health Hazard Assessment. <http://www.oehha.org/water/phg/pdf/PCEAug2001.pdf>.
- Calabrese, EJ. (1983). Principles of animal extrapolation. New York: Wiley.
- Calabrese, EJ. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A TOXICOLOGISTS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 190-190.
- Caldwell, DJ. (1999). Review of mononuclear cell leukemia in F-344 rat bioassays and its significance to human cancer risk: A case study using alkyl phthalates [Review]. *Regul Toxicol Pharmacol.* 30: 45-53. <http://dx.doi.org/10.1006/rtph.1999.1305>.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Calvert, JG. (1976). Hydrocarbon involvement in photochemical smog formation in Los Angeles atmosphere. *Environ Sci Technol.* 10: 256-262. <http://dx.doi.org/10.1021/es60114a003>.
- Calza, P; Minero, C; Pelizzetti, E. (1997). Photocatalytically assisted hydrolysis of chlorinated methanes under anaerobic conditions. *Environ Sci Technol.* 31: 2198-2203.
- Camaioni, DM; Ginovska, B; Dupuis, M. (2009). Modeling the Reaction of Fe Atoms with CCl4. *J Phys Chem C.* 113: 1830-1836. <http://dx.doi.org/10.1021/jp807604f>.
- Campagna, D; Gobba, F; Mergler, D; Moreau, T; Galassi, C; Cavalleri, A; Huel, G. (1996). Color vision loss among styrene-exposed workers neurotoxicological threshold assessment. *Neurotoxicology.* 17: 367-374.
- Campagna, D; Mergler, D; Huel, G; Bélanger, S; Truchon, G; Ostiguy, C; Drolet, D. (1995). Visual dysfunction among styrene-exposed workers. *Scand J Work Environ Health.* 21: 382-390.
- Campbell, JA; Corrigan, AV; Guy, A; Kirsch, RE. (1991). Immunohistologic localization of alpha, mu, and pi class glutathione S-transferases in human tissues. *Cancer.* 67: 1608-1613. [http://dx.doi.org/10.1002/1097-0142\(19910315\)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S](http://dx.doi.org/10.1002/1097-0142(19910315)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S).
- Campbell, MJ; Sheppard, JC; Au, BF. (1979). Measurement of hydroxyl concentration in boundary layer air by monitoring CO oxidation. *Geophys Res Lett.* 6: 175-178. <http://dx.doi.org/10.1029/GL006i003p00175>.
- Campbell, TJ; Burris, DR. (1996). Analysis of chlorinated ethene reduction products in vapor/water phase systems by dual-column, single-detector gas chromatography. *Int J Environ Anal Chem.* 63: 119-126.
- Campbell, TJ; Burris, DR; Roberts, AL; Wells, JR. (1997). Trichloroethylene and tetrachloroethylene reduction in a metallic iron-water-vapor batch system. *Environ Toxicol Chem.* 16: 625-630.
- Cañadas, M; Arce, P; Rato Mendes, P. (2011). Validation of a small-animal PET simulation using GAMOS: a GEANT4-based framework. *Phys Med Biol.* 56: 273-288. <http://dx.doi.org/10.1088/0031-9155/56/1/016>.
- Canadas, M; Embid, M; Lage, E; Desco, M; Jose Vaquero, J; Manuel Perez, J. (2011). NEMA NU 4-2008 Performance Measurements of Two Commercial Small-Animal PET Scanners: ClearPET and rPET-1. *IEEE Trans Nucl Sci.* 58: 58-65. <http://dx.doi.org/10.1109/TNS.2010.2072935>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Canner, PL; Berge, KG; Wenger, NK; Stamler, J; Friedman, L; Prineas, RJ; Friedewald, W. (1986). Fifteen year mortality in Coronary Drug Project patients: long-term benefit with niacin. *J Am Coll Cardiol.* 8: 1245-1255.
- Cano, MI; Pollán, M. (2001). Non-Hodgkin's lymphomas and occupation in Sweden. *Int Arch Occup Environ Health.* 74: 443-449. <http://dx.doi.org/10.1007/s004200100248>.
- Cao, JL; Yan, ZL, i; Deng, QF; Wang, Y, an; Yuan, ZY; Sun, G; Jia, T, ieKun; Wang, XD; Bala, H; Zhang, ZY. (2014). Mesoporous modified-red-mud supported Ni catalysts for ammonia decomposition to hydrogen. *Int J Hydrogen Energy.* 39: 5747-5755. <http://dx.doi.org/10.1016/j.ijhydene.2014.01.169>.
- Cao, X; Lattao, C; Schmidt-Rohr, K; Mao, J; Pignatello, JJ. (2016). Investigation of sorbate-induced plasticization of Pahokee peat by solid-state NMR spectroscopy. *Journal of Soils and Sediments.* 16: 1841-1848. <http://dx.doi.org/10.1007/s11368-016-1378-5>.
- Cápiro, NL; Granbery, EK; Lebrón, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environ Sci Technol.* 45: 1547-1554. <http://dx.doi.org/10.1021/es102249x>.
- Cápiro, NL; Löffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE-DNAPL source zone. *J Contam Hydrol.* 182: 78-90. <http://dx.doi.org/10.1016/j.jconhyd.2015.08.007>.
- Cápiro, NL; Wang, Y; Hatt, JK; Lebrón, CA; Pennell, KD; Löffler, FE. (2014). Distribution of organohalide-respiring bacteria between solid and aqueous phases. *Environ Sci Technol.* 48: 10878-10887. <http://dx.doi.org/10.1021/es501320h>.
- Capone, JP. (1994). Mechanisms of peroxisome proliferator-induced carcinogenesis: Historical perspectives and current status. (EPA-68-D9-0133; EPA/600/R-95/038; PB95-193314). Washington, DC: U. S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB95193314>.
- CARB. (1998). 1990-1996 statewide perchloroethylene summary, ppb [Database]. Sacramento, CA: California Environmental Protection Agency. Retrieved from <http://www.arb.ca.gov/aqd/perc/pcstate.htm>
- Carbone, S. (1978). COPPER CORROSION OF ELECTRONIC MATERIALS IN PERCHLOROETHYLENE CLEANING SYSTEMS. *J Electrochem Soc.* 125: C360-C360.
- Carlile, DJ; Hakooz, N; Bayliss, MK; Houston, JB. (1999). Microsomal prediction of in vivo clearance of CYP2C9 substrates in humans. *Br J Clin Pharmacol.* 47: 625-635.
- Carpenter, CP. (1937). The chronic toxicity of tetrachlorethylene. *J Ind Hyg Toxicol.* 19: 323-336.
- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environ Sci Technol.* 34: 1088-1094.
- Carr, CS; Hughes, JB. (1998). Enrichment of high rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity. *Environ Sci Technol.* 32: 1817-1824.
- Carreón-Diazconti, C; Santamaría, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in situ reductive dechlorination using compound-specific stable isotopes, functional gene PCR, and geochemical data. *Environ Sci Technol.* 43: 4301-4307. <http://dx.doi.org/10.1021/es803308q>.
- Carroll, KC; Taylor, R; Gray, E; Brusseau, ML. (2009). The impact of composition on the physical properties and evaporative mass transfer of a PCE-diesel immiscible liquid. *J Hazard Mater.* 164: 1074-1081. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.003>.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett.* 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F(1) mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect.* 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Carter, JM; Lapham, WW; Zogorski, JS. (2008). Occurrence of volatile organic compounds in aquifers of the United States. *J Am Water Resour Assoc.* 44: 399-416. <http://dx.doi.org/10.1111/j.1752-1688.2008.00170.x>.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res.* 27: 607-615.
- Carwile, JL; Mahalingaiah, S; Winter, MR; Aschengrau, A. (2014). Prenatal drinking-water exposure to tetrachloroethylene and ischemic placental disease: a retrospective cohort study. *Environ Health.* 13: 72. <http://dx.doi.org/10.1186/1476-069X-13-72>.
- Casada, DA; Kueck, JD; Staunton, RH; Webb, MC. (2000). Efficiency testing of motors powered from pulse-width modulated adjustable speed drives. *I E E E Transactions on Energy Conversion.* 15: 240-244.
- Castelletto, V; Newby, GE; Zhu, Z; Hamley, IW; Noirez, L. (2010). Self-assembly of PEGylated peptide conjugates containing a modified amyloid beta-peptide fragment. *Langmuir.* 26: 9986-9996. <http://dx.doi.org/10.1021/la100110f>.
- Castello, G; Gerbino, TC; Kanitz, S. (1982). Gas chromatographic analysis of halocarbons in drinking water by headspace extraction and mixed column separation. *J Chromatogr A.* 247: 263-272. [http://dx.doi.org/10.1016/S0021-9673\(00\)85949-X](http://dx.doi.org/10.1016/S0021-9673(00)85949-X).
- Catchpole, KR; Blakers, AW. (2002). Modelling the PERC structure for industrial quality silicon. *Solar Energy Materials and Solar Cells.* 73: 189-202.
- Cattley, RC; DeLuca, J; Elcombe, C; Fenner-Crisp, PA; Lake, BG; Marsman, DS; Pastoor, T; Popp, JA; Robinson, DE; Schwetz, BA; Tugwood, JD; Wahli, W. (1998). Do peroxisome proliferating compounds pose a hepatocarcinogenic hazard to humans? *Regul Toxicol Pharmacol.* 27: 47-60. <http://dx.doi.org/10.1006/rtp.1997.1163>.
- Cattley, RC; Glover, SE. (1993). Elevated 8-hydroxydeoxyguanosine in hepatic DNA of rats following exposure to peroxisome proliferators: Relationship to carcinogenesis and nuclear localization. *Carcinogenesis.* 14: 2495-2499. <http://dx.doi.org/10.1093/carcin/14.12.2495>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cattley, RC; Marsman, DS; Popp, JA. (1991). Age-related susceptibility to the carcinogenic effect of the peroxisome proliferator WY-14,643 in rat liver. *Carcinogenesis*. 12: 469-473.
- Cattley, RC; Popp, JA. (1989). Differences between the promoting activities of the peroxisome proliferator WY-14,643 and phenobarbital in rat liver. *Cancer Res*. 49: 3246-3251.
- Cattley, RC; Roberts, RA. (2000). Peroxisome proliferators and carcinogenesis: Editorial perspectives [Editorial]. *Mutat Res*. 448: 117-119. [http://dx.doi.org/10.1016/S0027-5107\(99\)00230-4](http://dx.doi.org/10.1016/S0027-5107(99)00230-4).
- Cavalcante, RM; de Andrade, MVF; Marins, RV; Oliveira, LDM. (2010). Development of a headspace-gas chromatography (HS-GC-PID-FID) method for the determination of VOCs in environmental aqueous matrices: Optimization, verification and elimination of matrix effect and VOC distribution on the Fortaleza Coast, Brazil. *Microchem J*. 96: 337-343. <http://dx.doi.org/10.1016/j.microc.2010.05.014>.
- Cave, L; Hartog, N; Al, T, om; Parker, B; Mayer, KU; Cogswell, S. (2007). Electrical monitoring of in situ chemical oxidation by permanganate. *Ground Water Monitoring and Remediation*. 27: 77-84.
- Ceballos, DM; Whittaker, SG; Lee, E; Roberts, J; Streicher, R; Nourian, F; Gong, W, ei; Broadwater, K. (2016). Occupational exposures to new dry cleaning solvents: High-flashpoint hydrocarbons and butylal. *J Occup Environ Hyg*. 13: 759-769. <http://dx.doi.org/10.1080/15459624.2016.1177648>.
- Cecchetti, M; Moehrs, S; Belcari, N; Del Guerra, A. (2013). Accurate and efficient modeling of the detector response in small animal multi-head PET systems. *Phys Med Biol*. 58: 6713-6731. <http://dx.doi.org/10.1088/0031-9155/58/19/6713>.
- Cederberg, H; Henriksson, J; Binderup, M, -L. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133-138, 2010). *Mutagenesis*. 25: 429-430. <http://dx.doi.org/10.1093/mutage/geq021>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect*. 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem*. 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem*. 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Stucki, JW. (2006). Hydration/expansion and cation charge compensation modulate the Brønsted basicity of distorted clay water. *Langmuir*. 22: 2961-2965. <http://dx.doi.org/10.1021/la0602113>.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol*. 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere*. 47: 971-976.
- Cervini-Silva, J; Wu, J; Stucki, JW; Larson, RA. (2000). Adsorption kinetics of pentachloroethane by iron-bearing smectites. *Clays and Clay Minerals*. 48: 132-138.
- Cha, KY; Borden, RC. (2012). Impact of injection system design on ISCO performance with permanganate--mathematical modeling results. *J Contam Hydrol*. 128: 33-46. <http://dx.doi.org/10.1016/j.jconhyd.2011.10.001>.
- Chaiko, DJ; Tasker, IR; Fredrickson, DR; Difilippo, AA; Smidt, SM; Vandegrift, GF. (1993). MEASUREMENTS OF AL(NO<sub>3</sub>)<sub>3</sub> ACTIVITIES IN AQUEOUS NITRATE SOLUTIONS. *J Nucl Mater*. 201: 184-189.
- Chan, CE; Payne, DNR; Hallam, BJ; Abbott, MD; Fung, TH; Wenham, AM; Tjahjono, BS; Wenham, SR. (2016). Rapid Stabilization of High-Performance Multicrystalline P-type Silicon PERC Cells. 6: 1473-1479. <http://dx.doi.org/10.1109/JPHOTOV.2016.2606704>.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ*. 36: 2039-2047.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ*. 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, LY; Chu, KW. (2007). Halocarbons in the atmosphere of the industrial-related Pearl River Delta region of China. *J Geophys Res Atmos*. 112. <http://dx.doi.org/10.1029/2006JD007097>.
- Chan, WW; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the effects of 1,1,1-trichloroethane and 1,1-dichloroethane on chlorinated ethene reductive dehalogenases. *Environ Sci Technol*. 45: 9693-9702. <http://dx.doi.org/10.1021/es201260n>.
- Chang, F. (2005). Strategies for benzodiazepine withdrawal in seniors. *CJP*. 138: 38-40.
- Chang, J, ihH; Qiang, Z; Huang, CP, ao. (2006). Remediation and stimulation of selected chlorinated organic solvents in unsaturated soil by a specific enhanced electrokinetics. *Colloid Surface Physicochem Eng Aspect*. 287: 86-93. <http://dx.doi.org/10.1016/j.colsurfa.2006.03.039>.
- Chang, JH; Cheng, SF. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *J Hazard Mater*. 131: 153-162. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.026>.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen*. 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.
- Chang, LW; Deangelo, AB; Daniel, FB. (1989). Evaluation of DNA strand breaks (SB) by chloroacetic acids (CAs) and chloroacetaldehydes (CADs) in vivo and in vitro. *Proc Ann Mtg Am Assoc Canc Res*. 30: 146.
- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem*. 385: 1149-1152. <http://dx.doi.org/10.1007/s00216-006-0525-z>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Chang, YC; Choi, D; Takamizawa, K; Kikuchi, S. (2013). Effect of blast furnace dust on the degradation of chlorinated organic and endocrine disrupting compounds. *Process Biochemistry*. 48: 694-702. <http://dx.doi.org/10.1016/j.procbio.2013.02.012>.
- Chang, YC; Kikuchi, S; Kawauchi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol*. 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol*. 78: 141-147.
- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol*. 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health*. 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Channel, SR; Latendresse, JR; Kidney, JK; Grabau, JH; Lane, JW; Steel-Goodwin, L; Gothaus, MC. (1998). A subchronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. *Toxicol Sci*. 43: 145-154. <http://dx.doi.org/10.1093/toxsci/43.2.145>.
- Chao, CYH; Tung, TCW; Niu, JL; Pang, SW; Lee, RYM. (1999). Indoor perchloroethylene accumulation from dry cleaned clothing on residential premises. *Build Environ*. 34: 319-328.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng*. 124: 1054-1060.
- Chapelle, FH; Bradley, PM; Casey, CC. (2005). Behavior of a chlorinated ethene plume following source-area treatment with Fenton's reagent. *Ground Water Monitoring and Remediation*. 25: 131-141.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water*. 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.
- Charbonneau, M; Short, BG; Lock, EA; Swenberg, JA. (1987). Mechanism of petroleum induced sex-specific protein droplet nephropathy and renal cell proliferation in Fischer-344 rats: Relevance to humans. In DD Hemphill (Ed.), (pp. 263-273). Columbia, MO: University of Missouri.
- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environ Sci Technol*. 39: 1064-1070. <http://dx.doi.org/10.1021/es0492945>.
- Chatterjee, N; Hartge, P; Cerhan, J; Cozen, W; Davis, S; Ishibe, N; Colt, J; Goldin, L; Severson, R. (2004). Risk of non-Hodgkin's lymphoma and family history of lymphatic, hematologic, and other cancers. *Cancer Epidemiol Biomarkers Prev*. 13: 1415-1421.
- Chatzidiakou, L, ia; Mumovic, D; Summerfield, A. (2015). Is CO2 a good proxy for indoor air quality in classrooms? Part 2: Health outcomes and perceived indoor air quality in relation to classroom exposure and building characteristics. *Build Serv Eng Tech*. 36: 162-181. <http://dx.doi.org/10.1177/0143624414566245>.
- Chawla, A; Schwarz, EJ; Dimaculangan, DD; Lazar, MA. (1994). Peroxisome proliferator-activated receptor (PPAR) gamma: Adipose-predominant expression and induction early in adipocyte differentiation. *Endocrinology*. 135: 798-800. <http://dx.doi.org/10.1210/en.135.2.798>.
- Chen, C; Blancato, J. (1987). Pharmacokinetics in Risk Assessment: Drinking Water and Health Role of pharmacokinetic modeling in risk assessment: Perchloroethylene as an example. Washington, DC: National Academy Press.
- Chen, CW; Blancato, JN. (1989). Incorporation of biological information in cancer risk assessment: Example--vinyl chloride. *Cell Biol Toxicol*. 5: 417-444.
- Chen, CW, ei; Hao, R; Upadhyaya, VD; Ravi, TS; Rohatgi, A. (2016). Development of high-efficiency large-area screen-printed solar cells on direct kerfless epitaxially grown monocrystalline Si wafer and structure. *Progress in Photovoltaics*. 24: 1133-1141. <http://dx.doi.org/10.1002/pip.2779>.
- Chen, D; Tan, L; Liu, H; Hu, J; Li, Y; Tang, F. (2009). Fabricating Superhydrophilic Wool Fabrics. *Langmuir*. 26: 4675-4679. <http://dx.doi.org/10.1021/la903562h>.
- Chen, DH; Ye, XJ; Li, KY. (2005). Oxidation of PCE with a UV LED photocatalytic reactor. *Chem Eng Tech*. 28: 95-97. <http://dx.doi.org/10.1002/ceat.200407012>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere*. 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, JP; Kiaei, D; Hoffman, AS. (1993). ACTIVITY OF HORSE RADISH PEROXIDE ADSORBED ON RADIO-FREQUENCY GLOW DISCHARGE-TREATED POLYMERS. *J Biomater Sci Polym Ed*. 5: 167-182.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2010). Thermal decomposition of captan and formation pathways of toxic air pollutants. *Environ Sci Technol*. 44: 4149-4154. <http://dx.doi.org/10.1021/es9037935>.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2011). Air pollutants formed in thermal decomposition of folpet fungicide under oxidative conditions. *Environ Sci Technol*. 45: 554-560. <http://dx.doi.org/10.1021/es102652w>.
- Chen, L; Knox, RC. (1997). Using vertical circulation wells for partitioning tracer tests and remediation of DNAPLs. *Ground Water Monitoring and Remediation*. 17: 161-168.
- Chen, M; Abriola, LM; Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE; Christ, JA. (2013). Microbially enhanced dissolution and reductive dechlorination of PCE by a mixed culture: model validation and sensitivity analysis. *J Contam Hydrol*. 151: 117-130. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.005>.
- Chen, P. (2001). Understanding the dynamic surface tension of solutions containing volatile organic compounds (VOCs). *Colloid Surface Physicochem Eng Aspect*. 192: 195-204.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Chen, S, hiS; Chen, G, uoYue; Chen, H, ua; Wei, Y, uM; Li, W, ei; Liu, Y, aXi; Liu, DC, ai; Lan, X, iuJin; Zheng, Y, ouL. (2012). Mapping stripe rust resistance gene *YrSph* derived from *Tritium sphaerococcum* Perc. with SSR, SRAP, and TRAP markers. *Euphytica*. 185: 19-26. <http://dx.doi.org/10.1007/s10681-011-0593-9>.
- Chen, S; Sun, D. (2016). An Improved Adaptive Signal Control Method for Isolated Signalized Intersection Based on Dynamic Programming. *I E E E Intelligent Transportation Systems Magazine*. 8: 4-14. <http://dx.doi.org/10.1109/MITS.2016.2605318>.
- Chen, SS; Huang, Y; Kuo, T. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation*. 30: 90-98. <http://dx.doi.org/10.1111/j.1745-6592.2010.01311.x>.
- Chen, SS; Huang, Y, iChu; Lin, JY, u; Lin, MH, ei. (2014). Dechlorination of tetrachloroethylene in water using stabilized nanoscale iron and palladized iron particles. *Desalination and Water Treatment*. 52: 702-711. <http://dx.doi.org/10.1080/19443994.2013.827305>.
- Chen, W; Sun, AD; Xu, QC. (2013). Optimization Design for Determination of Polycyclic Aromatic Hydrocarbons in Water Samples. *Asian J Chem*. 25: 2673-2678.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere*. 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, Y; Shen, H, ui; Altermatt, PP. (2014). Analysis of recombination losses in screen-printed aluminum-alloyed back surface fields of silicon solar cells by numerical device simulation. *Solar Energy Materials and Solar Cells*. 120: 356-362. <http://dx.doi.org/10.1016/j.solmat.2013.05.051>.
- Chen, YC; Lan, HX; Zhan, HY; Fu, SY. (2005). Simultaneous anaerobic-aerobic biodegradation of halogenated phenolic compound under oxygen-limited conditions. *J Environ Sci*. 17: 873-875.
- Chen, YT; Lu, CJ. (2014). Effects of tetrachloroethene on the measurement of radon in water with liquid scintillation counting method. *J Environ Radioact*. 127: 26-33. <http://dx.doi.org/10.1016/j.jenvrad.2013.09.011>.
- Chen, Z; Kuschik, P; Paschke, H; Kästner, M; Müller, JA; Köser, H. (2014). Treatment of a sulfate-rich groundwater contaminated with perchloroethene in a hydroponic plant root mat filter and a horizontal subsurface flow constructed wetland at pilot-scale. *Chemosphere*. 117: 178-184. <http://dx.doi.org/10.1016/j.chemosphere.2014.06.056>.
- Chen, Z; Vymazal, J; Kuschik, P. (2017). Effects of tidal operation on pilot-scale horizontal subsurface flow constructed wetland treating sulfate rich wastewater contaminated by chlorinated hydrocarbons. *Environ Sci Pollut Res Int*. 24: 1042-1050. <http://dx.doi.org/10.1007/s11356-016-7871-y>.
- Chen, Z; Wu, S; Braeckvelt, M; Paschke, H; Kästner, M; Köser, H; Kuschik, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere*. 89: 724-731. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.042>.
- Chen, ZL; Megharaj, M; Naidu, R. (2004). Determination of tetrachloroethene, trichloroethylene, and their metabolites at trace levels in ground waters by on-line solid phase extraction/HPLC. *Journal of Liquid Chromatography and Related Technologies*. 27: 885-896. <http://dx.doi.org/10.1081/JLC-120029705>.
- Chene, Y; Rousseau, D; Lucidarme, P; Bertheloot, J; Caffier, V; Morel, P; Belin, E; Chapeau-Blondeau, F. (2012). On the use of depth camera for 3D phenotyping of entire plants. *Computers and Electronics in Agriculture*. 82: 122-127. <http://dx.doi.org/10.1016/j.compag.2011.12.007>.
- Cheney, MA; Robinson, L; Kukor, JJ. (2003). Abiotic transformation of perchloroethylene by manganese oxide. *Geochim Cosmo Acta*. 67: A63-A63.
- Cheng, B; Wang, X; Wang, L; Wu, Y. (2007). Surface modification of sub-micron spherical SiO<sub>2</sub> particles with butanedioic acid for electrophoresis in tetrachloroethylene. *Mater Lett*. 61: 1350-1353. <http://dx.doi.org/10.1016/j.matlet.2006.07.066>.
- Cheng, D; Chow, WL; He, J. (2010). A Dehalococoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *ISME J*. 4: 88-97. <http://dx.doi.org/10.1038/ismej.2009.90>.
- Cheng, H; Hu, Y; Luo, J; Sabatini, DA. (2009). Multipass membrane air-stripping (MAS) for removing volatile organic compounds (VOCs) from surfactant micellar solutions. *J Hazard Mater*. 170: 1070-1078. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.072>.
- Cheng, Z; Gao, B; Xu, H; Sun, Y; Shi, X; Wu, J. (2016). Effects of surface active agents on DNAPL migration and distribution in saturated porous media. *Sci Total Environ*. 571: 1147-1154. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.109>.
- Chern, JM; Yu, CF. (1999). Volatile organic compound emission from diffused aeration systems: Experiment and modeling. *Ind Eng Chem Res*. 38: 2156-2159.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater*. 32: 275-278.
- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res*. 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Chevalier, LR; Morris, T; Allen, C; Lazarowitz, V; Fektenberg, L. (2000). Comparison of primary and secondary surfactant flushing to enhance LNAPL recovery. *Int J Phytoremediation*. 9: 425-448.
- Chi, PH; Gillen, G. (2004). Positive secondary ion yield enhancement of metal elements using trichlorotrifluoroethane and tetrachloroethene backfilling. *Appl Surf Sci*. 231: 127-130. <http://dx.doi.org/10.1016/j.apsusc.2004.03.089>.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med*. 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Chia, SE; Ong, CN; Tsakok, MF; Ho, A. (1996). Semen parameters in workers exposed to trichloroethylene. *Reprod Toxicol.* 10: 295-299. [http://dx.doi.org/10.1016/0890-6238\(96\)00058-5](http://dx.doi.org/10.1016/0890-6238(96)00058-5).
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol.* 38: 287-294.
- Chiappini, L; Delery, L; Leoz, E; Brouard, B; Fagault, Y. (2009). A first French assessment of population exposure to tetrachloroethylene from small dry-cleaning facilities. *Indoor Air.* 19: 226-233. <http://dx.doi.org/10.1111/j.1600-0668.2009.00585.x>.
- Chiba, M; Fujita, S; Suzuki, T. (1990). Pharmacokinetic correlation between in vitro hepatic microsomal enzyme kinetics and in vivo metabolism of imipramine and desipramine in rats. *J Pharm Sci.* 79: 281-287. <http://dx.doi.org/10.1002/jps.2600790402>.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal.* 154: 1991-1998.
- Childs, J; Acosta, E; Annable, MD; Brooks, MC; Enfield, CG; Harwell, JH; Hasegawa, M; Knox, RC; Rao, PS; Sabatini, DA; Shiao, B; Szekeres, E; Wood, AL. (2006). Field demonstration of surfactant-enhanced solubilization of DNAPL at Dover Air Force Base, Delaware. *J Contam Hydrol.* 82: 1-22. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.008>.
- Childs, JD; Acosta, E; Knox, R; Harwell, JH; Sabatini, DA. (2004). Improving the extraction of tetrachloroethylene from soil columns using surfactant gradient systems. *J Contam Hydrol.* 71: 27-45. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.011>.
- Chimiak, WJ. (1992). THE DIGITAL RADIOLOGY ENVIRONMENT. *I E E E Journal on Selected Areas in Communications.* 10: 1133-1144.
- Chintawar, PS; Greene, HL. (1997). Decomposition characteristics of chlorinated ethylenes on metal loaded zeolite Y and gamma-Al<sub>2</sub>O<sub>3</sub>. *Appl Catal B-Environ.* 13: 81-92.
- Chintawar, PS; Greene, HL. (1997). Interaction of chlorinated ethylenes with chromium exchanged zeolite Y: An in situ FT-IR study. *J Catal.* 165: 12-21.
- Chiou, CT; Freed, VH; Schmedding, DW; Kohnert, RL. (1977). Partition coefficient and bioaccumulation of selected organic chemicals. *Environ Sci Technol.* 11: 475-478. <http://dx.doi.org/10.1021/es60128a001>.
- Chipanina, NN; Sherstyannikova, LV; Sterkhova, IV; Aksamentova, TN; Turchaninov, VK; Shainyan, BA. (2005). Self-association of trifluoromethanesulfonamide in inert solvents. *Russian Journal of General Chemistry.* 75: 876-882.
- Chipiga, L; Sydoff, M; Zvonova, I; Bernhardsson, C. (2016). INVESTIGATION OF PARTIAL VOLUME EFFECT IN DIFFERENT PET/CT SYSTEMS: A COMPARISON OF RESULTS USING THE MADEIRA PHANTOM AND THE NEMA NU-2 2001 PHANTOM. *Radiat Prot Dosimetry.* 169: 365-370. <http://dx.doi.org/10.1093/rpd/ncw027>.
- Chitta, R; Macko, T; Brüll, R; Miller, M; Cong, R; Degroot, W. (2013). Carbonaceous sorbents for high-temperature interactive liquid chromatography of polyolefins. *J Sep Sci.* 36: 2063-2071. <http://dx.doi.org/10.1002/jssc.201201121>.
- Chiu, D; Niu, L; Mu, F; Peng, X; Zhou, L; Li, H; Li, R; Ni, J; Jiang, N; Hu, Y; Hao, Z; Xu, K. (2010). The experimental study for efficacy and safety of pancreatic cryosurgery. *Cryobiology.* 60: 281-286. <http://dx.doi.org/10.1016/j.cryobiol.2010.01.006>.
- Chiu, PW; Ng, EK; Teoh, AY; Wong, SK; Sung, JJ; Lau, JY. (2010). Precut sphincterotomy using insulated angulotome. *Endoscopy.* 42: 338-341. <http://dx.doi.org/10.1055/s-0029-1243857>.
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In *JC Lipscomb; EV Ohanian (Eds.), (pp. 269)*. New York: Informa Healthcare.
- Chiu, WA. (2011). Trichloroacetic acid: Updated estimates of its bioavailability and its contribution to trichloroethylene-induced mouse hepatomegaly. *Toxicology.* 285: 114-125. <http://dx.doi.org/10.1016/j.tox.2011.04.009>.
- Chiu, WA; Bois, FY. (2006). Revisiting the population toxicokinetics of tetrachloroethylene. *Arch Toxicol.* 80: 382-385. <http://dx.doi.org/10.1007/s00204-006-0061-9>.
- Chiu, WA; Ginsberg, GL. (2011). PERC risk assessment model [Database]. Washington, DC: U.S. Environmental Protection Agency.
- Chiu, WA; Okino, MS; Evans, MV. (2009). Characterizing uncertainty and population variability in the toxicokinetics of trichloroethylene and metabolites in mice, rats, and humans using an updated database, physiologically based pharmacokinetic (PBPK) model, and Bayesian approach. *Toxicol Appl Pharmacol.* 241: 36-60. <http://dx.doi.org/10.1016/j.taap.2009.07.032>.
- Chiu, YC; Cheng, MH; Uriel, S; Brey, EM. (2010). Materials for engineering vascularized adipose tissue [Review]. *J Tissue Viability.* 20: 37-48. <http://dx.doi.org/10.1016/j.jtv.2009.11.005>.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2007). Effects of Grasses on the Fate of VOCs in Contaminated Soil and Air. *Water Air Soil Pollut.* 187: 243-250. <http://dx.doi.org/10.1007/s11270-007-9512-z>.
- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal.* 12: NIL\_318-NIL\_328. <http://dx.doi.org/10.2136/vzj2012.0081>.
- Cho, CW; Sung, K; Coapcioglu, MY; Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air Soil Pollut.* 167: 259-271. <http://dx.doi.org/10.1007/s11270-005-0081-8>.
- Cho, E; Ok, YW; Upadhyaya, AD; Binns, MJ; Appel, J; Guo, J; Rohatgi, A. (2016). P-Type Indium-Doped Passivated Emitter Rear Solar Cells (PERC) on Czochralski Silicon Without Light-Induced Degradation. *6: 795-800.* <http://dx.doi.org/10.1109/JPHOTOV.2016.2547578>.
- Cho, HH; Park, JW. (2003). Reactive dechlorination of PCE using zero valent iron plus surfactants. *ACS Symp Ser Am Chem Soc.* 837: 141-153.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere.* 64: 1047-1052. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.062>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cho, J; Annable, MD; Rao, PS. (2004). Influence of residual surfactants on DNAPL characterization using partitioning tracers. *J Contam Hydrol.* 72: 67-83. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.007>.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere.* 81: 940-945. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.054>.
- Choi, G; Balaji, N; Park, C; Choi, J; Lee, S; Kim, J; Ju, M; Lee, YJ; Yi, J. (2014). Optimization of PECVD-ONO rear surface passivation layer through improved electrical property and thermal stability. *Vacuum.* 101: 22-26. <http://dx.doi.org/10.1016/j.vacuum.2013.07.003>.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut.* 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Batchelor, B; Won, C; Chung, J. (2012). Nitrate reduction by green rusts modified with trace metals. *Chemosphere.* 86: 860-865. <http://dx.doi.org/10.1016/j.chemosphere.2011.11.035>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol.* 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater.* 172: 623-630. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.041>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Choi, WY; Hoffmann, MR. (1995). PHOTOREDUCTIVE MECHANISM OF CCL4 DEGRADATION ON TIO2 PARTICLES AND EFFECTS OF ELECTRON-DONORS. *Environ Sci Technol.* 29: 1646-1654. <http://dx.doi.org/10.1021/es00006a031>.
- Choi, Y; Vay, SA; Vadrevu, KP; Soja, AJ; Woo, J; Nolf, S. R.; Sachse, GW; Diskin, GS; Blake, DR; Blake, NJ; Singh, HB; Avery, MA; Fried, A; Pfister, L; Fuelberg, HE. (2008). Characteristics of the atmospheric CO2 signal as observed over the conterminous United States during INTEX-NA. *J Geophys Res.* 113: D07301. <http://dx.doi.org/10.1029/2007JD008899>.
- Chomsurin, C; Kajorntraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Sci Technol.* 58: 2127-2132. <http://dx.doi.org/10.2166/wst.2008.830>.
- Choudhary, RNP; Pati, B; Das, PR; Dash, RR; Swain, S. (2014). Development of electronic materials from industrial waste red mud. *Journal of Materials Science: Materials in Electronics.* 25: 202-216. <http://dx.doi.org/10.1007/s10854-013-1574-7>.
- Chow, WH; McLaughlin, JK; Linet, MS; Niwa, S; Mandel, JS. (1994). Use of analgesics and risk of renal cell cancer. *Int J Cancer.* 59: 467-470. <http://dx.doi.org/10.1002/ijc.2910590406>.
- Chow, WH; McLaughlin, JK; Malaker, HS; Linet, MS; Weiner, JA; Stone, BJ. (1995). Esophageal cancer and occupation in a cohort of Swedish men. *Am J Ind Med.* 27: 749-757. <http://dx.doi.org/10.1002/ajim.4700270509>.
- Chow, WL; Cheng, D; Wang, S; He, J. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in *Dehalococcoides* species. *ISME J.* 4: 1020-1030. <http://dx.doi.org/10.1038/ismej.2010.27>.
- Chown, JC; Kueper, BH; McWhorter, DB. (1997). The use of upward hydraulic gradients to arrest downward DNAPL migration in rock fractures. *Ground Water.* 35: 483-491.
- Christ, JA; Abriola, LM. (2007). Modeling metabolic reductive dechlorination in dense non-aqueous phase liquid source-zones. *Advances in Water Resources.* 30: 1547-1561. <http://dx.doi.org/10.1016/j.advwatres.2006.05.024>.
- Christ, JA; Lemke, LD; Abriola, LM. (2005). Comparison of two-dimensional and three-dimensional simulations of dense nonaqueous phase liquids (DNAPLs): Migration and entrapment in a nonuniform permeability field. *Water Resour Res.* 41: 1007-1007. <http://dx.doi.org/10.1029/2004WR003239>.
- Christ, JA; Lemke, LD; Abriola, LM. (2009). The influence of dimensionality on simulations of mass recovery from nonuniform dense non-aqueous phase liquid (DNAPL) source zones. *Advances in Water Resources.* 32: 401-412. <http://dx.doi.org/10.1016/j.advwatres.2008.12.002>.
- Christ, JA; Ramsburg, CA; Pennell, KD; Abriola, LM. (2006). Estimating mass discharge from dense nonaqueous phase liquid source zones using upscaled mass transfer coefficients: An evaluation using multiphase numerical simulations. *Water Resour Res.* 42: 11420-11420. <http://dx.doi.org/10.1029/2006WR004886>.
- Christensen, KE; Altman, PW; Schaefer, C; Mccray, JE. (2015). Steady State DNAPL Dissolution in Three-Dimensional Fractured Sandstone Network Experiments. *J Environ Eng.* 141: 14047-14047. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000871](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000871).
- Christophi, C; Harun, N; Fifis, T. (2008). Liver regeneration and tumor stimulation--a review of cytokine and angiogenic factors. *J Gastrointest Surg.* 12: 966-980. <http://dx.doi.org/10.1007/s11605-007-0459-6>.
- Chrysikopoulos, CV; Vogler, ET. (2006). Acoustically enhanced ganglia dissolution and mobilization in a monolayer of glass beads. *Transport in Porous Media.* 64: 103-121. <http://dx.doi.org/10.1007/s11242-005-1525-8>.
- Chu, KH; Jewell, WJ. (1994). TREATMENT OF TETRACHLOROETHYLENE WITH ANAEROBIC ATTACHED FILM PROCESS. *J Environ Eng.* 120: 58-71.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2003). Effects of biomass accumulation on microbially enhanced dissolution of a PCE pool: a numerical simulation. *J Contam Hydrol.* 65: 79-100. [http://dx.doi.org/10.1016/S0169-7722\(02\)00232-2](http://dx.doi.org/10.1016/S0169-7722(02)00232-2).
- Chu, M; Kitanidis, PK; Mccarty, PL. (2004). Possible factors controlling the effectiveness of bioenhanced dissolution of non-aqueous phase tetrachloroethene. *Advances in Water Resources.* 27: 601-615. <http://dx.doi.org/10.1016/j.advwatres.2004.03.002>.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2005). Modeling microbial reactions at the plume fringe subject to transverse mixing in porous media: When can the rates of microbial reaction be assumed to be instantaneous? *Water Resour Res.* 41: 6002-6002. <http://dx.doi.org/10.1029/2004WR003495>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Chu, M; Kitanidis, PK; Mccarty, PL. (2007). Dependence of lumped mass transfer coefficient on scale and reactions kinetics for biologically enhanced NAPL dissolution. *Advances in Water Resources*. 30: 1618-1629. <http://dx.doi.org/10.1016/j.advwatres.2006.06.016>.
- Chu, S; Huang, Q; Alvares, K; Yeldandi, AV; Rao, MS; Reddy, JK. (1995). Transformation of mammalian cells by overexpressing H<sub>2</sub>O<sub>2</sub>-generating peroxisomal fatty acyl-CoA oxidase. *Proc Natl Acad Sci USA*. 92: 7080-7084.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environ Sci Technol*. 43: 1455-1459. <http://dx.doi.org/10.1021/es802640q>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol*. 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol*. 33: 3666-3671.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2001). Catalytic activity of clay from tidal flat sediments in the decomposition of perchloroethylene by gamma-rays. *Catalysis Letters*. 76: 247-248.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2002). Effect of dissolved metal ions on PCE decomposition by gamma-rays. *Chemosphere*. 47: 977-980.
- Chung, HH; Lee, MJ; Jung, J; Choi, SW. (2002). Photocatalytic activity of gamma-irradiated TiO<sub>2</sub>. *J Ind Eng Chem*. 8: 483-487.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Sci Technol*. 58: 495-501. <http://dx.doi.org/10.2166/wst.2008.432>.
- Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF C<sub>6</sub>H<sub>5</sub>CL/CH<sub>4</sub>/O<sub>2</sub>/AR MIXTURES. *Combust Sci Tech*. 91: 53-72.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere*. 71: 639-648. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.013>.
- Cieplik, MK; Carbonell, JP; Muñoz, C; Baker, S; Krüger, S; Liljelind, P; Marklund, S; Louw, R. (2003). On dioxin formation in iron ore sintering. *Environ Sci Technol*. 37: 3323-3331. <http://dx.doi.org/10.1021/es026292g>.
- Cimini, A; Cristiano, L; Bernardo, A; Farioli-Vecchioli, S; Stefanini, S; Cerù, MP. (2000). Presence and inducibility of peroxisomes in a human glioblastoma cell line. *Biochim Biophys Acta*. 1474: 397-409. [http://dx.doi.org/10.1016/S0304-4165\(00\)00036-2](http://dx.doi.org/10.1016/S0304-4165(00)00036-2).
- Cirpka, OA; Windfuhr, C; Bisch, G; Granzow, S; Scholz-Muramatsu, H; Kobus, H. (1999). Microbial reductive dechlorination in large-scale sandbox model. *J Environ Eng*. 125: 861-870.
- Ciucanu, I; Chiriac, A. (2002). Membrane and trap system for continuous monitoring of volatile organic compounds using a portable gas chromatograph with thermal conductivity detector. *J Sep Sci*. 25: 447-452.
- Clancy, PB; Armstrong, J; Couture, M; Lussky, R; Wheeler, K. (1996). Treatment of chlorinated ethenes in groundwater with ozone and hydrogen peroxide. *Environmental Progress*. 15: 187-193.
- Clapp, LW; Semmens, MJ; Novak, PJ; Hozalski, RM. (2004). Model for in situ perchloroethene dechlorination via membrane-delivered hydrogen. *J Environ Eng*. 130: 1367-1381. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:11\(1367\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:11(1367)).
- Clark, CJ; Annable, MD; Rao, PSC. (2000). Evaluation of sonochemical destruction of PCE in in situ flushing waste fluids. *J Environ Eng*. 126: 1033-1038.
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater*. 96: 65-78.
- Clark, I; Assamoi, P; Bertrand, J; Giorgi, F. (2004). Characterization of potential zones of dust generation at eleven stations in the southern Sahara. *Theor Appl Climatol*. 77: 173-184. <http://dx.doi.org/10.1007/s00704-003-0033-4>.
- Claude, JC; Frentzel-Beyme, RR; Kunze, E. (1988). Occupation and risk of cancer of the lower urinary tract among men: A case-control study. *Int J Cancer*. 41: 371-379. <http://dx.doi.org/10.1002/ijc.2910410309>.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials*. 25: 169-177.
- Clavel, J; Mandereau, L; Conso, F; Limasset, JC; Pourmir, I; Flandrin, G; Hémon, D. (1998). Occupational exposure to solvents and hairy cell leukaemia. *Occup Environ Med*. 55: 59-64. <http://dx.doi.org/10.1136/oem.55.1.59>.
- Clayton, CA; Pellizzari, ED; Whitmore, RW; Perritt, RL; Quackenboss, JJ. (1999). National Human Exposure Assessment Survey (NHXAS): Distributions and associations of lead, arsenic, and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol*. 9: 381-392. <http://dx.doi.org/10.1038/sj.jea.7500055>.
- Clayton, JW, Jr. (1962). The toxicity of fluorocarbons with special reference to chemical constitution. *J Occup Environ Med*. 4: 262-273.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol*. 42: 113-140.
- Clewell, H. (2005). Use of mode of action in risk assessment: Past, present, and future. *Regul Toxicol Pharmacol*. 42: 3-14. <http://dx.doi.org/10.1016/j.yrtph.2005.01.008>.
- Clewell, HJ; Andersen, ME. (2004). Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: An example with trichloroethylene [Review]. *Crit Rev Toxicol*. 34: 385-445. <http://dx.doi.org/10.1080/10408440490500795>.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect*. 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci*. 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Clewell, HJ; Gentry, PR; Kester, JE; Andersen, ME. (2005). Evaluation of physiologically based pharmacokinetic models in risk assessment: An example with perchloroethylene [Review]. *Crit Rev Toxicol*. 35: 413-433. <http://dx.doi.org/10.1080/10408440590931994>.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol*. 25: 1068-1074. <http://dx.doi.org/10.1021/es00018a008>.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med*. 40: 855-861.
- Cogswell, SA. (1978). Chemical Economics Handbook CEH marketing research report on C2 chlorinated solvents. Menlo Park, CA: SRI International.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect*. 102: 556-561.
- Cojocel, C; Beuter, W; Müller, W; Mayer, D. (1989). Lipid peroxidation: A possible mechanism of trichloroethylene-induced nephrotoxicity. *Toxicology*. 55: 131-141. [http://dx.doi.org/10.1016/0300-483X\(89\)90180-7](http://dx.doi.org/10.1016/0300-483X(89)90180-7).
- Coleman, WE; Melton, RG; Slater, RW; Kopfler, FC; Voto, SJ; Allen, WK; Aurand, TA. (1981). Determination of organic contaminants by the Grob closed-loop-stripping technique. *J Am Water Works Assoc*. 73: 119-125.
- Collins, CH; Morgano, MA. (1999). Quantitative determination of several simple perhalogenated compounds by high-performance liquid chromatography. *J Chromatogr A*. 846: 395-399.
- Collins, EM; Sidebottom, HW; Wenger, JC; Le Calve, S; Mellouki, A; Lebras, G; Villenave, E; Wirtz, K. (2005). The influence of reaction conditions on the photooxidation of diisopropyl ether. *J Photochem Photobiol A*. 176: 86-97. <http://dx.doi.org/10.1016/j.jphotochem.2005.09.004>.
- Colt, J; Baris, D; Stewart, P; Schned, A; Heaney, J; Mott, L; Silverman, D; Karagas, M. (2004). Occupation and bladder cancer risk in a population-based case-control study in New Hampshire. *Cancer Causes Control*. 15: 759-769. <http://dx.doi.org/10.1023/B:CACO.0000043426.28741.a2>.
- Colt, JS; Karagas, MR; Schwenn, M; Baris, D; Johnson, A; Stewart, P; Verrill, C; Moore, LE; Lubin, J; Ward, MH; Samanic, C; Rothman, N; Cantor, KP; Beane Freeman, LE; Schned, A; Cherala, S; Silverman, DT. (2011). Occupation and bladder cancer in a population-based case-control study in Northern New England. *Occup Environ Med*. 68: 239-249. <http://dx.doi.org/10.1136/oem.2009.052571>.
- Comba, ME; Palabrica, VS; Kaiser, K, LE. (1994). Volatile halocarbons as tracers of pulp mill effluent plumes. *Environ Toxicol Chem*. 13: 1065-1074.
- Comelli, F; Castellari, C; Francesconi, R. (1981). VAPOR-LIQUID-EQUILIBRIA IN BINARY-SYSTEMS CONTAINING 1,3-DIOXOLANE AT ISOBARIC CONDITIONS .1. BINARY-MIXTURES OF 1,3-DIOXOLANE WITH 1,2-TRANS-DICHLOROETHYLENE, TRICHLOROETHYLENE, AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data*. 26: 334-338.
- Comelli, F; Francesconi, R. (1995). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR 2,2,4-TRIMETHYLPENTANE PLUS 5 CHLOROHYDROCARBON BINARY-SYSTEMS AT 343.15-K. *Journal of Chemical and Engineering Data*. 40: 21-24.
- Committee on Methods for Toxicity Tests with Aquatic Organisms. (1975). Methods for acute toxicity tests with fish, macroinvertebrates, and amphibians. (EPA660/3-75-009; PB-242 105/5). Corvallis, OR: National Environmental Research Center. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB242105>.
- Conant, B; Cherry, JA; Gillham, RW. (2004). A PCE groundwater plume discharging to a river: influence of the streambed and near-river zone on contaminant distributions. *J Contam Hydrol*. 73: 249-279. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.001>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2006). Making the liquid-phase catalytic hydrodechlorination of PCE over Pd/C safer. 89: 369-376. <http://dx.doi.org/10.1007/s11144-006-0149-5>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2007). Deactivation and reactivation of Pd/C catalyst used in repeated batch hydrodechlorination of PCE. *Appl Catal B-Environ*. 71: 64-69. <http://dx.doi.org/10.1016/j.apcatb.2006.08.008>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2007). Kinetics of deactivation of Pd/C catalyst repeatedly used in the liquid-phase hydrodechlorination of PCE. 90: 127-136. <http://dx.doi.org/10.1007/s11144-007-5022-7>.
- Connor, TH; Theiss, JC; Hanna, HA; Monteith, DK; Matney, TS. (1985). Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol Lett*. 25: 33-40. [http://dx.doi.org/10.1016/0378-4274\(85\)90097-9](http://dx.doi.org/10.1016/0378-4274(85)90097-9).
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. *J Contam Hydrol*. 58: 13-49.
- Considine, DM. (1974). Chemical and process technology encyclopedia. New York: McGraw-Hill.
- Consonni, D; De Matteis, S; Lubin, JH; Wacholder, S; Tucker, M; Pesatori, AC; Caporaso, NE; Bertazzi, PA; Landi, MT. (2010). Lung cancer and occupation in a population-based case-control study. *Am J Epidemiol*. 171: 323-333. <http://dx.doi.org/10.1093/aje/kwp391>.
- Cooper, AJ. (1994). Enzymology of cysteine S-conjugate beta-lyases. In MW Anders; W Dekant (Eds.), (pp. 71-113). San Diego, CA: Academic Press.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect*. 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol*. 31: 1928-1933.
- Cooper, M; Wagner, A; Wondrousch, D; Sonntag, F; Sonnabend, A; Brehm, M; Schüürmann, G; Adrian, L. (2015). Anaerobic microbial transformation of halogenated aromatics and fate prediction using electron density modeling. *Environ Sci Technol*. 49: 6018-6028. <http://dx.doi.org/10.1021/acs.est.5b00303>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Cooper, WJ; Meacham, DE; Nickelsen, MG; Lin, KJ; Ford, DB; Kurucz, CN; Waite, TD. (1993). THE REMOVAL OF TRICHLOROETHYLENE (TCE) AND TETRACHLOROETHYLENE (PCE) FROM AQUEOUS-SOLUTION USING HIGH-ENERGY ELECTRONS. *Journal of the Air and Waste Management Association*. 43: 1358-1366.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 27: 219-244.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. *Environ Sci Technol*. 35: 2014-2021.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). METHANOGENIC BIOTRANSFORMATION OF CHLORINATED HYDROCARBONS IN GROUND-WATER. *J Environ Eng*. 117: 47-65.
- Corapcioglu, MY; Sung, K; Kim, J. (2004). Parameter determination of sequential reductive dehalogenation reactions of chlorinated hydrocarbons. *Transport in Porous Media*. 55: 169-182.
- Corbin, M; Mclean, D; Mannelje, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med*. 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Cordier, S; Clavel, J; Limasset, JC; Boccon-Gibod, L; Le Moual, N; Mandereau, L; Hemon, D. (1993). Occupational risks of bladder cancer in France: A multicentre case-control study. *Int J Epidemiol*. 22: 403-411. <http://dx.doi.org/10.1093/ije/22.3.403>.
- Cornfield, J. (1956). A statistical problem arising from retrospective studies. In J Neyman (Ed.), (pp. 135-148). Berkeley, CA: University of California Press. <http://projecteuclid.org/euclid.bsm/1200502552>.
- Cornfield, J. (1977). Carcinogenic risk assessment. *Science*. 198: 693-699. <http://dx.doi.org/10.1126/science.910152>.
- Cornfield, J. (1978). Models for carcinogenic risk assessment [comments] [Letter]. *Science*. 202: 1107-1109.
- Cornfield, J; Carlborg, FW; Van Ryzin, J. (1978). Setting tolerances on the basis of mathematical treatment of dose-response data extrapolated to low doses. In GL Plaa; WAM Duncan (Eds.), (pp. 143-164). New York, NY: Academic Press.
- Coronary Drug Project Research Group. (1975). Clofibrate and niacin in coronary heart disease. *JAMA*. 231: 360-381.
- Coronary Drug Project Research Group. (1977). Gallbladder disease as a side effect of drugs influencing lipid metabolism: Experience in the Coronary Drug Project. *N Engl J Med*. 296: 1185-1190. <http://dx.doi.org/10.1056/NEJM197705262962101>.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ*. 11: 1113-1116. [http://dx.doi.org/10.1016/0004-6981\(77\)90243-8](http://dx.doi.org/10.1016/0004-6981(77)90243-8).
- Cortada, C; Vidal, L; Canals, A. (2011). Determination of geosmin and 2-methylisoborneol in water and wine samples by ultrasound-assisted dispersive liquid-liquid microextraction coupled to gas chromatography-mass spectrometry. *J Chromatogr A*. 1218: 17-22. <http://dx.doi.org/10.1016/j.chroma.2010.11.007>.
- Cortada, C; Vidal, L; Pastor, R; Santiago, N; Canals, A. (2009). Determination of organochlorine pesticides in water samples by dispersive liquid-liquid microextraction coupled to gas chromatography-mass spectrometry. *Anal Chim Acta*. 649: 218-221. <http://dx.doi.org/10.1016/j.aca.2009.07.041>.
- Corton, JC. (2008). Evaluation of the role of peroxisome proliferator-activated receptor alpha (PPARalpha) in mouse liver tumor induction by trichloroethylene and metabolites [Review]. *Crit Rev Toxicol*. 38: 857-875. <http://dx.doi.org/10.1080/10408440802209796>.
- Corton, JC; Anderson, SP; Stauber, A. (2000). Central role of peroxisome proliferator-activated receptors in the actions of peroxisome proliferators [Review]. *Annu Rev Pharmacol Toxicol*. 40: 491-518. <http://dx.doi.org/10.1146/annurev.pharmtox.40.1.491>.
- Corton, JC; Fan, LQ; Brown, S; Anderson, SP; Bocos, C; Cattley, RC; Mode, A; Gustafsson, JA. (1998). Down-regulation of cytochrome P450 2C family members and positive acute-phase response gene expression by peroxisome proliferator chemicals. *Mol Pharmacol*. 54: 463-473. <http://dx.doi.org/10.1124/mol.54.3.463>.
- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. *J Air Waste Manag Assoc*. 50: 529-535.
- Costantini, AS; Benvenuti, A; Vineis, P; Kriebel, D; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, G; Mendico, I; Maltoni, S; Miligi, L. (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. *Am J Ind Med*. 51: 803-811. <http://dx.doi.org/10.1002/ajim.20592>.
- Costantini, AS; Miligi, L; Kriebel, D; Ramazzotti, V; Rodella, S; Scarpi, E; Stagnaro, E; Tumino, R; Fontana, A; Masala, G; Viganò, C; Vindigni, C; Crosignani, P; Benvenuti, A; Vineis, P. (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. *Epidemiology*. 12: 78-87.
- Costanza, J, ed; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. *Environ Sci Technol*. 41: 1729-1734. <http://dx.doi.org/10.1021/es062419g>.
- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. *Chemosphere*. 70: 2060-2067. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.007>.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ*. 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Costentin, C; Robert, M; Saveant, JM. (2006). Electron transfer and bond breaking: Recent advances. *Chem Phys*. 324: 40-56. <http://dx.doi.org/10.1016/j.chemphys.2005.09.029>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Costet, N; Garlantezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol.* 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Couceiro, M; Crespo, P; Marques, R, uif; Fonte, P. (2014). Scatter Fraction, Count Rates, and Noise Equivalent Count Rate of a Single-Bed Position RPC TOF-PET System Assessed by Simulations Following the NEMA NU2-2001 Standards. *IEEE Trans Nucl Sci.* 61: 1153-1163. <http://dx.doi.org/10.1109/TNS.2014.2303654>.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. *Desalination.* 117: 233-245.
- Coulibaly, KM; Borden, RC. (2004). Impact of edible oil injection on the permeability of aquifer sands. *J Contam Hydrol.* 71: 219-237. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.002>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol.* 126: 315-329. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.
- Coute, N; Ortego, JD; Richardson, JT; Twigg, MV. (1998). Catalytic steam reforming of chlorocarbons: trichloroethane, trichloroethylene and perchloroethylene. *Appl Catal B-Environ.* 19: 175-187.
- Couto, MN; Borges, JR, JR; Guedes, P; Almeida, R; Monteiro, E; Almeida, CMR; Basto, MCP; Vasconcelos, MTS, D. (2014). An Improved Method for the Determination of Petroleum Hydrocarbons From Soil Using a Simple Ultrasonic Extraction and Fourier Transform Infrared Spectrophotometry. *Petroleum Science and Technology.* 32: 426-432. <http://dx.doi.org/10.1080/10916466.2011.587383>.
- Covington, TR; Gentry, P; Van Landingham, CB; Clewell, HJ. (2006). Issues in using Markov Chain Monte Carlo analysis to calibrate a PBPK model for use in risk assessment: Case studies with dichloromethane and perchloroethylene [Abstract]. *Toxicologist.* 90: 261.
- Covington, TR; Gentry, PR; Van Landingham, CB; Andersen, ME; Kester, JE; Clewell, HJ. (2007). The use of Markov chain Monte Carlo uncertainty analysis to support a public health goal for perchloroethylene. *Regul Toxicol Pharmacol.* 47: 1-18. <http://dx.doi.org/10.1016/j.yrtph.2006.06.008>.
- Cox, P; Niewohner, J; Pidgeon, N; Gerrard, S; Fischhoff, B; Riley, D. (2003). The use of mental models in chemical risk protection: Developing a generic workplace methodology. *Risk Anal.* 23: 311-324.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (QSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen.* 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A. (1989). Genetic toxicology of 1,1,2-trichloroethylene [Review]. *Mutat Res.* 221: 11-37. [http://dx.doi.org/10.1016/0165-1110\(89\)90043-2](http://dx.doi.org/10.1016/0165-1110(89)90043-2).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1985). Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. *Mutat Res Genet Toxicol Environ Mutagen.* 155: 105-111. [http://dx.doi.org/10.1016/0165-1218\(85\)90126-0](http://dx.doi.org/10.1016/0165-1218(85)90126-0).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1991). In vitro studies with nine known or suspected spindle poisons: results in tests for chromosome malsegregation in *Aspergillus nidulans*. *Mutagenesis.* 6: 131-136. <http://dx.doi.org/10.1093/mutage/6.2.131>.
- Crespo, P; Reis, J; Couceiro, M; Blanco, A; Ferreira, NC; Marques, R, uif; Martins, P; Fonte, P. (2012). Whole-Body Single-Bed Time-of-Flight RPC-PET: Simulation of Axial and Planar Sensitivities With NEMA and Anthropomorphic Phantoms. *IEEE Trans Nucl Sci.* 59: 520-529. <http://dx.doi.org/10.1109/TNS.2012.2182677>.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; McNeill, K; Elsner, M. (2013). Reductive dechlorination of TCE by chemical model systems in comparison to dehalogenating bacteria: insights from dual element isotope analysis ( $^{13}\text{C}/^{12}\text{C}$ ,  $^{37}\text{Cl}/^{35}\text{Cl}$ ). *Environ Sci Technol.* 47: 6855-6863. <http://dx.doi.org/10.1021/es400107n>.
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *J Environ Eng.* 131: 1724-1732. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1724\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1724)).
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res.* 31: 411-418. [http://dx.doi.org/10.1016/S0043-1354\(96\)00258-8](http://dx.doi.org/10.1016/S0043-1354(96)00258-8).
- Cronn, DR; Rasmussen, RA; Robinson, E. (1976). Report for phase I: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-01). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E. (1977). Report for phase II: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-02). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E; Harsch, DE. (1977). Halogenated compound identification and measurement in the troposphere and lower stratosphere. *J Geophys Res.* 82: 5935-5944. <http://dx.doi.org/10.1029/JC082i037p05935>.
- Crouch, E. (1988). Comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 549-550. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01195.x>.
- Crump, K; Allen, B; Shipp, A. (1989). Choice of dose measure for extrapolating carcinogenic risk from animals to humans: An empirical investigation of 23 chemicals. *Health Phys.* 57: 387-393.
- Crump, KS. (1998). On summarizing group exposures in risk assessment: Is an arithmetic mean or a geometric mean more appropriate? *Risk Anal.* 18: 293-297. <http://dx.doi.org/10.1111/j.1539-6924.1998.tb01296.x>.
- Crump, KS; Allen, BC; Howe, RB; Crockett, PW. (1987). Time-related factors in quantitative risk assessment. *J Chronic Dis.* 40: 101S-111S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80013-9](http://dx.doi.org/10.1016/S0021-9681(87)80013-9).
- Crump, KS; Guess, HA; Deal, KL. (1977). Confidence intervals and test of hypotheses concerning dose response relations inferred from animal carcinogenicity data. *Biometrics.* 33: 437-451. <http://dx.doi.org/10.2307/2529358>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Crutzen, PJ; Isaksen, ISA; McAfee, JR. (1978). The impact of the chlorocarbon industry on the ozone layer. *J Geophys Res.* 83: 345-363. <http://dx.doi.org/10.1029/JC083iC01p00345>.
- Cruz, SL; Balster, RL; Woodward, JJ. (2000). Effects of volatile solvents on recombinant N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *Br J Pharmacol.* 131: 1303-1308. <http://dx.doi.org/10.1038/sj.bjp.0703666>.
- Cruz, SL; Mirshahi, T; Thomas, B; Balster, RL; Woodward, JJ. (1998). Effects of the abused solvent toluene on recombinant N-methyl-D-aspartate and non-N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *J Pharmacol Exp Ther.* 286: 334-340.
- Cueto, MJM; Vallejo, MG; Rodriguez, MR; Minchero, RM. (1994). PHYSICO-CHEMICAL STUDIES CONCERNING MISCELLES OF VEGETABLE-OILS .15. APPLICATION OF ANDRADE AND KRONE EQUATIONS TO METHYL MIRYSTATE SOLUTIONS IN CYCLOHEXANE, HEXANE, TETRACHLOROETHYLENE OR TRICHLOROETHYLENE. *Grasas y Aceites.* 45: 224-226.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther.* 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol.* 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos.* 27: 542-548.
- Cunha, SC; Almeida, C; Mendes, E; Fernandes, JO. (2011). Simultaneous determination of bisphenol A and bisphenol B in beverages and powdered infant formula by dispersive liquid-liquid micro-extraction and heart-cutting multidimensional gas chromatography-mass spectrometry. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 28: 513-526. <http://dx.doi.org/10.1080/19440049.2010.542551>.
- Cunha, SC; Cunha, C; Ferreira, AR; Fernandes, JO. (2012). Determination of bisphenol A and bisphenol B in canned seafood combining QuEChERS extraction with dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. *Anal Bioanal Chem.* 404: 2453-2463. <http://dx.doi.org/10.1007/s00216-012-6389-5>.
- Cunha, SC; Pena, A; Fernandes, JO. (2015). Dispersive liquid-liquid microextraction followed by microwave-assisted silylation and gas chromatography-mass spectrometry analysis for simultaneous trace quantification of bisphenol A and 13 ultraviolet filters in wastewaters. *J Chromatogr A.* 1414: 10-21. <http://dx.doi.org/10.1016/j.chroma.2015.07.099>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environ Sci Technol.* 38: 4768-4774. <http://dx.doi.org/10.1021/es049965z>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environ Sci Technol.* 38: 1102-1107. <http://dx.doi.org/10.1021/es0348647>.
- Curcio, P; Allix, F; Pickaert, G; Jamart-Grégoire, B. (2011). A favorable, narrow,  $\delta$ (h) Hansen-parameter domain for gelation of low-molecular-weight amino acid derivatives. *Chemistry.* 17: 13603-13612. <http://dx.doi.org/10.1002/chem.201101423>.
- Curtis, GP; Reinhard, M. (1994). Reductive dehalogenation of hexachloroethane, carbon tetrachloride, and bromoform by anthrahydroquinone disulfonate and humic acid. *Environ Sci Technol.* 28: 2393-2401.
- Cushey, MA; Rubin, Y. (1997). Field-scale transport of nonpolar organic solutes in 3-D heterogeneous aquifers. *Environ Sci Technol.* 31: 1259-1268. <http://dx.doi.org/10.1021/es9601999>.
- Cutler, J; Parker, G; Rosen, S; Prenney, B; Healey, R; Caldwell, G. (1986). Childhood leukemia in Woburn, Massachusetts. *Public Health Rep.* 101: 201-205.
- Cvelbar, U; Mozetic, M; Zalar, A. (2003). Improvement of electrical conductivity of Cu/Ag glue joints by discharge cleaning. *Vacuum.* 71: 207-211. [http://dx.doi.org/10.1016/S0042-207X\(02\)00738-8](http://dx.doi.org/10.1016/S0042-207X(02)00738-8).
- da Silva Augusto, LG; Lieber, S. R.; Ruiz, MA; de Souza, CA. (1997). Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen.* 29: 46-52. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)29:1<46::AID-EM6>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)29:1<46::AID-EM6>3.0.CO;2-B).
- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res.* 78: 2456-2465. <http://dx.doi.org/10.2175/106143006X123111>.
- Dabirian, A; Lachowicz, A; Schuttauf, JW; Paviet-Salomon, B; Morales-Masis, M; Hessler-Wyser, A; Despeisse, M; Ballif, C. (2017). Metallization of Si heterojunction solar cells by nanosecond laser ablation and Ni-Cu plating. *Solar Energy Materials and Solar Cells.* 159: 243-250. <http://dx.doi.org/10.1016/j.solmat.2016.09.021>.
- Daffer, P; Crump, K; Masterman, M. (1980). Asymptotic theory for analyzing dose-response survival data with application to low-dose extrapolation problems. *Math Biosci.* 50: 207-230. [http://dx.doi.org/10.1016/0025-5564\(80\)90037-1](http://dx.doi.org/10.1016/0025-5564(80)90037-1).
- Daft, JL. (1988). Rapid determination of fumigant and industrial chemical residues in food. *J Assoc Offic Anal Chem.* 71: 748-760.
- Dai, R; Wu, G; Chen, H. (2011). Stable titanium dioxide grafted with poly [N-(p-vinyl benzyl) phthalimide] composite particles in suspension for electrophoretic displays. *Colloid and Polymer Science.* 289: 401-407. <http://dx.doi.org/10.1007/s00396-011-2375-2>.
- Daishima, S; Iida, Y. (1992). MONITORING OF TRACE AMOUNTS OF ORGANIC-COMPOUNDS IN AIR BY TOWNSEND DISCHARGE-CHEMICAL IONIZATION MASS-SPECTROMETRY. *Bunseki Kagaku.* 41: 207-213.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1994). Use of tissue deposition data from rats and dogs to determine species differences in input parameters for a physiological model for perchloroethylene. *Environ Res.* 67: 54-67. <http://dx.doi.org/10.1006/enrs.1994.1064>.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1995). Physiologically based pharmacokinetic model useful in prediction of the influence of species, dose, and exposure route on perchloroethylene pharmacokinetics. *J Toxicol Environ Health.* 44: 301-317. <http://dx.doi.org/10.1006/taap.1994.1179>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Damgaard, I; Bjerg, PL; Bælum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol.* 146: 37-50. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.010>.
- Damgaard, I, da; Bjerg, PL; Jacobsen, CS; Tsonaki, A; Kerrn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation.* 33: 48-61. <http://dx.doi.org/10.1111/j.1745-6592.2012.01405.x>.
- Damrongsiri, S; Tongcumpou, C; Sabatini, DA. (2013). Partition behavior of surfactants, butanol, and salt during application of density-modified displacement of dense non-aqueous phase liquids. *J Hazard Mater.* 248-249: 261-267. <http://dx.doi.org/10.1016/j.jhazmat.2012.12.059>.
- Damrongsiri, S; Tongcumpou, C; Weschayanwivat, P; Sabatini, DA. (2010). Solubilization of dibutyltin dichloride with surfactant solutions in single and mixed oil systems. *J Hazard Mater.* 181: 1109-1114. <http://dx.doi.org/10.1016/j.jhazmat.2010.05.129>.
- Dane, JH; Hofstee, C; Corey, AT. (1998). Simultaneous measurement of capillary pressure, saturation, and effective permeability of immiscible liquids in porous media. *Water Resour Res.* 34: 3687-3692.
- Dang, T, ri; Sainato, N. (2014). NEMA and IEC Standards: A Practical Approach. *I E E E Transactions on Industry Applications.* 50: 3079-3085. <http://dx.doi.org/10.1109/TIA.2014.2307879>.
- Daniel, FB; Deangelo, AB; Stober, JA; Olson, GR; Page, NP. (1992). Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol.* 19: 159-168. [http://dx.doi.org/10.1016/0272-0590\(92\)90147-A](http://dx.doi.org/10.1016/0272-0590(92)90147-A).
- Daniel, FB; Meier, J. R.; Deangelo, AB. (1993). Advances in research on carcinogenic and genotoxic by-products of chlorine disinfection: Chlorinated hydroxyfuranones and chlorinated acetic acids. *Ann Ist Super Sanita.* 29: 279-291.
- Daniell, WE; Claypoole, KH; Checkoway, H; Smith-Weller, T; Dager, SR; Townes, BD; Rosenstock, L. (1999). Neuropsychological function in retired workers with previous long-term occupational exposure to solvents. *Occup Environ Med.* 56: 93-105.
- Danna, M; Lecchi, M; Bettinardi, V; Gilardi, MC; Stearns, CW; Lucignani, G; Fazio, F. (2006). Generation of the acquisition-specific NEC (AS-NEC) curves to optimize the injected dose in 3D F-18-FDG whole body PET studies. *IEEE Trans Nucl Sci.* 53: 86-92. <http://dx.doi.org/10.1109/TNS.2005.862966>.
- Daprato, RC; Löffler, FE; Hughes, JB. (2007). Comparative analysis of three tetrachloroethene to ethene halo-respiring consortia suggests functional redundancy. *Environ Sci Technol.* 41: 2261-2269. <http://dx.doi.org/10.1021/es061544p>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2008). Biotic and abiotic anaerobic transformations of trichloroethene and cis-1,2-dichloroethene in fractured sandstone. *Environ Sci Technol.* 42: 4323-4330. <http://dx.doi.org/10.1021/es702196a>.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry.* 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Das, DB; Gaudie, R; Mirzaei, M. (2007). Dynamic effects for two-phase flow in porous media: Fluid property effects. *AIChE J.* 53: 2505-2520. <http://dx.doi.org/10.1002/aic.11292>.
- Das, JC; Steinmetz, J, onD; Mcphee, AA. (2016). Out-of-Step and Single Phasing Protection of Synchronous Chipper Motors. *I E E E Transactions on Industry Applications.* 52: 1931-1937. <http://dx.doi.org/10.1109/TIA.2015.2489180>.
- Dasgupta, R; Hirschmann, MM. (2007). Effect of variable carbonate concentration on the solidus of mantle peridotite. *Am Mineral.* 92: 370-379. <http://dx.doi.org/10.2138/am.2007.2201>.
- Dasgupta, R; Hirschmann, MM; Smith, ND. (2007). Partial melting experiments of peridotite CO<sub>2</sub> at 3 GPa and genesis of alkalic ocean island basalts. *Journal of Petrology.* 48: 2093-2124. <http://dx.doi.org/10.1093/petrology/egm053>.
- Datskos, PG; Rajic, S; Sepaniak, MJ; Lavrik, N; Tipple, CA; Senesac, LR; Datskou, I. (2001). Chemical detection based on adsorption-induced and photoinduced stresses in microelectromechanical systems devices. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 19: 1173-1179.
- Datskos, PG; Sepaniak, MJ; Tipple, CA; Lavrik, N. (2001). Photomechanical chemical microsensors. *Sens Actuators B.* 76: 393-402.
- Datta, S; Talukdar, G; Sharma, A. (1986). Cytotoxic effects of arsenic in dietary oil primed rats. *Sci Cult.* 52: 196-198.
- Dattaa, R; Sarkar, D; Sharma, S; Sanda, K. (2006). Arsenic biogeochemistry and human health risk assessment in organo-arsenical pesticide-applied acidic and alkaline soils: An incubation study. *Sci Total Environ.* 372: 39-48. <http://dx.doi.org/10.1016/j.scitotenv.2006.08.003>.
- Daugey, N; Bergeat, A; Schuck, A; Caubet, P; Dorthe, G. (1997). Vibrational distribution in CN(X-2 Sigma(+)) from the N+C-2->CN+C reaction. *Chem Phys.* 222: 87-103.
- Davidson, IW. (1984). The biological basis for extrapolation of dose-carcinogenic response relationships of laboratory animals to man: A review paper. Washington, DC: U.S. Environmental Protection Agency.
- Davidson, IWF; Beliles, RP. (1991). Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics [Review]. *Drug Metab Rev.* 23: 493-599. <http://dx.doi.org/10.3109/03602539109029772>.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem.* 10: 463-474.
- Davis, JW; Odom, JM; Deweerdt, KA; Stahl, DA; Fishbain, SS; West, RJ; Klecka, GM; Decarolis, JG. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: characterization of microbial community structure. *J Contam Hydrol.* 57: 41-59.
- Davis, LM; Caspary, WJ; Sakallah, SA; Maronpot, R; Wiseman, R; Barrett, JC; Elliott, R; Hozier, JC. (1994). Loss of heterozygosity in spontaneous and chemically induced tumors of the B6C3F1 mouse. *Carcinogenesis.* 15: 1637-1645. <http://dx.doi.org/10.1093/carcin/15.8.1637>.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation*. 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- Dawson, HE; Roberts, PV. (1997). Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water*. 35: 261-269.
- Dayal, H; Gupta, S; Trieff, N; Maieron, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health*. 50: 108-111. <http://dx.doi.org/10.1080/00039896.1995.9940887>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ*. 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem*. 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- de Faire, U; Ericsson, CG; Hamsten, A; Nilsson, J. (1995). Design features of a five-year Bezafibrate Coronary Atherosclerosis Intervention Trial (BECAIT). *Drugs Exp Clin Res*. 21: 105-124.
- De Ferrari, M; Artuso, M; Bonassi, S; Bonatti, S; Cavalieri, Z; Pescatore, D; Marchini, E; Pisano, V; Abbondandolo, A. (1991). Cytogenetic biomonitoring of an Italian population exposed to pesticides: Chromosome aberration and sister-chromatid exchange analysis in peripheral blood lymphocytes. *Mutat Res Genet Toxicol Environ Mutagen*. 260: 105-113. [http://dx.doi.org/10.1016/0165-1218\(91\)90086-2](http://dx.doi.org/10.1016/0165-1218(91)90086-2).
- de Jong, HW; van Velden, FH; Kloet, RW; Buijs, FL; Boellaard, R; Lammertsma, AA. (2007). Performance evaluation of the ECAT HRRT: an LSO-LYSO double layer high resolution, high sensitivity scanner. *Phys Med Biol*. 52: 1505-1526. <http://dx.doi.org/10.1088/0031-9155/52/5/019>.
- de Jong, V; Cieplik, MK; Reints, WA; Fernandez-Reino, F; Louw, R. (2002). A mechanistic study on the catalytic combustion of benzene and chlorobenzene. *J Catal*. 211: 355-365. <http://dx.doi.org/10.1006/jcat.2002.3762>.
- De Kimpe, J; Cornelis, R; Mees, L; Vanholder, R. (1996). Basal metabolism of intraperitoneally injected carrier-free <sup>74</sup>As-labeled arsenate in rabbits. *Fundam Appl Toxicol*. 34: 240-248. <http://dx.doi.org/10.1006/faat.1996.0193>.
- de la Iglesia, FA; Gough, AW; Sigler, RE. (1997). alpha2u-Globulin nephropathy and ravens: Do ravens of a different feather flock together? *Environ Health Perspect*. 105: 903-904.
- De La Iglesia, FA; Lewis, JE; Buchanan, RA; Marcus, EL; McMahan, G. (1982). Light and electron microscopy of liver in hyperlipoproteinemic patients under long-term gemfibrozil treatment. *Atherosclerosis*. 43: 19-37. [http://dx.doi.org/10.1016/0021-9150\(82\)90096-X](http://dx.doi.org/10.1016/0021-9150(82)90096-X).
- de Marco, I; Caballero, BM; Lopez-Urionabarrenechea, A; Laresgoiti, MF; Torres, A; Chomon, MJ. (2009). Pyrolysis of the rejects of a waste packaging separation and classification plant. *J Anal Appl Pyrol*. 85: 384-391. <http://dx.doi.org/10.1016/j.jaap.2008.09.002>.
- de Oliveira Costa, LF; Rangel, E, Jr; de Carvalho Filho, JM. (2014). Differences and Similarities Between ANSI and IEC Cultures for MV Assemblies-The Brazilian Experience. *I E E E Transactions on Industry Applications*. 50: 2392-2402. <http://dx.doi.org/10.1109/TIA.2013.2293820>.
- De Rooij, C; Boutonnet, JC; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Tetrachloroethylene. *Environ Monit Assess*. 53: 489-508.
- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). 1,1,1-trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess*. 97: 39-56.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere*. 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Diekert, G; Verstraete, W. (2002). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge: perspectives for in situ remediation. *Water Sci Technol*. 45: 43-48.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Verstraete, W. (2001). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge in lab-scale UASB reactors. *Adv Environ Res*. 6: 17-27.
- DeAngelo, AB. (2000). Response to "Epigenetic mechanisms of chemical carcinogenesis" by James E. Klaunig, Lisa M. Kamendulis, and Xu Yong. *Hum Exp Toxicol*. 19: 561-562. <http://dx.doi.org/10.1191/096032700701546460>.
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1996). The carcinogenicity of dichloroacetic acid in the male fischer 344 rat. *Toxicology*. 114: 207-221. [http://dx.doi.org/10.1016/S0300-483X\(96\)03510-X](http://dx.doi.org/10.1016/S0300-483X(96)03510-X).
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1997). Failure of monochloroacetic acid and trichloroacetic acid administered in the drinking water to produce liver cancer in male F344/N rats. *J Toxicol Environ Health*. 52: 425-445. <http://dx.doi.org/10.1080/00984109708984074>.
- DeAngelo, AB; Daniel, FB; Stober, JA; Olson, GR. (1991). The carcinogenicity of dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol*. 16: 337-347. [http://dx.doi.org/10.1016/0272-0590\(91\)90118-N](http://dx.doi.org/10.1016/0272-0590(91)90118-N).
- DeAngelo, AB; Daniel, FB; Wong, DM; George, MH. (2008). The induction of hepatocellular neoplasia by trichloroacetic acid administered in the drinking water of the male B6C3F1 mouse. *J Toxicol Environ Health A*. 71: 1056-1068. <http://dx.doi.org/10.1080/15287390802111952>.
- DeAngelo, AB; George, MH; House, DE. (1999). Hepatocarcinogenicity in the male B6C3F1 mouse following a lifetime exposure to dichloroacetic acid in the drinking water: Dose-response determination and modes of action. *J Toxicol Environ Health A*. 58: 485-507.
- Decker, SP; Klabunde, JS; Khaleel, A; Klabunde, KJ. (2002). Catalyzed destructive adsorption of environmental toxins with nanocrystalline metal oxides. Fluoro-, chloro-, bromocarbons, sulfur, and organophosphorus compounds. *Environ Sci Technol*. 36: 762-768. <http://dx.doi.org/10.1021/es010733z>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Dedrick, RL. (1973). Animal scale-up. *J Pharmacokinet Pharmacodyn.* 1: 435-461. <http://dx.doi.org/10.1007/BF01059667>.
- Dees, C; Travis, C. (1994). Trichloroacetate stimulation of liver DNA synthesis in male and female mice. *Toxicol Lett.* 70: 343-355. [http://dx.doi.org/10.1016/0378-4274\(94\)90129-5](http://dx.doi.org/10.1016/0378-4274(94)90129-5).
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores in micronuclei: A new assay for the detection of aneuploidy. *Mutat Res.* 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Deipser, A. (1998). Biodegradation of volatile CFCs, H-CFCs and VC in compost and marl. *Waste Manag Res.* 16: 330-341.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int.* 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Dejz, A; Burguet, MC; Munoz, R; Sanchotello, M. (1995). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF TETRACHLOROETHYLENE WITH 1-BUTANOL AND 2-BUTANOL AT 6-KPA AND 20-KPA. *Journal of Chemical and Engineering Data.* 40: 290-292.
- Dejz, A; Gonzalez-Alfaro, V; Llopis, FJ; Miguel, PJ; Vazquez, MI. (1999). Vapor-liquid equilibrium of binary mixtures of tetrachloroethylene with 1-pentanol, 3-methyl-1-butanol, and 2-methyl-1-butanol. *Journal of Chemical and Engineering Data.* 44: 286-290.
- Dejz, A; Gonzalezalfaro, V; Miguel, PJ; Vazquez, MI. (1996). Isobaric vapor-liquid equilibria of tetrachloroethylene plus 1-propanol and plus 2-propanol at 20 and 100 kPa. *Journal of Chemical and Engineering Data.* 41: 1361-1365.
- Dekant, W. (2001). Chemical-induced nephrotoxicity mediated by glutathione S-conjugate formation. *Toxicol Lett.* 124: 21-36. [http://dx.doi.org/10.1016/S0378-4274\(00\)00285-X](http://dx.doi.org/10.1016/S0378-4274(00)00285-X).
- Dekant, W. (2001). Does exposure to trichloroethene in low doses constitute a cancer risk to humans? *Hum Ecol Risk Assess.* 7: 657-675. <http://dx.doi.org/10.1080/20018091094565>.
- Dekant, W. (2010). Toxicological review of trichloroethylene in support of the Iris database in support of the IRIS database (draft Of October 2009) comments of the Halogenated Solvents Industry Alliance. Arlington, VA: Halogenated Solvents Industry Alliance. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2009-0791-0018.1>.
- Dekant, W; Berthold, K; Vamvakas, S; Henschler, D; Anders, MW. (1988). Thioacylating intermediates as metabolites of S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2,2-trichlorovinyl)-L-cysteine formed by cysteine conjugate beta-lyase. *Chem Res Toxicol.* 1: 175-178. <http://dx.doi.org/10.1021/tx00003a008>.
- Dekant, W; Metzler, M; Henschler, D. (1986). Identification of S-1,2-dichlorovinyl-N-acetyl-cysteine as a urinary metabolite of trichloroethylene: A possible explanation for its nephrocarcinogenicity in male rats. *Biochem Pharmacol.* 35: 2455-2458. [http://dx.doi.org/10.1016/0006-2952\(86\)90039-0](http://dx.doi.org/10.1016/0006-2952(86)90039-0).
- Dekant, W; Vamakas, S; Berthold, K; Schmitt, S; Henschler, D. (1986). Cysteine conjugate beta-lyase mediated cleavage and mutagenicity of the tetrachloroethylene metabolite s-1,1,2-trichlorovinyl-cysteine. *Toxicol Lett.* 31: 209.
- Dekant, W; Vamvakas, S; Anders, MW. (1989). Bioactivation of nephrotoxic haloalkenes by glutathione conjugation: formation of toxic and mutagenic intermediates by cysteine conjugate beta-lyase [Review]. *Drug Metab Rev.* 20: 43-83. <http://dx.doi.org/10.3109/03602538908994144>.
- Dekant, W; Vamvakas, S; Anders, MW. (1990). Biosynthesis, bioactivation, and mutagenicity of S-conjugates [Review]. *Toxicol Lett.* 53: 53-58. [http://dx.doi.org/10.1016/0378-4274\(90\)90094-3](http://dx.doi.org/10.1016/0378-4274(90)90094-3).
- Dekker, TJ; Abriola, LM. (2000). The influence of field-scale heterogeneity on the surfactant-enhanced remediation of entrapped nonaqueous phase liquids. *J Contam Hydrol.* 42: 219-251.
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133. <http://dx.doi.org/10.1029/2001WR000444>.
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delannoy, L; Giraudon, JM; Granger, P; Leclercq, L; Leclercq, G. (2002). Hydrodechlorination of CCl4 over group VI transition metal carbides. *Appl Catal B-Environ.* 37: 161-173.
- Delery, L; Chiappini, L; Cicolella, A. (2008). Assessment of population exposure to tetrachloroethylene emissions from French dry-cleaning facilities and their associated health risks [Les pressings: Exposition au tetrachloroethylene et risques sanitaires]. *E R S.* 7: 331-340. <http://dx.doi.org/10.1684/ers.2008.0164>.
- Delfino, RJ; Gone, H; Linn, WS; Pellizzari, ED; Hu, Y. (2003). Asthma symptoms in Hispanic children and daily ambient exposures to toxic and criteria air pollutants. *Environ Health Perspect.* 111: 647-656. <http://dx.doi.org/10.1289/ehp.5992>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241459/pdf/ehp0111-000647.pdf>.
- Delfino, RJ; Gong, H; Linn, WS; Hu, Y; Pellizzari, ED. (2003). Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expo Anal Environ Epidemiol.* 13: 348-363. <http://dx.doi.org/10.1038/sj.jea.7500287>; <http://www.nature.com/jes/journal/v13/n5/pdf/7500287a.pdf>.
- Delinsky, AD; Delinsky, DC; Muralidhara, S; Fisher, JW; Bruckner, JV; Bartlett, MG. (2005). Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 1075-1083. <http://dx.doi.org/10.1002/rcm.189>.
- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air Waste.* 43: 203-207.
- Demarest, L. (2014). Soil composition at the aquifer level, groundwater quality and the presence of Dehalococcoides ethenogenes at Dover AFB. *Environ Earth Sci.* 71: 4157-4164. <http://dx.doi.org/10.1007/s12665-013-2806-0>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Demeestere, K; De Visscher, A; Dewulf, J; Van Leeuwen, M; Van Langenhove, H. (2004). A new kinetic model for titanium dioxide mediated heterogeneous photocatalytic degradation of trichloroethylene in gas-phase. *Appl Catal B-Environ.* 54: 261-274. <http://dx.doi.org/10.1016/j.apcatb.2004.06.020>.
- Demond, AH. (1985). LEACHING OF TETRACHLOROETHYLENE FROM VINYL-LINED PIPE (pp. 1-9; 1985). (ISSN 0733-9372; EISSN 1943-7870; HMTC/85/0002141). Demond, AH.
- Dempsey, BA; Lee, AP; Kim, B. (1993). REMOVAL OF VOLATILE ORGANIC-CHEMICALS FROM WATER USING HYDRAULIC JETS. *Hazardous Waste and Hazardous Materials.* 10: 323-333.
- Den, W; Ravindran, V. (2005). Photooxidation for degradation of trichloroethylene and perchloroethylene in contaminated gas streams: Free-radical reaction kinetics, mechanisms, product formation and product removal. *Abstracts of Papers - American Chemical Society.* 229: U829-U829.
- Den, W; Ravindran, V; Pirbazari, M. (2006). Photooxidation and biotrickling filtration for controlling industrial emissions of trichloroethylene and. *Chem Eng Sci.* 61: 7909-7923. <http://dx.doi.org/10.1016/j.ces.2006.09.015>.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environ Sci Technol.* 33: 2651-2656.
- Deng, W; Chen, D; Xiong, Z; Verlinden, PJ; Dong, J; Ye, F; Li, H, ui; Zhu, H; Zhong, M; Yang, Y; Chen, Y; Feng, Z; Altermatt, P. (2016). 20.8% PERC Solar Cell on 156 mm x 156 mm P-Type Multicrystalline Silicon Substrate. 6: 3-9. <http://dx.doi.org/10.1109/JPHOTOV.2015.2489881>.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation.* 30: 127-133. <http://dx.doi.org/10.1111/j1745-6592.2010.001282.x>.
- Deonandan, R; Campbell, K; Ostbye, T; Tummon, I; Robertson, J. (2000). A comparison of methods for measuring socio-economic status by occupation or postal area. *Chronic Dis Can.* 21: 114-118.
- Deshmukh, NS; Lapsiya, KL; Savant, DV; Chiplonkar, SA; Yeole, TY; Dhakephalkar, PK; Ranade, DR. (2009). Upflow anaerobic filter for the degradation of adsorbable organic halides (AOX) from bleach composite wastewater of pulp and paper industry. *Chemosphere.* 75: 1179-1185. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.042>.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med.* 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Desvergne, B; Wahli, W. (1995). PPAR: A key factor in nutrient/gene interactions. In P Baeuerle (Ed.), (pp. 142-176). Boston, MA: Birkhauser.
- Devasena, M; Nambi, IM. (2010). Migration and entrapment of mercury in porous media. *J Contam Hydrol.* 117: 60-70. <http://dx.doi.org/10.1016/j.jconhyd.2010.06.005>.
- Devlinny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste and Hazardous Materials.* 12: 283-293.
- Devlin, JF; Barbaro, JR. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem.* 20: 2443-2449. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<2443:AMOEMN>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<2443:AMOEMN>2.0.CO;2).
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol.* 69: 233-261. [http://dx.doi.org/10.1016/S0169-7722\(03\)00156-6](http://dx.doi.org/10.1016/S0169-7722(03)00156-6).
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Dewulf, J; Ponnet, D; Vanlangenhove, H. (1996). Measurement of atmospheric monocyclic aromatic hydrocarbons and chlorinated C-1- and C-2-hydrocarbons at ng.m(-3) concentration levels. *Int J Environ Anal Chem.* 62: 289-301.
- Dewulf, J; Van Langenhove, M; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res.* 32: 2941-2950. [http://dx.doi.org/10.1016/S0043-1354\(98\)00058-X](http://dx.doi.org/10.1016/S0043-1354(98)00058-X).
- Dewulf, J; Vanlangenhove, H. (1995). Simultaneous determination of C-1- and C-2-halocarbons and monocyclic aromatic hydrocarbons in marine water samples at NG/L concentration levels. *Int J Environ Anal Chem.* 61: 35-46.
- Dewulf, J; Vanlangenhove, H; Everaert, M. (1997). Solid-phase microextraction of volatile organic compounds - Estimation of the sorption equilibrium from the Kovats index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model. *J Chromatogr A.* 761: 205-217.
- Dewulf, JP; Van Langenhove, HR; Der Auwera, LF. (1998). Air/water exchange dynamics of 13 volatile chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in the southern North Sea and the Scheldt estuary. *Environ Sci Technol.* 32: 903-911. <http://dx.doi.org/10.1021/es970765f>.
- Dhennezel, O; Ollis, DF. (1996). Photocatalytic oxidation of air contaminants by chlorine (Cl) or hydroxyl (OH) radicals or holes (h+): Mechanistic correlations. *Stud Surf Sci Catal.* 101: 435-442.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ.* 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.
- Di Nardo, A; Bortone, I; Di Natale, M; Erto, A; Musmarra, D. (2014). A Heuristic Procedure to Optimize the Design of a Permeable Reactive Barrier for In Situ Groundwater Remediation. *AST.* 32: 125-140.
- Di Palma, L; De Filippis, P; Lausdei, D; Petrucci, E. (2015). KINETIC TESTS OF ANAEROBIC DECHLORINATION OF A POLLUTED GROUNDWATER IN ITALY. *Environmental Engineering and Management Journal.* 14: 2713-2718.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Di, Z; Zheng, S; Xiao-Hui, Y; Da-Peng, W; Kun, D; Ya-Feng, G. (2013). A Porous Membrane Extraction and Microtrap System for On-line Monitoring of Volatile Organic Compounds in Water. *Chin J Anal Chem.* 41: 1153-1158. <http://dx.doi.org/10.3724/SP.J.1096.2013.21228>.
- Diabetes Atherosclerosis Intervention Study Investigators. (2001). Effect of fenofibrate on progression of coronary-artery disease in type 2 diabetes: The Diabetes Atherosclerosis Intervention Study, a randomised study. *Lancet.* 357: 905-910. [http://dx.doi.org/10.1016/S0140-6736\(00\)04209-4](http://dx.doi.org/10.1016/S0140-6736(00)04209-4).
- Diallo, MS; Abriola, LM; Weber, WJ, Jr. (1994). Solubilization of non-aqueous phase liquid hydrocarbons in micellar solutions of dodecyl alcohol ethoxylates. Washington, D.C.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res.* 32: 3325-3330.
- Díaz, E; Ordóñez, S; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). High-surface area graphites as supports for hydrodechlorination catalysts: Tuning support surface chemistry for an optimal performance. *Appl Catal B-Environ.* 99: 181-190. <http://dx.doi.org/10.1016/j.apcatb.2010.06.016>.
- Dickert, FL; Bruckdorfer, T; Feigl, H; Haunschild, A; Kuschow, V; Obermeier, E; Bulst, WE; Knauer, U; Mages, G. (1993). SUPRAMOLECULAR DETECTION OF SOLVENT VAPORS WITH QMB AND SAW DEVICES. *Sens Actuators B.* 13: 297-301.
- Dickert, FL; Haunschild, A; Hofmann, P. (1994). CHOLESTERIC LIQUID-CRYSTALS FOR SOLVENT VAPOR DETECTION - ELIMINATION OF CROSS-SENSITIVITY BY BAND SHAPE-ANALYSIS AND PATTERN-RECOGNITION. *Fresenius J Anal Chem.* 350: 577-581.
- Dickert, FL; Haunschild, A; Maune, V. (1993). TETRAAZACYCLOPHANES AS HOST MOLECULES FOR SOLVENT VAPORS - MASS-SENSITIVE DETECTION AND FORCE-FIELD CALCULATIONS. *Sens Actuators B.* 12: 169-173.
- Dickson, AG; Riley, JP. (1976). The distribution of short-chain halogenated aliphatic hydrocarbons in some marine organisms. *Mar Pollut Bull.* 7: 167-169. [http://dx.doi.org/10.1016/0025-326X\(76\)90212-5](http://dx.doi.org/10.1016/0025-326X(76)90212-5).
- Dietert, RR. (2008). Developmental immunotoxicology (DIT): windows of vulnerability, immune dysfunction and safety assessment. *J Immunotoxicol.* 5: 401-412. <http://dx.doi.org/10.1080/15476910802483324>.
- Dietrich, DR. (1997). Doubting nongenotoxic mechanisms of renal cancer: Comparing apples and oranges in the alpha2u-globulin hypothesis. *Environ Health Perspect.* 105: 898-902.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (*Populus deltoides* x *nigra* DN34). *Environ Toxicol Chem.* 20: 389-393. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<0389:POCATH>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<0389:POCATH>2.0.CO;2).
- Difilippo, FP. (2015). Enhanced PET resolution by combining pinhole collimation and coincidence detection. *Phys Med Biol.* 60: 7969-7984. <http://dx.doi.org/10.1088/0031-9155/60/20/7969>.
- Dilla, W; Koser, HJK. (1983). ON THE DEHYDROCHLORINATION DECHLORINATION OF TRICHLOROETHYLENE, PERCHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE BY METAL CHLORIDES AND OXIDATIVE HYDROLYTIC DEGRADATION PRODUCTS. *Mater Corros.* 34: 241-245.
- Dilla, W; Koser, HJK. (1984). THE INFLUENCE OF CHLOROACETYL CHLORIDES AND CHLOROACETIC ACIDS ON THE CORROSION OF METALS IN TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Mater Corros.* 35: 16-22.
- Dillier, N; Laszlo, J; Müller, B; Koella, W; Olpe, H. (1978). Activation of an inhibitory noradrenergic pathway projecting from the locus coeruleus to the cingulate cortex of the rat. *Brain Res.* 154: 61-68. [http://dx.doi.org/10.1016/0006-8993\(78\)91051-X](http://dx.doi.org/10.1016/0006-8993(78)91051-X).
- Dilling, WL. (1977). Interphase transfer processes II Evaporation rates of chloro methanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions Comparisons with theoretical predictions. *Environ Sci Technol.* 11: 405-409. <http://dx.doi.org/10.1021/es60127a009>.
- Dilling, WL. (1982). Atmospheric environment. In RA Conway (Ed.), (pp. 154-197). New York, NY: Van Nostrand Reinhold Company.
- Dilling, WL; Bredeweg, CJ; Tefertiller, NB. (1976). Organic photochemistry: Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environ Sci Technol.* 10: 351-356. <http://dx.doi.org/10.1021/es60115a006>.
- Dilling, WL; Tefertiller, NB; Kallos, GJ. (1975). Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environ Sci Technol.* 9: 833-838. <http://dx.doi.org/10.1021/es60107a008>.
- Dimitriades, B; Gay, BW, Jr; Arnts, RR; Seila, RL. (1983). Photochemical reactivity of perchloroethylene: A new appraisal. *J Air Pollut Control Assoc.* 33: 575-587.
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ.* 35: 1171-1182.
- Disdier, J; Pichat, P; Mas, D. (2005). Measuring the effect of photocatalytic purifiers on indoor air hydrocarbons and carbonyl pollutants. *J Air Waste Manag Assoc.* 55: 88-96.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res.* 33: 1688-1694.
- Dittmer, DS. (1959). Handbook of toxicology, volume V: Fungicides. In DS Dittmer (Ed.). Philadelphia: W. B. Saunders Co.
- Divine, CE; Sanford, WE; Mccray, JE. (2003). Helium and Neon Groundwater Tracers to Measure Residual DNAPL: Laboratory Investigation. *Vadose Zone Journal.* 2: 382-388.
- Dmitrieva, NV. (1966). Maximum permissible concentration of tetrachloroethylene in factory air. *Gig Sanit.* 31: 387-393.
- Dmitriyeva, NV; Kuleshov, EV; Orjonikidze, EK. (1968). [Changes in the impedance and bioelectrical activity of the cerebral cortex of rats under the action of anesthetic drugs]. *Zh Vyssh Nerv Deiat Im I P Pavlova.* 18: 463-468.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Dobaradaran, S; Lutze, H; Mahvi, AH; Schmidt, TC. (2014). Transformation efficiency and formation of transformation products during photochemical degradation of TCE and PCE at micromolar concentrations. *12: 16.* <http://dx.doi.org/10.1186/2052-336X-12-16>.
- Dobbs, GT; Balu, B; Young, C; Kranz, C; Hess, DW; MizaiKoff, B. (2007). Mid-infrared chemical sensors utilizing plasma-deposited fluorocarbon membranes. *Anal Chem.* 79: 9566-9571. <http://dx.doi.org/10.1021/ac070832g>.
- Dobecki, M; Romanowicz, B. (1991). THE USE OF GAS-CHROMATOGRAPHY FOR THE DETERMINATION OF VINYL-CHLORIDE AND CHLORINATED ORGANIC-SOLVENTS VAPORS IN THE WORKING ENVIRONMENT. *Chemia analityczna.* 36: 499-506.
- Dobson, DJ; Saini, S. (1997). Porphyrin-modified electrodes as biomimetic sensors for the determination of organohalide pollutants in aqueous samples. *Anal Chem.* 69: 3532-3538.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics.* 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem.* 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doi, A; Hill, G; Seely, J; Hailey, J; Kissling, G; Bucher, J. (2007). alpha 2u-globulin nephropathy and renal tumors in national toxicology program studies. *Toxicol Pathol.* 35: 533-540. <http://dx.doi.org/10.1080/01926230701338941>.
- Dokuyucu, T; Akkaya, A; Akcura, M; Kara, R; Budak, H. (2004). Collection, identification and conservation of wheat landraces in Kahramanmaraş province in East Mediterranean Region of Turkey. *Cereal Research Communications.* 32: 167-174.
- Dolfing, J. (1999). Comment on "Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture". *Environ Sci Technol.* 33: 2127-2127.
- Dolfing, J. (2000). Energetics of anaerobic degradation pathways of chlorinated aliphatic compounds. *Microb Ecol.* 40: 2-7.
- Domanska, U. (1998). Measurement and correlation of the solubility of crown ethers in selected organic solvents. *Polish Journal of Chemistry.* 72: 925-939.
- Dombi, A; Fekete, ZA; Kiricsi, I. (2000). In situ photocatalytic reactor with FT-IR analysis for heterogeneous catalytic studies. *Appl Catal A-Gen.* 193: 5-8.
- Dong, JI; Yoon, KD. (1999). Thermal decomposition mechanism of chlorinated volatile organics at pyrolytic and oxidative conditions. *Korean J Chem Eng.* 16: 501-504.
- Dong, T; Luo, H; Wang, Y; Hu, B; Chen, H, ua. (2011). Stabilization of Fe-Pd bimetallic nanoparticles with sodium carboxymethyl cellulose for catalytic reduction of para-nitrochlorobenzene in water. *Desalination.* 271: 11-19. <http://dx.doi.org/10.1016/j.desal.2010.12.003>.
- Dong, Y; Liang, X; Krumholz, L; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environ Sci Technol.* 43: 690-697. <http://dx.doi.org/10.1021/es801917p>.
- Donlon, C; Robinson, IS; Reynolds, M; Wimmer, W; Fisher, G; Edwards, R; Nightingale, TJ. (2008). An infrared sea surface temperature autonomous radiometer (ISAR) for deployment aboard volunteer observing ships (VOS). *J Atmos Ocean Tech.* 25: 93-113. <http://dx.doi.org/10.1175/2007JTECHO505.1>.
- Donoghue, AM; Dryson, EW; Wynn-Williams, G. (1995). Contrast sensitivity in organic-solvent-induced chronic toxic encephalopathy. *J Occup Environ Med.* 37: 1357-1363.
- Dooley, PK. (1998). A comparison of liquid-filled and dry-type transformers for industrial applications. *I E E Transactions on Industry Applications.* 34: 222-226.
- Doong, R; Wu, S. (1995). SUBSTRATE EFFECTS ON THE ENHANCED BIOTRANSFORMATION OF POLYCHLORINATED HYDROCARBONS UNDER ANAEROBIC CONDITION. *Chemosphere.* 30: 1499-1511.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol.* 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chen, TF. (1996). Anaerobic degradation of 1,1,1-trichloroethane with the amendment of different substrate and microbial concentrations. *Chemosphere.* 32: 2003-2014.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol.* 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res.* 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere.* 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Water Sci Technol.* 26: 159-168.
- Doong, RA; Wu, SC. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN AQUEOUS-SOLUTIONS CONTAINING FERROUS AND SULFIDE IONS. *Chemosphere.* 24: 1063-1075.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere.* 32: 377-390.
- Dordevic, D; Cerkovnik, J; Gorenek, M. (2006). The comparison of the kinetics of hydrolysis of some reactive dyes before and after purification. *14: 85-88.*

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit.* 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Dorgerloh, U, te; Theissen, H; Becker, R; Hilbert, S; Nehls, I. (2010). Sampling and Quantification of Volatile Organohalogenes, Ethene and Methane in Groundwater. *Grundwasser.* 15: 231-239. <http://dx.doi.org/10.1007/s00767-010-0144-7>.
- Dorman, DC; McManus, BE; Parkinson, CU; Manuel, CA; McElveen, AM; Everitt, JI. (2004). Nasal Toxicity of Manganese Sulfate and Manganese Phosphate in Young Male Rats Following Subchronic (13-Week) Inhalation Exposure. *Inhal Toxicol.* 16: 481-488.
- Dorne, J; Walton, K; Renwick, A. (2001). Uncertainty factors for chemical risk assessment. human variability in the pharmacokinetics of CYP1A2 probe substrates. *Food Chem Toxicol.* 39: 681-696.
- Dorne, JLC, M; Renwick, AG. (2005). The refinement of uncertainty/safety factors in risk assessment by the incorporation of data on toxicokinetic variability in humans. *Toxicol Sci.* 86: 20-26. <http://dx.doi.org/10.1093/toxsci/kfi160>.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology.* 5: 124-127.
- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol.* 132: 746-748.
- Doskey, PV; Aldstadt, JH; Kuo, JM; Costanza, MS. (1996). Evaluation of an in situ, on-line purging system for the cone penetrometer. *J Air Waste Manag Assoc.* 46: 1081-1085.
- Doull, J; Bridges, DA; Kroes, R; Golberg, L; Munros, IC; Paynter, OE; Pitot, HC; Squire, R; Williams, G; Darby, W. (1983). A report of the International Expert Advisory Committee to the Nutrition Foundation The relevance of mouse liver hepatoma to human carcinogenic risk. Washington, DC: The Nutrition Foundation, Inc.
- Dourado, A; Marina, V; Vera, L. (2008). Occupational exposure to perchloroethylene in degrease operation of chromation process [Abstract]. *Toxicol Lett.* 180: 565. <http://dx.doi.org/10.1016/j.toxlet.2008.06.556>.
- Doust, HG; Huang, JC. (1992). THE FATE AND TRANSPORT OF HAZARDOUS CHEMICALS IN THE SUBSURFACE ENVIRONMENT. *Water Sci Technol.* 25: 169-176.
- Dowideit, P; Mertens, R; Vonsonntag, C. (1996). Non-hydrolytic decay of formyl chloride into CO and HCl in aqueous solution. *J Am Chem Soc.* 118: 11288-11292.
- Dowty, B; Carlisle, D; Laseter, JL; Storer, J. (1975). Halogenated hydrocarbons in New Orleans drinking water and blood plasma. *Science.* 187: 75-77. <http://dx.doi.org/10.1126/science.1109227>.
- Dowty, BJ; Carlisle, DR; Laseter, JL. (1975). New Orleans drinking water sources tested by gas chromatography-mass spectrometry: Occurrence and origin of aromatics and halogenated aliphatic hydrocarbons. *Environ Sci Technol.* 9: 762-765. <http://dx.doi.org/10.1021/es60106a008>.
- Draga, M; Ciucanu, I; Agotici, V; Fernandez, A; Barna, R. (2009). Quantitative evaluation of perchlorethylene in groundwater before and after its oxidation by helical solid sorbent extraction and gas chromatography. *Chemosphere.* 75: 1210-1214. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.016>.
- Drasche, H; Funk, L; Herbolzheimer, R. (1972). Storing of air samples for the analysis of contaminants, especially of chlorinated hydrocarbons. *Gefahrst Reinhalt Luft.* 32: 20-25.
- Dressler, K; Kratt, M; Voss, PA; Ebert, S; Herguth, A; Hahn, G. (2016). Influence of Al Particle Size and Firing Profile on Void Formation in Rear Local Contacts of Silicon Solar Cells. 6: 68-73. <http://dx.doi.org/10.1109/JPHOTOV.2015.2491610>.
- Dressler, K; Rauer, M; Kaloudis, M; Dauwe, S; Herguth, A; Hahn, G. (2015). Nondestructive Characterization of Voids in Rear Local Contacts of PERC-Type Solar Cells. 5: 70-76. <http://dx.doi.org/10.1109/JPHOTOV.2014.2359745>.
- Dreyer, C; Krey, G; Keller, H; Givel, F; Helftenbein, G; Wahli, W. (1992). Control of the peroxisomal beta-oxidation pathway by a novel family of nuclear hormone receptors. *Cell.* 68: 879-887. [http://dx.doi.org/10.1016/0092-8674\(92\)90031-7](http://dx.doi.org/10.1016/0092-8674(92)90031-7).
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environ Sci Technol.* 39: 8460-8465. <http://dx.doi.org/10.1021/es050251d>.
- Driver, EM; Roberts, J; Dollar, P; Charles, M; Hurst, P; Halden, RU. (2017). Comparative meta-analysis and experimental kinetic investigation of column and batch bottle microcosm treatability studies informing in situ groundwater remedial design. *J Hazard Mater.* 323: 377-385. <http://dx.doi.org/10.1016/j.jhazmat.2016.05.008>.
- Drobna, Z; Xing, W; Thomas, DJ; Styblo, M. (2006). shRNA silencing of AS3MT expression minimizes arsenic methylation capacity of HepG2 cells. *Chem Res Toxicol.* 19: 894-898. <http://dx.doi.org/10.1021/tx060076u>.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 22: 525-533. [http://dx.doi.org/10.1897/1551-5028\(2003\)022<0525:ROMCMI>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2003)022<0525:ROMCMI>2.0.CO;2).
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.078>.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 23: 252-257.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Droz, PO; Wu, MM; Cumberland, WG; Berode, M. (1989). Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. *Br J Ind Med*. 46: 447-460.
- Dryson, E; 't Mannelte, A; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). Case-control study of high risk occupations for bladder cancer in New Zealand. *Int J Cancer*. 122: 1340-1346. <http://dx.doi.org/10.1002/ijc.23194>.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environ Sci Technol*. 36: 2630-2635. <http://dx.doi.org/10.1021/es010184x>.
- D'Souza, JC; Jia, C; Mukherjee, B; Batterman, S. (2009). Ethnicity, housing and personal factors as determinants of VOC exposures. *Atmos Environ*. 43: 2884-2892. <http://dx.doi.org/10.1016/j.atmosenv.2009.03.017>.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci*. 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- Du, Y; Zhang, W, ei; Whitten, W; Li, H; Watson, DB; Xu, J, un. (2010). Membrane-Extraction Ion Mobility Spectrometry for in Situ Detection of Chlorinated Hydrocarbons in Water. *Anal Chem*. 82: 4089-4096. <http://dx.doi.org/10.1021/ac100162d>.
- Duarte, CL; Ribeiro, MA; Sato, IM; Sampa, MHD, O. (2004). Efficiency of organic compounds removal by electron-beam irradiation in presence of high metal concentration. *Radiat Phys Chem Oxf Engl* 1993. 71: 451-454. <http://dx.doi.org/10.1016/j.radphyschem.2004.04.024>.
- Dubey, SR, am; Singh, SK; Singh, RK. (2015). Local Diagonal Extrema Pattern: A New and Efficient Feature Descriptor for CT Image Retrieval. *I E E E Signal Processing Letters*. 22: 1215-1219. <http://dx.doi.org/10.1109/LSP.2015.2392623>.
- Dubey, SR, am; Singh, SK; Singh, RK. (2016). Novel local bit-plane dissimilarity pattern for computed tomography image retrieval. *Electronics Letters*. 52: 1290-1291. <http://dx.doi.org/10.1049/el.2016.1206>.
- Duboudin, C. (2009). Pollution inside the home: descriptive analyses Part I: Analysis of the statistical correlations between pollutants inside homes. *E R S*. 8: 485-496. <http://dx.doi.org/10.1684/ers.2009.0304>.
- Duboudin, C. (2010). Pollution inside the home: descriptive analyses Part II: Identification of groups of homogenous homes in terms of pollution. *E R S*. 9: 27-38. <http://dx.doi.org/10.1684/ers.2009.0318>.
- Ducom, G; Cabassud, C. (1999). Interests and limitations of nano-filtration for the removal of volatile organic compounds in drinking water production. *Desalination*. 124: 115-123.
- Ducommun, P; Boutsiadou, X; Hunkeler, D. (2013). Direct-push multilevel sampling system for unconsolidated aquifers. *Hydrogeology Journal*. 21: 1901-1908. <http://dx.doi.org/10.1007/s10040-013-1035-7>.
- Dueñas-Laita, A; Pérez-Miranda, M; González-López, MA; Martín-Escudero, JC; Ruiz-Mambrilla, M; Blanco-Varela, J. (2005). Acute arsenic poisoning. *Lancet*. 365: 1982. [http://dx.doi.org/10.1016/S0140-6736\(05\)66670-6](http://dx.doi.org/10.1016/S0140-6736(05)66670-6).
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol*. 21: 444-448.
- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environ Sci Technol*. 41: 2303-2310. <http://dx.doi.org/10.1021/es062010r>.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res*. 36: 4193-4202.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *J Environ Eng*. 124: 441-448.
- Dullweber, T; Gatz, S; Hannebauer, H; Falcon, T, om; Hesse, R; Schmidt, J, an; Brendel, R. (2012). Towards 20% efficient large-area screen-printed rear-passivated silicon solar cells. *Progress in Photovoltaics*. 20: 630-638. <http://dx.doi.org/10.1002/pip.1198>.
- Dullweber, T; Kranz, C; Beier, B; Veith, B; Schmidt, J; Roos, BFP; Hohn, O; Dippell, T; Brendel, R. (2013). Inductively coupled plasma chemical vapour deposited AlOx/SiNy layer stacks for applications in high-efficiency industrial-type silicon solar cells. *Solar Energy Materials and Solar Cells*. 112: 196-201. <http://dx.doi.org/10.1016/j.solmat.2013.01.036>.
- Dullweber, T; Kranz, C; Peibst, R; Baumann, U; Hannebauer, H; Fuelle, A; Steckemetz, S; Weber, T; Kutzer, M; Mueller, M; Fischer, G; Palinginis, P; Neuhaus, H. (2016). PERC plus : industrial PERC solar cells with rear Al grid enabling bifaciality and reduced Al paste consumption. *Progress in Photovoltaics*. 24: 1487-1498. <http://dx.doi.org/10.1002/pip.2712>.
- Dullweber, T; Schmidt, J, an. (2016). Industrial Silicon Solar Cells Applying the Passivated Emitter and Rear Cell (PERC) Concept-A Review. 6: 1366-1381. <http://dx.doi.org/10.1109/JPHOTOV.2016.2571627>.
- Dullweber, T; Wehmeier, N; Nowack, A; Brendemuehl, T; Kajari-Schroeder, S; Brendel, R. (2016). Industrial bifacial n-type silicon solar cells applying a boron co-diffused rear emitter and an aluminum rear finger grid. *Physica Status Solidi A: Applications and Materials Science (Print)*. 213: 3046-3052. <http://dx.doi.org/10.1002/pssa.201600346>.
- Dumitran, C; Ion, O; Florinel, D. (2009). Spectroscopy and Gas Chromatographic Measurements of TPH in Soil Samples Contaminated with Crude Oil. *Rev Chim*. 60: 1335-1337.
- Dumlu, A; Yalcinkaya, S; Olgac, V; Güvercin, M. (2007). Osteomyelitis due to arsenic trioxide use for tooth devitalization. *Int Endod J*. 40: 317-322. <http://dx.doi.org/10.1111/j.0143-2885.2007.01230.x>.
- Dwarakanath, V; Jackson, RE; Pope, GA. (2002). Influence of wettability on the recovery of NAPLs from alluvium. *Environ Sci Technol*. 36: 227-231. <http://dx.doi.org/10.1021/es011023w>.
- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol*. 38: 465-488.
- Dyne, D; Cocker, J; Wilson, HK. (1997). A novel device for capturing breath samples for solvent analysis. *Sci Total Environ*. 199: 83-89.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibric acid, nafenopin and LY171883. *Carcinogenesis*. 12: 1557-1561.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis*. 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eastmond, DA; Tucker, JD. (1989). Kinetochores localization in micronucleated cytokinesis-blocked Chinese hamster ovary cells: A new and rapid assay for identifying aneuploidy-inducing agents. *Mutat Res*. 224: 517-525. [http://dx.doi.org/10.1016/0165-1218\(89\)90079-7](http://dx.doi.org/10.1016/0165-1218(89)90079-7).
- Eberts, SM; Braun, C; Jones, S. (2008). Compound-specific isotope analysis: Questioning the origins of a trichloroethene plume. *Environ Forensics*. 9: 85-95. <http://dx.doi.org/10.1080/15275920801888368>.
- Ebrahim, AS; Babakrishnan, K; Sakthisekaran, D. (1996). Perchloroethylene-induced alterations in glucose metabolism and their prevention by 2-deoxy-D-glucose and vitamin E in mice. *J Appl Toxicol*. 16: 339-348. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3); [http://onlinelibrary.wiley.com/doi/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3/abstract](http://onlinelibrary.wiley.com/doi/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3/abstract).
- Edler, L; Kopp-Schneider, A. (1998). Statistical models for low dose exposure. *Mutat Res-Fundam Mol Mech Mutagen*. 405: 227-236. [http://dx.doi.org/10.1016/S0027-5107\(98\)00140-7](http://dx.doi.org/10.1016/S0027-5107(98)00140-7).
- Edmiston, PL; Underwood, LA. (2009). Absorption of dissolved organic species from water using organically modified silica that swells. *Separation and Purification Technology*. 66: 532-540. <http://dx.doi.org/10.1016/j.seppur.2009.02.001>.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci*. 22: 281-293.
- Edwards, BK; Ward, E; Kohler, BA; Ehemann, C; Zauber, AG; Anderson, RN; Jemal, A; Schymura, MJ; Lansdorp-Vogelaar, I; Seeff, LC; van Ballegooijen, M; Goede, SL; Ries, LAG. (2010). Annual report to the nation on the status of cancer, 1975-2006, featuring colorectal cancer trends and impact of interventions (risk factors, screening, and treatment) to reduce future rates. *Cancer*. 116: 544-573. <http://dx.doi.org/10.1002/cncr.24760>.
- Effmert, M. (1990). INTERACTION BETWEEN SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC AND COLLETOTRICHUM-COCCODES (WALLR) HUGHES IN WART RESISTANCE TESTING. *Potato Research*. 33: 247-250.
- Efron, B; Tibshirani, RJ. (1994). An introduction to the bootstrap. Boca Raton, FL: Chapman & Hall.
- Eger EI, II. (1963). A mathematical model of uptake and distribution. In EM Papper; RJ Kitz (Eds.), (pp. 72-87). New York, NY: McGraw-Hill Book Company, Inc.
- Ehlers, GA; D Rose, P. (2006). The potential for reductive dehalogenation of chlorinated phenol in a sulphidogenic environment in situ enhanced biodegradation. *Water SA*. 32: 243-248.
- Ehlers, GA; Rose, PD. (2006). An integrated anaerobic/aerobic bioprocess for the remediation of chlorinated phenol-contaminated soil and groundwater. *Water Environ Res*. 78: 701-709. <http://dx.doi.org/10.2175/106143006X101728>.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation*. 24: 53-59.
- Eisele, AP; Mukerjee, S; Smith, LA; Thoma, ED; Whitaker, DA; Oliver, KD; Wu, T; Colon, M; Alston, L; Cousett, TA; Miller, MC; Smith, DM; Stallings, C. (2016). Volatile organic compounds at two oil and natural gas production well pads in Colorado and Texas using passive samplers. *Journal of the Air and Waste Management Association*. 66: 412-419. <http://dx.doi.org/10.1080/10962247.2016.1141808>.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Sci Technol*. 36: 191-198. [http://dx.doi.org/10.1016/S0273-1223\(97\)00352-1](http://dx.doi.org/10.1016/S0273-1223(97)00352-1).
- Eisenbraun, EJ; Payne, KW; Bymaster, JS; Iob, A; Applett, A. (2002). Improved method for dehydrating secondary alcohols using inorganic sulfates supported on silica in refluxing octane. *Ind Eng Chem Res*. 41: 2611-2616. <http://dx.doi.org/10.1021/ie010549m>.
- Ekins, S; Murray, GI; Burke, MD; Williams, JA; Marchant, NC; Hawksworth, GM. (1995). Quantitative differences in phase I and II metabolism between rat precision-cut liver slices and isolated hepatocytes. *Drug Metab Dispos*. 23: 1274-1279.
- Ekre, R; Johnson, PC; Rittmann, BE; Krajmalnik-Brown, R. (2014). Method for Assessing Source Zone Natural Depletion at Chlorinated Aliphatic Spill Sites. *Ground Water Monitoring and Remediation*. 34: 61-71. <http://dx.doi.org/10.1111/gwmr.12049>.
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Sci Technol*. 45: 49-54.
- Elcombe, CR; Mitchell, AM. (1986). Peroxisome proliferation due to di(2-ethylhexyl) phthalate (DEHP): Species differences and possible mechanisms. *Environ Health Perspect*. 70: 211-219.
- Elcombe, CR; Rose, MS; Pratt, IS. (1985). Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: Possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol*. 79: 365-376. [http://dx.doi.org/10.1016/0041-008X\(85\)90135-8](http://dx.doi.org/10.1016/0041-008X(85)90135-8).
- Elfarra, AA; Krause, RJ. (2007). S-(1,2,2-trichlorovinyl)-L-cysteine sulfoxide, a reactive metabolite of S-(1,2,2-Trichlorovinyl)-L-cysteine formed in rat liver and kidney microsomes, is a potent nephrotoxicant. *J Pharmacol Exp Ther*. 321: 1095-1101. <http://dx.doi.org/10.1124/jpet.107.120444>.
- Elfarra, AA; Krause, RJ. (2008). Michael addition-elimination reactions: Roles in toxicity and potential new therapeutic applications. In AA Elfarra (Ed.), (pp. 57-68). New York, NY: Springer. [http://dx.doi.org/10.1007/978-0-387-77300-1\\_3](http://dx.doi.org/10.1007/978-0-387-77300-1_3).
- Eliason, P; Morose, G. (2011). Safer alternatives assessment: The Massachusetts process as a model for state governments. *J Clean Prod*. 19: 517-526. <http://dx.doi.org/10.1016/j.jclepro.2010.05.011>.
- Elmore, JD; Wong, JL; Laumbach, AD; Streips, UN. (1976). Vinyl chloride mutagenicity via the metabolites chlorooxirane and chloroacetaldehyde monomer hydrate. *Biochim Biophys Acta*. 442: 405-419. [http://dx.doi.org/10.1016/0005-2787\(76\)90314-2](http://dx.doi.org/10.1016/0005-2787(76)90314-2).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Elovaara, E; Hemminki, K; Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology*. 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research*. 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.
- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem*. 80: 4731-4740. <http://dx.doi.org/10.1021/ac702543y>.
- El-Zein, RA; Hay, MJ; Lopez, MS; Bondy, ML; Morris, DL; Legator, MS; Abdel-Rahman, SZ. (2006). Response to comments on 'Cytogenetic effects in children treated with methylphenidate' by El-Zein et al [Letter]. *Cancer Lett*. 231: 146-148. <http://dx.doi.org/10.1016/j.canlet.2005.10.007>.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage*. 57: 155-164.
- Emmert, B; Bünger, J; Keuch, K; Müller, M; Emmert, S; Hallier, E; Westphal, GA. (2006). Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent *S. typhimurium* strain YG7108pin3ERb5. *Toxicology*. 228: 66-76. <http://dx.doi.org/10.1016/j.tox.2006.08.013>.
- Emunson, BM; Ewing, JS. (1971). NEW NEMA STANDARDS FOR DC MOTORS FOR USE ON RECTIFIED POWER. IGA7: 535-&.
- Endoh, K; Kaneko, T; Sato, A. (1989). [A physiologically based pharmacokinetic model to describe the transfer of organic solvents in the human body. Simulation of kinetic behavior of trichloroethylene using a spreadsheet program]. *Sangyo Igaku*. 31: 335-341.
- Endres, AL; Greenhouse, JP. (1996). Detection and monitoring of chlorinated solvent contamination by thermal neutron logging. *Ground Water*. 34: 283-292.
- Entz, RC; Diachenko, GW. (1988). Residues of volatile halocarbons in margarines. *Food Addit Contam*. 5: 267-276. <http://dx.doi.org/10.1080/02652038809373703>.
- Environment Canada. (1993). Tetrachloroethylene. In Priority Substances List Assessment Report. Ottawa, Canada: Minister of Supply and Services Canada. <http://www.hc-sc.gc.ca/ewh-semt/pubs/contaminants/psl1-lsp1/trichloroethylene/index-eng.php>.
- EPA, U. (1997). Exposure factors handbook: Volume I - General factors. (EPA/600/P-95/002Fa). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. [http://epa-prgs.ornl.gov/radionuclides/EFH\\_Final\\_1997\\_EPA600P95002Fa.pdf](http://epa-prgs.ornl.gov/radionuclides/EFH_Final_1997_EPA600P95002Fa.pdf).
- EPA, US. (1980). Determination not to initiate a rebuttable presumption against registration (RPAR) of pesticide products containing carbaryl; availability of decision document. *Fed Reg*. 45: 81869-81876.
- Epstein, DL; Nolen, GA; Randall, JL; Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1992). Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. *Teratology*. 46: 225-235. <http://dx.doi.org/10.1002/tera.1420460306>.
- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res*. 67: 816-821.
- Eriksson, L; Watson, CC; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Lenox, M; Burbar, Z; Conti, M; Bendriem, B; Heiss, WD; Nutt, R. (2005). The ECAT HRRT: An example of NEMA scatter estimation issues for LSO-based PET systems. *IEEE Trans Nucl Sci*. 52: 90-94. <http://dx.doi.org/10.1109/TNS.2004.843139>.
- Eriksson, L; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Bruckbauer, T; Hamill, J; Mulnix, T; Vollmar, S; Bendriem, B; Heiss, WD; Nutt, R. (2002). NEMA count-rate evaluation of the first and second generation of the Ecat Exact and Ecat Exact HR family of scanners. *IEEE Trans Nucl Sci*. 49: 640-643.
- Eriksson, L; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Bruckbauer, T; Hamill, J; Schmand, M; Gremillion, T; Lenox, M; Conti, M; Bendriem, B; Heiss, WD; Nutt, R. (2002). The ECAT HRRT: NEMA NEC evaluation of the HRRT system, the new high-resolution research tomograph. *IEEE Trans Nucl Sci*. 49: 2085-2088. <http://dx.doi.org/10.1109/TNS.2002.803784>.
- Ermisch, R; Schulze, D; Schwedes, J. (1993). A NEW TYPE OF EXTRACTOR FOR BULK MATERIALS WITH POOR FLOW CHARACTERISTICS. 46: E89-E93.
- Ernst, M; Walter, D; Fell, A; Lim, B; Weber, K. (2016). Efficiency Potential of P-Type Al<sub>2</sub>O<sub>3</sub>/SiN<sub>x</sub> Passivated PERC Solar Cells With Locally Laser-Doped Rear Contacts. 6: 624-631. <http://dx.doi.org/10.1109/JPHOTOV.2016.2535353>.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the 13C/12C isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). *Acta Hydrochim Hydrobiol*. 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The C-13/C-12 and H-2/H-1 ratios of trichloroethene, tetrachloroethene and their metabolites. *Isotopes Environ Health Stud*. 34: 245-253.
- Ertl, S; Spitz, A. (2004). Low-temperature sealed tube combustion of gaseous, liquid and solid organic compounds for 13C/12C and 14C analysis. *Isotopes Environ Health Stud*. 40: 163-170. <http://dx.doi.org/10.1080/10256010410001671023>.
- Erto, A; Andreozzi, R; Lancia, A; Musmarra, D. (2010). Factors affecting the adsorption of trichloroethylene onto activated carbons. *Appl Surf Sci*. 256: 5237-5242. <http://dx.doi.org/10.1016/j.apsusc.2009.12.110>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage*. 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage*. 92: 23-30. <http://dx.doi.org/10.1016/j.jenvman.2010.07.044>.
- Erto, A; Lancia, A; Musmarra, D. (2011). A modelling analysis of PCE/TCE mixture adsorption based on Ideal Adsorbed Solution Theory. *Separation and Purification Technology*. 80: 140-147. <http://dx.doi.org/10.1016/j.seppur.2011.04.021>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Erto, A; Lancia, A; Musmarra, D. (2012). A Real Adsorbed Solution Theory model for competitive multicomponent liquid adsorption onto granular activated carbon. *Microporous and Mesoporous Materials*. 154: 45-50. <http://dx.doi.org/10.1016/j.micromeso.2011.10.041>.
- Esclapez, MD; Díez-García, MI; Sáez, V; Bonete, P; González-García, J. (2013). Electrochemical degradation of trichloroacetic acid in aqueous media: influence of the electrode material. *Environ Technol*. 34: 383-393. <http://dx.doi.org/10.1080/09593330.2012.696723>.
- Eskenazi, B; Fenster, L; Hudes, M; Wyrobek, AJ; Katz, DF; Gerson, J; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on the reproductive outcomes of wives of dry-cleaning workers. *Am J Ind Med*. 20: 593-600. <http://dx.doi.org/10.1002/ajim.4700200503>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200503/abstract>.
- Essing, HG; Schacke, G; Schaller, KH; Valentin, H. (1973). [Occupational-medical studies on the dynamics of tetrachloroethylene in the organism]. *Die Medizinische Welt*. 24: 242-244.
- Ethell, DW; Buhler, LA. (2003). Fas ligand-mediated apoptosis in degenerative disorders of the brain. *J Clin Immunol*. 23: 439-446.
- Evans, GF. (1981). Measurement of perchloroethylene in ambient air. In JC McGovern (Ed.), (pp. 71-84). Pittsburgh, PA: Air Pollution Control Association.
- Evans, GF; Baumgardner, RE; Bumgarner, JE; Finkelstein, PL; Knoll, JE; Martin, BE. (1979). Measurement of perchloroethylene in ambient air. (EPA-600/4-79-047). Research Triangle Park, NC: U.S. Environmental Protection Agency.
- Evans, GM. (1991). US-EPA SITE DEMONSTRATION OF AWD TECHNOLOGIES AQUADETOX - SVE SYSTEM. *J Air Waste Manag Assoc*. 41: 1519-1523.
- Evans, MV; Chiu, WA; Okino, MS; Caldwell, JC. (2009). Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol*. 236: 329-340. <http://dx.doi.org/10.1016/j.taap.2009.02.013>.
- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation*. 34: 65-78. <http://dx.doi.org/10.1111/gwmmr.12069>.
- Eveillard, A; Lasserre, F; de Tayrac, M; Polizzi, A; Claus, S; Canlet, C; Mselli-Lakhal, L; Gotardi, G; Paris, A; Guillou, H; Martin, PG; Pineau, T. (2009). Identification of potential mechanisms of toxicity after di-(2-ethylhexyl)-phthalate (DEHP) adult exposure in the liver using a systems biology approach. *Toxicol Appl Pharmacol*. 236: 282-292. <http://dx.doi.org/10.1016/j.taap.2009.02.008>.
- Eveillard, A; Mselli-Lakhal, L; Mogha, A; Lasserre, F; Polizzi, A; Pascussi, JM; Guillou, H; Martin, PG; Pineau, T. (2009). Di-(2-ethylhexyl)-phthalate (DEHP) activates the constitutive androstane receptor (CAR): a novel signalling pathway sensitive to phthalates. *Biochem Pharmacol*. 77: 1735-1746. <http://dx.doi.org/10.1016/j.bcp.2009.02.023>.
- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect*. 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Ewald, E; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U, te. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococcoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environ Sci Technol*. 41: 7744-7751.
- Ewing, BB; Chian, ESK; Cook, JC; Evans, CA; Hopke, PK; Perkins, EG. (1977). Monitoring to detect previously unrecognized pollutants in surface waters. (EPA560/6-77-015). Washington, DC: Office of Toxic Substances, U.S. Environmental Protection Agency.
- Fabbri, D; Bezzi, R; Torri, C; Galletti, P; Tagliavini, E. (2007). Determination of tetrachloroethylene and other volatile halogenated organic compounds in oil wastes by headspace SPME GC-MS. *Chromatographia*. 66: 377-382. <http://dx.doi.org/10.1365/s10337-007-0353-0>.
- Fabbro-Peray, P; Daures, JP; Rossi, JF. (2001). Environmental risk factors for non-Hodgkin's lymphoma: A population-based case-control study in Languedoc-Roussillon, France. *Cancer Causes Control*. 12: 201-212. <http://dx.doi.org/10.1023/A:1011274922701>.
- Fabre, F. (1978). Induced intragenic recombination in yeast can occur during the G1 mitotic phase. *Nature*. 272: 795-798.
- Fabre, F; Roman, H. (1977). Genetic evidence for inducibility of recombination competence in yeast. *Proc Natl Acad Sci USA*. 74: 1667-1671.
- Fachini, A; Vasconcelos, MTS, D. (2006). Effects of zeolites on cultures of marine micro-algae - A brief review. *Environ Sci Pollut Res Int*. 13: 414-417. <http://dx.doi.org/10.1065/espr2006.01.293>.
- Fagerlund, F; Illangasekare, TH; Niemi, A. (2007). Nonaqueous-phase liquid infiltration and immobilization in heterogeneous media: 2. Application to stochastically heterogeneous formations. *Vadose Zone Journal*. 6: 483-495. <http://dx.doi.org/10.2136/vzj2006.0172>.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol*. 131: 9-28. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.011>.
- Fagerlund, F; Niemi, A; Illangasekare, TH. (2008). Modeling of nonaqueous phase liquid (NAPL) migration in heterogeneous saturated media: Effects of hysteresis and fluid immobility in constitutive relations. *Water Resour Res*. 44: 3409-3409. <http://dx.doi.org/10.1029/2007WR005974>.
- Fahrenbrock, S; Klockow, D. (1994). A SOLID-ELECTROLYTE SENSOR AS AN ALARM DEVICE TO DETECT CHLORINATED HYDROCARBONS IN EXHAUST-GAS. *Sens Actuators B*. 19: 515-517.
- Faisal, SM; Ahmad, R; Ahmad, W; Hasnain, AU. (2006). Micronuclei induction and chromosomal aberrations in *Rattus norvegicus* by chloroacetic acid and chlorobenzene. *Ecotoxicol Environ Saf*. 65: 159-164. <http://dx.doi.org/10.1016/j.ecoenv.2006.03.002>.
- Faiz, J; Ebrahimpour, H; Pillay, P. (2004). Influence of unbalanced voltage on the steady-state performance of a three-phase squirrel-cage induction motor. *IEEE Transactions on Energy Conversion*. 19: 657-662. <http://dx.doi.org/10.1109/TEC.2004.837283>.
- Falk, HL. (1978). Biologic evidence for the existence of thresholds in chemical carcinogenesis. *Environ Health Perspect*. 22: 167-170.
- Fan, C; Tsai, M; Tsui, L. (2014). Structural characterization of bagasse-derived composites with different maturities and their solubility enhancing effect on PCE and toluene. *Chemosphere*. 105: 95-99. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.102>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ.* 407: 2165-2174. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.015>.
- Fan, L, -Q; Coley, J; Miller, RT; Cattley, RC; Corton, JC. (2003). Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators. *Biochem Pharmacol.* 65: 949-959. [http://dx.doi.org/10.1016/S0006-2952\(03\)00004-2](http://dx.doi.org/10.1016/S0006-2952(03)00004-2).
- Fang, G; Si, Y; Tian, C; Zhang, G; Zhou, D. (2012). Degradation of 2,4-D in soils by Fe<sub>3</sub>O<sub>4</sub> nanoparticles combined with stimulating indigenous microbes. *Environ Sci Pollut Res Int.* 19: 784-793. <http://dx.doi.org/10.1007/s11356-011-0597-y>.
- Fang, Y; Clapp, LW; Hozalski, RM; Novak, PJ; Semmens, MJ. (2004). Membrane gas transfer under conditions of creeping flow: modeling gas composition effects. *Water Res.* 38: 2489-2498. <http://dx.doi.org/10.1016/j.watres.2004.03.011>.
- Fang, Y; Hozalski, RM; Clapp, LW; Novak, PJ; Semmens, MJ. (2002). Passive dissolution of hydrogen gas into groundwater using hollow-fiber membranes. *Water Res.* 36: 3533-3542.
- Farhadi, K; Farajzadeh, M, irA; Matin, AA; Hashemi, P. (2009). Dispersive liquid-liquid microextraction and liquid chromatographic determination of pentachlorophenol in water. *Central European Journal of Chemistry.* 7: 369-374. <http://dx.doi.org/10.2478/s11532-009-0013-3>.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub> composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farmaki, E; Kaloudis, T; Dintitrou, K; Thanasoulas, N; Kousouris, L; Tzoumerkas, F. (2007). Validation of a FT-IR method for the determination of oils and grease in water using tetrachloroethylene as the extraction solvent. *Desalination.* 210: 52-60. <http://dx.doi.org/10.1016/j.desal.2006.05.032>.
- Farrar, D; Allen, B; Crump, K; Shipp, A. (1989). Evaluation of uncertainty in input parameters to pharmacokinetic models and the resulting uncertainty in output [Review]. *Toxicol Lett.* 49: 371-385.
- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environ Sci Technol.* 33: 1237-1243.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol.* 34: 514-521.
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environ Sci Technol.* 34: 2549-2556. <http://dx.doi.org/10.1021/es991135b>.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environ Sci Technol.* 28: 53-62.
- Fathepure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environ Sci Technol.* 28: 746-752.
- Faustman, EM; Gohlke, J; Judd, NL; Lewandowski, TA; Bartell, SA; Griffith, WC. (2005). Modeling developmental processes in animals: Applications in neurodevelopmental toxicology. *Environ Toxicol Pharmacol.* 19: 615-624. <http://dx.doi.org/10.1016/j.etap.2004.12.027>.
- FDA. (2003). Food and Drug Administration total diet study: Summary of residues found ordered by pesticide market baskets 91-3-01-4. Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005108087>.
- Feenstra, S. (2003). Spatial variability of non-aqueous phase liquid chemicals in soil - Implications for source zone mass estimates. *Environmental and Engineering Geoscience.* 9: 19-23.
- Feenstra, S. (2005). Soil sampling in NAPL source zones: Challenges to representativeness. *Environ Forensics.* 6: 57-63.
- Feijen-Jeurissen, MMR; Jorna, JJ; Nieuwenhuys, BE; Sinquin, G; Petit, C; Hindermann, JP. (1999). Mechanism of catalytic destruction of 1,2-dichloroethane and trichloroethylene over gamma-Al<sub>2</sub>O<sub>3</sub> and gamma-Al<sub>2</sub>O<sub>3</sub> supported chromium and palladium catalysts. *Catalysis Today.* 54: 65-79.
- Fekete-Kertesz, I; Molnar, M; Atkari, A; Gruiz, K; Fenyvesi, E. (2013). Hydrogen peroxide oxidation for in situ remediation of trichloroethylene - from the laboratory to the field. *Periodica Polytechnica Chemical Engineering.* 57: 41-51. <http://dx.doi.org/10.3311/PPCh.2169>.
- Feldmann, F; Bivour, M; Reichel, C; Steinkemper, H; Herm, M; Glunz, SW. (2014). Tunnel oxide passivated contacts as an alternative to partial rear contacts. *Solar Energy Materials and Solar Cells.* 131: 46-50. <http://dx.doi.org/10.1016/j.solmat.2014.06.015>.
- Felix, K; Manna, SK; Wise, K; Barr, J; Ramesh, GT. (2005). Low levels of arsenite activates nuclear factor-kB and activator protein-1 in immortalized mesencephalic cells. *J Biochem Mol Toxicol.* 19: 67-77. <http://dx.doi.org/10.1002/jbt.20062>.
- Fender, H. (1993). Chromosomenanalytische untersuchungen bei textilreinigern. In D Arndt; G Obe (Eds.), (pp. 71-76). München, Germany: MMV Verlag.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere.* 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environ Sci Technol.* 35: 1830-1839.
- Fennell, DE; Gossett, JM. (1998). Modeling the production of and competition for hydrogen in a dechlorinating culture. *Environ Sci Technol.* 32: 2450-2460.
- Fennell, DE; Gossett, JM. (1999). Comment on "Enrichment of high rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity". *Environ Sci Technol.* 33: 2681-2682.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 31: 918-926.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Fennell, DE; Nijenhuis, I; Wilson, SF; Zinder, SH; Haggblom, MM. (2004). Dehalococoides ethenogenes strain 195 reductively dechlorinates diverse chlorinated aromatic pollutants. *Environ Sci Technol.* 38: 2075-2081. <http://dx.doi.org/10.1021/es034989b>.
- Fenner, K; Scheringer, M; Hungerbühler, K. (2003). Joint persistence of transformation products in chemicals assessment: case studies and uncertainty analysis. *Risk Anal.* 23: 35-53.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Fernandez, J; Guberan, E; Caperos, J. (1976). Experimental human exposures to tetrachloroethylene vapor and elimination in breath after inhalation. *Am Ind Hyg Assoc J.* 36: 143-150. <http://dx.doi.org/10.1080/0002889768507437>.
- Fernandez-Ibanez, P; Blanco, J; Malato, S; de las Nieves, FJ. (2003). Application of the colloidal stability of TiO<sub>2</sub> particles for recovery and reuse in solar photocatalysis. *Water Res.* 37: 3180-3188. [http://dx.doi.org/10.1016/S0043-1354\(03\)00157-X](http://dx.doi.org/10.1016/S0043-1354(03)00157-X).
- Ferrand, JF; Cénée, S; Laurent-Puig, P; Lorient, MA; Trinchet, JC; Degos, F; Bronovicky, JP; Pelletier, G; Stücker, I. (2008). Hepatocellular carcinoma and occupation in men: A case-control study. *J Occup Environ Med.* 50: 212-220. <http://dx.doi.org/10.1097/JOM.0b013e31815d88e2>.
- Ferrario, F; Continenza, D; Pisani, P; Magnani, C; Merletti, F; Berrino, F. (1988). Description of a job-exposure matrix for sixteen agents which are or may be related to respiratory cancer. In C Hogstedt; C Reuterwall (Eds.), *International Congress Series* (pp. 379-382). Amsterdam, Holland: Excerpta Medica.
- Ferreira-Gonzalez, A; DeAngelo, AB; Nasim, S; Garrett, CT. (1995). Ras oncogene activation during hepatocarcinogenesis in B6C3F1 male mice by dichloroacetic and trichloroacetic acids. *Carcinogenesis.* 16: 495-500. <http://dx.doi.org/10.1093/carcin/16.3.495>.
- Ferrero, A; Poon, JK; Chaudhari, AJ; Macdonald, LR; Badawi, RD. (2011). Effect of Object Size on Scatter Fraction Estimation Methods for PET-A Computer Simulation Study. *IEEE Trans Nucl Sci.* 58: 82-86. <http://dx.doi.org/10.1109/TNS.2010.2080685>.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environ Sci Technol.* 38: 1746-1752. <http://dx.doi.org/10.1021/es0305609>.
- Fertig, F; Greulich, J; Krauss, K; Clement, F; Biro, D; Preu, R; Rein, S. (2014). The BOSCO Solar Cell: Simulation and Experiment. 4: 1243-1251. <http://dx.doi.org/10.1109/JPHOTOV.2014.2333875>.
- Fertig, F; Krauss, K; Greulich, J; Clement, F; Biro, D; Preu, R; Rein, S. (2014). The BOSCO solar cell - a both sides collecting and contacted structure. *Physica Status Solidi Rapid Research Letters.* 8: 381-384. <http://dx.doi.org/10.1002/pssr.201409143>.
- Fertig, F; Nold, S; Woehle, N; Greulich, J; Haedrich, I; Krauss, K; Mittag, M, ax; Biro, D; Rein, S; Preu, R. (2016). Economic feasibility of bifacial silicon solar cells. *Progress in Photovoltaics.* 24: 800-817. <http://dx.doi.org/10.1002/pip.2730>.
- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water.* 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation.* 25: 68-77.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol.* 46: 131-149.
- Fielding, M; Gibson, TM; James, HA. (1981). LEVELS OF TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND PARA-DICHLOROBENZENE IN GROUNDWATERS. *Environ Technol Letters.* 2: 545-550.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum.* 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)<sub>2</sub>(4-picoline)<sub>4</sub> for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem.* 70: 1268-1276.
- Finley, B; Lau, V; Paustenbach, D. (1992). Using an uncertainty analysis of direct and indirect exposure to contaminated groundwater to evaluate EPA's MCLs and health-based cleanup goals. *J Hazard Mater.* 32: 263-274. [http://dx.doi.org/10.1016/0304-3894\(92\)85096-J](http://dx.doi.org/10.1016/0304-3894(92)85096-J).
- Finley, BL; Scott, P; Paustenbach, DJ. (1993). Evaluating the adequacy of maximum contaminant levels as health-protective cleanup goals: an analysis based on Monte Carlo techniques. *Regul Toxicol Pharmacol.* 18: 438-455. <http://dx.doi.org/10.1006/rtph.1993.1069>.
- Fischer, RG; Kastler, J; Ballschmiter, K. (2000). Levels and pattern of alkyl nitrates, multifunctional alkyl nitrates, and halocarbons in the air over the Atlantic Ocean. *J Geophys Res Atmos.* 105: 14473-14494.
- Fishbein, L. (1992). Exposure from occupational versus other sources [Review]. *Scand J Work Environ Health.* 18: 5-16.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol.* 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J.* 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Fisher, JW. (1994). Estimating human health risks for trichloroethylene, a water contaminant, using physiological models. In RGM Wang (Ed.), *Environmental Science and Pollution Control Series* (pp. 393 - 406). New York: Marcel Dekker.
- Fisher, JW; Mahle, D; Abbas, R. (1998). A human physiologically based pharmacokinetic model for trichloroethylene and its metabolites, trichloroacetic acid and free trichloroethanol. *Toxicol Appl Pharmacol.* 152: 339-359. <http://dx.doi.org/10.1006/taap.1998.8486>.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol.* 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1990). Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol.* 102: 497-513.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol.* 140: 56-66. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.007>.
- Flavell, DM; Ireland, H; Stephens, JW; Hawe, E; Acharya, J; Mather, H; Hurel, SJ; Humphries, SE. (2005). Peroxisome proliferator-activated receptor alpha gene variation influences age of onset and progression of type 2 diabetes. *Diabetes.* 54: 582-586.
- Flavell, DM; Jamshidi, Y; Hawe, E; Pineda Torra, I; Taskinen, MR; Frick, MH; Nieminen, MS; Kesäniemi, YA; Pasternack, A; Staels, B; Miller, G; Humphries, SE; Talmud, PJ; Syväne, M. (2002). Peroxisome proliferator-activated receptor alpha gene variants influence progression of coronary atherosclerosis and risk of coronary artery disease. *Circulation.* 105: 1440-1445.
- Flavell, DM; Pineda, TI; Jamshidi, Y; Evans, D; Diamond, JR; Elkeles, RS; Bujac, SR; Miller, G; Talmud, PJ; Staels, B; Humphries, SE. (2000). Variation in the PPAR- $\alpha$  gene is associated with altered function in vitro and plasma lipid concentrations in Type II diabetic subjects. *Diabetologia.* 43: 673-680.
- Fleischer, K; Munnings, RS. (1996). Power systems analysis for direct current (DC) distribution systems. *I E E E Transactions on Industry Applications.* 32: 982-989.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem.* 51: 8120-8127. <http://dx.doi.org/10.1021/jf0303159>.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococcoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol.* 45: 712-718. <http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res.* 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable carbon isotope fractionation of 1,2-dichloropropane during dichloroelimination by Dehalococcoides populations. *Environ Sci Technol.* 43: 6915-6919. <http://dx.doi.org/10.1021/es900365x>.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Loeffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococcoides. *Environ Sci Technol.* 45: 2951-2957. <http://dx.doi.org/10.1021/es103728q>.
- Flocke, F; Herman, RL; Salawitch, RJ; Atlas, E; Webster, CR; Schauffler, SM; Lueb, RA; May, RD; Moyer, EJ; Rosenlof, KH; Scott, DC; Blake, DR; Bui, TP. (1999). An examination of chemistry and transport processes in the tropical lower stratosphere using observations of long-lived and short-lived compounds obtained during STRAT and POLARIS. *J Geophys Res Atmos.* 104: 26625-26642.
- Flower, DR; North, AC; Attwood, TK. (1993). Structure and sequence relationships in the lipocalins and related proteins. *Protein Sci.* 2: 753-761.
- Flynn, SJ; Löffler, FE; Tiedje, JM. (2000). Microbial community changes associated with a shift from reductive dechlorination of PCE to reductive dechlorination of cis-DCE and VC. *Environ Sci Technol.* 34: 1056-1061.
- Focazio, MJ; Kolpin, DW; Barnes, KK; Furlong, ET; Meyer, MT; Zaugg, SD; Barber, LB; Thurman, ME. (2008). A national reconnaissance for pharmaceuticals and other organic wastewater contaminants in the United States--II) untreated drinking water sources. *Sci Total Environ.* 402: 201-216. <http://dx.doi.org/10.1016/j.scitotenv.2008.02.021>.
- Fofana, I; Wasserberg, V; Borsi, H; Gockenbach, E. (2002). Preliminary investigations for the refilling of Perchloroethylene based fluid filled transformer. *I E E E Transactions on Dielectrics and Electrical Insulation.* 9: 97-103.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect.* 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.
- Forkert, PG; Birch, DW. (1989). Pulmonary toxicity of trichloroethylene in mice: covalent binding and morphological manifestations. *Drug Metab Dispos.* 17: 106-113.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Fortuny, J; de Sanjosé, S; Becker, N; Maynadié, M; Cocco, PL; Staines, A; Foretova, L; Vornanen, M; Brennan, P; Nieters, A; Alvaro, T; Boffetta, P. (2006). Statin use and risk of lymphoid neoplasms: results from the European Case-Control Study EPLYMPH. *Cancer Epidemiol Biomarkers Prev.* 15: 921-925. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0866>.
- Foucher, C; Rattier, S; Flavell, DM; Talmud, PJ; Humphries, SE; Kastelein, JJ; Ayyobi, A; Pimstone, S; Frohlich, J; Ansquer, JC; Steiner, G; investigators, D. (2004). Response to micronized fenofibrate treatment is associated with the peroxisome-proliferator-activated receptors alpha G/C intron7 polymorphism in subjects with type 2 diabetes. *Pharmacogenetics.* 14: 823-829.
- Fountain, JC; Klimek, A; Beikirch, MG; Middleton, TM. (1991). THE USE OF SURFACTANTS FOR INSITU EXTRACTION OF ORGANIC POLLUTANTS FROM A CONTAMINATED AQUIFER. *J Hazard Mater.* 28: 295-311.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, AW; Yang, X; Murlin, H; Lawlor, TE; Cifone, MA; Reno, FE. (1996). Absence of mutagenic effects of sodium dichloroacetate. *Fundam Appl Toxicol.* 32: 87-95. <http://dx.doi.org/10.1006/faat.1996.0110>.
- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Francesconi, R; Castellari, C; Comelli, F. (1999). Excess molar enthalpies and excess molar volumes of diethyl carbonate plus some n-alkoxyethanols at (298.15 and 313.15) K. *Journal of Chemical and Engineering Data.* 44: 1373-1378.
- Francisca, FM; Montoro, MA. (2015). Influence of Particle Size Distribution and Wettability on the Displacement of LNAPL in Saturated Sandy Soils. *J Environ Eng.* 141: 14091-14091. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000915](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000915).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere*. 23: 609-626.
- Frankel, DM; Johnson, CE; Pitt, HM. (1957). Preparation and properties of tetrachloroethylene oxide. *J Org Chem*. 22: 1119-1120.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: Characterization of a mutant deficient in receptor protein. *Antimicrob Agents Chemother*. 17: 151-156.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: characterization of a mutant deficient in receptor protein 10. *Antimicrob Agents Chemother*. 17.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol*. 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frazer, L. (2005). Metal attraction: An ironclad solution to arsenic contamination? *Environ Health Perspect*. 113: A398-A401.
- Fredriksson, M; Bengtsson, NO; Hardell, L; Axelson, O. (1989). Colon cancer, physical activity, and occupational exposures: A case-control study. *Cancer*. 63: 1838-1842.
- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environ Sci Technol*. 39: 8358-8368.
- Freeman, GL; Steinke, JM. (1993). Evaluation of two oximeters for use in cardiac catheterization laboratories. *Cathet Cardiovasc Diagn*. 30: 51-57.
- Freeman, SR; Drake, AL; Heilig, LF; Graber, M; McNealy, K; Schilling, LM; Dellavalle, RP. (2006). Statins, fibrates, and melanoma risk: a systematic review and meta-analysis [Review]. *J Natl Cancer Inst*. 98: 1538-1546. <http://dx.doi.org/10.1093/jnci/djj412>.
- Freeze, GA; Fountain, JC; Pope, GA; Jackson, RE. (1995). MODELING THE SURFACTANT-ENHANCED REMEDIATION OF PERCHLOROETHYLENE AT THE BORDEN TEST SITE USING THE UTCHEM COMPOSITIONAL SIMULATOR. *ACS Symp Ser Am Chem Soc*. 594: 191-200.
- Freireich, EJ; Gehan, EA; Rall, DP; Schmidt, LH; Skipper, HE. (1966). Quantitative comparison of toxicity of anticancer agents in mouse, rat, hamster, dog, monkey, and man. *J Natl Cancer Inst*. 50: 219-244.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol*. 13: 437-447.
- Freitas, JG; Barker, JF. (2013). Denatured ethanol release into gasoline residuals, Part 1: source behaviour. *J Contam Hydrol*. 148: 67-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.12.010>.
- Frenette, B; Mergler, D; Bowler, R. (1991). Contrast-sensitivity loss in a group of former microelectronics workers with normal visual acuity. *Optometry and Vision Science*. 68: 556-560.
- Frick, M; Elo, O; Haapa, K; Heinonen, O; Heinsalmi, P; Helo, P; Huttunen, J; Kaitaniemi, P; Koskinen, P; Manninen, V. (1987). Helsinki Heart Study: Primary-prevention trial with gemfibrozil in middle-aged men with dyslipidemia: Safety of treatment, changes in risk factors, and incidence of coronary heart disease. *N Engl J Med*. 317: 1237-1245. <http://dx.doi.org/10.1056/NEJM198711123172001>.
- Frick, MH; Syväne, M; Nieminen, MS; Kauma, H; Majahalme, S; Virtanen, V; Kesäniemi, YA; Pasternack, A; Taskinen, MR. (1997). Prevention of the angiographic progression of coronary and vein-graft atherosclerosis by gemfibrozil after coronary bypass surgery in men with low levels of HDL cholesterol. Lipid Coronary Angiography Trial (LOCAT) Study Group. *Circulation*. 96: 2137-2143.
- Fricke, AD; Laroe, SL; Shea, ME; Bedard, DL. (2014). Dehalococcoides mccartyi Strain JNA Dechlorinates Multiple Chlorinated Phenols Including Pentachlorophenol and Harbors at Least 19 Reductive Dehalogenase Homologous Genes. *Environ Sci Technol*. 48: 14300-14308. <http://dx.doi.org/10.1021/es503553f>.
- Friedrich, JF; Wigan, L; Unger, W; Lippitz, A; Erdmann, J; Gorsler, HV; Prescher, D; Wittrich, H. (1995). Barrier properties of plasma and chemically fluorinated polypropylene and polyethyleneterephthalate. *Surf Coating Tech*. 74-75: 910-918.
- Friedrich, JF; Wigan, L; Unger, W; Lippitz, A; Wittrich, H; Prescher, D; Erdmann, J; Gorsler, HV; Nick, L. (1995). BARRIER PROPERTIES OF PLASMA-MODIFIED POLYPROPYLENE AND POLYETHYLENETEREPHTHALATE. *J Adhes Sci Tech*. 9: 1165-1180.
- Fries, E; Püttmann, W. (2006). Improvement of HS-SPME for analysis of volatile organic compounds (VOC) in water samples by simultaneous direct fiber cooling and freezing of analyte solution. *Anal Bioanal Chem*. 386: 1497-1503. <http://dx.doi.org/10.1007/s00216-006-0715-8>.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg*. 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol*. 88: 235-248. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.001>.
- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-contaminated aquifer. *Environ Sci Technol*. 39: 5787-5795. <http://dx.doi.org/10.1021/es048322g>.
- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: laboratory experiments. *Chemosphere*. 67: 816-825. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.012>.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res*. 41: 355-364. <http://dx.doi.org/10.1016/j.watres.2006.09.026>.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol*. 88: 219-234. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.001>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Frush, DP. (2017). Meeting the Needs for Radiation Protection: Diagnostic Imaging. *Health Phys.* 112: 214-219. <http://dx.doi.org/10.1097/HP.0000000000000605>.
- Fu, X; Imhoff, PT. (2002). Mobilization of small DNAPL pools formed by capillary entrapment. *J Contam Hydrol.* 56: 137-158.
- Fujita, I; Hirohata, M; Matsuzaki, T; Ozasa, Y; Matsuoka, R. (1997). Study on waste water contaminated by tetrachloroethylene. *JTTHE.* 43: 59-63.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere.* 42: 345-350.
- Fuller, BB. (1976). Air pollution assessment of tetrachloroethylene. Fuller, BB.
- Fullerton, H; Crawford, M; Bakenne, A; Freedman, DL; Zinder, SH. (2013). Anaerobic Oxidation of Ethene Coupled to Sulfate Reduction in Microcosms and Enrichment Cultures. *Environ Sci Technol.* 47: 12374-12381. <http://dx.doi.org/10.1021/es4029765>.
- Fung, JM; Weisenstein, BP; Mack, EE; Vidumsky, JE; Ei, TA; Zinder, SH. (2009). Reductive dehalogenation of dichlorobenzenes and monochlorobenzene to benzene in microcosms. *Environ Sci Technol.* 43: 2302-2307. <http://dx.doi.org/10.1021/es802131d>.
- Fure, AD; Jawitz, JW; Annable, MD. (2006). DNAPL source depletion: linking architecture and flux response [Review]. *J Contam Hydrol.* 85: 118-140. <http://dx.doi.org/10.1016/j.jconhyd.2006.01.002>.
- Furnus, CC; Ulrich, MA; Terreros, MC; Dulout, FN. (1990). The induction of aneuploidy in cultured Chinese hamster cells by propionaldehyde and chloral hydrate. *Mutagenesis.* 5: 323-326.
- Furukawa, K. (2006). Oxygenases and dehalogenases: molecular approaches to efficient degradation of chlorinated environmental pollutants [Review]. *Biosci Biotechnol Biochem.* 70: 2335-2348. <http://dx.doi.org/10.1271/bbb.60218>.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn.* 43: 537-543.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen.* 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Futamata, H; Yoshida, N; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by Dehalococcoides-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *ISME J.* 1: 471-479. <http://dx.doi.org/10.1038/ismej.2007.42>.
- Futamura, S; Zhang, AH; Einaga, H; Kabashima, H. (2002). Involvement of catalyst materials in nonthermal plasma chemical processing of hazardous air pollutants. *Catalysis Today.* 72: 259-265.
- Futamura, S; Zhang, AH; Yamamoto, T. (1997). The dependence of nonthermal plasma behavior of VOCs on their chemical structures. *Journal of Electrostatics.* 42: 51-62.
- Gaertner, RRW; Trpeski, L; Johnson, KC. (2004). A case-control study of occupational risk factors for bladder cancer in Canada. *Cancer Causes Control.* 15: 1007-1019. <http://dx.doi.org/10.1007/s10552-004-1448-7>.
- Gaidau, C; Martinescu, T; Simion, D; Mocioiu, A, naM; Sendrea, C; Fleancu, M; Niculescu, M. (2014). Study on Dry Cleaning with Decamethylcyclopentasiloxane as Ecological Alternative for Leathers and Furskins. *Rev Chim.* 65: 411-415.
- Gaipl, US; Kuhn, A; Sheriff, A; Munoz, LE; Franz, S; Voll, RE; Kalden, JR; Herrmann, M. (2006). Clearance of apoptotic cells in human SLE [Review]. *Curr Dir Autoimmun.* 9: 173-187. <http://dx.doi.org/10.1159/000090781>.
- Gallagher, L; Ozonoff, D; Webster, T; Vieira, V; Aschengrau, A. (2006). Use of a water distribution system model to assess exposure to tetrachloroethylene-contaminated drinking water. *Epidemiology.* 17: S470-S471.
- Gallagher, L; Ozonoff, D; Webster, T; Vieira, V; Weinberg, J; Aschengrau, A. (2008). Reanalysis of the Risk of Breast Cancer and Tetrachloroethylene-Contaminated Drinking Water in Cape Cod, Massachusetts Using a Modified Exposure Assessment. *Epidemiology.* 19: S310-S311.
- Gallagher, LG; Vieira, VM; Ozonoff, D; Webster, TF; Aschengrau, A. (2011). Risk of breast cancer following exposure to tetrachloroethylene-contaminated drinking water in Cape Cod, Massachusetts: reanalysis of a case-control study using a modified exposure assessment. *Environ Health.* 10: 47. <http://dx.doi.org/10.1186/1476-069X-10-47>.
- Gallard, H; von Gunten, U; Kaiser, HP. (2003). Prediction of the disinfection and oxidation efficiency of full-scale ozone reactors. *Journal of Water Supply: Research and Technology-AQUA.* 52: 277-290.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta.* 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem.* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Gallivanone, F; Stefano, A; Grosso, E; Canevari, C; Gianolli, L; Messa, C; Gilardi, MC; Castiglioni, I. (2011). PVE Correction in PET-CT Whole-Body Oncological Studies From PVE-Affected Images. *IEEE Trans Nucl Sci.* 58: 736-747. <http://dx.doi.org/10.1109/TNS.2011.2108316>.
- Galloway, SM; Armstrong, MJ; Reuben, C; Colman, S; Brown, B; Cannon, C; Bloom, AD; Nakamura, F; Ahmed, M; Duk, S; Rimp, J; Margolin, BH; Resnick, MA; Anderson, B; Zeiger, E. (1987). Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals [Review]. *Environ Mol Mutagen.* 10: 1-175. <http://dx.doi.org/10.1002/em.2850100502>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2850100502/abstract>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am.* 60: 86-90.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B12. *Environ Sci Process Impacts.* 16: 1882-1888. <http://dx.doi.org/10.1039/c4em00040d>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol.* 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.
- Ganning, A; Brunk, U; Dallner, G. (1984). Phthalate esters and their effect on the liver [Review]. *Hepatology.* 4: 541-547.
- Ganning, AE; Brunk, U; Dallner, G. (1983). Effects of dietary di(2-ethylhexyl)phthalate on the structure and function of rat hepatocytes. *Biochim Biophys Acta.* 763: 72-82. [http://dx.doi.org/10.1016/0167-4889\(83\)90027-7](http://dx.doi.org/10.1016/0167-4889(83)90027-7).
- Ganning, AE; Brunk, U; Edlund, C; Elhammer, A; Dallner, G. (1987). Effects of prolonged administration of phthalate ester on the liver. *Environ Health Perspect.* 73: 251-258.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol.* 25: 715-722.
- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environ Sci Technol.* 43: 2943-2949. <http://dx.doi.org/10.1021/es803382z>.
- Gao, H; Blanford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water.* 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.
- Gao, JW; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res.* 31: 2479-2486.
- Gao, S; Rupp, E; Bell, S; Willinger, M; Foley, T; Barbaris, B; Saez, AE; Arnold, RG; Betterton, E. (2008). Mixed redox catalytic destruction of chlorinated solvents in soils and groundwater. *Ann N Y Acad Sci.* 1140: 435-445. <http://dx.doi.org/10.1196/annals.1454.044>.
- Gaponenko, MS; Buganov, OV; Onushchenko, AA; Hickey, SG; Malyarevich, AM; Tikhomirov, SA; Yumashev, KV. (2010). Exciton relaxation in PbS quantum dots. *Physica Status Solidi Rapid Research Letters.* 4: 341-343. <http://dx.doi.org/10.1002/pssr.201004349>.
- Garate, MP; Bejarano, A; de La Fuente, JC. (2016). Vapour pressures for 1-(butoxymethoxy)butane (dibutoxymethane) and 1,1,1,2,2,3,3,4,4-nonafluoro-4-methoxybutane (methyl nonafluorobutyl ether) over the pressure range of (15-80) kPa. *The Journal of Chemical Thermodynamics.* 101: 351-355. <http://dx.doi.org/10.1016/j.jct.2016.06.025>.
- García-Medina, NE; Jiménez-Capdeville, ME; Ciucci, M; Martínez, LM; Delgado, JM; Horn, CC. (2007). Conditioned flavor aversion and brain Fos expression following exposure to arsenic. *Toxicology.* 235: 73-82. <http://dx.doi.org/10.1016/j.tox.2007.03.009>.
- García-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *Int Biodeterior Biodegradation.* 83: 92-96. <http://dx.doi.org/10.1016/j.ibiod.2013.04.011>.
- Gardner, KH; Arias, MS. (2000). Clay swelling and formation permeability reductions induced by a nonionic surfactant. *Environ Sci Technol.* 34: 160-166.
- Gargas, ML; Burgess, RJ; Voisard, DE; Cason, GH; Andersen, ME. (1989). Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol.* 98: 87-99.
- Gariot, P; Barrat, E; Drouin, P; Genton, P; Pointel, JP; Foliguet, B; Kolopp, M; Debry, G. (1987). Morphometric study of human hepatic cell modifications induced by fenofibrate. *Metabolism.* 36: 203-210.
- Garnier, R. (2010). Perchloroethylene exposure and biological surveillance. *Arch Mal Prof Environ.* 71: 183-184. <http://dx.doi.org/10.1016/j.admp.2010.02.013>.
- Garny, V; Lecloux, A; Papp, R. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - principles and purposes. *Environ Monit Assess.* 53: 395-399.
- Garriga, R; Perez, P; Gracia, M. (2004). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with cyclohexane at nine temperatures. *Fluid Phase Equilibria.* 216: 285-292. <http://dx.doi.org/10.1016/j.fluid.2003.11.007>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with benzene at nine temperatures. *Fluid Phase Equilibria.* 227: 79-86. <http://dx.doi.org/10.1016/j.fluid.2004.02.021>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with tetrachloromethane at nine temperatures. *Fluid Phase Equilibria.* 227: 71-78. <http://dx.doi.org/10.1016/j.fluid.2004.10.025>.
- Gart, JJ. (1970). A locally most powerful test for the symmetric folded binomial distribution. *Biometrics.* 26: 129-138.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev.* 10: 1239-1248.
- Gassenbauer, Y; Ramspeck, K; Bethmann, B; Dressler, K; Moschner, JD; Fiedler, M; Brouwer, E; Droessler, R; Lenck, N; Heyer, F; Feldhaus, M; Seidl, A; Mueller, M; Metz, A. (2013). Rear-Surface Passivation Technology for Crystalline Silicon Solar Cells: A Versatile Process for Mass Production. 3: 125-130. <http://dx.doi.org/10.1109/JPHOTOV.2012.2211338>.
- Gates-Anderson, DD; Siegrist, RL; Cline, SR. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *J Environ Eng.* 127: 337-347.
- Gatz, S; Dullweber, T; Mertens, V; Einsele, F; Brendel, R. (2012). Firing stability of SiNy/SiNx stacks for the surface passivation of crystalline silicon solar cells. *Solar Energy Materials and Solar Cells.* 96: 180-185. <http://dx.doi.org/10.1016/j.solmat.2011.09.051>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech.* 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers [Review]. *J Hazard Mater.* 68: 41-71.
- Gay, BW, Jr; Hanst, PL; Bufalini, JJ; Noonan, RC. (1976). Atmospheric oxidation of chlorinated ethylenes. *Environ Sci Technol.* 10: 58-67. <http://dx.doi.org/10.1021/es60112a005>.
- Ge, B; Ludois, DC. (2016). Design Concepts for a Fluid-Filled Three-Phase Axial-Peg-Style Electrostatic Rotating Machine Utilizing Variable Elastance. *I E E E Transactions on Industry Applications.* 52: 2156-2166. <http://dx.doi.org/10.1109/TIA.2016.2517075>.
- Ge, R; Tao, L; Kramer, PM; Cunningham, ML; Pereira, MA. (2002). Effect of peroxisome proliferators on the methylation and protein level of the c-myc protooncogene in B6C3F1 mice liver. *J Biochem Mol Toxicol.* 16: 41-47. <http://dx.doi.org/10.1002/jbt.10019>.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci.* 62: 28-35.
- Ge, R; Yang, S; Kramer, PM; Tao, L; Pereira, MA. (2001). The effect of dichloroacetic acid and trichloroacetic acid on DNA methylation and cell proliferation in B6C3F1 mice. *J Biochem Mol Toxicol.* 15: 100-106. <http://dx.doi.org/10.1002/jbt.5>.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; III, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett.* 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-I](http://dx.doi.org/10.1016/0378-4274(93)90126-I).
- Gebert, K. (1971). DYEING OF POLYESTER TEXTILE FABRIC IN PERCHLOROETHYLENE BY EXHAUST PROCESS. *J Soc Dyers Colour.* 87: 509-&.
- Gehring, PJ; Watanabe, PG; Blau, GE. (1979). Risk assessment of environmental carcinogens utilizing pharmacokinetic parameters. *Ann N Y Acad Sci.* 329: 137-152. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15341.x>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering.* 21: 523-538.
- Gehring, P; Eschweiler, H; Fiedler, H. (1995). OZONE-ELECTRON BEAM TREATMENT FOR GROUNDWATER REMEDIATION. *Radiat Phys Chem Oxf Engl* 1993. 46: 1075-1078.
- Gehring, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Sci Technol.* 37: 195-201.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1986). RADIATION-CHEMICAL DEGRADATION OF TRACES OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE IN DRINKING WATER (pp. 196-203). (ISSN 0044-3727; BIOSIS/87/06691). Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). DECOMPOSITION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE IN DRINKING WATER BY A COMBINED RADIATION-OZONE TREATMENT. *Water Res.* 22: 645-646.
- Geller, AM. (2001). A table of color distance scores for quantitative scoring of the Lanthony Desaturate color vision test. *Neurotoxicol Teratol.* 23: 265-267. [http://dx.doi.org/10.1016/S0892-0362\(01\)00139-8](http://dx.doi.org/10.1016/S0892-0362(01)00139-8).
- Geller, AM; Hudnell, HK. (1997). Critical issues in the use and analysis of the Lanthony Desaturate Color Vision Test. *Neurotoxicol Teratol.* 19: 455-465.
- Gemici, U; Tarcan, G; Helvacı, C; Somay, AM. (2008). High arsenic and boron concentrations in groundwaters related to mining activity in the Bigadic borate deposits (Western Turkey). *Appl Geochem.* 23: 2462-2476. <http://dx.doi.org/10.1016/j.apgeochem.2008.02.013>.
- Gentry, PR; Covington, TR; Clewell, HJ, III. (2003). Evaluation of the potential impact of pharmacokinetic differences on tissue dosimetry in offspring during pregnancy and lactation. *Regul Toxicol Pharmacol.* 38: 1-16. [http://dx.doi.org/10.1016/S0273-2300\(03\)00047-3](http://dx.doi.org/10.1016/S0273-2300(03)00047-3).
- Gentry, PR; Covington, TR; Lawrence, G; McDonald, T; Snow, ET; Germolec, D; Moser, G; Yager, JW; Clewell III, HJ. (2005). Comparison of tissue dosimetry in the mouse following chronic exposure to arsenic compounds. *J Toxicol Environ Health A.* 68: 329-351. <http://dx.doi.org/10.1080/15287390590900813>.
- George, B; Mathews, V; Poonkuzhali, B; Shaji, RV; Srivastava, A; Chandy, M. (2004). Treatment of children with newly diagnosed acute promyelocytic leukemia with arsenic trioxide: A single center experience. *Leukemia.* 18: 1587-1590. <http://dx.doi.org/10.1038/sj.leu.2403480>.
- George, J; Byth, K; Farrell, GC. (1996). Influence of clinicopathological variables on CYP protein expression in human liver. *J Gastroenterol Hepatol.* 11: 33-39.
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist.* 15: 160.
- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol.* 28: 610-618.
- Gerbino, TC; Nadotti, S; Castello, P. (1992). Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. *J Chromatogr.* 623: 123-127.
- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water.* 45: 147-157. <http://dx.doi.org/10.1111/j.1475-6584.2006.00269.x>.
- Germolec, DR; Yang, RSH; Ackermann, MF; Rosenthal, GJ; Boorman, GA; Blair, P; Luster, MI. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: II. Immunosuppression in B6C3F1 mice. *Fundam Appl Toxicol.* 13: 377-387. [http://dx.doi.org/10.1016/0272-0590\(89\)90275-3](http://dx.doi.org/10.1016/0272-0590(89)90275-3).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Getz, KD; Janulewicz, PA; Rowe, S; Weinberg, JM; Winter, MR; Martin, BR; Vieira, VM; White, RF; Aschengrau, A. (2012). Prenatal and early childhood exposure to tetrachloroethylene and adult vision. *Environ Health Perspect.* 120: 1327-1332. <http://dx.doi.org/10.1289/ehp.1103996>.
- Geyer, CJ. (1996). *Markov Chain Monte Carlo In Practice* Estimation and optimization of functions. London: Chapman & Hall.
- Ghai, NK. (1999). Comparison of international and NEMA standards for salient pole synchronous machines. *I E E E Transactions on Energy Conversion.* 14: 8-15.
- Ghai, NK. (1999). IEC and NEMA standards for large squirrel-cage induction motors - A comparison. *I E E E Transactions on Energy Conversion.* 14: 545-552.
- Ghanem, A; Soerens, TS; Adel, MM; Thoma, GJ. (2003). Investigation of fluorescent dyes as partitioning tracers for subsurface nonaqueous phase liquid (NAPL) characterization. *J Environ Eng.* 129: 740-744. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:8\(740\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:8(740)).
- Gharaibeh, SH; Moore, SV; Buck, A. (1998). Effluent treatment of industrial wastewater using processed solid residue of olive mill products and commercial activated carbon. *J Chem Tech Biotechnol.* 71: 291-298.
- Gharanti, ME; Valstar, J; Janssen, G; Marsman, A; Hoteit, I. (2016). On the efficiency of the hybrid and the exact second-order sampling formulations of the EnKF: a reality-inspired 3-D test case for estimating biodegradation rates of chlorinated hydrocarbons at the port of Rotterdam. *Hydrol Earth Syst Sci.* 20: 4561-4583. <http://dx.doi.org/10.5194/hess-20-4561-2016>.
- Ghasemzadeh-Mohammadi, V; Mohammadi, A; Hashemi, M; Khaksar, R; Haratian, P. (2012). Microwave-assisted extraction and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for isolation and determination of polycyclic aromatic hydrocarbons in smoked fish. *J Chromatogr A.* 1237: 30-36. <http://dx.doi.org/10.1016/j.chroma.2012.02.078>.
- Ghiaci, M; Arshadi, M; Sedaghat, ME; Kalbasi, RJ; Gil, A. (2008). Adsorption of Organic Pollutants from Aqueous Solutions on Cereal Ashes. *Journal of Chemical and Engineering Data.* 53: 2707-2709. <http://dx.doi.org/10.1021/jc800532p>.
- Gholami, M; Kebria, DY; Mahmudi, M. (2014). Electrokinetic remediation of perchloroethylene-contaminated soil. *Int J Environ Sci Tech.* 11: 1433-1438. <http://dx.doi.org/10.1007/s13762-014-0555-6>.
- Ghorpade, PA; Ha, M, inGyu; Choi, W, onHo; Park, J, ooY. (2013). Combined calcium sulfoaluminate and ordinary portland cement/Fe(II) system for enhanced dechlorination of trichloroethylene. *Chem Eng J.* 231: 326-333. <http://dx.doi.org/10.1016/j.cej.2013.07.031>.
- Ghorpade, PA; Ha, M, inGyu; Park, J, ooY. (2015). Effect of different types of calcium sulfate on the reactivity of cement/Fe(II) system in dechlorination of trichloroethylene. *Desalination and Water Treatment.* 54: 1426-1435. <http://dx.doi.org/10.1080/19443994.2014.950342>.
- Ghorpade, PA; Kim, JH; Choi, W, onHo; Park, J, ooY. (2014). Reactivity of different cement minerals in presence of Fe(II) for reducing trichloroethylene. *Desalination and Water Treatment.* 52: 805-815. <http://dx.doi.org/10.1080/19443994.2013.827300>.
- Ghorpade, PA; Kim, JH; Choi, WH; Park, JY. (2014). New and effective multi-element alpha-hematite systems for reduction of trichloroethylene. *Environ Technol.* 35: 27-35. <http://dx.doi.org/10.1080/09593330.2013.805819>.
- Ghosh, J; Tick, GR. (2013). A pore scale investigation of crude oil distribution and removal from homogeneous porous media during surfactant-induced remediation. *J Contam Hydrol.* 155: 20-30. <http://dx.doi.org/10.1016/j.jconhyd.2013.09.003>.
- Ghosh, S; Litasov, K; Ohtani, E. (2014). Phase relations and melting of carbonated peridotite between 10 and 20 GPa: a proxy for alkali- and CO<sub>2</sub>-rich silicate melts in the deep mantle. *Contributions to Mineralogy and Petrology.* 167. <http://dx.doi.org/10.1007/s00410-014-0964-z>.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere.* 33: 1531-1542.
- Giaya, A; Thompson, RW; Denkewicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials.* 40: 205-218.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauning, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res.* 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem.* 13: 453-460.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp. JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation.* 30: 106-113. <http://dx.doi.org/10.1111/j1745-6592.2010.001283.x>.
- Giger, W; Molnarkubica, E. (1978). TETRACHLOROETHYLENE IN CONTAMINATED GROUND AND DRINKING WATERS. *Bull Environ Contam Toxicol.* 19: 475-480.
- Gil, A; Elmchaouri, A; El Mouzdhahir, Y; Korili, SA. (2015). Removal of Tetrachloroethylene from Aqueous Solutions by Adsorption on Clay Minerals. *AST.* 33: 355-367.
- Gilbert, KM; Whitlow, AB; Pumford, NR. (2004). Environmental contaminant and disinfection by-product trichloroacetaldehyde stimulates T cells in vitro. *Int Immunopharmacol.* 4: 25-36. <http://dx.doi.org/10.1016/j.intimp.2003.10.001>.
- Gillam, JE; Solevi, P; Oliver, JF; Casella, C; Heller, M; Joram, C; Rafecas, M. (2014). Sensitivity recovery for the AX-PET prototype using inter-crystal scattering events. *Phys Med Biol.* 59: 4065-4083. <http://dx.doi.org/10.1088/0031-9155/59/15/4065>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis.* 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res.* 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gillette, JR. (1976). Application of pharmacokinetic principles in the extrapolation of animal data to humans. *Clin Toxicol.* 9: 709-722. <http://dx.doi.org/10.3109/15563657608988176>.
- Gimmi, T; Fluhler, H; Studer, B; Rasmuson, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut.* 68: 291-305.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect.* 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Smolenski, S; Hattis, D; Guyton, KZ; Johns, DO; B, S. (2009). Genetic polymorphism in glutathione transferases (GST): Population distribution of GSTM1, T1, and P1 conjugating activity [Review]. *J Toxicol Environ Health B Crit Rev.* 12: 389-439. <http://dx.doi.org/10.1080/10937400903158375>.
- Ginsberg, GL; Foos, BP; Firestone, MP. (2005). Review and analysis of inhalation dosimetry methods for application to children's risk assessment [Review]. *J Toxicol Environ Health A.* 68: 573-615. <http://dx.doi.org/10.1080/15287390590921793>.
- Gioia, F; Alfani, G; Andreutti, S; Murena, F. (2003). Oil mobility in a saturated water-wetted bed of glass beads. *J Hazard Mater.* 97: 315-327.
- Gioia, F; Urciuolo, M. (2006). Combined effect of Bond and capillary numbers on hydrocarbon mobility in water saturated porous media. *J Hazard Mater.* 133: 218-225. <http://dx.doi.org/10.1016/j.jhazmat.2005.10.010>.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ.* 290: 231-237.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol.* 27: 177-184.
- Glinghammar, B; Skogsberg, J; Hamsten, A; Ehrenborg, E. (2003). PPARdelta activation induces COX-2 gene expression and cell proliferation in human hepatocellular carcinoma cells. *Biochem Biophys Res Commun.* 308: 361-368.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol.* 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol.* 31: 3154-3160.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos.* 106: 17831-17840.
- Glover, KC; Munakata-Marr, J; Illangasekare, TH. (2007). Biologically enhanced mass transfer of tetrachloroethene from DNAPL in source zones: experimental evaluation and influence of pool morphology. *Environ Sci Technol.* 41: 1384-1389. <http://dx.doi.org/10.1021/es060922n>.
- Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 48: 535-540. <http://dx.doi.org/10.1021/jc020065c>.
- Gobel, R; Seitz, RW; Tomellini, SA; Kraska, R; Kellner, R. (1995). INFRARED ATTENUATED TOTAL-REFLECTION SPECTROSCOPIC INVESTIGATIONS OF THE DIFFUSION BEHAVIOR OF CHLORINATED HYDROCARBONS INTO POLYMER MEMBRANES. *Vibrational Spectroscopy.* 8: 141-149.
- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res.* 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Godsy, EM; Warren, E; Paganelli, VV. (2003). The role of microbial reductive dechlorination of TCE at a phytoremediation site. *Int J Phytoremediation.* 5: 73-87. <http://dx.doi.org/10.1080/16226510390856484>.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect.* 106: 41-44.
- Gold, LS; Manley, NB; Slone, TH; Rohrbach, L; Garfinkel, GB. (2005). Supplement to the Carcinogenic Potency Database (CPDB): results of animal bioassays published in the general literature through 1997 and by the National Toxicology Program in 1997-1998. *Toxicol Sci.* 85: 747-808. <http://dx.doi.org/10.1093/toxsci/kfi161>.
- Gold, LS; Milliken, K; Stewart, P; Purdue, M; Severson, R; Seixas, N; Blair, A; Davis, S; Hartge, P; De Roos, AJ. (2010). Occupation and multiple myeloma: An occupation and industry analysis. *Am J Ind Med.* 53: 768-779. <http://dx.doi.org/10.1002/ajim.20857>.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldenhar, LM; Ruder, AM; Ewers, LM; Earnest, S; Haag, WM; Petersen, MR. (1999). Concerns of the dry-cleaning industry: A qualitative investigation of labor and management. *Am J Ind Med.* 35: 112-123.
- Goldman, JA. (1996). Connective tissue disease in people exposed to organic chemical solvents: Systemic sclerosis (scleroderma) in dry cleaning plant and aircraft industry workers. *J Clin Rheumatol.* 2: 185-190.
- Goldstein, A; Aronow, L; Kalman, SM. (1969). Principles of drug action: The basis of pharmacology. New York, NY: Harper and Row.
- Goldstein, L; Prasher, SO; Ghoshal, S. (2007). Three-dimensional visualization and quantification of non-aqueous phase liquid volumes in natural porous media using a medical X-ray Computed Tomography scanner. *J Contam Hydrol.* 93: 96-110. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.013>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ.* 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gong, AK. (1995). Near-patient measurements of methemoglobin, oxygen saturation, and total hemoglobin: Evaluation of a new instrument for adult and neonatal intensive care. *Crit Care Med.* 23: 193-201.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Gonikberg, MG; Zhulin, VM; Butuzov, VP. (1956). Thermal reactions of tetrachloroethylene at superhigh pressures. *Russian Chemical Bulletin*. 5: 739-741.
- Gonullu, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res*. 30: 649-653.
- Gonzalez, AJ; Aguilar, A; Conde, P; Hernandez, L; Moliner, L; Vidal, LF; Sanchez, F; Sanchez, S; Correcher, C; Molinos, C; Barbera, J; Lankes, K; Junge, S; Bruckbauer, T; Bruyndonckx, P; Benloch, JM. (2016). A PET Design Based on SiPM and Monolithic LYSO Crystals: Performance Evaluation. *IEEE Trans Nucl Sci*. 63: 2471-2477. <http://dx.doi.org/10.1109/TNS.2016.2522179>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO<sub>2</sub>-Washcoated Minimonoliths. *Ind Eng Chem Res*. 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- González, CA; López-Abente, G; Errezola, M; Escolar, A; Riboli, E; Izarzugaza, I; Nebot, M. (1989). Occupation and bladder cancer in Spain: A multi-centre case-control study. *Int J Epidemiol*. 18: 569-577. <http://dx.doi.org/10.1093/ije/18.3.569>.
- Gonzalez, CA; Montes de Correa, C. (2010). Catalytic Hydrodechlorination of Tetrachloroethylene over Pd/TiO<sub>2</sub> Minimonoliths. *Ind Eng Chem Res*. 49: 490-497. <http://dx.doi.org/10.1021/ie901027y>.
- Gonzalez, JC; Griffis, DP; Miao, TT; Russell, PE. (2001). Chemically enhanced focused ion beam micromachining of copper. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 19: 2539-2542.
- Gonzalez, MC; Le Roux, GC; Rosso, JA; Braun, AM. (2007). Mineralization of CCl<sub>4</sub> by the UVC-photolysis of hydrogen peroxide in the presence of methanol. *Chemosphere*. 69: 1238-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.076>.
- Gonzalez Sanchez, CA; Maya Patino, CO; de Correa, CM. (2008). Catalytic hydrodechlorination of dichloromethane in the presence of traces of chloroform and tetrachloroethylene. *Catalysis Today*. 133: 520-525. <http://dx.doi.org/10.1016/j.cattod.2007.12.024>.
- Gonzalez-Velasco, JR; Aranzabal, A; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gutierrez-Ortiz, MA. (1998). Activity and product distribution of alumina supported platinum and palladium catalysts in the gas-phase oxidative decomposition of chlorinated hydrocarbons. *Appl Catal B-Environ*. 19: 189-197.
- Gonzalez-Velasco, JR; Aranzabal, A; Lopez-Fonseca, R; Ferret, R; Gonzalez-Marcos, JA. (2000). Enhancement of the catalytic oxidation of hydrogen-lean chlorinated VOCs in the presence of hydrogen-supplying compounds. *Appl Catal B-Environ*. 24: 33-43.
- Gonzalez-Velasco, JR; Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Steltenpohl, P. (2000). Evaluation of H-type zeolites in the destructive oxidation of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 24: 233-242.
- Goody, DC; Bloomfield, JP; Harrold, G; Leharne, SA. (2002). Towards a better understanding of tetrachloroethene entry pressure in the matrix of Permo-Triassic sandstones. *J Contam Hydrol*. 59: 247-265.
- Goodman, DG; Ward, JM; Squire, RA; Chu, KC; Linhart, MS. (1979). Neoplastic and nonneoplastic lesions in aging F344 rats. *Toxicol Appl Pharmacol*. 48: 237-248. [http://dx.doi.org/10.1016/0041-008X\(79\)90029-2](http://dx.doi.org/10.1016/0041-008X(79)90029-2).
- Goodman, G; Wilson, R. (1991). Quantitative prediction of human cancer risk from rodent carcinogenic potencies: a closer look at the epidemiological evidence for some chemicals not definitively carcinogenic in humans. *Regul Toxicol Pharmacol*. 14: 118-146.
- Goodman, LS; Gilman, A; Gilman, AG. (1990). Goodman and Gilman's the pharmacological basis of therapeutics. In LS Goodman; A Gilman; AG Gilman (Eds.), (8th ed.). New York, NY: Pergamon Press.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation*. 27: 65-74.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology*. 1: 277-284.
- Gorginpour, H; Oraee, H; Abdi, E. (2014). Calculation of Core and Stray Load Losses in Brushless Doubly Fed Induction Generators. *I E E E Transactions on Industrial Electronics*. 61: 3167-3177. <http://dx.doi.org/10.1109/TIE.2013.2279357>.
- Gorzka, Z; Paryjczak, T; Zarczynski, A; Kazmierczak, M; Michniewicz, M. (2003). Dioxins in thermo-catalyzed oxidates of selected organochlorine compounds. *Przemysł Chemiczny*. 82: 1020-1022.
- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). *Acute poisoning Clinical toxicology of commercial products (4 ed.)*. Baltimore, MD: Williams & Wilkins.
- Gossett, JM. (1987). Measurement of Henry's law constants for C1 and C2 chlorinated hydrocarbons. *Environ Sci Technol*. 21: 202-208. <http://dx.doi.org/10.1021/es00156a012>.
- Gotpagar, J; Grulke, E; Tsang, T; Bhattacharyya, D. (1997). Reductive dehalogenation of trichloroethylene using zero-valent iron. *Environmental Progress*. 16: 137-143.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir*. 15: 8412-8420.
- Gotpagar, JK; Grulke, EA; Bhattacharyya, D. (1998). Reductive dehalogenation of trichloroethylene: Kinetic models and experimental verification. *J Hazard Mater*. 62: 243-264.
- Goud, BB; Venkatesu, P; Rao, MVP. (1995). EXCESS VOLUMES OF 1,1,2,2-TETRACHLOROETHANE OR TETRACHLOROETHENE PLUS 2-CHLOROTOLUENE, PLUS 3-CHLOROTOLUENE, AND PLUS 4-CHLOROTOLUENE AT 303.15 AND 313.15 K. *Journal of Chemical and Engineering Data*. 40: 1211-1213.
- Gourley, M; Miller, FW. (2007). Mechanisms of disease: Environmental factors in the pathogenesis of rheumatic disease. *Nat Clin Pract Rheumatol*. 3: 172-180. <http://dx.doi.org/10.1038/ncprheum0435>.
- Goyal, A; Singh, M. (2007). Densities, viscosities and thermodynamic excess properties of ternary liquid mixtures of aniline plus acetone plus (benzene or plus toluene or plus carbon tetrachloride or plus 1,4-dioxane) and their constituent binaries at 298.15 K. *J Indian Chem Soc*. 84: 250-255.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Graber, ER; Laor, Y; Ronen, D. (2008). Aquifer contamination by chlorinated-VOCs: the case of an urban metropolis megasite overlying the Coastal Plain aquifer in Israel. *Hydrogeology Journal*. 16: 1615-1623. <http://dx.doi.org/10.1007/s10040-008-0366-2>.
- Graedel, TE. (1978). Bell Laboratories to H B Singh [Personal Communication].
- Graham, G; Patry, M. (1992). HAZARDOUS-WASTE MINIMIZATION AT TINKER AFB. *Plat Surf Finish*. 79: 28-29.
- Graham, MJ; Wilson, SA; Winham, MA; Spencer, AJ; Rees, JA; Old, SL; Bonner, FW. (1994). Lack of peroxisome proliferation in marmoset liver following treatment with ciprofibrate for 3 years. *Fundam Appl Toxicol*. 22: 58-64.
- Grandjean, P; Landrigan, PJ. (2006). Developmental neurotoxicity of industrial chemicals [Review]. *Lancet*. 368: 2167-2178. [http://dx.doi.org/10.1016/S0140-6736\(06\)69665-7](http://dx.doi.org/10.1016/S0140-6736(06)69665-7).
- Grant, GP; Gerhard, JI; Kueper, BH. (2007). Field scale impacts of spatially correlated relative permeability in heterogeneous multiphase systems. *Advances in Water Resources*. 30: 1144-1159. <http://dx.doi.org/10.1016/j.advwatres.2006.10.005>.
- Grant, WF. (1998). Higher plant assays for the detection of genotoxicity in air polluted environments. *Ecosys Health*. 4: 210-229. <http://dx.doi.org/10.1046/j.1526-0992.1998.98097.x>.
- Grant, WF; Owens, ET. (1998). Chromosome aberration assays in *Crepis* for the study of environmental mutagens. *Mutat Res*. 410: 291-307. [http://dx.doi.org/10.1016/S1383-5742\(98\)00004-0](http://dx.doi.org/10.1016/S1383-5742(98)00004-0).
- Gras, R; Shellie, RA; Cortes, H; Luong, J. (2013). Multidimensional Gas Chromatography using Planar Microfluidic Devices for the Characterization of Chlorinated Degreasers in Marine Gas Oil. 26: 450-454.
- Grasl-Kraupp, B; Huber, W; Schulte-Hermann, R. (1993). Are peroxisome proliferators tumour promoters in rat liver? In G Gibson; B Lake (Eds.), (pp. 667-693). London, England, UK: Taylor and Francis.
- Graton, J; Berthelot, M; Besseau, F; Laurence, C. (2005). An enthalpic scale of hydrogen-bond basicity. 3. Ammonia, primary, secondary, and tertiary amines. *J Org Chem*. 70: 7892-7901. <http://dx.doi.org/10.1021/jo050535g>.
- Graton, J; Berthelot, M; Laurence, C. (2001). Hydrogen-bond basicity pK(HB) scale of secondary amines. 2130-2135. <http://dx.doi.org/10.1039/b105082f>.
- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis*. 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Gray, TJ; Beaman, JA; Lake, BG; Foster, JR; Gangolli, SD. (1982). Peroxisome proliferation in cultured rat hepatocytes produced by clofibrate and phthalate ester metabolites. *Toxicol Lett*. 10: 273-279. [http://dx.doi.org/10.1016/0378-4274\(82\)90087-X](http://dx.doi.org/10.1016/0378-4274(82)90087-X).
- Gray, TJ; Lake, BG; Beaman, JA; Foster, JR; Gangolli, SD. (1983). Peroxisome proliferation in primary cultures of rat hepatocytes. *Toxicol Appl Pharmacol*. 67: 15-25.
- Gray, TJB; Lake, BG; Beaman, JA; Foster, JR; Gangolli, SD. (1983). Peroxisomal effects of phthalate esters in primary cultures of rat hepatocytes. *Toxicology*. 28: 167-179. [http://dx.doi.org/10.1016/0300-483X\(83\)90115-4](http://dx.doi.org/10.1016/0300-483X(83)90115-4).
- Green, MA. (2015). The Passivated Emitter and Rear Cell (PERC): From conception to mass production. *Solar Energy Materials and Solar Cells*. 143: 190-197. <http://dx.doi.org/10.1016/j.solmat.2015.06.055>.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GA. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *J Toxicol Environ Health A*. 63: 145-157. <http://dx.doi.org/10.1080/15287390151126487>.
- Green, T; Dow, J; Ellis, MK; Foster, JR; Odum, J. (1997). The role of glutathione conjugation in the development of kidney tumours in rats exposed to trichloroethylene. *Chem Biol Interact*. 105: 99-117.
- Green, T; Mainwaring, GW; Foster, JR. (1997). Trichloroethylene-induced mouse lung tumors: Studies of the mode of action and comparisons between species. *Fundam Appl Toxicol*. 37: 125-130. <http://dx.doi.org/10.1006/faat.1997.2312>.
- Greene, R. (2001). NEMA releases new standard. *Chemical Engineering Progress*. 97: 16-16.
- Gregory, KB; Mason, MG; Picken, HD; Weathers, LJ; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci*. 17: 169-181.
- Gregory, R; Partridge, M; Flower, MA. (2006). Performance evaluation of the Philips "Gemini" PET/CT system. *IEEE Trans Nucl Sci*. 53: 93-101. <http://dx.doi.org/10.1109/TNS.2005.862968>.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol*. 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Gressler May, L; Kelly, J. R.; Bottino, MA; Hill, T. (2015). Influence of the resin cement thickness on the fatigue failure loads of CAD/CAM feldspathic crowns. *Dent Mater*. 31: 895-900. <http://dx.doi.org/10.1016/j.dental.2015.04.019>.
- Griffin, BM; Tiedje, JM. (2007). Microbial reductive dehalogenation in Antarctic melt pond sediments. *Antarct Sci*. 19: 411-416. <http://dx.doi.org/10.1017/S0954102007000570>.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environ Sci Technol*. 38: 4300-4303. <http://dx.doi.org/10.1021/es035439g>.
- Griffin, JM; Blossom, SJ; Jackson, SK; Gilbert, KM; Pumford, NR. (2000). Trichloroethylene accelerates an autoimmune response by Th1 T cell activation in MRL +/- mice. *Immunopharmacology*. 46: 123-137. [http://dx.doi.org/10.1016/S0162-3109\(99\)00164-2](http://dx.doi.org/10.1016/S0162-3109(99)00164-2).
- Griffin, JM; Gilbert, KM; Lamps, LW; Pumford, NR. (2000). CD4+ T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL +/- mice. *Toxicol Sci*. 57: 345-352.
- Griffin, JM; Gilbert, KM; Pumford, NR. (2000). Inhibition of CYP2E1 reverses CD4+ T-cell alterations in trichloroethylene-treated MRL +/- mice. *Toxicol Sci*. 54: 384-389.
- Griffiths, BS; Bonkowski, M; Dobson, G; Caul, S. (1999). Changes in soil microbial community structure in the presence of microbial-feeding nematodes and protozoa. *Pedobiologia*. 43: 297-304.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Griggs, M; Hartzo, GD. (2006). Overload for ASD applications - How much is required? I E E E Transactions on Industry Applications. 42: 890-899. <http://dx.doi.org/10.1109/TIA.2006.876084>.
- Grimm, RE; Olhoeft, GR; Mckinley, K; Rossabi, J; Riha, B. (2005). Nonlinear complex-resistivity survey for DNAPL at the Savannah River site A-014 outfall. J Environ Eng Geophys. 10: 351-364.
- Grimsrud, EP; Rasmussen, RA. (1975). Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. Atmos Environ. 9: 1014-1017. [http://dx.doi.org/10.1016/0004-6981\(75\)90022-0](http://dx.doi.org/10.1016/0004-6981(75)90022-0).
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOs) adsorption. Korean J Chem Eng. 20: 950-955.
- Grivennikov, SI; Greten, FR; Karin, M. (2010). Immunity, inflammation, and cancer. Cell. 140: 883-899. <http://dx.doi.org/10.1016/j.cell.2010.01.025>.
- Grobin, AC; Matthews, DB; Devaud, LL; Morrow, AL. (1998). The role of GABA(A) receptors in the acute and chronic effects of ethanol [Review]. Psychopharmacology. 139: 2-19.
- Grosjean, D; Williams, EL. (1992). PHOTOCHEMICAL POLLUTION AT 2 SOUTHERN CALIFORNIA SMOG RECEPTOR-SITES. J Air Waste Manag Assoc. 42: 805-809.
- Grosse, Y; Baan, R; Secretan-Lauby, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Guha, N; Islami, F; Galichet, L; Straif, K. (2011). Carcinogenicity of chemicals in industrial and consumer products, food contaminants and flavourings, and water chlorination byproducts. Lancet Oncol. 12: 328-329. [http://dx.doi.org/10.1016/S1470-2045\(11\)70088-2](http://dx.doi.org/10.1016/S1470-2045(11)70088-2).
- Groster, A; Chan, WW; Edwards, EA. (2009). 1,1,1-trichloroethane and 1,1-dichloroethane reductive dechlorination kinetics and co-contaminant effects in a Dehalobacter-containing mixed culture. Environ Sci Technol. 43: 6799-6807. <http://dx.doi.org/10.1021/es901038x>.
- Grotus, N; Reader, AJ; Stute, S; Rosenwald, JC; Giraud, P; Buvat, I. (2009). Fully 4D list-mode reconstruction applied to respiratory-gated PET scans. Phys Med Biol. 54: 1705-1721. <http://dx.doi.org/10.1088/0031-9155/54/6/020>.
- Groves, WA; Achutan, C. (2004). Laboratory and field evaluation of a SAW microsensor array for measuring perchloroethylene in breath. J Occup Environ Hyg. 1: 779-788. <http://dx.doi.org/10.1080/15459620490885626>.
- Groves, WA; Grey, AB; O'Shaughnessy, PT. (2006). Surface acoustic wave (SAW) microsensor array for measuring VOCs in drinking water. J Environ Monit. 8: 932-941. <http://dx.doi.org/10.1039/b608358g>.
- Groves, WA; Zellers, ET. (1996). Investigation of Organic Vapor Losses to Condensed Water Vapor in Tedlar Bags Used for Exhaled-Breath Sampling. Am Ind Hyg Assoc J. 57: 257-263.
- Groves, WA; Zellers, ET. (1996). Prototype Instrument Employing a Microsensor Array for the Analysis of Organic Vapors in Exhaled Breath. Am Ind Hyg Assoc J. 57: 1103-1108.
- Grzechulska-Damszel, J; Grzeskowiak, M; Przepiorski, J; Morawski, AW. (2014). Photocatalytic Decomposition of low-concentrated Trichloroethylene and Tetrachloroethylene in Water. International Journal of Environmental Research. 8: 347-352.
- Gu, AZ; Stensel, HD; Pietari, JMH; Strand, SE. (2003). Vinyl bromide as a surrogate for determining vinyl chloride reductive dechlorination potential. Environ Sci Technol. 37: 4410-4416. <http://dx.doi.org/10.1021/es0207899>.
- Gu, BH; West, OR; Siegrist, RL. (1995). USING C-14-LABELED RADIOCHEMICALS CAN CAUSE EXPERIMENTAL ERROR IN STUDIES OF THE BEHAVIOR OF VOLATILE ORGANIC-COMPOUNDS. Environ Sci Technol. 29: 1210-1214.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. Chem Eng J. 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Lin, K; Liu, Y; Luo, Q. (2012). Comparison of Photodegradation Performance of 1,1,1-Trichloroethane in Aqueous Solution with the Addition of H2O2 or S2O82- Oxidants. Ind Eng Chem Res. 51: 7196-7204. <http://dx.doi.org/10.1021/ie202769d>.
- Gu, Z; Bao, Q; Taschereau, R; Wang, H; Bai, B; Chatziioannou, AF. (2014). Optimization of the Energy Window for PETbox4, a Preclinical PET Tomograph With a Small Inner Diameter. IEEE Trans Nucl Sci. 61: 1164-1173. <http://dx.doi.org/10.1109/TNS.2014.2321326>.
- Gu, Z; Prout, DL; Taschereau, R; Bai, B; Chatziioannou, AF. (2016). A New Pulse Pileup Rejection Method Based on Position Shift Identification. IEEE Trans Nucl Sci. 63: 22-29. <http://dx.doi.org/10.1109/TNS.2015.2495169>.
- Gu, Z; Taschereau, R; Vu, NT; Wang, H; Prout, DL; Silverman, RW; Bai, B; Stout, DB; Phelps, ME; Chatziioannou, AF. (2013). NEMA NU-4 performance evaluation of PETbox4, a high sensitivity dedicated PET preclinical tomograph. Phys Med Biol. 58: 3791-3814. <http://dx.doi.org/10.1088/0031-9155/58/11/3791>.
- Gu, ZW; Sele, B; Chmara, D; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Faure, J. Effects of trichloroethylene and its metabolites on the rate of sister-chromatidexchange in vivo and in vitro study on the human lymphocytes.
- Gu, ZW; Sele, B; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Chmara, D; Faure, J. (1981). Induction d'échanges entre les chromatides soeurs (SCE) par le trichloroéthylène et ses métabolites. Toxicol Eur Res. 3: 63-67.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in Aspergillus nidulans. Mutat Res-Fundam Mol Mech Mutagen. 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, X; Liu, F, ei; Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. Environ Geochem Health. 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.
- Guay, D; Divigalpitiya, WMR; Belanger, D; Feng, XH. (1994). CHEMICAL BONDING IN RESTACKED SINGLE-LAYER MOS(2) BY X-RAY-ABSORPTION SPECTROSCOPY. Chem Mater. 6: 614-619.
- Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2004). Remediation of NAPL below the water table by steam-induced heat conduction. J Contam Hydrol. 72: 207-225. <http://dx.doi.org/10.1016/j.jconhyd.2003.11.001>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Guengerich, FP; Macdonald, TL. (1984). Chemical mechanisms of catalysis by cytochrome P450: a unified view. *Acc Chem Res.* 17: 9-16.
- Gu erin, B; Fakhri, GE. (2008). Realistic PET Monte Carlo Simulation With Pixelated Block Detectors, Light Sharing, Random Coincidences and Dead-Time Modeling. *IEEE Trans Nucl Sci.* 55: 942-952. <http://dx.doi.org/10.1109/TNS.2008.924064>.
- Guigard, SE; Stiver, WH; Zytner, RG. (1996). Retention capacities of immiscible chemicals in unsaturated soils. *Water Air Soil Pollut.* 89: 277-289.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water.* 43: 70-86.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ.* 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Castel, B. (2015). Workplace Nitrous Oxide Sampling: Alternative Adsorbents. *Ind Eng Chem Res.* 54: 7760-7765. <http://dx.doi.org/10.1021/acs.iecr.5b00832>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Adsorption of tetrachloroethylene on cationic X and Y zeolites: Influence of cation nature and of water vapor. *Ind Eng Chem Res.* 46: 4614-4620. <http://dx.doi.org/10.1021/ie0616390>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen.* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2008). Adsorption of tetrachloroethylene (PCE) in gas phase on zeolites of faujasite type: Influence of water vapour and of Si/Al ratio. *Microporous and Mesoporous Materials.* 111: 334-342. <http://dx.doi.org/10.1016/j.micromeso.2007.08.035>.
- Guiot, SR; Cimpoia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environ Sci Technol.* 42: 3011-3017. <http://dx.doi.org/10.1021/es702121u>.
- Guiot, SR; Kuhn, R; L evesque, MJ; Cimpoia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water Sci Technol.* 55: 465-471. <http://dx.doi.org/10.2166/wst.2007.292>.
- Guittonneau, S; Glaze, WH; Duguet, JP; Wable, O; Mallevialle, J. (1992). CHARACTERIZATION OF NATURAL-WATER FOR POTENTIAL TO OXIDIZE ORGANIC POLLUTANTS WITH OZONE. *Ozone: Science and Engineering.* 14: 185-196.
- Guo, D; Sarkar, J; Suino-Powell, K; Xu, Y; Matsumoto, K; Jia, Y; Yu, S; Khare, S; Haldar, K; Rao, MS; Foreman, JE; Monga, SP; Peters, JM; Xu, HE; Reddy, JK. (2007). Induction of nuclear translocation of constitutive androstane receptor by peroxisome proliferator-activated receptor alpha synthetic ligands in mouse liver. *J Biol Chem.* 282: 36766-36776. <http://dx.doi.org/10.1074/jbc.M707183200>.
- Guo, H; Ding, AJ; Wang, T; Simpson, IJ; Blake, DR; Barletta, B; Meinardi, S; Rowland, FS; Saunders, SM; Fu, TM; Hung, WT; Li, YS. (2009). Source origins, modeled profiles, and apportionments of halogenated hydrocarbons in the greater Pearl River Delta region, southern China. *J Geophys Res Atmos.* 114. <http://dx.doi.org/10.1029/2008JD011448>.
- Guo, H; Lee, SC; Louie, PK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere.* 57: 1363-1372. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.055>.
- Guo, H; Zhao, X. (2008). Preparation of microcapsules with narrow-size distribution by complex coacervation: Effect of sodium dodecyl sulphate concentration and agitation rate. *J Microencapsul.* 25: 221-227. <http://dx.doi.org/10.1080/02652040701861828>.
- Guo, HL; Zhao, XP. (2004). Preparation of a kind of red encapsulated electrophoretic ink. *Optical Materials.* 26: 297-300. <http://dx.doi.org/10.1016/j.optmat.2004.01.010>.
- Guo, HL; Zhao, XP; Wang, JP. (2005). The relation between narrow-dispersed microcapsules and surfactants. *J Microencapsul.* 22: 853-862. <http://dx.doi.org/10.1080/02652040500175198>.
- Guo, ZS; Tichenor, BA; Mason, MA; Plunket, CM. (1990). The temperature dependence of the emission of perchloroethylene from dry cleaned fabrics. *Environ Res.* 52: 107-115.
- Gupta, DK; Mohanty, KK. (2001). A laboratory study of surfactant flushing of DNAPL in the presence of macroemulsion. *Environ Sci Technol.* 35: 2836-2843. <http://dx.doi.org/10.1021/es001496n>.
- Gupta, H; Tanaka, S. (1995). PHOTOCATALYTIC MINERALISATION OF PERCHLOROETHYLENE USING TITANIUM DIOXIDE. *Water Sci Technol.* 31: 47-54.
- Gupta, ML; Cicerone, RJ; Blake, DR; Rowland, FS; Isaksen, ISA. (1998). Global atmospheric distributions and source strengths of light hydrocarbons and tetrachloroethene. *J Geophys Res Atmos.* 103: 28219-28235.
- Gupta, S; Seagren, EA. (2005). Comparison of bioenhancement of nonaqueous phase liquid pool dissolution with first- and zero-order biokinetics. *J Environ Eng.* 131: 165-169. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:1\(165\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:1(165)).
- Gurtler, R; Moller, U; Sommer, S; Muller, H; Kleinermanns, K. (1994). PHOTOOXIDATION OF EXHAUST POLLUTANTS .3. PHOTOOXIDATION OF THE CHLOROETHENES - DEGRADATION EFFICIENCIES, QUANTUM YIELDS AND PRODUCTS. *Chemosphere.* 29: 1671-1682.
- Guth, DJ. (1994). Comparison of quantitative exposure-response models: application to risk assessment of acute exposure to toluene or tetrachloroethylene [Abstract]. *Toxicologist.* 14: 400.
- Guth, DJ; Carroll, RJ; Simpson, DG; Zhou, H. (1997). Categorical regression analysis of acute exposure to tetrachloroethylene. *Risk Anal.* 17: 321-332.
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2004). Combustion of aliphatic C-2 chlorohydrocarbons over ceria-zirconia mixed oxides catalysts. *Appl Catal A-Gen.* 269: 147-155. <http://dx.doi.org/10.1016/j.apcata.2004.04.014>.
- Guvanis, A; Koc, A. (2015). Optimising delineation accuracy of tumours in PET for radiotherapy planning using blind deconvolution. *Radiat Prot Dosimetry.* 165: 495-498. <http://dx.doi.org/10.1093/rpd/ncv110>.
- Guyton, KZ; Chiu, WA; Bateson, TF; Jinot, J; Scott, CS; Brown, RC; Caldwell, JC. (2009). A reexamination of the PPAR-alpha activation mode of action as a basis for assessing human cancer risks of environmental contaminants [Review]. *Environ Health Perspect.* 117: 1664-1672. <http://dx.doi.org/10.1289/ehp.0900758>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Guyton, KZ; Hogan, KA; Scott, CS; Cooper, GS; Bale, AS; Kopylev, L; Barone, S; Makris, SL; Glenn, B; Subramaniam, RP; Gwinn, MR; Dzubow, RC; Chiu, WA. (2014). Human health effects of tetrachloroethylene: key findings and scientific issues. *Environ Health Perspect.* 122: 325-334. <http://dx.doi.org/10.1289/ehp.1307359>.
- Guyton, KZ; Liu, Y; Gorospe, M; Xu, Q; Holbrook, NJ. (1996). Activation of mitogen-activated protein kinase by H<sub>2</sub>O<sub>2</sub>. Role in cell survival following oxidant injury. *J Biol Chem.* 271: 4138-4142.
- Guyton, KZ; Xu, Q; Holbrook, NJ. (1996). Induction of the mammalian stress response gene GADD153 by oxidative stress: Role of AP-1 element. *Biochem J.* 314: 547-554.
- Guzelian, PS; Henry, CJ; Farland, WH; Olin, SS. (1992). Developmental toxicants risk assessment [Letter]. *Pediatrics.* 89: 353.
- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Gyftakis, KN; Kappatou, J; Safacas, AN. (2010). Study of Asynchronous Motors with Asymmetrical Rotor Slots Under FEM Steady-State Analysis. *International Review of Electrical Engineering.* 5: 2601-2609.
- Ha, JH; Seagren, EA; Song, X, in. (2014). Oxygen Transport across the Capillary Fringe in LNAPL Pool-Source Zones. *J Environ Eng.* 140: 14040-14040. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000866](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000866).
- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Int J Phytoremediation.* 10: 555-575.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta.* 63: 3429-3441.
- Hack, CE; Chiu, WA; Jay Zhao, Q; Clewell, HJ. (2006). Bayesian population analysis of a harmonized physiologically based pharmacokinetic model of trichloroethylene and its metabolites. *Regul Toxicol Pharmacol.* 46: 63-83. <http://dx.doi.org/10.1016/j.yrtph.2006.05.012>.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A.* 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddad, S; Withey, J; Lapare, S; Law, F; Krishnan, K. (1998). Physiologically-based pharmacokinetic modeling of pyrene in the rat. *Environ Toxicol Pharmacol.* 5: 245-255. [http://dx.doi.org/10.1016/S1382-6689\(98\)00008-8](http://dx.doi.org/10.1016/S1382-6689(98)00008-8).
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification.* 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lapique, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res.* 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol.* 119: 89-98. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.011>.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere.* 89: 1369-1375. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.097>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res.* 44: 331-339. <http://dx.doi.org/10.1016/j.watres.2009.09.033>.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol.* 75: 281-296. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.002>.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere.* 41: 1219-1225.
- Hagmar, L; Bellander, T; Högstedt, B; Hallberg, T; Attewell, R; Raihle, G; Au, WW; Legator, MS; Mitelman, F; Skerfving, S. (1988). Biological effects in a chemical factory with mutagenic exposure. I. Cytogenetic and haematological parameters. *Int Arch Occup Environ Health.* 60: 437-444. <http://dx.doi.org/10.1007/BF00381392>.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpaa, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol.* 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol.* 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol.* 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol.* 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.
- Halasz, J; Hodos, M; Hannus, I; Tasi, G; Kiricsi, I. (2005). Catalytic detoxification of C-2-chlorohydrocarbons over iron-containing oxide and zeolite catalysts. *Colloid Surface Physicochem Eng Aspect.* 265: 171-177. <http://dx.doi.org/10.1016/j.colsurfa.2005.03.030>.
- Hallam, B; Uruena, A; Russell, R; Aleman, M; Abbott, M; Dang, C, hi; Wenham, S; Tous, L; Poortmans, J, ef. (2015). Efficiency enhancement of i-PERC solar cells by implementation of a laser doped selective emitter. *Solar Energy Materials and Solar Cells.* 134: 89-98. <http://dx.doi.org/10.1016/j.solmat.2014.11.028>.
- Halmann, M; Hunt, AJ; Spath, D. (1992). PHOTODEGRADATION OF DICHLOROMETHANE, TETRACHLOROETHYLENE AND 1,2-DIBROMO-3-CHLOROPROPANE IN AQUEOUS SUSPENSIONS OF TIO(2) WITH NATURAL, CONCENTRATED AND SIMULATED SUNLIGHT. *Solar Energy Materials and Solar Cells.* 26: 1-16.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Halonen, I; Tarhanen, J; Ollikainen, S; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1994). THE EFFECT OF INORGANIC AND ORGANIC CHLORINE ON FORMATION OF HIGHLY CHLORINATED ORGANIC-COMPOUNDS DURING INCINERATION - LABORATORY PILOT-STUDY. *Chemosphere*. 28: 2129-2138.
- Halonen, I; Tarhanen, J; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1995). Effect of catalysts and chlorine source on the formation of organic chlorinated compounds. *Chemosphere*. 30: 1261-1273.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut*. 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hamer, PS; Lowe, DM; Wallace, SE. (1997). Energy-efficient induction motors performance characteristics and life-cycle cost comparisons for centrifugal loads. *I E E E Transactions on Industry Applications*. 33: 1312-1320.
- Hamilton, A. (2006). NEMA sets sites on energy policy act implementation for T & D products. *I E E E Electrical Insulation Magazine*. 22: 56-57.
- Hamilton, R. (2004). NEMA and Magnet Wire Industry unite to improve toxic air pollutant standard. *I E E E Electrical Insulation Magazine*. 20: 57-58.
- Hamilton, R. (2006). NEMA releases first revision of 2003 Magnet Wire standard. *I E E E Electrical Insulation Magazine*. 22: 54-54.
- Hammond, GE; Valocchi, AJ; Lichtner, PC. (2005). Application of Jacobian-free Newton-Krylov with physics-based preconditioning to biogeochemical transport. *Advances in Water Resources*. 28: 359-376. <http://dx.doi.org/10.1016/j.advwatres.2004.12.001>.
- Hammond, WE. (1995). The status of healthcare standards in the United States. *Int J Bio Med Comput*. 39: 87-92.
- Hampson, MC; Coombes, JW; Murphy, AM. (1983). PROCEDURES FOR ISOLATING POPULATIONS OF WHOLE AND FRAGMENTED RESTING SPORANGIA OF SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC FROM POTATO TISSUE FOR ELECTRON-MICROSCOPY AND CHEMICAL-ANALYSIS. *Plant Soil*. 72: 49-55.
- Han, K; Hong, U; Park, S; Lee, G; Kwon, S; Kim, Y. (2016). Long-term monitoring and evaluating biological activity of in situ anaerobic reductive dechlorination at a highly recharged and TCE-contaminated aquifer. *Desalination and Water Treatment*. 57: 24085-24095. <http://dx.doi.org/10.1080/19443994.2016.1153903>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol*. 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell*. 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).
- Hanefeld, M; Kemmer, C; Kadner, E. (1983). Relationship between morphological changes and lipid-lowering action of p-chlorophenoxyisobutyric acid (CPIB) on hepatic mitochondria and peroxisomes in man. *Atherosclerosis*. 46: 239-246. [http://dx.doi.org/10.1016/0021-9150\(83\)90115-6](http://dx.doi.org/10.1016/0021-9150(83)90115-6).
- Hanefeld, M; Kemmer, C; Leonhardt, W; Kunze, KD; Jaross, W; Haller, H. (1980). Effects of p-chlorophenoxyisobutyric acid (CPIB) on the human liver. *Atherosclerosis*. 36: 159-172.
- Haney, JT, Jr. (2016). Historical drinking water contamination at Camp Lejeune: Regulatory risk assessor and personal perspectives. *Hum Ecol Risk Assess*. 22: 1029-1035. <http://dx.doi.org/10.1080/10807039.2015.1129890>.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol*. 28: 273-280. <http://dx.doi.org/10.1007/BF00213102>; <http://link.springer.com/article/10.1007%2FBF00213102>.
- Hanioka, N; Omae, E; Yoda, R; Jinno, H; Nishimura, T; Ando, M. (1997). Effect of trichloroethylene on cytochrome P450 enzymes in the rat liver. *Bull Environ Contam Toxicol*. 58: 628-635.
- Hanna, RA; Buchler, PM; Cheeseman, CR. (2005). A study of the influence of organic compounds during the cement hydration by using XRD and DTA. *Materials Science Forum*. 498-499: 740-746.
- Hannebauer, H; Dullweber, T; Baumann, U; Falcon, T, om; Brendel, R. (2014). 21.2%-efficient fineline-printed PERC solar cell with 5 busbar front grid. *Physica Status Solidi Rapid Research Letters*. 8: 675-679. <http://dx.doi.org/10.1002/psr.201409190>.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; McLaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med*. 43: 133-139.
- Hao, OJ; Phull, KK; Simmers, KW. (1992). LABORATORY EVALUATION OF THE LEACHING OF ORGANICS FROM FABRIC MATERIAL. *J Am Water Works Assoc*. 84: 92-98.
- Haque, MH. (2008). Determination of NEMA Design Induction Motor Parameters From Manufacturer Data. *I E E E Transactions on Energy Conversion*. 23: 997-1004. <http://dx.doi.org/10.1109/TEC.2008.2001451>.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon*. 49: 2206-2215. <http://dx.doi.org/10.1016/j.carbon.2011.01.050>.
- Harbec, D; Meunier, JL; Guo, L; Jureidini, J. (2007). A parametric study of carbon nanotubes production from tetrachloroethylene using a supersonic thermal plasma jet. *Carbon*. 45: 2054-2064. <http://dx.doi.org/10.1016/j.carbon.2007.05.025>.
- Harbottle, MJ; Al-Tabbaa, A. (2008). Degradation of 2-chlorobenzoic acid in stabilised/solidified soil systems. *Int Biodeterior Biodegradation*. 61: 173-181. <http://dx.doi.org/10.1016/j.ibiod.2007.07.002>.
- Hardell, L; Eriksson, M; Lenner, P; Lundgren, E. (1981). Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy acids: A case-control study. *Br J Cancer*. 43: 169-176.
- Hardie, DWF. (1964). Chlorocarbons and chlorohydrocarbons: Trichloroethylene. In RE Kirk; DF Othmer (Eds.), (2nd ed., pp. 183-195). New York, NY: John Wiley and Sons.
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health*. 7: 66-75.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Harding, KC; Lee, PK; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of varying growth conditions on stable carbon isotope fractionation of trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environ Sci Technol.* 47: 12342-12350. <http://dx.doi.org/10.1021/es402617q>.
- Hardwick, JP; Song, BJ; Huberman, E; Gonzalez, FJ. (1987). Isolation, complementary DNA sequence, and regulation of rat hepatic lauric acid omega-hydroxylase (cytochrome P-450LA omega): Identification of a new cytochrome P-450 gene family. *J Biol Chem.* 262: 801-810.
- Harendra, S; Vipulanandan, C. (2011). Effects of Surfactants on Solubilization of Perchloroethylene (PCE) and Trichloroethylene (TCE). *Ind Eng Chem Res.* 50: 5831-5837. <http://dx.doi.org/10.1021/ie102589e>.
- Harendra, S; Vipulanandan, C. (2011). Fe/Ni Bimetallic Particles Transport in Columns Packed with Sandy Clay Soil. *Ind Eng Chem Res.* 50: 404-411. <http://dx.doi.org/10.1021/ie101546k>.
- Harendra, S; Vipulanandan, C. (2011). Solubilization and degradation of perchloroethylene (PCE) in cationic and nonionic surfactant solutions. *J Environ Sci.* 23: 1240-1248. [http://dx.doi.org/10.1016/S1001-0742\(10\)60576-1](http://dx.doi.org/10.1016/S1001-0742(10)60576-1).
- Harendra, S; Vipulanandan, C. (2012). Determination of Sodium Dodecyl Sulfate (SDS) and Biosurfactants Sorption and Transport Parameters in Clayey Soil. *Journal of Surfactants and Detergents.* 15: 805-813. <http://dx.doi.org/10.1007/s11743-012-1355-y>.
- Harendra, S; Vipulanandan, C. (2013). Sorption and transport studies of cetyl trimethylammonium bromide (CTAB) and Triton X-100 in clayey soil. *J Environ Sci.* 25: 576-584. [http://dx.doi.org/10.1016/S1001-0742\(12\)60070-9](http://dx.doi.org/10.1016/S1001-0742(12)60070-9).
- Haridy, SA; Persson, M; Berndtsson, R. (2004). Estimation of LNAPL saturation in fine sand using time-domain reflectometry. *Hydrological Sciences Journal.* 49: 987-1000.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol.* 151: 16-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.002>.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol.* 131: 100-118. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.011>.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweerd, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environ Sci Technol.* 33: 1100-1109.
- Harmon, TC; Delabarre, BK; Roberts, PV. (1996). Estimating internal mass transfer rates in soils using scintillation fluid extraction. 6: 155-164.
- Harrap, KR. (1975). Deviant metabolic patterns in malignant disease. In EJ Ambrose; FJC Roe (Eds.), (2nd ed., pp. 96-125). New York: Halsted Press.
- Harrington, JM; Whitby, H; Gray, CN; Reid, FJ; Aw, TC; Waterhouse, JA. (1989). Renal disease and occupational exposure to organic solvents: A case referent approach. *Br J Ind Med.* 46: 643-650. <http://dx.doi.org/10.1136/oem.46.9.643>.
- Harrington-Brock, K; Doerr, CL; Moore, MM. (1998). Mutagenicity of three disinfection by-products: Di- and trichloroacetic acid and chloral hydrate in L5178Y(+/-) --3.7.2C mouse lymphoma cells. *Mutat Res Genet Toxicol Environ Mutagen.* 413: 265-276.
- Harrington-Brock, K; Smith, TW; Parker, LM; Moore, MM. (1992). Environmental and Molecular Mutagenesis Genotoxic effects of by-products of the chlorination of drinking water. Reno, Nevada.
- Harris, MI. (1995). Chapter 1: Summary. In MI Harris; CC Cowie; MP Stern; EJ Boyko; GE Reiber; PH Bennett (Eds.), (2nd ed., pp. 1-14). Bethesda, MD: National Diabetes Data Group; National Institutes of Health; National Institute of Diabetes and Digestive and Kidney Diseases. <http://diabetes.niddk.nih.gov/dm/pubs/america/contents.htm>.
- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol.* 11: 3-10. [http://dx.doi.org/10.1093/annonc/11.suppl\\_1.53](http://dx.doi.org/10.1093/annonc/11.suppl_1.53).
- Harris, RA; Mihic, SJ; Dildy-Mayfield, JE; Machu, TK. (1995). Actions of anesthetics on ligand-gated ion channels: Role of receptor subunit composition [Review]. *FASEB J.* 9: 1454-1462.
- Harrold, G; Goody, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environ Sci Technol.* 37: 1919-1925. <http://dx.doi.org/10.1021/es020117i>.
- Hart, R; Turturro, A. (1988). Comments on Allen et al [Letter]. *Risk Anal.* 8: 545-547. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01194.x>.
- Harte, PT. (2002). Comparison of temporal trends in VOCs as measured with PDB samplers and low-flow sampling methods. *Ground Water Monitoring and Remediation.* 22: 45-47.
- Harte, PT; Flanagan, SM. (2011). Application of a New Vertical Profiling Tool (ESASS) for Sampling Groundwater Quality During Hollow-Stem Auger Drilling. *Ground Water Monitoring and Remediation.* 31: 86-98. <http://dx.doi.org/10.1111/j.1745-6592.2011.01326.x>.
- Harte, PT; Konikow, LF; Hornberger, GZ. (2006). Simulation of solute transport across low-permeability barrier walls. *J Contam Hydrol.* 85: 247-270. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.012>.
- Harte, PT; Smith, TE; Williams, JH; Degnan, JR. (2012). Time series geophysical monitoring of permanganate injections and in situ chemical oxidation of PCE, OU1 area, Savage Superfund Site, Milford, NH, USA. *J Contam Hydrol.* 132: 58-74. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.008>.
- Hartge, P; Cahill, JI; West, D; Hauck, M; Austin, D; Silverman, D; Hoover, R. (1984). Design and methods in a multi-center case-control interview study. *Am J Public Health.* 74: 52-56.
- Hartge, P; Hoover, R; Kantor, A. (1985). Bladder cancer risk and pipes, cigars, and smokeless tobacco. *Cancer.* 55: 901-906. [http://dx.doi.org/10.1002/1097-0142\(19850215\)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q](http://dx.doi.org/10.1002/1097-0142(19850215)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q).
- Hartwell, TD; Crowder, JH; Sheldon, LS; Pellizzari, ED; Wallace, L. (1985). Proceedings of the Air Pollution Control Association 78th Annual Meeting Levels of volatile organics in indoor air. Pittsburgh, PA: Air Pollution Control Association.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Harvey, RW; Barber, LB. (1992). ASSOCIATIONS OF FREE-LIVING BACTERIA AND DISSOLVED ORGANIC-COMPOUNDS IN A PLUME OF CONTAMINATED GROUNDWATER. *J Contam Hydrol.* 9: 91-103.
- Hasan, R; Mendler, R; Steinbeigle, L. (2016). Hybrid Arc Flash Protection Within Electrically Classified Areas. *IEEE Transactions on Industry Applications.* 52: 3548-3556. <http://dx.doi.org/10.1109/TIA.2016.2544746>.
- Hasegawa, A; Yajima, I. (1991). DETERMINATION OF HALOCARBONS IN AIR BY USING ADSORBENT COLLECTION SOLVENT-EXTRACTION GC. *Bunseki Kagaku.* 40: 489-494.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ.* 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut.* 139: 35-41.
- Haselmann, KF; Laternus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere.* 41: 1769-1774.
- Haseman, JK; Hailey, JR; Morris, RW. (1998). Spontaneous neoplasm incidences in Fischer 344 rats and B6C3F1 mice in two-year carcinogenicity studies: A National Toxicology Program update. *Toxicol Pathol.* 26: 428-441. <http://dx.doi.org/10.1177/019262339802600318>.
- Hashisho, Z; Rood, M; Botich, L. (2005). Microwave-swing adsorption to capture and recover vapors from air streams with activated carbon fiber cloth. *Environ Sci Technol.* 39: 6851-6859. <http://dx.doi.org/10.1021/es050338z>.
- Hashsham, SA; Freedman, DL. (2003). Adsorption of vitamin B-12 to alumina, kaolinite, sand and sandy soil. *Water Res.* 37: 3189-3193. [http://dx.doi.org/10.1016/S0043-1354\(03\)00131-3](http://dx.doi.org/10.1016/S0043-1354(03)00131-3).
- Hasmall, S; Orphanides, G; James, N; Pennie, W; Hedley, K; Soames, A; Kimber, I; Roberts, R. (2002). Downregulation of lactoferrin by PPARalpha ligands: Role in perturbation of hepatocyte proliferation and apoptosis. *Toxicol Sci.* 68: 304-313.
- Hasmall, SC; James, NH; Macdonald, N; West, D; Chevalier, S; Cosulich, SC; Roberts, RA. (1999). Suppression of apoptosis and induction of DNA synthesis in vitro by the phthalate plasticizers monoethylhexylphthalate (MEHP) and diisononylphthalate (DINP): A comparison of rat and human hepatocytes in vitro. *Arch Toxicol.* 73: 451-456. <http://dx.doi.org/10.1007/s002040050634>.
- Hassoun, EA; Dey, S. (2008). Dichloroacetate- and trichloroacetate-induced phagocytic activation and production of oxidative stress in the hepatic tissues of mice after acute exposure. *J Biochem Mol Toxicol.* 22: 27-34. <http://dx.doi.org/10.1002/jbt.20210>.
- Haston, ZC; Mccarty, PL. (1999). Chlorinated ethene half-velocity coefficients (K<sub>S</sub>) for reductive dehalogenation. *Environ Sci Technol.* 33: 223-226.
- Hatfield, K; Stauffer, TB. (1992). Nonequilibrium modeling of transport in fine sand containing residual decane (pp. 369-382). (ISSN 0882-5696; BIOSIS/93/10481). Hatfield, K; Stauffer, TB.
- Hatt, JK; Ritalahti, KM; Ogles, DM; Lebrón, CA; Löffler, FE. (2013). Design and application of an internal amplification control to improve Dehalococcoides mccartyi 16S rRNA gene enumeration by qPCR. *Environ Sci Technol.* 47: 11131-11138. <http://dx.doi.org/10.1021/es4019817>.
- Hattis, D; White, P; Koch, P. (1993). Uncertainties in pharmacokinetic modeling for perchloroethylene: II. Comparison of model predictions with data for a variety of different parameters [Review]. *Risk Anal.* 13: 599-610. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb01322.x>.
- Hattis, D; White, P; Marmorstein, L; Koch, P. (1990). Uncertainties in pharmacokinetic modeling for perchloroethylene. I. Comparison of model structure, parameters, and predictions for low-dose metabolism rates for models derived by different authors. *Risk Anal.* 10: 449-458. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00528.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1990.tb00528.x/abstract>.
- Haunschild, J; Reis, IE; Chiwei, T; Demant, M; Thaidigsmann, B; Linse, M; Rein, S. (2012). Rating and sorting of mc-Si as-cut wafers in solar cell production using PL imaging. *Solar Energy Materials and Solar Cells.* 106: 71-75. <http://dx.doi.org/10.1016/j.solmat.2012.05.027>.
- Hauswirth, SC; Miller, CT. (2014). A comparison of physicochemical methods for the remediation of porous medium systems contaminated with tar. *J Contam Hydrol.* 167: 44-60. <http://dx.doi.org/10.1016/j.jconhyd.2014.08.002>.
- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen.* 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2860050703/abstract>.
- Hawthorne, SB; Hegvik, KM; Yang, Y; Miller, DJ. (1994). DETERMINATION OF HEAVY HYDROCARBON CONTAMINATION USING SUPERCRITICAL-FLUID EXTRACTION WITH INFRARED DETECTION. *Fuel.* 73: 1876-1879.
- Hawthorne, SB; Miller, DJ; Louie, PKK; Butler, RD; Mayer, GG. (1996). Vapor-phase and particulate-associated pesticides and PCB concentrations in eastern North Dakota air samples. *J Environ Qual.* 25: 594-600.
- Hayden, N; Diebold, J; Farrell, C; Laible, J; Stacey, R. (2006). Characterization and removal of DNAPL from sand and clay layered media. *J Contam Hydrol.* 86: 53-71. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.008>.
- Hayden, NJ; Brooks, MC; Annable, MD; Zhou, HX. (2001). Activated carbon for removing tetrachloroethylene from alcohol solutions. *J Environ Eng.* 127: 1116-1123.
- Hayden, NJ; Diebold, J; Noyes, G. (1999). Phase behavior of chlorinated solvent plus water plus alcohol mixtures with application to alcohol flushing. *Journal of Chemical and Engineering Data.* 44: 1085-1090.
- Haydon, DA; Urban, BW. (1983). The action of alcohols and other non-ionic surface active substances on the sodium current of the squid giant axon. *J Physiol.* 341: 411-427.
- Haydon, DA; Urban, BW. (1983). The action of hydrocarbons and carbon tetrachloride on the sodium current of the squid giant axon. *J Physiol.* 338: 435-450.
- Haydon, DA; Urban, BW. (1983). The effects of some inhalation anaesthetics on the sodium current of the squid giant axon. *J Physiol.* 341: 429-439.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- He, F; Zhao, D; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res.* 44: 2360-2370. <http://dx.doi.org/10.1016/j.watres.2009.12.041>.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Loffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environ Sci Technol.* 36: 3945-3952. <http://dx.doi.org/10.1021/es025528d>.
- He, L, i; Huang, G, uohe; Lu, H, wei; Shen, J. (2013). Degradation kinetics of dense nonaqueous phase liquids in the environment under impacts of mixed white and colored noises. *Stoch Environ Res Risk Assess.* 27: 1947-1955. <http://dx.doi.org/10.1007/s00477-013-0729-7>.
- He, Q; Yan, Y; Li, H; Zhang, Y; Chen, L; Wang, Y. (2015). Characteristics and reactivity of volatile organic compounds from non-coal emission sources in China. *Atmos Environ.* 115: 153-162. <http://dx.doi.org/10.1016/j.atmosenv.2015.05.066>.
- He, Z; Yang, G; Lu, X; Zhang, H. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut.* 177: 28-37. <http://dx.doi.org/10.1016/j.envpol.2013.02.008>.
- He, Z; Yang, G, uip; Lu, XL, an; Ding, QY, ao; Zhang, HH, ai. (2013). Halocarbons in the marine atmosphere and surface seawater of the south Yellow Sea during spring. *Atmos Environ.* 80: 514-523. <http://dx.doi.org/10.1016/j.atmosenv.2013.08.025>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere.* 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Health, NJDo. (2013). Public Health Assessment Final Release: Public Health Implication of Site-Related Exposures to Tetrachloroethylene and Trichloroethylene, Pohatcong Valley Groundwater Contamination Superfund Site, Warren County, New Jersey. EPA Facility ID: NJD981179047, May 8, 2013 (pp. 103).
- Health, NJDo. (2016). Health Assessment Final Release: Public Health Implications of Exposures to Chlorinated Volatile Organic Compounds in Public Supply Wells, Orange Valley Regional Ground Water Contamination Site, Orange and West Orange, Essex County, New Jersey. EPA Facility ID: NJD002148799. [https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange\\_Valley\\_Regional\\_Groundwater\\_Contamination\\_PHA\(PC\)\\_09-15-2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange_Valley_Regional_Groundwater_Contamination_PHA(PC)_09-15-2015_508.pdf).
- Health, ODo. (2012). Health Consultation: Jerry's Professional Cleaners Vapor Intrusion Site, Kent, Portage County, Ohio. EPA Facility ID: OHN000510524, September 17, 2012 (pp. 21).
- Health, VDo. (2015). Health Consultation: Sandston PCE Site, Sandston, Henrico County, Virginia, September 30, 2015. Atlanta, Georgia. [https://www.atsdr.cdc.gov/HAC/pha/Sandston\\_air/Sandston\\_Air\\_LHC\\_Sept2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/Sandston_air/Sandston_Air_LHC_Sept2015_508.pdf).
- Heavner, DL; Morgan, WT; Ogden, MW. (1995). Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ Int.* 21: 3-21.
- Heavner, GL; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular biomarker-based biokinetic modeling of a PCE-dechlorinating and methanogenic mixed culture. *Environ Sci Technol.* 47: 3724-3733. <http://dx.doi.org/10.1021/es303517s>.
- Hedenqvist, MS; Ritums, JE; Conde-Brana, M; Bergman, G. (2004). Structure and properties of poly(ethylene-co-chlorotrifluoroethylene) and polyvinylidene fluoride exposed to water, hydrochloric acid, hydrobromic acid and tetrachloroethylene. *Polymer Engineering and Science.* 44: 113-122.
- Hegedus, M; Dombi, A. (2004). Comparative study of heterogeneous photocatalytic decomposition of tetrachloroethene and trichloroethene in the gas phase. *Appl Catal A-Gen.* 271: 177-184. <http://dx.doi.org/10.1016/j.apcata.2004.02.057>.
- Hegedus, M; Dombi, A. (2004). Gas-phase heterogeneous photocatalytic oxidation of chlorinated ethenes over titanium dioxide: perchloroethene. *Appl Catal B-Environ.* 53: 141-151. <http://dx.doi.org/10.1016/j.apcatb.2004.05.010>.
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis.* 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Heidari, M; Attari, SG; Rafieiemam, M. (2016). Application of solid phase microextraction and needle trap device with silica composite of carbon nanotubes for determination of perchloroethylene in laboratory and field. *Anal Chim Acta.* 918: 43-49. <http://dx.doi.org/10.1016/j.aca.2016.03.009>.
- Heidari, M; Bahrami, A; Ghiasvand, AR; Emam, MR; Shahna, FG; Soltanian, AR. (2015). Graphene packed needle trap device as a novel field sampler for determination of perchloroethylene in the air of dry cleaning establishments. *Talanta.* 131: 142-148. <http://dx.doi.org/10.1016/j.talanta.2014.07.043>.
- Heidari, M; Bahrami, A; Ghiasvand, AR; Shahna, FG; Soltanian, AR. (2012). A novel needle trap device with single wall carbon nanotubes sol-gel sorbent packed for sampling and analysis of volatile organohalogen compounds in air. *Talanta.* 101: 314-321. <http://dx.doi.org/10.1016/j.talanta.2012.09.032>.
- Heiderscheidt, JL; Crimi, M; Siegrist, RL; Singletary, MA. (2008). Optimization of Full-Scale Permanganate ISCO System Operation: Laboratory and Numerical Studies. *Ground Water Monitoring and Remediation.* 28: 72-84. <http://dx.doi.org/10.1111/j.1745-6592.2008.00213.x>.
- Heikes, DL; Hopper, ML. (1986). Purge and trap method for determination of fumigants in whole grains, milled grain products, and intermediate grain-based foods. *J Assoc Offic Anal Chem.* 69: 990-998.
- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res.* 39: 3579-3586. <http://dx.doi.org/10.1016/j.watres.2005.06.029>.
- Hejtmancik, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci.* 69: 234-243.
- Held, RJ; Illangasekare, TH. (1995). FINGERING OF DENSE NONAQUEOUS PHASE LIQUIDS IN POROUS-MEDIA .1. EXPERIMENTAL INVESTIGATION. *Water Resour Res.* 31: 1213-1222.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hellman, B; Ullberg, S. (1986). Rate of incorporation of [3H]thymidine in various tissues of the mouse. A basis for the evaluation of genotoxic effects of chemicals. *Cell Tissue Kinet.* 19: 183-194. <http://dx.doi.org/10.1111/j.1365-2184.1986.tb00729.x>.
- Hellweg, S; Demou, E; Bruzzi, R; Meijer, A; Rosenbaum, RK; Huijbregts, MA; Mckone, TE. (2009). Integrating human indoor air pollutant exposure within Life Cycle Impact Assessment [Review]. *Environ Sci Technol.* 43: 1670-1679. <http://dx.doi.org/10.1021/es8018176>.
- Helma, C; Eckl, P; Gottmann, E; Kassie, F; Rodinger, W; Steinkellner, H; Windpassinger, C; Schulte-Hermann, R; Knasmuller, S. (1998). Genotoxic and ecotoxic effects of groundwaters and their relation to routinely measured chemical parameters. *Environ Sci Technol.* 32: 1799-1805. <http://dx.doi.org/10.1021/es971049g>.
- Hemminki, K; Franssila, E; Vainio, H. (1980). Spontaneous abortions among female chemical workers in Finland. *Int Arch Occup Environ Health.* 45: 123-126. <http://dx.doi.org/10.1007/BF01274131>.
- Hemminki, K; Saloniemä, I; Luoma, K; Salonen, T; Partanen, T; Vainio, H; Hemminki, E. (1980). Transplacental carcinogens and mutagens: Childhood cancer, malformations, and abortions as risk indicators. *J Toxicol Environ Health A.* 6: 1115-1126. <http://dx.doi.org/10.1080/15287398009529932>.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res.* 203: 405-414.
- Hennighausen, RH. (2002). [Tetrachloroethylene in drycleaning shops]. *Gesundheitswesen.* 64: 683-688. <http://dx.doi.org/10.1055/s-2002-36456>.
- Henri, CV; Fernandez-Garcia, D. (2015). A random walk solution for modeling solute transport with network reactions and multi-rate mass transfer in heterogeneous systems: Impact of biofilms. *Advances in Water Resources.* 86: 119-132. <http://dx.doi.org/10.1016/j.advwatres.2015.09.028>.
- Henri, CV; Fernandez-Garcia, D; de Barros, FPJ. (2016). Assessing the joint impact of DNAPL source-zone behavior and degradation products on the probabilistic characterization of human health risk. *Advances in Water Resources.* 88: 124-138. <http://dx.doi.org/10.1016/j.advwatres.2015.12.012>.
- Henry, B; Grant, SG; Klopman, G; Rosenkranz, HS. (1998). Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: Evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res.* 397: 313-335. [http://dx.doi.org/10.1016/S0027-5107\(97\)00231-5](http://dx.doi.org/10.1016/S0027-5107(97)00231-5).
- Henry, SM; Hardcastle, CH; Warner, SD. (2003). Chlorinated solvent and DNAPL remediation: An overview of physical, chemical, and biological processes. *ACS Symp Ser Am Chem Soc.* 837: 1-20.
- Henschler, D. (1977). Metabolism and mutagenicity of halogenated olefins - A comparison of structure and activity. *Environ Health Perspect.* 21: 61-64.
- Henschler, D; Bonse, G. (1977). Metabolic activation of chlorinated ethylenes: Dependence of mutagenic effect on electrophilic reactivity of the metabolically formed epoxides. *Arch Toxicol.* 39: 7-12. <http://dx.doi.org/10.1007/BF00343270>.
- Herbarth, O; Rolle-Kampczyk, U; Franck, U; Rehwagen, M; Weiss, H; Krumbiegel, P. (2004). Detecting exposure-dependent changes of liver detoxification capacity of children in a formerly high-loaded industrial area with a N-15-labelled diagnostic tool. *Isotopes Environ Health Stud.* 40: 69-74. <http://dx.doi.org/10.1080/10256010310001646545>.
- Herber, U; Meisch, HU. (1995). STUDIES ABOUT THE DESORPTION OF VOLATILE HALOCARBONS FROM ACTIVATED CARBON BY APPLICATION OF STATIC HEADSPACE GAS-CHROMATOGRAPHY. *Fresenius J Anal Chem.* 353: 219-221.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr.* 33: 1179-1182.
- Herman, BA; Harris, GR. (1999). Theoretical study of steady-state temperature rise within the eye due to ultrasound insonation. *IEEE Trans Ultrason Ferroelectr Freq Control.* 46: 1566-1574.
- Hernberg, S; Kauppinen, T; Riala, R; Korkala, ML; Asikainen, U. (1988). Increased risk for primary liver cancer among women exposed to solvents. *Scand J Work Environ Health.* 14: 356-365.
- Hernberg, S; Korkala, ML; Asikainen, U; Riala, R. (1984). Primary liver cancer and exposure to solvents. *Int Arch Occup Environ Health.* 54: 147-153. <http://dx.doi.org/10.1007/BF00378517>.
- Heron, G; Bierschenk, J; Swift, R; Watson, R; Kominek, M. (2016). Thermal DNAPL Source Zone Treatment Impact on a CVOC Plume. *Ground Water Monitoring and Remediation.* 36: 26-37. <http://dx.doi.org/10.1111/gwmr.12148>.
- Heron, G; Gierke, JS; Faulkner, B; Mravik, S; Wood, L; Enfield, CG. (2002). Pulsed air sparging in aquifers contaminated with dense nonaqueous phase liquids. *Ground Water Monitoring and Remediation.* 22: 73-82.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation.* 33: 31-43. <http://dx.doi.org/10.1111/gwmr.12028>.
- Herren-Freund, SL; Pereira, MA; Khoury, MD; Olson, G. (1987). The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol Appl Pharmacol.* 90: 183-189. [http://dx.doi.org/10.1016/0041-008X\(87\)90325-5](http://dx.doi.org/10.1016/0041-008X(87)90325-5).
- Herrera, E; Amusquivar, E; López-Soldado, I; Ortega, H. (2006). Maternal lipid metabolism and placental lipid transfer [Review]. *Horm Res.* 65: 59-64. <http://dx.doi.org/10.1159/000091507>.
- Herrera-Lopez, D; Poggi-Varaldo, HM. (2007). A generalization of the model of reactions in series for reactor of complete mixture. *Afinidad.* 64: 41-47.
- Herrera-Lopez, D; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2007). A generalization of the series and parallel-series reaction model for complete mix reactors. *Interciencia.* 32: 324-327.
- Herrinton, LJ. (1998). Epidemiology of the Revised European-American Lymphoma Classification subtypes [Review]. *Epidemiol Rev.* 20: 187-203.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Herzog, H; Tellmann, L; Hocke, C; Pietrzyk, U; Casey, ME; Kuwert, T. (2004). NEMA NU2-2001 guided performance evaluation of four siemens ECAT PET scanners. *IEEE Trans Nucl Sci.* 51: 2662-2669. <http://dx.doi.org/10.1109/TNS.2004.835778>.
- Hess, TF; Schrader, PS. (2002). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT). *J Environ Qual.* 31: 736-744.
- Hieslmair, H; Appel, J; Kasthuri, J, ai; Guo, J; Johnson, B; Binns, J. (2016). Impact of the injection-level-dependent lifetime on V-oc, FF, ideality m, J(02), and the dim light response in a commercial PERC cell. *Progress in Photovoltaics.* 24: 1448-1457. <http://dx.doi.org/10.1002/pip.2792>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol.* 27: 335-346.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med.* 58: 295-300.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environ Sci Technol.* 35: 3031-3039.
- Himeno, R; Ohashi, F; Kume, T; Asai, E; Ban, T; Suzuki, T; Iida, T; Habuchi, H; Tsutsumi, Y; Natsuhara, H; Nonomura, S. (2012). Optical band gap of semiconductive type II Si clathrate purified by centrifugation. *Journal of Non-Crystalline Solids.* 358: 2138-2140. <http://dx.doi.org/10.1016/j.jnoncrysol.2011.12.064>.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2011). Evaluation of a laboratory-scale bioreactive in situ sediment cap for the treatment of organic contaminants. *Water Res.* 45: 5365-5374. <http://dx.doi.org/10.1016/j.watres.2011.06.022>.
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol.* 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hinoshita, F; Hardin, JA; Sherr, DH. (1992). Fluoranthene induces programmed cell death and alters growth of immature B cell populations in bone marrow cultures. *Toxicology.* 73: 203-218. [http://dx.doi.org/10.1016/0300-483X\(92\)90103-L](http://dx.doi.org/10.1016/0300-483X(92)90103-L).
- Hinson, JA; Roberts, DW. (1992). Role of covalent and noncovalent interactions in cell toxicity: Effects on proteins [Review]. *Annu Rev Pharmacol Toxicol.* 32: 471-510. <http://dx.doi.org/10.1146/annurev.pa.32.040192.002351>.
- Hinton, RH; Mitchell, FE; Mann, A; Chescoe, D; Price, SC; Nunn, A; Grasso, P; Bridges, JW. (1986). Effects of phthalic acid esters on the liver and thyroid. *Environ Health Perspect.* 70: 195-210.
- Hiortdahl, KM; Borden, RC. (2014). Enhanced reductive dechlorination of tetrachloroethene dense nonaqueous phase liquid with EVO and Mg(OH)<sub>2</sub>. *Environ Sci Technol.* 48: 624-631. <http://dx.doi.org/10.1021/es4042379>.
- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Sci Technol.* 37: 161-168.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. (1992). GROUNDWATER POLLUTION BY VOLATILE ORGANOCHLORINES IN JAPAN AND RELATED PHENOMENA IN THE SUBSURFACE ENVIRONMENT (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11335). Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K.
- Hirl, PJ; COUNCIL, NR. (1998). Combined anaerobic/aerobic biostimulation for remediation of rail yards contaminated by diesel engine repair and maintenance. *Trans Res Rec*114-119.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Sci Technol.* 35: 49-56.
- Hirvonen, A; Tuhkanen, T; Ettala, M; Korhonen, S; Kalliokoski, P. (1998). Evaluation of a field-scale UV/H<sub>2</sub>O<sub>2</sub>-oxidation system for the purification of groundwater contaminated with PCE. *Environ Technol.* 19: 821-828.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Formation of chlorinated acetic acids during UV H<sub>2</sub>O<sub>2</sub>-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere.* 32: 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). TREATMENT OF TCE-AND PCE-CONTAMINATED GROUNDWATER USING V-H-2O<sub>2</sub> AND O-3H-2O-2 OXIDATION PROCESS. *Water Sci Technol.* 33: 67-73.
- Hisham, MWM; Grosjean, D. (1991). Air-pollution in southern California museums - indoor and outdoor levels of nitrogen-dioxide, peroxyacetyl nitrate, nitric-acid, and chlorinated hydrocarbons. *Environ Sci Technol.* 25: 857-862.
- Hisham, MWM; Grosjean, D. (1991). METHYLCHLOROFORM AND TETRACHLOROETHYLENE IN SOUTHERN CALIFORNIA, 1987-1990. *Environ Sci Technol.* 25: 1930-1936.
- Hisham, MWM; Grosjean, D. (1991). Sulfur dioxide, hydrogen sulfide, total reduced sulfur, chlorinated hydrocarbons and photochemical oxidants in southern California museums. *Atmos Environ.* 25: 1497-1505. [http://dx.doi.org/10.1016/0960-1686\(91\)90009-V](http://dx.doi.org/10.1016/0960-1686(91)90009-V).
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; Mckenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environ Sci Technol.* 33: 1092-1099.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med.* 22: 722-726.
- Hobson, ST; Cemalovic, S; Patel, SV. (2012). Preconcentration and detection of chlorinated organic compounds and benzene. *Analyst.* 137: 1284-1289. <http://dx.doi.org/10.1039/c2an16053f>.
- Hodder, SL; Mounzer, K; Dejesus, E; Ebrahimi, R; Grimm, K; Esker, S; Ecker, J; Farajallah, A; Flaherty, JF; Group, AS. (2010). Patient-reported outcomes in virologically suppressed, HIV-1-Infected subjects after switching to a simplified, single-tablet regimen of efavirenz, emtricitabine, and tenofovir DF. *AIDS Patient Care STDS.* 24: 87-96. <http://dx.doi.org/10.1089/apc.2009.0259>.
- Hoekstra, EJ; De Leer, EWB; Brinkman, UAT. (1999). Mass balance of trichloroacetic acid in the soil top layer. *Chemosphere.* 38: 551-563.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hoelen, TP; Cunningham, JA; Hopkins, GD; Lebron, CA; Reinhard, M. (2006). Bioremediation of cis-DCE at a sulfidogenic site by amendment with propionate. *Ground Water Monitoring and Remediation*. 26: 82-91.
- Hoenig, JM; Heisey, DM. (2001). The abuse of power: The pervasive fallacy of power calculations for data analysis. *Am Stat*. 55: 19-24.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol*. 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hoffmann, D; Rathkamp, G; Nesnow, S; Wynder, EL. (1972). Fluoranthenes: Quantitative determination in cigarette smoke, formation by pyrolysis, and tumor-initiating activity. *J Natl Cancer Inst*. 49: 1165-1175.
- Hofmann, M; Schmidt, C; Kohn, N; Rentsch, J; Glunz, SW; Preu, R. (2008). Stack system of PECVD amorphous silicon and PECVD silicon oxide for silicon solar cell rear side passivation. *Progress in Photovoltaics*. 16: 509-518. <http://dx.doi.org/10.1002/pip.835>.
- Hofstee, C; Dane, JH; Hill, WE. (1997). Three-fluid retention in porous media involving water, PCE and air. *J Contam Hydrol*. 25: 235-247.
- Hofstee, C; Gutiérrez Ziegler, C; Trötschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol*. 67: 61-78. [http://dx.doi.org/10.1016/S0169-7722\(03\)00088-3](http://dx.doi.org/10.1016/S0169-7722(03)00088-3).
- Hofstee, C; Oostrom, M; Dane, JH; Walker, RC. (1998). Infiltration and redistribution of perchloroethylene in partially saturated, stratified porous media. *J Contam Hydrol*. 34: 293-313.
- Hofstee, C; Walker, RC; Dane, JH. (1998). Infiltration and redistribution of perchloroethylene in stratified water-saturated porous media. *Soil Sci Soc Am J*. 62: 13-22.
- Hofstetter, J; Fenning, DP; Powell, DM; Morishige, AE; Wagner, H; Buonassisi, T. (2014). Sorting Metrics for Customized Phosphorus Diffusion Gettering. 4: 1421-1428. <http://dx.doi.org/10.1109/JPHOTOV.2014.2349736>.
- Hoggan, JL; Bae, K; Kibbey, TC. (2007). Non-steady state partitioning of dry cleaning surfactants between tetrachloroethylene (PCE) and water in porous media. *J Contam Hydrol*. 93: 149-160. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.007>.
- Höhener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol*. 182: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.006>.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environ Sci Technol*. 35: 4449-4456. <http://dx.doi.org/10.1021/es0110067>.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis*. 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Holm, AK; Rini, M; Nibbering, ETJ; Fidler, H. (2003). Femtosecond UV/mid-IR study of photochromism of the spiropyran 1',3'-dihydro-1',3',3'-trimethyl-6-nitrospiro-[2H-1-benzopyran-2,2'-(2H)-indole] in solution. *Chem Phys Lett*. 376: 214-219. [http://dx.doi.org/10.1016/S0009-2614\(03\)00949-7](http://dx.doi.org/10.1016/S0009-2614(03)00949-7).
- Holoshitz, N; Alsheikh-Ali, AA; Karas, RH. (2008). Relative safety of gemfibrozil and fenofibrate in the absence of concomitant cerivastatin use. *Am J Cardiol*. 101: 95-97. <http://dx.doi.org/10.1016/j.amjcard.2007.07.057>.
- Hölscher, T; Lisec, J; Baani, M; Duan, TH; Adrian, L. (2010). Bacterial cultures preferentially removing singly flanked chlorine substituents from chlorobenzenes. *Environ Sci Technol*. 44: 8936-8942. <http://dx.doi.org/10.1021/es101971m>.
- Holson, RR; Pearce, B. (1992). Principles and pitfalls in the analysis of prenatal treatment effects in multiparous species. *Neurotoxicol Teratol*. 14: 221-228. [http://dx.doi.org/10.1016/0892-0362\(92\)90020-B](http://dx.doi.org/10.1016/0892-0362(92)90020-B).
- Holt, LA. (1984). SORPTION OF PERCHLOROETHYLENE AND TOLUENE BY WOOL AND OTHER TEXTILES - INFLUENCE OF CO-SOLVENTS. *Text Res J*. 54: 226-230.
- Holtcamp, W. (2012). Subtle shades of impairment: childhood tetrachloroethylene exposure may cause subclinical deficits in adult vision [Comment]. *Environ Health Perspect*. 120: A362.
- Holuszko, ME; Leeder, WR; Mackay, M; Giroux, L; Macphee, T; Ng, K, aW; Dexter, H. (2016). Effects of organic liquids on coking properties of a higher-inert Western Canadian coal. *Fuel Process Tech*. 155: 225-231. <http://dx.doi.org/10.1016/j.fuproc.2016.06.021>.
- Holzmer, FJ; Dwarakanath, V; Ewing, JE; Jin, MQ; Londergan, JT. (2005). Characterization of tetrachloroethene DNAPL in low-permeability coastal plain sediments, North Carolina. *Environmental and Engineering Geoscience*. 11: 197-208.
- Homem, V; Sousa, R; Moreira, JL; Santos, L; Alves, A. (2012). Response surface optimisation applied to a headspace-solid phase microextraction-gas chromatography-mass spectrometry method for the analysis of volatile organic compounds in water matrices. *Int J Environ Anal Chem*. 92: 166-189. <http://dx.doi.org/10.1080/03067319.2010.536228>.
- Hønning, J; Broholm, MM; Bjerg, PL. (2007). Quantification of potassium permanganate consumption and PCE oxidation in subsurface materials. *J Contam Hydrol*. 90: 221-239. <http://dx.doi.org/10.1016/j.jconhyd.2006.10.002>.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation*. 28: 98-107.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere*. 40: 1383-1388.
- Hooker, PD; Klabunde, KJ. (1994). DESTRUCTIVE ADSORPTION OF CARBON-TETRACHLORIDE ON IRON(III) OXIDE. *Environ Sci Technol*. 28: 1243-1247.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Horbelt, R; Ebert, S; Ulbikaite, V; Hahn, G; Job, R; Terheiden, B. (2016). Al-density variation as one driving force for void formation in PERC solar cells. *Physica Status Solidi Rapid Research Letters*. 10: 515-519. <http://dx.doi.org/10.1002/pssr.201600078>.
- Horvatic, M. (1998). Potentials for self regulating equipment in perchlorethylene cleaning. *Tekstil*. 47: 486-487.
- Horvatic, PM. (1997). Hydrocarbon emissions or perchloroethylene? *Tekstil*. 46: 407-408.
- Horzel, JT; Shengzhao, Y; Bay, N; Passig, M; Pysch, D; Kuehnlein, H; Nussbaumer, H; Verlinden, P. (2015). Industrial Si Solar Cells With Cu-Based Plated Contacts. 5: 1595-1600. <http://dx.doi.org/10.1109/JPHOTOV.2015.2478067>.
- Hoshida, Y; Toffanin, S; Lachenmayer, A; Villanueva, A; Minguez, B; Llovet, JM. (2010). Molecular classification and novel targets in hepatocellular carcinoma: recent advancements. *Semin Liver Dis*. 30: 35-51. <http://dx.doi.org/10.1055/s-0030-1247131>.
- Hosoya, K; Kageyama, Y; Yoshizako, K; Kimata, K; Araki, T; Tanaka, N. (1995). UNIFORM-SIZED POLYMER-BASED SEPARATION MEDIA PREPARED USING VINYL METHACRYLATE AS A CROSS-LINKING AGENT - POSSIBLE POWERFUL ADSORBENT FOR SOLID-PHASE EXTRACTION OF HALOGENATED ORGANIC-SOLVENTS IN AN AQUEOUS ENVIRONMENT. *J Chromatogr A*. 711: 247-255.
- Hossain, A; Corapcioglu, MY. (1996). Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media. *Transport in Porous Media*. 24: 203-220.
- Hossain, SMG; Mclaughlan, RG. (2012). Oxidation of Chlorophenols in Aqueous Solution by Excess Potassium Permanganate. *Water Air Soil Pollut*. 223: 1429-1435. <http://dx.doi.org/10.1007/s11270-011-0955-x>.
- Hossaini, R; Chipperfield, MP; Saiz-Lopez, A; Fernandez, R; Monks, S; Feng, W; Brauer, P; von Glasow, R. (2016). A global model of tropospheric chlorine chemistry: Organic versus inorganic sources and impact on methane oxidation. *J Geophys Res Atmos*. 121: 14271-14297. <http://dx.doi.org/10.1002/2016JD025756>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria*. 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Hou, X, inYan; Bian, S, huG; Chen, JF; Le, Y. (2012). High charged red pigment nanoparticles for electrophoretic displays. *Optical Materials*. 35: 201-204. <http://dx.doi.org/10.1016/j.optmat.2012.07.030>.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci*. 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Houk, VS; Demarini, DM. (1991). Characterizing the genotoxicity of hazardous industrial wastes and effluents using short-term bioassays. In MS Simmons (Ed.), (pp. 211-245). Chelsea, MI: Lewis Publishers, Inc.
- Hours, M; Dananche, B; Fevotte, J; Bergeret, A; Ayzac, L; Cardis, E; Etard, JF; Pallen, C; Roy, P; Fabry, J. (1994). Bladder cancer and occupational exposures. *Scand J Work Environ Health*. 20: 322-330.
- Houston, JB. (1994). Relevance of in vitro kinetic parameters to in vivo metabolism of xenobiotics. *Toxicol In Vitro*. 8: 507-512. [http://dx.doi.org/10.1016/0887-2333\(94\)90002-7](http://dx.doi.org/10.1016/0887-2333(94)90002-7).
- Houston, JB. (1994). Utility of in vitro drug metabolism data in predicting in vivo metabolic clearance [Review]. *Biochem Pharmacol*. 47: 1469-1479.
- Houten, L; Sonneso, G. (1980). Occupational exposure and cancer of the liver. *Arch Environ Health*. 35: 51-53.
- Howard, CJ. (1976). Rate constants for the gas-phase reactions of OH radicals with ethylene and halogenated ethylene compounds. *J Chem Phys*. 65: 4771-4777. <http://dx.doi.org/10.1063/1.432932>.
- Howe, RB. (1983). GLOBAL83, an experimental program developed for the U.S. Environmental Protection Agency as an update to GLOBAL82: A computer program to extrapolate quantal animal toxicity data to low doses (May 1982) (Version 1983) [Computer Program]. Ruston, LA: K.S. Crump and Co., Inc.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol*. 32: 591-599.
- Howsawkung, J; Watts, RJ; Washington, DL; Teel, AL; Hess, TF; Crawford, RL. (2001). Evidence for simultaneous abiotic - Biotic oxidations in a microbial-Fenton's system. *Environ Sci Technol*. 35: 2961-2966.
- Howse, MLP; Bell, GM. (2007). Drugs and toxins that damage the kidney. *Medicine (Baltimore)*. 35: 399-403. <http://dx.doi.org/10.1016/j.mpmed.2007.04.002>.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environ Sci Technol*. 39: 2888-2897. <http://dx.doi.org/10.1021/es049017y>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect*. 102: 31-34.
- Hsam, SLK; Huang, XQ; Zeller, FJ. (2001). Chromosomal location of genes for resistance to powdery mildew in common wheat (*Triticum aestivum* L. em Thell.) 6. Alleles at the Pm5 locus. *Theor Appl Genet*. 102: 127-133.
- HSDB. (1996). Phenothiazine (Version Last Revision Date: 20050623) [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov>
- HSDB. (2001). Tetrachloroethylene. Bethesda, Maryland: National Library of Medicine, National Toxicology Program, Hazardous Substances Data Bank.
- HSIA. (1984). Comments and additional corrections on the health assessment document tetrachloroethylene (perchloroethylene). Arlington, VA.
- HSIA. (2004). Comment entitled "evaluation of EPA's neurotoxicity of tetrachloroethylene" submitted by Paul H. Dugard, Ph.D, Halogenated Solvents Industry Alliance, Inc. for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#documentDetail;D=EPA-HQ-ORD-2003-0014-0006>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- HSIA. (2004). Comment focusing on "certain halogenated solvents" submitted by Paul H. Dugard, Director of Scientific Studies, the Halogenated Solvents Industry Alliance, Inc. (HSIA) for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0005>.
- Hsu, CH; Yang, CH; Wang, Y, iHan; Huang, CW, ei; Lien, SY; Kung, CY; Lou, J, enC. (2016). Low Cost Local Contact Opening by Using Polystyrene Spheres Spin-Coating Method for PERC Solar Cells. *Materials*. 9. <http://dx.doi.org/10.3390/ma9070549>.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull*. 15: 125-128.
- Hsu, HL; Demond, AH. (2007). Influence of organic acid and organic base interactions on interfacial properties in NAPL--water systems. *Environ Sci Technol*. 41: 897-902. <http://dx.doi.org/10.1021/es061676i>.
- Hsu, HL, an; Demond, AH. (2010). Impact of Multi-Interface Surfactant Adsorption on Wettability in Dense Nonaqueous Phase Liquid Systems. *Environ Eng Sci*. 27: 95-101. <http://dx.doi.org/10.1089/ees.2009.0240>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal*. 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsueh, KP; Hao, OJ; Wu, YC. (1991). Removal of volatile organic compounds in a rotating disk contactor: Batch and continuous operation (pp. 67-74). (ISSN 1047-7624; BIOSIS/92/23712). Hsueh, KP; Hao, OJ; Wu, YC.
- Hu, C; Bi, A; Pan, ZH. (2009). Differential expression of three T-type calcium channels in retinal bipolar cells in rats. *Vis Neurosci*. 26: 177-187. <http://dx.doi.org/10.1017/S0952523809090026>.
- Hu, M; Zhang, Y; Liu, Y; Wang, X, in; Wong, P, oK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *Int Biodeterior Biodegradation*. 85: 103-107. <http://dx.doi.org/10.1016/j.ibiod.2013.06.008>.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater*. 190: 1074-1078. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.088>.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun*. 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics*. 176: 53-56. <http://dx.doi.org/10.1016/j.ssi.2004.05.006>.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl<sub>4</sub>: Intermediates and byproducts. *Environ Sci Technol*. 30: 864-871.
- Huang, CH, ao; Chang, Y, uHsu; Lin, HK, ai; Peng, CW, ei; Chung, W, enS; Lee, C, hiY; Chiu, HT. (2007). Phase segregation assisted morphology sculpting: Growth of graphite and silicon crystals via vapor-solid reactions. *J Phys Chem C*. 111: 4138-4145. <http://dx.doi.org/10.1021/jp0666961>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethene concentrations. *Environ Sci Technol*. 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, HC; Lee, JF; Lee, CK; Chen, JC. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater*. 138: 485-492. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.094>.
- Huang, J; Appiah-Sefah, G; Nkrumah, NP; Li, J. (2016). MAGNOLIA GRANDIFLORA FOR MONITORING TRICHLOROETHYLENE AND TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER. *Fresen Environ Bull*. 25: 783-792.
- Huang, J; Christ, JA; Goltz, MN; Demond, AH. (2015). Modeling NAPL dissolution from pendular rings in idealized porous media. *Water Resour Res*. 51: 8182-8197. <http://dx.doi.org/10.1002/2015WR016924>.
- Huang, J; Gan, H; Li, H; Wu, K. (1998). [Mutagenicity of typical organo-halogenated compounds from drinking water]. *Huanjing Kexue*. 19: 54-57.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater*. 87: 155-169.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere*. 46: 815-825.
- Hubert, P. (2010). Effects of low doses: Proof and inferences. *E R S*. 9: 295-302. <http://dx.doi.org/10.1684/ers.2010.0365>.
- Hubler, G; Montzka, DD; Norton, RB; Murphy, PC; Fehsenfeld, FC; Liu, SC; Ridley, BA; Walega, JG; Atlas, E; Grahek, FE; Heidt, LE; Merrill, J; Huebert, BJ; Bodhaine, BA. (1992). TOTAL REACTIVE OXIDIZED NITROGEN (NOY) IN THE REMOTE PACIFIC TROPOSPHERE AND ITS CORRELATION WITH O<sub>3</sub> AND CO - MAUNA-LOA-OBSERVATORY PHOTOCHEMISTRY EXPERIMENT 1988. *J Geophys Res Atmos*. 97: 10427-10447.
- Hubner, A; Hampe, C; Aberle, AG. (1997). A simple fabrication process for 20% efficient silicon solar cells. *Solar Energy Materials and Solar Cells*. 46: 67-77.
- Hubner, HJ; Worner, M; Kaiser, W; Seilmeier, A. (1991). SUBPICOSECOND VIBRATIONAL-RELAXATION OF SKELETAL MODES IN POLYATOMIC-MOLECULES. *Chem Phys Lett*. 182: 315-320.
- Hudnell, HK; Boyes, WK; Otto, DA; House, DE; Creason, JP; Geller, AM; Darcey, DJ; Broadwell, DK. (1996). Battery of neurobehavioral tests recommended to ATSDR: Solvent-induced deficits in microelectronic workers [Review]. *Toxicol Ind Health*. 12: 235-243.
- Hudnell, HK; House, D; Schmid, J; Koltai, D; Stopford, W; Wilkins, J; Savitz, DA; Swinker, M; Music, S. (2001). Human visual function in the North Carolina clinical study on possible estuary-associated syndrome. *J Toxicol Environ Health A*. 62: 575-594. <http://dx.doi.org/10.1080/15287390151079633>.
- Hudnell, HK; Otto, DA; House, DE. (1996). The influence of vision on computerized neurobehavioral test scores: A proposal for improving test protocols. *Neurotoxicol Teratol*. 18: 391-400. [http://dx.doi.org/10.1016/0892-0362\(96\)00040-2](http://dx.doi.org/10.1016/0892-0362(96)00040-2).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Huff, J. (1995). Mechanisms, chemical carcinogenesis, and risk assessment: Cell proliferation and cancer. *Am J Ind Med.* 27: 293-300. <http://dx.doi.org/10.1002/ajim.4700270213>.
- Huff, J. (1996). Response: Alpha-2-mu-globulin nephropathy, posed mechanisms, and white ravens. *Environ Health Perspect.* 104: 1264-1267.
- Huffman, GP; Shah, N; Huggins, FE; Stock, LM; Chatterjee, K; Kilbane, JJ; Chou, MIM; Buchanan, DH. (1995). SULFUR SPECIATION OF DESULFURIZED COALS BY XANES SPECTROSCOPY. *Fuel.* 74: 549-555.
- Huggins, FE; Vaidya, SV; Shah, N; Huffman, GP. (1993). INVESTIGATION OF SULFUR FORMS EXTRACTED FROM COAL BY PERCHLOROETHYLENE. *Fuel Process Tech.* 35: 233-257.
- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng.* 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng.* 122: 99-106.
- Hughes, JP. (1954). Hazardous exposure to some so-called safe solvents. *JAMA.* 156: 234-237.
- Huisman, BH; Kooyman, RPH; Vanveggel, F; Reinhoudt, DN. (1996). Molecular recognition by self-assembled monolayers detected with surface plasmon resonance. *Adv Mater Deerfield.* 8: 561-&.
- Huling, SG; Ko, S; Pivetz, B. (2011). Groundwater Sampling at ISCO Sites: Binary Mixtures of Volatile Organic Compounds and Persulfate. *Ground Water Monitoring and Remediation.* 31: 72-79. <http://dx.doi.org/10.1111/j.1745-6592.2011.01332.x>.
- Humayra, AS; Kimura, Y; Takamizawa, K; Sato, T. (2005). Transport of *Clostridium bifermentans* DPH-1 through the laboratory column can be explained by two-region model for bioremediation. *Environ Technol.* 26: 1151-1159.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO<sub>2</sub> films. *Environ Sci Technol.* 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO<sub>2</sub> films. *Environ Sci Technol.* 31: 1440-1445.
- Hung, HM; Hoffmann, MR. (1998). Kinetics and mechanism of the enhanced reductive degradation of CCl<sub>4</sub> by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 32: 3011-3016.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environ Sci Technol.* 39: 5975-5981. <http://dx.doi.org/10.1021/es048464a>.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environ Sci Technol.* 33: 2733-2738.
- Hunkeler, D; Aravena, R; Cox, E. (2002). Carbon isotopes as a tool to evaluate the origin and fate of vinyl chloride: laboratory experiments and modeling of isotope evolution. *Environ Sci Technol.* 36: 3378-3384. <http://dx.doi.org/10.1021/es011479d>.
- Hunkeler, D; Aravena, R; Shouakar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and chlorine isotope ratios of chlorinated ethenes migrating through a thick unsaturated zone of a sandy aquifer. *Environ Sci Technol.* 45: 8247-8253. <http://dx.doi.org/10.1021/es201415k>.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol.* 74: 265-282. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.003>.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environ Sci Technol.* 43: 6750-6756. <http://dx.doi.org/10.1021/es900579z>.
- Hurst, CH; Waxman, DJ. (2003). Activation of PPAR $\alpha$  and PPAR $\gamma$  by environmental phthalate monoesters. *Toxicol Sci.* 74: 297-308. <http://dx.doi.org/10.1093/toxsci/kfg145>.
- Hurst, DF; Bakwin, PS; Myers, RC; Elkins, JW. (1997). Behavior of trace gas mixing ratios on a very tall tower in North Carolina. *J Geophys Res Atmos.* 102: 8825-8835.
- Huss, JM; Kelly, DP. (2005). Mitochondrial energy metabolism in heart failure: A question of balance. *J Clin Invest.* 115: 547-555. <http://dx.doi.org/10.1172/JCI24405>.
- Huttunen, J; Heinonen, O; Manninen, V; Koskinen, P; Hakulinen, T; Teppo, L; Mänttari, M; Frick, M. (1994). The Helsinki Heart Study: An 8.5-year safety and mortality follow-up. *J Intern Med.* 235: 31-39. <http://dx.doi.org/10.1111/j.1365-2796.1994.tb01029.x>.
- Huybrechts, G; Olbregts, J; Thomas, K. (1967). Gas-phase chlorine-photosensitized oxidation and oxygen-inhibited photochlorination of tetrachloroethylene and pentachloroethane. *Trans Faraday Soc.* 63: 1647-1655. <http://dx.doi.org/10.1039/TF9676301647>.
- Huybrechts, T; Dewulf, J; Moerman, O; Van Langenhove, H. (2000). Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l(-1) concentration level. *J Chromatogr A.* 893: 367-382.
- Hwang, I; Batchelor, B. (2000). Reductive dechlorination of tetrachloroethylene by Fe(II) in cement slurries. *Environ Sci Technol.* 34: 5017-5022.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environ Sci Technol.* 35: 3792-3797.
- Hwang, I; Park, HJ; Kang, WH; Park, JY. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater.* 118: 103-111. <http://dx.doi.org/10.1016/j.jhazmat.2004.10.002>.
- Hwang, YK; Endres, AL; Piggott, SD; Parker, BL. (2008). Long-term ground penetrating radar monitoring of a small volume DNAPL release in a natural groundwater flow field. *J Contam Hydrol.* 97: 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2007.11.004>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- Hyun, SP, il; Hayes, K, imF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *J Environ Eng.* 135: 1009-1014. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000073](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000073).
- IARC. (1995). Chloral and chloral hydrate. In IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans (pp. 245-269). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/mono63-9.pdf>.
- IARC. (2000). Di(2-ethylhexyl) phthalate [Review]. In IARC monographs on the evaluation of carcinogenic risks to humans (pp. 41-148). Lyon, France.
- IARC. (2004). Some drinking-water disinfectants and contaminants, including arsenic. In IARC Monographs on the Evaluation of Carcinogenic Risks to Humans (pp. 1-477). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol84/index.php>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLINE/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- IARC. (2010). Ingested nitrate and nitrite and cyanobacterial peptide toxins. In IARC Monographs on the evaluation of carcinogenic risks to humans. Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol94/mono94.pdf>.
- Iavicoli, I; Carelli, G; Marinaccio, A. (2006). Dose-response relationships in human experimental exposure to solvents. *Dose-Response.* 4: 155-168. <http://dx.doi.org/10.2203/dose-response.05-036.iavicoli>.
- Ibaraki, M. (2001). Source characteristics and contaminant plume evolution. *Transport in Porous Media.* 44: 577-589.
- ICRP. (1975). Report of the task group on reference man. In ICRP Publication 23. Oxford, UK: Pergamon Press. [http://ani.sagepub.com/site/include/files/icrp\\_publications\\_collection.xhtml](http://ani.sagepub.com/site/include/files/icrp_publications_collection.xhtml).
- Idrissou, M; Ngom, DF; Malou, R; Vayssade, B; Courbis, AL. (2015). Water balance simulation for resource evaluation at the catchment scale: application to the Nema (Sudano-Sahelian zone, Senegal). *Hydrological Sciences Journal.* 60: 1620-1630. <http://dx.doi.org/10.1080/02626667.2014.932055>.
- Ikbal, M; Tastekin, A; Dogan, H; Pirim, I; Ors, R. (2004). The assessment of genotoxic effects in lymphocyte cultures of infants treated with chloral hydrate. *Mutat Res.* 564: 159-164. <http://dx.doi.org/10.1016/j.mrgentox.2004.08.007>.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect.* 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikeda, M; Ohtsujii, H. (1972). COMPARATIVE STUDY OF EXCRETION OF FUJIWARA REACTION-POSITIVE SUBSTANCES IN URINE OF HUMANS AND RODENTS GIVEN TRICHLORO-DERIVATIVES OR TETRACHLORO-DERIVATIVES OF ETHANE AND ETHYLENE. *Br J Ind Med.* 29: 99-&.
- Ikeda, M; Ohtsujii, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med.* 29: 328-333. <http://dx.doi.org/10.1136/oem.29.3.328>; <http://oem.bmj.com/content/oemed/29/3/328.full.pdf>.
- Iloukhani, H; Reddy, KD; Rao, MVP. (1985). EXCESS VOLUMES OF TETRACHLOROETHYLENE WITH SOME ALIPHATIC AND ALICYCLIC KETONES AT 303.15-K AND 313.15-K. *Journal of Chemical and Engineering Data.* 30: 306-308.
- Iloukhani, H; Samiey, B. (2005). Studies of viscosities and excess molar volumes of the binary mixtures of 1-heptanol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, plus trichloroethylene and tetrachloroethylene at (293.15, 298.15, and 303.15) K for the liquid region and at ambient pressure. *Journal of Chemical and Engineering Data.* 50: 1911-1916. <http://dx.doi.org/10.1021/je0501890>.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environ Sci Technol.* 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Imaoka, T; Takatsuka, T; Yamamoto, K. (2006). Catalytic dehalogenation enhanced by appending dendritic ligands on cobalt porphyrins. *Journal of Porphyrins and Phthalocyanines.* 10: 1066-1070.
- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res.* 42: 871-882. <http://dx.doi.org/10.1016/j.watres.2007.08.035>.
- Imfeld, G; Pieper, H; Shani, N; Rossi, P; Nikolausz, M; Nijenhuis, I; Paschke, H; Weiss, H; Richnow, HH. (2011). Characterization of Groundwater Microbial Communities, Dechlorinating Bacteria, and In Situ Biodegradation of Chloroethenes Along a Vertical Gradient. *Water Air Soil Pollut.* 221: 107-122. <http://dx.doi.org/10.1007/s11270-011-0774-0>.
- Imhoff, PT; Frizzell, A; Miller, CT. (1997). Evaluation of thermal effects on the dissolution of a nonaqueous phase liquid in porous media. *Environ Sci Technol.* 31: 1615-1622.
- Imhoff, PT; Gleyzer, SN; McBride, JF; Vancho, LA; Okuda, I; Miller, CT. (1995). COSOLVENT ENHANCED REMEDIATION OF RESIDUAL REUSE NONAQUEOUS PHASE LIQUIDS - EXPERIMENTAL INVESTIGATION. *Environ Sci Technol.* 29: 1966-1976.
- Imhoff, PT; Mann, AS; Mercer, M; Fitzpatrick, M. (2003). Scaling DNAPL migration from the laboratory to the field. *J Contam Hydrol.* 64: 73-92. [http://dx.doi.org/10.1016/S0169-7722\(02\)00106-7](http://dx.doi.org/10.1016/S0169-7722(02)00106-7).
- Imoberdorf, GE; Cassano, AE; Alfano, OM; Irazoqui, HA. (2006). Modeling of a multiannular photocatalytic reactor for perchloroethylene degradation in air. *AIChE J.* 52: 1814-1823. <http://dx.doi.org/10.1002/aic.10771>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Optimal design and modeling of annular photocatalytic wall reactors. *Catalysis Today.* 129: 118-126. <http://dx.doi.org/10.1016/j.cattod.2007.06.057>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Simulation of a multi-annular photocatalytic reactor for degradation of perchloroethylene in air: Parametric analysis of radiative energy efficiencies. *Chem Eng Sci.* 62: 1138-1154. <http://dx.doi.org/10.1016/j.ces.2006.10.024>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Imoberdorf, GE; Irazoqui, HA; Alfano, OM; Cassano, AE. (2007). Scaling-up from first principles of a photocatalytic reactor for air pollution remediation. *Chem Eng Sci.* 62: 793-804. <http://dx.doi.org/10.1016/j.ces.2006.10.004>.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2005). Photocatalytic degradation of tetrachloroethylene in gas phase on TiO<sub>2</sub> films: A kinetic study. *Ind Eng Chem Res.* 44: 6075-6085. <http://dx.doi.org/10.1021/ie049185z>.
- Infante-Rivard, C; Siemietycki, J; Lakhani, R; Nadon, L. (2005). Maternal exposure to occupational solvents and childhood leukemia. *Environ Health Perspect.* 113: 787-792. <http://dx.doi.org/10.1289/ehp.7707>.
- Inoue, O; Ukai, H; Ikeda, M. (2006). Green chemistry in urinalysis for trichloroethanol and trichloroacetic acid as markers of exposure to chlorinated hydrocarbon solvents. *Ind Health.* 44: 207-214.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem.* 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Interagency Staff Group on Carcinogens. (1986). Chemical carcinogens: A review of the science and its associated principles [Review]. *Environ Health Perspect.* 67: 201-282.
- International Fabricare Institute. (1984). Comments of the laundry-cleaning council on the external review draft health assessment document for tetrachloroethylene (perchloroethylene).
- IOM. (2002). *Gulf War and health. Vol. 2: Insecticides and solvents.* Washington, DC: National Academies Press.
- lordache, M; Meghea, A; Neamtu, S; Popescu, LR; lordache, I. (2014). Evaluation of Contamination with Priority Hazardous Substances in Olt River Water and Sediments near the Industrial Platform of Ramnicu Valcea. *Rev Chim.* 65: 87-93.
- lordache, M; Popescu, LR; Neamtu, S; Pascu, LF; lordache, I. (2016). Assessment of Pollution with Organochlorine Substances in the Accumulation Lakes on the Olt River, Using the Fugacity Model. *Rev Chim.* 67: 1186-1190.
- IPCS. (1986). Asbestos and other natural mineral fibres. In *Environmental Health Criteria* (pp. 112). (Environmental Health Criteria 53). Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc53.htm>.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environ Sci Technol.* 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial diversity and changes in the distribution of dehalogenase genes during dechlorination with different concentrations of cis-DCE. *Environ Sci Technol.* 45: 5339-5345. <http://dx.doi.org/10.1021/es104199y>.
- Ishmael, J; Lock, EA. (1986). Nephrotoxicity of hexachlorobutadiene and its glutathione-derived conjugates. *Toxicol Pathol.* 14: 258-262. <http://dx.doi.org/10.1177/019262338601400216>.
- Issemann, I; Green, S. (1990). Activation of a member of the steroid hormone receptor superfamily by peroxisome proliferators. *Nature.* 347: 645-650.
- Issemann, I; Prince, RA; Tugwood, JD; Green, S. (1993). The peroxisome proliferator-activated receptor:retinoid X receptor heterodimer is activated by fatty acids and fibrates hypolipidaemic drugs. *J Mol Endocrinol.* 11: 37-47.
- Istok, JD; Field, JA; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory and field investigation of surfactant sorption using single-well, "push-pull" tests. *Ground Water.* 37: 589-598.
- Isukapalli, SS; Roy, A; Georgopoulos, PG. (1998). Stochastic response surface methods (SRSMs) for uncertainty propagation: application to environmental and biological systems. *Risk Anal.* 18: 351-363.
- Isukapalli, SS; Roy, A; Georgopoulos, PG. (2000). Efficient Sensitivity/Uncertainty Analysis Using the Combined Stochastic Response Surface Method and Automated Differentiation: Application to Environmental and Biological Systems. *Risk Anal.* 20: 591-602.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health.* 49: 172-182.
- Ito, Y; Yamanoshita, O; Kurata, Y; Kamijima, M; Aoyama, T; Nakajima, T. (2007). Induction of peroxisome proliferator-activated receptor alpha (PPARalpha)-related enzymes by di(2-ethylhexyl) phthalate (DEHP) treatment in mice and rats, but not marmosets. *Arch Toxicol.* 81: 219-226. <http://dx.doi.org/10.1007/s00204-006-0141-x>.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere.* 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Ivanov, WN; Hei, TK. (2006). Sodium arsenite accelerates TRAIL-mediated apoptosis in melanoma cells through upregulation of TRAIL-R1/R2 surface levels and downregulation of cFLIP expression. *Exp Cell Res.* 312: 4120-4138. <http://dx.doi.org/10.1016/j.yexcr.2006.09.019>.
- Iveson, SM; Galvin, KP. (2012). The effect of perchloroethylene on coking properties. *Fuel.* 95: 504-513. <http://dx.doi.org/10.1016/j.fuel.2011.10.009>.
- Jackson, R; Grainge, JW. (1975). Arsenic and cancer. *Can Med Assoc J.* 113: 396-401.
- Jackson, RE. (2003). The evolution of DNAPL remediation practice. *ACS Symp Ser Am Chem Soc.* 837: 21-35.
- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation.* 19: 102-110.
- Jackson, RE; Priddle, MW; Lesage, S. (1990). Transport and fate of CFC-113 in groundwater.
- Jackson, S, aM; Rananaware, A; Rix, C; Bhosale, SV; Latham, K, ay. (2015). Clathrate directed assembly of tetrapyrrolyl-tetraphenylethylene metal-organic frameworks. *RSC Advances.* 5: 84134-84141. <http://dx.doi.org/10.1039/c5ra18499a>.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol.* 52: 1253-1260. <http://dx.doi.org/10.1007/s00254-006-0563-z>.
- Jager, JW; Ostrosky-Wegman, P. (1997). Arsenic: A paradoxical human carcinogen [Review]. *Mutat Res.* 386: 181-184. [http://dx.doi.org/10.1016/s1383-5742\(97\)00002-1](http://dx.doi.org/10.1016/s1383-5742(97)00002-1).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jain, DVS; Wadi, RK; Saini, SB. (1981). ISOTHERMAL LIQUID-VAPOR EQUILIBRIA FOR ACETYLACETONE+, AND ACRYLONITRILE+ CARBON-TETRACHLORIDE AND ACRYLONITRILE+ TETRACHLOROETHYLENE AT 303.15 AND 323.15 K. 19: 167-170.
- Jain, R. (2016). Levels of selected urinary metabolites of volatile organic compounds in a representative sample of US adolescents. *Toxicol Environ Chem*. 98: 977-990. <http://dx.doi.org/10.1080/02772248.2015.1132319>.
- Jain, V; Demond, AH. (1999). Impact of surfactants for aquifer remediation on physical properties of the aqueous phase. *J Contam Hydrol*. 40: 25-35.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 1. Emulsion transport. *Environ Sci Technol*. 36: 5426-5433. <http://dx.doi.org/10.1021/es0113955>.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 2. Formation of emulsion in situ. *Environ Sci Technol*. 36: 5434-5440. <http://dx.doi.org/10.1021/es011396x>.
- Jakoby, BW; Bercier, Y; Conti, M; Casey, ME; Bendriem, B; Townsend, DW. (2011). Physical and clinical performance of the mCT time-of-flight PET/CT scanner. *Phys Med Biol*. 56: 2375-2389. <http://dx.doi.org/10.1088/0031-9155/56/8/004>.
- Jakoby, BW; Bercier, Y; Watson, CC; Bendriem, B; Townsend, DW. (2009). Performance Characteristics of a New LSO PET/CT Scanner With Extended Axial Field-of-View and PSF Reconstruction. *IEEE Trans Nucl Sci*. 56: 633-639. <http://dx.doi.org/10.1109/TNS.2009.2015764>.
- Jakusch, M; Mizaikoff, B; Kellner, R. (1997). Towards a remote IR fiber-optic sensor system for the determination of chlorinated hydrocarbons in water. *Sens Actuators B*. 38: 83-87.
- Jalbert, M; Dane, JH; Bahaminyakamwe, L. (2003). Influence of porous medium and NAPL distribution heterogeneities on partitioning inter-well tracer tests: a laboratory investigation. *J Hydrol*. 272: 79-94.
- Jalouli, M; Carlsson, L; Ameen, C; Linden, D; Ljungberg, A; Michalik, L; Eden, S; Wahli, W; Oscarsson, J. (2003). Sex difference in hepatic peroxisome proliferator-activated receptor alpha expression: Influence of pituitary and gonadal hormones. *Endocrinology*. 144: 101-109. <http://dx.doi.org/10.1210/en.2002-220630>.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut*. 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol*. 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- James, JT; Limerio, TF; Leano, HJ; Boyd, JF; Covington, PA. (1994). VOLATILE ORGANIC CONTAMINANTS FOUND IN THE HABITABLE ENVIRONMENT OF THE SPACE-SHUTTLE - STS-26 TO STS-55. *Aviat Space Environ Med*. 65: 851-857.
- James, KJ; Stack, MA. (1997). The impact of leachate collection on air quality in landfills. *Chemosphere*. 34: 1713-1721.
- Jamshidi, Y; Montgomery, HE; Hense, HW; Myerson, SG; Torra, IP; Staels, B; World, MJ; Doering, A; Erdmann, J; Hengstenberg, C; Humphries, SE; Schunkert, H; Flavell, DM. (2002). Peroxisome proliferator-activated receptor alpha gene regulates left ventricular growth in response to exercise and hypertension. *Circulation*. 105: 950-955.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. *Chemosphere*. 54: 917-925. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.033>.
- Jang, J, iS; Yeo, SD, o. (2015). Adsorption of Ethylbenzene and Tetrachloroethylene Using Natural and Organically Modified Clays. *Separation Science and Technology*. 50: 573-582. <http://dx.doi.org/10.1080/01496395.2014.956758>.
- Jang, JY; Droz, PO. (1997). Ethnic differences in biological monitoring of several organic solvents: II. A simulation study with a physiologically based pharmacokinetic model. *Int Arch Occup Environ Health*. 70: 41-50. <http://dx.doi.org/10.1007/s004200050184>.
- Jang, JY; Droz, PO; Berode, M. (1997). Ethnic differences in biological monitoring of several organic solvents. I. Human exposure experiment. *Int Arch Occup Environ Health*. 69: 343-349.
- Jang, JY; Droz, PO; Chung, HK. (1999). Uncertainties in physiologically based pharmacokinetic models caused by several input parameters. *Int Arch Occup Environ Health*. 72: 247-254.
- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2006). Learning disabilities as an outcome following prenatal exposure to tetrachloroethylene-contaminated drinking water. *Epidemiology*. 17: S234-S235.
- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2007). Prenatal exposure to tetrachloroethylene(PCE)-contaminated drinking water and the risk of learning and attention disabilities. *Neurotoxicol Teratol*. 29: 406. <http://dx.doi.org/10.1016/j.ntt.2007.03.037>.
- Janulewicz, PA; White, RF; Winter, MR; Weinberg, JM; Gallagher, LE; Vieira, V; Webster, TF; Aschengrau, A. (2008). Risk of learning and behavioral disorders following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol*. 30: 175-185. <http://dx.doi.org/10.1016/j.ntt.2008.01.007>.
- Jat, P; Serre, ML. (2016). Bayesian Maximum Entropy space/time estimation of surface water chloride in Maryland using river distances. *Environ Pollut*. 219: 1148-1155. <http://dx.doi.org/10.1016/j.envpol.2016.09.020>.
- Jawitz, JW; Sillan, RK; Annable, MD; Rao, PSC; Warner, K. (2000). In situ alcohol flushing of a DNAPL source zone at a dry cleaner site. *Environ Sci Technol*. 34: 3722-3729.
- Jayakody, P; Parajuli, PB; Sassenrath, GF; Ouyang, Y. (2014). Relationships between water table and model simulated ET. *Ground Water*. 52: 303-310. <http://dx.doi.org/10.1111/gwat.12053>.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environ Sci Technol*. 36: 5491-5497. <http://dx.doi.org/10.1021/es020566i>.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 39: 1399-1414. <http://dx.doi.org/10.1081/ESE-120037841>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jeannotat, S; Hunkeler, D. (2012). Chlorine and carbon isotopes fractionation during volatilization and diffusive transport of trichloroethene in the unsaturated zone. *Environ Sci Technol.* 46: 3169-3176. <http://dx.doi.org/10.1021/es203547p>.
- Jeannotat, S; Hunkeler, D. (2013). Can soil gas VOCs be related to groundwater plumes based on their isotope signature? *Environ Sci Technol.* 47: 12115-12122. <http://dx.doi.org/10.1021/es4010703>.
- Jeffroy, M; Weber, G, uy; Hostachy, S; Bellat, JP; Fuchs, AH; Boutin, A. (2011). Structural Changes in Nanoporous MFI Zeolites Induced by Tetrachloroethene Adsorption: A Joint Experimental and Simulation Study. *J Phys Chem C.* 115: 3854-3865. <http://dx.doi.org/10.1021/jp109447n>.
- Jensen, OM; Wahrendorf, J; Knudsen, JB; Sorensen, BL. (1987). The Copenhagen case-referent study on bladder cancer: Risks among drivers, painters, and certain other occupations. *Scand J Work Environ Health.* 13: 129-134.
- Jensen, S; Rosenberg, R. (1975). Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res.* 9: 659-661.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jeong, SW. (2005). Evaluation of the use of capillary numbers for quantifying the removal of DNAPL trapped in a porous medium by surfactant and surfactant foam floods. *J Colloid Interface Sci.* 282: 182-187. <http://dx.doi.org/10.1016/j.jcis.2004.08.108>.
- Jeong, SW; Ju, BK; Lee, BJ. (2009). Effects of alcohol-partitioning type and airflow on cosolvent flooding to benzene-LNAPL saturated porous media. *J Hazard Mater.* 166: 603-611. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.102>.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater.* 95: 125-135.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Enhanced contact of cosolvent and DNAPL in porous media by concurrent injection of cosolvent and air. *Environ Sci Technol.* 36: 5238-5244. <http://dx.doi.org/10.1021/es0157705>.
- Jeong, SW; Wood, AL; Lee, TR. (2003). Enhanced removal of DNAPL trapped in porous media using simultaneous injection of cosolvent with air: influencing factors and removal mechanisms. *J Hazard Mater.* 101: 109-122.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(III)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol.* 87: 1179-1186. <http://dx.doi.org/10.1002/jctb.3746>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater.* 184: 234-240. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.027>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupation and bladder cancer: A cohort study in Sweden. *Br J Cancer.* 92: 1276-1278. <http://dx.doi.org/10.1038/sj.bjc.6602473>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupational risk factors for kidney cancer: A cohort study in Sweden. *World Journal of Urology.* 23: 271-278. <http://dx.doi.org/10.1007/s00345-005-0007-5>.
- Ji, J; Hemminki, K. (2005). Occupation and upper aerodigestive tract cancers: A follow-up study in Sweden. *J Occup Environ Med.* 47: 785-795. <http://dx.doi.org/10.1097/01.jom.0000165798.28569.b5>.
- Ji, J; Hemminki, K. (2005). Occurrences of leukemia subtypes by socioeconomic and occupational groups in Sweden. *J Occup Environ Med.* 47: 1131-1140. <http://dx.doi.org/10.1097/01.jom.0000174302.63621.e8>.
- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health.* 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.
- Ji, J; Hemminki, K. (2006). Socioeconomic and occupational risk factors for pancreatic cancer: A cohort study in Sweden. *J Occup Environ Med.* 48: 283-288. <http://dx.doi.org/10.1097/01.jom.0000199511.14305.dc>.
- Ji, J; Hemminki, K. (2006). Socioeconomic/occupational risk factors for lymphoproliferative diseases in Sweden. *Ann Epidemiol.* 16: 370-376. <http://dx.doi.org/10.1016/j.annepidem.2005.09.002>.
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int.* 34: 922-931. <http://dx.doi.org/10.1016/j.envint.2008.02.002>.
- Jian, Y; Planeta, B; Carson, RE. (2015). Evaluation of bias and variance in low-count OSEM list mode reconstruction. *Phys Med Biol.* 60: 15-29. <http://dx.doi.org/10.1088/0031-9155/60/1/15>.
- Jin, B; Laskov, C; Rolle, M; Haderlein, SB. (2011). Chlorine isotope analysis of organic contaminants using GC-qMS: method optimization and comparison of different evaluation schemes. *Environ Sci Technol.* 45: 5279-5286. <http://dx.doi.org/10.1021/es200749d>.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res.* 69: 1094-1099.
- Jin, M; Hirasaki, GJ; Jackson, RE; Kostarelos, K; Pope, GA. (2007). Control of downward migration of dense nonaqueous phase liquid during surfactant flooding by design simulations. *Water Resour Res.* 43: 1412-1412. <http://dx.doi.org/10.1029/2006WR004858>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Jin, MQ; Delshad, M; Dwarakanath, V; Mckinney, DC; Pope, GA; Sepehrnoori, K; Tilburg, CE; Jackson, RE. (1995). PARTITIONING TRACER TEST FOR DETECTION, ESTIMATION, AND REMEDIATION PERFORMANCE ASSESSMENT OF SUBSURFACE NONAQUEOUS PHASE LIQUIDS. *Water Resour Res.* 31: 1201-1211.
- Jin, S; Fallgren, PH; Morris, JM; Edgar, ES. (2008). Degradation of trichloroethene in water by electron supplementation. *Chem Eng J.* 140: 642-645. <http://dx.doi.org/10.1016/j.cej.2008.01.035>.
- Jin, X, in; Mahinthakumar, G; Zechman, EM; Ranjithan, RS. (2009). A genetic algorithm-based procedure for 3D source identification at the Borden emplacement site. *J Hydroinform.* 11: 51-64. <http://dx.doi.org/10.2166/hydro.2009.002>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chlorinated solvents from carbonate-buffered water by zero-valent iron. *Central European Journal of Chemistry.* 5: 87-106. <http://dx.doi.org/10.2478/s11532-006-0071-8>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chloro derivatives of ethene from ground water with granulated-iron reaction barriers. *Chem Listy.* 101: 176-180.
- Jirtle, RL; Meyer, SA. (1991). Liver tumor promotion: effect of phenobarbital on EGF and protein kinase C signal transduction and transforming growth factor-beta 1 expression. *Dig Dis Sci.* 36: 659-668.
- Jochmann, MA; Yuan, X; Schmidt, TC. (2007). Determination of volatile organic hydrocarbons in water samples by solid-phase dynamic extraction. *Anal Bioanal Chem.* 387: 2163-2174. <http://dx.doi.org/10.1007/s00216-006-1066->.
- Johannsen, FR; Levinskas, GJ; Tegeris, AS. (1986). Effects of formaldehyde in the rat and dog following oral exposure. *Toxicol Lett.* 30: 1-6. [http://dx.doi.org/10.1016/0378-4274\(86\)90171-2](http://dx.doi.org/10.1016/0378-4274(86)90171-2).
- Johanson, G; Filser, JG. (1992). Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch Toxicol.* 66: 291-295. <http://dx.doi.org/10.1007/BF02307176>.
- John, EM; Savitz, DA; Shy, CM. (1994). Spontaneous abortions among cosmetologists. *Epidemiology.* 5: 147-155. <http://dx.doi.org/10.1097/00001648-199403000-00004>.
- John, WW; Bao, GB; Johnson, WP; Stauffer, TB. (2000). Sorption of nonionic surfactant oligomers to sediment and PCE DNAPL: Effects on PCE distribution between water and sediment. *Environ Sci Technol.* 34: 672-679.
- Johnson, DN; Pedit, JA; Miller, CT. (2004). Efficient, near-complete removal of DNAPL from three-dimensional, heterogeneous porous media using a novel combination of treatment technologies. *Environ Sci Technol.* 38: 5149-5156. <http://dx.doi.org/10.1021/es0344765>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress.* 19: 157-166.
- Johnson, JC; Sun, SB; Jaffe, PR. (1999). Surfactant enhanced perchloroethylene dissolution in porous media: The effect on mass transfer rate coefficients. *Environ Sci Technol.* 33: 1286-1292.
- Johnson, LC; Ovchinnikov, O; Shokouhi, S; Peterson, TE. (2015). Development of a Germanium Small-Animal SPECT System. *IEEE Trans Nucl Sci.* 2015: 2036-2042. <http://dx.doi.org/10.1109/TNS.2015.2448673>.
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect.* 106: 995-999.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998). Cardiac teratogenicity of trichloroethylene metabolites. *J Am Coll Cardiol.* 32: 540-545. [http://dx.doi.org/10.1016/S0735-1097\(98\)00232-0](http://dx.doi.org/10.1016/S0735-1097(98)00232-0).
- Johnson, RH; Poeter, EP. (2007). Insights into the use of time-lapse GPR data as observations for inverse multiphase flow simulations of DNAPL migration. *J Contam Hydrol.* 89: 136-155. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.003>.
- Johnson, RL; Thoms, RB; Zogorski, JS. (2003). Effects of daily precipitation and evapotranspiration patterns on flow and VOC transport to groundwater along a watershed flow path. *Environ Sci Technol.* 37: 4944-4954.
- Johnson, WP; Bao, GB; John, WW. (2002). Specific UV absorbance of Aldrich humic acid: Changes during transport in aquifer sediment. *Environ Sci Technol.* 36: 608-616. <http://dx.doi.org/10.1021/es010920x>.
- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environ Sci Technol.* 45: 1007-1013. <http://dx.doi.org/10.1021/es102099h>.
- Johnston, JE; Gibson, JM. (2014). Spatiotemporal variability of tetrachloroethylene in residential indoor air due to vapor intrusion: a longitudinal, community-based study. *J Expo Sci Environ Epidemiol.* 24: 564-571. <http://dx.doi.org/10.1038/jes.2013.13>.
- Johnston, JJ; Borden, RC; Barlaz, MA. (1996). Anaerobic biodegradation of alkylbenzenes and trichloroethylene in aquifer sediment down gradient of a sanitary landfill. *J Contam Hydrol.* 23: 263-283.
- Jollet, V; Gissane, C; Schlaf, M. (2014). Optimization of the neutralization of Red Mud by pyrolysis bio-oil using a design of experiments approach. *Energ Environ Sci.* 7: 1125-1133. <http://dx.doi.org/10.1039/c3ee43585g>.
- Joly, JG; Doyon, C; Peasant, Y. (1975). Cytochrome P-450 measurement in rat liver homogenate and microsomes. Its use for correction of microsomal losses incurred by differential centrifugation. *Drug Metab Dispos.* 3: 577-586.
- Jones, BK; Hathway, DE. (1978). The biological fate of vinylidene chloride in rats. *Chem Biol Interact.* 20: 27-41.
- Jones, RB; Mackrodt, WC. (1982). Structure-mutagenicity relationships for chlorinated ethylenes: a model based on the stability of the metabolically derived epoxides. *Biochem Pharmacol.* 31: 3710-3713.
- Joos, GF. (2003). Bronchial hyperresponsiveness: Too complex to be useful? *Curr Opin Pharmacol.* 3: 233-238. [http://dx.doi.org/10.1016/S1471-4892\(03\)00046-8](http://dx.doi.org/10.1016/S1471-4892(03)00046-8).
- Jorgenson, TA; Meierhenry, EF; Rushbrook, CJ; Bull, RJ; Robinson, M. (1985). Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3F1 mice. *Fundam Appl Toxicol.* 5: 760-769. [http://dx.doi.org/10.1016/0272-0590\(85\)90200-3](http://dx.doi.org/10.1016/0272-0590(85)90200-3).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Josse, F; Lukas, R; Zhou, RN; Schneider, S; Everhart, D. (1996). AC-impedance-based chemical sensors for organic solvent vapors. *Sens Actuators B*. 36: 363-369.
- Josyula, AB; Poplin, GS; Kurzius-Spencer, M; McClellan, HE; Kopplin, MJ; Sturup, S; Lantz, RC; Burgess, JL. (2006). Environmental arsenic exposure and sputum metalloproteinase concentrations. *Environ Res*. 102: 283-290. <http://dx.doi.org/10.1016/j.envres.2006.01.003>.
- Ju, Z; Fan, N, a; Ma, X; Li, J; Ma, X; Xu, L; Qian, Y. (2007). Synthesis of uniform TiC hollow spheres by a co-reduction route at low temperature. *J Phys Chem C*. 111: 16202-16206. <http://dx.doi.org/10.1021/jp074305c>.
- Juang, DF; Lee, CH; Hsueh, SC. (2009). Chlorinated volatile organic compounds found near the water surface of heavily polluted rivers. *Int J Environ Sci Tech*. 6: 545-556.
- Juang, DF; Yuan, CS; Hsueh, SC; Chiou, LJ. (2009). Distribution of volatile organic compounds around a polluted river. *Int J Environ Sci Tech*. 6: 91-104.
- Judd, MS; Vancleve, JE; Jenkins, JD. (1976). RECOVERY OF PERCHLOROETHYLENE SCRUBBING MEDIUM. *American Ceramic Society Bulletin*. 55: 442-442.
- Juhasz, AL; Smith, E; Weber, J; Rees, M; Rofe, A; Kuchel, T; Sansom, L; Naidu, R. (2006). In vivo assessment of arsenic bioavailability in rice and its significance for human health risk assessment. *Environ Health Perspect*. 114: 1826-1831. <http://dx.doi.org/10.1289/ehp.9322>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater*. 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere*. 71: 726-734. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.020>.
- Jung, B; Batchelor, B. (2009). Kinetics of transformation of 1,1,1-trichloroethane by Fe(II) in cement slurries. *J Hazard Mater*. 163: 1315-1321. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.102>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ*. 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research*. 8: 819-830.
- Jung, J; Yoo, DH; Lee, MJ. (2002). Radiation treatment of TCE and PCE in the presence of anatase, P25 and bentonite. *Journal of Radioanal Chem*. 251: 423-425.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2002). TCE and PCE decomposition by a combination of gamma-rays, ozone and titanium dioxide. *Journal of Radioanal Chem*. 252: 451-454.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H<sub>2</sub>O<sub>2</sub> and O<sub>3</sub> effects on radiation treatment of TCE and PCE. *Chemosphere*. 51: 881-885. [http://dx.doi.org/10.1016/S0045-6535\(03\)00039-0](http://dx.doi.org/10.1016/S0045-6535(03)00039-0).
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol*. 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku*. 37: 395-400.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Jungclaus, GA; Lopez-Avila, V; Hites, RA. (1978). Organic compounds in an industrial wastewater: a case study of their environmental impact. *Environ Sci Technol*. 12: 88-96.
- Juntunen, J. (1986). Occupational toxicology of trichloroethylene with special reference to neurotoxicity. In PL Chambers; P Gehring; F Sakai (Eds.), (pp. 189-200). Amsterdam, Netherlands: Elsevier Science Publishers.
- Kacew, S; Lambert, GH. (1997). Environmental toxicology and pharmacology of human development. In S Kacew; GH Lambert (Eds.). Washington, DC: Taylor and Francis.
- Kaemmerer, K; Fink, J; Keitzmann, M. (1982). Studies on the pharmacodynamics of perchloroethylene. *Prakt Tierarzt*. 63: 171-182.
- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Gonzalez, AL; Guenel, P; Hardell, L; Launoy, G; Merler, E; Merletti, F; Suarez-Varela, MM; Stang, A. (2000). Occupation and small bowel adenocarcinoma: a European case-control study. *Occup Environ Med*. 57: 760-766.
- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Guenel, P; Hardell, L; Cyr, D; Ballard, T; Zambon, P; Morales Suárez-Varela, MM; Stang, A; Olsen, J. (2002). Occupational risk factors for small bowel carcinoid tumor: A European population-based case-control study. *J Occup Environ Med*. 44: 516-522.
- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res*. 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kalimuthu, K; Solomon, RDJ; Ganesh-Kumar, S; Vimalan, J. (2011). REDUCTIVE DECHLORINATION OF PERCHLOROETHYLENE BY BACILLUS SP JSK1 ISOLATED FROM DRY CLEANING INDUSTRIAL SLUDGE. *Carpath J Earth Env*. 6: 165-170.
- Kalinovich, I; Allen-King, RM; Thomas, K. (2012). Distribution of carbonaceous matter in lithofacies: impacts on HOC sorption nonlinearity. *J Contam Hydrol*. 133: 84-93. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.007>.
- Kalluri, R; Weinberg, RA. (2009). The basics of epithelial-mesenchymal transition. *J Clin Invest*. 119: 1420-1428. <http://dx.doi.org/10.1172/jci39104>.
- Kamon, M; Endo, K; Kawabata, J; Inui, T; Katsumi, T. (2004). Two-dimensional DNAPL migration affected by groundwater flow in unconfined aquifer. *J Hazard Mater*. 110: 1-12. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.033>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kaneda, S; Kaneko, N. (2008). Collembolans feeding on soil affect carbon and nitrogen mineralization by their influence on microbial and nematode activities. *Biol Fertil Soils*. 44: 435-442. <http://dx.doi.org/10.1007/s00374-007-0222-x>.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci*. 14: 183-192.
- Kang, JW; Lee, KH; Koh, CI; Nam, SN. (2001). The kinetics of the sonochemical process for the destruction of aliphatic and aromatic hydrocarbons. *Korean J Chem Eng*. 18: 336-341.
- Kang, N; Hua, I; Rao, PS. (2006). Enhanced Fenton's destruction of non-aqueous phase perchloroethylene in soil systems. *Chemosphere*. 63: 1685-1698. <http://dx.doi.org/10.1016/j.chemosphere.2005.10.011>.
- Kang, N; Hua, I; Rao, PSC. (2004). Production and characterization of encapsulated potassium permanganate for sustained release as an in situ oxidant. *Ind Eng Chem Res*. 43: 5187-5193. <http://dx.doi.org/10.1021/ie0499097>.
- Kang, ZH; Wang, EB; Lian, SY; Gao, L; Jiang, M; Hu, CW; Xu, L. (2004). Selected synthesis of carbon nanostructures directed by silver nanocrystals. *Nanotechnology*. 15: 490-493. <http://dx.doi.org/10.1088/0957-4484/15/5/015>.
- Kanters, J; Louw, R. (1996). Thermal and catalysed halogenation in combustion reactions. *Chemosphere*. 32: 89-97.
- Kanu, AB; Hill, HH; Gribb, MM; Walters, RN. (2007). A small subsurface ion mobility spectrometer sensor for detecting environmental soil-gas contaminants. *J Environ Monit*. 9: 51-60. <http://dx.doi.org/10.1039/b610493b>.
- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol*. 72: 87-93. <http://dx.doi.org/10.1007/s00128-003-0244-5>.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere*. 43: 1071-1078.
- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere*. 44: 925-934.
- Kao, CM; Chen, SC; Wang, JY; Chen, YL; Lee, SZ. (2003). Remediation of PCE-contaminated aquifer by an in situ two-layer biobarrier: laboratory batch and column studies. *Water Res*. 37: 27-38.
- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res*. 37: 4885-4894. <http://dx.doi.org/10.1016/j.watres.2003.08.001>.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res*. 34: 835-845.
- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Progress in Clinical and Biological Research* (pp. 377-384). New York, NY: Wiley.
- Karadagli, F; Rittmann, BE. (2005). Kinetic characterization of *Methanobacterium bryantii* M.o.H. *Environ Sci Technol*. 39: 4900-4905. <http://dx.doi.org/10.1021/es047993b>.
- Karasavvas, N; Carcamo, JM; Stratis, G; Golde, DW. (2005). Vitamin C protects HL60 and U266 cells from arsenic toxicity. *Blood*. 105: 4004-4012. <http://dx.doi.org/10.1182/blood-2003-03-0772>.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethene using a H<sub>2</sub>-based membrane biofilm reactor and community fingerprinting. *Water Res*. 58: 21-28. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.
- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen*. 22: 113-128. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S. (2013). KINETICS OF DEGRADATION OF PERCHLOROETHYLENE UNDER ULTRASONIC IRRADIATION AND PHOTOOXIDATION IN AQUEOUS SOLUTION. *Environ Protect Eng*. 39: 29-38. <http://dx.doi.org/10.5277/epe130403>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering*. 9: 32. <http://dx.doi.org/10.1186/1735-2746-9-32>.
- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *J Am Water Works Assoc*. 89: 41-53.
- Karimi, M; Sereshti, H; Khojeh, V; Samadi, S. (2013). Ligandless-ultrasound-assisted emulsification microextraction followed by inductively coupled plasma-optical emission spectrometry for simultaneous determination of heavy metals in water samples. *Int J Environ Anal Chem*. 93: 401-415. <http://dx.doi.org/10.1080/03067319.2012.656308>.
- Karim-Nezhad, G; Ahmadi, M; Zare-Dizajdizi, B. (2011). Background Corrected Dispersive Liquid-Liquid Microextraction of Cadmium Combined with Flame Atomic Absorption Spectrometry. *J Braz Chem Soc*. 22: 1816-1822.
- Karpov, VV; Belkin, AI. (1975). DYEING OF POLYESTER FIBERS IN PERCHLOROETHYLENE AS SOLVENT. *J Appl Chem USSR*. 48: 2100-2102.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res*. 34: 4161-4168.
- Kaspar, S; Rathgeb, F; Nopper, D; Gauglitz, G. (1999). Influence of relative humidity in sensing halogenated hydrocarbons with Reflectometric Interference Spectroscopy (RIFS). *Fresenius J Anal Chem*. 363: 193-196.
- Kassebaum, JH. (1994). COMPREHENSIVE LOW-VOLTAGE MOTOR SPECIFICATIONS. I E E E Transactions on Industry Applications. 30: 1373-1382.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C<sub>2</sub>H<sub>4</sub>CL<sub>2</sub> AND CH<sub>4</sub>. *Combust Flame*. 83: 365-374.
- Kastenbaum, MA; Bowman, KO. (1970). Tables for determining the statistical significance of mutation frequencies. *DNA Repair*. 9: 527-549.
- Kaster, AK; Mayer-Blackwell, K; Pasarelli, B; Spormann, AM. (2014). Single cell genomic study of Dehalococcoidetes species from deep-sea sediments of the Peruvian Margin. *ISME J*. 8: 1831-1842. <http://dx.doi.org/10.1038/ismej.2014.24>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Katakya, R; Wylie, LA. (2001). Investigation of mechanisms for the reductive dechlorination of chlorinated ethylenes using electroanalytical techniques. *Analyst*. 126: 1901-1906.
- Katerkamp, A; Bolsmann, P; Niggemann, M; Pellmann, M; Cammann, K. (1995). MICROCHEMICAL SENSORS BASED ON FIBEROPTIC EXCITATION OF SURFACE-PLASMONS. *Mikrochim Acta*. 119: 63-72.
- Kato, I; Koenig, K; Shore, R; Baptiste, M; Lillquist, P; Frizzera, G; Burke, J; Watanabe, H. (2002). Use of anti-inflammatory and non-narcotic analgesic drugs and risk of non-Hodgkin's lymphoma (NHL) (United States). *Cancer Causes Control*. 13: 965-974. <http://dx.doi.org/10.1023/A:1021953224822>.
- Kato, I; Koenig, KL; Watanabe-Meserve, H; Baptiste, MS; Lillquist, PP; Frizzera, G; Burke, JS; Moseson, M; Shore, RE. (2005). Personal and occupational exposure to organic solvents and risk of non-Hodgkin's lymphoma (NHL) in women (United States). *Cancer Causes Control*. 16: 1215-1224.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology*. 130: 141-154. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol*. 21: 81-89. <http://dx.doi.org/10.1002/jat.717>.
- Katz, RM; Jowett, D. (1981). Female laundry and dry cleaning workers in Wisconsin: a mortality analysis. *Am J Public Health*. 71: 305-307.
- Kaufman, AS; McLean, JE; Reynolds, CR. (1988). Sex, race, residence, region, and education differences on the 11 WAIS-R subtests. *J Clin Psychol*. 44: 231-248.
- Kaufman, DS; Shipley, WU; Feldman, AS. (2009). Bladder cancer. *Lancet*. 374: 239-249. [http://dx.doi.org/10.1016/S0140-6736\(09\)60491-8](http://dx.doi.org/10.1016/S0140-6736(09)60491-8).
- Kaune, WT; Savitz, DA. (1994). Simplification of the Wertheimer-Leeper wire code. *Bioelectromagnetics*. 15: 275-282. <http://dx.doi.org/10.1002/bem.2250150402>.
- Kauppinen, T; Heikkilä, P; Plato, N; Woldbaek, T; Lenvik, K; Hansen, J; Kristjansson, V; Pukkala, E. (2009). Construction of job-exposure matrices for the Nordic Occupational Cancer Study (NOCCA). *Acta Oncol*. 48: 791-800. <http://dx.doi.org/10.1080/02841860902718747>.
- Kawaguchi, K; Oku, N; Rin, K; Yamanaka, K; Okada, S. (1996). Dimethylarsenites reveal DNA damage induced by superoxide anion radicals. *Biol Pharm Bull*. 19: 551-553.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health*. <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawase, T; Yamane, M; Fuji, T; Minagawa, M; Sawada, H; Moriya, Y. (1997). Fluoroalkylation of polyester by end-capped fluoroalkyl-functional silanes. *J Adhes Sci Tech*. 11: 1381-1397.
- Kawase, Y; Masuya, T; Yasuda, K; Nakamura, M. (2006). Development of small ultrasonic reactor for on-site treatment of wastewater including chlorinated hydrocarbon. *J Chem Eng Jpn*. 39: 95-98.
- Kawata, K; Shimazaki, R; Okabe, S. (2009). Comparison of gene expression profiles in HepG2 cells exposed to arsenic, cadmium, nickel, and three model carcinogens for investigating the mechanisms of metal carcinogenesis. *Environ Mol Mutagen*. 50: 46-59. <http://dx.doi.org/10.1002/em.20438>.
- Kawauchi, T; Nishiyama, K. (1989). Residual tetrachloroethylene in dry-cleaned clothes. *Environ Res*. 48: 296-301.
- Kaye, AJ; Cho, J; Basu, NB; Chen, X; Annable, MD; Jawitz, JW. (2008). Laboratory investigation of flux reduction from dense non-aqueous phase liquid (DNAPL) partial source zone remediation by enhanced dissolution. *J Contam Hydrol*. 102: 17-28. <http://dx.doi.org/10.1016/j.jconhyd.2008.01.006>.
- Keating, A; Venkateswaran, K; Szoenyi, M; Macclune, K; Mechler, R. (2016). From event analysis to global lessons: disaster forensics for building resilience. *Natural Hazards and Earth System Sciences*. 16: 1603-1616. <http://dx.doi.org/10.5194/nhess-16-1603-2016>.
- Kebria, DY; Taghizadeh, M; Camacho, JV; Latifi, N. (2016). Remediation of PCE contaminated clay soil by coupling electrokinetics with zero-valent iron permeable reactive barrier. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-5466-z>.
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forster, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet*. 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environ Sci Technol*. 38: 2209-2216. <http://dx.doi.org/10.1021/es034661i>.
- Keith, LH; Garrison, AW; Allen, FR; Carter, MH; Floyd, TL; Pope, JD; Thruston, AD, Jr. (1976). Identification of organic compounds in drinking water from thirteen US cities. In G Athens (Ed.), (pp. 329-373). Ann Arbor, MI: Ann Arbor Science Publishers.
- Keller, DA; Heck, H. (1988). Mechanistic studies on chloral toxicity: Relationship to trichloroethylene carcinogenesis. *Toxicol Lett*. 42: 183-191. [http://dx.doi.org/10.1016/0378-4274\(88\)90076-8](http://dx.doi.org/10.1016/0378-4274(88)90076-8).
- Keller, R. (1988). COMPARATIVE STUDIES OF DIFFUSION COLLECTORS AND OF ACTIVE SAMPLING FOR THE DETECTION OF TOLUENE AND TETRACHLOROETHENE IN THE AIR AT THE WORK PLACE. *Zentralbl Bakteriol Mikrobiol Hyg*. 186: 448-449.
- Kemp, BJ; Hruska, CB; Mcfarland, AR; Lenox, MW; Lowe, VJ. (2009). NEMA NU 2-2007 performance measurements of the Siemens Inveon preclinical small animal PET system. *Phys Med Biol*. 54: 2359-2376. <http://dx.doi.org/10.1088/0031-9155/54/8/007>.
- Kempton, H; Davis, A; Olsen, R. (1992). Remediation of solvent-contaminated soils by aeration. *J Environ Qual*. 21: 121-128.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol*. 24: 3-4.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc*. 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1559-1569.
- Kepner, RE; Maarse, H; Strating, J. (1964). Gas chromatographic head space techniques for the quantitative determination of volatile components in multicomponent aqueous solutions. *Anal Chem.* 36: 77-82.
- Kepler, F; Borchers, R; Hamilton, JT; Kilian, G; Pracht, J; Schöler, HF. (2006). De novo formation of chloroethyne in soil. *Environ Sci Technol.* 40: 130-134. <http://dx.doi.org/10.1021/es0513279>.
- Kepler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environ Sci Technol.* 36: 2479-2483. <http://dx.doi.org/10.1021/es015611j>.
- Kerbey, AL; Randle, PJ; Cooper, RH; Whitehouse, S; Pask, HT; Denton, RM. (1976). Regulation of pyruvate dehydrogenase in rat heart. Mechanism of regulation of proportions of dephosphorylated and phosphorylated enzyme by oxidation of fatty acids and ketone bodies and of effects of diabetes: role of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide-adenine dinucleotide. *Biochem J.* 154: 327-348.
- Kerfoot, WB. (2003). Microbubble ozone sparging for chlorinated ethene spill remediation. *ACS Symp Ser Am Chem Soc.* 837: 86-108.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med.* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kerr, M; Schmidt, J; Cuevas, A. (2000). Comparison of the open circuit voltage of simplified PERC cells passivated with PECVD silicon nitride and thermal silicon oxide. *Progress in Photovoltaics.* 8: 529-536.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol.* 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin.* 200: 5-6.
- Keymeulen, R; Voutetaki, A; Van Langenhove, H. (1995). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN PLANT LEAVES BY GAS CHROMATOGRAPHY-MASS SPECTROMETRY. *J Chromatogr A.* 699: 1-2.
- Kezic, S; Monster, AC; Krüse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health.* 73: 415-422. <http://dx.doi.org/10.1007/s004200000161>.
- Kezic, S; Monster, AC; van de Gevel, I; Krüse, J; Opdam, JG; Verberk, MM. (2001). Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J.* 62: 12-18. <http://dx.doi.org/10.1080/15298660108984604>.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl<sub>4</sub> by high surface-area aluminum oxide. *Environ Sci Technol.* 36: 1620-1624. <http://dx.doi.org/10.1021/es010650i>.
- Khalil, MAK; Rasmussen, RA. (1999). Atmospheric methyl chloride. *Atmos Environ.* 33: 1305-1321.
- Khan, AJ; Watts, RJ. (1996). Mineral-catalyzed peroxidation of tetra chloroethylene. *Water Air Soil Pollut.* 88: 247-260.
- Khattak, S; K-Moghtader, G; Mccartin, K; Barrera, M; Kennedy, D; Koren, G. (1999). Pregnancy outcome following gestational exposure to organic solvents: A prospective controlled study. *JAMA.* 281: 1106-1109. <http://dx.doi.org/10.1001/jama.281.12.1106>.
- Khiutti, A; Afanasenko, O; Antonova, O; Shuvalov, O; Novikova, L; Krylova, E; Chalaya, N; Mironenko, N; Spooner, DM; Gavrilenko, T. (2012). Characterization of resistance to *Synchytrium endobioticum* in cultivated potato accessions from the collection of Vavilov Institute of Plant Industry. *Plant Breeding (Print).* 131: 744-750. <http://dx.doi.org/10.1111/j.1439-0523.2012.02005.x>.
- Kiaei, D; Hoffman, AS; Horbett, TA. (1995). Platelet adhesion to fibrinogen adsorbed on glow discharge-deposited polymers. *ACS Symp Ser Am Chem Soc.* 602: 450-462.
- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environ Sci Technol.* 36: 104-111. <http://dx.doi.org/10.1021/es010966q>.
- Kido, K; Shiratori, T; Watanabe, T; Nakatsuka, H; Ohashi, M; Ikeda, M. (1989). CORRELATION OF TETRACHLOROETHYLENE IN BLOOD AND IN DRINKING-WATER - A CASE OF WELL WATER-POLLUTION. *Bull Environ Contam Toxicol.* 43: 444-453.
- Kido, T; Sugaya, C; Ikeuchi, R; Kudo, Y; Tsunoda, M; Aizawa, Y. (2013). The Increases in mRNA Expressions of Inflammatory Cytokines by Adding Cleaning Solvent or Tetrachloroethylene in the Murine Macrophage Cell Line J774.1 Evaluated by Real-time PCR. *Ind Health.* 51: 319-325.
- Kiecak, A; Kret, E, wa; Cichostepska, M; Malina, G. (2013). ASSESSMENT OF INTRINSIC BIODEGRADATION POTENTIALS IN AN AQUIFER CONTAMINATED WITH CHLORINATED ETHENES IN THE VICINITY OF NOWA DEBA. 20: 265-278. <http://dx.doi.org/10.2478/eces-2013-0019>.
- Kielhorn, J; Melber, C; Wahnschaffe, U; Aitio, A; Mangelsdorf, I. (2000). Vinyl chloride: still a cause for concern [Review]. *Environ Health Perspect.* 108: 579-588.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg.* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kikuchi, Y; Hirao, M. (2008). Practical method of assessing local and global impacts for risk-based decision making: A case study of metal degreasing processes. *Environ Sci Technol.* 42: 4527-4533. <http://dx.doi.org/10.1021/es7024164>.
- Kikuchi, Y; Hirao, M. (2010). Local risks and global impacts considering plant-specific functions and constraints: a case study of metal parts cleaning. *Int J Life Cycle Assess.* 15: 17-31. <http://dx.doi.org/10.1007/s11367-009-0137-x>.
- Kilburn, K. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health.* 57: 113-120. <http://dx.doi.org/10.1080/00039890209602925>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kim, DC; Ihm, SK. (2001). Role of water in the catalytic decomposition of chlorinated hydrocarbons over chromium-containing catalysts. *J Chem Eng Jpn.* 34: 143-147.
- Kim, ES; Lee, DH; Yum, BW; Chang, HW. (2005). The effect of ionic strength and hardness of water on the non-ionic surfactant-enhanced remediation of perchloroethylene contamination. *J Hazard Mater.* 119: 195-203. <http://dx.doi.org/10.1016/j.jhazmat.2004.12.015>.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol.* 184: 25-34. <http://dx.doi.org/10.1016/j.jconhyd.2015.11.002>.
- Kim, H; Annable, MD; Rao, PSC. (2001). Gaseous transport of volatile organic chemicals in unsaturated porous media: Effect of water-partitioning and air-water interfacial adsorption. *Environ Sci Technol.* 35: 4457-4462. <http://dx.doi.org/10.1021/es001965l>.
- Kim, H; Annable, MD; Rao, PSC; Cho, J. (2009). Laboratory evaluation of surfactant-enhanced air sparging for perchloroethene source mass depletion from sand. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 406-413. <http://dx.doi.org/10.1080/10934520802659786>.
- Kim, H; Kim, T; Shin, S; Annable, MD. (2012). Measurement of air and VOC vapor fluxes during gas-driven soil remediation: bench-scale experiments. *Environ Sci Technol.* 46: 9533-9540. <http://dx.doi.org/10.1021/es300821y>.
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J.* 69: 990-995. <http://dx.doi.org/10.2136/sssaj2003.0208>.
- Kim, H, eeSik; Lee, W, anSuk; Ahn, C, hiY; Kim, BH; Kim, JE, ok; Oh, H, eeM. (2010). Kinetic correlation between degradation and dechlorination of perchloroethylene in the Fenton reaction. *Korean J Chem Eng.* 27: 1750-1754. <http://dx.doi.org/10.1007/s11814-010-0304-6>.
- Kim, H; Rao, PSC; Annable, MD. (1999). Consistency of the interfacial tracer technique: experimental evaluation. *J Contam Hydrol.* 40: 79-94.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater.* 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere.* 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter (pp. 331-337). (BIOSIS/97/18416). Kim, JO.
- Kim, JO; Terkonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant (pp. 253-259). (BIOSIS/99/00164). Kim, JO; Terkonda, PK; Lee, SD.
- Kim, K; Gurol, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environ Sci Technol.* 39: 9303-9308. <http://dx.doi.org/10.1021/es050830j>.
- Kim, KS; Kwon, T, aeS; Yang, JS; Yang, J, iWon. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination.* 205: 87-96. <http://dx.doi.org/10.1016/j.desal.2006.04.043>.
- Kim, KS; Min, JY; Dickman, MB. (2008). Oxalic acid is an elicitor of plant programmed cell death during *Sclerotinia sclerotiorum* disease development. *Mol Plant Microbe Interact.* 21: 605-612. <http://dx.doi.org/10.1094/MPMI-21-5-0605>.
- Kim, M; Park, S; Kim, D. (2013). Highly efficient PERC cells fabricated using the low cost laser ablation process. *Solar Energy Materials and Solar Cells.* 117: 126-131. <http://dx.doi.org/10.1016/j.solmat.2013.04.025>.
- Kim, MY; Oskarsson, T; Acharyya, S; Nguyen, DX; Zhang, XH; Norton, L; Massague, J. (2009). Tumor self-seeding by circulating cancer cells. *Cell.* 139: 1315-1326. <http://dx.doi.org/10.1016/j.cell.2009.11.025>.
- Kim, NK. (2005). Cover letter addressed to Robert E. McGaughy [Personal Communication].
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, SY; Talbot, R; Mao, H; Blake, D; Vay, S; Fuelberg, H. (2008). Continental outflow from the US to the upper troposphere over the North Atlantic during the NASA INTEX-NA Airborne Campaign. *Atmos Chem Phys.* 8: 1989-2005.
- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environ Sci Technol.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.
- Kimura, A; Ishida, Y; Hayashi, T; Wada, T; Yokoyama, H; Sugaya, T; Mukaida, N; Kondo, T. (2006). Interferon- $\gamma$  Plays protective roles in sodium arsenite-induced renal injury by up-regulating intrarenal multidrug resistance-associated protein 1 expression. *Am J Pathol.* 169: 1118-1128. <http://dx.doi.org/10.2353/ajpath.2006.060024>.
- Kindler, TP; Chameides, WL; Wine, PH; Cunnold, DM; Aleya, FN; Franklin, JA. (1995). THE FATE OF ATMOSPHERIC PHOSGENE AND THE STRATOSPHERIC CHLORINE LOADINGS OF ITS PARENT COMPOUNDS - CCL4, C2CL4, C2HCL3, CH3CCL3, AND CHCL3. *J Geophys Res Atmos.* 100: 1235-1251.
- King, MD; Thompson, KC. (2003). Rate constants for the reaction of NO and HO2 with peroxy radicals formed from the reaction of OH, Cl or NO3 with alkenes, dienes and alpha, beta-unsaturated carbonyls. *Atmos Environ.* 37: 4517-4527. [http://dx.doi.org/10.1016/S1352-2310\(03\)00570-3](http://dx.doi.org/10.1016/S1352-2310(03)00570-3).
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol.* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kini, PG; Bansal, RC; Aithal, RS. (2007). A novel approach toward interpretation and application of voltage unbalance factor. *I E E E Transactions on Industrial Electronics.* 54: 2315-2322. <http://dx.doi.org/10.1109/TIE.2007.899935>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kinoshita, A; Wanibuchi, H; Morimura, K; Wei, M; Nakae, D; Arai, T; Minowa, O; Noda, T; Nishimura, S; Fukushima, S. (2007). Carcinogenicity of dimethylarsinic acid in Ogg1-deficient mice. *Cancer Sci.* 98: 803-814. <http://dx.doi.org/10.1111/j.1349-7006.2007.00475.x>.
- Kirov, AS; Piao, JZ; Schmidlein, CR. (2008). Partial volume effect correction in PET using regularized iterative deconvolution with variance control based on local topology. *Phys Med Biol.* 53: 2577-2591. <http://dx.doi.org/10.1088/0031-9155/53/10/009>.
- Kirtland, BC; Aelion, CM; Stone, PA. (2005). Assessing in situ mineralization of recalcitrant organic compounds in vadose zone sediments using delta13C and 14C measurements. *J Contam Hydrol.* 76: 1-18. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.007>.
- Kishi, R; Harabuchi, I; Ikeda, T; Katakura, Y; Miyake, H. (1993). Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med.* 50: 470-480.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Faerber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health.* 211: 308-317. <http://dx.doi.org/10.1016/j.ijheh.2007.02.01>.
- Kitchin, KT; Wallace, K; Andrewes, P. (2003). Some chemical properties underlying arsenic's biological activity. In WR Chappell; CO Abernathy; RL Calderon; DJ Thomas (Eds.), *Proceedings of the Fifth International Conference on Arsenic Exposure and Health Effects, July 14–18, 2002, San Diego, California* (pp. 345-354). NA: Elsevier B.V. <http://dx.doi.org/10.1016/b978-044451441-7/50027-0>.
- Kiurski, JS; Oros, IB; Kecic, VS; Kovacevic, IM; Aksentijevic, SM. (2016). The temporal variation of indoor pollutants in photocopying shop. *Stoch Environ Res Risk Assess.* 30: 1289-1300. <http://dx.doi.org/10.1007/s00477-015-1107-4>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research.* 7: 109-116.
- Klaunig, JE; Ruch, RJ; DeAngelo, AB; Kaylor, WH. (1988). Inhibition of mouse hepatocyte intercellular communication by phthalate monoesters. *Cancer Lett.* 43: 65-71. [http://dx.doi.org/10.1016/0304-3835\(88\)90215-7](http://dx.doi.org/10.1016/0304-3835(88)90215-7).
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere.* 38: 1175-1188. [http://dx.doi.org/10.1016/S0045-6535\(98\)00485-8](http://dx.doi.org/10.1016/S0045-6535(98)00485-8).
- Kligerman, AD; Doerr, CL; Tennant, AH; Harrington-Brock, K; Allen, JW; Winkfield, E; Poorman-Allen, P; Kundu, B; Funasaka, K; Roop, BC; Mass, MJ; Demarini, DM. (2003). Methylated trivalent arsenicals as candidate ultimate genotoxic forms of arsenic: Induction of chromosomal mutations but not gene mutations. *Environ Mol Mutagen.* 42: 192-205. <http://dx.doi.org/10.1002/em.10192>.
- Kline, SA; McCoy, EC; Rosenkranz, HS; Van Duuren, BL. (1982). Mutagenicity of chloroalkene epoxides in bacterial systems. *Mutat Res.* 101: 115-125. [http://dx.doi.org/10.1016/0165-1218\(82\)90002-7](http://dx.doi.org/10.1016/0165-1218(82)90002-7).
- Kline, SA; Solomon, JJ; Van Duuren, BL. (1978). Synthesis and reactions of chloroalkene epoxides. *J Org Chem.* 43: 3596-3600.
- Kline, SA; Van Duuren, BL; McCoy, EC; Rosenkranz, HS; DiPaolo, JA. (1980). Bacterial mutagenicity and transformation of mammalian cells by chloroalkene epoxides. *Proc Ann Mtg Am Assoc Canc Res.* 21: 78.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health.* 52: 348-354. <http://dx.doi.org/10.1080/00039899709602210>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis metropolitan area (vol 52, pg 348, 1997). *Arch Environ Health.* 52: 486-486.
- Kmetz, AA; Becker, MD; Lyon, BA; Foster, E; Xue, Z; Johnston, KP; Abriola, LM; Pennell, KD. (2016). Improved Mobility of Magnetite Nanoparticles at High Salinity with Polymers and Surfactants. *Energy Fuels.* 30: 1915-1926. <http://dx.doi.org/10.1021/acs.energyfuels.5b01785>.
- Knaak, JB; Al-Bayati, MA; Raabe, OG; Blancato, JN. (1993). Development of in vitro Vmax and Km values for the metabolism of isofenphos by P-450 liver enzymes in animals and human. *Toxicol Appl Pharmacol.* 120: 106-113. <http://dx.doi.org/10.1006/taap.1993.1092>.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (2000). The aqueous solubility of trichloroethene (TCE) and tetrachloroethene (PCE) as a function of temperature. *Appl Geochem.* 15: 501-512.
- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater.* 174: 876-879. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.043>.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environ Sci Technol.* 41: 5824-5832. <http://dx.doi.org/10.1021/es070361f>.
- Ko, S; Batchelor, B. (2010). Effect of Cement Type on Performance of Ferrous Iron-Based Degradative Solidification and Stabilization. *Environ Eng Sci.* 27: 977-987. <http://dx.doi.org/10.1089/ees.2010.0189>.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage.* 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Ko, SO, h; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol.* 53: 359-364. <http://dx.doi.org/10.1007/s00254-007-0651-8>.
- Koch, J; Voelker, P. (1996). Formation of artefacts and its suppression during the determination of volatile halogenated hydrocarbons in water by means of headspace gas chromatography under the standard conditions of DIN 38407-F5. Part I: Formation of dehydrohalogenation products from saturated halogenated hydrocarbons. *Acta Hydrochim Hydrobiol.* 24: 176-178.
- Koeber, R; Hollert, H; Hornbruch, G; Jekel, M; Kamptner, A; Klaas, N; Maes, H; Mangold, KM; Martac, E; Matheis, A; Paar, H; Schaeffer, A; Schell, H; Schiwiy, A; Schmidt, KR; Strutz, TJ; Thuemmler, S; Tiehm, A; Braun, J. (2014). Nanoscale zero-valent iron flakes for groundwater treatment. *Environ Earth Sci.* 72: 3339-3352. <http://dx.doi.org/10.1007/s12665-014-3239-0>.
- Koenig, J; Lee, M; Manefield, M. (2015). Aliphatic organochlorine degradation in subsurface environments. *Reviews in Environmental Science and Biotechnology.* 14: 49-71. <http://dx.doi.org/10.1007/s11157-014-9345-3>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater.* 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Koenik, A; Madsen, MT; Sunderland, JJ. (2012). GATE Simulations of Small Animal SPECT for Determination of Scatter Fraction as a Function of Object Size. *IEEE Trans Nucl Sci.* 59: 1887-1891. <http://dx.doi.org/10.1109/TNS.2012.2205403>.
- Koepsell, TD; Daling, JR; Weiss, NS; Taylor, JW; Olshan, AF; Lyon, JL; Swanson, GM; Child, M. (1987). Antigenic stimulation and the occurrence of multiple myeloma. *Am J Epidemiol.* 126: 1051-1062.
- Kogevinas, M; 't Mannetje, A; Cordier, S; Ranft, U; González, C; Vineis, P; Chang-Claude, J; Lynge, E; Wahrendorf, J; Tzonou, A; Jöckel, K; Serra, C; Porru, S; Hours, M; Greiser, E; Boffetta, P. (2003). Occupation and bladder cancer among men in Western Europe. *Cancer Causes Control.* 14: 907-914. <http://dx.doi.org/10.1023/B:CACO.0000007962.19066.9c>.
- Kohan, MJ; Huggins-Clark, G; George, SE. Mutagenicity of chlorinated and brominated acetic acids.
- Kohan, MJ; Huggins-Clark, G; George, SE. (1998). Mutagenicity of chlorinated and brominated acetic acids. *Environ Mol Mutagen.* 31: 36. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)29+<27::AID-EM4>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)29+<27::AID-EM4>3.0.CO;2-F).
- Kohlmyer, SG; Miyaoka, RM; Lewellen, TK. (1999). Evaluation of low energy threshold settings for PVIPET systems. *IEEE Trans Nucl Sci.* 46: 2141-2145.
- Kohn, MC; Portier, CJ. (1993). Effects of the mechanism of receptor-mediated gene expression on the shape of the dose-response curve. *Risk Anal.* 13: 565-572. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00016.x>.
- Koizumi, A; Kumai, M; Ikeda, M. (1982). In vivo suppression of 1,1,1-trichloroethane metabolism by co-administered tetrachloroethylene: an inhalation study. *Bull Environ Contam Toxicol.* 29: 196-199.
- Kok, RJ; Haas, M; Moolenaar, F; de Zeeuw, D; Meijer, DK. (1998). Drug delivery to the kidneys and the bladder with the low molecular weight protein lysozyme. *Ren Fail.* 20: 211-217.
- Kolstad, HA; Bonde, JP; Spano, M; Giwercman, A; Zschiesche, W; Kaae, D; Larsen, SB; Roeleveld, N. (1999). Change in semen quality and sperm chromatin structure following occupational styrene exposure. *Int Arch Occup Environ Health.* 72: 135-141.
- Kolthammer, JA; Su, KH; Grover, A; Narayanan, M; Jordan, DW; Muzic, RF. (2014). Performance evaluation of the Ingenuity TF PET/CT scanner with a focus on high count-rate conditions. *Phys Med Biol.* 59: 3843-3859. <http://dx.doi.org/10.1088/0031-9155/59/14/3843>.
- Komaki, Y; Pals, J; Wagner, ED; Marinas, BJ; Plewa, MJ. (2009). Mammalian cell DNA damage and repair kinetics of monohaloacetic acid drinking water disinfection by-products. *Environ Sci Technol.* 43: 8437-8442. <http://dx.doi.org/10.1021/es901852z>.
- Komatsu, T; Momono, K; Matsuo, T; Hanaki, K. (1994). BIOTRANSFORMATION OF CIS-1,2-DICHLOROETHYLENE TO ETHYLENE AND ETHANE UNDER ANAEROBIC CONDITIONS. *Water Sci Technol.* 30: 75-84.
- Komatsu, T; Shinmyo, J; Momono, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Sci Technol.* 36: 125-132.
- Komulainen, H. (2004). Experimental cancer studies of chlorinated by-products [Review]. *Toxicology.* 198: 239-248. <http://dx.doi.org/10.1016/j.tox.2004.01.031>.
- Konik, A; Madsen, MT; Sunderland, JJ. (2010). GATE Simulations of Human and Small Animal PET for Determination of Scatter Fraction as a Function of Object Size. *IEEE Trans Nucl Sci.* 57: 2558-2563. <http://dx.doi.org/10.1109/TNS.2010.2065240>.
- Koper, O; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .3. Chloroform, trichloroethene, and tetrachloroethene. *Chem Mater.* 9: 2481-2485.
- Koper, O; Lagadic, I; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .2. *Chem Mater.* 9: 838-848.
- Koper, O; Li, YX; Klabunde, KJ. (1993). DESTRUCTIVE ADSORPTION OF CHLORINATED HYDROCARBONS ON ULTRAFINE (NANOSCALE) PARTICLES OF CALCIUM-OXIDE. *Chem Mater.* 5: 500-505.
- Kopinke, FD; Georgi, A; Voskamp, M; Richnow, HH. (2005). Carbon isotope fractionation of organic contaminants due to retardation on humic substances: implications for natural attenuation studies in aquifers. *Environ Sci Technol.* 39: 6052-6062. <http://dx.doi.org/10.1021/es040096n>.
- Kopp, ML. (2012). The Vyatka deformations in the East European Platform: Formation dynamics and expression in recent structure. *Geotectonics.* 46: 435-454. <http://dx.doi.org/10.1134/S0016852112060040>.
- Koppmann, R; Johnen, FJ; Plassdülmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos.* 98: 20517-20526.
- Korn, J. (1977). Hvor mange endnu? Perklorforgiftning i møntrensierier. *Ugeskr Laeger.* 139: 303-304.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: The use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol.* 34: 383-397.
- Kostiainen, R. (1995). Volatile organic compounds in the indoor air of normal and sick houses. *Atmos Environ.* 29: 693-702.
- Kostopoulou, MN; Golfinopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere.* 40: 527-532.
- Kotasidis, FA; Matthews, JC; Angelis, GI; Noonan, PJ; Jackson, A; Price, P; Lionheart, WR; Reader, AJ. (2011). Single scan parameterization of space-variant point spread functions in image space via a printed array: the impact for two PET/CT scanners. *Phys Med Biol.* 56: 2917-2942. <http://dx.doi.org/10.1088/0031-9155/56/10/003>.
- Kotiaho, T; Gylling, S; Lunding, A; Lauritsen, FR. (1995). DIRECT DETERMINATION OF STYRENE AND TETRACHLOROETHYLENE IN OLIVE OIL BY MEMBRANE INLET MASS-SPECTROMETRY. *J Agric Food Chem.* 43: 928-930.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ.* 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Koukouraki, EE; Berkhoudt, RA; Diamadopoulos, E. (1997). Determination of volatile chlorination by-products in drinking water in Greece. *Fresen Environ Bull.* 6: 160-165.
- Koul, H; Kennington, L; Honeyman, T; Jonassen, J; Menon, M; Scheid, C. (1996). Activation of c-myc gene mediates the mitogenic effects of oxalate in LLC-PK1 cells, a line of renal epithelial cells. *Kidney Int.* 50: 1525-1530. <http://dx.doi.org/10.1038/ki.1996.467>.
- Koul, H; Kennington, L; Nair, G; Honeyman, T; Menon, M; Scheid, C. (1994). Oxalate-induced initiation of DNA synthesis in LLC-PK1 cells, a line of renal epithelial cells. *Biochem Biophys Res Commun.* 205: 1632-1637. <http://dx.doi.org/10.1006/bbrc.1994.2854>.
- Kowalska, J; Gierczak, T. (2013). Qualitative and Quantitative Analyses of the Halogenated Volatile Organic Compounds Emitted from the Office Equipment Items. *Indoor Built Environ.* 22: 920-931. <http://dx.doi.org/10.1177/1420326X12458299>.
- Kozłowska, A. (2016). A new generic name, *Semigothograptus*, for *Gothograptus* & *meganassa*; Rickards & Palmer, 2002, from the Silurian post-*lundgreni*; Biozone recovery phase, and comparative morphology of retiolitids from the lowermost upper Homerian (upper Wenlock). *Zootaxa.* 4208: 4206-4208. <http://dx.doi.org/10.11646/zootaxa.4208.6.2>.
- Kranz, C; Baumann, U; Wolpensinger, B; Lottspeich, F; Mueller, M; Palinginis, P; Brendel, R; Dullweber, T. (2016). Void formation in screen-printed local aluminum contacts modeled by surface energy minimization. *Solar Energy Materials and Solar Cells.* 158: 11-18. <http://dx.doi.org/10.1016/j.solmat.2016.06.039>.
- Kranz, C; Wolpensinger, B; Brendel, R; Dullweber, T. (2016). Analysis of Local Aluminum Rear Contacts of Bifacial PERC plus Solar Cells. *Solar Energy Materials and Solar Cells.* 158: 830-836. <http://dx.doi.org/10.1016/j.solmat.2016.06.039>.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int.* 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kranzioch, I; Stoll, C; Holbach, A; Chen, H; Wang, L; Zheng, B; Norra, S; Bi, Y; Schramm, KW; Tiehm, A. (2013). Dechlorination and organohalide-respiring bacteria dynamics in sediment samples of the Yangtze Three Gorges Reservoir. *Environ Sci Pollut Res Int.* 20: 7046-7056. <http://dx.doi.org/10.1007/s11356-013-1545-9>.
- Kranzioch-Seipel, I; Beckert, U; Shen, C; Yin, D; Tiehm, A. (2016). Microbial dechlorination of HCB, PCP, PCB180, HCH and PCE in a Yangtze Three Gorges Reservoir enrichment culture, China. *Environ Earth Sci.* 75: 928-928. <http://dx.doi.org/10.1007/s12665-016-5653-y>.
- Krasovskii, GN. (1976). Extrapolation of experimental data from animals to man. *Environ Health Perspect.* 13: 51-58.
- Krasowski, M; Harrison, N. (2000). The actions of ether, alcohol and alkane general anaesthetics on GABAA and glycine receptors and the effects of TM2 and TM3 mutations. *Br J Pharmacol.* 129: 731-743. <http://dx.doi.org/10.1038/sj.bjp.0703087>.
- Krasteva, N; Fogel, Y; Bauer, RE; Muellen, K; Joseph, Y; Matsuzawa, N; Yasuda, A; Vossmeier, T. (2007). Vapor sorption and electrical response of Au-nanoparticle-dendrimer composites. *Adv Funct Mater.* 17: 881-888. <http://dx.doi.org/10.1002/adfm.200600598>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res.* 50: 3701-3708.
- Kraupp-Grasl, B; Huber, W; Taper, H; Schulte-Hermann, R. (1991). Increased susceptibility of aged rats to hepatocarcinogenesis by the peroxisome proliferator nafenopin and the possible involvement of altered liver foci occurring spontaneously. *Cancer Res.* 51: 666-671.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther.* 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Krauss, K; Fertig, F; Greulich, J; Rein, S; Preu, R. (2016). biPERC silicon solar cells enabling bifacial applications for industrial solar cells with passivated rear sides. *Physica Status Solidi A: Applications and Materials Science (Print).* 213: 68-71. <http://dx.doi.org/10.1002/pssa.201532737>.
- Kreiling, JA; Stephens, RE; Reinisch, CL. (2005). A mixture of environmental contaminants increases cAMP-dependent protein kinase in *Spisula* embryos. *Environ Toxicol Pharmacol.* 19: 9-18. <http://dx.doi.org/10.1016/j.etap.2004.02.007>.
- Kreppel, H; Liu, J; Liu, Y; Reichl, FX; Klaassen, CD. (1994). Zinc-induced arsenite tolerance in mice. *Fundam Appl Toxicol.* 23: 32-37. <http://dx.doi.org/10.1006/faat.1994.1075>.
- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888. <http://dx.doi.org/10.1007/s11356-015-4156-9>.
- Kriebel, D; Zeka, A; Eisen, EA; Wegman, DH. (2004). Quantitative evaluation of the effects of uncontrolled confounding by alcohol and tobacco in occupational cancer studies. *Int J Epidemiol.* 33: 1040-1045.
- Kringstad, KP; Ljungquist, PO; De, SF; Stroemberg, LM. Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination.
- Kringstad, KP; Ljungquist, PO; de Sousa, F; Stromberg, LM. (1981). Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination. *Environ Sci Technol.* 15: 562-566. <http://dx.doi.org/10.1021/es00087a006>.
- Krishnaiah, A; Surendranath, KN. (1996). Densities, speeds of sound, and viscosities of mixtures of oxolane with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 41: 1012-1014.
- Krishnaiah, A; Surendranath, KN; Viswanath, DS. (1994). EXCESS VOLUMES AND VISCOSITIES OF 1,4-DIOXANE PLUS CHLORINATED ETHANES OR PLUS CHLORINATED ETHENES AT 303.15-K. *Journal of Chemical and Engineering Data.* 39: 756-758.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krochmal, D. (1999). Determination of organic volatile compounds in workplace air by use of passive samplers and gas chromatography. Part I. A method of determination of chlorinated aliphatic hydrocarbons after solvent desorption. *Chemia analityczna.* 44: 963-976.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejertsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res.* 16: 54-62.
- Krost, KJ; Pellizzari, ED; Walburn, SG; Hubbard, SA. (1982). Collection and analysis of hazardous organic emissions. *Anal Chem.* 54: 810-817.
- Kruper, WJ; Emmons, AH. (1991). SYNTHESIS OF ALPHA-HALOCINNAMATE ESTERS VIA SOLVOLYTIC REARRANGEMENT OF TRICHLOROALLYL ALCOHOLS. *J Org Chem.* 56: 3323-3329.
- Krzemień, A; Riesgo fernández, P; Suárez sánchez, A; Diego álvarez, I. (2016). Beyond the pan-european standard for reporting of exploration results, mineral resources and reserves. *Resources Policy.* 49: 81-91.
- Kubal, M; Janda, V; Benes, P; Hendrych, J. (2008). In situ chemical oxidation and its application to remediation of contaminated soil and groundwater. *Chem Listy.* 102: 493-499.
- Kuc, T; Pawelka, Z; Sobczyk, L. (2001). Solvent assisted proton transfer processes in phenol-amine complexes revealed in effective dipole moments. *Phys Chem Chem Phys.* 3: 5201-5207.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: carbon, chlorine, and hydrogen isotope fractionation in transformation of TCE to ethene by a Dehalococcoides culture. *Environ Sci Technol.* 47: 9668-9677. <http://dx.doi.org/10.1021/es400463p>.
- Kueper, BH; Frind, EO. (1991). 2-PHASE FLOW IN HETEROGENEOUS POROUS-MEDIA .1. MODEL DEVELOPMENT. *Water Resour Res.* 27: 1049-1057.
- Kueper, BH; Gerhard, JI. (1995). Variability of point source infiltration rates for two-phase flow in heterogeneous porous media. *Water Resour Res.* 31: 2971-2980.
- Kueper, BH; Redman, D; Starr, RC; Reitsma, S; Mah, M. (1993). A FIELD EXPERIMENT TO STUDY THE BEHAVIOR OF TETRACHLOROETHYLENE BELOW THE WATER-TABLE - SPATIAL-DISTRIBUTION OF RESIDUAL AND POOLED DNAPL. *Ground Water.* 31: 756-766.
- Kuhn, TK; Hamonts, K; Dijk, JA; Kalka, H; Stichler, W; Springael, D; Dejonghe, W; Meckenstock, RU. (2009). Assessment of the intrinsic bioremediation capacity of an eutrophic river sediment polluted by discharging chlorinated aliphatic hydrocarbons: a compound-specific isotope approach. *Environ Sci Technol.* 43: 5263-5269. <http://dx.doi.org/10.1021/es803600s>.
- Kulabako, RN; Nalubega, M; Wozei, E; Thunvik, R. (2010). Environmental health practices, constraints and possible interventions in peri-urban settlements in developing countries--a review of Kampala, Uganda [Review]. *Int J Environ Health Res.* 20: 231-257. <http://dx.doi.org/10.1080/09603120903545745>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Kumagai, Y; Sumi, D. (2007). Arsenic: Signal transduction, transcription factor, and biotransformation involved in cellular response and toxicity [Review]. *Annu Rev Pharmacol Toxicol.* 47: 243-262. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105144>.
- Kumar, P; Prasad, AK; Dutta, KK. (2000). Steroidogenic alterations in testes and sera of rats exposed to trichloroethylene (TCE) by inhalation. *Hum Exp Toxicol.* 19: 117-121.
- Kumar, S; Lange, JP; Van Rossum, G; Kersten, SRA. (2015). Liquefaction of lignocellulose: Do basic and acidic additives help out? *Chem Eng J.* 278: 99-104. <http://dx.doi.org/10.1016/j.cej.2014.12.026>.
- Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 47: 425-427. <http://dx.doi.org/10.1021/je0102661>.
- Kumm, J; Hartmann, P; Eberlein, D; Wolf, A. (2016). Adhesion quality of evaporated aluminum layers on passivation layers for rear metallization of silicon solar cells. *Thin Solid Films.* 612: 393-399. <http://dx.doi.org/10.1016/j.tsf.2016.05.031>.
- Kummert, R; Molnar-Kubica, E; Giger, W. (1978). Trace determination of tetrachloroethylene in natural waters by direct aqueous injection high-pressure liquid chromatography. *Anal Chem.* 50: 1637-1639.
- Kundu, SK; Kennedy, EM; Mackie, JC; Holdsworth, CI; Molloy, TS; Gaikwad, VV; Dlugogorski, BZ. (2016). Experimental Study on the Reaction of CCl3F and CH4 in a Dielectric Barrier Discharge Nonequilibrium Plasma Reactor. *Ind Eng Chem Res.* 55: 463-471. <http://dx.doi.org/10.1021/acs.iecr.5b04010>.
- Kung, JW; Currie, IS; Forbes, SJ; Ross, JA. (2010). Liver development, regeneration, and carcinogenesis. *J Biomed Biotechnol.* 2010: 984248. <http://dx.doi.org/10.1155/2010/984248>.
- Kungsanant, S; Kitiyanan, B; Rirkomboon, T; Osuwan, S; Scamehorn, JF. (2009). Recovery of nonionic surfactant from VOC-contaminated coacervate phase solutions by co-current vacuum stripping: Effect of surfactant concentration, temperature, and solute type. *Separation and Purification Technology.* 66: 510-516. <http://dx.doi.org/10.1016/j.seppur.2009.02.008>.
- Kuo, SL; Hines, AL. (1992). ADSORPTION OF 1,1,1-TRICHLOROETHANE AND TETRACHLOROETHYLENE ON SILICA-GEL. *Journal of Chemical and Engineering Data.* 37: 1-3.
- Kurata, Y; Kidachi, F; Yokoyama, M; Toyota, N; Tsuchitani, M; Katoh, M. (1998). Subchronic toxicity of Di(2-ethylhexyl)phthalate in common marmosets: lack of hepatic peroxisome proliferation, testicular atrophy, or pancreatic acinar cell hyperplasia. *Toxicol Sci.* 42: 49-56. <http://dx.doi.org/10.1006/toxs.1997.2414>.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). DESTRUCTION RATE OF VOLATILE ORGANOCHLORINE COMPOUNDS IN WATER BY OZONATION WITH ULTRAVIOLET-RADIATION. *Water Res.* 25: 1199-1203.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Kustov, LM; Al-Abed, SR; Virkutyte, J; Kirichenko, OA; Shuvalova, EV; Kapustin, GI; Mishin, IV; Nissenbaum, VD; Tkachenko, OP; Finashina, ED. (2014). Novel Fe-Pd/SiO<sub>2</sub> catalytic materials for degradation of chlorinated organic compounds in water. *Pure Appl Chem*. 86: 1141-1158. <http://dx.doi.org/10.1515/pac-2014-0207>.
- Kustov, LM; Finashina, ED; Shuvalova, EV; Tkachenko, OP; Kirichenko, OA. (2011). Pd-Fe nanoparticles stabilized by chitosan derivatives for perchloroethene dechlorination. *Environ Int*. 37: 1044-1052. <http://dx.doi.org/10.1016/j.envint.2011.05.003>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environ Sci Technol*. 34: 2484-2489. <http://dx.doi.org/10.1021/es9900095>.
- Kwon, G; Jung, HT; Shin, K; Sung, BJ. (2011). The Structure and the Percolation Behavior of a Mixture of Carbon Nanotubes and Molecular Junctions: A Monte Carlo Simulation Study. *J Nanosci Nanotechnol*. 11: 4317-4323. <http://dx.doi.org/10.1166/jnn.2011.3659>.
- Kwon, J; Weisel, CP; Morandi, MT; Stock, TH. (2016). Source proximity and meteorological effects on residential outdoor VOCs in urban areas: Results from the Houston and Los Angeles RIOPA studies. *Sci Total Environ*. 573: 954-964. <http://dx.doi.org/10.1016/j.scitotenv.2016.08.186>.
- Kwon, J; Weisel, CP; Turpin, BJ; Zhang, JF; Korn, LR; Morandi, MT; Stock, TH; Colome, S. (2006). Source proximity and outdoor-residential VOC concentrations: Results from the RIOPA study. *Environ Sci Technol*. 40: 4074-4082. <http://dx.doi.org/10.1021/es051828u>.
- Kwon, K, iD; Jo, W; Lim, H; Jeong, W. (2008). Volatile pollutants emitted from selected liquid household products. *Environ Sci Pollut Res Int*. 15: 521-526. <http://dx.doi.org/10.1007/s11356-008-0028-x>.
- Kwon, S; Sullivan, EJ; Katz, LE; Bowman, RS; Kinney, KA. (2011). Laboratory and field evaluation of a pretreatment system for removing organics from produced water. *Water Environ Res*. 83: 843-854. <http://dx.doi.org/10.2175/106143011X12928814445212>.
- Kwon, SM; Kim, YH, o; Jung, I, IH; Park, D; Hwang, J; Kim, Y. (2009). Size classification of airborne particle for air-based lab-on-a-chip using micromachined electrical mobility analyzer. *Curr Appl Phys*. 9: E308-E310. <http://dx.doi.org/10.1016/j.cap.2009.06.049>.
- Kwon, TS; Yang, JS; Baek, K; Lee, JY; Yang, JW. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: batch and column studies. *J Hazard Mater*. 136: 610-617. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.038>.
- Kyrklund, T. (1992). The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: Acute and chronic exposures to organic solvents [Review]. *Am J Ind Med*. 21: 15-24. <http://dx.doi.org/10.1002/ajim.4700210105>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid composition of rat cerebral cortex. *Scand J Work Environ Health*. 14: 91-94.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res*. 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Kyung, D; Sihn, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater*. 311: 1-10. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.074>.
- Labra, M; Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air Soil Pollut*. 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res*. 68: 348-358.
- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol*. 149: 761-770.
- Lacinova, L; Cernikova, M; Hrabal, J; Cernik, M. (2013). IN-SITU COMBINATION OF BIO AND ABIO REMEDIATION OF CHLORINATED ETHENES. 20: 463-473. <http://dx.doi.org/10.2478/eces-2013-0034>.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol*. 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). FEASIBILITY TESTING FOR THE ON-SITE BIOREMEDIATION OF ORGANIC WASTES BY NATIVE MICROBIAL CONSORTIA. *Int Biodeterior Biodegradation*. 33: 41-59.
- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2012). Evaluation of Silicate Minerals for pH Control During Bioremediation: Application to Chlorinated Solvents. *Water Air Soil Pollut*. 223: 2663-2684. <http://dx.doi.org/10.1007/s11270-011-1058-4>.
- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2014). Control of groundwater pH during bioremediation: improvement and validation of a geochemical model to assess the buffering potential of ground silicate minerals. *J Contam Hydrol*. 160: 21-29. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.006>.
- Lacroix, E; Brovelli, A; Maillard, J; Rohrbach-Brandt, E; Barry, DA; Holliger, C. (2014). Use of silicate minerals for long-term pH control during reductive dechlorination of high tetrachloroethene concentrations in continuous flow-through columns. *Sci Total Environ*. 482-483: 23-35. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.099>.
- Ladaa, TI; Lee, CM; Coates, JT; Falta, RW. (2001). Cosolvent effects of alcohols on the Henry's law constant and aqueous solubility of tetrachloroethylene (PCE). *Chemosphere*. 44: 1137-1143.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc*. 81: 583-596.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lage, E; Vaquero, JJ; Sisniega, A; España, S; Tapias, G; Abella, M; Rodríguez-Ruano, A; Ortuño, JE; Udías, A; Desco, M. (2009). Design and performance evaluation of a coplanar multimodality scanner for rodent imaging. *Phys Med Biol*. 54: 5427-5441. <http://dx.doi.org/10.1088/0031-9155/54/18/005>.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere*. 125: 147-154. <http://dx.doi.org/10.1016/j.chemosphere.2014.12.023>.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *J Environ Eng*. 133: 859-868. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372](http://dx.doi.org/10.1061/(ASCE)0733-9372).
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a Dehalococcoides - Dehalobacter coculture. *Environ Sci Technol*. 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Lajtos, I; Czernin, J; Dahlbom, M; Daver, F; Emri, M; Farshchi-Heydari, S; Forgacs, A; Hoh, CK; Jozsai, I; Krizsan, AK; Lantos, J; Major, P; Molnar, J; Opposits, G; Tron, L; Vera, DR; Balkay, L. (2014). Cold wall effect eliminating method to determine the contrast recovery coefficient for small animal PET scanners using the NEMA NU-4 image quality phantom. *Phys Med Biol*. 59: 2727-2746. <http://dx.doi.org/10.1088/0031-9155/59/11/2727>.
- Lake, BG; Evans, JG; Cunninghame, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect*. 101: 241-247.
- Lakshminathiraj, P; Raju, GB; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO<sub>2</sub>-Ta<sub>2</sub>O<sub>5</sub> electrode from aqueous solution. *Chem Eng J*. 198: 211-218. <http://dx.doi.org/10.1016/j.cej.2012.05.092>.
- Lam, RHF; Brown, JP; Fan, AM; Milea, A. (1994). Chemicals in California drinking water: source contaminants, risk assessment, risk management, and regulatory standards. *J Hazard Mater*. 39: 173-192. [http://dx.doi.org/10.1016/0304-3894\(94\)00053-0](http://dx.doi.org/10.1016/0304-3894(94)00053-0).
- Lamare, F; Turzo, A; Bizais, Y; Le Rest, CC; Visvikis, D. (2006). Validation of a Monte Carlo simulation of the Philips Allegro/GEMINI PET systems using GATE. *Phys Med Biol*. 51: 943-962. <http://dx.doi.org/10.1088/0031-9155/51/4/013>.
- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res*. 35: 3077-3084.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts*. 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Landry, TD; Ramsey, JC; McKenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol*. 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum*. 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lanthy, P. (1978). The desaturated panel D-15. *Doc Ophthalmol*. 46: 185-189. <http://dx.doi.org/10.1007/BF00174107>.
- Lapare, S; Tardif, R; Brodeur, J. (1993). Effect of various exposure scenarios on the biological monitoring of organic solvents in alveolar air: 1. Toluene and m-xylene. *Int Arch Occup Environ Health*. 64: 569-580.
- Lapinskas, PJ; Corton, JC. (1997). Peroxisome proliferator-activated receptor alpha: Central mediator of peroxisome proliferator toxicity. *CIIT Activities*. 17: 1-9.
- Lapointe, MC; Martel, R; Lange, SF; Côté, S. (2016). Effect of energetic materials wettability on their outdoor effective elution rate. *J Hazard Mater*. 311: 194-202. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.075>.
- Lapsley, M; Akers, K; Norden, AG. (1998). Sensitive assays for urinary retinol-binding protein and beta-2-glycoprotein-1 based on commercially available standards. *Ann Clin Biochem*. 35: 115-119.
- Larsen, GL. (1985). Distribution of cysteine conjugate beta-lyase in gastrointestinal bacteria and in the environment. *Xenobiotica*. 15: 199-209. <http://dx.doi.org/10.3109/00498258509045350>.
- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol*. 29: 97-103.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environ Sci Technol*. 42: 1711-1717. <http://dx.doi.org/10.1021/es0717055>.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A*. 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.
- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol*. 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Lash, LH; Nelson, RM; Van Dyke, RA; Anders, MW. (1990). Purification and characterization of human kidney cytosolic cysteine conjugate beta-lyase activity. *Drug Metab Dispos*. 18: 50-54.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect*. 108: 225-240.
- Lash, LH; Qian, W; Putt, DA; Jacobs, K; Elfarra, AA; Krause, RJ; Parker, JC. (1998). Glutathione conjugation of trichloroethylene in rats and mice: Sex-, species-, and tissue-dependent differences. *Drug Metab Dispos*. 26: 12-19.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Latendresse, JR; Pereira, MA. (1997). Dissimilar characteristics of n-methyl-n-nitrosourea-initiated foci and tumors promoted by dichloroacetic acid or trichloroacetic acid in the liver of female B6C3F1 mice. *Toxicol Pathol.* 25: 433-440. <http://dx.doi.org/10.1177/019262339702500501>.
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl<sub>3</sub>) - An overview. *Biogeochemistry.* 60: 121-139.
- Lauermann, T; Froehlich, B; Hahn, G; Terheiden, B. (2015). Diffusion-based model of local Al back surface field formation for industrial passivated emitter and rear cell solar cells. *Progress in Photovoltaics.* 23: 10-18. <http://dx.doi.org/10.1002/pip.2388>.
- Laumbach, AD; Lee, S; Wong, J; Streips, UN. (1976). Detection and prevention of cancer; Proceedings of the Third International Symposium on Detection and Prevention of Cancer Studies on the mutagenicity of vinyl chloride metabolites and related chemicals. New York, NY: Marcel Dekker, Inc.
- Lavrenteva, OM; Holenberg, Y; Nir, A. (2009). Motion of viscous drops in tubes filled with yield stress fluid. *Chem Eng Sci.* 64: 4772-4786. <http://dx.doi.org/10.1016/j.ces.2009.06.055>.
- Lawrence, A; Stuart, M; Cheney, C; Jones, N; Moss, R. (2006). Investigating the scale of structural controls on chlorinated hydrocarbon distributions in the fractured-porous unsaturated zone of a sandstone aquifer in the UK. *Hydrogeology Journal.* 14: 1470-1482. <http://dx.doi.org/10.1007/s10040-006-0068-6>.
- Lawrence, AR; Geol, C; Stuart, ME; Barker, JA; Tester, DJ. (1996). Contamination of chalk groundwater by chlorinated solvents: Case study of deep penetration by non-aqueous phase liquids. *J Inst Water Environ Manag.* 10: 263-272.
- Lawrence, R; Miller, D. (2015). Optimizing System Efficiency Using Premium Efficient Motors. *I E E E Transactions on Industry Applications.* 51: 163-168. <http://dx.doi.org/10.1109/TIA.2014.2349853>.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *J Air Waste Manag Assoc.* 49: 1315-1323.
- Lay, JP; Schauerte, W; Klein, W; Korte, F. (1984). INFLUENCE OF TETRACHLOROETHYLENE ON THE BIOTA OF AQUATIC SYSTEMS - TOXICITY TO PHYTOPLANKTON AND ZOOPLANKTON SPECIES IN COMPARTMENTS OF A NATURAL POND. *Arch Environ Contam Toxicol.* 13: 135-142.
- Le, CF; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking waters. *Revue des Sciences de l'Eau.* 11: 103-108.
- Le Curieux, F; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking water. *Revue des Sciences de l'Eau.* 11: 103-118.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res.* 34: 2390-2396.
- Leake, HC. (1997). Sizing of cables in randomly-filled trays with consideration for load diversity. *I E E E Transactions on Power Delivery.* 12: 39-44.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis.* 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Ledakowicz, S; Miller, JS. (1993). KINETICS OF TETRACHLOROETHENE PHOTOCHEMICAL DECHLORINATION. *Chem Eng Sci.* 48: 2443-2451.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol.* 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol.* 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, C, chi; Doong, R, an. (2014). Enhanced dechlorination of tetrachloroethylene by polyethylene glycol-coated zerovalent silicon in the presence of nickel ions. *Appl Catal B-Environ.* 144: 182-188. <http://dx.doi.org/10.1016/j.apcatb.2013.06.033>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol.* 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CL, i; Lin, C; Jou, C. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air and Waste Management Association.* 62: 1443-1448. <http://dx.doi.org/10.1080/10962247.2012.719579>.
- Lee, D, aeY; Lee, HH, o; Ahn, J, unY; Park, HJ; Kim, JH; Kwon, HJ, in; Jeong, J, iW. (2011). A new back surface passivation stack for thin crystalline silicon solar cells with screen-printed back contacts. *Solar Energy Materials and Solar Cells.* 95: 26-29. <http://dx.doi.org/10.1016/j.solmat.2010.05.004>.
- Lee, DW; Alexandrovskii, SV; Tolochko, OV; Kim, D; Kim, BK. (2005). Synthesis and kinetics for nanocrystalline titanium carbide upon metallothermic reduction of liquid chlorides. *Glass Physics and Chemistry.* 31: 549-553.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int.* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, EJ; Kim, DS; Lee, SH. (2002). Ni/Cu metallization for low-cost high-efficiency PERC cells. *Solar Energy Materials and Solar Cells.* 74: 65-70.
- Lee, G; Min, S; Hong, JP, yo. (2013). Optimal Shape Design of Rotor Slot in Squirrel-Cage Induction Motor Considering Torque Characteristics. *I E E E Transactions on Magnetics.* 49: 2197-2200. <http://dx.doi.org/10.1109/TMAG.2013.2239626>.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere.* 76: 1082-1087. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.032>.
- Lee, IS; Bae, JH; Mccarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol.* 94: 76-85. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.003>.
- Lee, IS; Bae, JH; Yang, Y; Mccarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol.* 74: 313-331. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.006>.
- Lee, KU, k; Park, KJ, u; Kim, MH, o; Kwon, O, hJ; Kim, J, aeJ. (2014). Preparation of the carbon sphere coated with iron oxide and its application for electronic paper. *Dyes and Pigments.* 102: 22-28. <http://dx.doi.org/10.1016/j.dyepig.2013.10.012>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol.* 43: 132-137. <http://dx.doi.org/10.1007/s00254-002-0618-8>.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater.* 128: 218-226. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.005>.
- Lee, KY; Ha, DT. (2009). Phase separation behavior of three common alcohols with methoxy-nonafluorobutane or ethoxy-nonafluorobutane in water. *Can J Civ Eng.* 36: 738-742. <http://dx.doi.org/10.1139/L09-020>.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *J Environ Eng.* 131: 1441-1446. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1441\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1441)).
- Lee, KY; Lee, JY; Khinast, J; Stencel, JR; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *J Environ Eng.* 130: 100-103. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(100\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(100)).
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol.* 46: 883-889. <http://dx.doi.org/10.1007/s00254-004-1098-9>.
- Lee, LJ, -H; Chung, CW; Ma, YC; Wang, GS; Chen, PC; Hwang, YH; Wang, JD. (2003). Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater. *Occup Environ Med.* 60: 364-369. <http://dx.doi.org/10.1136/oem.60.5.364>.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lee, M. (1998). The remediation of tetrachloroethylene by surfactant flushing in both the saturated and the unsaturated zone. *Environ Technol.* 19: 1073-1083.
- Lee, M. (2000). A numerical study of surfactant flushing to remediate NAPL (Non-aqueous phase liquid). *Water Air Soil Pollut.* 121: 289-307.
- Lee, M; Fountain, JC. (1999). The effectiveness of surfactants for remediation of organic pollutants in the unsaturated zone. *Journal of Soil Contamination.* 8: 39-62.
- Lee, M; Kang, H; Do, W. (2005). Application of nonionic surfactant-enhanced in situ flushing to a diesel contaminated site. *Water Res.* 39: 139-146. <http://dx.doi.org/10.1016/j.waters.2004.09.012>.
- Lee, MD; Sehayek, L; Sleep, BE; Vandell, TD. (1999). Investigation and remediation of a 1,2-dichloroethane spill part II: Documentation of natural attenuation. *Ground Water Monitoring and Remediation.* 19: 82-88.
- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environ Sci Technol.* 41: 4277-4285. <http://dx.doi.org/10.1021/es062736d>.
- Lee, S. (2007). Enhanced dissolution of TCE in NAPL by TCE-degrading bacteria in wetland soils. *J Hazard Mater.* 145: 17-22. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.073>.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.005>.
- Lee, SS; Pineau, T; Drago, J; Lee, EJ; Owens, JW; Kroetz, DL; Fernandez-Salguero, PM; Westphal, H; Gonzalez, FJ. (1995). Targeted disruption of the alpha isoform of the peroxisome proliferator-activated receptor gene in mice results in abolishment of the pleiotropic effects of peroxisome proliferators. *Mol Cell Biol.* 15: 3012-3022.
- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with co-metabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Sci Technol.* 36: 6-7.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.
- Lee, WJ; Chen, CY; Lin, WC; Wang, YT; Chin, CJ. (1996). Phosgene formation from the decomposition of 1,1-C2H2Cl2 contained gas in an RF plasma reactor. *J Hazard Mater.* 48: 51-67.
- Lee, WJ; Cicek, B; Senkan, SM. (1993). Chemical structures of fuel-rich and fuel-lean flames of chloroform/methane mixtures. *Environ Sci Technol.* 27: 949-960. <http://dx.doi.org/10.1021/es00042a019>.
- Lee, Y; Buchanan, BG; Klopman, G; Dimayuga, M; Rosenkrantz, HS. (1996). The potential of organ specific toxicity for predicting rodent carcinogenicity. *Mutat Res-Fundam Mol Mech Mutagen.* 358: 37-62. [http://dx.doi.org/10.1016/0027-5107\(96\)00110-8](http://dx.doi.org/10.1016/0027-5107(96)00110-8).
- Lee, YC; Kim, CW; Lee, J, aeY; Shin, HJ, ae; Yang, J, iWon. (2009). Characterization of nanoscale zero valent iron modified by nonionic surfactant for trichloroethylene removal in the presence of humic acid: A research note. *Desalination and Water Treatment.* 10: 33-38.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lee, YC; Kwon, TS; Yang, JS; Yang, JW. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.036>.
- Lee, YG; Park, J. (2013). Effect of soil organic carbon on sorption and desorption of perchloroethylene in soils. *Korean J Chem Eng.* 30: 345-350. <http://dx.doi.org/10.1007/s11814-012-0222-x>.
- Leen, JB. (2012). Laser-based spectrometer for real-time monitoring of VOCs at Superfund sites.
- Lehman, B; Wilkins, A; Berman, S, am; Poplawski, M; Miller, NJ. (2011). Proposing Measures of Flicker in the Low Frequencies for Lighting Applications. *Leukos.* 7: 189-195. <http://dx.doi.org/10.1582/LEUKOS.2010.07.03004>.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health.* 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, I; Thoeleke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol.* 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>; <http://onlinelibrary.wiley.com/doi/10.1002/tox.10055/abstract>.
- Lehmann, KB. (1911). Experimentelle Studien über den Einfluss technisch und hygienisch wichtiger Gase und Dämpfe auf den Organismus (XVI-XXIII) Die gechlorten Kohlenwasserstoffe der Fettreihe nebst Betrachtungen über die einphasische und zweiphasische Giftigkeit atherischer Körper [Experimental studies on the effect of technical and hygienically important gases and vapors on the organism (XVI-XXIII): chlorinated aliphatic hydrocarbons, and considerations on the one-stage and two-stage toxicity of volatile products]. *Int J Hyg Environ Health.* 74: 1-60.
- Lehmann, KB; Schmidt-Kehl, L. (1936). Die 13 wichtigsten Chlorkohlenwasserstoffe der Fettreihe von Standpunkt der Gewerbehygiene [The 13 most important chlorinated hydrocarbons from the standpoint of occupational hygiene]. *Archiv fuer Hygiene und Bakteriologie.* 116: 131-268.
- Leibman, KC; Ortiz, E. (1970). Epoxide intermediates in microsomal oxidation of olefins to glycols. *J Pharmacol Exp Ther.* 173: 242-246.
- Lelieveld, J; van Aardenne, J; Fischer, H; de Reus, M; Williams, J; Winkler, P. (2004). Increasing ozone over the Atlantic Ocean. *Science.* 304: 1483-1487. <http://dx.doi.org/10.1126/science.1096777>.
- Lellbach, H; Effmert, M. (1990). RESULTS OF DIALLEL ANALYSIS OF THE GENETICS OF RESISTANCE TO SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC, PATHOTYPE-1 (DL) OF THE POTATO (SOLANUM-TUBEROSUM L). *Potato Research.* 33: 251-256.
- Lemic, J; Milosevic, S; Vukasinovic, M; Radosavljevic-Mihajlovic, A, na; Kovacevic, D. (2006). Surface modification of a zeolite and the influence of pH and ionic strength on the desorption of an amine. *Serbian Chemical Society Journal.* 71: 1161-1172. <http://dx.doi.org/10.2298/JSC0611161L>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech.* 134: 367-387.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag.* 18: 361-370.
- Lemke, LD; Abriola, LM. (2003). Predicting DNAPL entrapment and recovery: the influence of hydraulic property correlation. *Stoch Environ Res Risk Assess.* 17: 408-418. <http://dx.doi.org/10.1007/s00477-003-0162-4>.
- Lemke, LD; Abriola, LM; Goovaerts, P. (2004). Dense nonaqueous phase liquid (DNAPL) source zone characterization: Influence of hydraulic property correlation on predictions of DNAPL infiltration and entrapment. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR001980>.
- Lemke, LD; Abriola, LM; Lang, JR. (2004). Influence of hydraulic property correlation on predicted dense nonaqueous phase liquid source zone architecture, mass recovery and contaminant flux. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2004WR003061>.
- Lemke, LD; Bahrou, AS. (2009). Partitioned multiobjective risk modeling of carcinogenic compounds in groundwater. *Stoch Environ Res Risk Assess.* 23: 27-39. <http://dx.doi.org/10.1007/s00477-007-0192-4>.
- Lenczewski, M; Jardine, P; Mckay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol.* 64: 151-168. [http://dx.doi.org/10.1016/S0169-7722\(02\)00090-6](http://dx.doi.org/10.1016/S0169-7722(02)00090-6).
- Lenczewski, ME; Mckay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water.* 42: 534-541.
- Lendvay, JM; Loffler, FE; Dollhopf, M; Aiello, MR; Daniels, G; Fathepure, BZ; Gebhard, M; Heine, R; Helton, R; Shi, J; Krajmalnik-Brown, R; Major, CL; Barcelona, MJ; Petrovskis, E; Hickey, R; Tiedje, JM; Adriaens, P. (2003). Bioreactive barriers: A comparison of bioaugmentation and biostimulation for chlorinated solvent remediation. *Environ Sci Technol.* 37: 1422-1431. <http://dx.doi.org/10.1021/es025985u>.
- Lenio, MAT; Howard, J; Lu, D; Jentschke, F; Augarten, Y; Lennon, A; Wenham, SR. (2012). Series Resistance Analysis of Passivated Emitter Rear Contact Cells Patterned Using Inkjet Printing. *Advances in Materials Science and Engineering.* <http://dx.doi.org/10.1155/2012/965418>.
- Lenio, MAT; Lennon, AJ; Ho-Baillie, A; Wenham, SR, SR. (2010). Effect of electroless nickel on the series resistance of high-efficiency inkjet printed passivated emitter rear contacted solar cells. *Solar Energy Materials and Solar Cells.* 94: 2102-2107. <http://dx.doi.org/10.1016/j.solmat.2010.06.035>.
- Lenoble, J. (1993). Atmospheric radiative transfer. Hampton, VA: A. Deepak Publishing. <http://www.worldcat.org/title/atmospheric-radiative-transfer/oclc/27769441>.
- Leong, MI; Huang, SD. (2008). Dispersive liquid-liquid microextraction method based on solidification of floating organic drop combined with gas chromatography with electron-capture or mass spectrometry detection. *J Chromatogr A.* 1211: 8-12. <http://dx.doi.org/10.1016/j.chroma.2008.09.111>.
- Leopardi, P; Zijno, A; Bassani, B; Pacchierotti, F. (1993). In vivo studies on chemically induced aneuploidy in mouse somatic and germinal cells. *Mutat Res.* 287: 119-130. [http://dx.doi.org/10.1016/0027-5107\(93\)90151-5](http://dx.doi.org/10.1016/0027-5107(93)90151-5).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lesage, S; Brown, S. (1994). OBSERVATION OF THE DISSOLUTION OF NAPL MIXTURES. *J Contam Hydrol.* 15: 1-2.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 32: 241-257.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation.* 16: 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation.* 23: 102-110.
- Letskiewicz, F; Johnston, P; Macaluso, C; Elder, R; Yu, W. (1982). Occurrence in tetrachloroethylene (perchloroethylene) in drinking water, food and air. (JRB28130385229). McLean, VA: JRB Associates, Inc.
- Lettenberger, M; Emmerling, F; Gottfried, NH; Laubereau, A. (1995). ORIENTATIONAL MOTION OF ANTHRACENE IN LIQUID SOLUTION STUDIED BY IR/UV DOUBLE-RESONANCE SPECTROSCOPY. *Chem Phys Lett.* 240: 324-329.
- Letterman, RG; Deyonker, NJ; Burkey, TJ; Webster, CE. (2016). Calibrating Reaction Enthalpies: Use of Density Functional Theory and the Correlation Consistent Composite Approach in the Design of Photochromic Materials. *J Phys Chem A.* 120: 9982-9997. <http://dx.doi.org/10.1021/acs.jpca.6b09278>.
- Leung, CT; Brugge, JS. (2009). Tumor self-seeding: Bidirectional flow of tumor cells. *Cell.* 139: 1226-1228. <http://dx.doi.org/10.1016/j.cell.2009.12.013>.
- Leung, HW. (1992). Use of physiologically based pharmacokinetic models to establish biological exposure indexes. *AIHA J.* 53: 369-374. <http://dx.doi.org/10.1080/15298669291359799>.
- Leung, SW; Watts, RJ; Miller, GC. (1992). DEGRADATION OF PERCHLOROETHYLENE BY FENTON REAGENT - SPECIATION AND PATHWAY. *J Environ Qual.* 21: 377-381.
- Leuschner, J; Beuscher, N. (1998). Studies on the mutagenic and carcinogenic potential of chloral hydrate. *Arzneimittelforschung.* 48: 961-968.
- Leuschner, J; Leuschner, F. (1991). Evaluation of the mutagenicity of chloral hydrate in vitro and in vivo. *Arzneimittelforschung.* 41: 1101-1103.
- Lévesque, B; Ayotte, P; Tardif, R; Ferron, L; Gingras, S; Schlouch, E; Gingras, G; Levallois, P; Dewailly, E. (2002). Cancer risk associated with household exposure to chloroform. *J Toxicol Environ Health A.* 65: 489-502. <http://dx.doi.org/10.1080/15287390252807957>.
- Lewellen, TK; Kohlmyer, SG; Miyaoka, RS; Kaplan, MS. (1996). Investigation of the performance of the general electric ADVANCE positron emission tomograph in 3D mode. *IEEE Trans Nucl Sci.* 43: 2199-2206.
- Lewellen, TK; Kohlmyer, SG; Miyaoka, RS; Schubert, S; Stearns, CW. (1995). INVESTIGATION OF THE COUNT RATE PERFORMANCE OF GENERAL-ELECTRIC ADVANCE POSITRON EMISSION TOMOGRAPH. *IEEE Trans Nucl Sci.* 42: 1051-1057.
- Lewis, AC; Hopkins, JR; Carpenter, LJ; Stanton, J; Read, KA; Pilling, MJ. (2005). Sources and sinks of acetone, methanol, and acetaldehyde in North Atlantic marine air. *Atmos Chem Phys.* 5: 1963-1974.
- Lezak, MD. (1995). *Neuropsychological assessment.* New York: Oxford University Press.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH<sub>2</sub>Cl<sub>2</sub> decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol.* 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Chen, CY; Hsieh, LT. (2003). Decomposition of 1,2-dichloroethane in an RF plasma environment. *J Chem Tech Biotechnol.* 78: 817-823. <http://dx.doi.org/10.1002/jctb.868>.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O-2/Ar in the cold plasma environment. *Chem Eng J.* 92: 177-184.
- Li, D, a; Le, Y; Hou, X; Chen, JF; Shen, Z. (2011). Colored nanoparticles dispersions as electronic inks for electrophoretic display. *Synthetic Metals.* 161: 1270-1275. <http://dx.doi.org/10.1016/j.synthmet.2011.04.022>.
- Li, D, ao; Zheng, Y, i; Wang, X. (2008). Effect of phosphoric acid on catalytic combustion of trichloroethylene over Pt/P-MCM-41. *Appl Catal A-Gen.* 340: 33-41. <http://dx.doi.org/10.1016/j.apcata.2008.01.035>.
- Li, DQ; Swanson, BI. (1993). SURFACE-ACOUSTIC-WAVE THIN-FILM CHEMICAL MICROSENSORS BASED ON COVALENTLY BOUND C-60 DERIVATIVES - A MOLECULAR SELF-ASSEMBLY APPROACH. *Langmuir.* 9: 3341-3344.
- Li, G; Feng, YQ; Li, XG; Gao, P; Wang, J; Xie, JY. (2007). Preparation and characterization of polyurea microcapsules containing colored electrophoretic responsive fluid. *Journal of Materials Science.* 42: 4838-4844. <http://dx.doi.org/10.1007/s10853-006-0639-x>.
- Li, H; Shen, TT; Wang, XL; Lin, KF; Liu, YD; Lu, SG; Gu, JD; Wang, P; Lu, Q; Du, XM. (2013). Biodegradation of perchloroethylene and chlorophenol co-contamination and toxic effect on activated sludge performance. *Bioresour Technol.* 137: 286-293. <http://dx.doi.org/10.1016/j.biortech.2013.02.050>.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environ Sci Technol.* 39: 4864-4870. <http://dx.doi.org/10.1021/es050424z>.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environ Sci Technol.* 35: 568-574.
- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem.* 21: 1377-1383.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environ Sci Technol.* 38: 440-448. <http://dx.doi.org/10.1021/es034830z>.
- Li, MT; Hao, LL; Sheng, LX; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol.* 99: 6878-6884. <http://dx.doi.org/10.1016/j.biortech.2008.01.048>.
- Li, T; Guo, Y; Hu, H; Zhang, X; Jin, Y; Zhang, X; Zhang, Y. (2016). Determination of volatile chlorinated hydrocarbons in water samples by static headspace gas chromatography with electron capture detection. *J Sep Sci.* 39: 358-366. <http://dx.doi.org/10.1002/jssc.201500771>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Li, X; Sundquist, J; Sundquist, K. (2008). Socioeconomic and occupational risk factors for rheumatoid arthritis: A nationwide study based on hospitalizations in Sweden. *J Rheumatol.* 35: 986-991.
- Li, XH; Xu, XB; Wang, XT; Ma, LL. (2004). Headspace single-drop microextraction with gas chromatography for determination of volatile halocarbons in water samples. *Int J Environ Anal Chem.* 84: 633-645. <http://dx.doi.org/10.1080/0306731042000208743>.
- Li, Y; Abriola, LM; Phelan, TJ; Ramsburg, CA; Pennell, KD. (2007). Experimental and numerical validation of the total trapping number for prediction of DNAPL mobilization. *Environ Sci Technol.* 41: 8135-8141. <http://dx.doi.org/10.1021/es070834i>.
- Li, Y; Zhang, Z; Fei, Y; Chen, H; Qian, Y; Dun, Y, u. (2016). Investigation of quality and pollution characteristics of groundwater in the Hutuo River Alluvial Plain, North China Plain. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5366-2>.
- Li, YL; Zhang, TZ; Liang, P. (2005). Application of continuous-flow liquid-phase microextraction to the analysis of volatile halohydrocarbons in water. *Anal Chim Acta.* 536: 245-249.
- Li, Z; Bowman, RS. (2001). Regeneration of surfactant-modified zeolite after saturation with chromate and perchloroethylene. *Water Res.* 35: 322-326.
- Li, Z; Hanlie, H. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res.* 42: 605-614. <http://dx.doi.org/10.1016/j.watres.2007.08.010>.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant--a column study. *Water Res.* 40: 3811-3819. <http://dx.doi.org/10.1016/j.watres.2006.08.025>.
- Li, Z; Yoshida, N; Wang, A; Nan, J; Liang, B; Zhang, C; Zhang, D; Suzuki, D; Zhou, X; Xiao, Z; Katayama, A. (2015). Anaerobic mineralization of 2,4,6-tribromophenol to CO<sub>2</sub> by a synthetic microbial community comprising *Clostridium*, *Dehalobacter*, and *Desulfatiglans*. *Bioresour Technol.* 176: 225-232. <http://dx.doi.org/10.1016/j.biortech.2014.10.097>.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere.* 54: 419-423. [http://dx.doi.org/10.1016/S0045-6535\(03\)00752-5](http://dx.doi.org/10.1016/S0045-6535(03)00752-5).
- Li, ZH; Bowman, RS. (1998). Sorption of chromate and PCE by surfactant-modified clay minerals. *Environ Eng Sci.* 15: 237-245.
- Li, ZH; Bowman, RS. (1998). Sorption of perchloroethylene by surfactant-modified zeolite as controlled by surfactant loading. *Environ Sci Technol.* 32: 2278-2282.
- Li, ZH; Jones, HR; Bowman, RS; Helferich, R. (1999). Enhanced reduction of chromate and PCE by palletized surfactant-modified zeolite/zerovalent iron. *Environ Sci Technol.* 33: 4326-4330.
- Liang, C; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol.* 177-178: 158-166. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.006>.
- Liang, C; Huang, CF, en; Mohanty, N; Lu, CJ, en; Kurakalva, RM. (2007). Hydroxypropyl-beta-cyclodextrin-mediated iron-activated persulfate oxidation of trichloroethylene and tetrachloroethylene. *Ind Eng Chem Res.* 46: 6466-6479. <http://dx.doi.org/10.1021/ie0705148>.
- Liang, C; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol.* 100: 91-100. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.012>.
- Liang, H; Falta, RW. (2008). Modeling field-scale cosolvent flooding for DNAPL source zone remediation. *J Contam Hydrol.* 96: 1-16. <http://dx.doi.org/10.1016/j.jconhyd.2007.09.005>.
- Liang, X; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res.* 44: 2125-2132. <http://dx.doi.org/10.1016/j.watres.2009.12.026>.
- Liang, X; Dong, Y; Kuder, T; Krumholz, L, eEr; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environ Sci Technol.* 41: 7094-7100. <http://dx.doi.org/10.1021/es070970n>.
- Liang, X; Mundle, SO; Nelson, JL; Passeport, E; Chan, CC; Lacrampe-Couloume, G; Zinder, SH; Sherwood Lollar, B. (2014). Distinct carbon isotope fractionation during anaerobic degradation of dichlorobenzene isomers. *Environ Sci Technol.* 48: 4844-4851. <http://dx.doi.org/10.1021/es4054384>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology.* 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lide, D, . R. (1990). CRC Handbook of Chemistry and Physics. In DR Lide (Ed.). Boca Raton, FL: CRC Press.
- Lieber, CS. (1997). Cytochrome P-4502E1: Its physiological and pathological role. *Physiol Rev.* 77: 517-544.
- Lieberzeit, PA; Greibl, W; Stathopoulos, H; Dickert, FL; Fischerauer, G; Bulst, WE. (2006). Covalently anchored supramolecular monolayers on quartz surfaces for use in SAW sensors. *Sens Actuators B.* 113: 677-683. <http://dx.doi.org/10.1016/j.snb.2005.07.018>.
- Lieberzeit, PA; Palfinger, C; Dickert, FL; Fischerauer, G. (2009). SAW RFID-Tags for Mass-Sensitive Detection of Humidity and Vapors. 9: 9805-9815. <http://dx.doi.org/10.3390/s91209805>.
- Lien, HL; Zhang, WX. (2001). Nanoscale iron particles for complete reduction of chlorinated ethenes. *Colloid Surface Physicochem Eng Aspect.* 191: 97-105.
- Lien, SY; Yang, CH; Wu, KC; Kung, CY. (2015). Investigation on the passivated Si/Al<sub>2</sub>O<sub>3</sub> interface fabricated by non-vacuum spatial atomic layer deposition system. *Nanoscale Res Lett.* 10: 93. <http://dx.doi.org/10.1186/s11671-015-0803-9>.
- Lifshitz, JM; Gandselman, M. (1997). Effect of near-surface impact-induced damage on the residual strength of woven glass epoxy composite beams. *Compos Sci Tech.* 57: 205-216.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lillford, L; Beevers, C; Bowen, D; Kirkland, D. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133–138, 2010) [Letter]. *Mutagenesis*. 25: 427-428. <http://dx.doi.org/10.1093/mutage/geq020>.
- Lillian, D; Singh, HB. (1974). Absolute determination of atmospheric halocarbons by gas phase coulometry. *Anal Chem*. 46: 1060-1063. <http://dx.doi.org/10.1021/ac60344a003>.
- Lillian, D; Singh, HB; Appleby, A. (1976). Gas chromatographic analysis of ambient halogenated compounds. *Journal of the Air and Waste Management Association*. 26: 141-143.
- Lillian, D; Singh, HB; Appleby, A; Lobban, L; Arnsts, R; Gumpert, R; Hague, R; Toomey, J; Kazazis, J; Antell, M; Hansen, D; Scott, B. (1975). Atmospheric fates of halogenated compounds. *Environ Sci Technol*. 9: 1042-1048. <http://dx.doi.org/10.1021/es60110a005>.
- Lim, B; Brendemuehl, T; Dullweber, T; Brendel, R. (2016). Loss Analysis of n-Type Passivated Emitter Rear Totally Diffused Back-Junction Silicon Solar Cells with Efficiencies up to 21.2%. 6: 447-453. <http://dx.doi.org/10.1109/JPHOTOV.2016.2520211>.
- Lim, DH, ee; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environ Sci Technol*. 43: 5443-5448. <http://dx.doi.org/10.1021/es9003203>.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol*. 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res*. 41: 875-883. <http://dx.doi.org/10.1016/j.watres.2006.11.01>.
- Lima, G; Parker, B; Meyer, J. (2012). Dechlorinating microorganisms in a sedimentary rock matrix contaminated with a mixture of VOCs. *Environ Sci Technol*. 46: 5756-5763. <http://dx.doi.org/10.1021/es300214f>.
- Limmer, MA; Balouet, JC; Karg, F; Vroblesky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol*. 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Limmer, MA; Burken, JG. (2015). Phytoscreening with SPME: Variability Analysis. *Int J Phytoremediation*. 17: 1115-1122. <http://dx.doi.org/10.1080/15226514.2015.1045127>.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environ Sci Technol*. 48: 10634-10640. <http://dx.doi.org/10.1021/es502680p>.
- Lin, C; Jou, CJ; Wang, CL. (2009). Visible-light-sensitized dechlorination of perchloroethylene. *Water Environ Res*. 81: 76-81. <http://dx.doi.org/10.2175/106143008X304802>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere*. 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, W; Li, Z. (2010). Detection and quantification of trace organic contaminants in water using the FT-IR-attenuated total reflectance technique. *Anal Chem*. 82: 505-515. <http://dx.doi.org/10.1021/ac901192d>.
- Lin, YS; Egeghy, PP; Rappaport, SM. (2008). Relationships between levels of volatile organic compounds in air and blood from the general population. *J Expo Sci Environ Epidemiol*. 18: 421-429. <http://dx.doi.org/10.1038/sj.jes.7500635>.
- Lindbohm, ML; Hemminki, K. (1988). Nationwide data base on medically diagnosed spontaneous abortions in Finland. *Int J Epidemiol*. 17: 568-573. <http://dx.doi.org/10.1093/ije/17.3.568>.
- Linderman, RG; Davis, EA. (2004). Varied response of marigold (*Tagetes* spp.) genotypes to inoculation with different arbuscular mycorrhizal fungi. *Sci Hortic (Amsterdam)*. 99: 67-78. [http://dx.doi.org/10.1016/S0304-4238\(03\)0081-5](http://dx.doi.org/10.1016/S0304-4238(03)0081-5).
- Lindsay, E; Vlcek, A; Langford, CH. (1993). MECHANISM OF ASSOCIATIVE PHOTOINDUCED LIGAND SUBSTITUTION IN W(CO)4PHEN UNDER METAL-TO-LIGAND CHARGE-TRANSFER EXCITATION - SUBNANOSECOND TRANSIENT SPECTRA AND SOLVENT AND WAVELENGTH DEPENDENCE EVIDENCE FOR RAPID PRIMARY PROCESSES. *Inorg Chem*. 32: 2269-2275.
- Lindsay, EM; Langford, CH; Kirk, AD. (1999). Photochemical Reactivity of W(CO)(4)(phen): Evidence for Prompt One-Electron Transfer in Competition with Vibrational Relaxation. *Inorg Chem*. 38: 4771-4776.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull*. 32: 807-816.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation*. 27: 108-121.
- Linke, D; Dropka, N; Kiessling, PM; Konig, M; Krause, J; Lange, RP; Sontag, D. (2014). Characterization of a 75 kg multicrystalline Si ingot grown in a KRISTMAG (R)-type G2-sized directional solidification furnace. *Solar Energy Materials and Solar Cells*. 130: 652-660. <http://dx.doi.org/10.1016/j.solmat.2014.04.028>.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos*. 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun*. 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Lipscomb, JC; Poet, TS. (2008). In vitro measurements of metabolism for application in pharmacokinetic modeling [Review]. *Pharmacol Ther*. 118: 82-103. <http://dx.doi.org/10.1016/j.pharmthera.2008.01.006>.
- Lisa, GA; Tudose, RZ. (2003). Individual mass transfer coefficients in heterogeneous liquid-liquid systems. *Rev Chim*. 54: 348-351.
- Liteplo, RG; Meek, ME. (1994). Tetrachloroethylene: Evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 12: 493-506. <http://dx.doi.org/10.1080/10590509409373463>.
- Liu, B; Jia, C. (2014). Effects of exposure to mixed volatile organic compounds on the neurobehavioral test performance in a cross-sectional study of US adults. *Int J Environ Health Res*. 25: 1-15. <http://dx.doi.org/10.1080/09603123.2014.945514>.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water*. 40: 175-184.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragric Acrisols. *J Environ Qual.* 45: 331-340. <http://dx.doi.org/10.2134/jeq2015.07.0406>.
- Liu, F; Cichocka, D; Nijenhuis, I; Richnow, HH; Fennell, DE. (2010). Carbon isotope fractionation during dechlorination of 1,2,3,4-tetrachlorodibenzo-p-dioxin by a Dehalococcoides-containing culture. *Chemosphere.* 80: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2010.06.027>.
- Liu, F; Fennell, DE. (2008). Dechlorination and detoxification of 1,2,3,4,7,8-hexachlorodibenzofuran by a mixed culture containing Dehalococcoides ethenogenes Strain 195. *Environ Sci Technol.* 42: 602-607. <http://dx.doi.org/10.1021/es071380s>.
- Liu, J; Drane, W; Liu, X; Wu, T. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: application of canonical correlation analysis. *Environ Res.* 109: 193-199. <http://dx.doi.org/10.1016/j.envres.2008.11.002>.
- Liu, P; Zhang, X; Sun, L; Dai, S; Yu, C; Luo, X. (2014). Optimization of Rear Local Al-Contacts on High Efficiency Commercial PERC Solar Cells with Dot and Line Openings. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/515969>.
- Liu, S; Wu, G; Chen, HZ; Wang, M. (2012). Preparation and characterization of Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub> particles for dual-particle electrophoretic display. *Synthetic Metals.* 162: 89-94. <http://dx.doi.org/10.1016/j.synthmet.2011.11.016>.
- Liu, TG; Liu, SJ; Yang, ZY. (2010). A method to monitor non-ferrous debris in ferrographic analysis. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology.* 224: 203-208. <http://dx.doi.org/10.1243/13506501JET609>.
- Liu, W, ei; Chai, J; Chen, L, uS; Xu, L, ei; Zhu, M; Lu, J. (2012). Effect of the Composition of Mixed Oils on the Phase Behavior and Solubilization Ability of Microemulsion Systems. *Journal of Chemical and Engineering Data.* 57: 469-474. <http://dx.doi.org/10.1021/je201060w>.
- Liu, Y; Guyton, KZ; Gorospe, M; Xu, Q; Lee, JC; Holbrook, NJ. (1996). Differential activation of ERK, JNK/SAPK and P38/CSBP/RK map kinase family members during the cellular response to arsenite. *Free Radic Biol Med.* 21: 771-781.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol.* 157: 11-24. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.008>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater.* 308: 187-191. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.044>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ.* 548-549: 1-5. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.011>.
- Liu, YJ. (2001). Single-point determination of intrinsic viscosity of semirigid thermotropic copolyesters in phenol/1,1,2,2-tetrachloroethane. *Macromolecular Materials & Engineering.* 286: 611-617.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lô, A; Tall-Dia, A; Bonfoh, B; Schelling, E. (2016). Tuberculosis among transhumant pastoralist and settled communities of south-eastern Mauritania. *Global Health Action.* 9: 30334. <http://dx.doi.org/10.3402/gha.v9.30334>.
- Lo, VL; Pey, KL; Tung, CH; Ang, DS; Foo, TS; Tang, LJ. (2006). Percolation resistance evolution during progressive breakdown in narrow MOSFETs. *I E E Electron Device Letters.* 27: 396-398. <http://dx.doi.org/10.1109/LED.2006.873422>.
- Lochner, F. (1976). Perchlorathylen -- eine Bestandsaufnahme. *Umwelt.* 6: 434-436.
- Lock, EA; Sani, Y; Moore, RB; Finkelstein, MB; Anders, MW; Seawright, AA. (1996). Bone marrow and renal injury associated with haloalkene cysteine conjugates in calves. *Arch Toxicol.* 70: 607-619. <http://dx.doi.org/10.1007/s002040050319>.
- Loh, MM; Levy, JI; Spengler, JD; Houseman, EA; Bennett, DH. (2007). Ranking cancer risks of organic hazardous air pollutants in the United States. *Environ Health Perspect.* 115: 1160-1168. <http://dx.doi.org/10.1289/ehp.9884>.
- Lohmueller, E; Thaidigsmann, B; Pospischil, M; Jaeger, U; Mack, S; Specht, J; Nekarda, J; Retzlaff, M; Krieg, A; Clement, F; Wolf, A; Biro, D; Preu, R. (2011). 20% Efficient Passivated Large-Area Metal Wrap Through Solar Cells on Boron-Doped Cz Silicon. *I E E Electron Device Letters.* 32: 1719-1721. <http://dx.doi.org/10.1109/LED.2011.2167709>.
- Lohner, ST; Becker, D; Mangold, KM; Tiehm, A. (2011). Sequential reductive and oxidative biodegradation of chloroethenes stimulated in a coupled bioelectro-process. *Environ Sci Technol.* 45: 6491-6497. <http://dx.doi.org/10.1021/es200801r>.
- Lohner, ST; Tiehm, A. (2009). Application of Electrolysis to Stimulate Microbial Reductive PCE Dechlorination and Oxidative VC Biodegradation. *Environ Sci Technol.* 43: 7098-7104. <http://dx.doi.org/10.1021/es900835d>.
- Loizou, GD; Urban, G; Dekant, W; Anders, MW. (1994). GAS-UPTAKE PHARMACOKINETICS OF 2,2-DICHLORO-1,1,1-TRIFLUOROETHANE (HCFC-123). *Drug Metab Dispos.* 22: 511-517.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water.* 50: 754-764. <http://dx.doi.org/10.1111/j.1745-6584.2011.00897.x>.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frape, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE abiotic and biotic degradation pathways in a permeable reactive barrier using compound specific isotope analysis. *Ground Water Monitoring and Remediation.* 32: 53-62. <http://dx.doi.org/10.1111/j.1745-6592.2012.01403.x>.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environ Sci Technol.* 35: 261-269. <http://dx.doi.org/10.1021/es001227x>.
- Long, DL; Blake, AJ; Champness, NR; Wilson, C; Schroder, M. (2002). Constructing terbium co-ordination polymers of 4,4'-bipyridine-N,N'-dioxide by means of diffusion solvent mixtures. *Chemistry.* 8: 2026-2033.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng.* 119: 300-320.
- Longino, BL; Kueper, BH. (1995). THE USE OF UPWARD GRADIENTS TO ARREST DOWNWARD DENSE, NONAQUEOUS PHASE LIQUID (DNAPL) MIGRATION IN THE PRESENCE OF SOLUBILIZING SURFACTANTS. *Canadian Geotechnical Journal.* 32: 296-308.
- Longino, BL; Kueper, BH. (1999). Effects of capillary pressure and use of polymer solutions on dense, non-aqueous-phase liquid retention and mobilization in a rough-walled fracture. *Environ Sci Technol.* 33: 2447-2455.
- Longino, BL; Kueper, BH. (1999). Nonwetting phase retention and mobilization in rock fractures. *Water Resour Res.* 35: 2085-2093.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lookman, R; Borremans, B; De Ceuster, T; Gemoets, J; Diels, L. (2005). Effects of carbon source amendment on the anaerobic degradation of 1,1,1-trichloroethane (TCA) in a contaminated aquifer. *Water Air Soil Pollut.* 166: 197-216. <http://dx.doi.org/10.1007/s11270-005-6967-7>.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngaert, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Loop, CM; White, WB. (2001). A conceptual model for DNAPL transport in karst ground water basins. *Ground Water.* 39: 119-127.
- Loper, JC. (1980). Mutagenic effects of organic compounds in drinking water. *Mutat Res.* 76: 241-268. [http://dx.doi.org/10.1016/0165-1110\(80\)90019-6](http://dx.doi.org/10.1016/0165-1110(80)90019-6).
- Lopes, FVS; Miranda, SM; Monteiro, RAR; Martins, SDS; Silva, AMT; Faria, JL; Boaventura, R; Vilar, VJP. (2013). Perchloroethylene gas-phase degradation over titania-coated transparent monoliths. *Appl Catal B-Environ.* 140: 444-456. <http://dx.doi.org/10.1016/j.apcatb.2013.04.034>.
- Lopes, FVS; Monteiro, RAR; Silva, AMT; Silva, GV; Faria, JL; Mendes, AM; Vilar, VJP; Boaventura, R, uiAR. (2012). Insights into UV-TiO<sub>2</sub> photocatalytic degradation of PCE for air decontamination systems. *Chem Eng J.* 204: 244-257. <http://dx.doi.org/10.1016/j.cej.2012.07.079>.
- Lopez, E; Diez, FV; Ordonez, S. (2008). Effect of organosulphur, organonitrogen and organooxygen compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al<sub>2</sub>O<sub>3</sub>. *Appl Catal B-Environ.* 82: 264-272. <http://dx.doi.org/10.1016/j.apcatb.2008.02.001>.
- Lopez, E; Ordonez, S; Diez, F. (2006). Deactivation of a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ.* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez, E; Ordonez, S; Diez, FV. (2003). Inhibition effects of organosulphur compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al<sub>2</sub>O<sub>3</sub> catalysts. *Catalysis Today.* 84: 121-127. [http://dx.doi.org/10.1016/S0920-5861\(03\)00265-7](http://dx.doi.org/10.1016/S0920-5861(03)00265-7).
- Lopez, E; Ordonez, S; Sastre, H; Diez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater.* 97: 281-294.
- Lopezavila, V; Young, R; Kim, R; Beckert, WF. (1993). INTERLABORATORY EVALUATION OF AN OFF-LINE SUPERCRITICAL-FLUID EXTRACTION INFRARED SPECTROMETRIC METHOD FOR DETERMINATION OF PETROLEUM-HYDROCARBONS IN SOLID MATRICES. *J AOAC Int.* 76: 555-564.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Urriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ.* 30: 303-313.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal.* 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol.* 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Forlaseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen.* 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environ Sci Technol.* 33: 227-234.
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res.* 35: 3811-3827.
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol.* 70: 117-145. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.01>.
- Lorraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res.* 35: 1453-1460.
- Lord, DL; Demond, AH; Hayes, KF. (2005). Comparison of capillary pressure relationships of organic liquid-water systems containing an organic acid or base. *J Contam Hydrol.* 77: 195-208. <http://dx.doi.org/10.1016/j.jconhyd.2005.01.001>.
- Lorefice, S; di Meane, EA; Sega, M. (2010). Stability assessment of density reference liquids supported by GC-MS analysis (density reference liquids stability supported by GC-MS). *Measurement.* 43: 637-644. <http://dx.doi.org/10.1016/j.measurement.2010.01.005>.
- Lou, JC; Chang, YS. (1997). Thermal oxidation of chloroform. *Combust Flame.* 109: 188-197.
- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste and Hazardous Materials.* 13: 399-407.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *J Environ Eng.* 132: 940-948. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:8\(940\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:8(940)).
- Loughran, TP, Jr. (1993). Clonal diseases of large granular lymphocytes [Review]. *Blood.* 82: 1-14.
- Loukiala, A; Tuna, U; Beer, S; Jahnke, S; Ruotsalainen, U. (2010). Gap-filling methods for 3D PlanTIS data. *Phys Med Biol.* 55: 6125-6139. <http://dx.doi.org/10.1088/0031-9155/55/20/006>.
- Love, OT, Jr; Eilers, RG. (1982). Treatment of drinking water containing trichloroethylene and related industrial solvents. *J Am Water Works Assoc.* 74: 413-425.
- Lovell, D. (2010). Is tetrachloroethylene genotoxic or not [Comment]. *Mutagenesis.* 25: 443-446. <http://dx.doi.org/10.1093/mutage/geq036>.
- Lovelock, JE. (1974). Atmospheric halocarbons and stratospheric ozone. *Nature.* 252: 292-294. <http://dx.doi.org/10.1038/252292a0>.
- Lowengart, RA; Peters, JM; Cicioni, C; Buckley, J; Bernstein, L; Preston-Martin, S; Rappaport, E. (1987). Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst.* 79: 39-46. <http://dx.doi.org/10.1093/jnci/79.1.39>.
- Lowenheim, FA; Moran, MK. (1975). Perchloroethylene (tetrachloroethylene). In FA Lowenheim; MK Moran (Eds.), (pp. 604-611). New York: John Wiley & Sons.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol.* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Lu, AH; Liu, J; Zhao, D; Guo, YJ; Li, QR; Li, N. (2004). Photocatalysis of V-bearing rutile on degradation of halohydrocarbons. *Catalysis Today.* 90: 337-342. <http://dx.doi.org/10.1016/j.cattod.2004.04.044>.
- Lu, C; Bjerg, PL; Zhang, F; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere.* 83: 1467-1474. <http://dx.doi.org/10.1016/j.chemosphere.2011.03.007>.
- Lu, C; Broholm, MM; Fabricius, I, daL; Bjerg, PL. (2014). Determination of Matrix Pore Size Distribution in Fractured Clayey Till and Assessment of Matrix Migration of Dechlorinating Bacteria. *Bioremediat J.* 18: 295-308. <http://dx.doi.org/10.1080/10889868.2014.939133>.
- Lu, GX; Zhang, Y, i; Noyce, DA. (2011). Intelligent Traffic Signal System for Isolated Intersections Dynamic Pedestrian Accommodation. *Trans Res Rec96-111.* <http://dx.doi.org/10.3141/2259-09>.
- Lu, LH; Kang, XH; Xie, HQ. (2002). Effects of surfactant on zinc recovery by solvent extraction during leaching in HCl-FeCl<sub>3</sub> solution. *Chinese Journal of Chemical Engineering.* 10: 109-111.
- Lü, W; Kamiya, I. (2012). The influence of interlayer molecules in luminescence of self-assembled bilayer PbS quantum dot films. *J Nanosci Nanotechnol.* 12: 410-415. <http://dx.doi.org/10.1166/jnn.2012.5361>.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1725-1734.
- Luber, S; Adamczyk, K; Nibbering, ET; Batista, VS. (2013). Photoinduced proton coupled electron transfer in 2-(2'-hydroxyphenyl)-benzothiazole. *J Phys Chem A.* 117: 5269-5279. <http://dx.doi.org/10.1021/jp403342w>.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res.* 8: 197-211. [http://dx.doi.org/10.1016/S1093-0191\(02\)00132-6](http://dx.doi.org/10.1016/S1093-0191(02)00132-6).
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2004). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett.* 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Luka, T; Grosser, S; Hagendorf, C; Ramspeck, K; Turek, M. (2016). Intra-grain versus grain boundary degradation due to illumination and annealing behavior of multi-crystalline solar cells. *Solar Energy Materials and Solar Cells.* 158: 43-49. <http://dx.doi.org/10.1016/j.solmat.2016.05.061>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos.* 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol.* 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol.* 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Lunn, SRD; Kueper, BH. (1997). Removal of pooled dense, nonaqueous phase liquid from saturated porous media using upward gradient alcohol floods. *Water Resour Res.* 33: 2207-2219.
- Lunn, SRD; Kueper, BH. (1999). Manipulation of density and viscosity for the optimization of DNAPL recovery by alcohol flooding. *J Contam Hydrol.* 38: 427-445.
- Lunn, SRD; Kueper, BH. (1999). Risk reduction during chemical flooding: Preconditioning DNAPL density in situ prior to recovery by miscible displacement. *Environ Sci Technol.* 33: 1703-1708.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech.* 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Luo, W; Anashkin, E; Matthews, CG. (2010). Performance Evaluation of a PEM Scanner Using the NEMA NU 4-2008 Small Animal PET Standards. *IEEE Trans Nucl Sci.* 57: 94-103. <http://dx.doi.org/10.1109/TNS.2009.2036847>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Lutes, CC; Liles, DS; Suthersan, SS; Lenzo, F; Hansen, M; Payne, FC; Burdick, JV; Vance, D. (2003). Comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environ Sci Technol.* 37: 2618-2619. <http://dx.doi.org/10.1021/es030355t>.
- Lutz, W; Krajewska, B. (1987). Ocena Czynnosci Watroby Na Podstawie Niektorych Parametrow Biochemicznych I Testu CBJ-131 U Pracownikow Przewlekle Ekspozowanych Na Dzialanie Rozpuszczalnikow Organicznych [Evaluation of the liver function basing on certain biochemical parameters and CBJ-131 test in workers chronically exposed to organic solvents]. *Med Pr.* 38: 34-39.
- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol.* 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail.* 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lyew, D; Tartakovsky, B; Manuel, MF; Guiot, SR. (2002). A microcosm test for potential mineralization of chlorinated compounds under coupled aerobic/anaerobic conditions. *Chemosphere.* 47: 695-699.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res.* 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lynge, E. (2008). Comments on toxicological review of tetrachloroethylene CAS no. 127-18-4 EPA/635/R-08/011A external draft review [Personal Communication].
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control.* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 30: 1627-1639.
- Lysychenko, G; Weber, R; Kovach, V; Gertsruk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)--a review of the risks and the remediation options. *Environ Sci Pollut Res Int.* 22: 14391-14404. <http://dx.doi.org/10.1007/s11356-015-5184-1>.
- Ma, C; Wu, Y. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol.* 55: 47-54. <http://dx.doi.org/10.1007/s00254-007-0963-8>.
- Ma, C; Wu, Y; Sun, C; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol.* 52: 1511-1519. <http://dx.doi.org/10.1007/s00254-006-0595-4>.
- Ma, H; Zhang, H; Wang, L; Wang, J; Chen, J. (2014). Comprehensive screening and priority ranking of volatile organic compounds in Daliao River, China. *Environ Monit Assess.* 186: 2813-2821. <http://dx.doi.org/10.1007/s10661-013-3582-8>.
- Ma, HW; Wu, KY; Ton, CD. (2002). Setting information priorities for remediation decisions at a contaminated-groundwater site. *Chemosphere.* 46: 75-81.
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al2O3 catalysts for dichloromethane oxidation. *Catalysis Today.* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, TH; Sandhu, SS; Peng, Y; Chen, TD; Kim, TW. (1992). Synergistic and antagonistic effects on genotoxicity of chemicals commonly found in hazardous waste sites. *Mutat Res-Fundam Mol Mech Mutagen.* 270: 71-77. [http://dx.doi.org/10.1016/0027-5107\(92\)90103-9](http://dx.doi.org/10.1016/0027-5107(92)90103-9).
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918. [http://dx.doi.org/10.1016/S0043-1354\(03\)00111-8](http://dx.doi.org/10.1016/S0043-1354(03)00111-8).
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H2 gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166. <http://dx.doi.org/10.1016/j.watres.2006.01.005>.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med.* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Macdonald, LR; Harrison, RL; Alessio, AM; Hunter, WC; Lewellen, TK; Kinahan, PE. (2011). Effective count rates for PET scanners with reduced and extended axial field of view. *Phys Med Biol.* 56: 3629-3643. <http://dx.doi.org/10.1088/0031-9155/56/12/011>.
- Macdonald, LR; Schmitz, RE; Alessio, AM; Wollenweber, SD; Stearns, CW; Ganin, A; Harrison, RL; Lewellen, TK; Kinahan, PE. (2008). Measured count-rate performance of the Discovery STE PET/CT scanner in 2D, 3D and partial collimation acquisition modes. *Phys Med Biol.* 53: 3723-3738. <http://dx.doi.org/10.1088/0031-9155/53/14/002>.
- Maciel, JV; Soares, BM; Mandlate, JS; Picoloto, RS; Bizzi, CA; Flores, EM; Duarte, FA. (2014). Simple and fast method for iron determination in white and red wines using dispersive liquid-liquid microextraction and ultraviolet-visible spectrophotometry. *J Agric Food Chem.* 62: 8340-8345. <http://dx.doi.org/10.1021/jf5019774>.
- Mack, S; Wolf, A; Walczak, A; Thaidigsmann, B; Wotke, EA; Spiegelman, JJ; Preu, R; Biro, D. (2011). Properties of purified direct steam grown silicon thermal oxides. *Solar Energy Materials and Solar Cells.* 95: 2570-2575. <http://dx.doi.org/10.1016/j.solmat.2011.03.002>.
- Mackay, D; Bobra, A; Chan, DW; Shiu, WY. (1982). Vapor pressure correlations for low-volatility environmental chemicals. *Environ Sci Technol.* 16: 645-649. <http://dx.doi.org/10.1021/es00104a004>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res.* 30: 369-383.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. *J Contam Hydrol.* 41: 81-131.
- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis.* 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.
- Mackenzie, K; Bleyl, S; Kopinke, FD; Doose, H; Bruns, J. (2015). Carbo-Iron as improvement of the nanoiron technology: From laboratory design to the field test. *Sci Total Environ.* 563-564: 641-648. <http://dx.doi.org/10.1016/j.scitotenv.2015.07.107>.
- Mackinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. *J Contam Hydrol.* 56: 49-74.
- Macko, T; Denayer, JF; Pasch, H; Pan, L; Li, J; Raphael, A. (2004). Adsorption of polypropylene and polyethylene on liquid chromatographic column packings. *Chromatographia.* 59: 461-467. <http://dx.doi.org/10.1365/s10337-004-0228-6>.
- MacNaughton, MG; Uddin, DE. (1984). Toxicology of mixed distillate and high-energy synthetic fuels. In MA Mehlman; GP Hemstreet; JJ Thorpe; NK Weaver (Eds.), (pp. 121-132). Princeton, NJ: Princeton Scientific Publishers, Inc.
- Maçôas, EM; Kananavicius, R; Myllyperkiö, P; Pettersson, M; Kunttu, H. (2007). Ultrafast electronic and vibrational energy relaxation of Fe(acetylacetonate)<sub>3</sub> in solution. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 111: 2054-2061. <http://dx.doi.org/10.1021/jp066271z>.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health.* 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Macpherson, AN; Truscott, TG; Turner, PH. (1994). FOURIER-TRANSFORM LUMINESCENCE SPECTROSCOPY OF SOLVATED SINGLET OXYGEN. *J Chem Soc Faraday Trans.* 90: 1065-1072.
- Maddalena, RL; Mckone, TE; Layton, DW; Hsieh, DP. (1995). Comparison of multi-media transport and transformation models: regional fugacity model vs. CalTOX. *Chemosphere.* 30: 869-889. [http://dx.doi.org/10.1016/0045-6535\(94\)00447-3](http://dx.doi.org/10.1016/0045-6535(94)00447-3).
- Mader, C; Mueller, J; Eidelloth, S; Brendel, R. (2012). Local rear contacts to silicon solar cells by in-line high-rate evaporation of aluminum. *Solar Energy Materials and Solar Cells.* 107: 272-282. <http://dx.doi.org/10.1016/j.solmat.2012.06.047>.
- Magnusson, J; Ramel, C; Eriksson, A. (1977). Mutagenic effects of chlorinated phenoxyacetic acids in *Drosophila melanogaster*. *Hereditas.* 87: 121-123. <http://dx.doi.org/10.1111/j.1601-5223.1977.tb01252.x>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A.* 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahler, B; Massei, N. (2007). Anthropogenic contaminants as tracers in an urbanizing karst aquifer. *J Contam Hydrol.* 91: 81-106. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.010>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen.* 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Mailhes, JB; Preston, RJ; Yuan, ZP; Payne, HS. (1988). Analysis of mouse metaphase II oocytes as an assay for chemically induced aneuploidy. *Mutat Res.* 198: 145-152. [http://dx.doi.org/10.1016/0027-5107\(88\)90049-8](http://dx.doi.org/10.1016/0027-5107(88)90049-8).
- Maimone, M. (1997). Coping with groundwater contamination. *Chem Eng.* 104: 195-&.
- Mainz, EL. (1993). ORGANIC AND IONIC SOIL REMOVAL BY VAPOR DEGREASING WITH A HETEROGENEOUS AZEOTROPE OF PERCHLOROETHYLENE AND WATER. *Plat Surf Finish.* 80: 24-26.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol.* 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maithreepala, RA; Doong, RA. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater.* 164: 337-344. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.007>.
- Maitre, A; Hours, M; Bonnetterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol.* 31: 2395-2401.
- Majdan, M; Tarasiuk, B; Gladysz-Plaska, A; Pikus, S. (2007). Adsorption of organic pollutants on organo-clays. *Przemysł Chemiczny.* 86: 126-131.
- Major, D; Edwards, E; Mccarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation.* 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environ Sci Technol.* 36: 5106-5116. <http://dx.doi.org/10.1021/es0255711>.
- Mak, C; Cornu, E; Moresoli, C; Chen, P. (2004). Surface tension, diffusion and kinetics studies of an air-stripping process. *Separation and Purification Technology.* 36: 95-106. [http://dx.doi.org/10.1016/S1383-5866\(03\)00202-8](http://dx.doi.org/10.1016/S1383-5866(03)00202-8).
- Makide, Y; Kanai, Y; Tominaga, T. (1980). Background atmospheric concentrations of halogenated hydrocarbons in Japan. *Bull Chem Soc Jpn.* 53: 2681-2682. <http://dx.doi.org/10.1246/bcsj.53.2681>.
- Makris, KC; Andra, SS. (2014). Limited representation of drinking-water contaminants in pregnancy-birth cohorts. *Sci Total Environ.* 468-469: 165-175. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.012>.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environ Sci Technol.* 45: 8395-8402. <http://dx.doi.org/10.1021/es201270z>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Malaveille, C; Bartsch, H; Barbin, A; Camus, AM; Montesano, R; Croisy, A; Jacquignon, P. (1975). Mutagenicity of vinyl chloride, chloroethyleneoxide, chloroacetaldehyde and chloroethanol. *Biochem Biophys Res Commun.* 63: 363-370. [http://dx.doi.org/10.1016/0006-291X\(75\)90697-X](http://dx.doi.org/10.1016/0006-291X(75)90697-X).
- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett.* 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Mallin, K. (1990). Investigation of a bladder cancer cluster in northwestern Illinois. *Am J Epidemiol.* 132: S96-S106.
- Mallinson, CF; Kozlowski, S; Harvey, A, nn; Watts, JF. (2016). An investigation of the effect of chlorinated solvents on surface characteristics of S-65 beryllium. *Surf Interface Anal.* 48: 689-693. <http://dx.doi.org/10.1002/sia.5912>.
- Malonova, H; Bardodej, Z. (1983). Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. *Cent Eur J Public Health.* 27: 319-328.
- Mancini, SA; Lacrampe-Couloume, G; Lollar, BS. (2008). Source differentiation for benzene and chlorobenzene groundwater contamination: A field application of stable carbon and hydrogen isotope analyses. *Environ Forensics.* 9: 177-186. <http://dx.doi.org/10.1080/15275920802119086>.
- Mannervik, B. (1985). The isoenzymes of glutathione transferase [Review]. *Adv Enzymol Relat Areas Mol Biol.* 57: 357-417.
- Manogue, WH. (1958). The kinetics of the absorption of phosgene into water and aqueous solutions. *Dissertation Abstracts International, B: The Sciences and Engineering.* 18: 984.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol.* 131: 64-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.004>.
- Manookin, MB; Weick, M; Stafford, BK; Demb, JB. (2010). NMDA receptor contributions to visual contrast coding. *Neuron.* 67: 280-293. <http://dx.doi.org/10.1016/j.neuron.2010.06.020>.
- Mantel, N. (1963). Chi-square tests with one degree of freedom; extensions of the Mantel-Haenszel procedure. *J Am Stat Assoc.* 58: 690-700.
- Mantilla, LF. (2008). Analysis of the voltage phasors characteristics for motor unbalanced supplies under constant voltage level. *Electrical Engineering (Archiv fur Elektrotechnik).* 90: 395-406. <http://dx.doi.org/10.1007/s00202-007-0089-8>.
- Manz, L. (1997). Applying adjustable-speed drives to three-phase induction NEMA frame motors. *I E E E Transactions on Industry Applications.* 33: 402-407.
- Manzo, L; Artigas, F; Martinez, E; Mutti, A; Bergamaschi, E; Nicotera, P; Tonini, M; Candura, SM; Ray, DE; Costa, LG. (1996). Biochemical markers of neurotoxicity A review of mechanistic studies and applications [Review]. *Hum Exp Toxicol.* 1]: S20-S35.
- Mao, H; Talbot, RW; Sive, BC; Kim, S, uY; Blake, DR; Weinheimer, AJ. (2010). Arctic mercury depletion and its quantitative link with halogens. *J Atmos Chem.* 65: 145-170. <http://dx.doi.org/10.1007/s10874-011-9186-1>.
- Mao, X; Ciblak, A, li; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environ Sci Technol.* 45: 6517-6523. <http://dx.doi.org/10.1021/es200943z>.
- Mao, X; Ciblak, A, li; Baek, K; Amiri, M; Loch-Carus, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res.* 46: 1847-1857. <http://dx.doi.org/10.1016/j.watres.2012.01.002>.
- Mao, X; Wang, J; Ciblak, A, li; Cox, EE; Riis, C; Terkelsen, M; Gent, DB; Alshawabkeh, AN. (2012). Electrokinetic-enhanced bioaugmentation for remediation of chlorinated solvents contaminated clay. *J Hazard Mater.* 213: 311-317. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.001>.
- Maphosa, F; van Passel, MW; de Vos, WM; Smidt, H. (2012). Metagenome analysis reveals yet unexplored reductive dechlorinating potential of *Dehalobacter* sp. E1 growing in co-culture with *Sedimentibacter* sp. *Environmental Microbiology Reports.* 4: 604-616. <http://dx.doi.org/10.1111/j.1758-2229.2012.00376.x>.
- Marais, LJ; Otero, R; Riga, E. (2010). CONTROL OF PLANT-PARASITIC NEMATODES WITH THE BIONEMATICIDE NEMA-Q (R) AN EXTRACT OF QUILLAJA SAPONARIA. *Journal of Nematology.* 42: 254-255.
- Marcatili, S; Pettinato, C; Daniels, S; Lewis, G; Edwards, P; Fanti, S; Spezi, E. (2013). Development and validation of RAYDOSE: a Geant4-based application for molecular radiotherapy. *Phys Med Biol.* 58: 2491-2508. <http://dx.doi.org/10.1088/0031-9155/58/8/2491>.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe<sup>2+</sup> activated persulfate. *Sci Total Environ.* 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillén, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol.* 100: 5757-5762. <http://dx.doi.org/10.1016/j.biortech.2009.06.078>.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol.* 83: 1190-1196. <http://dx.doi.org/10.1002/jctb.1914>.
- Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G; Vicent, T; Reddy, CA. (2006). Novel aerobic Perchloroethylene degradation by the white-rot fungus *Trametes versicolor*. *Environ Sci Technol.* 40: 7796-7802. <http://dx.doi.org/10.1021/es0622958>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol.* 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marcus, DL; Bonds, C. (1999). Results of the reactant sand-fracking pilot test and implications for the in situ remediation of chlorinated VOCs and metals in deep and fractured bedrock aquifers. *J Hazard Mater.* 68: 125-153.
- Marcus, SL; Miyata, KS; Zhang, B; Subramani, S; Rachubinski, RA; Capone, JP. (1993). Diverse peroxisome proliferator-activated receptors bind to the peroxisome proliferator-responsive elements of the rat hydratase/dehydrogenase and fatty acyl-CoA oxidase genes but differentially induce expression. *Proc Natl Acad Sci USA.* 90: 5723-5727.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Marcus, Y. (2006). Preferential solvation in mixed solvents 13. Mixtures of tetrahydrofuran with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Solution Chemistry*. 35: 251-277. <http://dx.doi.org/10.1007/s10953-006-9366-9>.
- Marcus, Y. (2006). Preferential solvation in mixed solvents. 14. Mixtures of 1,4-dioxane with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Molecular Liquids*. 128: 115-126. <http://dx.doi.org/10.1016/j.molliq.2005.12.005>.
- Marczinek, S; Schafer, W; Peiffer, S. (2006). Identification and quantification of natural degradation processes in an aquifer contaminated with chlorinated ethenes. *Grundwasser*. 11: 207-216. <http://dx.doi.org/10.1007/s00767-006-0146-7>.
- Margard, W. (1978). In vitro bioassay of chlorinated hydrocarbon solvents [Unpublished]. Frederick, MD: Batelle Laboratories.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng*. 120: 1207-1231.
- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology*. 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marotta, E; Paradisi, C. (2002). Isomerization and dissociation of C2X5+ and C2X4+\* ions (X = Cl, F) from chlorofluoroethanes in an ion trap mass spectrometer. *J Mass Spectrom*. 37: 1280-1286. <http://dx.doi.org/10.1002/jms.403>.
- Marquardt, JU; Thorgeirsson, SS. (2010). Stem cells in hepatocarcinogenesis: Evidence from genomic data [Review]. *Semin Liver Dis*. 30: 26-34. <http://dx.doi.org/10.1055/s-0030-1247130>.
- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis*. 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr*. 45: 516-519.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylylidino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res*. 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrac acid. *Carcinogenesis*. 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Marsman, DS; Popp, JA. (1994). Biological potential of basophilic hepatocellular foci and hepatic adenoma induced by the peroxisome proliferator, Wy-14,643. *Carcinogenesis*. 15: 111-117. <http://dx.doi.org/10.1093/carcin/15.1.111>.
- Martens, J. (2016). *Sinostoma yunnanicum*, the first nemastomatine harvestman in China (Arachnida: Opiliones: Nemastomatidae). *Zootaxa*. 4126: 444-450. <http://dx.doi.org/10.11646/zootaxa.4126.3.9>.
- Marth, E; Stuenzner, D; Binder, H; Moese, JR. (1985). Tetrachlorethylen: eine Studie uber die Wirkung niedriger Konzentrationen von 1,1,2,2-Tetrachlorethylen (Perchlorethylen) am Organismus der Maus II Ruckstandsuntersuchungen von Tetrachlorethylen in verschiedenen Organen und Nachweis von histologischen Veranderungen der untersuchten organe. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 541-547.
- Marth, E; Stunzner, D; Binder, H; Mose, JR. (1985). [Tetrachloroethylene: effect of low concentrations of 1,1,2,2-tetrachloroethylene (perchloroethylene) on organisms in the mouse. I. Laboratory chemical research]. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 525-540.
- Martin, PM; Mailman, RB. (1988). Permanent alteration in licking pattern of rats due to neonatal lead exposure. 14: 361.
- Martin, VB; Smith, CB; Gupta, BS. (1998). Identification of source emissions from finished textile fabrics. *Text Chem Color*. 30: 15-19.
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit*. 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Martinez-Rodriguez, MJ; Fox, EB; Rhodes, WD; Mcwhorter, CS; Greenway, S; Colon-Mercado, HR. (2011). The Effect of Low Concentrations of Tetrachloroethylene on the Performance of PEM Fuel Cells. *J Electrochem Soc*. 158: B698-B702. <http://dx.doi.org/10.1149/1.3563799>.
- Martin-Martin, D; Garcia-Tabares, E; Rey-Stolle, I. (2016). Assessment of Rear-Surface Processing Strategies for III-V on Si Multijunction Solar Cells Based on Numerical Simulations. *I E E E Transactions on Electron Devices*. 63: 252-258. <http://dx.doi.org/10.1109/TED.2015.2498527>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ*. 20: 301-307.
- Mashayekhi, HA, li; Abrooand-Azar, P; Saber-Tehrani, M; Waqif-Husain, S. (2011). Rapid and sensitive determination of biphenyl and biphenyl oxide in water samples using dispersive liquid-liquid microextraction followed by gas chromatography. *Int J Environ Anal Chem*. 91: 516-524. <http://dx.doi.org/10.1080/03067310903525167>.
- Maslia, ML; Aral, MM; Faye, RE; Grayman, WM; Suárez-Soto, RJ; Sautner, JB; Anderson, BA; Bove, FJ; Ruckart, PZ; Moore, SM. (2012). Complexities in hindcasting models--when should we say enough is enough [Comment]. *Ground Water*. 50: 10-16; discussion 16-18. <http://dx.doi.org/10.1111/j.1745-6584.2011.00884.x>.
- Maslia, ML; Aral, MM; Ruckart, PZ; Bove, FJ. (2016). Reconstructing Historical VOC Concentrations in DrinkingWater for Epidemiological Studies at a US Military Base: Summary of Results. *Water*. 8. <http://dx.doi.org/10.3390/w8100449>.
- Mason, AR; Kueper, BH. (1996). Numerical simulation of surfactant-enhanced solubilization of pooled DNAPL. *Environ Sci Technol*. 30: 3205-3215.
- Masten, SJ. (1991). Ozonation of VOC's in the presence of humic acid and soils (pp. 287-312). (ISSN 0191-9512; EISSN 1547-6545; BIOSIS/91/25845). Masten, SJ.
- Matejova, L; Brunatova, T; Danis, S. (2015). TiO2-CeO2 prepared by using pressurized and supercritical fluids: effect of processing parameters and cerium amount on (micro)structural and morphological properties. *Res Chem Intermed*. 41: 9243-9257. <http://dx.doi.org/10.1007/s11164-015-1990-9>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Matejova, L; Cieslarova, M; Matej, Z; Danis, S; Peikertova, P; Sihor, M; Lang, J; Matejka, V. (2016). Microstructure, Optical and Photocatalytic Properties of TiO<sub>2</sub> Thin Films Prepared by Chelating-Agent Assisted Sol-Gel Method. *J Nanosci Nanotechnol.* 16: 504-514. <http://dx.doi.org/10.1166/jnn.2016.10684>.
- Mathes, SE; Rasmussen, TC. (2006). Combining multivariate statistical analysis with geographic information systems mapping: a tool for delineating groundwater contamination. *Hydrogeology Journal.* 14: 1493-1507. <http://dx.doi.org/10.1007/s10040-006-0041-4>.
- Mathias, E; Sanhueza, E; Hisatsune, IC; Hecklen, J. (1974). The chlorine atom sensitized oxidation and ozonolysis of C<sub>2</sub>Cl<sub>4</sub>. *Can J Chem.* 52: 3852-3862.
- Matsuda, H; Ose, Y; Nagase, H; Sato, T; Kito, H; Sumida, K. (1991). MUTAGENICITY OF OZONATION AND CHLORINATION PRODUCTS FROM PARA-HYDROXYBENZALDEHYDE. *Sci Total Environ.* 103: 141-149.
- Matsunaga, K; Yamabe, S; Mori, T. (1997). Photodegradation of polychlorobiphenyls by titanium dioxide/ferric ion/hydrogen peroxide/UV light system. *JTTHE.* 43: 174-181.
- Mattsson, S; Vañó, E. (2013). ICRP perspective on criteria of acceptability for medical radiological equipment [Review]. *Radiat Prot Dosimetry.* 153: 158-160. <http://dx.doi.org/10.1093/rpd/ncs296>.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ.* 545-546: 445-452. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.098>.
- Matucha, M; Forczek, ST; Gryndler, M; Uhlirova, H; Fuksova, K; Schroder, P. (2003). Trichloroacetic acid in Norway spruce/soil-system I Biodegradation in soil. *Chemosphere.* 50: 303-309.
- Mauzerall, DL; Jacob, DJ; Fan, SM; Bradshaw, JD; Gregory, GL; Sachse, GW; Blake, DR. (1996). Origin of tropospheric ozone at remote high northern latitudes in summer. *J Geophys Res Atmos.* 101: 4175-4188.
- Maxwell, RM; Kastenber, WE. (1999). Stochastic environmental risk analysis: an integrated methodology for predicting cancer risk from contaminated groundwater. *Stoch Environ Res Risk Assess.* 13: 27-47.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JE; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environ Sci Technol.* 40: 5704-5709. <http://dx.doi.org/10.1021/es052521y>.
- May, R. (1976) Aufnahme Metabolisierung und Ausscheidung von Tetrachloräthylen und Beeinflussung durch gleichzeitige Aufnahme von Athanol beim Menschen. (Doctoral Dissertation). Universität Würzburg, Würzburg, Germany.
- Mayeno, AN; Yang, RS; Reisfeld, B. (2005). Biochemical reaction network modeling: predicting metabolism of organic chemical mixtures. *Environ Sci Technol.* 39: 5363-5371. <http://dx.doi.org/10.1021/es0479991>.
- Mayer, VW; Goin, CJ. (1980). Induction of mitotic recombination by certain hair-dye chemicals in *Saccharomyces cerevisiae*. *Mutat Res.* 78: 243-252. [http://dx.doi.org/10.1016/0165-1218\(80\)90105-6](http://dx.doi.org/10.1016/0165-1218(80)90105-6).
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating *Dehalococcoides mccartyi* Consortium. *Environ Sci Technol.* 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.
- Mayes, MD. (1999). Epidemiologic studies of environmental agents and systemic autoimmune diseases [Review]. *Environ Health Perspect.* 107: 743-748.
- Maymó-Gatell, X; Nijenhuis, I; Zinder, SH. (2001). Reductive dechlorination of cis-1,2-dichloroethene and vinyl chloride by *Dehalococcoides ethenogenes*. *Environ Sci Technol.* 35: 516-521. <http://dx.doi.org/10.1021/es001285i>.
- Mazari-Hiriart, M; Hernandez-Eugenio, C; Rojo-Callejas, F; Lozano-Santacruz, R. (2000). Vertical variability of PCE sorption in the lacustrine clays of Mexico city. *Environ Geol.* 39: 595-602.
- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environ Sci Technol.* 35: 4783-4788. <http://dx.doi.org/10.1021/es0110372>.
- McAllister, SS; Gifford, AM; Greiner, AL; Kelleher, SP; Saelzler, MP; Ince, TA; Reinhardt, F; Harris, LN; Hylander, BL; Repasky, EA; Weinberg, RA. (2008). Systemic endocrine instigation of indolent tumor growth requires osteopontin. *Cell.* 133: 994-1005. <http://dx.doi.org/10.1016/j.cell.2008.04.045>.
- Mccall, RE; Patel, FMA; Mock, GN; Grady, PL. (1998). Solvent and ultrasonic alternatives to perchloroethylene drycleaning of textiles. *Text Chem Color.* 30: 11-18.
- Mccallie, SW. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A MANUFACTURERS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 189-189.
- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA.* 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarthy, MC; Hafner, HR; Chinkin, LR; Charrier, JG. (2007). Temporal variability of selected air toxics in the United States. *Atmos Environ.* 41: 7180-7194. <http://dx.doi.org/10.1016/j.atmosenv.2007.05.037>.
- Mccarthy, MC; Hafner, HR; Montzka, SA. (2006). Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc.* 56: 3-11.
- Mccarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect.* 117: 790-796. <http://dx.doi.org/10.1289/ehp.11861>.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol.* 42: 49-60.
- Mccarty, PL; Chu, M, inY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology.* 43: 276-282. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.004>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol.* 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- McCarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther.* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccauley, KM; Pratt, DA; Wilson, S. R.; Shey, J; Burkey, TJ; van Der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B-12-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc.* 127: 1126-1136. <http://dx.doi.org/10.1021/ja0488573p>.
- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem.* 41: 5844-5848. <http://dx.doi.org/10.1021/ic025714k>.
- McClenny, WA; Jacumin, HH; Oliver, KD; Daughtrey, EH; Whitaker, DA. (2006). Comparison of 24 h averaged VOC monitoring results for residential indoor and outdoor air using Carbopack X-filled diffusive samplers and active sampling--a pilot study. *J Environ Monit.* 8: 263-269. <http://dx.doi.org/10.1039/b507850d>.
- McConnell, EE; Wagner, JC; Skidmore, JW; Moore, JA. (1984). Biological effects of man-made mineral fibres: Proceedings of a WHO/IARC conference in association with JEMRB and TIMA, Copenhagen, 2-22 April 1982A comparative study of the fibrogenic and carcinogenic effects of UICC Canadian chrysotile B asbestos and glass microfibre (JM 100). Copenhagen: WHO.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med.* 50: 349-354.
- Mccue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Sci Technol.* 47: 79-84.
- Mcculloch, A. (2002). Trichloroacetic acid in the environment. *Chemosphere.* 47: 667-686.
- Mcdaniel, TV; Martin, PA; Ross, N; Brown, S; Lesage, S; Pauli, BD. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.
- Mcdaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AM; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol.* 52: 410-417. <http://dx.doi.org/10.1007/s00244-005-8218-8>.
- Mcdermott, MJ; Mazor, KA; Shost, SJ; Narang, RS; Aldous, KM; Storm, JE. (2005). Tetrachloroethylene (PCE, Perc) levels in residential dry cleaner buildings in diverse communities in New York City. *Environ Health Perspect.* 113: 1336-1343. <http://dx.doi.org/10.1289/ehp.7414>.
- McDonald, AD; Armstrong, B; Cherry, NM; Delorme, C; Diodati-Nolin, A; McDonald, JC; Robert, D. (1986). Spontaneous abortion and occupation. *J Occup Med.* 28: 1232-1238.
- McDonald, AD; McDonald, JC; Armstrong, B; Cherry, N; Delorme, C; Nolin, A; Robert, D. (1987). Occupation and pregnancy outcome. *Br J Ind Med.* 44: 521-526.
- Mcdonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in subslab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation.* 27: 86-92.
- Mcelveen, R; Melfi, M. (2016). Locked-Rotor Test Methods for Induction Motors Investigated. *I E E Transactions on Industry Applications.* 52: 3595-3602. <http://dx.doi.org/10.1109/TIA.2016.2544925>.
- Mcginley, PM; Katz, LE; Weber, WJ. (1996). Competitive sorption and displacement of hydrophobic organic contaminants in saturated subsurface soil systems. *Water Resour Res.* 32: 3571-3577.
- Mcgregor, DB; Brown, A; Cattanach, P; Edwards, I; McBride, D; Riach, C; Caspary, WJ. (1988). Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. *Environ Mol Mutagen.* 12: 85-154. <http://dx.doi.org/10.1002/em.2860120111>.
- Mcguire, MM; Hamers, RJ. (2000). Extraction and quantitative analysis of elemental sulfur from sulfide mineral surfaces by high-performance liquid chromatography. *Environ Sci Technol.* 34: 4651-4655.
- Mcguire, T; Hughes, JB. (2003). Effects of surfactants on the dechlorination of chlorinated ethenes. *Environ Toxicol Chem.* 22: 2630-2638.
- Mchedlidze, T; Herguth, A; Weber, J. (2016). Monitoring of Si-solar cell degradation with electroluminescence. *Solar Energy Materials and Solar Cells.* 155: 38-42. <http://dx.doi.org/10.1016/j.solmat.2016.05.008>.
- Mchugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to distinguish between vapor intrusion and indoor sources of VOCs. *Environ Sci Technol.* 45: 5952-5958. <http://dx.doi.org/10.1021/es200988d>.
- Mchugh, TE; Rauch, SR; Paquette, SM; Connor, JA; Daus, AD. (2015). Life Cycle of Methyl tert-Butyl Ether in California Public Water Supply Wells. *Environ Sci Technol Lett.* 2: 7-11.
- Mckeown, C; Gillen, G; Dempsey, MF; Findlay, C. (2016). Influence of slice overlap on positron emission tomography image quality. *Phys Med Biol.* 61: 1259-1277. <http://dx.doi.org/10.1088/0031-9155/61/3/1259>.
- McKinney, LL; Weakley, FB; Eldridge, AC; Campbell, RE; Cowan, JC; Picken, JC; Blester, HE. (1957). S-(dichlorovinyl) L-cysteine: an agent causing fatal aplastic anemia in calves. *J Am Chem Soc.* 79: 3932-3933. <http://dx.doi.org/10.1021/ja01571a093>.
- McKone, T; Bogen, K. (1993). CaLTOX, a multimedia total-exposure model for hazardous waste sites. Pat II: The dynamic multimedia transport and transformation model. Sacramento, CA: California Environmental Protection Agency.
- Mckone, TE; Bogen, KT. (1991). PREDICTING THE UNCERTAINTIES IN RISK ASSESSMENT - A CALIFORNIA GROUNDWATER CASE-STUDY. *Environ Sci Technol.* 25: 1674-1681.
- McKone, TE; Bogen, KT. (1992). Uncertainties in health-risk assessment: an integrated case study based on tetrachloroethylene in California groundwater. *Regul Toxicol Pharmacol.* 15: 86-103.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Mckone, TE; Daniels, JI. (1991). Estimating human exposure through multiple pathways from air, water, and soil. *Regul Toxicol Pharmacol*. 13: 36-61. [http://dx.doi.org/10.1016/0273-2300\(91\)90040-3](http://dx.doi.org/10.1016/0273-2300(91)90040-3).
- McLaughlin, JK. (1993). Renal cell cancer and exposure to gasoline: A review [Review]. *Environ Health Perspect*. 101: 111-114.
- McLean, D; Mannetje, A; Dryson, E; Walls, C; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2009). Leukaemia and occupation: A New Zealand Cancer Registry-based case-control Study. *Int J Epidemiol*. 38: 594-606. <http://dx.doi.org/10.1093/ije/dyn220>.
- McMartin, KI; Koren, G. (1999). Exposure to organic solvents. Does it adversely affect pregnancy? *Can Fam Physician*. 45: 1671-1673.
- Mcnab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environ Sci Technol*. 34: 149-153.
- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering*. 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from [http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn\\_childhood\\_leukemia\\_follow.pdf](http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf)
- Meade, TW; Framework, FtBMRCGPR; clinics, pv. (2001). Design and intermediate results of the Lower Extremity Arterial Disease Event Reduction (LEADER)\* trial of bezafibrate in men with lower extremity arterial disease [ISRCTN4119421]. *Current Controlled Trials in Cardiovascular Medicine*. 2: 195-204. <http://dx.doi.org/10.1186/cvm-2-4-195>.
- Megharaj, M; Jovicic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol*. 33: 141-146.
- Meharg, AA; Cairney, JWG. (2000). Ectomycorrhizas - extending the capabilities of rhizosphere remediation? *Soil Biol Biochem*. 32: 1475-1484.
- Mehendale, HM. (2005). Tissue repair: An important determinant of final outcome of toxicant-induced injury [Review]. *Toxicol Pathol*. 33: 41-51. <http://dx.doi.org/10.1080/01926230590881808>.
- Mehranian, A; Kotasidis, F; Zaidi, H. (2016). Accelerated time-of-flight (TOF) PET image reconstruction using TOF bin subsetization and TOF weighting matrix pre-computation. *Phys Med Biol*. 61: 1309-1331. <http://dx.doi.org/10.1088/0031-9155/61/3/1309>.
- Meier, KL; Bailer, AJ; Portier, CJ. (1993). A measure of tumorigenic potency incorporating dose-response shape. *Biometrics*. 49: 917-926.
- Meier, MA; Hungerbuhler, K; Aleankirkpatrick, P. (1997). Integrated product and process development using case studies: A challenge to the education of science and engineering undergraduates. *Chimia*. 51: 171-175.
- Meijer, J; Afzelius, BA. (1989). Effects of clofibrate treatment and of starvation on peroxisomes, mitochondria, and lipid droplets in mouse hepatocytes: a morphometric study. *J Ultra Mol Struct Res*. 102: 87-94. [http://dx.doi.org/10.1016/0889-1605\(89\)90037-2](http://dx.doi.org/10.1016/0889-1605(89)90037-2).
- Mejia, JM; Ochoa Domínguez, H; Vergara Villegas, OO; Ortega Máñez, L; Mederos, B. (2014). Noise reduction in small-animal PET images using a multiresolution transform. *IEEE Trans Med Imaging*. 33: 2010-2019. <http://dx.doi.org/10.1109/TMI.2014.2329702>.
- Melcher, RG; Langner, RR; Kagel, RO. (1978). Criteria for the evaluation of methods for the collection of organic pollutants in air using solid sorbents. *Am Ind Hyg Assoc J*. 39: 349-361. <http://dx.doi.org/10.1080/0002889778507771>.
- Melfi, MJ. (2006). Low-voltage PWM inverter-fed motor insulation issues. *I E E E Transactions on Industry Applications*. 42: 128-133. <http://dx.doi.org/10.1109/TIA.2005.861308>.
- Melfi, MJ; Umans, SD; Atem, JE. (2015). Viability of Highly Efficient Multi-Horsepower Line-Start Permanent-Magnet Motors. *I E E E Transactions on Industry Applications*. 51: 120-128. <http://dx.doi.org/10.1109/TIA.2014.2347239>.
- Melnick, RL. (2001). Is peroxisome proliferation an obligatory precursor step in the carcinogenicity of di(2-ethylhexyl)phthalate (DEHP)? [Review]. *Environ Health Perspect*. 109: 437-442.
- Melnick, RL. (2002). The IARC evaluation of di(2-ethylhexyl)phthalate (DEHP): A flawed decision based on an untested hypothesis. *Int J Occup Environ Health*. 8: 284-286.
- Melnick, RL; Kohn, MC; Huff, J. (1997). Weight of evidence versus weight of speculation to evaluate the alpha2u-globulin hypothesis. *Environ Health Perspect*. 105: 904-906.
- Melwanki, MB; Fuh, MR. (2008). Dispersive liquid-liquid microextraction combined with semi-automated in-syringe back extraction as a new approach for the sample preparation of ionizable organic compounds prior to liquid chromatography. *J Chromatogr A*. 1198-1199: 1-6. <http://dx.doi.org/10.1016/j.chroma.2008.05.007>.
- Melwanki, MB; Fuh, MR. (2008). Partitioned dispersive liquid-liquid microextraction: an approach for polar organic compounds extraction from aqueous samples. *J Chromatogr A*. 1207: 24-28. <http://dx.doi.org/10.1016/j.chroma.2008.08.052>.
- Men, Y; Feil, H; Verberkmoes, NC; Shah, MB; Johnson, DR; Lee, PK; West, KA; Zinder, SH; Andersen, GL; Alvarez-Cohen, L. (2012). Sustainable syntrophic growth of *Dehalococcoides ethenogenes* strain 195 with *Desulfovibrio vulgaris* Hildenborough and *Methanobacterium congolense*: global transcriptomic and proteomic analyses. *ISME J*. 6: 410-421. <http://dx.doi.org/10.1038/ismej.2011.111>.
- Mendler, R; Hasan, R; Trolle, JB; Mina, NL. (2015). Hazardous-Rated Electrical Equipment and the Arc-Flash Hazard. *I E E E Transactions on Industry Applications*. 51: 4335-4341. <http://dx.doi.org/10.1109/TIA.2015.2424881>.
- Mendoza-Figueroa, T; López-Revilla, R; Villa-Trevino, S. (1983). DNA breaks induced by micromolar concentrations of dimethylnitrosamine in liver primary cell cultures from untreated and phenobarbital treated rats. *Toxicology*. 27: 55-69. [http://dx.doi.org/10.1016/0300-483X\(83\)90075-6](http://dx.doi.org/10.1016/0300-483X(83)90075-6).
- Meng, X; Wen, T; Sun, S; Zheng, R; Ren, J; Tang, F. (2010). Synthesis and Application of Carbon-Iron Oxide Microspheres' Black Pigments in Electrophoretic Displays. *Nanoscale Res Lett*. 5: 1664-1668. <http://dx.doi.org/10.1007/s11671-010-9692-0>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Menear, J; Maronpot, R; Boorman, G; Eustis, S; Huff, J; Haseman, J; Mcconnell, E; Ragan, H; Miller, R. (1986). New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986. Toxicologic and carcinogenic effects of inhaled tetrachloroethylene in rats and mice. New York: Elsevier Science Publishers.
- Mentzen, BF; Lefebvre, F. (2002). Evolution of host/guest interactions during adsorption of tetrachloroethylene (TCET) by silicalite (MFI) - A study by X-ray powder diffraction, NMR and molecular mechanics. *Materials Research Bulletin*. 37: 957-970.
- Mera, N; Ohmori, S; Itahashi, K; Kiuchi, M; Igarashi, T; Rikihisa, T; Kitada, M. (1994). Immunochemical evidence for the occurrence of Mu class glutathione S-transferase in human fetal livers. *J Biochem*. 116: 315-320.
- Merck. (1996). *The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals*. In S Budavari (Ed.), (12th ed.). Rahway, NJ: Merck & Co., Inc.
- Mergler, D. (1987). Worker participation in occupational health research: Theory and practice. *Int J Health Serv*. 17: 151-167.
- Mergler, D; Belanger, S; De Grosbois, S; Vachon, N. (1988). Chromal focus of acquired chromatic discrimination loss and solvent exposure among printshop workers. *Toxicology*. 49: 341-348. [http://dx.doi.org/10.1016/0300-483X\(88\)90017-0](http://dx.doi.org/10.1016/0300-483X(88)90017-0).
- Mergler, D; Blain, L. (1987). Assessing color vision loss among solvent-exposed workers. *Am J Ind Med*. 12: 195-203. <http://dx.doi.org/10.1002/ajim.4700120208>.
- Mergler, D; Blain, L; Lemaire, J; Lalande, F. (1988). Colour vision impairment and alcohol consumption. *Neurotoxicol Teratol*. 10: 255-260. [http://dx.doi.org/10.1016/0892-0362\(88\)90025-6](http://dx.doi.org/10.1016/0892-0362(88)90025-6).
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health*. 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Mergler DHuel, G; Belanger, S; Bowler, RM; Truchon, G; Drolet, D; Ostiguy, C. (1996). Surveillance of early neurotoxic dysfunction. *Neurotoxicology*. 17: 803-812.
- Merlo-Sosa, L; Cota-Sanchez, G; Soucy, G. (2006). Effect of the liquid atomization quality on the pyrolysis of organic compounds by induction thermal plasma. *High Temperature Material Processes*. 10: 79-102.
- Mersch-Sundermann, V; Schneider, U; Klopman, G; Rosenkranz, HS. (1994). SOS induction in *Escherichia coli* and *Salmonella* mutagenicity: A comparison using 330 compounds [Review]. *Mutagenesis*. 9: 205-224. <http://dx.doi.org/10.1093/mutage/9.3.205>.
- Mertens, R; Vonsonntag, C. (1995). PHOTOLYSIS (LAMBDA=254 NM) OF TETRACHLOROETHENE IN AQUEOUS-SOLUTIONS. *J Photochem Photobiol A*. 85: 1-9.
- Meskar, A; Plee-Gautier, E; Amet, Y; Berthou, F; Lucas, D. (2001). Interactions alcool-xénobiotiques. Rôle du cytochrome P450 2E1 [Alcohol-xenobiotic interactions. Role of cytochrome P450 2E1] [Review]. *Pathol Biol*. 49: 696-702. [http://dx.doi.org/10.1016/S0369-8114\(01\)00235-8](http://dx.doi.org/10.1016/S0369-8114(01)00235-8).
- Mesrobian, A; Hudson, JA. (1997). Comparative performance of open and totally enclosed machines. *I E E Transactions on Industry Applications*. 33: 154-159.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene. *Environ Sci Technol*. 46: 2772-2780. <http://dx.doi.org/10.1021/es203152a>.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene (vol 46, pg 2772, 2012). *Environ Sci Technol*. 46: 12241-12241. <http://dx.doi.org/10.1021/es304055d>.
- Messing, K; Dumais, L; Courville, J; Seifert, AM; Boucher, M. (1994). Evaluation of exposure data from men and women with the same job title. *J Occup Med*. 36: 913-917.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med*. 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Meszaros, E, va; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of Dehalococoides and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1768-x>.
- Meszaros, E; Sipos, R; Pal, R; Romsics, C; Marialigeti, K. (2013). Stimulation of trichloroethene biodegradation in anaerobic three-phase microcosms. *Int Biodeterior Biodegradation*. 84 (Oct 2013): 126-133. <http://dx.doi.org/10.1016/j.ibiod.2012.08.006>.
- Mettivier, G; Tabacchini, V; Conti, M; Russo, P. (2012). Signal-to-Noise Gain at Variable Randoms Ratio in TOF PET. *IEEE Trans Nucl Sci*. 59: 1948-1957. <http://dx.doi.org/10.1109/TNS.2012.2198833>.
- Meyer, AH; Penning, H; Lowag, H; Elsner, M. (2008). Precise and Accurate Compound Specific Carbon and Nitrogen Isotope Analysis of Atrazine: Critical Role of Combustion Oven Conditions. *Environ Sci Technol*. 42: 7757-7763. <http://dx.doi.org/10.1021/es800534h>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgeirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis*. 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremau, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem*. 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.
- Mi, J; Ren, J; Wang, JC; Bao, WR. (2007). Ultrasonic and microwave desulfurization of coal in tetrachloroethylene. *Energ Source Part A*. 29: 1261-1268. <http://dx.doi.org/10.1080/00908310500431040>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater*. 300: 530-537. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.047>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Zhang, X; Fu, X; Danish, M; Qiu, Z; Sui, Q. (2015). Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. *Chem Eng J.* 281: 286-294. <http://dx.doi.org/10.1016/j.cej.2015.06.076>.
- Miao, Z; Gu, X; Lu, S; Dionysiou, DD; Al-Abed, SR; Zang, X; Wu, X; Qiu, Z; Sui, Q; Danish, M. (2015). Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. *Chem Eng J.* 275: 53-62. <http://dx.doi.org/10.1016/j.cej.2015.04.014>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere.* 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Miceli, A; Glister, J; Andreyev, A; Bryman, D; Kurchaninov, L; Lu, P; Muennich, A; Retiere, F; Sossi, V. (2012). Simulations of a micro-PET system based on liquid xenon. *Phys Med Biol.* 57: 1685-1700. <http://dx.doi.org/10.1088/0031-9155/57/6/1685>.
- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001480>.
- Michalak, AM; Kitanidis, PK. (2004). Application of geostatistical inverse modeling to contaminant source identification at Dover AFB, Delaware. *Journal of Hydraulic Research.* 42: 9-18.
- Michalkiewicz, B; Kalucki, K. (2002). Direct conversion of methane into methanol formaldehyde and organic acids. *Przemysl Chemiczny.* 81: 165-170.
- Michel, K; Bureau, B; Pouvreau, C; Sangleboeuf, JC; Boussard-Pledel, C; Jouan, T; Rouxel, T; Adam, JL; Staubmann, K; Steininger, H; Baumann, T; Katzir, A; Bayona, J; Konz, W. (2003). Development of a chalcogenide glass fiber device for in situ pollutant detection. *Journal of Non-Crystalline Solids.* 326: 434-438. [http://dx.doi.org/10.1016/S0022-3093\(03\)00438-1](http://dx.doi.org/10.1016/S0022-3093(03)00438-1).
- Michulec, M; Wardencki, W. (2006). The application of single drop extraction technique for chromatographic determination of solvent residues in edible oils and pharmaceutical products. *Chromatographia.* 64: 191-197. <http://dx.doi.org/10.1365/s10337-006-0009-5>.
- Michulec, M; Wardencki, W. (2007). Validation of SPME-GC and HS-GC procedures for the determination of selected solvent residues in edible oil matrices. *Accreditation and Quality Assurance.* 12: 94-104. <http://dx.doi.org/10.1007/s00769-006-0235-4>.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Sci Technol.* 37: 105-110.
- Mieleis, J; Zhan, H. (2012). Analytical solutions of one-dimensional multispecies reactive transport in a permeable reactive barrier-aquifer system. *J Contam Hydrol.* 134-135: 54-68. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.002>.
- Miettinen, OS. (1970). Matching and design efficiency in retrospective studies. *Am J Epidemiol.* 91: 111-118.
- Miettinen, OS. (1976). Stratification by a multivariate confounder score. *Am J Epidemiol.* 104: 609-620.
- Miettinen, OS; Wang, JD. (1981). An alternative to the proportionate mortality ratio. *Am J Epidemiol.* 114: 144-148.
- Mieure, JP. (1980). Determining volatile organics in water. *Environ Sci Technol.* 14: 930-935. <http://dx.doi.org/10.1021/es60168a002>.
- Miguet, M; Goetz, V; Plantard, G; Jaeger, Y. (2015). Removal of a Chlorinated Volatile Organic Compound (Perchloroethylene) from the Aqueous Phase by Adsorption on Activated Carbon. *Ind Eng Chem Res.* 54: 9813-9823. <http://dx.doi.org/10.1021/acs.iecr.5b02364>.
- Miguet, M; Goetz, V; Plantard, G; Jaeger, Y. (2016). Sustainable Thermal Regeneration of Spent Activated Carbons by Solar Energy: Application to Water Treatment. *Ind Eng Chem Res.* 55: 7003-7011. <http://dx.doi.org/10.1021/acs.iecr.6b01260>.
- Mihic, SJ. (1999). Acute effects of ethanol on GABAA and glycine receptor function. *Neurochem Int.* 35: 115-123. [http://dx.doi.org/10.1016/S0197-0186\(99\)00053-4](http://dx.doi.org/10.1016/S0197-0186(99)00053-4).
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res.* 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Sci Technol.* 43: 365-372.
- Mikhaylova, E; De Lorenzo, G; Chmeissani, M; Kolstein, M; Cañadas, M; Arce, P; Calderón, Y; Uzun, D; Ariño, G; Macias-Montero, JG; Martinez, R; Puigdemoles, C; Cabruja, E. (2014). Simulation of the expected performance of a seamless scanner for brain PET based on highly pixelated CdTe detectors. *IEEE Trans Med Imaging.* 33: 332-339. <http://dx.doi.org/10.1109/TMI.2013.2284657>.
- Miligi, L; Seniori, CA; Crosignani, P; Fontana, A; Masala, G; Nanni, O; Ramazzotti, V; Rodella, S; Stagnaro, E; Tumino, R; Vigano, C; Vindigni, C; Vineis, P. (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopietic malignancies in women. *Am J Ind Med.* 36: 60-69. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<60::AID-AJIM9>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<60::AID-AJIM9>3.0.CO;2-Z).
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis.* 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.
- Miller, DJ; Hawthorne, SB. (2000). Solubility of liquid organics of environmental interest in subcritical (hot/liquid) water from 298 K to 473 K. *Journal of Chemical and Engineering Data.* 45: 78-81.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environ Sci Technol.* 39: 2631-2635.
- Miller, JS; Ledakowicz, S. (1993). PHOTOCHEMICAL DECHLORINATION OF TETRACHLOROETHENE IN CARBON-TETRACHLORIDE SOLUTIONS. *Journal of Physical Organic Chemistry.* 6: 545-550.
- Miller, LJ; Uhler, AD. (1988). VOLATILE HALOCARBONS IN BUTTER - ELEVATED TETRACHLOROETHYLENE LEVELS IN SAMPLES OBTAINED IN CLOSE PROXIMITY TO DRY CLEANING ESTABLISHMENTS. *Bull Environ Contam Toxicol.* 41: 469-474.
- Miller, RE; Guengerich, FP. (1982). Oxidation of trichloroethylene by liver microsomal cytochrome P-450: Evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry.* 21: 1090-1097. <http://dx.doi.org/10.1021/bi00534a041>.
- Miller, RE; Guengerich, FP. (1983). Metabolism of trichloroethylene in isolated hepatocytes, microsomes, and reconstituted enzyme systems containing cytochrome P-450. *Cancer Res.* 43: 1145-1152.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Min, S; Chaigneau, M; Courtois, YA; Festy, B. (1987). [Genotoxic activity of organic esters apt to form from 2-chlorethanol generated by the sterilization by ethylene oxide]. *Ann Pharm Fr.* 45: 353-359.
- Minnich, MM; Schumacher, BA; Zimmerman, JH. (1997). Comparison of soil VOCs measured by soil gas, heated headspace, and methanol extraction techniques. *Journal of Soil Contamination.* 6: 187-203.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from amputated, dry, fortified soils. *J Environ Qual.* 26: 108-114.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res.* 43: 4429-4429. <http://dx.doi.org/10.1029/2005WR003996>.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Mirfazaelian, A; Kim, KB; Lee, S; Kim, HJ; Bruckner, JV; Fisher, JW. (2007). Organ growth functions in maturing male Sprague-Dawley rats. *J Toxicol Environ Health A.* 70: 429-438. <http://dx.doi.org/10.1080/15287390600755265>.
- Mitchell, AE; Morin, D; Lakritz, J; Jones, AD. (1997). Quantitative profiling of tissue- and gender-related expression of glutathione S-transferase isoenzymes in the mouse. *Biochem J.* 325: 207-216.
- Mitchell, AM; Bridges, JW; Elcombe, CR. (1984). Factors influencing peroxisome proliferation in cultured rat hepatocytes. *Arch Toxicol.* 55: 239-246.
- Mitchell, AM; Lhuguenot, JC; Bridges, JW; Elcombe, CR. (1985). Identification of the proximate peroxisome proliferator(s) derived from di(2-ethylhexyl) phthalate. *Toxicol Appl Pharmacol.* 80: 23-32. [http://dx.doi.org/10.1016/0041-008X\(85\)90097-3](http://dx.doi.org/10.1016/0041-008X(85)90097-3).
- Mitra, S; Gupta, SK. (2013). Biodegradation of tetrachloroethylene-rich synthetic wastewater in anaerobic hybrid reactor. *Desalination and Water Treatment.* 51: 4506-4513. <http://dx.doi.org/10.1080/19443994.2013.770232>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of Trichloroethylene in Anaerobic Hybrid Reactor. *Environ Prog Sustain Energy.* 32: 1055-1060. <http://dx.doi.org/10.1002/ep.11705>.
- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloroethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. *Clean Tech Environ Pol.* 16: 947-956. <http://dx.doi.org/10.1007/s10098-013-0695-2>.
- Mizobuchi, M; Okuda, S; Nishikawa, Y; Hasuike, A; Sakaguchi, S. (1987). DECOMPOSITION OF 1,1,1,2-TETRACHLOROETHYLENE USED AS INNER STANDARD SUBSTANCE ON GAS CHROMATOGRAPHY. *Eisei Kagaku.* 33: 165-169.
- Mo, J; Xu, N; Xiao, C; Cheng, B; Han, X. (2015). Polymethacrylate-based Fiber Containing an Interpenetrating Polymer Network and Its Use for Oil Absorption. *Fibers and Polymers.* 16: 8-16. <http://dx.doi.org/10.1007/s12221-015-0008-y>.
- Mochida, K; Saito, K. (1985). Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. *Bull Environ Contam Toxicol.* 35: 593-595.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. *J Hydrol.* 542: 437-449. <http://dx.doi.org/10.1016/j.jhydrol.2016.09.023>.
- Moerbeek, M; Piersma, AH; Slob, W. (2004). A comparison of three methods for calculating confidence intervals for the benchmark dose. *Risk Anal.* 24: 31-40. <http://dx.doi.org/10.1111/j.0272-4332.2004.00409.x>.
- Moeschlin, S. (1965). Poisoning: diagnosis and treatment. New York: Grune and Stratton.
- Moghaddam, AP; Abbas, R; Fisher, JW; Lipscomb, JC. (1997). The role of mouse intestinal microflora in the metabolism of trichloroethylene, an in vivo study. *Hum Exp Toxicol.* 16: 629-635. <http://dx.doi.org/10.1177/096032719701601101>.
- Moghaddam, AP; Abbas, R; Fisher, JW; Stavrou, S; Lipscomb, JC. (1996). Formation of dichloroacetic acid by rat and mouse gut microflora, an in vitro study. *Biochem Biophys Res Commun.* 228: 639-645. <http://dx.doi.org/10.1006/bbrc.1996.1709>.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. *Environ Sci Technol.* 39: 1698-1706. <http://dx.doi.org/10.1021/es048810o>.
- Mohammed, OF; Luber, S; Batista, VS; Nibbering, ET. (2011). Ultrafast branching of reaction pathways in 2-(2'-hydroxyphenyl)benzothiazole in polar acetonitrile solution. *J Phys Chem A.* 115: 7550-7558. <http://dx.doi.org/10.1021/jp202277t>.
- Mohammed, OF; Xiao, D; Batista, VS; Nibbering, ET. (2014). Excited-state intramolecular hydrogen transfer (ESIHT) of 1,8-dihydroxy-9,10-anthraquinone (DHAQ) characterized by ultrafast electronic and vibrational spectroscopy and computational modeling. *J Phys Chem A.* 118: 3090-3099. <http://dx.doi.org/10.1021/jp501612f>.
- Molins, E; Miravittles, C; Espinosa, E; Ballester, M. (2002). 1,1',3,3',6,6',8,8'-octachloro-9,9'-bifluorenylidene and perchloro-9,9'-bifluorenylidene, two exceedingly twisted ethylenes. *J Org Chem.* 67: 7175-7178. <http://dx.doi.org/10.1021/jo010979m>.
- Molnar, IL; O'Carroll, DM; Gerhard, JI. (2011). Impact of surfactant-induced wettability alterations on DNAPL invasion in quartz and iron oxide-coated sand systems. *J Contam Hydrol.* 119: 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.004>.
- Moloney, WC; King, VP. (1973). Reduction of leukemia incidence following splenectomy in the rat. *Cancer Res.* 33: 573-574.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater.* 313: 37-48. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.049>.
- Monnier, H; Falk, L. (2011). Intensification of G/L absorption in microstructured falling film. Application to the treatment of chlorinated VOC's - part II: Modeling and geometric optimization. *Chem Eng Sci.* 66: 2475-2490. <http://dx.doi.org/10.1016/j.ces.2011.01.016>.
- Monnier, H; Falk, L; Lapique, F; Hadjoudj, R; Roizard, C. (2010). Intensification of G/L absorption in microstructured falling film. Application to the treatment of chlorinated VOC's - part I: Comparison between structured and microstructured packings in absorption devices. *Chem Eng Sci.* 65: 6425-6434. <http://dx.doi.org/10.1016/j.ces.2010.09.027>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Monnier, H; Mhiri, N; Falk, L. (2010). Falling liquid film stability in microgas/liquid absorption. *Chemical Engineering and Processing: Process Intensification*. 49: 953-957. <http://dx.doi.org/10.1016/j.cep.2010.05.001>.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health*. 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>; <http://link.springer.com/article/10.1007%2FBF00377785>.
- Monster, AC. (1984). Trichloroethylene. In A Aitio; V Riihimaki; H Vainio (Eds.), (pp. 111-130). Washington, DC: Hemisphere Publishing Corporation.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of 1,1,1,-trichloroethane in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health*. 42: 293-301. <http://dx.doi.org/10.1007/BF00377783>.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of tetrachloroethylene in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health*. 42: 303-309.
- Monster, AC; Smolders, JF. (1984). Tetrachloroethene in exhaled air of persons living near pollution sources. *Int Arch Occup Environ Health*. 53: 331-336. <http://dx.doi.org/10.1007/BF00380672>.
- Monteiro, RAR; Miranda, SM; Rodrigues-Silva, C; Faria, JL; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Gas phase oxidation of n-decane and PCE by photocatalysis using an annular photoreactor packed with a monolithic catalytic bed coated with P25 and PC500. *Appl Catal B-Environ*. 165: 306-315. <http://dx.doi.org/10.1016/j.apcatb.2014.10.026>.
- Monteiro, RAR; Rodrigues-Silva, C; Lopes, FVS; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Evaluation of a solar/UV annular pilot scale reactor for 24 h continuous photocatalytic oxidation of n-decane. *Chem Eng J*. 280: 409-416. <http://dx.doi.org/10.1016/j.cej.2015.06.014>.
- Monteiro, RAR; Silva, AMT; Angelo, JRM; Silva, GV; Mendes, AM; Boaventura, R, uiAR; Vilar, VJP. (2015). Photocatalytic oxidation of gaseous perchloroethylene over TiO<sub>2</sub> based paint. *J Photochem Photobiol A*. 311: 41-52. <http://dx.doi.org/10.1016/j.jphotochem.2015.06.007>.
- Moody, DE; Reddy, JK; Lake, BG; Popp, JA; Reese, DH. (1991). Peroxisome proliferation and nongenotoxic carcinogenesis: commentary on a symposium. *Toxicol Sci*. 16: 233-248.
- Moon, CS; Lee, JT; Chun, JH; Ikeda, M. (2001). Use of solvents in industries in Korea: experience in Sinpyeong-Jangrim industrial complex. *Int Arch Occup Environ Health*. 74: 148-152.
- Moon, IS; Kim, DS; Lee, SH. (2001). New method for patterning the rear passivation layers of high-efficiency solar cells. *Journal of Materials Science: Materials in Electronics*. 12: 605-607.
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect*. 108: 215-223.
- Moran, MJ; Lapham, WW; Rowe, BL; Zogorski, JS. (2004). VOLATILE ORGANIC COMPOUNDS IN GROUND WATER FROM RURAL PRIVATE WELLS, 1986 TO 1999(1). *J Am Water Resour Assoc*. 40: 1141-1157.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environ Sci Technol*. 41: 74-81. <http://dx.doi.org/10.1021/es061553y>.
- Morelli, S; Grigioni, M; Giovagnoli, MR; Balzano, S; Giansanti, D. (2010). Picture archiving and communication systems in digital cytology. *Ann Ist Super Sanita*. 46: 130-137. [http://dx.doi.org/10.4415/ANN\\_10\\_02\\_05](http://dx.doi.org/10.4415/ANN_10_02_05).
- Moreno-Barbero, E; Kim, Y; Saenton, S; Illangasekare, TH. (2007). Intermediate-scale investigation of nonaqueous-phase liquid architecture on partitioning tracer test performance. *Vadose Zone Journal*. 6: 725-734. <http://dx.doi.org/10.2136/vzj2006.0108>.
- Moreno-Medina, CU; Breton-Deval, L; Rios-Leal, E; Barrera-Cortes, J; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2011). PERCHLOROETHYLENE SOLUBILIZATION WITH A NON-IONIC TENSIOACTIVE. *Interciencia*. 36: 224-228.
- Mori, N; Ohta, S; Chiba, H; Takagi, T; Niimi, Y; Shinde, V; Kajale, MD; Osada, T. (2013). Rediscovery of Indian dwarf wheat (*Triticum aestivum* L. ssp *sphaerococcum* (Perc.) MK.) an ancient crop of the Indian subcontinent. *Genetic Resources and Crop Evolution*. 60: 1771-1775. <http://dx.doi.org/10.1007/s10722-013-9994-z>.
- Morimoto, Y; Ueno, Y; Takeuchi, W; Kojima, S; Matsuzaki, K; Ishitsu, T; Umegaki, K; Kiyanagi, Y; Kubo, N; Katoh, C; Shiga, T; Shirato, H; Tamaki, N. (2011). Development of a 3D Brain PET Scanner Using CdTe Semiconductor Detectors and Its First Clinical Application. *IEEE Trans Nucl Sci*. 58: 2181-2189. <http://dx.doi.org/10.1109/TNS.2011.2146790>.
- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis*. 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morishige, AE; Jensen, MA; Needleman, DB; Nakayashiki, K; Hofstetter, J; Li, T, suTA; Buonassisi, T. (2016). Lifetime Spectroscopy Investigation of Light-Induced Degradation in p-type Multicrystalline Silicon PERC. 6: 1466-1472. <http://dx.doi.org/10.1109/JPHOTOV.2016.2606699>.
- Morita, Z; Uchimura, K; Motomura, H. (1975). FUNDAMENTAL STUDIES OF SOLVENT DYEING WITH TETRACHLOROETHYLENE .2. DIFFUSION OF 1,4-DIAMINOANTHRAQUINONE IN NYLON-6. *Bull Chem Soc Jpn*. 48: 1081-1082.
- Moriya, M; Ohta, T; Watanabe, K; Miyazawa, T; Kato, K; Shirasu, Y. (1983). Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res*. 116: 185-216.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Sherwood Lollar, B. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol*. 76: 279-293. <http://dx.doi.org/10.1016/j.jconhyd.2004.11.002>.
- Morrill, PL; Seepersad, DJ; Lacrampe-Couloume, G; Edwards, EA; Sleep, BE; McMaster, ML; Major, DW; Lollar, BS. (2004). The use of stable carbon isotope analysis to model enhanced dissolution of tetrachloroethene. *Geochim Cosmo Acta*. 68: A458-A458.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; Lebron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol.* 110: 60-71. <http://dx.doi.org/10.1016/j.jconhyd.2009.08.006>.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: toward an improved quantification of biodegradation. *Environ Sci Technol.* 40: 3886-3892. <http://dx.doi.org/10.1021/es051513e>.
- Morrison, G; Li, H; Mishra, S; Buechlein, M. (2015). Airborne phthalate partitioning to cotton clothing. *Atmos Environ.* 115: 149-152. <http://dx.doi.org/10.1016/j.atmosenv.2015.05.051>.
- Morrison, G; Shakila, NV; Parker, K. (2015). Accumulation of gas-phase methamphetamine on clothing, toy fabrics, and skin oil. *Indoor Air.* 25: 405-414. <http://dx.doi.org/10.1111/ina.12159>.
- Morrison, GC; Weschler, CJ; Bekö, G; Koch, HM; Salthammer, T; Schripp, T; Toftum, J; Clausen, G. (2016). Role of clothing in both accelerating and impeding dermal absorption of airborne SVOCs. *J Expo Sci Environ Epidemiol.* 26: 113-118. <http://dx.doi.org/10.1038/jes.2015.42>.
- Morse, HC, III; Anver, MR; Fredrickson, TN; Haines, DC; Harris, AW; Harris, NL; Jaffe, ES; Kogan, SC; MacLennan, IC; Pattengale, PK; Ward, JM. (2002). Bethesda proposals for classification of lymphoid neoplasms in mice. *Neoplasia.* 100: 246-258.
- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, W; Marjanovic, D. (1984). Leukemia incidence by occupation in the Portland-Vancouver metropolitan area. *Am J Ind Med.* 6: 185-205.
- Moryama, MT; Domiki, C; Miyazawa, K; Tanaka, T; Suzuki, K. (2005). Effects of oxalate exposure on Madin-Darby canine kidney cells in culture: Renal prothrombin fragment-1 mRNA expression. *Urol Res.* 33: 470-475. <http://dx.doi.org/10.1007/s00240-005-0510-6>.
- Möse, JR; Wilfinger, G; Zeichen, R. (1985). [Pollution of drinking water by tetrachloroethylene]. *Zentralbl Bakteriol Mikrobiol Hyg.* 181: 111-120.
- Moser, RH. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A WATER SUPPLIERS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 189-190.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A.* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol.* 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moslen, MT; Reynolds, ES; Boor, PJ; Bailey, K; Szabo, S. (1977). Trichloroethylene-induced deactivation of cytochrome P-450 and loss of liver glutathione in vivo. *Res Comm Chem Pathol Pharmacol.* 16: 109-120.
- Moss, RA. (2010). "Carbon Dichloride": Dihalocarbenes Sixty Years After Hine. *J Org Chem.* 75: 5773-5783.
- Mouafi, YPB; Zuschlag, AS; Pichon, PY; Fritz, JM; Schonecker, A; Hahn, G. (2016). Novel RGS materials with high fill factors and no material-induced shunts with record solar cell efficiencies exceeding 16%. *Solar Energy Materials and Solar Cells.* 146: 25-34. <http://dx.doi.org/10.1016/j.solmat.2015.11.022>.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). ADSORPTION-ISOTHERMS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY VARIOUS NATURAL SOLIDS. *J Hydrol.* 149: 163-182.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology.* 31: 89-95.
- Mueller, J; Cen, YW; Davis, RH. (1997). Crossflow microfiltration of oily water. *J Memb Sci.* 129: 221-235.
- Mueller, J; Hinken, D; Blankemeyer, S; Kohlenberg, H; Sonntag, U; Bothe, K; Dullweber, T; Koentges, M; Brendel, R. (2015). Resistive Power Loss Analysis of PV Modules Made From Halved 15.6 x 15.6 cm(2) Silicon PERC Solar Cells With Efficiencies up to 20.0%. 5: 189-194. <http://dx.doi.org/10.1109/JPHOTOV.2014.2367868>.
- Mueller, M; Altermatt, PP; Wagner, H; Fischer, G. (2014). Sensitivity Analysis of Industrial Multicrystalline PERC Silicon Solar Cells by Means of 3-D Device Simulation and Metamodeling. 4: 107-113. <http://dx.doi.org/10.1109/JPHOTOV.2013.2287753>.
- Mueser, KT; McGurk, SR. (2004). Schizophrenia [Review]. *Lancet.* 363: 2063-2072. [http://dx.doi.org/10.1016/S0140-6736\(04\)16458-1](http://dx.doi.org/10.1016/S0140-6736(04)16458-1).
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res.* 29: 2434-2439.
- Mujahid, A; Stathopoulos, H; Lieberzeit, PA; Dickert, FL. (2010). Solvent vapour detection with cholesteric liquid crystals-optical and mass-sensitive evaluation of the sensor mechanism. *Sensors.* 10: 4887-4897. <http://dx.doi.org/10.3390/s100504887>.
- Mukerjee, S; Smith, LA; Thoma, ED; Oliver, KD; Whitaker, DA; Wu, T; Colon, M; Alston, L; Cousett, TA; Stallings, C. (2016). Spatial analysis of volatile organic compounds in South Philadelphia using passive samplers. *Journal of the Air and Waste Management Association.* 66: 492-498. <http://dx.doi.org/10.1080/10962247.2016.1147505>.
- Mukherjee, R; Jow, L; Noonan, D; McDonnell, DP. (1994). Human and rat peroxisome proliferator activated receptors (PPARs) demonstrate similar tissue distribution but different responsiveness to PPAR activators. *J Steroid Biochem Mol Biol.* 51: 157-166. [http://dx.doi.org/10.1016/0960-0760\(94\)90089-2](http://dx.doi.org/10.1016/0960-0760(94)90089-2).
- Mullen, K; Carron, K. (1994). ADSORPTION OF CHLORINATED ETHYLENES AT 1-OCTADECANETHIOL-MODIFIED SILVER SURFACES. *Anal Chem.* 66: 478-483.
- Mullens, J; Reggers, G; Ruysen, M; Carleer, R; Yperman, J; Franco, D; Vanpoucke, LC. (1997). The determination of the gases released during heating of a flame retardant for polymers - Coupling of TG with FTIR, MS and GC-MS. 49: 1061-1067.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Muller, G; Spassovski, M; Henschler, D. (1974). Metabolism of trichloroethylene in man: II. Pharmacokinetics of metabolites. *Arch Toxicol.* 32: 283-295. <http://dx.doi.org/10.1007/BF00330110>.
- Mumford, KG; Smith, JE; Dickson, SE. (2008). Mass flux from a non-aqueous phase liquid pool considering spontaneous expansion of a discontinuous gas phase. *J Contam Hydrol.* 98: 85-96. <http://dx.doi.org/10.1016/j.jconhyd.2008.02.007>.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A.* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water.* 45: 692-702. <http://dx.doi.org/10.1111/j.1745-6584.2007.00359.x>.
- Munoz, MJ; Rodriguez, M; Martin, R; Galan, M. (1994). A STUDY OF THE VISCOSITY OF METHYL MYRISTATE SOLUTIONS IN ORGANIC-SOLVENTS. 90: 177-180.
- Murakami, K; Horikawa, K. (1995). The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere.* 31: 3733-3739. [http://dx.doi.org/10.1016/0045-6535\(95\)00222-T](http://dx.doi.org/10.1016/0045-6535(95)00222-T).
- Murata, K; Inoue, O; Akutsu, M; Iwata, T. (2010). Neuromotor Effects of Short-Term and Long-Term Exposures to Trichloroethylene in Workers. *Am J Ind Med.* 53: 915-921. <http://dx.doi.org/10.1002/ajim.20850>.
- Murphy, B; Kirwan, P; Mcloughlin, R. (2003). Investigation into polymer-diffusant interactions using ATR-FTIR spectroscopy. *Vibrational Spectroscopy.* 33: 75-82. [http://dx.doi.org/10.1016/S0924-2031\(03\)00091-2](http://dx.doi.org/10.1016/S0924-2031(03)00091-2).
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. [http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn\\_exposure\\_wells.pdf](http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf).
- Murray, AJ; Riley, JP. (1973). The determination of chlorinated aliphatic hydrocarbons in air, natural waters, marine organisms, and sediments. *Anal Chim Acta.* 65: 261-270.
- Murray, WD; Richardson, M. (1993). DEVELOPMENT OF BIOLOGICAL AND PROCESS TECHNOLOGIES FOR THE REDUCTION AND DEGRADATION OF PULP-MILL WASTES THAT POSE A THREAT TO HUMAN HEALTH. *Crit Rev Environ Sci Tech.* 23: 157-194.
- Musgrove, M; Katz, BG; Fahluquist, LS; Crandall, CA; Lindgren, RJ. (2014). Factors Affecting Public-Supply Well Vulnerability in Two Karst Aquifers. *Ground Water.* 52: 63-75. <http://dx.doi.org/10.1111/gwat.12201>.
- Mutti, A. (2012). Biological monitoring as a means to assess exposure and to predict adverse effects of chemical pollutants: an overview of current activities in key Italian laboratories CONCLUSION. *Med Lav.* 103: 413-416.
- Mutti, A; Ferroni, C; Vescovi, PP; Bottazzi, R; Selis, L; Gerra, G; Franchini, I. (1989). Endocrine effects of psychological stress associated with neurobehavioral performance testing. *Life Sci.* 44: 1831-1836.
- Muttray, A; Wolff, U; Jung, D; Konietzko, J. (1997). Blue-yellow deficiency in workers exposed to low concentrations of organic solvents. *Int Arch Occup Environ Health.* 70: 407-412.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny.* 82: 1048-1050.
- Myszkowski, J; Pelech, R; Wroblewska, A; Milchert, E. (2006). Formation of environmentally friendly processes by utilization of wastes and by-products. *Przemysł Chemiczny.* 85: 638-640.
- Naessens, M; Tran-Minh, A. (1998). Whole-cell biosensor for determination of volatile organic compounds in the form of aerosols. *Anal Chim Acta.* 364: 153-158.
- Naessens, M; Tran-Minh, C. (1999). Biosensor using immobilized *Chlorella* microalgae for determination of volatile organic compounds. *Sens Actuators B.* 59: 100-102.
- Nagano, K; Nishizawa, T; Yamamoto, S; Matsushima, T. (1998). Inhalation carcinogenesis studies of six halogenated hydrocarbons in rats and mice. In K Chiyotani; Y Hosoda; Y Aizawa (Eds.), (pp. 741-746). Amsterdam: Elsevier Science.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE.* 38: 240-246.
- Nakahama, T; Fukuhara, M; Inouye, Y. (1997). Volatile halogenated hydrocarbons in ambient air and the metabolites in human urine in an urban area (pp. 280-284). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/98/03630). Nakahama, T; Fukuhara, M; Inouye, Y.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A.* 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakajima, T; Kamijo, Y; Usuda, N; Liang, Y; Fukushima, Y; Kametani, K; Gonzalez, FJ; Aoyama, T. (2000). Sex-dependent regulation of hepatic peroxisome proliferation in mice by trichloroethylene via peroxisome proliferator-activated receptor alpha (PPARalpha). *Carcinogenesis.* 21: 677-682.
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater.* 165: 388-393. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.030>.
- Nakamura, Y; Shimazoe, K; Takahashi, H; Yoshimura, S; Seto, Y; Kato, S; Takahashi, M; Momose, T. (2016). Development of a novel handheld intra-operative laparoscopic Compton camera for (18)F-Fluoro-2-deoxy-2-D-glucose-guided surgery. *Phys Med Biol.* 61: 5837-5850. <http://dx.doi.org/10.1088/0031-9155/61/15/5837>.
- Nakanishi, S; Hino, T. (1993). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN SOIL USING SAMPLING VIALS FOR STORAGE AND EXTRACTION BY MEANS OF WATER-HEXANE EXTRACTION METHOD. *JTTHE.* 39: 29-36.
- Nakasa, H; Mera, N; Ohmori, S; Itahashi, K; Igarashi, T; Ishii, I; Kitada, M. (1997). Nucleotide sequence of pi class glutathione S-transferase in human fetal liver. *Res Commun Mol Pathol Pharmacol.* 97: 67-78.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Nakayashiki, K; Hofstetter, J; Morishige, AE; Li, T, suTA; Needleman, DB; Jensen, MA; Buonassisi, T. (2016). Engineering Solutions and Root-Cause Analysis for Light-Induced Degradation in p-Type Multicrystalline Silicon PERC Modules. 6: 860-868. <http://dx.doi.org/10.1109/JPHOTOV.2016.2556981>.
- Nam, J; Kim, I; Kwon, J; Kim, YD, o. (2016). Applications of electrochemical ferrate(VI) for degradation of trichloroethylene in the aqueous phase. Desalination and Water Treatment. 57: 5138-5145. <http://dx.doi.org/10.1080/19443994.2014.1001440>.
- Nambi, IM; Werth, CJ; Sanford, RA; Valocchi, AJ. (2003). Pore-scale analysis of anaerobic halo-respiring bacterial growth along the transverse mixing zone of an etched silicon pore network. Environ Sci Technol. 37: 5617-5624. <http://dx.doi.org/10.1021/es034271w>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. Water Res. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. Water Environ Res. 67: 46-56.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. J Toxicol Environ Health. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. Mutat Res. 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).
- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. Fluid Phase Equilibria. 68: 281-290.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. Fluid Phase Equilibria. 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. Journal of Chemical and Engineering Data. 37: 387-390.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. Journal of Chemical and Engineering Data. 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. Fluid Phase Equilibria. 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. Journal of Chemical and Engineering Data. 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. Fluid Phase Equilibria. 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. Fluid Phase Equilibria. 145: 89-97.
- Nath, J; Pandey, JG. (1996). Excess molar volumes, relative permittivities, and refractive indexes of 1,1,2,2-tetrachloroethane plus pyridine, plus anisole, plus methyl ethyl ketone, and plus 1,4-dioxane at 303.15 K. Journal of Chemical and Engineering Data. 41: 844-847.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. Fluid Phase Equilibria. 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. Fluid Phase Equilibria. 50: 297-303.
- Navarri, P; Marchal, D; Ginestet, A. (2001). Activated carbon fibre materials for VOC removal. Filtrat Separ. 38: 34-40.
- Nayak, JN; Aralaguppi, MI; Toti, US; Aminabhavi, TM. (2003). Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of Tri- n -butylamine + Triethylamine, + Tetrahydrofuran, + Tetradecane, + Tetrachloroethylene, + Pyridine, or + Trichloroethylene at (298.15, 303.15, and 308.15) K. Journal of Chemical and Engineering Data. 48: 1483-1488. <http://dx.doi.org/10.1021/je030147g>.
- NCI. (1977). Bioassay of lindane for possible carcinogenicity. (DHEW Publication No. (NIH) 77-814). Bethesda, Maryland.
- NCI. (2010). SEER stat fact sheets: Non-Hodgkin lymphoma: Survival & stage. Bethesda, MD. <http://seer.cancer.gov/statfacts/html/nhl.html#survival>.
- NCI. (2010). What you need to know about cervical cancer. (NIH Publication No. 08-2407). Washington, D.C.: U.S. Department of Health and Human Services. <http://www.cancer.gov/cancertopics/wyntk/cervix.pdf>.
- Ndjou'ou, AC; Bou-Nasr, J; Cassidy, D. (2006). Effect of Fenton reagent dose on coexisting chemical and microbial oxidation in soil. Environ Sci Technol. 40: 2778-2783. <http://dx.doi.org/10.1021/es0525152>.
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. Water Res. 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. Environ Monit Assess. 60: 329-336.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ndong, LBB, i; Ibondou, MP; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Enhanced Photocatalytic Activity of TiO<sub>2</sub> Nanosheets by Doping with Cu for Chlorinated Solvent Pollutants Degradation. *Ind Eng Chem Res.* 53: 1368-1376. <http://dx.doi.org/10.1021/ie403405z>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Xu, M; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO<sub>2</sub> Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air Soil Pollut.* 225. <http://dx.doi.org/10.1007/s11270-014-1951-8>.
- Ndong, LBB, i; Ibondou, MP; Miao, Z; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO<sub>2</sub> nano-sheets in aqueous phase. *J Environ Sci.* 26: 1188-1194. [http://dx.doi.org/10.1016/S1001-0742\(13\)60541-0](http://dx.doi.org/10.1016/S1001-0742(13)60541-0).
- Nduta, KG; Mwangi, IW; Wanjau, RW; Ngila, JC. (2016). Removal of Chlorine and Chlorinated Organic Compounds from Aqueous Media Using Substrate-Anchored Zero-Valent Bimetals. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-015-2685-y>.
- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity [Review]. *J Toxicol Environ Health B Crit Rev.* 12: 362-388. <http://dx.doi.org/10.1080/10937400903158359>.
- Neasham, D; Sifi, A; Nielsen, KR; Overvad, K; Raaschou-Nielsen, O; Tjønneland, A; Barricarte, A; González, CA; Navarro, C; Rodriguez Suarez, L; Travis, RC; Key, T; Linseisen, J; Kaaks, R; Crosignani, P; Berrino, F; Rosso, S; Mattiello, A; Vermeulen, RC; Bueno-de-Mesquita, HB; Berglund, G; Manjer, J; Zackrisson, S; Hallmans, G; Malmer, B; Bingham, S; Khaw, KT; Bergmann, MM; Boeing, H; Trichopoulou, A; Masala, G; Tumino, R; Lund, E; Slimani, N; Ferrari, P; Boffetta, P; Vineis, P; Riboli, E. (2011). Occupation and risk of lymphoma: A multicentre prospective cohort study (EPIC) - Erratum [Erratum]. *Occup Environ Med.* 68: 550. <http://dx.doi.org/10.1136/oem.2009.048173corr1>.
- Neely, WB; Branson, DR; Blau, GE. (1974). Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environ Sci Technol.* 8: 1113-1115. <http://dx.doi.org/10.1021/es60098a008>.
- Nelson, A; Mendoza, T; Hoyle, G; Brody, A; Fermin, C; Morris, G. (2001). Enhancement of fibrogenesis by the p53 tumor suppressor protein in asbestos-exposed rodents. *Chest.* 120: S33-S34. [http://dx.doi.org/10.1378/chest.120.1\\_suppl.S33](http://dx.doi.org/10.1378/chest.120.1_suppl.S33).
- Nelson, BK; Snyder, DL; Shaw, PB. (2001). Developmental toxicity interactions of methanol and radiofrequency radiation or 2-methoxyethanol in rats. *Int J Toxicol.* 20: 89-100.
- Nelson, DE; Emont, SL; Brackbill, RM; Cameron, LL; Peddicord, J; Fiore, MC. (1994). Cigarette smoking prevalence by occupation in the United States. A comparison between 1978 to 1980 and 1987 to 1990 [Review]. *J Occup Med.* 36: 516-525.
- Nelson, DK; Lapara, TM; Novak, PJ. (2012). Structure and function of assemblages of Bacteria and Archaea in model anaerobic aquifer columns: can functional instability be practically beneficial? *Environ Sci Technol.* 46: 10137-10144. <http://dx.doi.org/10.1021/es300652z>.
- Nelson, GM; Swank, AE; Brooks, LR; Bailey, KC; George, SE. (2001). Metabolism, microflora effects, and genotoxicity in haloacetic acid-treated cultures of rat cecal microbiota. *Toxicol Sci.* 60: 232-241. <http://dx.doi.org/10.1093/toxsci/60.2.232>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis.* 16: 1243-1245.
- Nelson, JL; Fung, JM; Cadillo-Quiroz, H; Cheng, X; Zinder, SH. (2011). A role for Dehalobacter spp. in the reductive dehalogenation of dichlorobenzenes and monochlorobenzene. *Environ Sci Technol.* 45: 6806-6813. <http://dx.doi.org/10.1021/es200480k>.
- Nelson, JL; Jiang, J; Zinder, SH. (2014). Dehalogenation of chlorobenzenes, dichlorotoluenes, and tetrachloroethene by three Dehalobacter spp. *Environ Sci Technol.* 48: 3776-3782. <http://dx.doi.org/10.1021/es4044769>.
- Nelson, MA; Bull, RJ. (1988). Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver in vivo. *Toxicol Appl Pharmacol.* 94: 45-54. [http://dx.doi.org/10.1016/0041-008X\(88\)90335-3](http://dx.doi.org/10.1016/0041-008X(88)90335-3).
- Nelson, MA; Lansing, AJ; Sanchez, IM; Bull, RJ; Springer, DL. (1989). Dichloroacetic acid and trichloroacetic acid-induced DNA strand breaks are independent of peroxisome proliferation. *Toxicology.* 58: 239-248. [http://dx.doi.org/10.1016/0300-483X\(89\)90139-X](http://dx.doi.org/10.1016/0300-483X(89)90139-X).
- Nelson, MD; Parker, BL; Al, TA; Cherry, JA; Loomer, D. (2001). Geochemical reactions resulting from in situ oxidation of PCE-DNAPL by KMnO<sub>4</sub> in a sandy aquifer. *Environ Sci Technol.* 35: 1266-1275.
- Nelson, YM; Jewell, WJ. (1993). VINYL-CHLORIDE BIODEGRADATION WITH METHANOTROPHIC ATTACHED FILMS. *J Environ Eng.* 119: 890-907.
- Nemali, MR; Usuda, N; Reddy, MK; Oyasu, K; Hashimoto, T; Osumi, T; Rao, MS; Reddy, JK. (1988). Comparison of constitutive and inducible levels of expression of peroxisomal beta-oxidation and catalase genes in liver and extrahepatic tissues of rat. *Cancer Res.* 48: 5316-5324.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A, my; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere.* 80: 600-607. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.036>.
- Nesslany, F; Marzin, D. (1999). A micromethod for the in vitro micronucleus assay. *Mutagenesis.* 14: 403-410. <http://dx.doi.org/10.1093/mutage/14.4.403>.
- Nestmann, ER; Chu, I; Kowbel, DJ; Matula, TI. (1980). Short-lived mutagen in Salmonella produced by reaction of trichloroacetic acid and dimethyl sulphoxide. *Can J Genet Cytol.* 22: 35-40. <http://dx.doi.org/10.1139/g80-006>.
- Neumann, HP; Rittel, A; Hertwig, K; Weber, A. (1995). EXPERIMENTAL INVESTIGATIONS OF THE KINETICS OF CATHODIC REDUCTION OF CHLORINATED HYDROCARBONS. *Chem Tech (Leipzig).* 47: 74-80.
- Newell, CJ; Cowie, I; Mcguire, TM; Mcnab, WW, Jr. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *J Environ Eng.* 132: 653-663. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(653\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(653)).
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination.* 7: 531-542.
- Newman, TB; Hulley, SB. (1996). Carcinogenicity of lipid-lowering drugs [Review]. *JAMA.* 275: 55-60.
- Nexo, BA. (1995). Risk assessment methodologies for carcinogenic compounds in indoor air. *Scand J Work Environ Health.* 21: 376-381.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ni, Y; Wong, T; Kadlubar, F; Fu, P. (1994). Hepatic metabolism of chloral hydrate to free radical(s) and induction of lipid peroxidation. *Biochem Biophys Res Commun.* 204: 937-943. <http://dx.doi.org/10.1006/bbrc.1994.2550>.
- Ni, YC; Kadlubar, FF; Fu, PP. (1995). Formation of malondialdehyde-modified 2'-deoxyguanosinyl adduct from metabolism of chloral hydrate by mouse liver microsomes. *Biochem Biophys Res Commun.* 216: 1110-1117. <http://dx.doi.org/10.1006/bbrc.1995.2735>.
- Ni, YC; Wong, TY; Lloyd, RV; Heinze, TM; Shelton, S; Casciano, D; Kadlubar, FF; Fu, PP. (1996). Mouse liver microsomal metabolism of chloral hydrate, trichloroacetic acid, and trichloroethanol leading to induction of lipid peroxidation via a free radical mechanism. *Drug Metab Dispos.* 24: 81-90.
- Ni, Z; Smit, M; Grotenhuis, T, im; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol.* 164: 209-218. <http://dx.doi.org/10.1016/j.jconhyd.2014.06.005>.
- Ni, Z; van Gaans, P; Smit, M; Rijnaarts, H; Grotenhuis, T. (2015). Biodegradation of cis-1,2-Dichloroethene in Simulated Underground Thermal Energy Storage Systems. *Environ Sci Technol.* 49: 13519-13527. <http://dx.doi.org/10.1021/acs.est.5b03068>.
- Nickelsen, MG; Cooper, WJ; Secker, DA; Rosocha, LA; Kurucz, CN; Waite, TD. (2002). Kinetic modeling and simulation of PCE and TCE removal in aqueous solutions by electron-beam irradiation. *Radiat Phys Chem Oxf Engl* 1993. 65: 579-587.
- Nicolai, M; Zaniccoli, M; Magnone, P; Tonini, D; Sangiorgi, E; Fiegna, C. (2016). Theoretical study of the impact of rear interface passivation on MWT silicon solar cells. *Journal of Computational Electronics.* 15: 277-286. <http://dx.doi.org/10.1007/s10825-015-0763-4>.
- Nicolle-Mir, L. (2010). Evaluation of the residential exposure to tetrachloroethylene used in dry cleaning. *E R S.* 9: 102-103.
- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf.* 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol.* 20: 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environ Sci Technol.* 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere.* 25: 449-462.
- Niemczewski, B. (2001). N-methylpyrrolidone and dowanol DPM as replacements for chlorinated solvents in ultrasonic cleaning. *Institute of Metal Finishing Transactions.* 79: 68-72.
- Niemczewski, B. (2003). Propylene glycol ethers for ultrasonic cleaning. *Plat Surf Finish.* 90: 38-43.
- Niemczewski, B. (2004). Temperature of maximal cavitation intensity of glycol ethers in ultrasonic cleaning. *Institute of Metal Finishing Transactions.* 82: 71-73.
- Nietert, PJ; Sutherland, SE; Silver, RM; Pandey, JP; Knapp, RG; Hoel, DG; Dosemeci, M. (1998). Is occupational organic solvent exposure a risk factor for scleroderma? *Arthritis Rheum.* 41: 1111-1118. [http://dx.doi.org/10.1002/1529-0131\(199806\)41:6<1111::AID-ART19>3.0.CO;2-J](http://dx.doi.org/10.1002/1529-0131(199806)41:6<1111::AID-ART19>3.0.CO;2-J).
- Niewohner, J; Cox, P; Gerrard, S; Pidgeon, N. (2004). Evaluating the efficacy of a mental models approach for improving occupational chemical risk protection. *Risk Anal.* 24: 349-361.
- Niggemann, M; Katerkamp, A; Pellmann, M; Bolsmann, P; Reinbold, J; Cammann, K. (1996). Remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy. *Sens Actuators B.* 34: 328-333.
- Niinobe, D; Morikawa, H; Hiza, S; Sato, T; Matsuno, S; Fujioka, H; Katsura, T; Okamoto, T; Hamamoto, S; Ishihara, T; Arimoto, S. (2011). Large-size multi-crystalline silicon solar cells with honeycomb textured surface and point-contacted rear toward industrial production. *Solar Energy Materials and Solar Cells.* 95: 49-52. <http://dx.doi.org/10.1016/j.solmat.2010.04.035>.
- Nijenhuis, I; Nikolausz, M; Köth, A; Felföldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kästner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere.* 67: 300-311. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.084>.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol.* 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nilsson, T; Pelusco, F; Montanarella, L; Larsen, B; Facchetti, S; Madsen, JO. (1995). An evaluation of solid-phase microextraction for analysis of volatile organic compounds in drinking water. *HRC - Journal of High Resolution Chromatography.* 18: 617-624. <http://dx.doi.org/10.1002/jhrc.1240181002>.
- Nimios, MR; Jacoby, WA; Blake, DM; Milne, TA. (1993). DIRECT MASS-SPECTROMETRIC STUDIES OF THE DESTRUCTION OF HAZARDOUS WASTES .2. GAS-PHASE PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE OVER TiO<sub>2</sub> - PRODUCTS AND MECHANISMS. *Environ Sci Technol.* 27: 732-740.
- Ninomiya, K; Sakai, M; Ohba, E; Kashiwagi, N. (1994). KINETIC-MODEL FOR THE BIOTRANSFORMATION OF TETRACHLOROETHYLENE IN GROUNDWATER. *Water Sci Technol.* 30: 13-18.
- NIOSH. (1976). Criteria for a recommended standard occupational exposure to tetrachloroethylene (perchloroethylene). (NIOSH-HSM-99-73-20; PB90-180092). Cincinnati, OH.
- NIOSH. (1977). NIOSH manual of analytical methods: Second edition, volume 3, part II: Standards completion program validated methods (2nd ed.). (DHEW (NIOSH) Publication No. 77-157-C). Cincinnati, Ohio.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Nishijima, W; Ochi, Y; Tsai, TY; Nakano, Y; Okada, M. (2004). Catalytic hydrodechlorination of chlorinated ethylenes in organic solvents at room temperature and atmospheric pressure. *Appl Catal B-Environ*. 51: 135-140. <http://dx.doi.org/10.1016/j.apcatb.2004.02.001>.
- Njoroge, BNK; Ball, WP; Cherry, RS. (1998). Sorption of 1,2,4-trichlorobenzene and tetrachloroethene within an authigenic soil profile: Changes in K<sub>oc</sub> with soil depth. *J Contam Hydrol*. 29: 347-377.
- Nomiyama, K; Liu, SJ; Nomiyama, H. (1992). Critical levels of blood and urinary cadmium, urinary beta 2-microglobulin and retinol-binding protein for monitoring cadmium health effects. In GF Nordberg; RFM Herber; L Alessio (Eds.), *IARC Sci Publ* (pp. 325-340). Lyon, France: International Agency for Research on Cancer.
- Norman, KNT. (1991). DETERMINATION OF TETRACHLOROETHYLENE IN OLIVE OIL BY AUTOMATED HEADSPACE GAS-CHROMATOGRAPHY. *Food Addit Contam*. 8: 513-516.
- Nowell, PC. (1991). Boundaries between promotion and progression during carcinogenesis Genetic instability and tumor development [Review]. New York: Plenum Press.
- NRC. (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). Pesticides in the diets of infants and children. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). Science and judgment in risk assessment (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1995). Biologic markers in urinary toxicology. Washington, DC: The National Academies Press. <http://www.nap.edu/openbook.php?isbn=0309052289>.
- NRC. (2006). Assessing the human health risks of trichloroethylene: Key scientific issues. Washington, DC: The National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=11707](http://www.nap.edu/catalog.php?record_id=11707).
- NRC. (2008). Phthalates and cumulative risk assessment: The task ahead. Washington, DC: National Academies Press. <http://dx.doi.org/10.17226/12528>.
- NRC. (2009). Contaminated water supplies at Camp Lejeune: Assessing potential health effects. Washington, DC: National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=12618](http://www.nap.edu/catalog.php?record_id=12618).
- NRC. (2010). Review of the Environmental Protection Agency's draft IRIS assessment of tetrachloroethylene. Washington, DC: National Academies Press.
- NTP. (1983). Carcinogenesis studies of 1,1,1,2-tetrachloroethane (CAS no 630-20-6) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, North Carolina. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr237.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr237.pdf).
- NTP. (1983). Carcinogenesis studies of pentachloroethane (CAS No. 76-01-7) in F344/N rats and B6C3F1 mice (gavage study). Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr232.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr232.pdf).
- NTP. (1983). Unpublished data on tetrachloroethylene: on Salmonella/microsome preincubation test provided by Dr E Zeiger. Research Triangle Park. <http://ntp.niehs.nih.gov/index.cfm?objectid=0706C9B3-A7E6-5FFA-616B1853179EE1C2>.
- NTP. (1986). Toxicology and carcinogenesis studies of isophorone (CAS No. 78-59-1) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr291.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr291.pdf).
- NTP. (1987). Toxicology and carcinogenesis studies of dimethyl methylphosphonate (CAS No. 756-79-6) in F344/N rats and B6C3F1 mice. Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr323.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr323.pdf).
- NTP. (1988). Toxicology and carcinogenesis studies of trichloroethylene (CAS No. 79-01-6) in four strains of rats (ACI, August, Marshall, Osborne-Mendel) (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr273.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr273.pdf).
- NTP. (1989). Toxicology and carcinogenesis studies of hexachloroethane (CAS no. 67-72-1) in F344/N rats (gavage studies). (NTP TR 361). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr361.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr361.pdf).
- NTP. (1990). Carcinogenesis studies of trichloroethylene (without epichlorohydrin) (CAS No. 79-01-6) in F344/N rats and B6C3F1 mice (gavage studies). In Technical Report Series. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr243.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr243.pdf).
- NTP. (1990). Toxicology and carcinogenesis studies of d-limonene (CAS NO. 5989-27-5) in F344/N rats and B6C3F1 mice (gavage studies). (PB90231416). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr347.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr347.pdf).
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (ad libitum and dietary controlled) (CAS No. 302-17-0) in male B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B281C-F52B-BFE3-3DB705CBE8D93129>.
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (CAS No. 302-17-0) in B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B1E0A-B8EA-DC24-EBFD0E177564EAE3>.
- NTP. (2004). NTP 11th Report on Carcinogens [NTP] (11 ed.). (PB2005104914). Research Triangle Park, NC. <http://ntp.niehs.nih.gov/index.cfm?objectid=32BA9724-F1F6-975E-7FCE50709CB4C932>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53(tm1Brd) (N5) haploinsufficient] mice (drinking water studies). (NIH Publication No. 07-4428). Bethesda, MD: National Institutes of Health.
- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53tm1Brd(N5) haploinsufficient] mice (drinking water studies). (PB2008-109740; NTP GMM 11; NIH PUB 07-4428). Research Triangle Park. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2008109740>.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry. *Anal Chim Acta*. 455: 1-9.
- Nurok, D; Kleyale, RM; Muhoberac, BB; Frost, MC; Hajdu, P; Robertson, DH; Kamat, SV; Russell, AJ. (1999). Study of enzyme-catalyzed reactions in organic solvents using multiple linear regression. *Journal of Molecular Catalysis B: Enzymatic*. 7: 273-282.
- Nutley, E; Tcheong, A; Allen, J; Collins, B; Ma, M; Lowe, X; Bishop, J; Moore, D; Wyrobek, A. (1996). Micronuclei induced in round spermatids of mice after stem-cell treatment with chloral hydrate: evaluations with centromeric DNA probes and kinetochore antibodies. *Environ Mol Mutagen*. 28: 80-89. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)28:2<80::AID-EM3>3.0.CO;2-I](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)28:2<80::AID-EM3>3.0.CO;2-I).
- Nyairo, WN; Owuor, PO; Kengara, FO. (2015). Effect of anthropogenic activities on the water quality of Amala and Nyangores tributaries of River Mara in Kenya. *Environ Monit Assess*. 187: 691. <http://dx.doi.org/10.1007/s10661-015-4913-8>.
- Nyberg, K. (1971). UDDEHOLM - TRICHLOROETHYLENE AND PERCHLOROETHYLENE BY A NEW PROCESS - ETHYLENE AND ACETYLENE PROCESSES - OXICHLORINATION AND HYDROXYCHLORINATION-FLOW SHEET. 83: 24-&.
- NYS OAG. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Judith S. Schreiber, Ph.D., Environmental Protection Bureau for EPA docket ORD-2003-0014 (March 1, 2004). Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0003>.
- NYS OAG. (2004). Comment focusing on "peer review workshop of the neurotoxicity of tetrachloroethylene discussion paper" submitted Judith S. Schreiber, Ph.D., Chief Scientist, Albany Environmental Protection Bureau (EHP) for EPA docket ORD-2003-0014. Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0007>.
- NYSDOH. (1997). Tetrachloroethene ambient air criteria document. Final report. Albany, NY.
- NYSDOH. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Jan E. Storm and Kimberly A. Mazor, New York State Department of Health for EPA docket ORD-2003-0014 (March 3, 2004). Troy, NY. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0004>.
- NYSDOH. (2005). Pumpkin patch day care center follow-up evaluation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- NYSDOH. (2005). Pumpkin patch day care center investigation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol*. 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Nzengung, VA; Jeffers, P. (2001). Sequestration, Phytoreduction, and Phytotoxidation of Halogenated Organic Chemicals by Aquatic and Terrestrial Plants. *Int J Phytoremediation*. 3: 13-40. <http://dx.doi.org/10.1080/15226510108500048>.
- Obidiegwu, JE; Flath, K; Gebhardt, C. (2014). Managing potato wart: a review of present research status and future perspective [Review]. *Theor Appl Genet*. 127: 763-780. <http://dx.doi.org/10.1007/s00122-014-2268-0>.
- O'Brien, M; Spear, B; Glauert, H. (2005). Role of oxidative stress in peroxisome proliferator-mediated carcinogenesis [Review]. *Crit Rev Toxicol*. 35: 61-88. <http://dx.doi.org/10.1080/10408440590905957>.
- O'Carroll, DM; Bradford, SA; Abriola, LM. (2004). Infiltration of PCE in a system containing spatial wettability variations. *J Contam Hydrol*. 73: 39-63. <http://dx.doi.org/10.1016/j.jconhyd.2003.12.004>.
- O'Carroll, DM; Mumford, KG; Abriola, LM; Gerhard, JI. (2010). Influence of wettability variations on dynamic effects in capillary pressure. *Water Resour Res*. 46. <http://dx.doi.org/10.1029/2009WR008712>.
- Oesch, F. (1973). Mammalian epoxide hydrolases: inducible enzymes catalyzing the inactivation of carcinogenic and cytotoxic metabolites derived from aromatic and olefinic compounds [Review]. *Xenobiotica*. 3: 305-340. <http://dx.doi.org/10.3109/00498257309151525>.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. *Environ Sci Technol*. 43: 2891-2898. <http://dx.doi.org/10.1021/es803080c>.
- O'Flaherty, EJ; Scott, W; Schreiner, C; Beliles, RP. (1992). A physiologically based kinetic model of rat and mouse gestation: disposition of a weak acid. *Toxicol Appl Pharmacol*. 112: 245-256. [http://dx.doi.org/10.1016/0041-008X\(92\)90194-W](http://dx.doi.org/10.1016/0041-008X(92)90194-W).
- Ogata, M; Hasegawa, T. (1981). Effects of chlorinated aliphatic hydrocarbons on mitochondrial oxidative phosphorylation in the rat with reference to the effects of chlorinated aromatic hydrocarbons. *Ind Health*. 19: 71-75.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1971). EXCRETION OF ORGANIC CHLORINE COMPOUNDS IN URINE OF PERSONS EXPOSED TO VAPOURS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Br J Ind Med*. 28: 386-&.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. *Environ Geochem Health*. 29: 331-336. <http://dx.doi.org/10.1007/s10653-007-9094-0>.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. *J Hazard Mater*. 153: 157-163. <http://dx.doi.org/10.1016/j.jhazmat.2007.08.045>.
- Ohandja, DG, uy; Stuckey, DC. (2006). Development of a membrane-aerated biofilm reactor to completely mineralise perchloroethylene in wastewaters. *J Chem Tech Biotechnol*. 81: 1736-1744. <http://dx.doi.org/10.1002/jctb.1596>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ohandja, DG, uy; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *J Environ Eng.* 133: 20-27. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:1\(20\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:1(20)).
- Ohandja, DG, uy; Stuckey, DC. (2010). Effect of perchloroethylene (PCE) and hydraulic shock loads on a membrane-aerated biofilm reactor (MABR) biodegrading PCE. *J Chem Tech Biotechnol.* 85: 294-301. <http://dx.doi.org/10.1002/jctb.2307>.
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water.* 36: 164-170.
- O'Haver, JH; Walk, R; Kitiyanan, B; Harwell, JH; Sabatini, DA. (2004). Packed column and hollow fiber air stripping of a contaminant-surfactant stream. *J Environ Eng.* 130: 4-11. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(4\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(4)).
- Ohno, H; Aoyama, T; Kishimoto, H. (1992). Simultaneous determination of volatile organic pollutants in water by headspace gas chromatographic analysis with dual detection. *JTTHE.* 38: 84-92.
- Ohta, T; Morita, M; Mizoguchi, I. (1976). Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. *Atmos Environ.* 10: 557-560. [http://dx.doi.org/10.1016/0004-6981\(76\)90182-7](http://dx.doi.org/10.1016/0004-6981(76)90182-7).
- Ohta, T; Morita, M; Mizoguchi, I; Tada, T. (1977). Washout effect and diurnal variation for chlorinated hydrocarbons in ambient air. *Atmos Environ.* 11: 985-987.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ.* 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Okitsu, K; Yoshioka, Y; Tanabe, S. (2006). Effect of transition metal powder and low-energy ultrasound frequency on degradation rate of chlorinated hydrocarbons in water. *Bunseki Kagaku.* 55: 567-571.
- Okouchi, S. (1986). VOLATILIZATION COEFFICIENT FOR STRIPPING TRICHLOROETHYLENE 1 1 1 TRICHLOROETHANE AND TETRACHLOROETHYLENE FROM WATER (pp. TREATMENT). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/86/31597). Okouchi, S.
- Okuda, I; McBride, JF; Gleyzer, SN; Miller, CT. (1996). Physicochemical transport processes affecting the removal of residual DNAPL by nonionic surfactant solutions. *Environ Sci Technol.* 30: 1852-1860.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int.* 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Olaniran, AO; Pillay, D; Pillay, B. (2008). Aerobic biodegradation of dichloroethenes by indigenous bacteria isolated from contaminated sites in Africa. *Chemosphere.* 73: 24-29. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.003>.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere.* 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Oliveira, AAS; Teixeira, IF; Christofani, T; Tristao, JC; Guimaraes, IR; Moura, FCC. (2014). Biphasic oxidation reactions promoted by amphiphilic catalysts based on red mud residue. *Appl Catal B-Environ.* 144: 144-151. <http://dx.doi.org/10.1016/j.apcatb.2013.07.015>.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol.* 33: 1145-1147.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol.* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- Olshan, AF; Anderson, L; Roman, E; Fear, N; Wolff, M; Whyatt, R; Vu, V; Diwan, BA; Potischman, N. (2000). Workshop to identify critical windows of exposure for children's health: Cancer work group summary [Review]. *Environ Health Perspect.* 108: 595-597.
- Olson, MJ; Garg, BD; Murty, CV; Roy, AK. (1987). Accumulation of alpha 2u-globulin in the renal proximal tubules of male rats exposed to unleaded gasoline. *Toxicol Appl Pharmacol.* 90: 43-51. [http://dx.doi.org/10.1016/0041-008X\(87\)90304-8](http://dx.doi.org/10.1016/0041-008X(87)90304-8).
- Onasch, J. (2011). A feasibility and cost comparison of perchloroethylene dry cleaning to professional wet cleaning: case study of Silver Hanger Cleaners, Bellingham, Massachusetts. *J Clean Prod.* 19: 477-482. <http://dx.doi.org/10.1016/j.jclepro.2010.07.015>.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj.* 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).
- Onoda, K; Yoshikawa, S. (2008). Applications of anodized TiO<sub>2</sub> films for environmental purifications. *Appl Catal B-Environ.* 80: 277-285. <http://dx.doi.org/10.1016/j.apcatb.2007.11.023>.
- Ostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol.* 37: 179-197.
- Opdam, JJ; Smolders, JF. (1986). Alveolar sampling and fast kinetics of tetrachloroethene in man. I. Alveolar sampling. *Br J Ind Med.* 43: 814-824. <http://dx.doi.org/10.1136/oem.43.12.814>; <http://oem.bmj.com/content/oemed/43/12/814.full.pdf>.
- Opdam, JJ; Smolders, JF. (1987). Alveolar sampling and fast kinetics of tetrachloroethene in man. II. Fast kinetics. *Occup Environ Med.* 44: 26-34. <http://dx.doi.org/10.1136/oem.44.1.26>.
- Orbay, O; Gao, S; Barbaris, B; Rupp, E; Sáez, AE; Arnold, RG; Betterton, EA. (2008). Catalytic Dechlorination of Gas-phase Perchloroethylene under Mixed Redox Conditions. *Appl Catal B-Environ.* 79: 43-52. <http://dx.doi.org/10.1016/j.apcatb.2007.09.034>.
- Ordaz, AA; Rocha, JM; Aguilar, FJA; Granados, SG; Bedioui, F. (2000). Electrocatalysis of the reduction of organic halide derivatives at modified electrodes coated by cobalt and iron macrocyclic complex-based films: application to the electrochemical determination of pollutants. *Analisis.* 28: 238-244.
- Ordóñez, S; Díaz, E; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). Carbon nanofibre-supported palladium catalysts as model hydrodechlorination catalysts. *J Catal.* 272: 158-168. <http://dx.doi.org/10.1016/j.jcat.2010.03.001>.
- Ordóñez, S; Diez, FV; Sastre, H. (2001). Characterisation of the deactivation of platinum and palladium supported on activated carbon used as hydrodechlorination catalysts. *Appl Catal B-Environ.* 31: 113-122.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ordóñez, S; Diez, FV; Sastre, H. (2002). Catalytic hydrodechlorination of chlorinated olefins over a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst: Kinetics and inhibition phenomena. *Ind Eng Chem Res.* 41: 505-511. <http://dx.doi.org/10.1021/ie010679v>.
- Ordóñez, S; Diez, FV; Sastre, H. (2002). Hydrodechlorination of tetrachloroethylene over sulfided catalysts: kinetic study. *Catalysis Today.* 73: 325-331.
- Ordóñez, S; Sastre, H; Diez, FV. (1999). Deactivation of red mud and modified red mud used as catalyst for the hydrodechlorination of tetrachloroethylene. *Stud Surf Sci Catal.* 126: 443-446.
- Ordóñez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ.* 25: 49-58.
- Ordóñez, S; Sastre, H; Diez, FV. (2001). Characterisation and deactivation studies of sulfided red mud used as catalyst for the hydrodechlorination of tetrachloroethylene. *Appl Catal B-Environ.* 29: 263-273.
- Ordóñez, S; Sastre, H; Diez, FV. (2001). Hydrodechlorination of tetrachloroethylene over modified red mud: deactivation studies and kinetics. *Appl Catal B-Environ.* 34: 213-226.
- Ordóñez, S; Sastre, H; Diez, FV. (2003). Hydrodechlorination of tetrachloroethene over Pd/Al<sub>2</sub>O<sub>3</sub>: influence of process conditions on catalyst performance and stability. *Appl Catal B-Environ.* 40: 119-130.
- Ordóñez, S; Sastre, H; Díez, FV. (2001). Catalytic hydrodechlorination of tetrachloroethylene over red mud. *J Hazard Mater.* 81: 103-114.
- Ortali, VA; Cardamone, G; Salvini, P; Di Giuseppe, G; Carere, A. (1977). Mutagenicity of several chemicals tested in two different systems: *Salmonella typhimurium* and *streptomyces coelicolor*. *Atti Assoc Genet Ital.* 22: 53-54.
- Ortega, P; Orpella, A; Martin, I; Colina, M; Lopez, G; Voz, C; Sanchez, MI; Molpeceres, C; Alcubilla, R. (2012). Laser-fired contact optimization in c-Si solar cells. *Progress in Photovoltaics.* 20: 173-180. <http://dx.doi.org/10.1002/pip.1115>.
- Ortiz, AM; Sipes, BS; Miyasaka, SC; Arakaki, AS. (2015). Green Manure Crops for Management of *Meloidogyne javanica* and *Pythium aphanidermatum*. *HortScience.* 50: 90-98.
- Osejo, RE; Wilson, DJ. (1991). SOIL CLEAN UP BY INSITU AERATION .9. DIFFUSION CONSTANTS OF VOLATILE ORGANICS AND REMOVAL OF UNDERLYING LIQUID. *Separation Science and Technology.* 26: 1433-1466.
- Oster, T; Illenberger, E. (1990). FORMATION OF SOLVATED IONS BY ELECTRON-CAPTURE IN VANDERWAALS AGGREGATES. *Berichte der Bunsengesellschaft für physikalische Chemie.* 94: 1287-1290.
- O'Sullivan, DW; Heikes, BG; Snow, J; Burrow, P; Avery, M; Blake, DR; Sachse, GW; Talbot, RW; Thornton, DC; Bandy, AR. (2004). Long-term and seasonal variations in the levels of hydrogen peroxide, methylhydroperoxide, and selected compounds over the Pacific Ocean. *J Geophys Res Atmos.* 109. <http://dx.doi.org/10.1029/2003JD003689>.
- Otieno, MA; Baggs, RB; Hayes, JD; Anders, MW. (1997). Immunolocalization of microsomal glutathione S-transferase in rat tissues. *Drug Metab Dispos.* 25: 12-20.
- Otson, R; Williams, DT. (1982). Headspace chromatographic determination of water pollutants. *Anal Chem.* 54: 942-946. <http://dx.doi.org/10.1021/ac00243a023>.
- Otte, X; Lejeune, R; Thunus, L. (1997). Fourier Transform Infrared Spectrometry (FTIR) for qualitative and quantitative analysis of azodicarboxamide and its potential impurities. *Anal Chim Acta.* 355: 7-13.
- Oung, O; Hassanizadeh, SM; Bezuijen, A. (2005). Two-phase flow experiments in a geocentrifuge and the significance of dynamic capillary pressure effect. *Journal of Porous Media.* 8: 247-257.
- Ouyan, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res.* 36: 33-40.
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere.* 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Overby, LH; Gardlik, S; Philpot, RM; Serabjit-Singh, CJ. (1994). Unique distribution profiles of glutathione S-transferases in regions of kidney, ureter, and bladder of rabbit. *Lab Invest.* 70: 468-478.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ.* 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozturk, ZZ; Zhou, R; Ahsen, V; Bekaroglu, O; Gopel, W. (1996). Molecular recognition with metal containing supramolecular compounds: Soluble tetradentate dithioglyoximes for the detection of organic solvents in the gas phase. *Sens Actuators B.* 36: 404-408.
- Paaso, N; Peuravuori, J; Pihlaja, K. (2000). Extraction efficiency of chloroethenes from contaminated dry cleaner's sludge with three different methods. *Waste Manag.* 20: 69-74.
- Padgett, PK; Hayden, NJ. (1999). Mobilization of Residual Tetrachloroethylene During Alcohol Flushing of Clay-Containing Porous Media. *J Contam Hydrol.* 40: 285.
- Padilla, M; Hoefler, H; Reichel, C; Chu, H; Greulich, J; Rein, S; Warta, W; Hermle, M; Schubert, MC. (2014). Surface recombination parameters of interdigitated-back-contact silicon solar cells obtained by modeling luminescence images. *Solar Energy Materials and Solar Cells.* 120: 363-375. <http://dx.doi.org/10.1016/j.solmat.2013.05.050>.
- Page, BD; Conacher, HB; Salminen, J; Nixon, GR; Riedel, G; Mori, B; Gagnon, J; Brousseau, Y. (1993). Survey of bottled drinking water sold in Canada. Part 2. Selected volatile organic compounds. *J AOAC Int.* 76: 26-31.
- Page, JW; Soga, K; Illangasekare, T. (2007). The significance of heterogeneity on mass flux from DNAPL source zones: an experimental investigation. *J Contam Hydrol.* 94: 215-234. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.004>.
- Page, NP; Saffiotti, U. (1976). Report on carcinogenesis bioassay of chloroform. (DHEWPUBNIH761279). Bethesda, MD: National Cancer Institute.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Page, T; Harris, RH; Epstein, SS. (1976). Drinking water and cancer mortality in Louisiana. 193: 55-57.
- Pal, A. (1994). PHOTOCHEMICAL-REACTION OF TRICHLOROACETIC-ACID WITH DIPHENYLAMINE AND ITS ANALYTICAL APPLICATION. Bull Chem Soc Jpn. 67: 2420-2423.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. Fluid Phase Equilibria. 143: 241-251.
- Pal, A; Sharma, S. (1998). Viscosities and densities of some n-alkoxyethanols with trichloroethylene and tetrachloroethylene at 298.15 K. Journal of Chemical and Engineering Data. 43: 21-24.
- Pal, A; Singh, W. (1995). EXCESS MOLAR VOLUMES OF 2-(2-ALKOXYETHOXY)ETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE AT 298.15 AND 308.15 K. Journal of Chemical and Engineering Data. 40: 1130-1133.
- Pal, A; Singh, W. (1996). Excess molar volumes of 2-[2-(2-alkoxyethoxy)ethoxy] ethanols with trichloroethylene and tetrachloroethylene at 298.15 and 308.15 K. Journal of Chemical and Engineering Data. 41: 181-184.
- Pal, A; Singh, W. (1996). Excess molar volumes of linear and cyclic ethers plus chloroethenes at 298.15 K. Journal of Chemical and Engineering Data. 41: 428-430.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. Fluid Phase Equilibria. 129: 211-221.
- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. Sci Total Environ. 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.
- Palau, J; Soler, A; Canals, À; Aravena, R. (2010). Use of Environmental Isotopes (<sup>13</sup>C, <sup>15</sup>N, and <sup>18</sup>O) for Evaluating Sources and Fate of Nitrate and Tetrachloroethene in an Alluvial Aquifer. Environ Forensics. 11: 237-247. <http://dx.doi.org/10.1080/15275922.2010.494997>.
- Palit, DK; Zhang, TQ; Kumazaki, S; Yoshihara, K. (2003). Hydrogen-bond dynamics in the excited state of coumarin 102-aniline hydrogen-bonded complex. J Phys Chem A. 107: 10798-10804. <http://dx.doi.org/10.1021/jp030633a>.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. Mol Pharmacol. 53: 14-22.
- Pan, C; Hilpert, M; Miller, CT. (2004). Lattice-Boltzmann simulation of two-phase flow in porous media. Water Resour Res. 40. <http://dx.doi.org/10.1029/2003WR002120>.
- Pan, Y; Yang, J; Jia, Y; Xu, Z. (2016). Experimental study on non-aqueous phase liquid multiphase flow characteristics and controlling factors in heterogeneous porous media. Environ Earth Sci. 75. <http://dx.doi.org/10.1007/s12665-015-4888-3>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Marneri, M; Parapouli, M; Hatziloukas, E; Tandoi, V. (2007). Dechlorinating ability of TCE-fed microcosms with different electron donors. J Hazard Mater. 149: 582-589. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.113>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. Water Air Soil Pollut. 225. <http://dx.doi.org/10.1007/s11270-013-1785-9>.
- Panek, D; Konieuny, K. (2007). Preparation and applying the membranes with carbon black to pervaporation of toluene from the diluted aqueous solutions. Separation and Purification Technology. 57: 507-512. <http://dx.doi.org/10.1016/j.seppur.2006.10.011>.
- Pang, L, inLin; Bi, JQ; Bai, Y, uJun; Zhu, H, uil; Qi, YX, in; Wang, CG, uo; Han, F, uD; Li, SJ, ie. (2008). Synthesis of carbon spheres via a low-temperature metathesis reaction. J Phys Chem C. 112: 12134-12137. <http://dx.doi.org/10.1021/jp801935m>.
- Pankow, JF; Asher, WE; Zogorski, JS. (2006). Source apportionment modeling of volatile organic compounds in streams. Environ Toxicol Chem. 25: 921-932.
- Pannett, B; Coggon, D; Acheson, E. (1985). A job-exposure matrix for use in population based studies in England and Wales. Br J Ind Med. 42: 777-783.
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. Ground Water Monitoring and Remediation. 32: 106-119. <http://dx.doi.org/10.1111/j.1745-6592.2011.01372.x>.
- Paracosterman, D; Dugan, L. (1995). Softeners in pigment printing. Tekstil. 44: 355-360.
- Paras, P. (1993). OPERATIONAL PERFORMANCE AND QUALITY-CONTROL OF ANGER TYPE GAMMA CAMERAS INCLUDING SPECT. Radiat Prot Dosimetry. 49: 311-316.
- Paredes, JR; Ordonez, S; Vega, A; Diez, FV. (2004). Catalytic combustion of methane over red mud-based catalysts. Appl Catal B-Environ. 47: 37-45. [http://dx.doi.org/10.1016/S0926-3373\(03\)00325-4](http://dx.doi.org/10.1016/S0926-3373(03)00325-4).
- Park, E; Parker, JC. (2005). Evaluation of an upscaled model for DNAPL dissolution kinetics in heterogeneous aquifers. Advances in Water Resources. 28: 1280-1291. <http://dx.doi.org/10.1016/j.advwatres.2005.04.002>.
- Park, EJ; Lee, JH; Yu, GY; He, G; Ali, SR; Holzer, RG; Osterreicher, CH; Takahashi, H; Karin, M. (2010). Dietary and genetic obesity promote liver inflammation and tumorigenesis by enhancing IL-6 and TNF expression. Cell. 140: 197-208. <http://dx.doi.org/10.1016/j.cell.2009.12.052>.
- Park, JH; Spengler, JD; Yoon, DW; Dumyahn, T; Lee, K; Ozkaynak, H. (1998). Measurement of air exchange rate of stationary vehicles and estimation of in-vehicle exposure. J Expo Anal Environ Epidemiol. 8: 65-78.
- Park, KT; Klier, K; Wang, CB; Zhang, WX. (1997). Interaction of tetrachloroethylene with Pd(100) studied by high-resolution X-ray photoemission spectroscopy. J Phys Chem B. 101: 5420-5428.
- Park, SJ; Ionascu, D; Killoran, J; Mamede, M; Gerbaudo, VH; Chin, L; Berbeco, R. (2008). Evaluation of the combined effects of target size, respiratory motion and background activity on 3D and 4D PET/CT images. Phys Med Biol. 53: 3661-3679. <http://dx.doi.org/10.1088/0031-9155/53/13/018>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Park, T; Rettich, TR; Battino, R; Wilhelm, E. (1987). BINARY GASEOUS-DIFFUSION COEFFICIENTS .6. CHLOROBENZENE, 1,2-DICHLOROBENZENE, 1,3-DICHLOROBENZENE, 1,1,1-TRICHLOROETHANE, TETRACHLOROETHENE, 1,4-DIOXANE AND OCTAMETHYLCYCLOTETRAILOXANE WITH AIR AT 1-ATM AND 283-K TO 343-K. *Mater Chem Phys.* 16: 397-410.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water.* 32: 805-820.
- Parker, JC. (2003). Physical Processes Affecting Natural Depletion of Volatile Chemicals in Soil and Groundwater. *Vadose Zone Journal.* 2: 222-230.
- Parker, JC; Davidson, IWF. (1984). Extrapolation of the carcinogenic response. *making:* 38.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR002807>.
- Parker, LV; Ranney, TA. (1994). EFFECT OF CONCENTRATION ON SORPTION OF DISSOLVED ORGANICS BY PVC, PTFE, AND STAINLESS-STEEL WELL CASINGS. *Ground Water Monitoring and Remediation.* 14: 139-149.
- Parker, W; Monteith, H; Melcer, H. (1995). Preliminary assessment of the removal of volatile organic compounds in a biological selector process. *Water Environ Res.* 67: 798-801. <http://dx.doi.org/10.2175/106143095x131709>.
- Parker, WJ; Monteith, HD. (1996). Stripping of VOC's from dissolved air flotation. *Environmental Progress.* 15: 73-81.
- Parker, WJ; Monteith, HD; Melcer, H. (1996). VOCs in fixed film processes .1. Pilot studies. *J Environ Eng.* 122: 557-563.
- Parker, WJ; Yu, JY. (2001). Dynamic modeling to assess worker exposure to gas-phase volatile organic compounds in collector sewers. *Water Environ Res.* 73: 450-460.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res.* 71: 1158-1164.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol.* 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of C2Cl6 and C2Cl4 Multilayers with Fe-0 Atoms over FeO(111). *J Phys Chem C.* 113: 10233-10241. <http://dx.doi.org/10.1021/jp901040f>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of Fe-0 Atoms, Clusters, and Nanoparticles with CCl4 Multilayers on FeO(111). *J Phys Chem C.* 113: 1818-1829. <http://dx.doi.org/10.1021/jp8076062>.
- Parodi, S; Malacarne, D; Romano, P; Taningher, M. (1991). Are genotoxic carcinogens more potent than nongenotoxic carcinogens? *Environ Health Perspect.* 95: 199-204.
- Parrett, JW, Jr; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environ Sci Technol.* 33: 1691-1696.
- Parris, CA. (1986). NEMA AND TRAFFIC CONTROL. *Institute of Transportation Engineers ITE Journal.* 56: 31-33.
- Parris, CA. (1986). NEW NEMA TRAFFIC CONTROLLER CONCEPT. *Institute of Transportation Engineers ITE Journal.* 56: 41-42.
- Parrish, JM; Austin, EW; Stevens, DK; Kinder, DH; Bull, RJ. (1996). Haloacetate-induced oxidative damage to DNA in the liver of male B6C3F1 mice. *Toxicology.* 110: 103-111. [http://dx.doi.org/10.1016/0300-483X\(96\)03342-2](http://dx.doi.org/10.1016/0300-483X(96)03342-2).
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere.* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Sci Technol.* 58: 1629-1636. <http://dx.doi.org/10.2166/wst.2008.543>.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO<sub>2</sub> nanocomposites in the presence of UV light under anoxic conditions. *Water Res.* 45: 4198-4210. <http://dx.doi.org/10.1016/j.watres.2011.05.019>.
- Parsons, F; Wood, PR; Demarco, J. (1984). Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc.* 76: 56-59.
- Parzefall, W; Berger, W; Kainzbauer, E; Teufelhofer, O; Schulte-Hermann, R; Thurman, R. (2001). Peroxisome proliferators do not increase DNA synthesis in purified rat hepatocytes. *Carcinogenesis.* 22: 519-523.
- Pasquini, DA. (1978). Evaluation of glass sampling tubes for industrial breath analysis. *Am Ind Hyg Assoc J.* 39: 55-62. <http://dx.doi.org/10.1080/0002889778507713>.
- Pastewski, S; Hallmann, E; Medrzycka, K. (2006). Physicochemical aspects of the application of surfactants and biosurfactants in soil remediation. *Environ Eng Sci.* 23: 579-588.
- Pastewski, S; Hallmann, E; Medrzycka, K. (2006). The solubilizing and emulsifying properties of nonionic surfactants with reference to soil remediation. *Przemysł Chemiczny.* 85: 1346-1348.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect.* 108: 201-214.
- Patel, R; Zhou, RN; Zinszer, K; Josse, F; Cernosek, R. (2000). Real-time detection of organic compounds in liquid environments using polymer-coated thickness shear mode quartz resonators. *Anal Chem.* 72: 4888-4898. <http://dx.doi.org/10.1021/ac0003955>.
- Patel, SV. (2012). Unattended Vapor Intrusion Monitor.
- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst.* 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Patel, UD; Suresh, S. (2007). Dechlorination of chlorophenols using magnesium-palladium bimetallic system. *J Hazard Mater.* 147: 431-438. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.029>.
- Patil, SS; Adetutu, EM; Sheppard, PJ; Morrison, P; Menz, IR; Ball, AS. (2014). Site-specific pre-evaluation of bioremediation technologies for chloroethene degradation. *Int J Environ Sci Tech.* 11: 1869-1880. <http://dx.doi.org/10.1007/s13762-013-0383-0>.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol.* 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Patterson, BM; Pribac, F; Barber, C; Davis, GB; Gibbs, R. (1993). BIODEGRADATION AND RETARDATION OF PCE AND BTEX COMPOUNDS IN AQUIFER MATERIAL FROM WESTERN-AUSTRALIA USING LARGE-SCALE COLUMNS. *J Contam Hydrol.* 14: 261-278.
- Paudel, A; Van den Mooter, G. (2012). Influence of solvent composition on the miscibility and physical stability of naproxen/PVP K 25 solid dispersions prepared by cosolvent spray-drying. *Pharm Res.* 29: 251-270. <http://dx.doi.org/10.1007/s11095-011-0539-x>.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere.* 111: 471-477. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.057>.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. *Chemosphere.* 119: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.022>.
- Paulu, C; Aschengrau, A; Ozonoff, D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect.* 107: 265-271.
- Paulu, C; Aschengrau, A; Ozonoff, D. (2002). Exploring associations between residential location and breast cancer incidence in a case-control study. *Environ Health Perspect.* 110: 471-478.
- Paulus, DH; Tellmann, L; Quick, HH. (2013). Towards improved hardware component attenuation correction in PET/MR hybrid imaging. *Phys Med Biol.* 58: 8021-8040. <http://dx.doi.org/10.1088/0031-9155/58/22/8021>.
- Pavlostathis, SG; Mathavan, GN. (1992). DESORPTION-KINETICS OF SELECTED VOLATILE ORGANIC-COMPOUNDS FROM FIELD CONTAMINATED SOILS. *Environ Sci Technol.* 26: 532-538.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere.* 27: 585-595.
- Paykoc, ZV; Powell, JF. (1945). The excretion of sodium trichloroacetate. *J Pharmacol Exp Ther.* 85: 289-293.
- Payne, DNR; Chan, CE; Hallam, BJ; Hoex, B; Abbott, MD; Wenham, SR, SR; Bagnall, DM. (2016). Acceleration and mitigation of carrier-induced degradation in p-type multi-crystalline silicon. *Physica Status Solidi Rapid Research Letters.* 10: 237-241. <http://dx.doi.org/10.1002/pssr.201510437>.
- Payne, DNR; Chan, CE; Hallam, BJ; Hoex, B; Abbott, MD; Wenham, SR; Bagnall, DM. (2016). Rapid passivation of carrier-induced defects in p-type multi-crystalline silicon. *Solar Energy Materials and Solar Cells.* 158: 102-106. <http://dx.doi.org/10.1016/j.solmat.2016.05.022>.
- Pearce, N; Checkoway, H; Kriebel, D. (2007). Bias in occupational epidemiology studies [Review]. *Occup Environ Med.* 64: 562-568. <http://dx.doi.org/10.1136/oem.2006.026690>.
- Pearson, CR; Mcconnell, G. (1975). Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc Biol Sci.* 189: 305-332.
- Pecher, K; Kusel, K; Fischer, U; Herrmann, R. (1995). REDUCTIVE DEHALOGENATION OF CHLORINATED HYDROCARBONS DURING ANAEROBIC STABILIZATION OF MUNICIPAL WASTES. *Acta Hydrochim Hydrobiol.* 23: 271-279.
- Pecoraino, G; Scalici, L, ea; Avellone, G; Ceraulo, L; Favara, R; Candela, EG; Provenzano, MC; Scaletta, C. (2008). Distribution of volatile organic compounds in Sicilian groundwaters analysed by head space-solid phase micro extraction coupled with gas chromatography mass spectrometry (SPME/GC/MS) [Review]. *Water Res.* 42: 3563-3577. <http://dx.doi.org/10.1016/j.watres.2008.07.022>.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environ Sci Technol.* 31: 2791-2796.
- Pedrozo, MF; Siqueira, M. (1996). [Spectrophotometric and gas chromatographic analysis of trichloroacetic acid in urine]. *Rev Saude Publica.* 30: 261-266. <http://dx.doi.org/10.1590/S0034-89101996000300009>.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST.* 21: 707-720.
- Pelech, R; Lewandowski, G; Milchert, E. (2006). Recovering organochlorine compounds from industrial wastewaters. *Przemysł Chemiczny.* 85: 641-643.
- Pelech, R; Milchert, E; Bartkowiak, M. (2006). Fixed-bed adsorption of chlorinated hydrocarbons from multicomponent aqueous solution onto activated carbon: equilibrium column model. *J Colloid Interface Sci.* 296: 458-464. <http://dx.doi.org/10.1016/j.jcis.2005.09.020>.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater.* 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Pelekis, M; Poulin, P; Krishnan, K. (1995). An approach for incorporating tissue composition data into physiologically based pharmacokinetic models. *Toxicol Ind Health.* 11: 511-522.
- Pelkonen, O; Kaltiala, EH; Larmi, TK; Karki, NT. (1973). Comparison of activities of drug-metabolizing enzymes in human fetal and adult livers. *Clin Pharmacol Ther.* 14: 840-846.
- Pellizzari, ED. (1975). Development of analytical techniques for measuring ambient atmospheric carcinogenic vapors. Pellizzari, ED.
- Pellizzari, ED. (1977). The measurement of carcinogenic vapors in ambient atmospheres. (EPA-600/7-77-055). Research Triangle Park, NC: Environmental Protection Agency, Environmental Sciences Research Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB269582>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Pellizzari, ED. (1978). Measurement of carcinogenic vapors in ambient atmospheres: final report. Research Triangle Park, NC: Research Triangle Institute. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB283023>.
- Pellizzari, ED. (1979). Information on the characteristics of ambient organic vapors in areas of high chemical production. Research Triangle Park, NC: Research Triangle Institute.
- Pellizzari, ED; Bunch, JE. (1979). Ambient air carcinogenic vapors: improved sampling and analytical techniques and field studies. (EPA-600/2-79-081 & NTIS PB-297932). Research Triangle Park, NC: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20006DVU.txt>.
- Pellizzari, ED; Bunch, JE; Berkley, RE; Mcrae, J. (1976). Collection and analysis of trace organic vapor pollutants in ambient atmospheres The performance of a Tenax GC cartridge sampler for hazardous vapors. *Anal Lett.* 9: 45-63.
- Pellizzari, ED; Erickson, MD; Zweidinger, RA. (1979). Formulation of a preliminary assessment of halogenated organic compounds in man and environmental media [EPA Report]. (EPA-560/13-79-006). Research Triangle Park, NC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80112170>.
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol.* 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pellizzari, ED; Wallace, LA; Gordon, SM. (1992). Elimination kinetics of volatile organics in humans using breath measurements. *J Expo Anal Environ Epidemiol.* 2: 341-355.
- Pellizzari, EE. (1974). Development of method for carcinogenic vapor analysis in ambient atmospheres. Pellizzari, EE.
- Peng, J. (1998). Distribution of volatile organic contaminants between water and air. *Can J Civ Eng.* 25: 1091-1095.
- Peng, J; Bewtra, JK; Biswas, N. (1994). VOLATILIZATION OF SELECTED ORGANIC-COMPOUNDS FROM QUIESCENT WATER. *J Environ Eng.* 120: 662-669.
- Peng, J; Wan, A. (1997). Measurement of Henry's constants of high-volatility organic compounds using a headspace autosampler. *Environ Sci Technol.* 31: 2998-3003.
- Peng, J; Wan, A. (1998). Effect of ionic strength on Henry's constants of volatile organic compounds. *Chemosphere.* 36: 2731-2740.
- Peng, P; Xie, HQ; Lu, LZ. (2005). Coupling leaching of sphalerite concentrate. *Miner Eng.* 18: 553-555. <http://dx.doi.org/10.1016/j.mineng.2004.08.012>.
- Peng, Q; Choong, WS; Vu, C; Huber, JS; Janecek, M; Wilson, D; Huesman, RH; Qi, J; Zhou, J; Moses, WW. (2015). Performance of the Tachyon Time-of-Flight PET Camera. *IEEE Trans Nucl Sci.* 62: 111-119. <http://dx.doi.org/10.1109/TNS.2014.2375176>.
- Pennell, KD; Adinolfi, AM; Abriola, LM; Diallo, MS. (1997). Solubilization of dodecane, tetrachloroethylene, and 1,2-dichlorobenzene in micellar solutions of ethoxylated nonionic surfactants. *Environ Sci Technol.* 31: 1382-1389.
- Pennell, KD; Jin, MQ; Abriola, LM; Pope, GA. (1994). SURFACTANT ENHANCED REMEDIATION OF SOIL COLUMNS CONTAMINATED BY RESIDUAL TETRACHLOROETHYLENE. *J Contam Hydrol.* 16: 35-53.
- Pennell, KD; Karagunduz, A; Young, MH. (2004). Impacts of surfactant adjuvants on pesticide availability and transport in soils. *ACS Symp Ser Am Chem Soc.* 863: 231-245.
- Pennell, KD; Pope, GA; Abriola, LM. (1996). Influence of viscous and buoyancy forces on the mobilization of residual tetrachloroethylene during surfactant flushing. *Environ Sci Technol.* 30: 1328-1335.
- Pennell, KG; Scammell, MK; Mcclean, MD; Ames, J; Weldon, B; Friguglietti, L; Suuberg, EM; Shen, R; Indeglia, PA; Heiger-Bernays, WJ. (2013). Sewer Gas: An Indoor Air Source of PCE to Consider During Vapor Intrusion Investigations. *Ground Water Monitoring and Remediation.* 33: 119-126. <http://dx.doi.org/10.1111/gwmmr.12021>.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environ Sci Technol.* 42: 7764-7771. <http://dx.doi.org/10.1021/es801101c>.
- Peppe, A; Stanzione, P; Pierantozzi, M; Semprini, R; Bassi, A; Santilli, AM; Formisano, R; Piccolino, M; Bernardi, G. (1998). Does pattern electroretinogram spatial tuning alteration in Parkinson's disease depend on motor disturbances or retinal dopaminergic loss? *Electroencephalography and Clinical Neurophysiology.* 106: 374-382.
- Pereira, MA; Tao, L; Wang, W; Li, Y; Umar, A; Steele, VE; Lubet, RA. (2004). Modulation by celecoxib and difluoromethylornithine of the methylation of DNA and the estrogen receptor-alpha gene in rat colon tumors. *Carcinogenesis.* 25: 1917-1923.
- Pereira, MA; Wang, W; Kramer, PM; Tao, L. (2004). Prevention by methionine of dichloroacetic acid-induced liver cancer and DNA hypomethylation in mice. *Toxicol Sci.* 77: 243-248. <http://dx.doi.org/10.1093/toxsci/kfh031>.
- Pérez-De-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of chlorinated ethenes in fractured bedrock and associated changes in dechlorinating and nondechlorinating microbial populations. *Environ Sci Technol.* 48: 5770-5779. <http://dx.doi.org/10.1021/es404122y>.
- Perkins, AE; Muehllehner, G; Surti, S; Karp, JS. (2003). Performance measurements of a pixelated NaI(Tl) PET scanner. *IEEE Trans Nucl Sci.* 50: 373-377. <http://dx.doi.org/10.1109/TNS.2003.812439>.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen. *Environ Sci Technol.* 30: 3408-3417.
- Perrone, CE; Shao, L; Williams, GM. (1998). Effect of rodent hepatocarcinogenic peroxisome proliferators on fatty acyl-CoA oxidase, DNA synthesis, and apoptosis in cultured human and rat hepatocytes. *Toxicol Appl Pharmacol.* 150: 277-286.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest.* 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.
- Persoff, P; Apps, J; Moridis, G; Whang, JM. (1999). Effect of dilution and contaminants on sand grouted with colloidal silica. *Journal of Geotechnical and Geoenvironmental Engineering.* 125: 461-469.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Persson, M; Berndtsson, R. (2002). Measuring nonaqueous phase liquid saturation in soil using time domain reflectometry. *Water Resour Res.* 38: 1064-1064. <http://dx.doi.org/10.1029/2001WR000523>.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis.* 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Peters, JM; Cheung, C; Gonzalez, FJ. (2005). Peroxisome proliferator-activated receptor-alpha and liver cancer: where do we stand [Review]. *J Mol Med.* 83: 774-785. <http://dx.doi.org/10.1007/s00109-005-0678-9>.
- Peters, JM; Hennuyer, N; Staels, B; Fruchart, JC; Fievet, C; Gonzalez, FJ; Auwerx, J. (1997). Alterations in lipoprotein metabolism in peroxisome proliferator-activated receptor alpha-deficient mice. *J Biol Chem.* 272: 27307-27312.
- Peters, JM; Rusyn, I; Rose, ML; Gonzalez, FJ; Thurman, RG. (2000). Peroxisome proliferator-activated receptor alpha is restricted to hepatic parenchymal cells, not Kupffer cells: implications for the mechanism of action of peroxisome proliferators in hepatocarcinogenesis. *Carcinogenesis.* 21: 823-826.
- Peters, JM; Vanden Heuvel, JP. (2002). Peroxisome, peroxisome proliferators and peroxisome-proliferator activated receptors (PPARs). In JP Vanden Heuvel; GH Perdew; WB Mattes; WF Greenlee (Eds.), (pp. 133-158). Amsterdam: Elsevier Science.
- Peters, S; Vermeulen, R; Cassidy, A; Mannetje, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med.* 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Petit, N; Bouzaza, A; Wolbert, D; Petit, P; Dussaud, J. (2007). Photocatalytic degradation of gaseous perchloroethylene in continuous flow reactors: Rate enhancement by chlorine radicals. *Catalysis Today.* 124: 266-272. <http://dx.doi.org/10.1016/j.cattod.2007.03.050>.
- Petitta, M; Pacioni, E, va; Sbarbati, C; Corvatta, G; Fanelli, M; Aravena, R. (2013). Hydrodynamic and isotopic characterization of a site contaminated by chlorinated solvents: Chienti River Valley, Central Italy. *Appl Geochem.* 32: 164-174. <http://dx.doi.org/10.1016/j.apgeochem.2012.09.012>.
- Petreas, MX; Woodlee, J; Becker, CE; Rappaport, SM. (1995). Retention of styrene following controlled exposure to constant and fluctuating air concentrations. *Int Arch Occup Environ Health.* 67: 27-34.
- Petrov, RV; Zirka, AA; Reshetnikov, SI. (2013). Determination of parameters of a mathematical model for regeneration of a chromium-aluminum catalyst for gas-phase perchloroethylene hydrofluorination into pentafluoroethane (Freon 125). *Kinet Catal.* 54: 644-647. <http://dx.doi.org/10.1134/S0023158413050133>.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Manag Res.* 33: 339-344. <http://dx.doi.org/10.1177/0734242X14567505>.
- Peyton, GR; Huang, FY; Burlison, JL; Glaze, WH. (1982). DESTRUCTION OF POLLUTANTS IN WATER WITH OZONE IN COMBINATION WITH ULTRAVIOLET-RADIATION .1. GENERAL-PRINCIPLES AND OXIDATION OF TETRACHLOROETHYLENE. *Environ Sci Technol.* 16: 448-453.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res.* 39: 4521-4527. <http://dx.doi.org/10.1016/j.watres.2005.09.016>.
- Phares, D; Verma, M; Horvath, B; Rodgers, N. (2013). Comparing International Standards to North American Standards for Large Adjustable-Speed Drives. *I E E E Transactions on Industry Applications.* 49. <http://dx.doi.org/10.1109/TIA.2013.2260811>.
- Phelan, TJ; Abriola, LM; Gibson, JL; Smits, KM; Christ, JA. (2015). Development and application of a screening model for evaluating bioenhanced dissolution in DNAPL source zones. *J Contam Hydrol.* 183: 1-15. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.001>.
- Phelan, TJ; Lemke, LD; Bradford, SA; O'Carroll, DM; Abriola, LM. (2004). Influence of textural and wettability variations on predictions of DNAPL persistence and plume development in saturated porous media. *Advances in Water Resources.* 27: 411-427. <http://dx.doi.org/10.1016/j.advwatres.2004.02.011>.
- Phelps, TJ; Niedzielski, JJ; Malachowsky, KJ; Schram, RM; Herbes, SE; White, DC. (1991). BIODEGRADATION OF MIXED-ORGANIC WASTES BY MICROBIAL CONSORTIA IN CONTINUOUS-RECYCLE EXPANDED-BED BIOREACTORS. *Environ Sci Technol.* 25: 1461-1465.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res.* 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. *Environ Sci Technol.* 47: 1510-1517. <http://dx.doi.org/10.1021/es303390q>.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. *J Contam Hydrol.* 147: 25-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.002>.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. *J Contam Hydrol.* 170: 28-38. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.010>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere.* 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. *Chemosphere.* 91: 7-13. <http://dx.doi.org/10.1016/j.chemosphere.2012.11.016>.
- Phillips, RD; Moran, EJ; Dodd, DE; Fowler, EH; Kary, CD; O'Donoghue, J. (1987). A 14-week vapor inhalation toxicity study of methyl isobutyl ketone. *Fundam Appl Toxicol.* 9: 380-388.
- Pignatello, JJ. (1991). DESORPTION OF TETRACHLOROETHENE AND 1,2-DIBROMO-3-CHLOROPROPANE FROM AQUIFER SEDIMENTS. *Environ Toxicol Chem.* 10: 1399-1404.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted fenton reaction. *Environ Sci Technol.* 33: 1832-1839.
- Pike, MC; Casagrande, J; Smith, PG. (1975). Statistical analysis of individually matched case-control studies in epidemiology: Factor under study a discrete variable taking multiple values. *Br J Prev Soc Med.* 29: 196-201.
- Pillay, P; Hofmann, P; Manyage, M. (2002). Derating of induction motors operating with a combination of unbalanced voltages and over or undervoltages. *IEEE Transactions on Energy Conversion.* 17: 485-491. <http://dx.doi.org/10.1109/TEC.2002.805228>.
- Pinisakul, A; Kritayakornpong, C; Ruangpornvisuti, V. (2008). Molecular modeling of nitrosamines adsorbed on H-ZSM-5 zeolite: an ONIOM study. *J Mol Model.* 14: 1035-1041. <http://dx.doi.org/10.1007/s00894-008-0346-4>.
- Pipino, AC; Woodward, JT; Meuse, CW; Silin, V. (2004). Surface-plasmon-resonance-enhanced cavity ring-down detection. *J Chem Phys.* 120: 1585-1593. <http://dx.doi.org/10.1063/1.1629279>.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol.* 190: 29-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.03.005>.
- Pitkaaho, S; Matejova, L; Jiratova, K; Ojala, S; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V2O5 catalysts supported on Al2O3, Al2O3-TiO2 and Al2O3-CeO2. Part 2. *Appl Catal B-Environ.* 126: 215-224. <http://dx.doi.org/10.1016/j.apcatb.2012.07.025>.
- Pitkaaho, S; Matejova, L; Ojala, S; Gaalova, J; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V2O5 catalysts supported on Al2O3, Al2O3-TiO2 and Al2O3-CeO2. *Appl Catal B-Environ.* 113: 150-159. <http://dx.doi.org/10.1016/j.apcatb.2011.11.032>.
- Pitkaaho, S; Nevanpera, T; Matejova, L; Ojala, S; Keiski, RL. (2013). Oxidation of dichloromethane over Pt, Pd, Rh, and V(2)O(5) catalysts supported on Al(2)O(3), Al(2)O(3)-TiO(2) and Al(2)O(3)-CeO(2). *Appl Catal B-Environ.* 138-139 (Jul 17): 33-42. <http://dx.doi.org/10.1016/j.apcatb.2013.01.058>.
- Pitkaaho, S; Ojala, S; Kinnunen, T; Silvonon, R; Keiski, RL. (2011). Catalytic Oxidation of Dichloromethane and Perchloroethylene: Laboratory and Industrial Scale Studies. *Top Catal.* 54: 1257-1265. <http://dx.doi.org/10.1007/s11244-011-9748-0>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ.* 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pittman, CU; He, J. (2002). Dechlorination of PCBs, CAHs, herbicides and pesticides neat and in soils at 25 degrees C using Na/NH3. *J Hazard Mater.* 92: 51-62.
- Pizzol, L; Zabeo, A; Critto, A; Giubilato, E; Marcomini, A. (2015). Risk-based prioritization methodology for the classification of groundwater pollution sources. *Sci Total Environ.* 506-507: 505-517. <http://dx.doi.org/10.1016/j.scitotenv.2014.11.014>.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol.* 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Platteborzestienlet, K; Zeegershuyskens, T. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct.* 378: 29-34.
- Plattner, T. (2005). Modelling public risk evaluation of natural hazards: a conceptual approach. *Natural Hazards and Earth System Sciences.* 5: 357-366.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull.* 13: 1151-1157.
- Plevova, J; Frantik, E; Chladkova, D. (1975). A contribution to the problem of interaction between drugs and some air pollutants. *Proceedings of the European Soc Toxicola.* 16: 303-306.
- Plotnikov, VA; Petrov, AP. (1976). Combined effect of trichloroacetic acid and dimethyl sulfate on arabidopsis with respect to the role of histones in mutation process. *Cytology and Genetics.* 10: 33-36.
- Pocklington, WD. (1992). Determination of tetrachloroethylene: Results of a collaborative study and the standardized method. *J Am Oil Chem Soc.* 69: 789-793. <http://dx.doi.org/10.1007/BF02635916>.
- Pogribny, IP; Tryndyak, VP; Woods, CG; Witt, SE; Rusyn, I. (2007). Epigenetic effects of the continuous exposure to peroxisome proliferator WY-14,643 in mouse liver are dependent upon peroxisome proliferator activated receptor alpha. *Mutat Res-Fundam Mol Mech Mutagen.* 625: 62-71. <http://dx.doi.org/10.1016/j.mrfmmm.2007.05.004>.
- Pohl, HR; Roney, N; Wilbur, S; Hansen, H; De Rosa, CT. (2003). Six interaction profiles for simple mixtures. *Chemosphere.* 53: 183-197. [http://dx.doi.org/10.1016/S0045-6535\(03\)00436-3](http://dx.doi.org/10.1016/S0045-6535(03)00436-3).
- Pohlbeln, H; Boffetta, P; Ahrens, W; Merletti, F; Agudo, A; Benhamou, E; Benhamou, S; Bruske-Hohlfeld, I; Ferro, G; Fortes, C; Kreuzer, M; Mendes, A; Nyberg, F; Pershagen, G; Saracci, R; Schmid, G; Siemiatycki, J; Simonato, L; Whitley, E; Wichmann, HE; Winck, C; Zambon, P; Jockel, KH. (2000). Occupational risks for lung cancer among nonsmokers. *Epidemiology.* 11: 532-538.
- Pohlbeln, H; Jöckel, KH; Bolm-Audorff, U. (1999). Non-occupational risk factors for cancer of the lower urinary tract in Germany. *Eur J Epidemiol.* 15: 411-419. <http://dx.doi.org/10.1023/A:1007595809278>.
- Polak, J; Murakami, S; Lam, VT; Benson, GC. (1970). EXCESS ENTHALPY, VOLUME, AND GIBBS FREE ENERGY OF CYCLOPENTANE-TETRACHLOROETHYLENE MIXTURES AT 25 DEGREES C. *Journal of Chemical and Engineering Data.* 15: 323-&.
- Poli, D; Manini, P; Andreoli, R; Franchini, I; Mutti, A. (2005). Determination of dichloromethane, trichloroethylene and perchloroethylene in urine samples by headspace solid phase microextraction gas chromatography-mass spectrometry. *Journal of Chromatography B.* 820: 95-102. <http://dx.doi.org/10.1016/j.jchromb.2005.03.00>

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol.* 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).
- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environ Sci Technol.* 37: 3181-3188. <http://dx.doi.org/10.1021/es026352i>.
- Ponangi, R; Pintauro, PN. (1998). Measurement and interpretation of equilibrium organic vapor sorption in polyurethane membranes. *J Memb Sci.* 144: 25-35.
- Ponangi, R; Pintauro, PN; De Kee, D. (2000). Free volume analysis of organic vapor diffusion in polyurethane membranes. *J Memb Sci.* 178: 151-164.
- Ponangi, RP; Pintauro, PN. (1996). Separation of volatile organic compounds from dry and humidified nitrogen using polyurethane membranes. *Ind Eng Chem Res.* 35: 2756-2765.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 549-559. <http://dx.doi.org/10.1080/10934521003595233>.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KT; Prommer, H. (2009). Aerobic biodegradation of chlorinated ethenes in a fractured bedrock aquifer: quantitative assessment by compound-specific isotope analysis (CSIA) and reactive transport modeling. *Environ Sci Technol.* 43: 7458-7464. <http://dx.doi.org/10.1021/es900658n>.
- Poon, JK; Dahlbom, ML; Casey, ME; Qi, J; Cherry, SR; Badawi, RD. (2015). Validation of the SimSET simulation package for modeling the Siemens Biograph mCT PET scanner. *Phys Med Biol.* 60: N35-N45. <http://dx.doi.org/10.1088/0031-9155/60/3/N35>.
- Poon, JK; Dahlbom, ML; Moses, WW; Balakrishnan, K; Wang, W; Cherry, SR; Badawi, RD. (2012). Optimal whole-body PET scanner configurations for different volumes of LSO scintillator: a simulation study. *Phys Med Biol.* 57: 4077-4094. <http://dx.doi.org/10.1088/0031-9155/57/13/4077>.
- Popat, SC; Deshusses, MA. (2009). Reductive dehalogenation of trichloroethene vapors in an anaerobic biotrickling filter. *Environ Sci Technol.* 43: 7856-7861. <http://dx.doi.org/10.1021/es901305x>.
- Popat, SC; Zhao, K; Deshusses, MA. (2012). Bioaugmentation of an anaerobic biotrickling filter for enhanced conversion of trichloroethene to ethene. *Chem Eng J.* 183: 98-103. <http://dx.doi.org/10.1016/j.cej.2011.12.026>.
- Popota, FD; Aguiar, P; España, S; Lois, C; Udias, JM; Ros, D; Pavia, J; Gispert, JD. (2015). Monte Carlo simulations versus experimental measurements in a small animal PET system. A comparison in the NEMA NU 4-2008 framework. *Phys Med Biol.* 60: 151-162. <http://dx.doi.org/10.1088/0031-9155/60/1/151>.
- Popota, FD; Aguiar, P; Raul Herance, J; Pareto, D; Rojas, S; Ros, D; Pavia, J; Domingo Gispert, J. (2012). Comparison of the Performance Evaluation of the MicroPET R4 Scanner According to NEMA Standards NU 4-2008 and NU 2-2001. *IEEE Trans Nucl Sci.* 59: 1879-1886. <http://dx.doi.org/10.1109/TNS.2012.2208760>.
- Popp, JA. (1984). *Mouse liver neoplasia.* Washington, DC: Hemisphere.
- Popp, W; Muller, G; Baltes-Schmitz, B; Wehner, B; Vahrenholz, C; Schmieding, W; Benninghoff, M; Norpoth, K. (1992). Concentrations of tetrachloroethene in blood and trichloroacetic acid in urine in workers and neighbours of dry-cleaning shops. *Int Arch Occup Environ Health.* 63: 393-395.
- Porru, S; Aulenti, V; Donato, F; Boffetta, P; Fazioli, R; Cosciani Cunico, S; Alessio, L. (1996). Bladder cancer and occupation: A case-control study in northern Italy. *Occup Environ Med.* 53: 6-10.
- Portier, CJ. (1988). Species correlation of chemical carcinogens. *Risk Anal.* 8: 551-553. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01196.x>.
- Potyrailo, RA; May, RJ; Sivavec, TM. (2004). Recognition and quantification of perchloroethylene, trichloroethylene, vinyl chloride, and three isomers of dichloroethylene using acoustic wave sensor array. *Sensor Letters.* 2: 31-36. <http://dx.doi.org/10.1166/sl.2004.019>.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem.* 76: 7023-7027. <http://dx.doi.org/10.1021/ac049481l>.
- Poulsen, MM; Kueper, BH. (1992). A FIELD EXPERIMENT TO STUDY THE BEHAVIOR OF TETRACHLOROETHYLENE IN UNSATURATED POROUS-MEDIA. *Environ Sci Technol.* 26: 889-895.
- Poulson, SR; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environ Sci Technol.* 36: 3270-3274. <http://dx.doi.org/10.1021/es0205380>.
- Poulson, SR; Naraoka, H. (2006). Carbon isotope fractionation during degradation of benzene, trichloroethene, and tetrachloroethene under ultraviolet light. *Geochemical Journal.* 40: 291-296.
- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands.* 31: 45-52. <http://dx.doi.org/10.1007/s13157-010-0134-7>.
- Powell, JF. (1945). Trichloroethylene: Absorption, elimination and metabolism. *Br J Ind Med.* 2: 142-145.
- Prade, K; Schmax, S. (1998). Rapid headspace-GC determination of the soil-water partition ratio of volatile hydrocarbons. *Z Pflanzenenernaehr Bodenkd.* 161: 647-651.
- Prado, C; Marin, P; Periago, JF. (2003). Application of solid-phase microextraction and gas chromatography-mass spectrometry to the determination of volatile organic compounds in end-exhaled breath samples. *J Chromatogr A.* 1011: 125-134. [http://dx.doi.org/10.1016/S0021-9673\(03\)01103-8](http://dx.doi.org/10.1016/S0021-9673(03)01103-8).
- Prager, L; Doweit, P; Langguth, H; Schuchmann, HP; von Sonntag, C. (2001). Hydrolytic removal of the chlorinated products from the oxidative free-radical-induced degradation of chloroethylenes: acid chlorides and chlorinated acetic acids. 1641-1647. <http://dx.doi.org/10.1039/b101687n>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng.* 126: 622-628.
- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol.* 72: 47-54.
- Prasad, R; Ratib, O; Zaidi, H. (2011). NEMA NU-04-based performance characteristics of the LabPET-8™ small animal PET scanner. *Phys Med Biol.* 56: 6649-6664. <http://dx.doi.org/10.1088/0031-9155/56/20/009>.
- Prasad, TEV; Banerjee, S; Babu, JK; Prasad, DHL. (2004). Boiling temperature measurements on the binary mixtures formed by dimethyl carbonate with some chloroethanes and chloroethylenes at 95.8 kPa. *Fluid Phase Equilibria.* 218: 291-293. <http://dx.doi.org/10.1016/j.fluid.2004.01.027>.
- Prasad, TEV; Harish, G; Krupavaram, N; Prasad, S; Jaiswal, A; Prasad, DHL. (2005). Bubble points of some binary mixtures formed by o-cresol at 95.75 kPa. *Fluid Phase Equilibria.* 238: 45-51. <http://dx.doi.org/10.1016/j.fluid.2005.09.012>.
- Prasad, TEV; Kumar, AS; Prasad, DHL. (2002). Boiling temperature measurements on the binary mixtures formed by acetonitrile with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria.* 201: 47-55.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Densities and viscosities of the binary mixtures of chloroethylenes with some aliphatic alcohols. *Journal of Chemical and Engineering Data.* 47: 68-71. <http://dx.doi.org/10.1021/je010141w>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Vapor-liquid equilibria in trichloroethylene plus ethanol, plus isopropanol, and plus isobutanol and in tetrachloroethylene plus methanol at 95 kPa. *Journal of Chemical and Engineering Data.* 47: 816-817. <http://dx.doi.org/10.1021/je010248j>.
- Prasad, TEV; Patanjali, V; Sudhakar, TA; Radhika, BS; Arvind, VM; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures of n-heptane or nitrobenzene or chlorobenzene with some chloroethanes and chloroethylenes at (94.6 to 95.8) kPa. *Journal of Chemical and Engineering Data.* 49: 199-201. <http://dx.doi.org/10.1021/je030185>.
- Prasad, TEV; Phanibhushan, A; Prasad, DHL. (1998). Bubble temperature measurements on m-cresol with some chlorohydrocarbons. *Fluid Phase Equilibria.* 153: 81-85.
- Prasad, TEV; Prasad, DHL; Babu, JK; Banarjee, S. (2004). Bubble temperature measurements on the binary mixtures formed by 1,2-dimethylbenzene with some chloroethanes and chloroethylenes at 95.8 KPA. *Chemical Engineering Communications.* 191: 1323-1328. <http://dx.doi.org/10.1080/00986440490464246>.
- Prasad, TEV; Prasad, DHL; Krishna, VBV. (2005). Bubble temperature measurements on the binary mixtures of sec-butanol with chloroethanes and chloroethylenes at 94.6 kPa. *Chemical Engineering Communications.* 192: 168-173. <http://dx.doi.org/10.1080/00986440590473371>.
- Prasad, TEV; Prasad, DHL; Patanjali, V. (2005). Bubble temperature measurements on seven binary mixtures containing 1-4-dimethylbenzene at 95.8 kPa. *Chemical Engineering Communications.* 192: 18-22. <http://dx.doi.org/10.1080/00986440590473164>.
- Prasad, TEV; Raj, EDA; Maheedhar, G; Reddy, MS; Kumar, VS; Garapati, S; Patanjali, V; Prasad, DHL. (2004). Bubble-temperature measurements on some binary mixtures formed by tetrahydrofuran or amyl alcohol with hydrocarbons, chlorohydrocarbons, or butanols at (94.6 or 95.8) kPa. *Journal of Chemical and Engineering Data.* 49: 746-749. <http://dx.doi.org/10.1021/je030141r>.
- Prasad, TEV; Sankar, B; Kumar, RP; Prasad, DHL. (2003). Boiling temperature measurements on the binary mixtures formed by tert-butanol with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria.* 213: 147-152. [http://dx.doi.org/10.1016/S0378-3812\(03\)00287-5](http://dx.doi.org/10.1016/S0378-3812(03)00287-5).
- Prasad, TEV; Sravani, Y; Ranjita, VS, ri; Prasada, DHL. (2006). Excess Gibbs' energies of selected binary mixtures formed by N,N-dimethyl formamide at 95.5 kPa. *Fluid Phase Equilibria.* 249: 49-54. <http://dx.doi.org/10.1016/j.fluid.2006.08.018>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of dehydroepiandrosterone (DHEA) on the metabolism of 7,12-dimethylbenz[a]anthracene (DMBA) in rats. *Carcinogenesis.* 10: 953-955. <http://dx.doi.org/10.1093/carcin/10.5.953>.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H2O2/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag.* 16: 327-333.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research.* 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, RG; Taylor, SA; Chivers, I; Arce-Tomas, M; Crutcher, E; Franchini, I; Slinovi, R; Cavazzini, S; Bergamaschi, E; Mutti, A; Vettori, MV; Lauwerys, R; Bernard, A; Kabanda, A; Roels, H; Thielemans, N; Hotz, P; De Broe, ME; Elseviers, MM; Nuyts, GD; Gelpi, E; Hotter, G; Rosello, J; Ramis, I; Stolte, H; Fels, LM; Eisenberger, U. (1996). Development and validation of new screening tests for nephrotoxic effects [Review]. *Hum Exp Toxicol.* 15: S10-S19.
- Propper, R; Wong, P; Bui, S; Austin, J; Vance, W; Alvarado, Á; Croes, B; Luo, D. (2015). Ambient and Emission Trends of Toxic Air Contaminants in California. *Environ Sci Technol.* 49: 11329-11339. <http://dx.doi.org/10.1021/acs.est.5b02766>.
- Provoost, J; Reijnders, L; Swartjes, F; Bronders, J, an; Seuntjens, P; Lijzen, J. (2009). Accuracy of seven vapour intrusion algorithms for VOC in groundwater. *Journal of Soils and Sediments.* 9: 62-73. <http://dx.doi.org/10.1007/s11368-008-0036-y>.
- Przetakiewicz, J. (2015). The Viability of Winter Sporangia of *Synchytrium endobioticum* (Schilb.) Perc. from Poland. *American Journal of Potato Research.* 92: 704-708. <http://dx.doi.org/10.1007/s12230-015-9480-6>.
- Ptacek, B; Dalard, F; Rameau, JJ. (1996). Iron phosphating in a trichloroethylene solution. *Surf Coating Tech.* 82: 277-283.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol.* 10: 119-158. [http://dx.doi.org/10.1016/0169-7722\(92\)90026-B](http://dx.doi.org/10.1016/0169-7722(92)90026-B).
- Pu, Z; Mi, J, ie; Kang, J; Zhang, S. (2015). Kinetics and activation energy of solvent swelling of coal altered by an ultrasonication-enhanced process. *Korean J Chem Eng.* 32: 74-78. <http://dx.doi.org/10.1007/s11814-014-0189-x>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Puigserver, D; Herrero, J; Torres, M; Cortés, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int.* 23: 18724-18741. <http://dx.doi.org/10.1007/s11356-016-7068-4>.
- Pukkala, E; Malila, N; Hakama, M. (2010). Socioeconomic differences in incidence of cervical cancer in Finland by cell type. *Acta Oncol.* 49: 180-184. <http://dx.doi.org/10.3109/02841860903386390>.
- Pukkala, E; Martinsen, J; Lyngge, E; Gunnarsdottir, H; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kjaerheim, K. (2009). Occupation and cancer - follow-up of 15 million people in five Nordic countries. *Acta Oncol.* 48: 646-790. <http://dx.doi.org/10.1080/02841860902913546>.
- Puma, GL, i; Salvado-Estivill, I; Obee, TN; Hay, SO. (2009). Kinetics rate model of the photocatalytic oxidation of trichloroethylene in air over TiO<sub>2</sub> thin films. *Separation and Purification Technology.* 67: 226-232. <http://dx.doi.org/10.1016/j.seppur.2009.03.011>.
- Pusz, A; Kulig, A. (2014). MONITORING OF TRICHLOROETHENE AND TETRACHLOROETHENE CONTENT IN SOIL-WATER ENVIRONMENT IN THIRD PHASE OF ECOLOGICAL AUDIT OF LAND. 40: 65-80. <http://dx.doi.org/10.2478/aep-2014-0016>.
- Putnam, ML; Sindermann, AB. (1994). ERADICATION OF POTATO WART DISEASE FROM MARYLAND. *Am Potato J.* 71: 743-747.
- Putthividhya, A; Rodphai, S. (2013). Use of geostatistical models in DNAPL source zone architecture and dissolution profiles assessment in spatially variable aquifer. *Environ Earth Sci.* 70: 1983-1991. <http://dx.doi.org/10.1007/s12665-013-2713-4>.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *J Environ Eng.* 131: 196-205. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(196\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(196)).
- Pyle, JA; Ashfold, MJ; Harris, NRP; Robinson, AD; Warwick, NJ; Carver, GD; Gostlow, B; O'Brien, LM; Manning, AJ; Phang, SM; Yong, SE; Leong, KP; Ung, EH; Ong, S. (2011). Bromoform in the tropical boundary layer of the Maritime Continent during OP3. *Atmos Chem Phys.* 11: 529-542. <http://dx.doi.org/10.5194/acp-11-529-2011>.
- Qian, L; Ren, Y, u; Liu, T; Pan, D; Wang, H; Chen, G. (2012). Influence of KIT-6's pore structure on its surface properties evaluated by inverse gas chromatography. *Chem Eng J.* 213: 186-194. <http://dx.doi.org/10.1016/j.cej.2012.09.110>.
- Qiao, Q, i; Lu, H; Ge, J; Xi, X, i; Chen, R; Yang, J; Zhu, J; Shi, Z; Chu, J. (2014). 18.5% efficient AlOx/SiNy rear passivated industrial multicrystalline silicon solar cells. *Appl Surf Sci.* 305: 439-444. <http://dx.doi.org/10.1016/j.apsusc.2014.03.108>.
- Qin, H, ua; Brookes, PC; Xu, J; Feng, Y. (2014). Bacterial degradation of Aroclor 1242 in the mycorrhizosphere soils of zucchini (*Cucurbita pepo* L.) inoculated with arbuscular mycorrhizal fungi. *Environ Sci Pollut Res Int.* 21: 12790-12799. <http://dx.doi.org/10.1007/s11356-014-3231-Y>.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ.* 381: 17-37. <http://dx.doi.org/10.1016/j.scitotenv.2007.04.011>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A.* 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Qiu, Z; Yang, W; He, L; Zhao, Z; Lu, S; Sui, Q. (2016). Characteristics and influencing factors of tetrachloroethylene sorption-desorption on soil and its components. *Chemosphere.* 144: 895-901. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.047>.
- Quack, B; Suess, E. (1999). Volatile halogenated hydrocarbons over the western Pacific between 43 degrees and 4 degrees N. *J Geophys Res Atmos.* 104: 1663-1678.
- Quadri, G; Chen, X; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased surfactant-like molecules from organic wastes: The effect of waste composition and composting process on surfactant properties and on the ability to solubilize tetrachloroethene (PCE). *Environ Sci Technol.* 42: 2618-2623. <http://dx.doi.org/10.1021/es702144t>.
- Quadri, G; Chen, X; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased Surfactant-Like Molecules from Organic Wastes: The Effect of Waste Composition and Composting Process on Surfactant Properties and on the Ability to Solubilize Tetrachloroethene (PCE) (vol 42, pg 2618, 2008). *Environ Sci Technol.* 42: 8613-8613.
- Quan, ZJ, un; Ren, RG, uo; Da, Y, uXia; Zhang, Z; Wang, X, iCun. (2011). Alkylation of SH-Heterocycles with Diethyl Phosphite Using Tetrachloroethylene as an Efficient Solvent. *Heteroatom Chemistry.* 22: 653-658. <http://dx.doi.org/10.1002/hc.20729>.
- Qui, W; Zhou, YB; Shao, CH; Sun, YD; Zhang, QY; Chen, CY; Jia, JH. (2009). *Helicobacter pylori* Proteins Response to Nitric Oxide Stress. *J Microbiol.* 47: 486-493. <http://dx.doi.org/10.1007/s12275-008-0266-0>.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol.* 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Rabbani, GH; Gilman, RH; Kabir, I; Mondel, G. (1985). The treatment of Fasciolopsis buski infection in children: a comparison of thiabendazole, mebendazole, levamisole, pyrantel pamoate, hexylresorcinol and tetrachloroethylene. *Trans Roy Soc Trop Med Hyg.* 79: 513-515.
- Rachootin, P; Olsen, J. (1983). The risk of infertility and delayed conception associated with exposures in the Danish workplace. *J Occup Med.* 25: 394-402.
- Radhamma, M; Hsieh, CT; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2008). Isobaric vapor-liquid equilibrium for dimethylsulfoxide with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 53: 374-377. <http://dx.doi.org/10.1021/je700408x>.
- Radhamma, M; Sivakumar, K; Rao, MVP. (2004). Molecular interactions in binary liquid mixtures of dimethylsulphoxide with chloroethanes and chloroethenes. *Indian J Chem Tech.* 11: 710-713.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med.* 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Rae, I, anD. (2016). Substance Abuse: Carbon Tetrachloride and the Ozone Layer. *Australian Journal of Chemistry.* 69: 1375-1379. <http://dx.doi.org/10.1071/CH16451>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Raghavan, AS; Palmer, TA; Kragh-Buetow, KC; Domask, AC; Reutzel, EW; Mohney, SE; Debroy, T. (2015). Employing microsecond pulses to form laser-fired contacts in photovoltaic devices. *Progress in Photovoltaics*. 23: 1025-1036. <http://dx.doi.org/10.1002/pip.2523>.
- Rahm, BG; Richardson, RE. (2008). Correlation of respiratory gene expression levels and pseudo-steady-state PCE respiration rates in *Dehalococcoides ethenogenes*. *Environ Sci Technol*. 42: 416-421. <http://dx.doi.org/10.1021/es071455s>.
- Rahm, BG; Richardson, RE. (2008). *Dehalococcoides*' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environ Sci Technol*. 42: 5099-5105. <http://dx.doi.org/10.1021/es7D2912t>.
- Rai, SN; Bartlett, S; Krewski, D; Paterson, J. (2002). The use of probabilistic risk assessment in establishing drinking water quality objectives. *Hum Ecol Risk Assess*. 8: 493-509.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod*. 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Rajagopal, VK; Burris, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem*. 18: 1779-1782.
- Rajamanikandan, S; Sindhu, T; Durgapriya, D; Sophia, D; Ragavendran, P; Gopalakrishnan, VK. (2012). Protective effect of *Mollugo nudicaulis* Lam. on acute liver injury induced by perchloroethylene in experimental rats. *Asian Pacific Journal of Tropical Medicine*. 5: 862-867. [http://dx.doi.org/10.1016/S1995-7645\(12\)60161-8](http://dx.doi.org/10.1016/S1995-7645(12)60161-8).
- Rall, DP. (1977). Species differences in carcinogenesis testing. NY: 1383-1390.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect*. 113: 55-61.
- Ramlow, J; Bloemen, L. (1995). DRINKING-WATER AND LEUKEMIA. *Environ Health Perspect*. 103: 538-540.
- Ramlow, JM. (1995). [Comments on Aschengrau et al study on relationship of PCE and human leukemia] [letter] [Letter]. *Arch Environ Health*. 50: 170-171.
- Ramlow, JM. (1995). CRITIQUE OF REVIEW OF CHLORINATED SOLVENTS EPIDEMIOLOGY. *Am J Ind Med*. 27: 313-316.
- Ramos-Dorta, CV; Pino, V; Afonso, A. (2013). Monitoring polycyclic aromatic hydrocarbons in seawaters and wastewaters using a dispersive liquid-liquid microextraction method. *Environ Technol*. 34: 607-616. <http://dx.doi.org/10.1080/09593330.2012.710255>.
- Ramsburg, CA; Abriola, LM; Pennell, KD; Löffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environ Sci Technol*. 38: 5902-5914. <http://dx.doi.org/10.1021/es049675i>.
- Ramsburg, CA; Christ, JA; Douglas, S. R.; Boroumand, A, li. (2011). Analytical modeling of degradation product partitioning kinetics in source zones containing entrapped DNAPL. *Water Resour Res*. 47: 3507-3507. <http://dx.doi.org/10.1029/2010WR009958>.
- Ramsburg, CA; Pennell, KD. (2001). Experimental and economic assessment of two surfactant formulations for source zone remediation at a former dry cleaning facility. *Ground Water Monitoring and Remediation*. 21: 68-82.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for dense nonaqueous-phase liquid source-zone remediation: Density conversion using a partitioning alcohol. *Environ Sci Technol*. 36: 2082-2087. <http://dx.doi.org/10.1021/es0113571>.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environ Sci Technol*. 36: 3176-3187. <http://dx.doi.org/10.1021/es011403h>.
- Ramsburg, CA; Pennell, KD; Abriola, LM; Daniels, G; Drummond, CD; Gamache, M; Hsu, HL; Petrovskis, EA; Rathfelder, KM; Ryder, JL; Yavaraski, TP. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 2. System operation and evaluation. *Environ Sci Technol*. 39: 1791-1801. <http://dx.doi.org/10.1021/es049563r>.
- Ramsburg, CA; Pennell, KD; Kibbey, TC; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol*. 74: 105-131. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.008>.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environ Sci Technol*. 37: 4246-4253. <http://dx.doi.org/10.1021/es0210291>.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation product partitioning in source zones containing chlorinated ethene dense non-aqueous-phase liquid. *Environ Sci Technol*. 44: 9105-9111. <http://dx.doi.org/10.1021/es102536f>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol*. 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ran, Y; Xing, BS; Rao, PSC; Sheng, GY; Fu, JM. (2005). Sorption kinetics of organic contaminants by sandy aquifer and its kerogen isolate. *Environ Sci Technol*. 39: 1649-1657. <http://dx.doi.org/10.1021/es049114r>.
- Ranjan, RS; Karthigesu, T. (1996). A capillary flow meter for measuring the hydraulic conductivity of clay under low gradients. *Canadian Geotechnical Journal*. 33: 504-509.
- Rao, HV; Brown, DR. (1993). A physiologically based pharmacokinetic assessment of tetrachloroethylene in groundwater for a bathing and showering determination. *Risk Anal*. 13: 37-49. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00727.x>.
- Rao, KV; Prasad, AR. (1984). MEASUREMENT, CORRELATION AND PREDICTION OF BINARY VAPOR LIQUID EQUILIBRIA FOR ALCOHOL TETRACHLOROETHENE SYSTEMS. *Can J Chem Eng*. 62: 142-148.
- Rao, KV; Raviprasad, A; Chiranjivi, C. (1980). VAPOR-LIQUID-EQUILIBRIA OF SOME NORMAL-ALCOHOL-TETRACHLOROETHENE SYSTEMS. *Fluid Phase Equilibria*. 4: 293-302.
- Rao, MS; Reddy, JK. (1991). An overview of peroxisome proliferator-induced hepatocarcinogenesis. *Environ Health Perspect*. 93: 205-209.
- Rappaport, SM. (1993). Biological considerations in assessing exposures to genotoxic and carcinogenic agents. *Int Arch Occup Environ Health*. 65: S29-S35.
- Rappaport, SM; Kupper, LL. (2004). Variability of environmental exposures to volatile organic compounds. *J Expo Anal Environ Epidemiol*. 14: 92-107. <http://dx.doi.org/10.1038/sj.jea.7500309>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Rapson, WH; Nazar, MA; Butsky, VV. (1980). Mutagenicity produced by aqueous chlorination of organic compounds. *Bull Environ Contam Toxicol.* 24: 590-596. <http://dx.doi.org/10.1007/BF01608160>.
- Rashid, M, dM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air Soil Pollut.* 216: 429-440. <http://dx.doi.org/10.1007/s11270-010-0542-6>.
- Rashid, M, dM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *J Environ Eng.* 138: 1179-1185. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000590](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000590).
- Rasile, DA; Donovick, PJ; Burrigh, RG. (1988). Cumulative and residual effects of low level lead exposure on development and behavioral activity in three generations of mice. 14: 326.
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation.* 20: 72-81.
- Rastkari, N; Ahmadvani, R; Yunesian, M. (2012). Simultaneous determination of trichloroethylene, perchloroethylene and trichloroacetic acid in human urine using solid-phase microextraction fibre coated with single-walled carbon nanotubes. *Int J Environ Anal Chem.* 92: 1650-1665. <http://dx.doi.org/10.1080/03067319.2011.581367>.
- Rathfelder, KM; Abriola, LM; Singletary, MA; Pennell, KD. (2003). Influence of surfactant-facilitated interfacial tension reduction on chlorinated solvent migration in porous media: observations and numerical simulation. *J Contam Hydrol.* 64: 227-252. [http://dx.doi.org/10.1016/S0169-7722\(02\)00205-X](http://dx.doi.org/10.1016/S0169-7722(02)00205-X).
- Rathfelder, KM; Abriola, LM; Taylor, TP; Pennell, KD. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 2. Numerical simulation. *J Contam Hydrol.* 48: 351-374. [http://dx.doi.org/10.1016/S0169-7722\(00\)00186-8](http://dx.doi.org/10.1016/S0169-7722(00)00186-8).
- Raucy, JL. (1995). Risk assessment: Toxicity from chemical exposure resulting from enhanced expression of CYP2E1. *Toxicology.* 105: 217-224. [http://dx.doi.org/10.1016/0300-483X\(95\)03216-3](http://dx.doi.org/10.1016/0300-483X(95)03216-3).
- Raul, SK; Panda, SN. (2013). Simulation-Optimization Modeling for Conjunctive Use Management under Hydrological Uncertainty. *Water Resources Management.* 27: 1323-1350. <http://dx.doi.org/10.1007/s11269-012-0240-9>.
- Raunio, H; Husgafvel-Pursiainen, K; Anttila, S; Hietanen, E; Hirvonen, A; Pelkonen, O. (1995). Diagnosis of polymorphisms in carcinogen-activating and inactivating enzymes and cancer susceptibility--a review [Review]. *Gene.* 159: 113-121.
- Raviprasad, A; Rao, KV; Chiranjivi, C. (1981). BINARY VAPOR-LIQUID-EQUILIBRIA OF ISO ALCOHOL-TETRACHLOROETHENE SYSTEMS. *Journal of Chemical and Engineering Data.* 26: 211-213.
- Raylman, RR; Stolin, AV; Martone, PF; Smith, MF. (2016). TandemPET- A High Resolution, Small Animal, Virtual Pinhole-Based PET Scanner: Initial Design Study. *IEEE Trans Nucl Sci.* 63: 75-83. <http://dx.doi.org/10.1109/TNS.2015.2482459>.
- Razafindratsima, S; Guerin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal.* 22: 1433-1446. <http://dx.doi.org/10.1007/s10040-014-1133-1>.
- Rea, WJ; Ross, GH; Johnson, AR; Smiley, RE; Fenyes, EJ. (1991). Chemical sensitivity in physicians [Review]. *Bol Asoc Med P R.* 83: 383-388.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO<sub>2</sub> pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination.* 5: 187-202.
- Rebelakos, A; Trichopoulos, D; Tzonou, A; Zavitsanos, X; Velonakis, E; Trichopoulos, A. (1985). Tobacco smoking, coffee drinking, and occupation as risk factors for bladder cancer in Greece. *J Natl Cancer Inst.* 75: 455-461.
- Rectanus, HV; Widdowson, MA; Chapelle, FH; Kelly, CA; Novak, JT. (2007). Investigation of reductive dechlorination supported by natural organic carbon. *Ground Water Monitoring and Remediation.* 27: 53-62.
- Reddy, AVB; Madhavi, V; Reddy, KG; Madhavi, G. (2013). Remediation of Chlorpyrifos-Contaminated Soils by Laboratory-Synthesized Zero-Valent Nano Iron Particles: Effect of pH and Aluminum Salts. *J Chem.* <http://dx.doi.org/10.1155/2013/521045>.
- Reddy, JK; Azarnoff, DL. (1980). Hypolipidaemic hepatic peroxisome proliferators form a novel class of chemical carcinogens. *Nature.* 283: 397-398.
- Reddy, JK; Lalwani, ND; Qureshi, SA; Reddy, MK; Moehle, CM. (1984). Induction of hepatic peroxisome proliferation in nonrodent species, including primates. *Am J Pathol.* 114: 171-183.
- Reddy, JK; Rao, MS. (1986). Peroxisome proliferators and cancer: mechanisms and implications. *Trends Pharmacol Sci.* 7: 438-443.
- Reddy, JK; Reddy, MK; Usman, MI; Lalwani, ND; Rao, MS. (1986). Comparison of hepatic peroxisome proliferative effect and its implication for hepatocarcinogenicity of phthalate esters, di(2-ethylhexyl) phthalate, and di(2-ethylhexyl) adipate with a hypolipidemic drug. *Environ Health Perspect.* 65: 317-327.
- Reed, PM; Ellsworth, TR; Minsker, BS. (2004). Spatial interpolation methods for nonstationary plume data. *Ground Water.* 42: 190-202.
- Regan, D. (1989). *Human brain electrophysiology.* New York: Elsevier Science.
- Regan, F; Walsh, F; Walsh, J. (2003). Development of plasticised PVC sensing films for the determination of BTEX compounds in aqueous samples. *Int J Environ Anal Chem.* 83: 621-631. <http://dx.doi.org/10.1080/0306731021000049635>.
- Reichard-Brown, JL; Spinner, H; McBride, K. (2009). Sea urchin embryos exposed to thalidomide during early cleavage exhibit abnormal morphogenesis later in development. *Birth Defects Res B Dev Reprod Toxicol.* 86: 496-505. <http://dx.doi.org/10.1002/bdrb.20215>.
- Reichert, D; Neudecker, T; Spengler, U; Henschler, D. (1983). Mutagenicity of dichloroacetylene and its degradation products trichloroacetyl chloride, trichloroacryloyl chloride and hexachlorobutadiene. *Mutat Res Genet Toxicol Environ Mutagen.* 117: 21-29. [http://dx.doi.org/10.1016/0165-1218\(83\)90149-0](http://dx.doi.org/10.1016/0165-1218(83)90149-0).
- Reichert, D; Spengler, U; Romen, W; Henschler, D. (1980). Nephrotoxic, mutagenic and carcinogenic potentials of dichloroacetylene and its decomposition products. *Naunyn Schmiedeberg's Arch Pharmacol.* 311: R25.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Reichert, D; Werner, HW; Metzler, M; Henschler, D. (1979). Molecular mechanism of 1,1-dichloroethylene toxicity: excreted metabolites reveal different pathways of reactive intermediates. *Arch Toxicol.* 42: 159-169.
- Reif, J. (1989). Passive household smoking and canine lung cancer. *J Am Vet Med Assoc.* 194: 1787.
- Reif, J; Pearce, N; Kawachi, I; Fraser, J. (1989). Soft-tissue sarcoma, non-Hodgkin's lymphoma and other cancers in New Zealand forestry workers. *Int J Cancer.* 43: 49-54.
- Reif, JS; Dunn, K; Ogilvie, GK; Harris, CK. (1992). Passive smoking and canine lung cancer risk. *Am J Epidemiol.* 135: 234-239.
- Reinhard, K; Dulson, W; Exner, M. (1989). CONCENTRATIONS OF TETRACHLOROETHYLENE IN INDOOR-AIR AND FOOD IN APARTMENTS IN THE VICINITY OF DRY CLEANING SHOPS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 189: 111-116.
- Reitsma, S; Dai, QL. (2001). Reaction-enhanced mass transfer and transport from non-aqueous phase liquid source zones. *J Contam Hydrol.* 49: 49-66.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol.* 136: 289-306.  
<http://dx.doi.org/10.1006/taap.1996.0036>.
- Reitz, RH; Mendrala, AL; Guengerich, FP. (1989). In vitro metabolism of methylene chloride in human and animal tissues: Use in physiologically based pharmacokinetic models. *Toxicol Appl Pharmacol.* 97: 230-246. [http://dx.doi.org/10.1016/0041-008X\(89\)90328-1](http://dx.doi.org/10.1016/0041-008X(89)90328-1).
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Intermediates in photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa.* 24: 643-650.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol.* 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol.* 49: 4293-4301.  
<http://dx.doi.org/10.1021/es506108j>.
- Renwick, AG. (1998). Toxicokinetics in infants and children in relation to the ADI and TDI. *Food Addit Contam.* 15: 17-35.  
<http://dx.doi.org/10.1080/02652039809374612>.
- Reshetnikov, SI; Zirka, AA; Petrov, RV; Ivanov, EA. (2011). Kinetics study of the perchloroethylene hydrofluorination into pentafluoroethane (Freon 125) over chromium-based catalyst. *Chem Eng J.* 176: 22-25. <http://dx.doi.org/10.1016/j.cej.2011.05.109>.
- Reulen, R; Kellen, E; Buntinx, F; Zeegers, M. (2007). Bladder cancer and occupation: A report from the Belgian case-control study on bladder cancer risk. *Am J Ind Med.* 50: 449-454. <http://dx.doi.org/10.1002/ajim.20469>.
- Reulen, RC; Kellen, E; Buntinx, F; Brinkman, M; Zeegers, MP. (2008). A meta-analysis on the association between bladder cancer and occupation [Review]. *Scand J Urol Nephrol Suppl*64-78. <http://dx.doi.org/10.1080/03008880802325192>.
- Révész, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and <sup>2</sup>HH<sub>2</sub>O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol.* 156: 62-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.004>.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E, va; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *Int Biodeterior Biodegradation.* 58: 239-247.  
<http://dx.doi.org/10.1016/j.ibiod.2006.06.018>.
- Reya, T; Morrison, SJ; Clarke, MF; Weissman, IL. (2001). Stem cells, cancer, and cancer stem cells [Review]. *Nature.* 414: 105-111.  
<http://dx.doi.org/10.1038/35102167>.
- Reyes Sanchez-Herrera, M; Salmeron-Revuelta, P; Perez-Litran, S; Perez-Valles, A. (2012). ASSESSMENT OF VOLTAGE UNBALANCE DEFINITIONS IN POWER SYSTEMS. *Dyna.* 87: 198-203. <http://dx.doi.org/10.6036/4375>.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water.* 40: 368-377.
- Reynolds, WD. (2016). A unified Perc Test-Well Permeameter methodology for absorption field investigations. *Geoderma.* 264: 160-170.  
<http://dx.doi.org/10.1016/j.geoderma.2015.10.015>.
- Rhomberg, L. (2008). Hypothesis-based weight of evidence and uncertainty characterization in a MoA framework [Paper]. California Mode of Action Workshop.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect.* 108: 343-358.
- Rhomberg, LR. (2007). Hypothesis-based weight of evidence: An approach to hazard identification and to uncertainty analysis for quantitative risk assessment. Arlington, VA: Aerospace Industries Association of America, Inc. <http://www.sra-ne.org/seminars/NAS%20Weight%20of%20Evidence%20Paper%20-%20Rhomberg.pdf>.
- Ribeiro, DS; Abraham, RJ. (2002). Conformational analysis: Part 37. A C-13 and H-1 NMR and theoretical investigation of the conformational equilibrium of 2-methylcyclohexanone oxime and of its O-methyl ether. *Magn Reson Chem.* 40: 49-56.  
<http://dx.doi.org/10.1002/mrc.950>.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environ Sci Technol.* 36: 2652-2662.  
<http://dx.doi.org/10.1021/es0157797>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Richiardi, L; Boffetta, P; Simonato, L; Forastiere, F; Zambon, P; Fortes, C; Gaborieau, V; Merletti, F. (2004). Occupational risk factors for lung cancer in men and women: A population-based case-control study in Italy. *Cancer Causes Control*. 15: 285-294. <http://dx.doi.org/10.1023/B:CACO.0000024223.91059.ed>.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol*. 65: 101-120. [http://dx.doi.org/10.1016/S0169-7722\(02\)00233-4](http://dx.doi.org/10.1016/S0169-7722(02)00233-4).
- Richnow, HH; Meckenstock, RU; Ask reitzel, L; Baun, A; Ledin, A; Christensen, TH. (2003). In situ biodegradation determined by carbon isotope fractionation of aromatic hydrocarbons in an anaerobic landfill leachate plume (Vejen, Denmark). *J Contam Hydrol*. 64: 59-72. [http://dx.doi.org/10.1016/s0169-7722\(02\)00104-3](http://dx.doi.org/10.1016/s0169-7722(02)00104-3).
- Richter, LP; Fischer, G; Sylla, L; Hentsche, M; Steckemetz, S; Mueller, M; Cobb, CL; Solberg, SE; Rao, R; Elrod, S; Palinginis, P; Schneiderloechner, E; Neuhaus, DH. (2015). Progress in fine-line metallization by co-extrusion printing on cast monosilicon PERC solar cells. *Solar Energy Materials and Solar Cells*. 142: 18-23. <http://dx.doi.org/10.1016/j.solmat.2015.05.023>.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation*. 28: 85-94. <http://dx.doi.org/10.1111/j.1745-6592.2008.00215.x>.
- Rickert, J; Weiss, T; Gopel, W. (1996). Self-assembled monolayers for chemical sensors: Molecular recognition by immobilized supramolecular structures. *Sens Actuators B*. 31: 45-50.
- Rieker, J. (1977). OPTIMUM EXPULSION OF PERCHLORETHYLENE FROM DISTILLATION RESIDUES - ESSENTIAL CONDITION FOR ECONOMICAL SOLVENT RECOVERY IN TEXTILE SOLVENT TECHNIQUES. 58: 502-510.
- Rieker, J. (1981). PROCESS TECHNICAL FUNDAMENTALS IN THE REMOVAL OF WATER FROM TEXTILE MATERIALS USING PERCHLOROETHYLENE. *Textilveredlung*. 16: 237-246.
- Rieker, J; Braun, W. (1978). CHARACTERIZATION AND TESTING OF COLLOIDAL CHEMICAL PROPERTIES OF TEXTILE AUXILIARIES FOR USE IN DRY CLEANING PROCESSES INVOLVING PERCHLOROETHYLENE. *Textilveredlung*. 13: 70-73.
- Rieker, J; Braun, W. (1981). CONTINUOUS CLEANING WITH PERCHLOROETHYLENE OF POLYESTER-COTTON FABRICS DYED WITH DISPERSE AND REACTIVE DYES. 62: 496-501.
- Rieker, J; Gerlinger, D. (1980). THE PROBLEM OF PERCHLOROETHYLENE RETENTION BY POLYESTER FIBERS AND ITS SOLUTION BY THE USE OF STEAM. 61: 884-889.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlader, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruise, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2005](http://seer.cancer.gov/csr/1975_2005).
- Rijhsinghani, KS; Abrahams, C; Swerdlow, MA; Rao, KV; Ghose, T. (1986). Induction of neoplastic lesions in the livers of C57BL x C3HF1 mice by chloral hydrate. *Cancer Detect Prev*. 9: 279-288.
- Rine, JM; Shafer, JM; Covington, E; Berg, RC. (2006). Testing of stack-unit/aquifer sensitivity analysis using contaminant plume distribution in the subsurface of Savannah River Site, South Carolina, USA. *Hydrogeology Journal*. 14: 1620-1634. <http://dx.doi.org/10.1007/s10040-006-0083-7>.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Methionine S-oxidation in human and rabbit liver microsomes: evidence for a high-affinity methionine S-oxidase activity that is distinct from flavin-containing monooxygenase 3. *Arch Biochem Biophys*. 367: 322-332. <http://dx.doi.org/10.1006/abbi.1999.1247>.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos*. 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol*. 51: 507-515.
- Rippelova, V; Janku, J; Kubal, M. (2009). Modelling Sorption of Volatile Organic Contaminants on Clay Soils Containing Organic Carbon. *Chem Listy*. 103: 569-574.
- Ris, H. (1949). The anaphase movement of chromosomes in the spermatocytes of the grasshopper. *Biol Bull*. 96: 90-106.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol*. 11: 1229-1238.
- Ritzi, RW, Jr; Huang, L; Ramanathan, R; Allen-King, RM. (2013). Horizontal spatial correlation of hydraulic and reactive transport parameters as related to hierarchical sedimentary architecture at the Borden research site. *Water Resour Res*. 49: 1901-1913. <http://dx.doi.org/10.1002/wrcr.20165>.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol*. 66: 117-146. [http://dx.doi.org/10.1016/S0169-7722\(03\)00006-8](http://dx.doi.org/10.1016/S0169-7722(03)00006-8).
- Rivett, MO; Chapman, SW; Allen-King, RM; Feenstra, S; Cherry, JA. (2006). Pump-and-treat remediation of chlorinated solvent contamination at a controlled field-experiment site. *Environ Sci Technol*. 40: 6770-6781. <http://dx.doi.org/10.1021/es0602748>.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environ Sci Technol*. 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (1994). TRANSPORT OF A DISSOLVED-PHASE PLUME FROM A RESIDUAL SOLVENT SOURCE IN A SAND AQUIFER. *J Hydrol*. 159: 27-41.
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol*. 49: 111-149. [http://dx.doi.org/10.1016/S0169-7722\(00\)00191-1](http://dx.doi.org/10.1016/S0169-7722(00)00191-1).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics*. 7: 313-323. <http://dx.doi.org/10.1080/15275920600996180>.
- Rivett, MO; Shepherd, KA; Keely, LL; Brennan, AE. (2005). Chlorinated solvents in the Birmingham aquifer, UK: 1986-2001. *Quarterly Journal of Engineering Geology and Hydrogeology*. 38: 337-350. <http://dx.doi.org/10.1144/1470-9236/04-051>.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol*. 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Rivier, L; Ciais, P; Hauglustaine, DA; Bakwin, P; Bousquet, P; Peylin, P; Klonecki, A. (2006). Evaluation of SF<sub>6</sub>, C<sub>2</sub>Cl<sub>4</sub>, and CO to approximate fossil fuel CO<sub>2</sub> in the Northern Hemisphere using a chemistry transport model. *J Geophys Res Atmos*. 111. <http://dx.doi.org/10.1029/2005JD006725>.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol*. 86: 3-31. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.013>.
- Roberts, AL; Gschwend, PM. (1991). MECHANISM OF PENTACHLOROETHANE DEHYDROCHLORINATION TO TETRACHLOROETHYLENE. *Environ Sci Technol*. 25: 76-86.
- Roberts, AL; Gschwend, PM. (1994). Interaction of abiotic and microbial processes in hexachloroethane reduction in groundwater. *J Contam Hydrol*. 16: 157-174. [http://dx.doi.org/10.1016/0169-7722\(94\)90050-7](http://dx.doi.org/10.1016/0169-7722(94)90050-7).
- Roberts, AL; Totten, LA; Arnold, WA; Burris, DR; Campbell, TJ. (1996). REDUCTIVE ELIMINATION OF CHLORINATED ETHYLENES BY ZERO-VALENT METALS. *Environ Sci Technol*. 30: 2654-2659.
- Roberts, RA; James, NH; Hasmall, SC; Holden, PR; Lambe, K; Macdonald, N; West, D; Woodyatt, NJ; Whitcome, D. (2000). Apoptosis and proliferation in nongenotoxic carcinogenesis: Species differences and role of PPAR $\alpha$  [Review]. *Toxicol Lett*. 112-113: 49-57. [http://dx.doi.org/10.1016/S0378-4274\(99\)00243-X](http://dx.doi.org/10.1016/S0378-4274(99)00243-X).
- Roberts, RA; Soames, AR; Gill, JH; James, NH; Wheeldon, EB. (1995). Non-genotoxic hepatocarcinogens stimulate DNA synthesis and their withdrawal induces apoptosis, but in different hepatocyte populations. *Carcinogenesis*. 16: 1693-1698.
- Robertson, WD; Murphy, AM; Cherry, JA. (1995). LOW-COST ON-SITE TREATMENT OF LANDFILL LEACHATE USING INFILTRATION BEDS - PRELIMINARY FIELD TRIAL. *Ground Water Monitoring and Remediation*. 15: 107-115.
- Robinson, AD; Harris, NRP; Ashfold, MJ; Gostlow, B; Warwick, NJ; O'Brien, LM; Beardmore, EJ; Nadzir, MSM; Phang, SM; Samah, AA; Ong, S; Ung, HE; Peng, LK; Yong, SE; Mohamad, M; Pyle, JA. (2014). Long-term halocarbon observations from a coastal and an inland site in Sabah, Malaysian Borneo. *Atmos Chem Phys*. 14: 8369-8388. <http://dx.doi.org/10.5194/acp-14-8369-2014>.
- Robinson, C; Barry, DA. (2009). Design tool for estimation of buffer requirement for enhanced reductive dechlorination of chlorinated solvents in groundwater. *Environ Modell Softw*. 24: 1332-1338. <http://dx.doi.org/10.1016/j.envsoft.2009.03.012>.
- Robinson, C; Barry, DA; McCarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ*. 407: 4560-4573. <http://dx.doi.org/10.1016/j.scitotenv.2009.03.029>.
- Robinson, S; Julyan, PJ; Hastings, DL; Zweit, J. (2004). Performance of a block detector PET scanner in imaging non-pure positron emitters - modelling and experimental validation with I-124. *Phys Med Biol*. 49: 5505-5528. <http://dx.doi.org/10.1088/0031-9155/49/24/008>.
- Robinson-Lora, M; Brennan, RA. (2009). The use of crab-shell chitin for biological denitrification: Batch and column tests. *Bioresour Technol*. 100: 534-541. <http://dx.doi.org/10.1016/j.biortech.2008.06.052>.
- Robra, BP; Seidler, A. (1994). A job-exposure matrix for exposure to solvents and other industry-related agents [Personal Communication].
- Roda, C; Kousignian, I; Ramond, A; Momas, I. (2013). Indoor tetrachloroethylene levels and determinants in Paris dwellings. *Environ Res*. 120: 1-6. <http://dx.doi.org/10.1016/j.envres.2012.09.005>.
- Rodilla, V; Banzie, AA; Veitch, JM; Murray, GI; Rowe, JD; Hawksworth, GM. (1998). Glutathione S-transferases in human renal cortex and neoplastic tissue: enzymatic activity, isoenzyme profile and immunohistochemical localization. *Xenobiotica*. 28: 443-456. <http://dx.doi.org/10.1080/004982598239371>.
- Rodriguez, C; Linge, K; Blair, P; Busetti, F; Devine, B; Van Buynder, P; Weinstein, P; Cook, A. (2012). Recycled water: potential health risks from volatile organic compounds and use of 1,4-dichlorobenzene as treatment performance indicator. *Water Res*. 46: 93-106. <http://dx.doi.org/10.1016/j.watres.2011.10.032>.
- Rodriguez, E; McGuinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol*. 45: 623-632. <http://dx.doi.org/10.1007/s00254-003-0920-0>.
- Rodriguez-Kabana, R; Gazaway, WS; Weaver, DW; King, PS; Weaver, CF. (1998). Host suitability of selected tropical legumes and other crops for the reniform nematode, *Rotylenchulus reniformis* Linford & Oliveira, 1940. *Nematropica*. 28: 195-203.
- Roeder, E; Falta, RW; Lee, CM; Coates, JT. (2001). DNAPL to LNAPL transitions during horizontal cosolvent flooding. *Ground Water Monitoring and Remediation*. 21: 77-88.
- Rogers, B; Logan, BE. (2000). Bacterial transport in NAPL-contaminated porous media. *J Environ Eng*. 126: 657-666.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull*. 24: 82-91.
- Rogers, L. (1992). HISTORY MATCHING TO DETERMINE THE RETARDATION OF PCE IN GROUND-WATER. *Ground Water*. 30: 50-60.
- Rohleder, K; Wiczorek, H; Haeseler, E. (1984). PERCHLOROETHYLENE IN TISSUES OF FATTENING PIGS .1. ANALYSIS AND DECONTAMINATION EXPERIMENTS. *Landwirtsch Forsch*. 37: 30-35.
- Roldán-Arjona, T; García-Pedrajas, MD; Luque-Romero, FL; Hera, C; Pueyo, C. (1991). An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis*. 6: 199-205. <http://dx.doi.org/10.1093/mutage/6.3.199>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Rombaldoni, F; Demichelis, R; Mazzuchetti, G; Ferri, A, da; Banchemo, M; Dotti, F. (2009). Effect of Carbon Dioxide Dry Cleaning on Low-stress Mechanical Properties, Air Permeability and Crease Pressing Performance of Men's Suit Fabrics. *Text Res J.* 79: 1168-1177. <http://dx.doi.org/10.1177/0040517509102397>.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal.* 4: 337-344. <http://dx.doi.org/10.2136/vzj2004.0100>.
- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res.* 44: 2107-2112. <http://dx.doi.org/10.1016/j.watres.2009.12.016>.
- Rong, Y; Wang, RF; Chou, R. (1998). Monte Carlo simulation for a groundwater mixing model in soil remediation of tetrachloroethylene. *Journal of Soil Contamination.* 7: 87-102.
- Rong, Y; Wu, G; Chen, HZ; Wang, M. (2005). Preparation of electrophoretic ink microcapsules and electrophoretic display prototype. *Chem J Chin Univ-Chin.* 26: 982-984.
- Roose, P; Van Thuyne, G; Belpaire, C; Raemaekers, M; Brinkman, UA. (2003). Determination of VOCs in yellow eel from various inland water bodies in Flanders (Belgium). *J Environ Monit.* 5: 876-884. <http://dx.doi.org/10.1039/b307862k>.
- Rose, MG; Berliner, N. (2004). T-cell large granular lymphocyte leukemia and related disorders [Review]. *Oncologist.* 9: 247-258.
- Rose, ML; Rivera, CA; Bradford, BU; Graves, LM; Cattley, RC; Schoonhoven, R; Swenberg, JA; Thurman, RG. (1999). Kupffer cell oxidant production is central to the mechanism of peroxisome proliferators. *Carcinogenesis.* 20: 27-33. <http://dx.doi.org/10.1093/carcin/20.1.27>.
- Rosenberg, E; Krska, R; Kellner, R. (1994). THEORETICAL AND PRACTICAL RESPONSE EVALUATION OF A FIBER OPTIC SENSOR FOR CHLORINATED HYDROCARBONS IN WATER. *Fresenius J Anal Chem.* 348: 560-562.
- Rosenkranz, HS; Klopman, G. (1990). 'Cryptic' mutagens and carcinogenicity [Review]. *Mutagenesis.* 5: 199-202. <http://dx.doi.org/10.1093/mutage/5.2.199>.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of Fe0 enhanced by a mixed culture containing two Dehalococcoides strains. *Chemosphere.* 55: 661-669. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.053>.
- Ross, JA. Dichloroacetic acid is mutagenic in big blue transgenic b6c3f1 mouse liver au - leavitt sa.
- Rossabi, J; Riha, BD; Eddy-Dilek, CA; Looney, BB; Hyde, WK. (2003). Recent advances in characterization of vadose zone dense non-aqueous phase liquids (DNAPL) in heterogeneous media. *Environmental and Engineering Geoscience.* 9: 25-36.
- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environ Sci Technol.* 39: 6845-6850. <http://dx.doi.org/10.1021/es0500052>.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res.* 40: 450-458.
- Rouze, NC; Hutchins, GD. (2003). Design and characterization of IndyPET-II: A high-resolution, high-sensitivity dedicated research scanner. *IEEE Trans Nucl Sci.* 50: 1491-1497. <http://dx.doi.org/10.1109/TNS.2003.817378>.
- Rowe, AR; Mansfeldt, CB; Heavner, GL; Richardson, RE. (2013). Methanospirillum respiratory mRNA biomarkers correlate with hydrogenotrophic methanogenesis rate during growth and competition for hydrogen in an organochlorine-respiring mixed culture. *Environ Sci Technol.* 47: 372-381. <http://dx.doi.org/10.1021/es303061y>.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc.* 102: 133-+.
- Rowe, BL; Toccalino, PL; Moran, MJ; Zogorski, JS; Price, CV. (2007). Occurrence and potential human-health relevance of volatile organic compounds in drinking water from domestic wells in the United States. *Environ Health Perspect.* 115: 1539-1546. <http://dx.doi.org/10.1289/ehp.10253>.
- Rowell, FJ; Fletcher, A; Packham, C. (1997). Recovery of some common solvents from an adhesive commercial skin adsorption pad by thermal desorption-gas chromatography. *Analyst.* 122: 793-796.
- Roy, A; Chien, YC; Weisel, CP; Georgopoulos, PG. (1999). Evaluation of a physiologically based pharmacokinetic model for perchloroethylene in humans at environmental exposure levels. *Epidemiology.* 10: S80-S80.
- Roy, AK; McMinn, DM; Biswas, NM. (1975). Estrogenic inhibition of the hepatic synthesis of alpha2u globulin in the rat. *Endocrinology.* 97: 1501-1508.
- Roy, G; Mielczarski, JA. (2002). Infrared detection of chlorinated hydrocarbons in water at ppb levels of concentrations. *Water Res.* 36: 1902-1908.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol.* 59: 163-186.
- Roy, JW; Smith, JE; Gillham, RW. (2004). Laboratory evidence of natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol.* 74: 145-161. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.009>.
- Roy, JW; Smith, JE; Gillham, RW. (2007). Capillary effects on natural remobilization of pools of dense non-aqueous phase liquid mixtures in porous media. *Soil Sediment Contam.* 16: 253-268. <http://dx.doi.org/10.1080/15320380701285659>.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *Int Biodeterior Biodegradation.* 51: 61-66.
- Rubin, H; Rathfelder, K; Spiller, M; Kongeter, J. (2006). Enhancement of remediation of NAPL contaminated fractured permeable formations - Modeling study. *J Environ Eng.* 132: 58-67. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(58\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(58)).
- Rubins, HB; Robins, SJ; Collins, D; Fye, CL; Anderson, JW; Elam, MB; Faas, FH; Linares, E; Schaefer, EJ; Schectman, G; Wilt, TJ; Wittes, J. (1999). Gemfibrozil for the secondary prevention of coronary heart disease in men with low levels of high-density lipoprotein cholesterol.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial Study Group. *N Engl J Med.* 341: 410-418. <http://dx.doi.org/10.1056/NEJM199908053410604>.
- Rubins, HB; Robins, SJ; Iwane, MK; Boden, WE; Elam, MB; Fye, CL; Gordon, DJ; Schaefer, EJ; Schectman, G; Wittes, JT. (1993). Rationale and design of the Department of Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial (HIT) for secondary prevention of coronary artery disease in men with low high-density lipoprotein cholesterol and desirable low-density lipoprotein cholesterol. *Am J Cardiol.* 71: 45-52.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case--control study. *Environ Health.* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health.* 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.
- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health.* 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem.* 22: 67-80.
- Rudolph, J; Koppmann, R; Plassdulmer, C. (1996). The budgets of ethane and tetrachloroethene: Is there evidence for an impact of reactions with chlorine atoms in the troposphere? *Atmos Environ.* 30: 1887-1894.
- Rudolph, J; Ramacher, B; Plass-Dulmer, C; Muller, KP; Koppmann, R. (1997). The indirect determination of chlorine atom concentration in the troposphere from changes in the patterns of non-methane hydrocarbons. *Tellus B Chem Phys Meteorol.* 49: 592-601. <http://dx.doi.org/10.1034/j.1600-0889.49.issue5.13.x>.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res.* 35: 1231-1246.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit.* 11: 1028-1036. <http://dx.doi.org/10.1039/b818487a>.
- Ruiz-Haas, P; Ingle, JD, Jr. (2007). Monitoring redox conditions with flow-based and fiber optic sensors based on redox indicators: Application to reductive dehalogenation in a bioaugmented soil column. *Geomicrobiology Journal.* 24: 365-378. <http://dx.doi.org/10.1080/01490450701459226>.
- Ruppe, S; Neumann, A; Braekevelt, E; Tomy, GT; Stern, GA; Maruya, KA; Vetter, W. (2004). Anaerobic transformation of compounds of technical toxaphene. 2. Fate of compounds lacking geminal chlorine atoms. *Environ Toxicol Chem.* 23: 591-598. <http://dx.doi.org/10.1897/03-221>.
- Ruppe, S; Neumann, A; Diekert, G; Vetter, W. (2004). Abiotic transformation of toxaphene by superreduced vitamin B12 and dicyanocobinamide. *Environ Sci Technol.* 38: 3063-3067. <http://dx.doi.org/10.1021/es034994f>.
- Ruppe, S; Neumann, A; Vetter, W. (2003). Anaerobic transformation of compounds of technical toxaphene. I. Regiospecific reaction of chlorobornanes with geminal chlorine atoms. *Environ Toxicol Chem.* 22: 2614-2621.
- Russell, JW; Shadoff, LA. (1977). The sampling and determination of halocarbons in ambient air using concentration on porous polymer. *J Chromatogr A.* 134: 375-384.
- Russell, LB; Matter, BE. (1980). Whole-mammal mutagenicity tests: evaluation of five methods. *DNA Repair.* 75: 279-302.
- Russell, PE; Stark, TJ; Griffis, DP; Phillips, JR; Jarausch, KF. (1998). Chemically and geometrically enhanced focused ion beam micromachining. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 16: 2494-2498.
- Russo, A; Levis, AG. (1992). Detection of aneuploidy in male germ cells of mice by means of a meiotic micronucleus assay. *Mutat Res.* 281: 187-191. [http://dx.doi.org/10.1016/0165-7992\(92\)90007-5](http://dx.doi.org/10.1016/0165-7992(92)90007-5).
- Russo, A; Levis, AG. (1992). Further evidence for the aneuploidogenic properties of chelating agents: Induction of micronuclei in mouse male germ cells by EDTA. *Environ Mol Mutagen.* 19: 125-131.
- Russo, A; Pacchierotti, F; Metallì, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen.* 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, A; Stocco, A; Majone, F. (1992). Identification of kinetochore-containing (CREST+) micronuclei in mouse bone marrow erythrocytes. *Mutagenesis.* 7: 195-197. <http://dx.doi.org/10.1093/mutage/7.3.195>.
- Russo, AV; Torriggia, LF; Jacobo, SE. (2014). Natural clinoptilolite-zeolite loaded with iron for aromatic hydrocarbons removal from aqueous solutions. *Journal of Materials Science.* 49: 614-620. <http://dx.doi.org/10.1007/s10853-013-7741-7>.
- Russo, RS. (2003). Chemical composition of Asian continental outflow over the western Pacific: Results from Transport and Chemical Evolution over the Pacific (TRACE-P). *J Geophys Res.* 108: 8804. <http://dx.doi.org/10.1029/2002jd003184>.
- Rust, CM; Aelion, CM; Flora, JR. (2002). Laboratory sand column study of encapsulated buffer release for potential in situ pH control. *J Contam Hydrol.* 54: 81-98.
- Rusyn, I; Denissenko, MF; Wong, VA; Butterworth, BE; Cunningham, ML; Upton, PB; Thurman, RG; Swenberg, JA. (2000). Expression of base excision repair enzymes in rat and mouse liver is induced by peroxisome proliferators and is dependent upon carcinogenic potency. *Carcinogenesis.* 21: 2141-2145. <http://dx.doi.org/10.1093/carcin/21.12.2141>.
- Rusyn, I; Kadiiska, MB; Dikalova, A; Kono, H; Yin, M; Tsuchiya, K; Mason, RP; Peters, JM; Gonzalez, FJ; Segal, BH; Holland, SM; Thurman, RG. (2001). Phthalates rapidly increase production of reactive oxygen species in vivo: Role of Kupffer cells. *Mol Pharmacol.* 59: 744-750.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol.* 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.
- Rusyn, I; Rose, ML; Bojes, HK; Thurman, RG. (2000). Novel role of oxidants in the molecular mechanism of action of peroxisome proliferators [Review]. *Antioxid Redox Signal.* 2: 607-621. <http://dx.doi.org/10.1089/15230860050192350>.
- Rutkiewicz, I; Kujawski, W; Namiesnik, J. (2010). Pervaporation of volatile organohalogen compounds through polydimethylsiloxane membrane. *Desalination.* 264: 160-164. <http://dx.doi.org/10.1016/j.desal.2010.07.020>.
- Rutkiewicz, I; Kujawski, W; Namiesnik, J. (2011). A procedure for the determination of dichloromethane and tetrachloroethene in water using pervaporation and gas chromatography. *Chem Paper Chem Zvesti.* 65: 578-583. <http://dx.doi.org/10.2478/s11696-011-0065-7>.
- Rychlicki, G; Terzyk, AP. (1998). Thermodynamic verification of the theory of volume filling of micropores for adsorption on activated carbons. *AST.* 16: 641-653.
- Rydberg, T. (1994). ALTERNATIVES TO PERCHLOROETHYLENE AS A DRY-CLEANING SOLVENT. *J Text Inst.* 85: 402-405.
- Ryder, JL; Demond, AH. (2008). Wettability hysteresis and its implications for DNAPL source zone distribution. *J Contam Hydrol.* 102: 39-48. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.010>.
- Sachsenroder, H; Brunner, E; Koch, M; Pfeifer, H; Staudte, B. (1996). Low-temperature H-1 MAS NMR and FTIR investigations on the interaction of tetrachloroethylene with surface hydroxyl groups in H-zeolites. 6: 341-347.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ.* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saenton, S; Illangasekare, TH; Soga, K; Saba, TA. (2002). Effects of source zone heterogeneity on surfactant-enhanced NAPL dissolution and resulting remediation end-points. *J Contam Hydrol.* 59: 27-44.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Gonzalez-Garcia, J. (2010). Electrochemical Degradation of Perchloroethylene in Aqueous Media: Influence of the Electrochemical Operational Variables in the Viability of the Process. *Ind Eng Chem Res.* 49: 4123-4131. <http://dx.doi.org/10.1021/ie100134t>.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20 kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater.* 183: 648-654. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.074>.
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems.* 11: 287-295.
- Saez, V; Tudela, I; Deseada Esclapez, M; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonoelectrochemical degradation of perchloroethylene in water: Enhancement of the process by the absence of background electrolyte. *Chem Eng J.* 168: 649-655. <http://dx.doi.org/10.1016/j.cej.2011.01.052>.
- Sahl, JW; Munakata-Marr, J; Crimi, ML; Siegrist, RL. (2007). Coupling permanganate oxidation with microbial dechlorination of tetrachloroethene. *Water Environ Res.* 79: 5-12. <http://dx.doi.org/10.2175/106143006X136720>.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Sakaguchi-Söder, K; Jager, J; Grund, H; Matthäus, F; Schüth, C. (2007). Monitoring and evaluation of dechlorination processes using compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom.* 21: 3077-3084. <http://dx.doi.org/10.1002/rcm.3170>.
- Sakamoto, N. (1976). [Metabolism of tetrachloroethylene in guinea pigs (author's transl)]. *Sangyo Igaku.* 18: 11-16.
- Sale, TC; Mcwhorter, DB. (2001). Steady state mass transfer from single-component dense nonaqueous phase liquids in uniform flow fields. *Water Resour Res.* 37: 393-404.
- Saleh, N; Sirk, K; Liu, Y; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci.* 24: 45-57.
- Sallmen, M; Lindbohm, ML; Kyyronen, P; Nykyri, E; Anttila, A; Taskinen, H; Hemminki, K. (1995). Reduced fertility among women exposed to organic solvents. *Am J Ind Med.* 27: 699-713. <http://dx.doi.org/10.1002/ajim.4700270506>.
- Salmon, AG; Kizer, KW; Zeise, L; Jackson, RJ; Smith, MT. Potential carcinogenicity of chloral hydrate--a review [Review]. *J Toxicol Clin Toxicol.* 2: 115-121.
- Sana, B; Ghosh, D; Saha, M; Mukherjee, J. (2006). Purification and characterization of a salt, solvent, detergent and bleach tolerant protease from a new gamma-Proteobacterium isolated from the marine environment of the Sundarbans. *Process Biochemistry.* 41: 208-215. <http://dx.doi.org/10.1016/j.procbio.2005.09.010>.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology.* 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).
- Sánchez, MJS; Peña, GS; Lorente, VC; Gallego, TM; Albert, JC. (2001). La contaminación atmosférica en los bosques: Guía para la identificación de daños visibles causados por Ozono. Madrid, Spain: Ministerio de Medio Ambiente. [http://www.ceam.es/VentaLibros/guia\\_O3/index.htm](http://www.ceam.es/VentaLibros/guia_O3/index.htm).
- Sandholm, ST; Bradshaw, JD; Chen, G; Singh, HB; Talbot, RW; Gregory, GL; Blake, DR; Sachse, GW; Browell, EV; Barrick, JDW; Shipham, MA; Bachmeier, AS; Owen, D. (1992). SUMMERTIME TROPOSPHERIC OBSERVATIONS RELATED TO NXOY DISTRIBUTIONS AND PARTITIONING OVER ALASKA - ARCTIC BOUNDARY-LAYER EXPEDITION 3A. *J Geophys Res.* 97: 16481-16509.
- Sandoval, TE; Garate, MP; Scavia, J; Florusse, LJ; Peters, C, or J. (2013). Effect of the ethoxy groups distribution on the phase behaviour of the binary systems carbon dioxide CO2 with industrial non-ionic surfactants (CIEOj). *The Journal of Chemical Thermodynamics.* 57: 224-229. <http://dx.doi.org/10.1016/j.jct.2012.09.001>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sandoval, TE; Pilar Garate, M. (2012). Measurement of the phase behaviour of the binary systems {carbon dioxide (CO<sub>2</sub>) + non-ionic surfactants (CiEOj)}. *The Journal of Chemical Thermodynamics*. 45: 109-113. <http://dx.doi.org/10.1016/j.jct.2011.09.018>.
- Sanhueza, E. (2000). Photochemical oxidation of chlorocarbons: A significant source of hci in remote tropical rains. *Interciencia*. 25: 186-+.
- Sanner, T; Dybing, E. (2005). Comparison of carcinogen hazard characterisation based on animal studies and epidemiology. *Basic Clin Pharmacol Toxicol*. 96: 66-70. <http://dx.doi.org/10.1111/j.1742-7843.2005.pto960110.x>.
- Sanz, J; Garcia, A; Miro, J; Miguel, C. (2013). Drinking water supply by reverse osmosis plants: three years of experience at El Prat de Llobregat Municipality. *Desalination and Water Treatment*. 51: 124-131. <http://dx.doi.org/10.1080/19443994.2012.704728>.
- Sapone, A; Peters, JM; Sakai, S; Tomita, S; Papiha, SS; Dai, R; Friedman, FK; Gonzalez, FJ. (2000). The human peroxisome proliferator-activated receptor alpha gene: identification and functional characterization of two natural allelic variants. *Pharmacogenetics*. 10: 321-333.
- Saquing, JM; Mitchell, LA; Wu, B; Wagner, TB; Knappe, DR; Barlaz, MA. (2010). Factors controlling alkylbenzene and tetrachloroethene desorption from municipal solid waste components. *Environ Sci Technol*. 44: 1123-1129. <http://dx.doi.org/10.1021/es9030672>.
- Sarafraz-Yazdi, A, li; Mosadegh, M; Amiri, A. (2011). Determination of volatile organic compounds in environmental water samples using three solid-phase microextraction fibers based on sol-gel technique with gas chromatography-flame ionization detector. *Analytical Methods*. 3: 1877-1886. <http://dx.doi.org/10.1039/c1ay05181d>.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health*. 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sarkany-Kiss, A; Herczeg, I; Palombi, B; Grigorszky, I; Antal, L; Bacs, I; Mozsar, A; Kalmar, AF; Nagy, SA. (2012). Toxicity tests of chlorinated hydrocarbons on the river mussel, *Unio crassus* (Bivalvia, Unionidae). *North - Western Journal of Zoology*. 8: 358-361.
- Sassi, G; Ruggeri, B. (2008). Uncertainty evaluation of human risk analysis (HRA) of chemicals by multiple exposure routes. *Risk Anal*. 28: 1343-1356. <http://dx.doi.org/10.1111/j.1539-6924.2008.01097.x>.
- Sata, F; Sapone, A; Elizondo, G; Stocker, P; Miller, VP; Zheng, W; Raunio, H; Crespi, CL; Gonzalez, FJ. (2000). CYP3A4 allelic variants with amino acid substitutions in exons 7 and 12: Evidence for an allelic variant with altered catalytic activity. *Clin Pharmacol Ther*. 67: 48-56. <http://dx.doi.org/10.1067/mcp.2000.104391>.
- Sathiakumar, C; Som, S; Eberl, S; Lin, P. (2010). NEMA NU 2-2001 performance testing of a Philips Gemini GXL PET/CT scanner. *Australas Phys Eng Sci Med*. 33: 199-209. <http://dx.doi.org/10.1007/s13246-010-0016-6>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg*. 35: 525-541.
- Sato, A; Nakajima, T. (1979). Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. *Br J Ind Med*. 36: 231-234. <http://dx.doi.org/10.1136/oem.36.3.231>.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *J Environ Eng*. 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, C; Yao, J. (2006). Simultaneous and sequential photolysis of TCE and PCE. *J Environ Eng*. 132: 32-41. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(32\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(32)).
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photolysis of TCA, TCE, and PCE in flow-through reactor system. *J Environ Eng*. 127: 620-629.
- Sato, K; Shidahara, M; Watabe, H; Watanuki, S; Ishikawa, Y; Arakawa, Y; Nai, YH; Furumoto, S; Tashiro, M; Shoji, T; Yanai, K; Gonda, K. (2016). Performance evaluation of the small-animal PET scanner ClairvivoPET using NEMA NU 4-2008 Standards. *Phys Med Biol*. 61: 696-711. <http://dx.doi.org/10.1088/0031-9155/61/2/696>.
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances. *Sci Total Environ*. 46: 229-241. [http://dx.doi.org/10.1016/0048-9697\(85\)90296-7](http://dx.doi.org/10.1016/0048-9697(85)90296-7).
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances 360. *Sci Total Environ*. 46.
- Satsuma, K; Masuda, M. (2012). Reductive dechlorination of methoxychlor by bacterial species of environmental origin: evidence for primary biodegradation of methoxychlor in submerged environments. *J Agric Food Chem*. 60: 2018-2023. <http://dx.doi.org/10.1021/jf2048614>.
- Sausen, PJ; Elfarra, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem*. 265: 6139-6145.
- Savolainen, H; Pfäffli, P; Tengén, M; Vainio, H. (1977). Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol*. 38: 229-237. <http://dx.doi.org/10.1007/BF00293657>.
- Sawant, SY; Somani, RS; Bajaj, HC; Sharma, SS. (2012). A dechlorination pathway for synthesis of horn shaped carbon nanotubes and its adsorption properties for CO<sub>2</sub>, CH<sub>4</sub>, CO and N<sub>2</sub>. *J Hazard Mater*. 227: 317-326. <http://dx.doi.org/10.1016/j.jhazmat.2012.05.062>.
- Sawyers, CL; Denny, CT; Witte, ON. (1991). Leukemia and the disruption of normal hematopoiesis. *Cell*. 64: 337-350.
- Sax, NI; Lewis, RJ, Sr. (1987). Hazardous chemicals desk reference. New York, NY: Van Nostrand Reinhold.
- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res*. 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr*. 44: 703-707.
- Scatena, R; Bottoni, P; Vincenzoni, F; Messina, I; Martorana, G; Nocca, G; De Sole, P; Maggiano, N; Castagnola, M; Giardina, B. (2003). Bezafibrate induces a mitochondrial derangement in human cell lines: a PPAR-independent mechanism for a peroxisome proliferator. *Chem Res Toxicol*. 16: 1440-1447. <http://dx.doi.org/10.1021/tx0341052>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Schaefer, CE; Callaghan, A, mYV; King, JD; Mccray, JE. (2009). Dense Nonaqueous Phase Liquid Architecture and Dissolution in Discretely Fractured Sandstone Blocks. *Environ Sci Technol.* 43: 1877-1883. <http://dx.doi.org/10.1021/es8011172>.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: comparison between batch and column experiments. *Chemosphere.* 75: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.041>.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environ Sci Technol.* 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res.* 79: 57-62. <http://dx.doi.org/10.2175/106143006X136784>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, H. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere.* 119: 744-749. <http://dx.doi.org/10.1016/j.chemosphere.2014.08.005>.
- Schaefer, CE; Towne, RM; Root, D; Mccray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *J Environ Eng.* 138: 1-7. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000466](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000466).
- Schaefer, CE; Towne, RM; Vainberg, S; Mccray, JE; Steffan, RJ. (2010). Bioaugmentation for treatment of dense non-aqueous phase liquid in fractured sandstone blocks. *Environ Sci Technol.* 44: 4958-4964. <http://dx.doi.org/10.1021/es1002428>.
- Schaefer, CE; White, EB; Lavorgna, GM; Annable, MD. (2016). Dense Nonaqueous-Phase Liquid Architecture in Fractured Bedrock: Implications for Treatment and Plume Longevity. *Environ Sci Technol.* 50: 207-213. <http://dx.doi.org/10.1021/acs.est.5b04150>.
- Schaefer, D. (2012). Determinability of NAPL mass by measuring concentrations downstream of a contaminant source. *Environ Earth Sci.* 67: 2459-2467. <http://dx.doi.org/10.1007/s12665-012-1696-x>.
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol.* 71: 283-306. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.003>.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN\_2D. *Hydrolog Process.* 13: 2847-2859.
- Schaerlaekens, J; Vanderborght, J; Merckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol.* 46: 1-16.
- Schäfer, D; Köber, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron-experimental results and numerical simulation. *J Contam Hydrol.* 65: 183-202. [http://dx.doi.org/10.1016/S0169-7722\(02\)00239-5](http://dx.doi.org/10.1016/S0169-7722(02)00239-5).
- Scharre, JE; Cotter, SA; Block, SS; Kelly, SA. (1990). Normative contrast sensitivity data for young children. *Optometry and Vision Science.* 67: 826-832.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol.* 75: 9-20.
- Schattenberg, JM; Galle, PR; Schuchmann, M. (2006). Apoptosis in liver disease. *Liver Int.* 26: 904-911.
- Scheele, GF; Clark, DB. (1980). THE EFFECT OF IMPACT VELOCITY ON THE COALESCENCE OF TETRACHLOROETHYLENE DROPS AT A PLANAR TETRACHLOROETHYLENE WATER INTERFACE. *Chemical Engineering Communications.* 5: 23-35.
- Scheid, C; Koul, H; Hill, WA; Lubner-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells. *J Urol.* 155: 1112-1116. [http://dx.doi.org/10.1016/S0022-5347\(01\)66402-4](http://dx.doi.org/10.1016/S0022-5347(01)66402-4).
- Scheid, C; Koul, H; Hill, WA; Lubner-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells 62. *J Urol.* 155.
- Schellin, M; Popp, P. (2006). Miniaturized membrane-assisted solvent extraction combined with gas chromatography/electron-capture detection applied to the analysis of volatile organic compounds. *J Chromatogr A.* 1103: 211-218. <http://dx.doi.org/10.1016/j.chroma.2005.11.01>.
- Schenk, M; Purdue, MP; Colt, JS; Hartge, P; Blair, A; Stewart, P; Cerhan, JR; De Roos, AJ; Cozen, W; Severson, RK. (2009). Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. *Occup Environ Med.* 66: 23-31. <http://dx.doi.org/10.1136/oem.2007.036723>.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environ Sci Technol.* 32: 3026-3033.
- Scherr, PA; Hutchison, GB; Neiman, RS. (1992). Non-Hodgkin's lymphoma and occupational exposures. *Cancer Res.* 52: 5503s-5509s.
- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jørgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent ethene generation and growth of *Dehalococcoides* containing vinyl chloride reductive dehalogenase genes during an enhanced reductive dechlorination field demonstration. *Environ Sci Technol.* 42: 9302-9309. <http://dx.doi.org/10.1021/es800764t>.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Schiebaum, KD; Gerlach, A; Gopel, W; Muller, WM; Vogtle, F; Dominik, A; Roth, HJ. (1994). SURFACE AND BULK INTERACTIONS OF ORGANIC-MOLECULES WITH CALIXARENE LAYERS. *Fresenius J Anal Chem.* 349: 372-379.
- Schierbaum, KD; Hierlemann, A; Gopel, W. (1994). MODIFIED POLYMERS FOR RELIABLE DETECTION OF ORGANIC-SOLVENTS - THERMODYNAMICALLY CONTROLLED SELECTIVITIES AND SENSITIVITIES. *Sens Actuators B.* 19: 448-452.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation.* 19: 115-124.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Schiwy, A; Maes, HM; Koske, D; Flecken, M; Schmidt, KR; Schell, H; Tiehm, A; Kamptner, A; Thümmler, S; Stanjek, H; Heggen, M; Dunin-Borkowski, RE; Braun, J; Schäffer, A; Hollert, H. (2016). The ecotoxic potential of a new zero-valent iron nanomaterial, designed for the elimination of halogenated pollutants, and its effect on reductive dechlorinating microbial communities. *Environ Pollut.* 216: 419-427. <http://dx.doi.org/10.1016/j.envpol.2016.05.051>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schlichting, LM; Wright, PF; Stacey, NH. (1992). Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicol Ind Health.* 8: 255-266.
- Schmidt, J; Merkle, A; Brendel, R; Hoex, B; van De Sanden, MCM; Kessels, WMM. (2008). Surface passivation of high-efficiency silicon solar cells by atomic-layer-deposited Al<sub>2</sub>O<sub>3</sub>. *Progress in Photovoltaics.* 16: 461-466. <http://dx.doi.org/10.1002/pip.823>.
- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Sci Technol.* 58: 1137-1145. <http://dx.doi.org/10.2166/wst.2008.729>.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two *Dehalococcoides* strains. *Water Res.* 52: 146-154. <http://dx.doi.org/10.1016/j.watres.2013.12.042>.
- Schmidt, R; Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2002). Removal of NAPLs from the unsaturated zone using steam: prevention of downward migration by injecting mixtures of steam and air. *J Contam Hydrol.* 55: 233-260.
- Schmidt, R; Shafii, F; Hild, M. (1999). The mechanism of the solvent perturbation of the a(1)Delta(g)-> X-3 Sigma(-)(g) radiative transition of O-2. *J Phys Chem A.* 103: 2599-2605.
- Schmidt, TC; Zwank, L; Elsner, M; Berg, M; Meckenstock, RU; Haderlein, SB. (2004). Compound-specific stable isotope analysis of organic contaminants in natural environments: a critical review of the state of the art, prospects, and future challenges [Review]. *Anal Bioanal Chem.* 378: 283-300. <http://dx.doi.org/10.1007/s00216-003-2350-y>.
- Schmitz, RPH; Wolf, J; Habel, A; Neumann, A; Ploss, K; Svatos, A; Boland, W; Diekert, G. (2007). Evidence for a radical mechanism of the dechlorination of chlorinated propenes mediated by the tetrachloroethene reductive dehalogenase of *Sulfurospirillum multivorans*. *Environ Sci Technol.* 41: 7370-7375. <http://dx.doi.org/10.1021/es071026u>.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale configuration of organic immiscible liquid in multiphase systems with synchrotron X-ray microtomography. *Vadose Zone Journal.* 5: 641-648. <http://dx.doi.org/10.2136/vzj2005.0063>.
- Schnabel, WE; Dietz, AC; Burken, JG; Schnoor, JL; Alvarez, PJ. (1997). Uptake and transformation of trichloroethylene by edible garden plants. *Water Res.* 31: 816-824.
- Schnable, JG; Capangpangan, MB; Suffet, IH. (1991). CONTINUOUS AUTOMATIC MONITORING OF VOLATILE ORGANIC-COMPOUNDS IN AQUEOUS STREAMS BY A MODIFIED PURGE-AND-TRAP SYSTEM. *J Chromatogr A.* 549: 335-344.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol.* 29: 205-224.
- Schneider, M; Luxenhofer, O; Deissler, A; Ballschmiter, K. (1998). C1-C15 alkyl nitrates, benzyl nitrate, and bifunctional nitrates: Measurements in California and South Atlantic air and global comparison using C<sub>2</sub>Cl<sub>4</sub> and CHBr<sub>3</sub> as marker molecules. *Environ Sci Technol.* 32: 3055-3062.
- Schneiderman, MA; Decoufle, P; Brown, CC. (1979). Thresholds for environmental cancer: Biologic and statistical considerations. *Ann N Y Acad Sci.* 329: 92-130. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15339.x>.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol.* 157: 25-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.006>.
- Schoenberg, JB; Stenhagen, A; Mogielnicki, AP; Altman, R; Abe, T; Mason, TJ. (1984). Case-control study of bladder cancer in New Jersey. I. Occupational exposures in white males. *J Natl Cancer Inst.* 72: 973-981.
- Schoknecht, W; Wodarz, R; Fritzsche, I; Weichardt, H. (1983). SIMPLE GAS-CHROMATOGRAPHIC DETERMINATION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE AS WELL AS OF THEIR METABOLITES IN BIOLOGICAL SAMPLES IN A SINGLE OPERATION. *Staub, Reinhaltung der Luft.* 43: 186-188.
- Scholer, HF; Keppler, F; Fahimi, IJ; Niedan, VW. (2003). Fluxes of trichloroacetic acid between atmosphere, biota, soil, and groundwater. *Chemosphere.* 52: 339-354. [http://dx.doi.org/10.1016/S0045-6535\(03\)00214-5](http://dx.doi.org/10.1016/S0045-6535(03)00214-5).
- Schollhorn, A; Savary, C; Stucki, G; Hanselmann, KW. (1997). Comparison of different substrates for the fast reductive dechlorination of trichloroethene under groundwater conditions. *Water Res.* 31: 1275-1282.
- Schon, T; Seebacher, W; Kreuzig, R; Bahadir, M. (1999). On the degradability of tetrachloroethene in biologically treated wastes. *Chemosphere.* 39: 603-609.
- Schrader, PS; Hess, TF. (2004). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT) in soil slurry. *J Environ Qual.* 33: 1202-1209.
- Schreiber, JS. (1993). Predicted infant exposure to tetrachloroethene in human breastmilk [Review]. *Risk Anal.* 13: 515-524. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00010.x>.
- Schreiber, JS; Hudnell, HK; Geller, AM; House, DE; Aldous, KM; Force, MS; Langguth, K; Prohonic, EJ; Parker, JC. (2002). Apartment residents' and day care workers' exposures to tetrachloroethylene and deficits in visual contrast sensitivity. *Environ Health Perspect.* 110: 655-664.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere.* 29: 1743-1753.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Schreier, CG; Reinhard, M. (1995). CATALYTIC DEHYDROHALOGENATION AND HYDROGENATION USING H<sub>2</sub> AND PALLADIUM AS A METHOD FOR THE REMOVAL OF TETRACHLOROETHYLENE FROM WATER. Abstracts of Papers - American Chemical Society. 209: 227-ENVR.
- Schreier, CG; Reinhard, M. (1995). CATALYTIC HYDRODEHALOGENATION OF CHLORINATED ETHYLENES USING PALLADIUM AND HYDROGEN FOR THE TREATMENT OF CONTAMINATED WATER. *Chemosphere*. 31: 3475-3487.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int. Special issue no. 1*: 38-45.
- Schubauer-Berigan, MK; Couch, JR; Petersen, MR; Carreón, T; Jin, Y; Deddens, JA. (2011). Cohort mortality study of workers at seven beryllium processing plants: update and associations with cumulative and maximum exposure. *Occup Environ Med*. 68: 345-353. <http://dx.doi.org/10.1136/oem.2010.056481>.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med*. 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.
- Schueller, MJ; Mulnix, TL; Christian, BT; Jensen, M; Holm, S; Oakes, TR; Roberts, AD; Dick, DW; Martin, CC; Nickles, RJ. (2003). Addressing the third gamma problem in PET. *IEEE Trans Nucl Sci*. 50: 50-52. <http://dx.doi.org/10.1109/TNS.2002.807868>.
- Schug, D; Lerche, C; Weissler, B; Gebhardt, P; Goldschmidt, B; Wehner, J; Dueppenbecker, PM; Salomon, A; Hallen, P; Kiessling, F; Schulz, V. (2016). Initial PET performance evaluation of a preclinical insert for PET/MRI with digital SiPM technology. *Phys Med Biol*. 61: 2851-2878. <http://dx.doi.org/10.1088/0031-9155/61/7/2851>.
- Schultz, R; Yan, W; Toppari, J; Volkl, A; Gustafsson, JA; Pelto-Huikko, M. (1999). Expression of peroxisome proliferator-activated receptor alpha messenger ribonucleic acid and protein in human and rat testis. *Endocrinology*. 140: 2968-2975. <http://dx.doi.org/10.1210/en.140.7.2968>.
- Schultze, MO; Klubes, P; Perman, V; Mizuno, NS; Bates, FW; Sautter, JH. (1959). Blood dyscrasia in calves induced by S-(dichlorovinyl)-L-cysteine. *Blood*. 14: 1015-1025.
- Schwarz, BCE; Deviny, JS; Tsotsis, TT. (1999). Degradation of PCE in an anaerobic waste gas by biofiltration. *Chem Eng Sci*. 54: 3187-3195.
- Schwarzenbach, RP; Molnar-Kubica, E; Giger, W; Wakeham, SG. (1979). Distribution, residence time, and fluxes of tetrachloroethylene and 1,4-dichlorobenzene in Lake Zurich, Switzerland. *Environ Sci Technol*. 13: 1367-1373.
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol*. 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Scott, CS; Richards, SJ; Sivakumaran, M. (1994). Disorders of large granular lymphocytes and natural killer-associated cells [Letter]. *Blood*. 83: 301-303.
- Scott, WJ, Jr; Collins, MD; Nau, H. (1994). Pharmacokinetic determinants of embryotoxicity in rats associated with organic acids. *Environ Health Perspect*. 102: 97-101.
- Seagren, EA; Becker, JG. (2015). Predictions of bioenhancement of nonaqueous phase liquid ganglia dissolution using first- and zero-order biokinetic models. *J Contam Hydrol*. 182: 210-220. <http://dx.doi.org/10.1016/j.jconhyd.2015.08.004>.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res*. 303: 163-169.
- Seglen, PO. (1973). Preparation of rat liver cells. 3. Enzymatic requirements for tissue dispersion. *Exp Cell Res*. 82: 391-398. [http://dx.doi.org/10.1016/0014-4827\(73\)90357-1](http://dx.doi.org/10.1016/0014-4827(73)90357-1).
- Seiber, JN. (1996). Toxic air contaminants in urban atmospheres: Experience in California. *Atmos Environ*. 30: 751-756.
- Seigies, A, nNT; Pritts, M. (2006). Cover crop rotations alter soil microbiology and reduce replant disorders in strawberry. *HortScience*. 41: 1303-1308.
- Seip, H; Alstad, J; Carlberg, G; Martinsen, K; Skaane, R. (1986). Measurement of mobility of organic compounds in soils. *Sci Total Environ*. 50: 87-101. [http://dx.doi.org/10.1016/0048-9697\(86\)90353-0](http://dx.doi.org/10.1016/0048-9697(86)90353-0).
- Sekhar, GC; Venkatesu, P; Rao, MVP. (2001). Excess molar volumes and speeds of sound of N,N-dimethylacetamide with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data*. 46: 377-380.
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A*. 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.
- Seliger, B. (2005). Strategies of tumor immune evasion. *BioDrugs*. 19: 347-354.
- Sellaoui, L; Knani, S; Erto, A; Hachicha, MA; Ben Lamine, A. (2016). Equilibrium isotherm simulation of tetrachlorethylene on activated carbon using the double layer model with two energies: Steric and energetic interpretations. *Fluid Phase Equilibria*. 408: 259-264. <http://dx.doi.org/10.1016/j.fluid.2015.09.022>.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther*. 13: 37-49.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO<sub>2</sub>-photocatalyzed degradation of tetrachloroethene in water. *Water Res*. 33: 1827-1836.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation*. 31: 68-78. <http://dx.doi.org/10.1111/j.1745-6592.2010.01321.x>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect*. 103: 101-105.
- Semprini, L; Kitanidis, PK; Kampbell, DH; Wilson, JT. (1995). ANAEROBIC TRANSFORMATION OF CHLORINATED ALIPHATIC-HYDROCARBONS IN A SAND AQUIFER BASED ON SPATIAL CHEMICAL-DISTRIBUTIONS. *Water Resour Res*. 31: 1051-1062.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Augmentation of antigen-stimulated allergic responses by a small amount of trichloroethylene ingestion from drinking water. *Regul Toxicol Pharmacol*. 52: 140-146. <http://dx.doi.org/10.1016/j.yrtph.2008.07.006>.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation*. 21: 124-132.
- Seppäläinen, AM; Antti-Poika, M. (1983). Time course of electrophysiological findings for patients with solvent poisoning. A descriptive study. *Scand J Work Environ Health*. 9: 15-24.
- Sereshti, H; Bakhtiari, S; Khojeh, V. (2011). Simultaneous determination of aluminum, copper, iron and zinc in *Oscillatoria*, *Juncus littoralis* tissues and wetland water samples by ultrasound-assisted emulsification-microextraction combined with ICP-OES. *Analytical Methods*. 3: 2936-2942. <http://dx.doi.org/10.1039/c1ay05456b>.
- Sereshti, H; Bakhtiari, S; Toghyani, R; Samadi, S; Besharati-Seidani, T; Mahmoodi, NO. (2014). An Investigation on Heavy Metals Bio-Sorption by *Azolla filiculoides* in the International Anzali Wetland. *International Journal of Environmental Research*. 8: 377-386.
- Sereshti, H; Far, AR; Samadi, S. (2012). OPTIMIZED ULTRASOUND-ASSISTED EMULSIFICATION-MICROEXTRACTION FOLLOWED BY ICP-OES FOR SIMULTANEOUS DETERMINATION OF LANTHANUM AND CERIUM IN URINE AND WATER SAMPLES. *Anal Lett*. 45: 1426-1439. <http://dx.doi.org/10.1080/00032719.2012.675490>.
- Sereshti, H; Khojeh, V; Karimi, M; Samadi, S. (2012). Ligandless-ultrasound-assisted emulsification-microextraction combined with inductively coupled plasma-optical emission spectrometry for simultaneous determination of heavy metals in water samples. *Analytical Methods*. 4: 236-241. <http://dx.doi.org/10.1039/c1ay05354j>.
- Serra, C; Bonfill, X; Sunyer, J; Urrutia, G; Turuguet, D; Bastús, R; Roqué, M; 't Mannetje, A; Kogevinas, M; Occidental, WGotSoBCitCoV. (2000). Bladder cancer in the textile industry. *Scand J Work Environ Health*. 26: 476-481.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A study of mixtures of organic solvents and triglycerides of linseed oil or the free fatty acids .2. Application to the viscosity of the Andrade, Krone, McAllister and Hildebrand equations. *Grasas y Aceites*. 46: 289-294.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A STUDY OF MIXTURES OF ORGANIC-SOLVENTS AND TRIGLYCERIDES OF LINSEED OIL OR THE FREE FATTY-ACIDS .1. MOLAR VOLUME, MOLAR REFRACTION AND DYNAMIC VISCOSITY. *Grasas y Aceites*. 46: 183-195.
- Serrano-Trespalacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol*. 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Sertznig, P; Seifert, M; Tilgen, W; Reichrath, J. (2007). Present concepts and future outlook: Function of peroxisome proliferator-activated receptors (PPARs) for pathogenesis, progression, and therapy of cancer [Review]. *J Cell Physiol*. 212: 1-12. <http://dx.doi.org/10.1002/jcp.20998>.
- Services, MDoHaS. (2015). Health Assessment Final Release: Vienna Wells, Maries County, Missouri. EPA Facility ID: MON000705803, October 20, 2015.
- Services, NJDoHaS. (2012). Health Consultation: Public Health Implications of Site-Related Indoor Air Exposures. Cornell-Dubilier Electronics Site, South Plainfield (Middlesex County), New Jersey. EPA Facility ID: NJD981557879, February 15, 2012 (pp. 40).
- Services, TDoSH. (2016). Consultation: Main Street Groundwater Plume Site (a/k/a Burnet Groundwater), Burnet, Burnet County, Texas. EPA Facility ID: TXN0006070441, February 25, 2016.
- Sewell, GW; Gibson, SA. (1991). Stimulation of the Reductive Dechlorination of Tetrachloroethene in Anaerobic Aquifer Microcosms by the Addition of Toluene (pp. 982-984). (ISSN 0013-936X; EISSN 1520-5851; NTIS/02976854\_a). Sewell, GW; Gibson, SA.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect*. 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Linder, SH; Marko, D; Bethel, H; Lupo, PJ. (2007). Comparative assessment of air pollution-related health risks in Houston. *Environ Health Perspect*. 115: 1388-1393. <http://dx.doi.org/10.1289/ehp.10043>.
- Seyedabbasi, M, irA; Farthing, MW; Imhoff, PT; Miller, CT. (2008). The influence of wettability on NAPL dissolution fingering. *Advances in Water Resources*. 31: 1687-1696. <http://dx.doi.org/10.1016/j.advwatres.2008.08.003>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol*. 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shadley, J. R.; Wilson, BL; Dorney, MS. (1992). UNSTABLE SELF-EXCITATION OF TORSIONAL VIBRATION IN AC-INDUCTION MOTOR DRIVEN ROTATIONAL SYSTEMS. *Journal of Vibration and Acoustics*. 114: 226-231.
- Shah, CD; Jain, DK. (1985). SOLVENT (PERCHLOROETHYLENE) DYEING OF DISPERSE DYES ON POLYESTER. *Text Res J*. 55: 23-27.
- Shahin, MM. (1975). Genetic activity of niridazole in yeast. *DNA Repair*. 30: 191-198.
- Shani, N; Rossi, P; Holliger, C. (2013). Correlations between Environmental Variables and Bacterial Community Structures Suggest Fe(III) and Vinyl Chloride Reduction As Antagonistic Terminal Electron-Accepting Processes. *Environ Sci Technol*. 47: 6836-6845. <http://dx.doi.org/10.1021/es304017s>.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos*. 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys*. 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Sharmin, R; Ioannidis, MA; Legge, RL. (2006). Effect of nonionic surfactant partitioning on the dissolution kinetics of residual perchloroethylene in a model porous medium. *J Contam Hydrol*. 82: 145-164. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.001>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ*. 140: 1309-1318.
- Shaw, A. (1994). PREDICTION OF TEMPERATURE RISE IN LAYERED MEDIA FROM MEASURED ULTRASONIC INTENSITY DATA. *Phys Med Biol*. 39: 1203-1218.
- Shawn, SH; Robins, JM. (1986). Comment. *J Am Stat Assoc*. 84: 604-609.
- She, HY; Sleep, BE. (1998). The effect of temperature on capillary pressure-saturation relationships for air-water and perchloroethylene-water systems. *Water Resour Res*. 34: 2587-2597.
- She, HY; Sleep, BE. (1999). Removal of perchloroethylene from a layered soil system by steam flushing. *Ground Water Monitoring and Remediation*. 19: 70-77.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem*. 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Shelby, MD; Tice, RR; DeMarini, DM; Yang, RS. (1990). Toxicity and mutagenicity of a mixture of 25 chemicals found in contaminated groundwater. In H Vainio; M Sorsa; AJ McMichael (Eds.), (pp. 314-332). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=104>.
- Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H. (1985). Human exposure assessment to environmental chemicals: nursing mothers study. Final report. U.S. Environmental Protection Agency: Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H.
- Shen, H; Sewell, GW. (2005). Reductive biotransformation of tetrachloroethene to ethene during anaerobic degradation of toluene: experimental evidence and kinetics. *Environ Sci Technol*. 39: 9286-9294. <http://dx.doi.org/10.1021/es05030v>.
- Shen, H, ai; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environ Sci Technol*. 41: 4077-4083. <http://dx.doi.org/10.1021/es.0626180>.
- Shen, JM; Huang, Z; Li, JY; Gao, LS; Zhou, HY; Qian, YT. (2005). Synthesis of multi-walled carbon nanotubes at low temperature through anhydrous AlCl<sub>3</sub>-assisted ethylene tetrachloride dechlorination: A new dechlorination pathway. *Carbon*. 43: 2823-2826. <http://dx.doi.org/10.1016/j.carbon.2005.05.030>.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O<sub>3</sub> process. *Water Res*. 32: 2669-2679.
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry*. 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Sherlach, KS; Gorka, AP; Dantzler, A; Roepe, PD. (2011). Quantification of perchloroethylene residues in dry-cleaned fabrics. *Environ Toxicol Chem*. 30: 2481-2487. <http://dx.doi.org/10.1002/etc.665>.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere*. 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater*. 284: 222-232. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.023>.
- Sheu, YT; Lien, PJ; Chen, KF; Ou, JH; Kao, CM. (2016). Application of NZVI-contained emulsified substrate to bioremediate PCE-contaminated groundwater - A pilot-scale study. *Chem Eng J*. 304: 714-727. <http://dx.doi.org/10.1016/j.cej.2016.06.126>.
- Shevchenko, VV; Grinikh, LI; Alekseenok, AY. (1985). Clastogenic effect of oxalic acid and its specificity. *Sov Genet*. 21: 606-610.
- Shi, T; Yang, X; Christakos, G; Wang, J; Liu, L, i. (2015). Spatiotemporal Interpolation of Rainfall by Combining BME Theory and Satellite Rainfall Estimates. *Atmosphere (Basel)*. 6: 1307-1326. <http://dx.doi.org/10.3390/atmos6091307>.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (2000). Chlorinated solvent removal using food grade surfactants: Column studies. *J Environ Eng*. 126: 611-621.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environ Sci Technol*. 30: 97-103.
- Shields, HC; Fleischer, DM; Weschler, CJ. (1996). Comparisons among VOCs measured in three types of US commercial buildings with different occupant densities. *Indoor Air*. 6: 2-17. <http://dx.doi.org/10.1111/j.1600-0668.1996.t01-3-00002.x>.
- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther*. 270: 414-423.
- Shimada, Y. (1988). Studies on monochlorobenzene poisoning. Part III. Distribution of monochlorobenzene in the organs of pregnant mice and transfer to the fetus through the placenta: comparison with trichloroethylene and 1,1,1-trichloroethane. *Okayama Igakkai Zasshi*. 100: 147-153.
- Shimizu, Y; Usui, K; Araki, K; Kurosaki, N; Takanobu, H; Takanishi, A. (2005). Study of finite element modeling from CT images. *Dent Mater J*. 24: 447-455.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual*. 34: 1435-1438. <http://dx.doi.org/10.2134/jeq2004.0265>.
- Shimotori, T; Arnold, WA. (2002). Henry's law constants of chlorinated ethylenes in aqueous alcohol solutions: Measurement, estimation, and thermodynamic analysis. *Journal of Chemical and Engineering Data*. 47: 183-190. <http://dx.doi.org/10.1021/je010132n>.
- Shimotori, T; Arnold, WA. (2003). Measurement and estimation of Henry's law constants of chlorinated ethylenes in aqueous surfactant solutions. *Journal of Chemical and Engineering Data*. 48: 253-261. <http://dx.doi.org/10.1021/je025553z>.
- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut*. 119: 227-236.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Shin, M, inC; Choi, HD, oc; Kim, D, oH; Baek, K. (2008). Effect of surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Desalination*. 223: 299-307. <http://dx.doi.org/10.1016/j.desal.2007.01.223>.
- Shin, M, inC; Yang, JS; Park, GY; Baek, K. (2011). Influence of mixed-surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Korean J Chem Eng*. 28: 1047-1053. <http://dx.doi.org/10.1007/s11814-010-0473-3>.
- Shipman, AJ; Whim, BP. (1980). Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the UK. *Ann Occup Hyg*. 23: 197-204. <http://dx.doi.org/10.1093/annhyg/23.2.197>.
- Shippey, K; Gorgens, A; Terblanche, D; Luger, M. (2004). Environmental challenges to operational isation of South African rainfall enhancement. *Water SA*. 30: 636-640.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res*. 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res*. 35: 1941-1950.
- Shirin, S; Buncel, E; Vanloon, GW. (2003). The use of beta-cyclodextrins to enhance the aqueous solubility of trichloroethylene and perchloroethylene and their removal from soil organic matter: Effect of substituents. *Can J Chem*. 81: 45-52. <http://dx.doi.org/10.1139/V02-205>.
- Shirin, S; Buncel, E; Vanloon, GW. (2008). The use of beta-cyclodextrins to enhance the aqueous solubility of trichloroethylene and perchloroethylene and their removal from soil organic matter - Effect of substituents (vol 81, pg 45, 2003). *Can J Chem*. 86: 79-79. <http://dx.doi.org/10.1139/V07-144>.
- Shook, GM; Pope, GA; Kostarelos, K. (1998). Prediction and minimization of vertical migration of DNAPLS using surfactant enhanced aquifer remediation at neutral buoyancy. *J Contam Hydrol*. 34: 363-382.
- Short, BG. (1993). Cell proliferation and renal carcinogenesis [Review]. *Environ Health Perspect*. 101: 115-120.
- Shouakar-Stash, O; Drimmie, RJ; Zhang, M; Frape, SK. (2006). Compound-specific chlorine isotope ratios of TCE, PCE and DCE isomers by direct injection using CF-IRMS. *Appl Geochem*. 21: 766-781. <http://dx.doi.org/10.1016/j.apgeochem.2006.02.006>.
- Shouakar-Stash, O; Frape, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol*. 60: 211-228. [http://dx.doi.org/10.1016/S0169-7722\(02\)00085-2](http://dx.doi.org/10.1016/S0169-7722(02)00085-2).
- Showers, J. (1998). NEMA to release breakthrough language for electronic commerce. *I E E Electrical Insulation Magazine*. 14: 49-49.
- Shrestha, A; Ritz, B; Wilhelm, M; Qiu, J; Cockburn, M; Heck, JE. (2014). Prenatal exposure to air toxics and risk of Wilms' tumor in 0- to 5-year-old children. *J Occup Environ Med*. 56: 573-578. <http://dx.doi.org/10.1097/JOM.000000000000167>.
- Shrivastav, BB; Narahashi, T; Kitz, RJ; Roberts, JD. (1976). Mode of action of trichloroethylene on squid axon membranes. *J Pharmacol Exp Ther*. 199: 179-188.
- Shu, Y; Liu, P; Zhang, Q; Wei, D. (2013). Competitive sorption between 1,2,4-trichlorobenzene/tetrachloroethene and 1,2,4,5-tetrachlorobenzene by soils/sediments from South China. *Sci Total Environ*. 463-464: 258-263. <http://dx.doi.org/10.1016/j.scitotenv.2013.06.028>.
- Shugart, LR. (1990). DNA damage as an indicator of pollutant-induced genotoxicity. In WG Landis; WHvd Schalie (Eds.), (pp. 348-355). Philadelphia, PA: American Society for Testing and Materials.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol*. 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Shvedchikov, AP; Belousova, EV; Ponizovskii, AZ; Ponizovskii, LZ. (1998). Removal of perchloroethylene and trichloroethylene impurities from the atmospheric air by combined action of a pulsed corona discharge and UV irradiation. *High Energy Chemistry*. 32: 411-415.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health*. 56: 13-16.
- Sieber, H. (1982). CLEANSING AND MILLING OF WOOL YARNS IN PERCHLOROETHYLENE - REVIEW MOTIVATIONS PROSPECTS. 63: 219-224.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation*. 26: 114-124.
- Siemiatycki, J, . (1991). Risk factors for cancer in the workplace. In J Siemiatycki (Ed.). Boca Raton, FL: CRC Press.
- Siemiatycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health*. 13: 486-492.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res*. 45: 2452-2462. <http://dx.doi.org/10.1016/j.watres.2011.01.030>.
- Silbergeld, E. (1988). Epidemiology versus risk assessment: Resolving some old controversies. *Risk Anal*. 8: 555-557. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01197.x>.
- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low f(oc) geomeedia. *Environ Sci Technol*. 36: 1613-1619. <http://dx.doi.org/10.1021/es010812a>.
- Silverman, DT; Levin, LI; Hoover, RN. (1989). Occupational risks of bladder cancer in the United States: II. Nonwhite men. *J Natl Cancer Inst*. 81: 1480-1483. <http://dx.doi.org/10.1093/jnci/81.19.1480>.
- Simmonds, PG; Kerrin, SL; Lovelock, JE; Shair, FH. (1974). Distribution of atmospheric halocarbons in the air over the Los Angeles basin. *Atmos Environ*. 8: 209-216.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos.* 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Simmons, JE; Boyes, WK; Bushnell, PJ; Raymer, JH; Limsakun, T; McDonald, A; Sey, YM; Evans, MV. (2002). A physiologically based pharmacokinetic model for trichloroethylene in the male Long-Evans rat. *Toxicol Sci.* 69: 3-15. <http://dx.doi.org/10.1093/toxsci/69.1.3>.
- Simon, R; Vano, E; Prieto, C; Fernandez, JM; Ordiales, JM; Martinez, D. (2008). Criteria to optimise a dynamic flat detector system used for interventional radiology. *Radiat Prot Dosimetry.* 129: 261-264. <http://dx.doi.org/10.1093/rpd/ncn027>.
- Simonova, LG; Zirka, AA; Reshetnikov, SI; Larina, TV; Litvak, GS; Pinaeva, LG; Isupova, LA. (2011). Influence of heat treatment conditions on the physicochemical and catalytic properties of a chromium-containing catalyst for tetrachloroethylene hydrofluorination to pentafluoroethane. *Kinet Catal.* 52: 418-426. <http://dx.doi.org/10.1134/S0023158411030189>.
- Simpson, AE; Brammar, WJ; Pratten, MK; Cockcroft, N; Elcombe, CR. (1996). Placental transfer of the hypolipidemic drug, clofibrate, induces CYP4A expression in 18.5-day fetal rats. *Drug Metab Dispos.* 24: 547-554.
- Simpson, AEC, M; Brammar, WJ; Pratten, MK; Elcombe, CR. (1995). Translactational induction of CYP4A expression in 10.5-day neonatal rats by the hypolipidemic drug clofibrate. *Biochem Pharmacol.* 50: 2021-2032. [http://dx.doi.org/10.1016/0006-2952\(95\)02103-5](http://dx.doi.org/10.1016/0006-2952(95)02103-5).
- Simpson, DG; Carroll, RJ; Xie, M; Guth, DJ. (1996). Weighted logistic regression and robust analysis of diverse toxicology data. *Communications in Statistics: Theory and Methods.* 25: 2615-2632.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ.* 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Singh, HB. (1977). Atmospheric halocarbons: Evidence in favor of reduced average hydroxyl radical concentration in the troposphere. *Geophys Res Lett.* 4: 101-104. <http://dx.doi.org/10.1029/GL004i003p00101>.
- Singh, HB. (1978). [Personal communication] [Personal Communication].
- Singh, HB; Gregory, GL; Anderson, B; Browell, E; Sachse, GW; Davis, DD; Crawford, J; Bradshaw, JD; Talbot, R; Blake, DR; Thornton, D; Newell, R; Merrill, J. (1996). Low ozone in the marine boundary layer of the tropical Pacific Ocean: Photochemical loss, chlorine atoms, and entrainment. *J Geophys Res Atmos.* 101: 1907-1917.
- Singh, HB; Herlth, D; Kolyer, R; Salas, L; Bradshaw, JD; Sandholm, ST; Davis, DD; Crawford, J; Kondo, Y; Koike, M; Talbot, R; Gregory, GL; Sachse, GW; Browell, E; Blake, DR; Rowland, FS; Newell, R; Merrill, J; Heikes, B; Liu, SC; Crutzen, PJ; Kanakidou, M. (1996). Reactive nitrogen and ozone over the western Pacific: distribution, partitioning, and sources. *J Geophys Res.* 101: 1793-1808. <http://dx.doi.org/10.1029/95JD01029>.
- Singh, HB; Lillian, D; Appleby, A. (1975). Absolute determination of phosgene: pulsed flow coulometry. *Anal Chem.* 47: 860-864.
- Singh, HB; Lillian, D; Appleby, A; Lobban, L. (1975). Atmospheric formation of carbon tetrachloride from tetrachloroethylene. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 10: 253-256. <http://dx.doi.org/10.1080/00139307509435827>.
- Singh, HB; Ohara, D; Herlth, D; Sachse, W; Blake, DR; Bradshaw, JD; Kanakidou, M; Crutzen, PJ. (1994). ACETONE IN THE ATMOSPHERE - DISTRIBUTION, SOURCES, AND SINKS. *J Geophys Res Atmos.* 99: 1805-1819.
- Singh, HB; Salas, L; Lillian, D; Arnts, RR; Appleby, A. (1977). Generation of accurate halocarbon primary standards with permeation tubes. *Environ Sci Technol.* 11: 511-513. <http://dx.doi.org/10.1021/es60128a009>.
- Singh, HB; Salas, L; Shigeishi, H; Crawford, A. (1977). Urban-nonurban relationships of halocarbons, SF<sub>6</sub>, N<sub>2</sub>O, and other atmospheric trace constituents. *Atmos Environ.* 11: 819-828.
- Singh, HB; Salas, LJ; Cavanagh, LA. (1977). Distribution, sources and sinks of atmospheric halogenated compounds. *Journal of the Air and Waste Management Association.* 27: 332-336.
- Singh, HB; Salas, LJ; Shiegeishi, H; Smith, AH. (1978). Fate of halogenated compounds in the atmosphere Interim report-1977. Singh, HB; Salas, LJ; Shiegeishi, H; Smith, AH.
- Singh, HB; Salas, LJ; Shigeishi, H; Scribner, E. (1978). Global distribution of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O Phase II interim report. NC: 803020.
- Singh, HB; Salas, LJ; Shigeishi, H; Smith, AJ; Scribner, E; Cavanagh, LA. (1979). Atmospheric distributions, sources and sinks of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O. (PB80-142706; EPA600379107). Menlo Park, CA: SRI International. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80142706>.
- Singh, HB; Salas, LJ; Smith, A; Stiles, R; Shigeishi, H. (1981). Atmospheric measurements of selected hazardous organic chemicals Interim report-1980 [EPA Report]. (600/3-81-032). Research Triangle Park, NC: Environmental Protection Agency.
- Singh, HB; Salas, LJ; Smith, AJ; Shigeishi, H. (1981). Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ.* 15: 601-612. [http://dx.doi.org/10.1016/0004-6981\(81\)90191-8](http://dx.doi.org/10.1016/0004-6981(81)90191-8).
- Singh, HB; Salas, LJ; Stiles, R; Shigeishi, H. (1983). Measurements of hazardous organic chemicals in the ambient atmosphere. (EPA-600/3-83-002; PB83-156935). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB83156935>.
- Singh, HB; Veeze, W; Chen, Y; Thakur, AN; Kondo, Y; Talbot, RW; Gregory, GL; Sachse, GW; Blake, DR; Bradshaw, JD; Wang, Y; Jacob, DJ. (1998). Latitudinal distribution of reactive nitrogen in the free troposphere over the Pacific Ocean in late winter early spring. *J Geophys Res Atmos.* 103: 28237-28246.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia.* 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet.* 14: 1-4.
- Singh, R; Singh, J. (1996). Irrigation planning in cotton through simulation modeling. *Irrigation Science.* 17: 31-36.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Singh, R; Singh, J. (1997). Irrigation planning in wheat (*Triticum aestivum*) under deep water table conditions through simulation modelling. *Agricultural Water Management*. 33: 19-29.
- Sinkkonen, S; Veijanen, A; Paasivirta, J; Lahtipera, M; Vattulainen, A. (1995). CHLORINATED SHORT-CHAIN ALIPHATIC-HYDROCARBONS IN PINE NEEDLES BY PURGE-AND-TRAP GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Chemosphere*. 30: 2343-2352.
- Sinsheimer, P; Gottlieb, R; Farrar, C. (2002). Integrating pollution prevention technology into public policy: The case of professional wet cleaning. *Environ Sci Technol*. 36: 1649-1655. <http://dx.doi.org/10.1021/es010584k>.
- Sinsheimer, P; Grout, C; Namkoong, A; Gottlieb, R; Latif, A. (2007). The viability of professional wet cleaning as a pollution prevention alternative to perchloroethylene dry cleaning. *J Air Waste Manag Assoc*. 57: 172-178.
- Sizirici, B; Tansel, B. (2010). Projection of landfill stabilization period by time series analysis of leachate quality and transformation trends of VOCs. *Waste Manag*. 30: 82-91. <http://dx.doi.org/10.1016/j.wasman.2009.09.006>.
- Skender, L. (1995). ASSESSMENT OF URBAN-POPULATION EXPOSURE TO TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY MEANS OF BIOLOGICAL MONITORING (VOL 49, PG 445, 1994). *Arch Environ Health*. 50: 174-174.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1993). Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health*. 65: S163-S165.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1994). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Occup Health*. 49: 445-451.
- Skold, ME; Thyne, GD; Drexler, JW; Macalady, DL; Mccray, JE. (2008). Enhanced solubilization of a metal-organic contaminant mixture (Pb, Sr, Zn, and perchloroethylene) by cyclodextrin. *Environ Sci Technol*. 42: 8930-8934. <http://dx.doi.org/10.1021/es801835x>.
- Skowron, J; Miranowicz-Dzierzawska, K; Zapor, L; Golofit-Szymczak, M; Starek, A. (2001). Interactions of some organic solvents: Hydrocarbons and chloroalkene. *Int J Occup Saf Ergon*. 7: 35-47.
- Skowronski, GA; Abdelrahman, MS. (1997). Interspecies comparison of kinetic data of chlorinated chemicals of potential relevance to risk assessment. *Hum Ecol Risk Assess*. 3: 635-653.
- Skramstad, JD; Hurst, CJ; Novak, PJ. (2003). Survival of indicator organisms during enrichment on tetrachloroethene. *Water Environ Res*. 75: 368-376.
- Skupinova, S; Vejl, P; Sedlak, P; Bardova, M; Srbek, L; Klapste, P; Zouhar, M; Tesarova, B. (2004). Using DNA markers for characterisation of tomato resistance against root nematode *Meloidogyne incognita*. *Plant Soil Environ*. 50: 59-64.
- Slaten, BL. (1977). USE OF PERCHLOROETHYLENE IN SOLVENT FINISHING - RETENTION AND REMOVAL FROM POLYESTER FABRICS. *Abstracts of Papers - American Chemical Society*. 173: 13-13.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation*. 23: 59-67.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environ Sci Technol*. 35: 901-907. <http://dx.doi.org/10.1021/es001583f>.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachloroethene degradation sustained by endogenous cell decay. *J Environ Eng Sci*. 4: 11-17. <http://dx.doi.org/10.1139/S04-038>.
- Sleep, BE; Ma, YF. (1997). Thermal variation of organic fluid properties and impact on thermal remediation feasibility. *Journal of Soil Contamination*. 6: 281-306.
- Sleep, BE; McClure, PD. (2001). The effect of temperature on adsorption of organic compounds to soils. *Canadian Geotechnical Journal*. 38: 46-52.
- Sleep, BE; Seepersad, DJ; Mo, K; Heidorn, CM; Hrapovic, L; Morrill, PL; McMaster, ML; Hood, ED; Lebron, C; Lollar, BS; Major, DW; Edwards, EA. (2006). Biological enhancement of tetrachloroethene dissolution and associated microbial community changes. *Environ Sci Technol*. 40: 3623-3633. <http://dx.doi.org/10.1021/es051493g>.
- Small, MJ. (2008). Methods for assessing uncertainty in fundamental assumptions and associated models for cancer risk assessment. *Risk Anal*. 28: 1289 - 1308. <http://dx.doi.org/10.1111/j.1539-6924.2008.01134.x>.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1996). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture. *Environ Sci Technol*. 30: 2850-2858.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1997). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture (vol 30, pg 2850, 1996). *Environ Sci Technol*. 31: 1252-1252.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1997). Response to Comment on "Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture". *Environ Sci Technol*. 31: 1251-1251.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H2O2 Propagations. *J Environ Eng*. 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, DM; Ortiz, LW; Archuleta, RF. (1984). Long-term exposure of Syrian hamsters and Osborne-Mendel rats to aerosolized 045 um mean diameter fibrous glass. Denmark: R.
- Smith, JE; Zhang, ZF. (2001). Determining effective interfacial tension and predicting finger spacing for DNAPL penetration into water-saturated porous media. *J Contam Hydrol*. 48: 167-183.
- Smith, JH; Bomberger, DC, Jr; Haynes, DL. (1980). Prediction of the volatilization rates of high-volatility chemicals from natural water bodies. *Environ Sci Technol*. 14: 1332-1337.
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1989). Teratogenic activity of trichloroacetic acid in the rat. *Teratology*. 40: 445-451. <http://dx.doi.org/10.1002/tera.1420400506>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Smith, MM; Silva, JAK; Munakata-Marr, J; Mccray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environ Sci Technol.* 42: 9296-9301. <http://dx.doi.org/10.1021/es800757g>.
- Smits, TH; Assal, A; Hunkeler, D; Holliger, C. (2011). Anaerobic degradation of vinyl chloride in aquifer microcosms. *J Environ Qual.* 40: 915-922. <http://dx.doi.org/10.2134/jeq2010.0403>.
- Soares, BM; Pereira, ER; Maciel, JV; Vieira, AA; Duarte, FA. (2013). Assessment of dispersive liquid-liquid microextraction for the simultaneous extraction, preconcentration, and derivatization of Hg<sup>2+</sup> and CH<sub>3</sub>Hg<sup>+</sup> for further determination by GC-MS. *J Sep Sci.* 36: 3411-3418. <http://dx.doi.org/10.1002/jssc.201300599>.
- Sobhi, HR; Kashtiaray, A; Farahani, H; Abrahimpour, F; Esrafilii, A, li. (2010). Quantitation of valproic acid in pharmaceutical preparations using dispersive liquid-liquid microextraction followed by gas chromatography-flame ionization detection without prior derivatization. *Drug Testing and Analysis.* 2: 362-366. <http://dx.doi.org/10.1002/dta.131>.
- Sofuni, T; Hayashi, M; Matsuoka, A; Sawada, M; Hatanaka, M; Jr, IM. (1985). [Mutagenicity tests on organic chemical contaminants in city water and related compounds. II. Chromosome aberration tests in cultured mammalian cells]. *Kokuritsu Iyakuhiin Shokuhin Eisei Kenkyusho Hokoku.* 103: 64-75.
- Sogaard, EG; Aruna, R; Abraham-Peskir, J; Koch, CB. (2001). Conditions for biological precipitation of iron by *Gallionella ferruginea* in a slightly polluted ground water. *Appl Geochem.* 16: 1129-1137.
- Sohlenius-Sternbeck, AK. (2006). Determination of the hepatocellularity number for human, dog, rabbit, rat and mouse livers from protein concentration measurements. *Toxicol In Vitro.* 20: 1582-1586. <http://dx.doi.org/10.1016/j.tiv.2006.06.003>.
- Sokol, L; Loughran, TP, Jr. (2006). Large granular lymphocyte leukemia. *Oncologist.* 11: 263-273. <http://dx.doi.org/10.1634/theoncologist.11-3-263>.
- Soljacic, I; Pusic, T. (2005). Ecology in finishing processes and textile care. *Tekstil.* 54: 390-401.
- Soljacic, I, vo; Pusic, T. (2009). Dry cleaning solvents. *Tekstil.* 58: 493-506.
- Soljacic, I, vo; Pusic, T. (2011). Solvent care in dry cleaning. *Tekstil.* 60: 219-225.
- Solleveld, HA; Haseman, JK; McConnell, EE. (1984). Natural history of body weight gain, survival, and neoplasia in the F344 rat. *J Natl Cancer Inst.* 72: 929-940.
- Soltanian, MR; Ritzl, RW; Huang, CC; Dai, Z. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 1. Time-dependent effective retardation factor. *Water Resour Res.* 51: 1586-1600. <http://dx.doi.org/10.1002/2014WR016353>.
- Soltanian, MR; Ritzl, RW; Huang, CC; Dai, Z. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 2. Particle displacement variance. *Water Resour Res.* 51: 1601-1618. <http://dx.doi.org/10.1002/2014WR016354>.
- Sommer, R; Pribil, W; Pflieger, S; Haider, T; Werderitsch, M; Gehringer, P. (2004). Microbicidal efficacy of an advanced oxidation process using ozone/hydrogen peroxide in water treatment. *Water Sci Technol.* 50: 159-164.
- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (2008). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Talanta.* 74: 1265-1270. <http://dx.doi.org/10.1016/j.talanta.2007.08.04>.
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environ Sci Technol.* 36: 2262-2268. <http://dx.doi.org/10.1021/es011162d>.
- Song, H; Carraway, ER. (2008). Catalytic hydrodechlorination of chlorinated ethenes by nanoscale zero-valent iron. *Appl Catal B-Environ.* 78: 53-60. <http://dx.doi.org/10.1016/j.apcatb.2007.07.034>.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere.* 73: 1420-1427. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.006>.
- Sonoyama, N; Ezaki, K; Sakata, T. (2001). Continuous electrochemical decomposition of dichloromethane in aqueous solution using various column electrodes. *Adv Environ Res.* 6: 1-8.
- Sonoyama, N; Sakata, T. (1999). Electrochemical Continuous Decomposition of Chloroform and Other Volatile Chlorinated Hydrocarbons in Water Using a Column Type Metal Impregnated Carbon Fiber Electrode. *Environ Sci Technol.* 33: 3438-3442. <http://dx.doi.org/10.1021/es980903g>.
- Sora, S; Agostini Carbone, ML. Chloral Hydrate, Methylmercury Hydroxide and Ethidium Bromide Affect Chromosomal Segregation during Meiosis of *Saccharomyces Cerevisiae*. *Mutat Res.* 190: 13-17.
- Sora, S; Agostini Carbone, ML. (1987). Chloral hydrate, methylmercury hydroxide and ethidium bromide affect chromosomal segregation during meiosis of *Saccharomyces cerevisiae*. *Mutat Res Lett.* 190: 13-17. [http://dx.doi.org/10.1016/0165-7992\(87\)90075-3](http://dx.doi.org/10.1016/0165-7992(87)90075-3).
- Sorbo, NW; Chang, DPY. (1992). OBSERVATIONS OF CHLORINATED-HYDROCARBON DROPLET GASIFICATION. *Combust Sci Tech.* 85: 419-435.
- Sorel, D; Cherry, JA; Lesage, S. (1998). In situ vertical circulation column: Containment system for small-scale DNAPL field experiments. *Ground Water Monitoring and Remediation.* 18: 114-125.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Sorenson, KS. (2003). Enhanced bioremediation for treatment of chlorinated solvent residual source areas. *ACS Symp Ser Am Chem Soc.* 837: 119-131.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive Adsorption of VOCs and BOM: Oxic and Anoxic Environments (pp. 1907-1919). (ISSN 0043-1354; EISSN 1879-2448; NTIS/02997963\_a). Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sossi, V; Morin, O; Celler, A; Rempel, TD; Belzberg, A; Carhart, C. (2003). PET and SPECT performance of the siemens HD3 E.Cam(duet)(R): A 1" Na(I) hybrid camera. *IEEE Trans Nucl Sci.* 50: 1504-1509. <http://dx.doi.org/10.1109/TNS.2003.817323>.
- Sossi, V; Pointon, B; Boudoux, C; Cohen, P; Hudkins, K; Jivan, S; Nitzek, K; Derosario, J; Stevens, C; Ruth, TJ. (2001). NEMA NU 2-2000+performance measurements on an ADAC MCD camera. *IEEE Trans Nucl Sci.* 48: 1518-1523.
- Soulodre, GA; Lavoie, MC; Norcross, SG. (2003). Objective measures of listener envelopment in multichannel surround systems. 51: 826-840.
- Soutter, D; Mcbean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation.* 27: 129-132.
- Spaeth, K; Gauglitz, G. (1998). Characterisation of the optical properties of thin polymer films for their application in detection of volatile organic compounds. *Mater Sci Eng C.* 5: 187-191.
- Spaeth, K; Kraus, G; Gauglitz, G. (1997). In-situ characterization of thin polymer films for applications in chemical sensing of volatile organic compounds by spectroscopic ellipsometry. *Fresenius J Anal Chem.* 357: 292-296.
- Spanel, P; Cocker, J; Rajan, B; Smith, D. (1997). Validation of the SIFT Technique for Trace Gas Analysis of Breath Using the Syringe Injection Technique. *Ann Occup Hyg.* 41: 373-382.
- Speerschneider, P; Dekant, W. (1995). Renal tumorigenicity of 1,1-dichloroethene in mice: the role of male-specific expression of cytochrome P450 2E1 in the renal bioactivation of 1,1-dichloroethene. *Toxicol Appl Pharmacol.* 130: 48-56. <http://dx.doi.org/10.1006/taap.1995.1007>.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webler-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health.* 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2002). Effects of tetrachloroethylene on the viability and development of embryos of the Japanese medaka, *Oryzias latipes*. *Arch Environ Contam Toxicol.* 42: 463-469. <http://dx.doi.org/10.1007/s00244-001-0050-1>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol.* 27: 1-5.
- Spinatonda, G; Colombo, R; Capodaglio, EM; Imbriani, M; Pasetti, C; Minuco, G; Pinelli, P. (1997). Processes of speech production: Application in a group of subjects chronically exposed to organic solvents (II). *G Ital Med Lav Ergon.* 19: 85-88.
- Spinks, TJ; Karia, D; Leach, MO; Flux, G. (2014). Quantitative PET and SPECT performance characteristics of the Albira Trimodal pre-clinical tomograph. *Phys Med Biol.* 59: 715-731. <http://dx.doi.org/10.1088/0031-9155/59/3/715>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 213-236.
- Sponza, DT. (2003). Enhancement of granule formation and sludge retention for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res.* 7: 453-462.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *Int Biodeterior Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82. <http://dx.doi.org/10.1016/j.procbio.2003.11.046>.
- Squillace, PJ; Moran, MJ. (2007). Factors associated with sources, transport, and fate of volatile organic compounds and their mixtures in aquifers of the United States. *Environ Sci Technol.* 41: 2123-2130. <http://dx.doi.org/10.1021/es061079w>.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environ Sci Technol.* 38: 5327-5338. <http://dx.doi.org/10.1021/es0349756>.
- Stacpoole, PW; Henderson, GN; Yan, Z; James, MO. (1998). Clinical pharmacology and toxicology of dichloroacetate. *Environ Health Perspect.* 106: 989-994.
- Stacpoole, PW; Wright, EC; Baumgartner, TG; Bersin, RM; Buchalter, S; Curry, SH; Duncan, CA; Harman, EM; Henderson, GN; Jenkinson, S; Lachin, JM; Lorenz, A; Schneider, SH; Siegel, JH; Summer, WR; Thompson, D; Wolfe, CL; Zorovich, B; Group, D-LAS. (1992). A controlled clinical trial of dichloroacetate for treatment of lactic acidosis in adults. *N Engl J Med.* 327: 1564-1569. <http://dx.doi.org/10.1056/NEJM199211263272204>.
- Staff, CE. (2002). NEMA's 3Q02 control indices show uneven recovery. *Control Engineering Online.* 49: 13-13.
- Staff, CE. (2003). NEMA'S control indices for 3Q03 are flat despite economic growth. *Control Engineering Online.* 50: 24-24.
- Staff, CE. (2004). NEMA's industrial control business index up 14% from 2003. *Control Engineering Online.* 51: 12-12.
- Staff, CE. (2005). NEMA reports industrial control indices surge in 2005. *Control Engineering Online.* 52: 24-24.
- Staff, CE. (2007). Standards: NEMA reaffirms several for industrial control systems. *Control Engineering Online.* 54: 43-43.
- Staff, CE. (2008). NEMA offers free download of interactive standards and products guide. *Control Engineering Online.* 55: 27-27.
- Stanescu, G; Trutia, A, th. (2006). Optical spectra of the CoCl<sub>2</sub>/PEG systems. *Optical Materials.* 29: 332-336. <http://dx.doi.org/10.1016/j.optmat.2005.08.040>.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepine sediments: tree selection. *Int J Phytoremediation.* 10: 529-546. <http://dx.doi.org/10.1080/15226510802115067>.
- Stankiewicz, Z; Schreiner, H. (1993). TEMPERATURE-VACUUM PROCESS FOR THE DESORPTION OF ACTIVATED-CHARCOAL. *Process Saf Environ Protect.* 71: 134-140.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F1 and C57BL/10J mouse liver tumours. *Carcinogenesis*. 15: 1125-1131.
- Stapf, A; Honeit, F; Gondek, C; Kroke, E. (2017). Texturing of monocrystalline silicon wafers by HF-HCl-H<sub>2</sub>O<sub>2</sub> mixtures: Generation of random inverted pyramids and simulation of light trapping in PERC solar cells. *Solar Energy Materials and Solar Cells*. 159: 112-120. <http://dx.doi.org/10.1016/j.solmat.2016.08.034>.
- Stauber, AJ; Bull, RJ. (1997). Differences in phenotype and cell replicative behavior of hepatic tumors induced by dichloroacetate (DCA) and trichloroacetate (TCA). *Toxicol Appl Pharmacol*. 144: 235-246. <http://dx.doi.org/10.1006/taap.1997.8159>.
- Steiman, R; Seiglemurandi, F; Guiraud, P; Benoitguyod, JL. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual*. 10: 283-285.
- Steineck, G; Plato, N; Gerhardsson, M; Norell, SE; Hogstedt, C. (1990). Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. *Int J Cancer*. 45: 1012-1017. <http://dx.doi.org/10.1002/ijc.2910450605>.
- Steinmoeller, S; Bandte, M; Buettner, C; Mueller, P. (2012). Effects of sanitation processes on survival of *Synchytrium endobioticum* and *Globodera rostochiensis*. *European Journal of Plant Pathology*. 133: 753-763. <http://dx.doi.org/10.1007/s10658-012-9955-y>.
- Steitz, W. (1979). PRE-CLEANING OF POLYESTER MATERIAL AND CLEANING OF FIXED POLYESTER PRINTS IN PERCHLOROETHYLENE. *Textilveredlung*. 14: 440-442.
- Stelzer, N; Imfeld, G; Thullner, M; Lehmann, J; Poser, A; Richnow, H-H; Nijenhuis, I. (2009). Integrative approach to delineate natural attenuation of chlorinated benzenes in anoxic aquifers. *Environ Pollut*. 157: 1800-1806. <http://dx.doi.org/10.1016/j.envpol.2009.01.029>.
- Stemhagen, A; Slade, J; Altman, R; Bill, J. (1983). Occupational risk factors and liver cancer: A retrospective case-control study of primary liver cancer in New Jersey. *Am J Epidemiol*. 117: 443-454.
- Stenner, RD; Merdink, JL; Fisher, JW; Bull, RJ. (1998). Physiologically-based pharmacokinetic model for trichloroethylene considering enterohepatic recirculation of major metabolites. *Risk Anal*. 18: 261-269.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics*. 4: 185-192.
- Sterchele, PF; Sun, H; Peterson, RE; Vanden Heuvel, JP. (1996). Regulation of peroxisome proliferator-activated receptor-alpha mRNA in rat liver. *Arch Biochem Biophys*. 326: 281-289.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol*. 23: 761-765.
- Stevens, JL. (1985). Isolation and characterization of a rat liver enzyme with both cysteine conjugate beta-lyase and kynureninase activity. *J Biol Chem*. 260: 7945-7950.
- Stevenson, DE; McClain, RM; Popp, JA; Slaga, TJ; Ward, JM; Pitot, HC. (1990). Mouse liver carcinogenesis: mechanisms and species comparisons. New York, NY: Wiley-Liss.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med*. 48: 531-537.
- Stewart, RD; Baretta, ED; Dodd, HC; Torkelson, TR. (1970). Experimental human exposure to tetrachloroethylene. *Arch Environ Health*. 20: 224-229.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health*. 20: 64-71.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. *J Occup Environ Med*. 3: 586-590.
- Stingone, JA; Mcveigh, KH; Claudio, L. (2016). Association between prenatal exposure to ambient diesel particulate matter and perchloroethylene with children's 3rd grade standardized test scores. *Environ Res*. 148: 144-153. <http://dx.doi.org/10.1016/j.envres.2016.03.035>.
- Stiteler, WM; Knauf, LA; Hertzberg, RC; Schoeny, RS. (1993). A statistical test of compatibility of data sets to a common dose-response model. *Regul Toxicol Pharmacol*. 18: 392-402. <http://dx.doi.org/10.1006/rtph.1993.1065>.
- Stoebener, K; Klein, P; Horsch, M; Kuefer, K; Hasse, H. (2016). Parametrization of two-center Lennard-Jones plus point-quadrupole force field models by multicriteria optimization. *Fluid Phase Equilibria*. 411: 33-42. <http://dx.doi.org/10.1016/j.fluid.2015.11.028>.
- Stonard, MD; Phillips, PGN; Foster, JR; Simpson, MG; Lock, EA. (1986). alpha<sub>2u</sub>-Globulin: Measurement in rat kidney and relationship to hyaline droplets. *Clin Chim Acta*. 160: 197-203. [http://dx.doi.org/10.1016/0009-8981\(86\)90142-7](http://dx.doi.org/10.1016/0009-8981(86)90142-7).
- Storer, RD; Mckelvey, TW; Kraynak, AR; Elia, MC; Barnum, JE; Harmon, LS; Nichols, WW; Deluca, JG. (1996). Revalidation of the in vitro alkaline elution/rat hepatocyte assay for DNA damage: Improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res Genet Toxicol Environ Mutagen*. 368: 59-101. [http://dx.doi.org/10.1016/0165-1218\(95\)00070-4](http://dx.doi.org/10.1016/0165-1218(95)00070-4).
- Storey, RF; Baugh, DW. (1999). Plasticization of poly(styrene-*b*-isobutylene-*b*-styrene) ionomers by acid salts of 2-ethylhexyl-*p*-dimethylaminobenzoate. *Polymer Engineering and Science*. 39: 1328-1334.
- Storm. (2011). Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene (vol 66, pg 166, 2011). *Arch Environ Occup Health*. 66: 250-250. <http://dx.doi.org/10.1080/19338244.2011.623084>.
- Storm, J, anE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2012). Response to "Comment on 'Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene' by Storm et al". *Arch Environ Occup Health*. 67: 53-55. <http://dx.doi.org/10.1080/19338244.2012.645396>.
- Storm, JE; Mazor, KA. (2004). Update of residential tetrachloroethylene exposure and decreases in visual contrast sensitivity [Letter]. *Environ Health Perspect*. 112: A862-A864.
- Storm, JE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2011). Visual contrast sensitivity in children exposed to tetrachloroethylene. *Arch Environ Occup Health*. 66: 166-177. <http://dx.doi.org/10.1080/19338244.2010.539638>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Storm, JE; Mazor, KA; Shost, SJ; Serle, J; Aldous, KM; Blount, BC. (2013). Socioeconomic disparities in indoor air, breath, and blood perchloroethylene level among adult and child residents of buildings with or without a dry cleaner. *Environ Res.* 122: 88-97. <http://dx.doi.org/10.1016/j.envres.2013.02.001>.
- Stott, WT. (1988). Chemically induced proliferation of peroxisomes: implications for risk assessment. *Regul Toxicol Pharmacol.* 8: 125-159.
- Stott, WT; Quast, JF; Watanabe, PG. (1982). The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol.* 62: 137-151.
- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol.* 71: 155-192. <http://dx.doi.org/10.1016/j.jconhyd.2003.09.010>.
- Strachan, D. (1999). NEMA releases premiere next-level cable standard. *I E E Electrical Insulation Magazine.* 15: 50-+.
- Strating, SJ; Juarez, TJ; Stevens, ME; White, DW; Smith, PA. (2013). Short duration needle trap sampling with gas chromatography analysis to determine nearly instantaneous concentrations of selected organic vapor contaminants. *J Occup Environ Hyg.* 10: 674-684. <http://dx.doi.org/10.1080/15459624.2013.831982>.
- Strickland, JA; Guth, DJ. (2002). Quantitative exposure-response assessment approaches to evaluate acute inhalation toxicity of phosgene. *Hum Ecol Risk Assess.* 8: 511-536.
- Stromberg, PC. (1985). Large granular lymphocyte leukemia in F344 rats: Model for human T gamma lymphoma, malignant histiocytosis, and T-cell chronic lymphocytic leukemia. *Am J Pathol.* 119: 517-519.
- Stromberg, PC; Rojko, JL; Vogtsberger, LM; Cheney, C; Berman, R. (1983). Immunologic, biochemical, and ultrastructural characterization of the leukemia cell in F344 rats. *J Natl Cancer Inst.* 71: 173-181.
- Stroo, HF; Unger, M; Ward, CH; Kavanaugh, MC; Vogel, C; Leeson, A; Marqusee, J; Smith, BP. (2003). Remediating chlorinated solvent source zones. *Environ Sci Technol.* 37: 224A-230A.
- Strub, MP; Lepot, B; Morin, A. (2009). Metrological aspects of collaborative field trials, including coping with unexpected events. *Trends Analyt Chem.* 28: 245-261. <http://dx.doi.org/10.1016/j.trac.2008.12.003>.
- Struckhoff, GC; Burken, JG; Schumacher, JG. (2005). Vapor-phase exchange of perchloroethene between soil and plants. *Environ Sci Technol.* 39: 1563-1568. <http://dx.doi.org/10.1021/es049411w>.
- Sturaro, A; Parvoli, G; Doretto, L; Bancolina, C; Neonato, C. (1994). GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC DETERMINATION OF VINYL-ACETATE LEVELS IN AIR. 29: 575-577.
- Sturm, J. (2012). GLOBAL LIGHTING ASSOCIATION: THE GLOBAL VOICE OF THE LIGHTING INDUSTRY. 20: 16-18.
- Styles, JA; Mackay, JM; Randall, V; Jones, K; Fox, DA; Howard, CA; Ashby, J. (1992). Trichloroacetic acid: Investigation of chromosomal damage in vitro and in vivo. Abstract of the twenty-third meeting of the Environmental Mutagen Society. *Environ Mol Mutagen.* 19: 62. <http://dx.doi.org/10.1002/em.2850190503>.
- Styles, JA; Wyatt, I; Coutts, C. (1991). Trichloroacetic acid: Studies on uptake and effects on hepatic DNA and liver growth in mouse. *Carcinogenesis.* 12: 1715-1719. <http://dx.doi.org/10.1093/carcin/12.9.1715>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2013). Travel distance and transformation of injected emulsified zerovalent iron nanoparticles in the subsurface during two and half years. *Water Res.* 47: 4095-4106. <http://dx.doi.org/10.1016/j.watres.2012.12.042>.
- Su, CM; Evans, LJ. (1996). Soil solution chemistry and alfalfa response to CaCO<sub>3</sub> and MgCO<sub>3</sub> on an acidic Gleysol. *Can J Soil Sci.* 76: 41-47.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environ Sci Technol.* 33: 163-168.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Suarez, L; Weiss, NS; Martin, J. (1989). Primary liver cancer death and occupation in Texas. *Am J Ind Med.* 15: 167-175.
- Suárez sánchez, A; Krzemień, A; Riesgo fernández, P; Iglesias rodríguez, FJ; Sánchez lasherás, F; De Cos juez, FJ. (2015). Investment in new tungsten mining projects. *Resources Policy.* 46: 177-190.
- Subramoniam, A; Goel, SK; Pandya, KP; Seth, PK. (1989). Influence of trichloroethylene treatment on phosphoinositides in rat brain. *Toxicol Lett.* 49: 55-60. [http://dx.doi.org/10.1016/0378-4274\(89\)90101-X](http://dx.doi.org/10.1016/0378-4274(89)90101-X).
- Suchomel, EJ; Pennell, KD. (2006). Reductions in contaminant mass discharge following partial mass removal from DNAPL source zones. *Environ Sci Technol.* 40: 6110-6116. <http://dx.doi.org/10.1021/es060298e>.
- Suda, Y. (1977). DYEING OF NYLON-6 WITH DISPERSE DYES IN MIXED-SOLVENTS OF TETRACHLOROETHYLENE AND N,N-DIMETHYLACETAMIDE. 1530-1535.
- Suffet, IH; Brenner, L; Radziul, JV. (1976). GC/MS identification of trace organic compounds in Philadelphia waters, chap 23. 375-397.
- Sun, YW; Lu, XJ; Petersen, JN; Buscheck, TA. (2004). An analytical solution of tetrachloroethylene transport and biodegradation. *Transport in Porous Media.* 55: 301-308.
- Sunder, M; D-C, H. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res.* 31: 33-40.
- Sundlov, SP; Manahan, JM; Potter, RC, Jr; Cary, SM; Holub, RA. (2013). Facing Today's Installation Challenges of Adjustable-Speed Drives for Controlling Motors in Hazardous Location Areas. *I E E Transactions on Industry Applications.* 49. <http://dx.doi.org/10.1109/TIA.2013.2262256>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Sung, MM; Kim, HJ; Kim, EK; Kwak, JY; Yoo, JK; Yoo, HS. (2002). Clinical evaluation of JPEG2000 compression for digital mammography. *IEEE Trans Nucl Sci.* 49: 827-832.
- Sung, TI; Chen, PC; Lee, LJH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health.* 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Sung, TI; Wang, JD; Chen, PC. (2008). Increased risk of cancer in the offspring of female electronics workers. *Reprod Toxicol.* 25: 115-119. <http://dx.doi.org/10.1016/j.reprotox.2007.08.004>.
- Sung, TI; Wang, JD; Chen, PC. (2009). Increased risks of infant mortality and of deaths due to congenital malformation in the offspring of male electronics workers. *Birth Defects Res A Clin Mol Teratol.* 85: 119-124. <http://dx.doi.org/10.1002/bdra.20496>.
- Sunkara, B; Su, Y; Zhan, J; He, J; Mcpherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. 9: 939-947. <http://dx.doi.org/10.1007/s11783-015-0807-9>.
- Suri, RP; Liu, J; Crittenden, JC; Hand, DW. (1999). Removal and Destruction of Organic Contaminants in Water Using Adsorption, Steam Regeneration, and Photocatalytic Oxidation: A Pilot-Scale Study. *J Air Waste Manag Assoc.* 49: 951-958. <http://dx.doi.org/10.1080/10473289.1999.10463861>.
- Suri, RPS; Crittenden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *J Environ Eng.* 125: 897-905.
- Surti, S; Karp, JS. (2005). A count-rate model for PET scanners using pixelated Anger-logic detectors with different scintillators. *Phys Med Biol.* 50: 5697-5715. <http://dx.doi.org/10.1088/0031-9155/50/23/020>.
- Surti, S; Karp, JS; Muehlelehner, G; Raby, PS. (2003). IEEE NUCLEAR SCIENCE SYMPOSIUM - CONFERENCE RECORD Investigation of Lanthanum scintillators for 3-D PET. <http://dx.doi.org/10.1109/TNS.2003.812450>.
- Surti, S; Karp, JS; Popescu, LM; Daube-Witherspoon, ME; Werner, M. (2006). Investigation of time-of-flight benefit for fully 3-D PET. *IEEE Trans Med Imaging.* 25: 529-538. <http://dx.doi.org/10.1109/TMI.2006.871419>.
- Sutanto, S; van Roosmalen, MJE; Witkamp, GJ. (2013). Redeposition in CO2 textile dry cleaning. *Journal of Supercritical Fluids.* 81: 183-192. <http://dx.doi.org/10.1016/j.supflu.2013.05.013>.
- Sutanto, S; van Roosmalen, MJE; Witkamp, GJ. (2014). Mechanical action in CO2 dry cleaning. *Journal of Supercritical Fluids.* 93: 138-143. <http://dx.doi.org/10.1016/j.supflu.2013.09.019>.
- Sutherland, IW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2011). Chlorination and dehydrochlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene Part 1. Reaction pathways. *Appl Catal A-Gen.* 399: 1-11. <http://dx.doi.org/10.1016/j.apcata.2011.02.035>.
- Sutherland, K, inW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2014). Chlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene, Part 2: Effects of chlorine supply. *Appl Catal A-Gen.* 471: 149-156. <http://dx.doi.org/10.1016/j.apcata.2013.11.030>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water.* 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.
- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol.* 171C: 32-41. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.010>.
- Suxiang, Z; Qi, Q; Song, Z; Jingjia, J; Zhengrong, S; Guohua, L. (2014). Rear passivation of commercial multi-crystalline PERC solar cell by PECVD Al2O3. *Appl Surf Sci.* 290: 66-70. <http://dx.doi.org/10.1016/j.apsusc.2013.10.190>.
- Suzuki, T; Kawai, K; Moribe, M; Niinae, M. (2014). Recovery of Cr as Cr(III) from Cr(VI)-contaminated kaolinite clay by electrokinetics coupled with a permeable reactive barrier. *J Hazard Mater.* 278: 297-303. <http://dx.doi.org/10.1016/j.jhazmat.2014.05.086>.
- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EloRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther.* 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere.* 24: 1845-1853.
- Swanson, GM; Burns, PB. (1995). Cancer incidence among women in the workplace: A study of the association between occupation and industry and 11 cancer sites. *J Occup Environ Med.* 37: 282-287.
- Swenberg, JA; Lehman-McKeeman, LD. (1999). alpha 2-Urinary globulin-associated nephropathy as a mechanism of renal tubule cell carcinogenesis in male rats. In CC Capen; E Dybing; JM Rice; JD Wilbourn (Eds.), *IARC Sci Publ* (pp. 95-118). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=147>.
- Swenberg, JA; Short, B; Borghoff, S; Strasser, J; Charbonneau, M. (1989). The comparative pathobiology of alpha2u-globulin nephropathy. *Toxicol Appl Pharmacol.* 97: 35-46.
- Swerdlow, SH; Campo, E; Harris, NL; Jaffe, ES; Pileri, SA; Stein, H; Thiele, J; Vardiman, JW. (2008). WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues. In th (Ed.). Geneva, Switzerland: WHO Press. <http://apps.who.int/bookorders/anglais/detart1.jsp?codlan=1&codcol=70&codcch=4002>.
- Swinker, M; Burke, WA. (2002). Visual contrast sensitivity as a diagnostic tool [Letter]. *Environ Health Perspect.* 110: A120-A123. <http://dx.doi.org/10.1289/ehp.110-a120>.
- Syeda, AB; Koula, AJ; Boodida, S; Nallani, S. (2010). Excess Molar Volumes and Sound Speed in (Phenylacetonitrile+1,2-Dichloroethane), (Phenylacetonitrile+1,1,2-Trichloroethane), (Phenylacetonitrile+1,1,2,2-Tetrachloroethane), (Phenylacetonitrile plus Trichloroethene),

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- and (Phenylacetone nitrile plus Tetrachloroethene) at Temperatures of (303.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data*. 55: 1405-1410. <http://dx.doi.org/10.1021/jc900570e>.
- Szelag, H; Makuch, B; Zwierzykowski, W. (1992). DETERMINATION OF TETRACHLOROETHYLENE IN COCOA BUTTER. 94: 436-438.
- Szydłowski, J; Milewska, A. (1999). Deuterium isotope effect on miscibility of some binary mixtures containing acetonitrile or nitromethane. *Fluid Phase Equilibria*. 162: 181-191.
- 't Mannetje, A; Dryson, E; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). High risk occupations for non-Hodgkin's lymphoma in New Zealand: Case-control study. *Occup Environ Med*. 65: 354-363. <http://dx.doi.org/10.1136/oem.2007.035014>.
- Tabacova, S. (1986). Maternal exposure to environmental chemicals [Review]. *Neurotoxicology*. 7: 421-440.
- Tabernacka, A. (2014). Biological Treatment of Groundwaters Polluted with Chlorinated Ethene. 36: 9-13.
- Tabernacka, A; Zborowska, E, wa; Lebkowska, M. (2012). Removal of Chlorinated Ethenes (TCE and PCE) from the Air by Using Integrated Bioreactors with Immobilized Biomass. 34: 11-18.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater*. 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Taechangam, P; Scamehorn, JF; Osuwan, S; Rirksomboon, T. (2008). Continuous Cloud Point Extraction of Volatile Organic Contaminants from Wastewater in a Multi-Stage Rotating Disc Contactor: Effect of Structure and Concentration of Solutes. *Separation Science and Technology*. 43: 3601-3623. <http://dx.doi.org/10.1080/01496390802282339>.
- Taghavy, A; Costanza, J, ed; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol*. 118: 128-142. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.001>.
- Tahara, M; Mabuchi, N; Takagishi, T. (2003). Shrink proofing of wool fabrics by pulse corona discharge and enzymes. *Sen'i Gakkaishi*. 59: 153-157.
- Tai, ES; Collins, D; Robins, SJ; O'Connor, JJ; Bloomfield, HE; Ordovas, JM; Schaefer, EJ; Brousseau, ME. (2006). The L162V polymorphism at the peroxisome proliferator activated receptor alpha locus modulates the risk of cardiovascular events associated with insulin resistance and diabetes mellitus: The Veterans Affairs HDL Intervention Trial (VA-HIT). *Atherosclerosis*. 187: 153-160. <http://dx.doi.org/10.1016/j.atherosclerosis.2005.08.034>.
- Tait, NG; Davison, RM; Leharne, SA; Lerner, DN. (2008). Borehole Optimisation System (BOS) - A case study assessing options for abstraction of urban groundwater in Nottingham, UK. *Environ Modell Softw*. 23: 611-621. <http://dx.doi.org/10.1016/j.envsoft.2007.09.001>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health*. 50: 169-180.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY APPLYING RETICULATED IRON AS REDUCING AGENT. *Kagaku Kogaku Ronbunshu*. 21: 22-31.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY FENTONS REACTION ON RETICULATED IRON. *Kagaku Kogaku Ronbunshu*. 21: 32-40.
- Takemura, Y; Senoo, K; Mukai, T; Suzuki, M. (1994). DECOMPOSING ORGANIC CHLORINE COMPOUNDS IN DRY-CLEANING WASTE-WATER BY FENTONS REACTION ON RETICULATED IRON. *Water Sci Technol*. 30: 129-137.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol*. 124: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2011.01.003>.
- Takeuchi, Y; Hisanaga, N; Koike, Y; Mabuchi, C. (1978). 2 CASES PRESUMABLY POISONED BY PERCHLOROETHYLENE IN JAPANESE-STYLE SILK CLOTHES CLEANING. *Sangyo Igaku*. 20: 146-155.
- Takigawa, T; Ogawa, H; Tamura, K; Murakami, S. (1997). Excess enthalpies of binary mixtures {x-dioxane isomer plus (1-x)non-polar liquid} at 298.15 K. *Fluid Phase Equilibria*. 136: 257-267.
- Takigawa, T; Tamura, K. (2000). Thermodynamic properties of (1,3-dioxane, or 1,4-dioxane plus a non-polar liquid) at T=298.15 K; speed of sound, excess isentropic and isothermal compressibilities and excess isochoric heat capacity. *The Journal of Chemical Thermodynamics*. 32: 1045-1055.
- Talawat, J; Sabatini, DA; Tongcumpou, C. (2013). Behavior of DNAPL mixture of organometallic and chlorinated solvent in the presence of surfactants and alcohols as density modifying agents. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1619-1627. <http://dx.doi.org/10.1080/10934529.2013.815093>.
- Talbot, R; Dibb, J; Scheuer, E; Seid, G; Russo, R; Sandholm, S; Tan, D; Singh, H; Blake, D; Blake, N; Atlas, E; Sachse, G; Jordan, C; Avery, M. (2003). Reactive nitrogen in Asian continental outflow over the western Pacific: Results from the NASA Transport and Chemical Evolution over the Pacific (TRACE-P) airborne mission. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003129>.
- Talbot, RW; Dibb, JE; Lefer, BL; Bradshaw, JD; Sandholm, ST; Blake, DR; Blake, NJ; Sachse, GW; Collins, JE; Heikes, BG; Merrill, JT; Gregory, GL; Anderson, BE; Singh, HB; Thornton, DC; Bandy, AR; Poeschel, RF. (1997). Chemical characteristics of continental outflow from Asia to the troposphere over the western Pacific Ocean during February-March 1994: Results from PEM-West B. *J Geophys Res Atmos*. 102: 28255-28274.
- Taleb, D; Bahri, MA, li; Warnock, G; Salmon, E; Luxen, A; Plenevaux, A; Anizan, N; Seret, A. (2012). Performance Measurements of the MicroPET FOCUS 120 for Iodine-124 Imaging. *IEEE Trans Nucl Sci*. 59: 1868-1878. <http://dx.doi.org/10.1109/TNS.2012.2205402>.
- Talguen, V; Turzo, A; Bizais, Y; Visvikis, D. (2004). Evaluation of attenuation correction methodology in the allegro PET system. *IEEE Trans Nucl Sci*. 51: 2688-2692. <http://dx.doi.org/10.1109/TNS.2004.835741>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Tan, LK; Liem, AJ. (1998). Effect of hydrochloric acid on sampling and analysis of semivolatile organic compounds in incineration flue gas. 4. Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans. *Environ Sci Technol.* 32: 157-162.
- Tan, T; Wang, S; Bian, S; Li, X. (2009). Polymer-induced generation and characterization of electrophoretic properties of hollow TiO(X) nanospheres for electronic paper. *Synthetic Metals.* 159: 1739-1743. <http://dx.doi.org/10.1016/j.synthmet.2009.05.015>.
- Tan, T; Wang, S; Li, X; Wang, C; An, Y. (2009). Facile preparation and characterization of hollow poly(St-co-MMA-co-BA-co-MAA) core-double shell latex nanoparticles for electrophoretic displays. *Curr Appl Phys.* 9: 989-992. <http://dx.doi.org/10.1016/j.cap.2008.10.008>.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydeloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol.* 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanaka, S; Ikeda, M. (1968). A method for determination of trichloroethanol and trichloroacetic acid in urine. *Occup Environ Med.* 25: 214-219.
- Tanaka, T; Ordovas, JM; Delgado-Lista, J; Perez-Jimenez, F; Marin, C; Perez-Martinez, P; Gomez, P; Lopez-Miranda, J. (2007). Peroxisome proliferator-activated receptor alpha polymorphisms and postprandial lipemia in healthy men. *J Lipid Res.* 48: 1402-1408. <http://dx.doi.org/10.1194/jlr.M700066-JLR200>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol.* 28: 973-979.
- Tang, ML; Kemp, AS; Thorburn, J; Hill, DJ. (1994). Reduced interferon-gamma secretion in neonates and subsequent atopy. *Lancet.* 344: 983-985. [http://dx.doi.org/10.1016/S0140-6736\(94\)91641-1](http://dx.doi.org/10.1016/S0140-6736(94)91641-1).
- Tang, Q; Bo, Y; Zhu, Y. (2016). Spatiotemporal fusion of multiple-satellite aerosol optical depth (AOD) products using Bayesian maximum entropy method. *J Geophys Res Atmos.* 121: 4034-4048. <http://dx.doi.org/10.1002/2015JD024571>.
- Tang, Y; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Sci Technol.* 68: 1158-1163. <http://dx.doi.org/10.2166/wst.2013.362>.
- Tang, YF; Kline, JA. (1996). Modeling and design optimization of switched reluctance machine by boundary element analysis and simulation. *I E E E Transactions on Energy Conversion.* 11: 673-680.
- Tanimura, T; Yoshida, A; Yamazaki, S. (2005). Reduced formation of undesirable by-products from photocatalytic degradation of trichloroethylene. *Appl Catal B-Environ.* 61: 346-351. <http://dx.doi.org/10.1016/j.apcatb.2005.05.015>.
- Tao, L; Ge, R; Xie, M; Kramer, PM; Pereira, MA. (1999). Effect of trichloroethylene on DNA methylation and expression of early-intermediate protooncogenes in the liver of B6C3F1 mice. *J Biochem Mol Toxicol.* 13: 231-237.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci.* 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci.* 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. (1996). Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261. [http://dx.doi.org/10.1016/S0304-3835\(96\)04451-5](http://dx.doi.org/10.1016/S0304-3835(96)04451-5).
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci.* 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Effect of trichloroethylene and its metabolites, dichloroacetic acid and trichloroacetic acid, on the methylation and expression of c-jun and c-myc protooncogenes in mouse liver: Prevention by methionine. *Toxicol Sci.* 54: 399-407. <http://dx.doi.org/10.1093/toxsci/54.2.399>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Hypomethylation and overexpression of c-jun and c-myc protooncogenes and increased DNA methyltransferase activity in dichloroacetic and trichloroacetic acid-promoted mouse liver tumors. *Cancer Lett.* 158: 185-193. [http://dx.doi.org/10.1016/S0304-3835\(00\)00518-8](http://dx.doi.org/10.1016/S0304-3835(00)00518-8).
- Tao, X; Wang, X; Li, Z; Zhou, S. (2015). Ultralow temperature synthesis and improved adsorption performance of graphene oxide nanosheets. *Appl Surf Sci.* 324: 363-368. <http://dx.doi.org/10.1016/j.apsusc.2014.10.153>.
- Tardif, R; Laparé, S; Charest-Tardif, G; Brodeur, J; Krishnan, K. (1995). Physiologically-based pharmacokinetic modeling of a mixture of toluene and xylene in humans. *Risk Anal.* 15: 335-342.
- Tartakovsky, B; Manuel, ME; Guiot, SR. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J.* 26: 72-81. <http://dx.doi.org/10.1016/j.bej.2005.06.007>.
- Tartakovsky, B; Manuel, MF; Guiot, SR. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environ Sci Technol.* 37: 5823-5828.
- Tas, DO; Pavlostathis, SG. (2008). Effect of nitrate reduction on the microbial reductive transformation of pentachloronitrobenzene. *Environ Sci Technol.* 42: 3234-3240. <http://dx.doi.org/10.1021/es702261w>.
- Taskinen, HK. (1993). EPIDEMIOLOGIC STUDIES IN MONITORING REPRODUCTIVE EFFECTS. *Environ Health Perspect.* 101: 279-283.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem.* 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci.* 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech.* 101: 135-152.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation.* 10: 455-471. <http://dx.doi.org/10.1080/15226510802100655>.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame.* 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame.* 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of hexachloropropene: Kinetic analysis of pathways to formation of perchloro-arylbenzenes. *Combust Flame.* 105: 486-498.
- Taylor, PH; Tirey, DA; Rubey, WA; Dellinger, B. (1994). DETAILED MODELING OF THE PYROLYSIS OF TRICHLOROETHENE - FORMATION OF CHLORINATED AROMATIC SPECIES. *Combust Sci Tech.* 101: 75-102.
- Taylor, TP; Pennell, KD; Abriola, LM; Dane, JH. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 1. Experimental studies. *J Contam Hydrol.* 48: 325-350.
- Taylor, TP; Rathfelder, KM; Pennell, KD; Abriola, LM. (2004). Effects of ethanol addition on micellar solubilization and plume migration during surfactant enhanced recovery of tetrachloroethene. *J Contam Hydrol.* 69: 73-99. [http://dx.doi.org/10.1016/S0169-7722\(03\)00151-7](http://dx.doi.org/10.1016/S0169-7722(03)00151-7).
- Teel, AL; Cutler, LM; Watts, RJ. (2009). Effect of sorption on contaminant oxidation in activated persulfate systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1098-1103. <http://dx.doi.org/10.1080/10934520903005095>.
- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists.* 77: 174-178.
- Templin, MV; Parker, JC; Bull, RJ. (1993). Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice. *Toxicol Appl Pharmacol.* 123: 1-8. <http://dx.doi.org/10.1006/taap.1993.1214>.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health.* 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Tenhunen, M; Pyykkonen, J; Tenhunenkeskinen, M; Jaatinen, K; Kuikka, JT. (1996). Components of the flood-field uniformity index in a gamma camera. *Phys Med Biol.* 41: 1209-1216.
- Tenkanen, L; Mänttari, M; Kovanen, PT; Virkkunen, H; Manninen, V. (2006). Gemfibrozil in the treatment of dyslipidemia: an 18-year mortality follow-up of the Helsinki Heart Study. *Arch Intern Med.* 166: 743-748. <http://dx.doi.org/10.1001/archinte.166.7.743>.
- Terrier, P; Townsend, AJ; Coindre, JM; Triche, TJ; Cowan, KH. (1990). An immunohistochemical study of pi class glutathione S-transferase expression in normal human tissue. *Am J Pathol.* 137: 845-853.
- Terzyk, AP; Rychlicki, G. (1999). Calorimetric investigations of molecular interactions in the adsorbate/microporous activated carbon system. Towards the mechanism of adsorption in micropores? *AST.* 17: 323-373.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Surveillance of nasal and bladder cancer to locate sources of exposure to occupational carcinogens. *Occup Environ Med.* 54: 443-451.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol.* 26: 171-177.
- Thai, SF; Allen, JW; Deangelo, AB; George, MH; Fuscoe, JC. (2003). Altered gene expression in mouse livers after dichloroacetic acid exposure. *Mutat Res Rev Mutat Res.* 543: 167-180. [http://dx.doi.org/10.1016/S1383-5742\(03\)00014-0](http://dx.doi.org/10.1016/S1383-5742(03)00014-0).
- Thaidigsmann, B; Drews, A; Fellmeth, T; Saint-Cast, P; Wolf, A; Clement, F; Preu, R; Biro, D. (2012). Synergistic Effects of Rear-Surface Passivation and the Metal Wrap Through Concept. 2: 109-113. <http://dx.doi.org/10.1109/JPHOTOV.2012.2183577>.
- Thaidigsmann, B; Greulich, J; Lohmueller, E; Schmeisser, S; Clement, F; Wolf, A; Biro, D; Preu, R. (2012). Loss analysis and efficiency potential of p-type MWT-PERC solar cells. *Solar Energy Materials and Solar Cells.* 106: 89-94. <http://dx.doi.org/10.1016/j.solmat.2012.04.045>.
- Thaidigsmann, B; Kick, C; Drews, A; Clement, F; Wolf, A; Biro, D. (2013). Fire-through contacts-a new approach to contact the rear side of passivated silicon solar cells. *Solar Energy Materials and Solar Cells.* 108: 164-169. <http://dx.doi.org/10.1016/j.solmat.2012.09.029>.
- Thangada, S; Alvares, K; Mangino, M; Usman, MI; Rao, MS; Reddy, JK. (1989). An in vitro demonstration of peroxisome proliferation and increase in peroxisomal beta-oxidation system mRNAs in cultured rat hepatocytes treated with ciprofibrate. *FEBS Lett.* 250: 205-210.
- Thatoi, H; Das, S; Mishra, J; Rath, BP; Das, N. (2014). Bacterial chromate reductase, a potential enzyme for bioremediation of hexavalent chromium: a review [Review]. *J Environ Manage.* 146: 383-399. <http://dx.doi.org/10.1016/j.jenvman.2014.07.014>.
- Thaus, DM; Stark, TJ; Griffis, DP; Russell, PE. (1996). Development of focused ion-beam machining techniques for Permalloy structures. 14: 3928-3932.
- Theiss, JC; Stoner, GD; Shimkin, MB; Weisburger, EK. (1977). Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. *Cancer Res.* 37: 2717-2720.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol.* 26: 1159-1164.
- Thomas, J; Haseman, JK; Goodman, JI; Ward, JM; Loughran, TP, Jr; Spencer, PJ. (2007). A review of large granular lymphocytic leukemia in Fischer 344 rats as an initial step toward evaluating the Implication of the endpoint to human cancer risk assessment [Review]. *Toxicol Sci.* 99: 3-19. <http://dx.doi.org/10.1093/toxsci/kfm098>.
- Thomas, KW; Pellizzari, ED; Perritt, RL; Nelson, WC. (1991). Effect of dry-cleaned clothes on tetrachloroethylene levels in indoor air, personal air, and breath for residents of several New Jersey homes. *J Expo Anal Environ Epidemiol.* 1: 475-490.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *J Environ Eng.* 139: 54-60. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000597](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000597).
- Thompson, K; Zhang, J; Zhang, C. (2011). Use of fugacity model to analyze temperature-dependent removal of micro-contaminants in sewage treatment plants. *Chemosphere.* 84: 1066-1071. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.063>.
- Thomson, J; Webb, G; Winfield, J; Bonniface, D; Shortman, C; Winterton, N. (1993). AMBIENT-TEMPERATURE CATALYTIC FLUORINATION OF C-1 CHLOROHYDROCARBONS TO C-3 CHLOROHYDROCARBONS AND RELATED-COMPOUNDS USING OXIDE-SUPPORTED ORGANIC LAYER CATALYSTS. *Appl Catal A-Gen.* 97: 67-76.
- Thomson, NR; Flynn, DJ. (2000). Soil vacuum extraction of perchloroethylene from the borden aquifer. *Ground Water.* 38: 673-688.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation.* 27: 74-85.
- Thullner, M; Kampara, M; Richnow, HH; Harms, H; Wick, LY. (2008). Impact of bioavailability restrictions on microbially induced stable isotope fractionation. 1. Theoretical calculation. *Environ Sci Technol.* 42: 6544-6551. <http://dx.doi.org/10.1021/es702782c>.
- Tice, RR; Stack, HF; Waters, MD. (1996). Human exposures to mutagens: An analysis using the genetic activity profile database. *Environ Health Perspect.* 104: 585-589.
- Tichenor, BA; Sparks, LE; Jackson, MD; Guo, Z; Mason, MA; Plunket, CM; Rasor, SA. (1990). Emissions of perchloroethylene from dry cleaned fabrics. *Atmos Environ.* 24: 1219-1229. [http://dx.doi.org/10.1016/0960-1686\(90\)90087-4](http://dx.doi.org/10.1016/0960-1686(90)90087-4).
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere.* 42: 571-577.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst.* 28: 1495-1502.
- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2636-7>.
- Tick, GR; Lourenso, F; Wood, AL; Brusseau, ML. (2003). Pilot-scale demonstration of cyclodextrin as a solubility-enhancement agent for remediation of a tetrachloroethene-contaminated aquifer. *Environ Sci Technol.* 37: 5829-5834. <http://dx.doi.org/10.1021/es030417f>.
- Ticknor, JL; Elsayed-Ali, O; Kim, W, onS; Trotz, MA; Cunningham, JA. (2013). Simplified Analysis of Chlorinated Ethenes in Water Samples by Gas Chromatography with Flame Ionization Detection. *Environ Eng Sci.* 30: 30-37. <http://dx.doi.org/10.1089/ees.2012.0101>.
- Tiehm, A; Krassnitzer, S; Koltypin, Y; Gedanken, A. (2009). Chloroethene dehalogenation with ultrasonically produced air-stable nano iron. *Ultrason Sonochem.* 16: 617-621. <http://dx.doi.org/10.1016/j.ultsonch.2009.01.005>.
- Till, C; Koren, G; Rovet, JF. (2001). Prenatal exposure to organic solvents and child neurobehavioral performance. *Neurotoxicol Teratol.* 23: 235-245. [http://dx.doi.org/10.1016/S0892-0362\(01\)00141-6](http://dx.doi.org/10.1016/S0892-0362(01)00141-6).
- Till, C; Westall, CA; Rovet, JF; Koren, G. (2001). Effects of maternal occupational exposure to organic solvents on offspring visual functioning: A prospective controlled study. *Teratology.* 64: 134-141. <http://dx.doi.org/10.1002/tera.1056>.
- Tirey, DA; Taylor, PH; Kasner, J; Dellinger, B. (1990). GAS-PHASE FORMATION OF CHLORINATED AROMATIC-COMPOUNDS FROM THE PYROLYSIS OF TETRACHLOROETHYLENE. *Combust Sci Tech.* 74: 137-157.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone: Science and Engineering.* 38: 302-311. <http://dx.doi.org/10.1080/01919512.2016.1141671>.
- Tobiszewski, M; Bigus, P; Namiesnik, J. (2014). Determination of parent and methylated polycyclic aromatic hydrocarbons in water samples by dispersive liquid-liquid microextraction-two dimensional gas chromatography-time-of-flight mass spectrometry. *Analytical Methods.* 6: 6678-6687. <http://dx.doi.org/10.1039/c4ay00887a>.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol.* 60: 88-95.
- Toledo, LC; Silva, AC; Augusti, R; Lago, RM. (2003). Application of Fenton's reagent to regenerate activated carbon saturated with organochloro compounds. *Chemosphere.* 50: 1049-1054.
- Tominaga, T; Park, T; Rettich, TR; Battino, R; Wilhelm, E. (1988). BINARY GASEOUS-DIFFUSION COEFFICIENTS .7. TETRACHLOROETHENE AND 1,1,1-TRICHLOROETHANE WITH METHANE AND TETRAFLUOROMETHANE AT 100-KPA AND 283-343-K. *Journal of Chemical and Engineering Data.* 33: 479-481.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Tong, M; Yuan, S; Long, H; Zheng, M; Wang, L; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol.* 122: 16-25. <http://dx.doi.org/10.1016/j.jconhyd.2010.10.003>.
- Tong, S; Alessio, AM; Kinahan, PE. (2010). Noise and signal properties in PSF-based fully 3D PET image reconstruction: an experimental evaluation. *Phys Med Biol.* 55: 1453-1473. <http://dx.doi.org/10.1088/0031-9155/55/5/013>.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta-catalyzed biotransformation of dichloroacetic acid and other alpha-haloacids. *Chem Res Toxicol*. 11: 1332-1338. <http://dx.doi.org/10.1021/tx980144f>.
- Tontonoz, P; Hu, E; Spiegelman, BM. (1994). Stimulation of adipogenesis in fibroblasts by PPAR gamma 2, a lipid-activated transcription factor. *Cell*. 79: 1147-1156.
- Topping, MD; Forster, HW; Dolman, C; Luczynska, CM; Bernard, AM. (1986). Measurement of urinary retinol-binding protein by enzyme-linked immunosorbent assay, and its application to detection of tubular proteinuria. *Clin Chem*. 32: 1863-1866.
- Topudurti, K; Keefe, M; Wooliever, P; Lewis, N. (1994). FIELD-EVALUATION OF PEROX-PURE(TM) CHEMICAL OXIDATION TECHNOLOGY. *Water Sci Technol*. 30: 95-104.
- Torlapati, J; Clement, TP; Schaefer, CE; Lee, KK, un. (2012). Modeling Dehalococoides sp Augmented Bioremediation in a Single Fracture System. *Ground Water Monitoring and Remediation*. 32: 75-83. <http://dx.doi.org/10.1111/j.1745-6592.2011.01392.x>.
- Totten, CT; Annable, MD; Jawitz, JW; Delfino, JJ. (2007). Fluid and porous media property effects on dense nonaqueous phase liquid migration and contaminant mass flux. *Environ Sci Technol*. 41: 1622-1627. <http://dx.doi.org/10.1021/es061639r>.
- Towara, J; Hiller, B; Hutzinger, O; Kurz, J; Klein, P. (1992). PCDD/F IN DISTILLATION RESIDUES FROM DRY CLEANERS. *Chemosphere*. 25: 1509-1516.
- Trantham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol*. 36: 377-400.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res*. 35: 4435-4443.
- Travier, N; Gridley, G; De Roos, AJ; Plato, N; Moradi, T; Boffetta, P. (2002). Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. *Scand J Work Environ Health*. 28: 341-348.
- Travis, CC. (2011). On the Definition of Internal Dose Metrics. *Hum Ecol Risk Assess*. 17: 467-477. <http://dx.doi.org/10.1080/10807039.2011.552399>.
- Treigiene, R; Musnickas, J. (2003). Solvent pre-treated wool fabric permanent set and physical properties. 11: 37-40.
- Trevisan, A; Cristofori, P; Fanelli, G. (1999). Glutamine synthetase activity in rat urine as sensitive marker to detect S3 segment-specific injury of proximal tubule induced by xenobiotics. *Arch Toxicol*. 73: 255-262. <http://dx.doi.org/10.1007/s002040050614>.
- Tripathy, SC; Lakervi, E. (2000). Evaluation of transformer loading above nameplate rating. 28: 971-981.
- Troia, A; Ripa, DM. (2011). The role of vapour pressure in multibubble sonoluminescence from organic solvents. *Ultrason Sonochem*. 18: 1180-1184. <http://dx.doi.org/10.1016/j.ultsonch.2011.01.002>.
- Troynikov, O; Watson, C; Jadhav, A; Nawaz, N; Kettlewell, R. (2016). Towards sustainable and safe apparel cleaning methods: A review [Review]. *J Environ Manage*. 182: 252-264. <http://dx.doi.org/10.1016/j.jenvman.2016.07.078>.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of combined zero-valent iron and electrical resistance heating for in situ trichloroethene remediation. *Environ Sci Technol*. 45: 5346-5351. <http://dx.doi.org/10.1021/es104266a>.
- Tsai, TT; Kao, CM; Hong, A. (2009). Treatment of tetrachloroethylene-contaminated groundwater by surfactant-enhanced persulfate/BOF slag oxidation-A laboratory feasibility study. *J Hazard Mater*. 171: 571-576. <http://dx.doi.org/10.1016/j.jhazmat.2009.06.036>.
- Tsai, TT; Kao, CM; Yeh, TY; Liang, SH; Chien, HY. (2009). Application of surfactant enhanced permanganate oxidation and biodegradation of trichloroethylene in groundwater. *J Hazard Mater*. 161: 111-119. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.061>.
- Tschopp, C; Safran, AB; Viviani, P; Bullinger, A; Reicherts, M; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part I: Experimental validation of a testing procedure. *Vision Res*. 38: 2203-2210.
- Tschopp, C; Safran, AB; Viviani, P; Reicherts, M; Bullinger, A; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part II: Normative values. *Vision Res*. 38: 2211-2218.
- Tseng, T, zuT; Uan, J, unYen; Tseng, WJ. (2011). Synthesis, microstructure, and photocatalysis of In2O3 hollow particles. *Ceramics International*. 37: 1775-1780. <http://dx.doi.org/10.1016/j.ceramint.2011.01.046>.
- Tseng, WJ; Guo, SF, u. (2012). Synthesis of Nanoporous Al2O3 Membranes from Polybutyl Methacrylate Functionalized SiO2 Particles as a Sacrificial Template. *J Nanosci Nanotechnol*. 12: 7909-7914. <http://dx.doi.org/10.1166/jnn.2012.6621>.
- Tseng, WJ; Tseng, T, zuT; Wu, HM, ao; Her, YC; Yang, TJ, en. (2013). Facile Synthesis of Monodispersed In2O3 Hollow Spheres and Application in Photocatalysis and Gas Sensing. *Journal of the American Ceramic Society*. 96: 719-725. <http://dx.doi.org/10.1111/jace.12166>.
- Tsuda, S. (1970). TRICHLOROETHYLENE AND PERCHLOROETHYLENE MADE VIA SIMPLE NEW ROUTE. *Chem Eng*. 77: 74-&.
- Tsui, L, o; Fan, C; Chung, Y; Lin, S. (2011). Reductive dechlorination of tetrachloroethene by two compost samples with different maturity. *Bioresour Technol*. 102: 10498-10504. <http://dx.doi.org/10.1016/j.biortech.2011.08.083>.
- Tsuno, H; Kawamura, M; Oya, T. (2006). Application of biological activated carbon anaerobic reactor for treatment of hazardous chemicals. *Water Sci Technol*. 53: 251-260. <http://dx.doi.org/10.2166/wst.2006.360>.
- Tsunogai, U; Yoshida, N; Gamo, T. (1999). Carbon isotopic compositions of C-2-C-5 hydrocarbons and methyl chloride in urban, coastal, and maritime atmospheres over the western North Pacific. *J Geophys Res Atmos*. 104: 16033-16039.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology*. 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tuck, DM. (1999). "DNAPL migration through a fractured perching layer" by Daniel B. Stephens, James A. Kelsey, Mark A. Prieksat, Mel G. Piepho, Chao Shan, and Mark D. Ankeny, July-August 1998 issue, v. 36, no. 4 : 605-610. Discussion. *Ground Water*. 37: 485-486.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Tuck, DM; Bierck, BR; Jaffe, PR. (1998). Synchrotron radiation measurement of multiphase fluid saturations in porous media: Experimental technique and error analysis. *J Contam Hydrol.* 31: 231-256.
- Tuck, DM; Iversen, GM; Pirkle, WA. (2003). Organic dye effects on dense nonaqueous phase liquids (DNAPL) entry pressure in water saturated porous media. *Water Resour Res.* 39: 1207-1207. <http://dx.doi.org/10.1029/2001WR001000>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci.* 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Tugwood, JD; Issemann, I; Anderson, RG; Bundell, KR; McPheat, WL; Green, S. (1992). The mouse peroxisome proliferator activated receptor recognizes a response element in the 5' flanking sequence of the rat acyl CoA oxidase gene. *EMBO J.* 11: 433-439.
- Tukey, JW. (1991). Use of many covariates in clinical trials. *International Statistical Review.* 59: 123-137.
- Tunncliffe, BS; Thomson, NR. (2004). Mass removal of chlorinated ethenes from rough-walled fractures using permanganate. *J Contam Hydrol.* 75: 91-114. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.006>.
- Turnbull, JC; Miller, JB; Lehman, SJ; Hurst, D; Peters, W; Tans, PP; Southon, J; Montzka, SA; Elkins, JW; Mondee, DJ; Romashkin, PA; Elansky, N; Skorokhod, A. (2009). Spatial distribution of  $\delta^{13}C_{CO2}$  across Eurasia: measurements from the TROICA-8 expedition. *Atmos Chem Phys.* 9: 175-187.
- Tyczkowski, A; Dzieciecki, P. (1980). INVESTIGATIONS ON THE APPLICATION OF THE ACTIVATED CARBON OF TYPE-N FOR REMOVAL OF PERCHLORETHYLENE FROM AIR. *Przemysł Chemiczny.* 59: 33-35.
- Tzeng, HF; Blackburn, AC; Board, PG; Anders, MW. (2000). Polymorphism- and species-dependent inactivation of glutathione transferase zeta by dichloroacetate. *Chem Res Toxicol.* 13: 231-236. <http://dx.doi.org/10.1021/tx990175q>.
- U.S. EPA. (1978). In-depth studies on health and environmental impacts of selected water pollutants Task II Static acute bioassays and physical chemistry measurements [EPA Report]. Wareham, MA.
- U.S. EPA. (1980). Ambient water quality criteria for tetrachloroethylene [EPA Report]. (EPA/440/5-80/073). Office of Water. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000M4GG.txt>.
- U.S. EPA. (1980). Tetrachloroethylene: ambient water quality criteria [EPA Report]. Washington, DC.
- U.S. EPA. (1981). Environmental risk assessment of tetrachloroethylene, draft report [EPA Report].
- U.S. EPA. (1984). Proposed guidelines for carcinogen risk assessment. *Fed Reg.* 49: 46293-46301.
- U.S. EPA. (1985). Drinking water criteria document for tetrachloroethylene [EPA Report]. (PB86-118114). National Technical Information Service.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1987). Evaluation of the carcinogenicity of unleaded gasoline [EPA Report]. (EPA/600/8-87/001). Office of Health and Environmental Assessment, Office of Research and Development. <http://www.p2pays.org/ref/18/17565.pdf>.
- U.S. EPA. (1987). Technical analysis of new methods and data regarding dichloromethane hazard assessments [EPA Report]. (EPA/600/8-87/029A). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001GAN.txt>.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA. (1989). Risk assessment guidance for superfund: Volume 1: Human health evaluation manual (part A): Interim final [EPA Report]. (EPA/540/1-89/002). Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. <http://www.epa.gov/oswer/riskassessment/ragsa/index.htm>.
- U.S. EPA. (1991). Alpha-2u-globulin: Association with chemically induced renal toxicity and neoplasia in the male rat (pp. 1-136). (EPA/625/3-91/019F). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB92143668>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA. (1991). Response to issues and the data submissions on the carcinogenicity of tetrachloroethylene (perchloroethylene) [EPA Report]. (EPA/600/6-91/002F). Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=35421>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg<sup>3/4</sup>/day [EPA Report] (pp. 24152-24161). Washington, DC.
- U.S. EPA. (1992). Draft report: A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg<sup>(3/4)</sup>/day. *Fed Reg.* 57: 24151-24173.
- U.S. EPA. (1993). Reference Dose (RfD): description and use in health risk assessments background document 1A, March 15, 1993. Washington, DC: U.S. Environmental Protection Agency, Integrated Risk Information System. <http://www.epa.gov/ncea/iris/rfd.htm>.
- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). Integrated Risk Information System (IRIS). IRIS summary of dichloromethane (CASRN 75-09-2) [EPA Report]. Office of Research and Development, National Center for Environmental Assessment. <http://www.epa.gov/iris/subst/0070.htm>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1996). Modeled ambient concentrations: perchloroethylene (CASRN 127-18-4) [EPA Report]. National Air Toxics Assessment, Technology Transfer Network, Office of Air and Radiation. [http://www.epa.gov/ttnatw01/nata/pdf/perch\\_conc.pdf](http://www.epa.gov/ttnatw01/nata/pdf/perch_conc.pdf).
- U.S. EPA. (1998). Dichloroacetic acid: carcinogenicity identification characterization summary [EPA Report]. (EPA 815-B-98-010). Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB99111387>.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727).
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of chloral hydrate [EPA Report]. (EPA/635/R-00/006). National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/toxreviews/0304tr.pdf>.
- U.S. EPA. (2001). Trichloroethylene health risk assessment: synthesis and characterization [external review draft] [EPA Report]. (EPA/600/P-01/002A). Washington, DC. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4580](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=4580).
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2003). IRIS summary of toxicological effects of dichloroacetic acid [EPA Report]. National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/subst/1001.htm>.
- U.S. EPA. (2003). Neurotoxicity of tetrachloroethylene (perchloroethylene): Discussion paper [EPA Report]. (EPA/600/P-03/005A). Washington, DC. [http://cfpub.epa.gov/ncea/iris\\_drafts/recordisplay.cfm?deid=75193](http://cfpub.epa.gov/ncea/iris_drafts/recordisplay.cfm?deid=75193).
- U.S. EPA. (2003). Proposed OPPTS Science Policy: PPARA-mediated hepatocarcinogenesis in rodents and relevance to human health risk assessments [EPA Report]. Washington, DC. <http://www.epa.gov/scipoly/sap/meetings/2003/december9/peroxisomeproliferatorsciencepolicypaper.pdf>.
- U.S. EPA. (2004). Summary report of the peer review workshop on the neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper [EPA Report]. (EPA/600/R-04/041). National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=84351>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). Human testing; proposed plan and description of review process [Review]. 70: 6661-6667.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).
- U.S. EPA. (2005). Trichloroethylene issue paper 3: Role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [EPA Report]. (EPA/600/R-05/024). Washington, DC. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=438646](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=438646).
- U.S. EPA. (2006). Aging and toxic response: issues relevant to risk assessment. (EPA/600/P-03/004A). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=156648>.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=199243>.
- U.S. EPA. (2009). Benchmark dose software (BMDS) [Website]: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmnds>
- U.S. EPA. (2009). Toxicological review of Trichloroacetic Acid (TCA) (External Review Draft) [EPA Report]. (EPA/635/R-09/003A). Washington, DC.
- U.S. EPA. (2009). Toxicological review of Trichloroethylene (CASRN 79-01-6) [External Review Draft] [EPA Report]. (EPA/635/R-09/011A). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=201006>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- U.S. EPA. (2010). Benchmark dose software (BMDS) (Version 2.1.2 (Final Release)) [Computer Program]. RTP, NC: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmbs/new.html>
- U.S. EPA. (2011). Final PBPk model simulation files [Database]. Washington, DC.
- Uchiyama, H; Acosta, E; Tran, S; Sabatini, DA; Harwell, JH. (2000). Supersolubilization in chlorinated hydrocarbon microemulsions: Solubilization enhancement by lipophilic and hydrophilic linkers. *Ind Eng Chem Res.* 39: 2704-2708.
- Ueno, Y; Morimoto, Y; Tsuchiya, K; Yanagita, N; Kojima, S; Ishitsu, T; Kitaguchi, H; Kubo, N; Zhao, S; Tamaki, N; Amemiya, K. (2009). Basic Performance Test of a Prototype PET Scanner Using CdTe Semiconductor Detectors. *IEEE Trans Nucl Sci.* 56: 24-28. <http://dx.doi.org/10.1109/TNS.2008.2004804>.
- Utrecht, J; Zahid, N; Rubin, R. (1988). Metabolism of procainamide to a hydroxylamine by human neutrophils and mononuclear leukocytes. *Chem Res Toxicol.* 1: 74-78.
- Uhlenhuth, P; Remy, E. (1936). Versuche zur Keimabtötung tuberkulösen Auswurfes mittels Casonex, Lavasteril, Thermo-Weidnerit, Weidnerit-Lösung, Trioform-Standard und Alkalyzol [Attempts to kill tuberculosis genes with Casonex, Lavasteril, Thermo-Weidnerit, Wiednerit-solution, Trioform-standard and Alkalyzol]. *Int J Hyg Environ Health.* 116: 131-138.
- Uhler, AD; Miller, LJ. (1988). Multiple headspace extraction gas chromatography for the determination of volatile halocarbon compounds in butter. *J Agric Food Chem.* 36: 772-775. <http://dx.doi.org/10.1021/jf00082a025>.
- Ulrich, MM; Muller, S. R.; Singer, HP; Imboden, DM; Schwarzenbach, RP. (1994). INPUT AND DYNAMIC BEHAVIOR OF THE ORGANIC POLLUTANTS TETRACHLOROETHENE, ATRAZINE, AND NTA IN A LAKE - A STUDY COMBINING MATHEMATICAL-MODELING AND FIELD-MEASUREMENTS. *Environ Sci Technol.* 28: 1674-1685.
- Upton, AC; Clayson, DB; Jansen, JD; Rosenkranz, HS; Williams, GM. (1984). Report of ICPEMC Task Group 5 on the differentiation between genotoxic and non-genotoxic carcinogens [Review]. *Mutat Res.* 133: 1-49. [http://dx.doi.org/10.1016/0165-1110\(84\)90002-2](http://dx.doi.org/10.1016/0165-1110(84)90002-2).
- Upton, AC; Clayton, DB; Jansen, JD; Rosenkranz, HS; William, GM. (1985). Report of the international commission for protection against environmental mutagens and carcinogens task group on the differentiation between genotoxic and non-genotoxic carcinogens. 104.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.
- Uribe, J; Baghaei, H; Li, HD; Yokoyama, S; Zhang, N; Wang, JM; Dobbs, FR; Wong, WH. (1999). Basic imaging performance characteristics of a variable field of view PET camera using quadrant sharing detector design. *IEEE Trans Nucl Sci.* 46: 491-497.
- Urynowicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil Sediment Contam.* 17: 53-62. <http://dx.doi.org/10.1080/15320380701741412>.
- Urynowicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.002>.
- USITC. (1983). Synthetic organic chemicals: United States production and sales, 1982.
- Uttamsingh, V; Keller, DA; Anders, MW. (1998). Acylase I-catalyzed deacetylation of N-acetyl-L-cysteine and S-alkyl-N-acetyl-L-cysteines. *Chem Res Toxicol.* 11: 800-809. <http://dx.doi.org/10.1021/tx980018b>.
- Uttinger, R; Schlatter, C. (1977). REVIEW ON TOXICITY OF TRACE AMOUNTS OF TETRACHLOROETHYLENE IN WATER. *Chemosphere.* 6: 517-524.
- Vagnarelli, P; De Sario, A; De Carli, L. (1990). Aneuploidy induced by chloral hydrate detected in human lymphocytes with the Y97 probe. *Mutagenesis.* 5: 591-592. <http://dx.doi.org/10.1093/mutage/5.6.591>.
- Vahdat, N. (1987). PERMEATION OF PROTECTIVE CLOTHING MATERIALS BY METHYLENE-CHLORIDE AND PERCHLOROETHYLENE. *Am Ind Hyg Assoc J.* 48: 646-651.
- Vainio, H; Parkki, MG; Marniemi, J. (1976). Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vivo. *Xenobiotica.* 6: 599-604. <http://dx.doi.org/10.3109/00498257609151673>.
- Vajifdar, KJ; Chen, DH; Gossage, JL; Li, K; Ye, X; Gadiyar, G; Ardoin, B. (2007). Photocatalytic oxidation of PCE and butyraldehyde over Titania modified with perovskite optical crystal BaTiO<sub>3</sub>. *Chem Eng Tech.* 30: 474-480. <http://dx.doi.org/10.1002/ceat.200600194>.
- Valcke, M; Krishnan, K. (2010). An Assessment of the Interindividual Variability of internal Dosimetry during Multi-Route Exposure to Drinking Water Contaminants. *Int J Environ Res Public Health.* 7: 4002-4022. <http://dx.doi.org/10.3390/ijerph7114002>.
- Valentin, G. (1848). *Lehrbuch der Physiologie des Menschen 22* [Textbook of human physiology 22]. Braunschweig, Germany: Friedrich Bieweg und Sohn.
- Valles, EG; Laughter, AR; Dunn, CS; Cannelle, S; Swanson, CL; Cattley, RC; Corton, JC. (2003). Role of the peroxisome proliferator-activated receptor alpha in responses to diisononyl phthalate. *Toxicology.* 191: 211-225. [http://dx.doi.org/10.1016/S0300-483X\(03\)00260-9](http://dx.doi.org/10.1016/S0300-483X(03)00260-9).
- Vamvakas, S; Dekant, W; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1987). Enzymatic transformation of mercapturic acids derived from halogenated alkenes to reactive and mutagenic intermediates. *Biochem Pharmacol.* 36: 2741-2748. [http://dx.doi.org/10.1016/0006-2952\(87\)90258-9](http://dx.doi.org/10.1016/0006-2952(87)90258-9).
- Vamvakas, S; Dekant, W; Henschler, D. (1989). Assessment of unscheduled DNA synthesis in a cultured line of renal epithelial cells exposed to cysteine S-conjugates of haloalkenes and haloalkanes. *Mutat Res.* 222: 329-335. [http://dx.doi.org/10.1016/0165-1218\(89\)90108-0](http://dx.doi.org/10.1016/0165-1218(89)90108-0).
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Eekert, MH; Schröder, TJ; van Rhee, A; Stams, AJ; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol.* 77: 163-170.
- van Gils, CA; Beijst, C; van Rooij, R; de Jong, HW. (2016). Impact of reconstruction parameters on quantitative I-131 SPECT. *Phys Med Biol.* 61: 5166-5182. <http://dx.doi.org/10.1088/0031-9155/61/14/5166>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Van Hummelen, P; Kirsch-Volders, M. (1992). Analysis of eight known or suspected aneugens by the in vitro human lymphocyte micronucleus test. *Mutagenesis*. 7: 447-455. <http://dx.doi.org/10.1093/mutage/7.6.447>.
- van Lieshout, EM; Peters, WH. (1998). Age and gender dependent levels of glutathione and glutathione S-transferases in human lymphocytes. *Carcinogenesis*. 19: 1873-1875.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci*. 27: 287-292. <http://dx.doi.org/10.1089/ees.2009.0271>.
- van Roosmalen, MJE; van Diggelen, M; Woerlee, GF; Witkamp, GJ. (2003). Dry-cleaning with high-pressure carbon dioxide - the influence of mechanical action on washing-results. *Journal of Supercritical Fluids*. 27: 97-108.
- van Roosmalen, MJE; Woerlee, GF; Witkamp, GJ. (2004). Amino acid based surfactants for dry-cleaning with high-pressure carbon dioxide. *Journal of Supercritical Fluids*. 32: 243-254. <http://dx.doi.org/10.1016/j.supflu.2004.01.005>.
- van Roosmalen, MJE; Woerlee, WF; Witkamp, GJ. (2004). Surfactants for particulate soil removal in dry-cleaning with high-pressure carbon dioxide. *Journal of Supercritical Fluids*. 30: 97-109. [http://dx.doi.org/10.1016/S0896-8446\(03\)00155-3](http://dx.doi.org/10.1016/S0896-8446(03)00155-3).
- Van Valkenburg, ME; Annable, MD. (2002). Mobilization and entry of DNAPL pools into finer sand media by cosolvents: two-dimensional chamber studies. *J Contam Hydrol*. 59: 211-230.
- van Zelm, R; Huijbregts, MA; van de Meent, D. (2010). Transformation products in the life cycle impact assessment of chemicals. *Environ Sci Technol*. 44: 1004-1009. <http://dx.doi.org/10.1021/es9021014>.
- Vanantwerp, DJ; Falta, RW; Gierke, JS. (2008). Numerical simulation of field-scale contaminant mass transfer during air sparging. *Vadose Zone Journal*. 7: 294-304. <http://dx.doi.org/10.2136/vzj2006.0126>.
- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle J D, J. R.; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environ Sci Technol*. 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environ Sci Technol*. 33: 2040-2045.
- Vanden Heuvel, JP. (1999). Peroxisome proliferator-activated receptors (PPARS) and carcinogenesis [Review]. *Toxicol Sci*. 47: 1-8.
- Vandyke, NA. (1978). NATURAL SOILS PERC UP WASTEWATER. 15: 35-&.
- Vane, LM; Alvarez, FR. (2005). Vibrating pervaporation modules: Effect of module design on performance. *J Memb Sci*. 255: 213-224. <http://dx.doi.org/10.1016/j.memsci.2005.01.047>.
- Vane, LM; Giroux, EL. (2000). Henry's law constants and micellar partitioning of volatile organic compounds in surfactant solutions. *Journal of Chemical and Engineering Data*. 45: 38-47.
- Vanstone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water*. 42: 268-276.
- Vanwarmerdam, EM; Frape, SK; Aravena, R; Drimmie, RJ; Flatt, H; Cherry, JA. (1995). Stable chlorine and carbon isotope measurements of selected chlorinated organic solvents. *Appl Geochem*. 10: 547-552.
- Varesano, A; Antognozzi, B; Tonin, C. (2010). Electrically conducting-adhesive coating on polyamide fabrics. *Synthetic Metals*. 160: 1683-1687. <http://dx.doi.org/10.1016/j.synthmet.2010.05.041>.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere*. 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).
- Vasconcelos, MTS, D; Lopez-Ruiz, JL; Garcia, A; Leal, MFC; Fachini, A. (2004). Effect of zeolites on cultures of the marine micro-algae *Emiliania huxleyi*. *Aquacultural Engineering*. 31: 205-219. <http://dx.doi.org/10.1016/j.aquaeng.2004.04.001>.
- Vay, SA; Choi, Y; Vadrevu, KP; Blake, DR; Tyler, SC; Wisthaler, A; Hecobian, A; Kondo, Y; Diskin, GS; Sachse, GW; Woo, JH; Weinheimer, AJ; Burkhardt, JF; Stohl, A; Wennberg, PO. (2011). Patterns of CO<sub>2</sub> and radiocarbon across high northern latitudes during International Polar Year 2008. *J Geophys Res Atmos*. 116. <http://dx.doi.org/10.1029/2011JD015643>.
- Vay, SA; Woo, JH; Anderson, BE; Thornhill, KL; Blake, DR; Westberg, DJ; Kiley, CM; Avery, MA; Sachse, GW; Streets, DG; Tsutsumi, Y; Nolf, SR. (2003). Influence of regional-scale anthropogenic emissions on CO<sub>2</sub> distributions over the western North Pacific. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003094>.
- Vedrinaro-Dragojevic, I; Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *Sci Total Environ*. 203: 253-259.
- Veitch, JM; Murray, GI; Juronen, E; Kilty, CG; Doyle, S; Hawksorth, GM; Rodilla, V. (1997). Theta-class glutathione S-transferases in human kidney and renal tumours. *Biochem Soc Trans*. 25: S605.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can*. 36: 1040-1048. <http://dx.doi.org/10.1139/f79-146>.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish : Supplemental materials [Supplemental Data]. *J Fish Res Board Can*. 36: 1040-1048.
- Vela, NP; Heitkemper, DT. (2004). Total arsenic determination and speciation in infant food products by ion chromatography-inductively coupled plasma-mass spectrometry. *J AOAC Int*. 87: 244-252.
- Velthof, GL; Van Bruggen, C; Groenestein, CM; De Haan, BJ; Hoogeveen, MW; Huijsmans, JFM. (2012). A model for inventory of ammonia emissions from agriculture in the Netherlands. *Atmos Environ*. 46: 248-255. <http://dx.doi.org/10.1016/j.atmosenv.2011.09.075>.
- Vemmer, H; Rohleder, K; Wiczorek, H; Haeseler, E. (1984). PERCHLORETHYLENE IN TISSUES OF FATTENING PIGS .2. TRANSFER OF PERCHLORETHYLENE FROM FEEDS TO SOME TISSUES OF FATTENING PIGS. *Landwirtsch Forsch*. 37: 36-43.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Venkatesulu, D; Rao, MVP. (1992). EXCESS VOLUMES OF 2-ALKOXYETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data*. 37: 479-481.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1996). Excess volumes and viscosities of tetrachloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data*. 41: 819-820.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess enthalpies of ethyl acetate and butyl acetate with 2-alkoxyethanols at 298.15 K. *Fluid Phase Equilibria*. 136: 249-255.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environ Sci Technol*. 31: 2368-2374.
- Veraldi, A; Senioni, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med*. 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verberk, MM; Scheffers, TML. (1980). Tetrachloroethylene in exhaled air of residents near dry-cleaning shops. *Environ Res*. 21: 432-437.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environ Sci Technol*. 36: 2171-2177. <http://dx.doi.org/10.1021/es011220v>.
- Verce, MF; Madrid, VM; Gregory, SD; Demir, Z; Singleton, MJ; Salazar, EP; Jackson, PJ; Halden, RU; Verce, A. (2015). A Long-Term Field Study of In Situ Bioremediation in a Fractured Conglomerate Trichloroethene Source Zone. *Bioremediat J*. 19: 18-31. <http://dx.doi.org/10.1080/10889868.2014.978836>.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere*. 136: 72-78. <http://dx.doi.org/10.1016/j.chemosphere.2015.03.092>.
- Vermang, B; Fjallstrom, V; Gao, X; Edoff, M. (2014). Improved Rear Surface Passivation of Cu(In,Ga)Se-2 Solar Cells: A Combination of an Al<sub>2</sub>O<sub>3</sub> Rear Surface Passivation Layer and Nanosized Local Rear Point Contacts. 4: 486-492. <http://dx.doi.org/10.1109/JPHOTOV.2013.2287769>.
- Vermang, B; Goverde, H; Tous, L; Lorenz, A; Choulat, P; Horzel, J; John, J; Poortmans, J, ef; Mertens, R. (2012). Approach for Al<sub>2</sub>O<sub>3</sub> rear surface passivation of industrial p-type Si PERC above 19%. *Progress in Photovoltaics*. 20: 269-273. <http://dx.doi.org/10.1002/pip.2196>.
- Vermang, B; Goverde, H; Uruena, A; Lorenz, A; Cornagliotti, E; Rothschild, A; John, J; Poortmans, J; Mertens, R. (2012). Blistering in ALD Al<sub>2</sub>O<sub>3</sub> passivation layers as rear contacting for local Al BSF Si solar cells. *Solar Energy Materials and Solar Cells*. 101: 204-209. <http://dx.doi.org/10.1016/j.solmat.2012.01.032>.
- Vermang, B; Wätjen, JT; Fjällström, V; Rostvall, F; Edoff, M; Kotipalli, R; Henry, F; Flandre, D. (2014). Employing Si solar cell technology to increase efficiency of ultra-thin Cu(In,Ga)Se<sub>2</sub> solar cells. *Progress in Photovoltaics*. 22: 1023-1029. <http://dx.doi.org/10.1002/pip.2527>.
- Vermang, B; Watjen, JT; Frisk, C; Fjallstrom, V; Rostvall, F; Edoff, M; Salome, P; Borme, J; Nicoara, N; Sadewasser, S. (2014). Introduction of Si PERC Rear Contacting Design to Boost Efficiency of Cu(In,Ga)Se-2 Solar Cells. 4: 1644-1649. <http://dx.doi.org/10.1109/JPHOTOV.2014.2350696>.
- Verreydt, G; Annable, MD; Kaskassian, S; Van Keer, I; Bronders, J; Diels, L; Vanderauwera, P. (2013). Field demonstration and evaluation of the Passive Flux Meter on a CAH groundwater plume. *Environ Sci Pollut Res Int*. 20: 4621-4634. <http://dx.doi.org/10.1007/s11356-012-1417-8>.
- Vidal, CB; Raulino, GS; Barros, AL; Lima, AC; Ribeiro, JP; Pires, MJ; Nascimento, RF. (2012). BTEX removal from aqueous solutions by HDTMA-modified Y zeolite. *J Environ Manage*. 112: 178-185. <http://dx.doi.org/10.1016/j.jenvman.2012.07.026>.
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem*. 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vieira, V; Webster, T; Weinberg, J; Aschengrau, A; Ozonoff, D. (2005). Spatial analysis of lung, colorectal, and breast cancer on Cape Cod: An application of generalized additive models to case-control data. *Environ Health*. 4: 11. <http://dx.doi.org/10.1186/1476-069X-4-11>.
- Vieth, A; Müller, J; Strauch, G; Kästner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud*. 39: 113-124. <http://dx.doi.org/10.1080/1025601031000108688>.
- Vigneron, PY; Cadiou, B; Henon, G; Levacq, M; Saintjalmes, Y. (1995). Dosing methods applied to oil/water emulsions. 2: 471-481.
- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J*. 144: 21-27. <http://dx.doi.org/10.1016/j.cej.2008.01.004>.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO<sub>2</sub> to CH<sub>4</sub> via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol*. 101: 3085-3090. <http://dx.doi.org/10.1016/j.biortech.2009.12.077>.
- Villano, M; De Bonis, L; Rossetti, S; Aulenta, F; Majone, M. (2011). Bioelectrochemical hydrogen production with hydrogenophilic dechlorinating bacteria as electrocatalytic agents. *Bioresour Technol*. 102: 3193-3199. <http://dx.doi.org/10.1016/j.biortech.2010.10.146>.
- Vineis, P; Magnani, C. (1985). Occupation and bladder cancer in males: A case-control study. *Int J Cancer*. 35: 599-606. <http://dx.doi.org/10.1002/ijc.2910350506>.
- Vingrys, AJ; King-Smith, PE. (1988). A quantitative scoring technique for panel tests of color vision. *Invest Ophthalmol Vis Sci*. 29: 50-63.
- Visez, N; Sawerysyn, JP. (2007). Thermal degradation of 2-chlorophenol promoted by CuCl<sub>2</sub> or CuCl: formation and destruction of PCDD/Fs. *Chemosphere*. 67: S144-149. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.09>.
- Vivian, TA. (1984). APPLICATION OF PERCHLOROETHYLENE MEDIUM IN COAL CLEANING. *Min Eng*. 36: 22-22.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res.* 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vo, E; Berardinelli, SP; Hall, RC. (1999). Recovery of some common solvents from protective clothing breakthrough indicator pads by microwave-solvent extraction and gas chromatography. *Analyst.* 124: 941-944.
- Vohl, MC; Lepage, P; Gaudet, D; Brewer, CG; Bétard, C; Perron, P; Houde, G; Cellier, C; Faith, JM; Després, JP; Morgan, K; Hudson, TJ. (2000). Molecular scanning of the human PPAR $\alpha$  gene: Association of the L162v mutation with hyperapobetalipoproteinemia. *J Lipid Res.* 41: 945-952.
- Volkel, W; Pahler, A; Dekant, W. (1999). Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins. *J Chromatogr A.* 847: 35-46. [http://dx.doi.org/10.1016/S0021-9673\(99\)00022-9](http://dx.doi.org/10.1016/S0021-9673(99)00022-9).
- Volkov, VA; Shchukina, EL; Amarlui, A; Ageev, AA; Kukleva, KK; Eleev, AF. (2008). Molecular stratification nanotechnology in antiadhesive modification of fabric fibres. *Fibre Chemistry.* 40: 127-135.
- Volpe, A; Del Moro, G; Rossetti, S; Tandoi, V; Lopez, A. (2007). Remediation of PCE-contaminated groundwater from an industrial site in southern Italy: A laboratory-scale study. *Process Biochemistry.* 42: 1498-1505. <http://dx.doi.org/10.1016/j.procbio.2007.07.017>.
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (trallate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.040>.
- von Berlepsch, H; Kirstein, S; Bottcher, C. (2002). Effect of alcohols on J-aggregation of a carbocyanine dye. *Langmuir.* 18: 7699-7705. <http://dx.doi.org/10.1021/la0203640>.
- von der Hude, W; Behm, C; Gürtler, R; Basler, A. (1988). Evaluation of the SOS chromotest. *Mutat Res.* 203: 81-94. [http://dx.doi.org/10.1016/0165-1161\(88\)90023-4](http://dx.doi.org/10.1016/0165-1161(88)90023-4).
- von Ehrenstein, OS; Aralis, H; Cockburn, M; Ritz, B. (2014). In Utero Exposure to Toxic Air Pollutants and Risk of Childhood Autism. *Epidemiology.* 25: 851-858. <http://dx.doi.org/10.1097/EDE.0000000000000150>.
- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbühler, K. (2002). Occupational exposure to perchloroethylene and trichloroethylene in metal degreasing over the last 30 years - Influences of technology innovation and legislation. *Epidemiology.* 13: S119-S119.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere.* 39: 2479-2488.
- Von Tungeln, LS; Yi, P; Bucci, TJ; Samokyszyn, VM; Chou, MW; Kadlubar, FF; Fu, PP. (2002). Tumorigenicity of chloral hydrate, trichloroacetic acid, trichloroethanol, malondialdehyde, 4-hydroxy-2-nonenal, crotonaldehyde, and acrolein in the B6C3F1 neonatal mouse. *Cancer Lett.* 185: 13-19. [http://dx.doi.org/10.1016/S0304-3835\(02\)00231-8](http://dx.doi.org/10.1016/S0304-3835(02)00231-8).
- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Sci Technol.* 37: 311-318.
- Vouk, AO. (2003). Performance under design and test of the 20 500 HP TEAAC synchronous motors for the Shaybah project in the Rub-Al-Khali Desert, Saudi Arabia. *I E E Transactions on Industry Applications.* 39: 1177-1180. <http://dx.doi.org/10.1109/TIA.2003.813741>.
- Vroblesky, DA; Chapelle, FH; Bradley, PM. (2007). A simple pore water hydrogen diffusion syringe sampler. *Ground Water.* 45: 798-802. <http://dx.doi.org/10.1111/j.1745-6584.2007.00362.x>.
- Vroblesky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation.* 24: 124-138.
- Vroblesky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol.* 18: 149-154.
- Wadley, SL; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: laboratory and field tests. *Ground Water.* 43: 9-18.
- Wägli, P; Chang, YC; Hans, K; Homsy, A; Hvozدارa, L; Herzig, HP; Sigrist, M; de Rooij, NF. (2013). Microfluidic droplet-based liquid-liquid extraction and on-chip IR spectroscopy detection of cocaine in human saliva. *Anal Chem.* 85: 7558-7565. <http://dx.doi.org/10.1021/ac401606p>.
- Wagner, A; Cooper, M; Ferdi, S; Seifert, J; Adrian, L. (2012). Growth of *Dehalococcoides mccartyi* strain CBDB1 by reductive dehalogenation of brominated benzenes to benzene. *Environ Sci Technol.* 46: 8960-8968. <http://dx.doi.org/10.1021/es3003519>.
- Wagner, J, anM; Schuett, A; Carstensen, J; Foell, H. (2016). Series resistance contribution of majority carriers in CELLO impedance analysis: Influence of wafer thickness variation. *Solar Energy Materials and Solar Cells.* 146: 129-134. <http://dx.doi.org/10.1016/j.solmat.2015.11.029>.
- Wagner, L; Kalli, C; Fridjonsson, EO; May, EF; Stanwix, PL; Graham, BF; Carroll, MRJ; Johns, ML. (2016). Quantitative produced water analysis using mobile H-1 NMR. *Meas Sci Technol.* 27. <http://dx.doi.org/10.1088/0957-0233/27/10/105501>.
- Waksberg, J. (1978). Sampling methods for random digit dialing. *J Am Stat Assoc.* 73: 40-46.
- Wald, S; Glocker, B; Weiss, E; Pokryvailo, A; Labruno, P; Kempenaers, P; Handte, J. (2001). Treating hazardous wastes with pulsed-plasma technology. *J O M.* 53: 28-31.
- Waldemer, RH; Tratnyek, PG. (2006). Kinetics of contaminant degradation by permanganate. *Environ Sci Technol.* 40: 1055-1061. <http://dx.doi.org/10.1021/es051330s>.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). The effect of the trichloroethylene metabolites trichloroacetate and dichloroacetate on peroxisome proliferation and DNA synthesis in cultured human hepatocytes. *Cell Biol Toxicol.* 16: 257-273. <http://dx.doi.org/10.1023/A:1007638227821>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). Expression of PPAR(alpha) in human hepatocytes and activation by trichloroacetate and dichloroacetate. *Res Commun Mol Pathol Pharmacol*. 108: 116-132.
- Walgren, JL; Jollow, DJ; McMillan, JM. (2004). Induction of peroxisome proliferation in cultured hepatocytes by a series of halogenated acetates. *Toxicology*. 197: 189-197. <http://dx.doi.org/10.1016/j.tox.2004.01.007>.
- Walgren, JL; Kurtz, DT; McMillan, JM. (2005). Lack of direct mitogenic activity of dichloroacetate and trichloroacetate in cultured rat hepatocytes. *Toxicology*. 211: 220-230. <http://dx.doi.org/10.1016/j.tox.2005.03.009>.
- Walker, GE; Morey, BG. (1999). Effects of chemicals and microbial antagonists on nematodes and fungal pathogens of citrus roots. *Aust J Exp Agr*. 39: 629-637.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a nominally two-dimensional, saturated, stratified porous medium. *J Contam Hydrol*. 34: 17-30.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a partially saturated, stratified porous medium. *J Contam Hydrol*. 34: 31-46.
- Walter, DC; Lim, B; Schmidt, J, an. (2016). Realistic efficiency potential of next-generation industrial Czochralski-grown silicon solar cells after deactivation of the boron-oxygen-related defect center. *Progress in Photovoltaics*. 24: 920-928. <http://dx.doi.org/10.1002/pip.2731>.
- Wan, J; Li, Z; Lu, X; Yuan, S. (2010). Remediation of a hexachlorobenzene-contaminated soil by surfactant-enhanced electrokinetics coupled with microscale Pd/Fe PRB. *J Hazard Mater*. 184: 184-190. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.022>.
- Wander, JGN; van Den Berg, W; van Den Boogert, PHJ, F; Lamers, JG; van Leeuwen, GCM; Hendrickx, G; Bonants, P. (2007). A novel technique using the Hendrickx centrifuge for extracting winter sporangia of *Synchytrium endobioticum* from soil. *European Journal of Plant Pathology*. 119: 165-174. <http://dx.doi.org/10.1007/s10658-007-9156-2>.
- Wang, C; Shao, M, in; Huang, D; Lu, S; Zeng, L; Hu, M, in; Zhang, Q. (2014). Estimating halocarbon emissions using measured ratio relative to tracers in China. *Atmos Environ*. 89: 816-826. <http://dx.doi.org/10.1016/j.atmosenv.2014.03.025>.
- Wang, C; Wang, Y; Zhang, Y; Zhao, Q; Wang, R. (2010). Reclamation of elemental sulfur from flue gas biodesulfurization waste sludge. *Journal of the Air and Waste Management Association*. 60: 603-610. <http://dx.doi.org/10.3155/1047-3289.60.5.603>.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul*. 26: 37-45. <http://dx.doi.org/10.1080/02652040802127806>.
- Wang, F; Annable, MD; Jawitz, JW. (2013). Field-scale prediction of enhanced DNAPL dissolution based on partitioning tracers. *J Contam Hydrol*. 152: 147-158. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.001>.
- Wang, F; Kuo, M; Shun, C; Ma, Y; Wang, J; Ueng, T. (2002). Chronic toxicity of a mixture of chlorinated alkanes and alkenes in ICR mice. *J Toxicol Environ Health A*. 65: 279-291. <http://dx.doi.org/10.1080/15287390252800864>.
- Wang, G; Allen-King, RM; Choung, S; Feenstra, S; Watson, R; Kominek, M. (2013). A Practical Measurement Strategy to Estimate Nonlinear Chlorinated Solvent Sorption in Low foc Sediments. *Ground Water Monitoring and Remediation*. 33: 87-96. <http://dx.doi.org/10.1111/j.1745-6592.2012.01413.x>.
- Wang, G, inC; Li, X; Niu, X; Du, H; Balakrishnan, K; Ye, H; Burr, K. (2016). PET Timing Performance Measurement Method Using NEMA NEC Phantom. *IEEE Trans Nucl Sci*. 63: 1335-1342. <http://dx.doi.org/10.1109/TNS.2016.2522766>.
- Wang, H; Chen, X; Jawitz, JW. (2008). Locally-calibrated light transmission visualization methods to quantify nonaqueous phase liquid mass in porous media. *J Contam Hydrol*. 102: 29-38. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.003>.
- Wang, H; Li, D; Wu, Y, an; Li, J, ie; Li, G. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics*. 67: 547-553. <http://dx.doi.org/10.1016/j.elstat.2008.11.004>.
- Wang, HL; Zhu, ZQ; Zhang, SH; Pei, LS; Chen, Y. (2005). Time-resolved kinetic studies on quenching of C-2 (d(3)Pi g 3) by alkanes and substituted methane molecules. *Chem Phys Lett*. 407: 217-221. <http://dx.doi.org/10.1016/j.cplett.2005.02.127>.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 40: 1569-1584. <http://dx.doi.org/10.1081/ESE-200060640>.
- Wang, J; Wei, L, i; Peng, F, ei; Li, Y, an. (2012). Facile preparation of Carbon nanotubes and graphene sheets by a catalyst-free refluxing approach. *Nano Research*. 5: 640-645. <http://dx.doi.org/10.1007/s12274-012-0249-7>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir*. 20: 10845-10850. <http://dx.doi.org/10.1021/la0490902>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2008). Preparation and response behavior of blue electronic ink microcapsules. *Optical Materials*. 30: 1268-1272. <http://dx.doi.org/10.1016/j.optmat.2007.05.057>.
- Wang, KS; Chiang, KY; Lin, SM; Tsai, CC; Sun, CJ. (1999). Effects of chlorides on emissions of hydrogen chloride formation in waste incineration. *Chemosphere*. 38: 1571-1582.
- Wang, L; Zhu, J; Liang, X; Niu, M; Wu, X; Kao, CM; Kim, H; Xie, Q. (2015). Performance evaluation of the Trans-PET® BioCaliburn® LH system: a large FOV small-animal PET system. *Phys Med Biol*. 60: 137-150. <http://dx.doi.org/10.1088/0031-9155/60/1/137>.
- Wang, M; Jia, T; Wang, J; Hu, Y; Liu, F; Wang, H, ui; Chang, L. (2016). Changes of sulfur forms in coal after tetrachloroethylene extraction and theirs transformations during pyrolysis. *Fuel*. 186: 726-733. <http://dx.doi.org/10.1016/j.fuel.2016.09.007>.
- Wang, Q; Cissoko, N; Zhou, M, i; Xu, X. (2011). Effects and mechanism of humic acid on chromium(VI) removal by zero-valent iron (Fe-0) nanoparticles. *Phys Chem Earth*. 36: 442-446. <http://dx.doi.org/10.1016/j.pce.2010.03.020>.
- Wang, S; Chng, KR; Chen, C; Bedard, DL; He, J. (2015). Genomic Characterization of *Dehalococcoides mccartyi* Strain JNA That Reductively Dechlorinates Tetrachloroethene and Polychlorinated Biphenyls. *Environ Sci Technol*. 49: 14319-14325. <http://dx.doi.org/10.1021/acs.est.5b01979>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing *Dehalococcoides* and *Dehalobacter*. *Environ Sci Technol*. 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, S; Majeed, MA; Chu, P; Lin, H. (2009). Characterizing relationships between personal exposures to VOCs and socioeconomic, demographic, behavioral variables. *Atmos Environ*. 43: 2296-2302. <http://dx.doi.org/10.1016/j.atmosenv.2009.01.032>.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol*. 100: 111-117. <http://dx.doi.org/10.1016/j.biortech.2008.05.033>.
- Wang, T; Cheung, TF; Li, YS; Yu, XM; Blake, DR. (2002). Emission characteristics of CO, NO<sub>x</sub>, SO<sub>2</sub> and indications of biomass burning observed at a rural site in eastern China. *J Geophys Res*. 107: 4157. <http://dx.doi.org/10.1029/2001JD000724>.
- Wang, T; Ding, AJ; Blake, DR; Zahorowski, W; Poon, CN; Li, YS. (2003). Chemical characterization of the boundary layer outflow of air pollution to Hong Kong during February-April 2001. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2002JD003272>.
- Wang, WC; Shiget, S. (2011). Infrared electroabsorption spectroscopy of N,N-dimethyl-p-nitroaniline in acetonitrile/C<sub>2</sub>Cl<sub>4</sub>: solvation of the solute and self-association of acetonitrile. *J Phys Chem A*. 115: 4448-4456. <http://dx.doi.org/10.1021/jp110539k>.
- Wang, XJ; Brusseau, ML. (1998). Effect of pyrophosphate on the dechlorination of tetrachloroethene by the Fenton reaction. *Environ Toxicol Chem*. 17: 1689-1694.
- Wang, XJ; Lu, J; Gou, PP; Xie, Y. (2002). A "chemical-scissors-assemble" route to titanium carbide nanorods. *Chem Lett* 820-821.
- Wang, XL; Harada, S; Watanabe, M; Koshikawa, H; Sato, K; Kimura, T. (1996). Determination of bioconcentration potential of tetrachloroethylene in marine algae by C-13. *Chemosphere*. 33: 865-877.
- Wang, Y; Huang, YS. (2003). Hydrogen isotopic fractionation of petroleum hydrocarbons during vaporization: implications for assessing artificial and natural remediation of petroleum contamination. *Appl Geochem*. 18: 1641-1651. [http://dx.doi.org/10.1016/S0883-2927\(03\)00076-3](http://dx.doi.org/10.1016/S0883-2927(03)00076-3).
- Wang, Y, aFen; Peng, CF; Chao, HP. (2015). Sorption of Volatile Organic Compounds on Organic Substance-Modified Titanate Nanotubes. *Aerosol Air Qual Res*. 15: 2688-2699. <http://dx.doi.org/10.4209/aaqr.2015.10.0592>.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul*. 23: 762-768. <http://dx.doi.org/10.1080/02652040600788197>.
- Wang, Z; Han, P; Lu, H; Qian, H; Chen, L; Meng, Q; Tang, N; Gao, F; Jiang, Y; Wu, J; Wu, W; Zhu, H; Ji, J; Shi, Z; Sugianto, A; Mai, L, y; Hallam, B; Wenham, S. (2012). Advanced PERC and PERL production cells with 20.3% record efficiency for standard commercial p-type silicon wafers. *Progress in Photovoltaics*. 20: 260-268. <http://dx.doi.org/10.1002/pip.2178>.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environ Sci Technol*. 50: 5622-5630. <http://dx.doi.org/10.1021/acs.est.5b06330>.
- Ward, JM; Griesemer, RA; Weisburger, EK. (1979). The mouse liver tumor as an endpoint in carcinogenesis tests. *Toxicol Appl Pharmacol*. 51: 389-397.
- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol*. 26: 240-246.
- Ward, JM; Rehm, S; Reynolds, CW. (1990). Tumours of the haematopoietic system. In VS Turusov; U Mohr (Eds.), *IARC Scientific Publication No 99* (2nd ed., pp. 625-657). Lyon, France: International Agency for Research on Cancer.
- Ward, JM; Reynolds, CW. (1983). Large granular lymphocyte leukemia: A heterogeneous lymphocytic leukemia in F344 rats. *Am J Pathol*. 111: 1-10.
- Warner, JA; Miles, EA; Jones, AC; Quint, DJ; Colwell, BM; Warner, JO. (1994). Is deficiency of interferon gamma production by allergen triggered cord blood cells a predictor of atopic eczema? *Clin Exp Allergy*. 24: 423-430. <http://dx.doi.org/10.1111/j.1365-2222.1994.tb00930.x>.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res-Fundam Mol Mech Mutagen*. 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).
- Warren, DA; Reigle, TG; Muralidhara, S; Dallas, CE. (1996). Schedule-controlled operant behavior of rats following oral administration of perchloroethylene: Time course and relationship to blood and brain solvent levels. *J Toxicol Environ Health*. 47: 345-362. <http://dx.doi.org/10.1080/009841096161690>.
- Warta, W; Glunz, SW; Dicker, J; Knobloch, J. (2000). Highly efficient 115-mu m-thick solar cells on industrial Czochralski silicon. *Progress in Photovoltaics*. 8: 465-471.
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect*. 108: 161-176.
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem*. 20: 1909-1915.
- Waskell, L. (1978). A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res-Fundam Mol Mech Mutagen*. 57: 141-153. [http://dx.doi.org/10.1016/0027-5107\(78\)90261-0](http://dx.doi.org/10.1016/0027-5107(78)90261-0).
- Watanabe, K; Fujii, H; Takahashi, T; Kodama, M; Aizawa, Y; Ohta, Y; Ono, T; Hasegawa, G; Naito, M; Nakajima, T; Kamijo, Y; Gonzalez, FJ; Aoyama, T. (2000). Constitutive regulation of cardiac fatty acid metabolism through peroxisome proliferator-activated receptor alpha associated with age-dependent cardiac toxicity. *J Biol Chem*. 275: 22293-22299. <http://dx.doi.org/10.1074/jbc.M000248200>.
- Watanabe, K; Satamoto, K; Sasaki, T. (1998). Comparisons on chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. *Mutat Res*. 412: 17-31. [http://dx.doi.org/10.1016/S1383-5718\(97\)00155-1](http://dx.doi.org/10.1016/S1383-5718(97)00155-1).

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Watanabe, M; Shimizu, K; Omura, T; Sato, N; Takahashi, M; Kosugi, T; Ote, K; Katabe, A; Yamada, R; Yamashita, T; Tanaka, E. (2004). A high-throughput whole-body PET scanner using flat panel PS-PMTs. *IEEE Trans Nucl Sci.* 51: 796-800. <http://dx.doi.org/10.1109/TNS.2004.829787>.
- Waters, EM; Gerstner, HB; Huff, JE. (1977). Trichloroethylene I An overview [Review]. *J Toxicol Environ Health.* 2: 671-707. <http://dx.doi.org/10.1080/15287397709529469>.
- Watson, DB; Doll, WE; Gamey, TJ; Sheehan, JR; Jardine, PM. (2005). Plume and lithologic profiling with surface resistivity and seismic tomography. *Ground Water.* 43: 169-177. <http://dx.doi.org/10.1111/j.1745-6584.2005.0017.x>.
- Wawer, A; Szydłowski, J. (1996). Hydrogen isotope fractionation between methanol and diphenylphosphine or dimethylphosphine in the gas phase and in aprotic solvents. *Can J Chem.* 74: 1465-1469.
- Wawer, A; Wawer, I. (1990). KINETIC ISOTOPE EFFECT IN HYDROGEN ISOTOPE EXCHANGE BETWEEN DIPHENYLPHOSPHINE AND METHANOL OR 2-METHYLPROPANE-2-THIOL IN APROTIC-SOLVENTS. *J Chem Soc Perkin Trans* 22045-2050.
- Weast, RC. (1976). *Handbook of chemistry and physics* (57th ed.). Cleveland, OH: CRC Press.
- Weber, G; Bertrand, O; Fromont, E; Bourg, S; Bouvier, F; Bissinger, D; Simonotgrange, MH. (1996). TCE adsorption on hydrophobic Y and MFI zeolites. Possibilities of using such materials for solvent recovery. *J Chim Phys Phys Chim Biol.* 93: 1412-1425.
- Weber, G; Lea, MA. (1966). The molecular correlation concept of neoplasia. *Adv Enzyme Regul.* 4: 115-145.
- Webler, T; Brown, HS. (1993). Exposure to tetrachloroethylene via contaminated drinking water pipes in Massachusetts: A predictive model. *Arch Environ Health.* 48: 293-297. <http://dx.doi.org/10.1080/00039896.1993.9936716>.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere.* 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Weeks, LD; Zhu, L, inL; Pellon, M; Haines, DR; Arumainayagam, CR. (2007). Low-energy electron-induced oligomerization of condensed carbon tetrachloride. *J Phys Chem C.* 111: 4815-4822. <http://dx.doi.org/10.1021/jp068562d>.
- Wei, J; Schaeffer, N; Pileni, MP. (2016). Solvent-Mediated Crystallization of Nanocrystal 3D Assemblies of Silver Nanocrystals: Unexpected Super lattice Ripening. *Chem Mater.* 28: 293-302. <http://dx.doi.org/10.1021/acs.chemmater.5b04120>.
- Wei, J; Xu, X; Liu, Y; Wang, D. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: reaction pathway and some experimental parameters. *Water Res.* 40: 348-354. <http://dx.doi.org/10.1016/j.watres.2005.10.017>.
- Wei, MJ; Fang, DC; Liu, RZ. (2002). Theoretical studies on cycloaddition reactions between 1-aza-2-azoniaallene cation and olefins. *J Org Chem.* 67: 7432-7438. <http://dx.doi.org/10.1021/jo0258709>.
- Wei, N, a; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environ Sci Technol.* 45: 7422-7430. <http://dx.doi.org/10.1021/es201501a>.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater.* 181: 147-153. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.109>.
- Weichardt, H; Lindner, J. (1975). Gesundheitsgefahren durch Perchlorathylene in Chemisch-Reinigungsbetrieben arbeitsmedizinisch-toxikologischer Sicht. *Gefahrst Reinhalt Luft.* 35: 416-420.
- Weinberg, RA. (2008). Mechanisms of malignant progression. *Carcinogenesis.* 29: 1092-1095. <http://dx.doi.org/10.1093/carcin/bgn104>.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res.* 52: 5456s-5462s.
- Weiss, A. (1996). Sources of airborne CCl<sub>4</sub>: Critical remarks (pp. 112-114). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/96/31124). Weiss, A.
- Weiss, NS. (1996). Occupational exposure to perchloroethylene - Reply. *Cancer Causes Control.* 7: 285-286.
- Weiss, T; Schierbaum, KD; Vanvelzen, UT; Reinhoudt, DN; Gopel, W. (1995). SELF-ASSEMBLED MONOLAYERS OF SUPRAMOLECULAR COMPOUNDS FOR CHEMICAL SENSORS. *Sens Actuators B.* 26: 203-207.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Lange, CA; Lisitzina, L; Pfennigsdorff, A; Kotte, K. (2006). The phytotoxic effect of C(1)/C(2)-halocarbons and trichloroacetic acid on the steppe plant *Artemisia lerchiana*. *Chemosphere.* 65: 975-980. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.039>.
- Weissflog, L; Kruger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, KU; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones--measurements on several continents. *Chemosphere.* 52: 443-449. [http://dx.doi.org/10.1016/S0045-6535\(03\)00209-1](http://dx.doi.org/10.1016/S0045-6535(03)00209-1).
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres--Part I Its formation, uptake and geographical distribution. *Atmos Environ.* 35: 4511-4521.
- Weiyang, H; Fei, L; Anhuai, L; Ximing, L. (2012). Decomposition of hydrogen peroxide in the remediation of trichloroethylene contaminated groundwater by Fenton oxidation technology. *Disaster Advances.* 5: 1179-1182.
- Wellert, S; Altmann, HJ; Richardt, A; Lapp, A; Falus, P; Farago, B; Hellweg, T. (2010). Dynamics of the interfacial film in bicontinuous microemulsions based on a partly ionic surfactant mixture: A neutron spin-echo study. *Eur Phys J E Soft Matter.* 33: 243-250. <http://dx.doi.org/10.1140/epje/i2010-10668-1>.
- Wellert, S; Imhof, H; Dolle, M; Altmann, HJ; Richardt, A; Hellweg, T. (2008). Decontamination of chemical warfare agents using perchloroethylene-Marlowet IHF-H<sub>2</sub>O-based microemulsions: wetting and extraction properties on realistic surfaces. *Colloid and Polymer Science.* 286: 417-426. <http://dx.doi.org/10.1007/s00396-007-1788-4>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, Y; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int.* 22: 19039-19047. <http://dx.doi.org/10.1007/s11356-015-5117-z>.
- Wentz, M; Cates, DM. (1975). NON-AQUEOUS BLEACHING OF CELLULOSE BY PERCHLOROETHYLENE HYDROGEN PEROXIDE WATER. *Text Res J.* 45: 691-697.
- Wentz, M; Cates, DM. (1978). SORPTION OF SOLUBILIZED WATER BY CELLULOSE FROM PERCHLOROETHYLENE. *Text Res J.* 48: 166-172.
- Wenzel, DG; Gibson, RD. (1951). A study of the toxicity and anthelmintic activity of n-butylidene chloride. *J Pharmacokinetic Pharmacodyn.* 3: 169-176.
- Wesselydyke, ES; Becker, JG; Seagren, EA; Mayer, AS; Zhang, C. (2015). Numerical modeling analysis of hydrodynamic and microbial controls on DNAPL pool dissolution and detoxification: Dehalorespirers in co-culture. *Advances in Water Resources.* 78: 112-125. <http://dx.doi.org/10.1016/j.advwatres.2015.01.009>.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources.* 44: 126-139. <http://dx.doi.org/10.1016/j.advwatres.2012.05.001>.
- Westlind, A; Lofberg, L; Tindberg, N; Andersson, TB; Ingelman-Sundberg, M. (1999). Interindividual differences in hepatic expression of CYP3A4: relationship to genetic polymorphism in the 5'-upstream regulatory region. *Biochem Biophys Res Commun.* 259: 201-205.
- Westphal, GA. (2007). Authors reply to the correspondence of Hannu Norppa concerning "Emmert et al., *Toxicology* 228, 66-76" [Letter]. *Toxicology.* 230: 268-269. <http://dx.doi.org/10.1016/j.tox.2006.11.003>.
- Wheeler, M; Kono, H; Yin, M; Nakagami, M; Uesugi, T; Arteel, G; Gäbele, E; Rusyn, I; Yamashina, S; Froh, M; Adachi, Y; Iimuro, Y; Bradford, B; Smutney, O; Connor, H; Mason, R; Goyert, S; Peters, J; Gonzalez, F; Samulski, R; Thurman, R. (2001). The role of Kupffer cell oxidant production in early ethanol-induced liver disease [Review]. *Free Radic Biol Med.* 31: 1544-1549.
- White, CM; Collins, LW; Veloski, GA; Irdi, GA; Rothenberger, KS; Gray, RJ; Lacount, RB; Kasrai, M; Bancroft, GM; Brown, J. R.; Huggins, FE; Shah, N; Huffman, GP. (1994). A STUDY OF MEQUINENZA LIGNITE. *Energy Fuels.* 8: 155-171.
- White, MA. (1976). MILLING OF WOOL GARMENTS IN PERCHLOROETHYLENE - REVIEW OF PROCESSING PROCEDURES AND PRACTICE. *J Soc Dyers Colour.* 92: 187-190.
- White, MD; Oostrom, M. (1998). Modeling surfactant-enhanced nonaqueous-phase liquid remediation of porous media. *Soil Sci.* 163: 931-940.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health.* 78: 8-13.
- Whittemore, AS. (1983). Estimating attributable risk from case-control studies. *Am J Epidemiol.* 117: 76-85.
- WHO. (1978). A co-operative trial in the primary prevention of ischaemic heart disease using clofibrate. Report from the Committee of Principal Investigators. *British Heart Journal.* 40: 1069-1118.
- WHO. (1980). W.H.O. cooperative trial on primary prevention of ischaemic heart disease using clofibrate to lower serum cholesterol: mortality follow-up. Report of the Committee of Principal Investigators. *Lancet.* 2: 379-385.
- WHO. (1984). WHO cooperative trial on primary prevention of ischaemic heart disease with clofibrate to lower serum cholesterol: final mortality follow-up. Report of the Committee of Principal Investigators. *Lancet.* 2: 600-604.
- Wick, MJ; Mihic, SJ; Ueno, S; Mascia, MP; Trudell, JR; Brozowski, SJ; Ye, Q; Harrison, NL; Harris, RA. (1998). Mutations of gamma-aminobutyric acid and glycine receptors change alcohol cutoff: evidence for an alcohol receptor? *Proc Natl Acad Sci USA.* 95: 6504-6509.
- Wieczorek, H; Thon, A; Dey, T; Khanin, V; Rodnyi, P. (2016). Analytical model of coincidence resolving time in TOF-PET. *Phys Med Biol.* 61: 4699-4710. <http://dx.doi.org/10.1088/0031-9155/61/12/4699>.
- Wiedmann, TO; Guthner, B; Class, TJ; Ballschmiter, K. (1994). GLOBAL DISTRIBUTION OF TETRACHLOROETHENE IN THE TROPOSPHERE - MEASUREMENTS AND MODELING. *Environ Sci Technol.* 28: 2321-2329.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčková, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol.* 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčková, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol.* 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.
- Wilcox, AJ; Horney, LF. (1984). Accuracy of spontaneous abortion recall. *Am J Epidemiol.* 120: 727-733.
- Wilkins, MD; Abriola, LM; Pennell, KD. (1995). AN EXPERIMENTAL INVESTIGATION OF RATE-LIMITED NONAQUEOUS PHASE LIQUID VOLATILIZATION IN UNSATURATED POROUS-MEDIA - STEADY-STATE MASS-TRANSFER. *Water Resour Res.* 31: 2159-2172.
- Williams, D., PR. (2011). MTBE in California's Public Drinking Water Wells: Have Past Predictions Come True? *Environ Forensics.* 12: 270-289. <http://dx.doi.org/10.1080/15275922.2011.595053>.
- Williams, D., PR. (2014). Methyl Tertiary Butyl Ether (MTBE) and Other Volatile Organic Compounds (VOCs) in Public Water Systems, Private Wells, and Ambient Groundwater Wells in New Jersey Compared to Regulatory and Human-Health Benchmarks. *Environ Forensics.* 15: 97-119. <http://dx.doi.org/10.1080/15275922.2013.873096>.
- Williams, GM. (1997). Chemicals with carcinogenic activity in the rodent liver; mechanistic evaluation of human risk [Review]. *Cancer Lett.* 117: 175-188. [http://dx.doi.org/10.1016/S0304-3835\(97\)00229-2](http://dx.doi.org/10.1016/S0304-3835(97)00229-2).
- Williams, MB; Williams, MB; Goode, AR; Galbis-Reig, V; Majewski, S; Weisenberger, AG; Wojcik, R. (2000). Performance of a PSPMT based detector for scintimammography. *Phys Med Biol.* 45: 781-800.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal.* 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Williams, RL; Creasy, RK; Cunningham, GC; Hawes, WE; Norris, FD; Tashiro, M. (1982). Fetal growth and perinatal viability in California. *Obstet Gynecol.* 59: 624-632.
- Williamson, DG; Cvetanovic, RJ. (1968). Rates of reactions of ozone with chlorinated and conjugated olefins. *J Am Chem Soc.* 90: 4248-4252.
- Willinger, M; Rupp, E; Barbaris, B; Gao, S; Arnold, R; Betterton, E; Sáez, AE. (2009). Thermocatalytic destruction of gas-phase perchloroethylene using propane as a hydrogen source. *J Hazard Mater.* 167: 770-776. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.059>.
- Willson, CS; Hall, JL; Miller, CT; Imhoff, PT. (1999). Factors affecting bank formation during surfactant-enhanced mobilization of residual NAPL. *Environ Sci Technol.* 33: 2440-2446.
- Wilson, BH; Wilson, JT; Kampbell, DH; Bledsoe, BE; Armstrong, JM. (1990). BIOTRANSFORMATION OF MONOAROMATIC AND CHLORINATED HYDROCARBONS AT AN AVIATION GASOLINE SPILL SITE. *Geomicrobiology Journal.* 8: 225-240.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med.* 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol.* 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Wiltgen, M; Gell, G; Schneider, GH. (1991). Some software requirements for a PACS: lessons from experiences in clinical routine. *Int J Bio Med Comput.* 28: 61-70.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect.* 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.
- Wingenter, OW; Blake, DR; Blake, NJ; Sive, BC; Rowland, FS; Atlas, E; Flocke, F. (1999). Tropospheric hydroxyl and atomic chlorine concentrations, and mixing timescales determined from hydrocarbon and halocarbon measurements made over the Southern Ocean. *J Geophys Res.* 104: 21,819-821,828. <http://dx.doi.org/10.1029/1999JD900203>.
- Wingenter, OW; Kubo, MK; Blake, NJ; Smith, TW; Blake, DR; Rowland, FS. (1996). Hydrocarbon and halocarbon measurements as photochemical and dynamical indicators of atmospheric hydroxyl, atomic chlorine, and vertical mixing obtained during Lagrangian flights. *J Geophys Res.* 101: 4331. <http://dx.doi.org/10.1029/95JD02457>.
- Witekowa, S; Ignaczak, W; Kaminski, W. (1978). INDICATOR TUBES FOR DETECTION OF TETRACHLOROETHYLENE IN AIR. *Przemysł Chemiczny.* 57: 195-197.
- Withey, RJ; Hall, JW. (1975). The joint toxic action of perchloroethylene with benzene or toluene in rats. *Toxicology.* 4: 5-15.
- Witteck, R; Hinken, D; Schulte-Huxel, H; Vogt, MR; Mueller, J; Blankemeyer, S; Koentges, M; Bothe, K; Brendel, R. (2016). Optimized Interconnection of Passivated Emitter and Rear Cells by Experimentally Verified Modeling. 6: 432-439. <http://dx.doi.org/10.1109/JPHOTOV.2016.2514706>.
- Wo, JJ; Zhang, Z; Xu, X, inhua. (2009). Dechlorination mechanism of 2,4-dichlorophenol by Ni/Fe nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 10: 121-126. <http://dx.doi.org/10.1631/jzus.A0820277>.
- Wofsy, SC; Fan, SM; Blake, DR; Bradshaw, JD; Sandholm, ST; Singh, HB; Sachse, GW; Harriss, RC. (1994). FACTORS INFLUENCING ATMOSPHERIC COMPOSITION OVER SUB-ARCTIC NORTH-AMERICA DURING SUMMER. *J Geophys Res Atmos.* 99: 1887-1897.
- Wolf, CJ; Takacs, ML; Schmid, JE; Lau, C; Abbott, BD. (2008). Activation of mouse and human peroxisome proliferator-activated receptor alpha by perfluoroalkyl acids of different functional groups and chain lengths. *Toxicol Sci.* 106: 162-171. <http://dx.doi.org/10.1093/toxsci/kfn166>.
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namieśnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere.* 37: 2645-2651.
- Wolska, L; Zygmunt, B; Namieśnik, J. (2003). Organic pollutants in the Odra river ecosystem. *Chemosphere.* 53: 561-569. [http://dx.doi.org/10.1016/S0045-6535\(03\)00368-0](http://dx.doi.org/10.1016/S0045-6535(03)00368-0).
- Wolski, T; Glowniak, K; Doraczynskaszopa, A. (1991). TETRACHLOROETHYLENE AS A COMPONENT OF THE BINARY AND TEMARY ELUENTS FOR SEPARATION OF COUMARINS BY THIN-LAYER CHROMATOGRAPHY. *Chemia analityczna.* 36: 299-304.
- Won, D; Corsi, RL; Rynes, M. (2001). Sorptive interactions between VOCs and indoor materials. *Indoor Air.* 11: 246-256.
- Won, YS, oo. (2009). Thermal decomposition of tetrachloroethylene with excess hydrogen. *J Ind Eng Chem.* 15: 510-515. <http://dx.doi.org/10.1016/j.jiec.2009.01.007>.
- Won, YS, oo. (2012). Comparison for thermal decomposition and product distribution of chloroform under each argon and hydrogen reaction atmosphere. *Korean J Chem Eng.* 29: 1745-1751. <http://dx.doi.org/10.1007/s11814-012-0086-0>.
- Won, YS; Bozzelli, JW. (1992). CHLOROFORM PYROLYSIS - EXPERIMENT AND DETAILED REACTION MODEL. *Combust Sci Tech.* 85: 345-373.
- Wong, J; Sridharan, R; Shanmugam, V. (2015). Quantifying Edge and Peripheral Recombination Losses in Industrial Silicon Solar Cells. *I E E E Transactions on Electron Devices.* 62: 3750-3755. <http://dx.doi.org/10.1109/TED.2015.2480089>.
- Wong, W, aiHoi; Li, H; Zhang, Y; Ramirez, R; An, S; Wang, C; Liu, S; Dong, Y, un; Baghaei, H. (2015). A High-Resolution Time-of-Flight Clinical PET Detection System Using a Gapless PMT-Quadrant-Sharing Method. *IEEE Trans Nucl Sci.* 62: 2067-2074. <http://dx.doi.org/10.1109/TNS.2015.2455511>.
- Woo, JH; Streets, DG; Carmichael, GR; Tang, YH; Yoo, B; Lee, WC; Thongboonchoo, N; Pinnock, S; Kurata, G; Uno, I; Fu, QY; Vay, S; Sachse, GW; Blake, DR; Fried, A; Thornton, DC. (2003). Contribution of biomass and biofuel emissions to trace gas distributions in Asia during the TRACE-P experiment. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003200>.
- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. *Environ Technol.* 30: 1337-1342. <http://dx.doi.org/10.1080/09593330902840342>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Wood, PR; Parsons, FZ; DeMarco, J; Harween, HJ; Lang, RF; Payan, IL; Ruiz, MC. (1981). Introductory study of the biodegradation of the chlorinated methane, ethane and ethene compounds. (40-8024098). Midland, MI: Dow Chemical Company. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0509177>.
- Woods, CG; Burns, AM; Maki, A; Bradford, BU; Cunningham, ML; Connor, HD; Kadiiska, MB; Mason, RP; Peters, JM; Rusyn, I. (2007). Sustained formation of alpha-(4-pyridyl-1-oxide)-N-tert-butylnitron radical adducts in mouse liver by peroxisome proliferators is dependent upon peroxisome proliferator-activated receptor-alpha, but not NADPH oxidase. *Free Radic Biol Med.* 42: 335-342. <http://dx.doi.org/10.1016/j.freeradbiomed.2006.10.053>.
- Wormuth, M; Demou, E; Scheringer, M; Hungerbuehler, K. (2007). Assessments of direct human exposure - the approach of EU risk assessments compared to scenario-based risk assessment. *Risk Anal.* 27: 979-990. <http://dx.doi.org/10.1111/j.1539-6924.2007.00936.x>.
- Wozniak, AJ; Glisson, BS; Hande, KR; Ross, WE. (1984). Inhibition of etoposide-induced DNA damage and cytotoxicity in L1210 cells by dehydrogenase inhibitors and other agents 73. *Cancer Res.* 44: 626-632.
- Wright, DJ; Birak, PS; Pedit, JA; Miller, CT. (2010). Effectiveness of Source-Zone Remediation of DNAPL-Contaminated Subsurface Systems. *J Environ Eng.* 136: 452-465. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000165](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000165).
- Wu, C; Liu, LJS; Cullen, A; Westberg, H; Williamson, J. (2011). Spatial-temporal and cancer risk assessment of selected hazardous air pollutants in Seattle. *Environ Int.* 37: 11-17. <http://dx.doi.org/10.1016/j.envint.2010.06.006>.
- Wu, CC; Wu, H; Tai, YC; Lin, KP; Liu, R, enS. (2010). Evaluation of Scatter Fraction and Noise Equivalent Count Rate Performance of the microPET F-220 Scanner Integrated with the Micro Insert Device. *Journal of Medical and Biological Engineering.* 30: 261-266.
- Wu, G; Dai, R, unY; Li, W, eiG; Yin, P, eiPei; Chen, HZ; Wang, M. (2011). Preparation of stable gelatin/sodium carboxymethylcellulose/sodium lauryl sulfonate microcapsules with ultra-thin capsule wall for electrophoretic displays. *Curr Appl Phys.* 11: 321-326. <http://dx.doi.org/10.1016/j.cap.2010.07.027>.
- Wu, J; Liu, Y; Wang, X; Zhang, L. (2014). Application of ion Implantation Emitter in PERC Solar Cells. 4: 52-57. <http://dx.doi.org/10.1109/JPHOTOV.2013.2282893>.
- Wu, JW; Chen, HC; Ding, WH. (2013). Ultrasound-assisted dispersive liquid-liquid microextraction plus simultaneous silylation for rapid determination of salicylate and benzophenone-type ultraviolet filters in aqueous samples. *J Chromatogr A.* 1302: 20-27. <http://dx.doi.org/10.1016/j.chroma.2013.06.017>.
- Wu, MZ; Reynolds, DA; Fourie, A; Prommer, H; Thomas, DG. (2012). Electrokinetic in situ oxidation remediation: assessment of parameter sensitivities and the influence of aquifer heterogeneity on remediation efficiency. *J Contam Hydrol.* 136-137: 72-85. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.005>.
- Wu, MZ, hi; Reynolds, DA; Fourie, A; Thomas, DG. (2013). Optimal Field Approaches for Electrokinetic In Situ Oxidation Remediation. *Ground Water Monitoring and Remediation.* 33: 62-74. <http://dx.doi.org/10.1111/j.1745-6592.2012.01410.x>.
- Wu, Q; Cournede, PH. (2014). A comprehensive methodology of global sensitivity analysis for complex mechanistic models with an application to plant growth. *Ecological Complexity.* 20: 219-232. <http://dx.doi.org/10.1016/j.ecocom.2013.12.005>.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation.* 20: 78-86.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res.* 32: 1445-1454.
- Wu, X; Alshawabkeh, AN; Gent, DB; Larson, SL; Davis, JL. (2007). Lactate transport in soil by DC fields. *Journal of Geotechnical and Geoenvironmental Engineering.* 133: 1587-1596. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2007\)133:12\(1587\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2007)133:12(1587)).
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol.* 91: 1280-1289. <http://dx.doi.org/10.1002/jctb.4718>.
- Wu, Y; Ma, C. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut.* 45: 176-185.
- Wu, YPG; Lin, YF. (2002). High temperature oxidation of C2Cl4/CH4 mixtures. *J Hazard Mater.* 91: 239-256.
- Wu, YPG; Lin, YF; Huang, CL. (2004). Kinetic study of the pyrolysis of tetrachloroethylene in a hydrogen rich environment. *Fuel.* 83: 2237-2248. <http://dx.doi.org/10.1016/j.fuel.2004.06.012>.
- Wu, Z; Lifka, J; Ondruschka, B. (2005). Sonochemical reaction of selected cyclic C6Hx hydrocarbons in organic solvents. *Ultrason Sonochem.* 12: 127-131. <http://dx.doi.org/10.1016/j.ultsonch.2004.05.014>.
- Wu, Z, hiLin; Ondruschka, B; Braeutigam, P. (2007). Degradation of chlorocarbons driven by hydrodynamic cavitation. *Chem Eng Tech.* 30: 642-648. <http://dx.doi.org/10.1002/ceat.200600288>.
- Wuebbles, DJ; Patten, KO; Wang, D; Youn, D; Martinez-Aviles, M; Francisco, JS. (2011). Three-dimensional model evaluation of the Ozone Depletion Potentials for n-propyl bromide, trichloroethylene and perchloroethylene. *Atmos Chem Phys.* 11: 2371-2380. <http://dx.doi.org/10.5194/acp-11-2371-2011>.
- Xiao, S; Xu, S. (2014). High-Efficiency Silicon Solar Cells-Materials and Devices Physics. *Crit Rev Solid State Mater Sci.* 39: 277-317. <http://dx.doi.org/10.1080/10408436.2013.834245>.
- Xiao, YK; Zhang, L; Shan, XM; Ren, Y; Ma, ZX. (2004). Neighbor-medium-aware MAC protocol with fairness for wireless ad hoc networks. *I E I C E Transactions on Communications.* E87B: 2738-2746.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering.* 12: 716-718.
- Xieqi, M; Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH AND FUEL-LEAN FLAMES OF CCL4/CH4 MIXTURES. *Combust Flame.* 94: 131-145.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Xin, J; Han, J; Zheng, X; Shao, H; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage.* 150: 420-426. <http://dx.doi.org/10.1016/j.jenvman.2014.12.022>.
- Xing, WL; Ou, GR; Jiang, ZH; Ma, LRR; Chao, FH. (2000). Detection of multiple herbicide residues using a planar array evanescent field immunosensor. *Anal Lett.* 33: 1071-1078.
- Xiong, G; Chen, Y; Pawliszyn, J. (2003). On-site calibration method based on stepwise solid-phase microextraction. *J Chromatogr A.* 999: 43-50. [http://dx.doi.org/10.1016/S0021-9673\(03\)00602-2](http://dx.doi.org/10.1016/S0021-9673(03)00602-2).
- Xu, N; Vandegrift, S; Fine, DD; Sewell, GW. (1997). Ion-exclusion chromatographic determination of carboxylic acids used to support the microbially mediated reductive dechlorination of tetrachloroethene. *Environ Toxicol Chem.* 16: 2242-2248.
- Xu, N; Vandegrift, S; Sewell, GW. (1996). Determination of chloroethenes in environmental biological samples using gas chromatography coupled with solid phase micro extraction. *Chromatographia.* 42: 313-317.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis.* 5: 371-374.
- Xu, Z; Wu, Y; Yu, F, ei. (2012). A Three-Dimensional Flow and Transport Modeling of an Aquifer Contaminated by Perchloroethylene Subject to Multi-PRB Remediation. *Transport in Porous Media.* 91: 319-337. <http://dx.doi.org/10.1007/s11242-011-9847-1>.
- Xue, L; Wang, T; Simpson, IJ; Ding, A; Gao, J; Blake, DR; Wang, X; Wang, W; Lei, H; Jin, D. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ.* 45: 6501-6509. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.072>.
- Xue, P; Lu, GZ; Guo, Y; Guo, YL; Wang, YS. (2003). Influence of preparation methods of copolymer supports containing oxirane groups on activity of immobilized penicillin acylase. *Chinese journal of catalysis.* 24: 733-738.
- Yager, RM; Bilotta, SE; Mann, CL; Madsen, EL. (1997). Metabolic adaptation and in situ attenuation of chlorinated ethenes by naturally occurring microorganisms in a fractured dolomite aquifer near Niagara Falls, New York. *Environ Sci Technol.* 31: 3138-3147.
- Yagi, O; Uchiyama, H; Iwasaki, K. (1992). BIODEGRADATION RATE OF CHLOROETHYLENE IN SOIL ENVIRONMENT. *Water Sci Technol.* 25: 419-424.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). BIOLOGICAL AND CHEMICAL CHARACTERIZATION OF THE TETRACHLOROETHYLENE-DEGRADING BACTERIUM, STRAIN-T. *JTTHE.* 40: 178-184.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). TETRACHLOROETHYLENE DEGRADATION BY CULTURE SUPERNATANT OF THE ANAEROBIC BACTERIUM, STRAIN-T. *JTTHE.* 40: 252-258.
- Ya-Li, W; Li-Qin, Y; Yu-Wen, M; Jian-Ping, L; Li-Jun, H. (2016). Benzyl Functionalized Ionic Liquid as New Extraction Solvent of Dispersive Liquid-liquid Microextraction for Enrichment of Organophosphorus Pesticides and Aromatic Compounds. *Chin J Anal Chem.* 44: 942-948. [http://dx.doi.org/10.1016/S1872-2040\(16\)60937-4](http://dx.doi.org/10.1016/S1872-2040(16)60937-4).
- Yamakawa-Kobayashi, K; Ishiguro, H; Arinami, T; Miyazaki, R; Hamaguchi, H. (2002). A Val227Ala polymorphism in the peroxisome proliferator activated receptor- $\alpha$  (PPAR- $\alpha$ ) gene is associated with variations in serum lipid levels. *J Med Genet.* 39: 189-191.
- Yamakura, T; Mihic, SJ; Harris, RA. (1999). Amino acid volume and hydropathy of a transmembrane site determine glycine and anesthetic sensitivity of glycine receptors. *J Biol Chem.* 274: 23006-23012.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol.* 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-independent identification of candidate dehalorespiring bacteria in tetrachloroethylene degradation. *Environ Sci Technol.* 46: 7709-7716. <http://dx.doi.org/10.1021/es301288y>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, H; Yamaguchi, T; Yamauchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere.* 25: 665-673. [http://dx.doi.org/10.1016/0045-6535\(92\)90429-U](http://dx.doi.org/10.1016/0045-6535(92)90429-U).
- Yamazaki, S; Fujinaga, N; Araki, K. (2001). Effect of sulfate ions for sol-gel synthesis of titania photocatalyst. *Appl Catal A-Gen.* 210: 97-102.
- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO<sub>2</sub> pellets. *Water Res.* 35: 1022-1028.
- Yamazaki, S; Tsukamoto, H; Araki, K; Tanimura, T; Tejedor-Tejedor, I; Anderson, MA. (2001). Photocatalytic degradation of gaseous tetrachloroethylene on porous TiO<sub>2</sub> pellets. *Appl Catal B-Environ.* 33: 109-117.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 3-4.
- Yang, C; Yang, C. (2014). Preparation of TiO<sub>2</sub> particles and surface silanization modification for electronic ink. *Journal of Materials Science: Materials in Electronics.* 25: 3285-3289. <http://dx.doi.org/10.1007/s10854-014-2015-y>.
- Yang, JS; Baek, K; Kwon, T, aeS; Yang, J, iWon. (2009). Adsorption of chlorinated solvents in nonionic surfactant solutions with activated carbon in a fixed bed. *J Ind Eng Chem.* 15: 777-779. <http://dx.doi.org/10.1016/j.jiec.2009.09.027>.
- Yang, JS; Baek, K; Kwon, TS; Yang, JW. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.020>.
- Yang, P; Shi, Z; Tao, F, ei; Yang, S; Zhou, R. (2015). Synergistic performance between oxidizability and acidity/texture properties for 1,2-dichloroethane oxidation over (Ce,Cr)(x)O-2/zeolite catalysts. *Chem Eng Sci.* 134: 340-347. <http://dx.doi.org/10.1016/j.ces.2015.05.024>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO<sub>2</sub>-CrOx catalysts for chlorinated VOCs elimination. *Chem Eng Sci.* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Yang, P; Zuo, S; Shi, Z; Tao, F, ei; Zhou, R. (2016). Elimination of 1,2-dichloroethane over (Ce,Cr)(x)O-2/MOy catalysts (M =Ti, V, Nb, Mo, W and La). *Appl Catal B-Environ.* 191: 53-61. <http://dx.doi.org/10.1016/j.apcatb.2016.03.017>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis.* 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, Q; Nagano, T; Shah, Y; Cheung, C; Ito, S; Gonzalez, FJ. (2008). The PPAR alpha-humanized mouse: a model to investigate species differences in liver toxicity mediated by PPAR alpha. *Toxicol Sci.* 101: 132-139. <http://dx.doi.org/10.1093/toxsci/kfm206>.
- Yang, Q; Shang, HT; Li, HD; Xi, HB; Wang, JL. (2008). Biodegradation of tetrachloroethylene using methanol as co-metabolic substrate. *Biomed Environ Sci.* 21: 98-102. [http://dx.doi.org/10.1016/S0895-3988\(08\)60013-6](http://dx.doi.org/10.1016/S0895-3988(08)60013-6).
- Yang, Q; Shang, HT; Wang, XL; Li, HD; Wang, JL. (2006). Anaerobic degradation of tetrachloroethylene using different co-substrates as electron donors. *Biomed Environ Sci.* 19: 73-76.
- Yang, W; Qiu, Z; Zhao, Z; Lu, S; Sui, Q; Gu, X. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol.* 38: 34-41. <http://dx.doi.org/10.1080/09593330.2016.1184320>.
- Yang, Y; Mccarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environ Sci Technol.* 32: 3591-3597.
- Yang, Y; Pesaro, M; Sigler, W; Zeyer, J. (2005). Identification of microorganisms involved in reductive dehalogenation of chlorinated ethenes in an anaerobic microbial community. *Water Res.* 39: 3954-3966. <http://dx.doi.org/10.1016/j.watres.2005.07.010>.
- Yang, YR; Mccarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environ Sci Technol.* 34: 2979-2984.
- Yang, YR; Mccarty, PL. (2002). Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution. *Environ Sci Technol.* 36: 3400-3404. <http://dx.doi.org/10.1021/es011408e>.
- Yang, YR; Mccarty, PL. (2003). Response to comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environ Sci Technol.* 37: 2620-2621. <http://dx.doi.org/10.1021/es030395x>.
- Yasugi, T; Kawai, T; Mizunuma, K; Kishi, R; Harabuchi, I; Yuasa, J; Eguchi, T; Sugimoto, R; Seiji, K; Ikeda, M. (1994). Exposure monitoring and health effect studies of workers occupationally exposed to cyclohexane vapor. *Int Arch Occup Environ Health.* 65: 343-350. <http://dx.doi.org/10.1007/BF00405700>.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere.* 26: 1507-1512.
- Ye, C, uip; Ding, XX; Li, W, enY; Wu, TT; Fan, MM; Feng, J, ie. (2016). Highly Efficient Solvent Screening for Separating Carbazole from Crude Anthracene. *Energy Fuels.* 30: 3529-3534. <http://dx.doi.org/10.1021/acs.energyfuels.5b02800>.
- Ye, S; Sleep, BE; Chien, C. (2009). The impact of methanogenesis on flow and transport in coarse sand. *J Contam Hydrol.* 103: 48-57. <http://dx.doi.org/10.1016/j.jconhyd.2008.09.004>.
- Ye, X; Chen, D; Li, K; Shah, V. (2007). Photocatalytic oxidation of aldehydes/PCE using porous anatase titania and visible-light-responsive brookite titania. *Chemical Engineering Communications.* 194: 368-381. <http://dx.doi.org/10.1080/00986440600899948>.
- Yeh, CKJ; Peng, SL; Hsu, IY. (2002). Co-surfactant of ethoxylated sorbitan ester and sorbitan monooleate for enhanced flushing of tetrachloroethylene. *Chemosphere.* 49: 421-430.
- Yeh, HC; Kastenber, WE. (1991). Health risk assessment of biodegradable volatile organic chemicals: a case study of PCE, TCE, DCE and VC. *J Hazard Mater.* 27: 111-126.
- Yeh, KJ; Chen, TC; Young, W. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci.* 30: 47-52. <http://dx.doi.org/10.1089/ees.2012.0001>.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater.* 81: 253-263.
- Yim, SD; Chang, KH; Koh, DJ; Nam, IS; Kim, YG. (2000). Catalytic removal of perchloroethylene (PCE) over supported chromium oxide catalysts. *Catalysis Today.* 63: 215-222.
- Yim, SD; Chang, KH; Nam, IS. (2001). Deactivation of chromium oxide catalyst for the removal of perchloroethylene (PCE). *Stud Surf Sci Catal.* 139: 173-180.
- Yim, SD; Koh, DJ; Nam, IS. (2002). A pilot plant study for catalytic decomposition of PCDDs/PCDFs over supported chromium oxide catalysts. *Catalysis Today.* 75: 269-276.
- Yim, SD; Koh, DJ; Nam, IS; Kim, YG. (2000). Effect of the catalyst supports on the removal of perchloroethylene (PCE) over chromium oxide catalysts. *Catalysis Letters.* 64: 201-207.
- Yim, SD; Nam, IS. (2004). Characteristics of chromium oxides supported on TiO2 and Al2O3 for the decomposition of perchloroethylene. *J Catal.* 221: 601-611. <http://dx.doi.org/10.1016/j.jcat.2003.09.026>.
- Yin, P, eiPei; Wu, G; Chen, HZ; Wang, M. (2011). Preparation and characterization of carbon black/acrylic copolymer hybrid particles for dual particle electrophoretic display. *Synthetic Metals.* 161: 1456-1462. <http://dx.doi.org/10.1016/j.synthmet.2011.03.029>.
- Yin, P; Wu, G; Qin, W; Chen, X; Wang, M; Chen, H. (2013). CYM and RGB colored electronic inks based on silica-coated organic pigments for full-color electrophoretic displays. 1: 843-849. <http://dx.doi.org/10.1039/c2tc00344a>.
- Yin, Y; Chen, X; Li, C; Wu, H; Komarov, S; Guo, Q; Krawczynski, H; Meng, LJ; Tai, YC. (2014). Evaluation of PET Imaging Resolution Using 350 mu m Pixelated CZT as a VP-PET Insert Detector. *IEEE Trans Nucl Sci.* 61: 154-161. <http://dx.doi.org/10.1109/TNS.2013.2294011>.
- Ying, WC; Bonk, RR; Hannam, SC; Li, QD. (1994). FINAL DISPOSAL OF VOCS FROM INDUSTRIAL WASTEWATERS. *Environmental Progress.* 13: 192-201.
- Yokley, KA; Evans, MV. (2007). An example of model structure differences using sensitivity analyses in physiologically based pharmacokinetic models of trichloroethylene in humans. *Bull Math Biol.* 69: 2591-2625. <http://dx.doi.org/10.1007/s11538-007-9233-x>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Yokouchi, Y; Akimoto, H; Barrie, LA; Bottenheim, JW; Anlauf, K; Jobson, BT. (1994). SERIAL GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC MEASUREMENTS OF SOME VOLATILE ORGANIC-COMPOUNDS IN THE ARCTIC ATMOSPHERE DURING THE 1992 POLAR SUNRISE EXPERIMENT. *J Geophys Res Atmos.* 99: 25379-25389.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the Arctic troposphere. *Atmos Environ.* 30: 1723-1727.
- Yokouchi, Y; Mukai, H; Yamamoto, H; Otsuki, A; Saitoh, C; Nojiri, Y. (1997). Distribution of methyl iodide, ethyl iodide, bromoform, and dibromomethane over the ocean (east and southeast Asian seas and the western Pacific). *J Geophys Res Atmos.* 102: 8805-8809.
- Yoo, JS; Guengerich, FP; Yang, CS. (1988). Metabolism of N-nitrosodialkylamines by human liver microsomes. *Cancer Res.* 48: 1499-1504.
- Yoon, JS; Mason, JM; Valencia, R; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. IV. Results of 45 coded compounds tested for the National Toxicology Program. *Environ Mutagen.* 7: 349-367. <http://dx.doi.org/10.1002/em.2860070310>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere.* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, M; Lee, BD; Hosomi, M. (2000). Decomposition of aqueous tetrachloroethylene by Fenton oxidation treatment. *Water Sci Technol.* 42: 203-208.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *J Toxicol Environ Health A.* 54: 145-158.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut.* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol.* 15: 1096-1105. <http://dx.doi.org/10.1021/tx020028j>.
- You, L; Dallas, CE. (2000). Effects of inhaled 1,1,1-trichloroethane on the regional brain cyclic GMP levels in mice and rats. *J Toxicol Environ Health A.* 60: 331-341.
- You, YW; Zhao, HT; Vance, GF. (2002). Hybrid organic-inorganic derivatives of layered double hydroxides and dodecylbenzenesulfonate: Preparation and adsorption characteristics. *J Mater Chem.* 12: 907-912. <http://dx.doi.org/10.1039/b106811c>.
- Young, DF; Ball, WP. (1994). A-PRIORI SIMULATION OF TETRACHLOROETHENE TRANSPORT THROUGH AQUIFER MATERIAL USING AN INTRAPARTICLE DIFFUSION-MODEL. *Environmental Progress.* 13: 9-20.
- Young, DF; Ball, WP. (1998). Estimating diffusion coefficients in low-permeability porous media using a macropore column. *Environ Sci Technol.* 32: 2578-2584.
- Yount, EA; Felten, SY; O'Connor, BL; Peterson, RG; Powell, RS; Yum, MN; Harris, RA. (1982). Comparison of the metabolic and toxic effects of 2-chloropropionate and dichloroacetate. *J Pharmacol Exp Ther.* 222: 501-508.
- Youssef, J; Badr, M. (1998). Extraperoxisomal targets of peroxisome proliferators: Mitochondrial, microsomal, and cytosolic effects: Implications for health and disease [Review]. *Crit Rev Toxicol.* 28: 1-33. <http://dx.doi.org/10.1080/10408449891344182>.
- Youssef, J; Badr, M. (1999). Biology of senescent liver peroxisomes: role in hepatocellular aging and disease [Review]. *Environ Health Perspect.* 107: 791-797.
- Yu, AR, am; Kim, J, inSu; Kim, KM, in; Kim, H, eeJ. (2013). Comparison of Normalization Methods for I-124 PET on Siemens Inveon PET Scanner. *IEEE Trans Nucl Sci.* 60: 817-819. <http://dx.doi.org/10.1109/TNS.2013.2243843>.
- Yu, AR, am; Kim, J, inSu; Moon, J; Kim, H, eeJ; Lim, SM, oo; Kim, KM, in. (2013). The Effect of Attenuation and Scatter Correction in Rat Brain PET. *IEEE Trans Nucl Sci.* 60: 751-757. <http://dx.doi.org/10.1109/TNS.2012.2230338>.
- Yu, KO; Barton, HA; Mahle, DA; Frazier, JM. (2000). In vivo kinetics of trichloroacetate in male Fischer 344 rats. *Toxicol Sci.* 54: 302-311.
- Yu, S; Cao, WQ; Kashireddy, P; Meyer, K; Jia, Y; Hughes, DE; Tan, Y; Feng, J; Yeldandi, AV; Rao, MS; Costa, RH; Gonzalez, FJ; Reddy, JK. (2001). Human peroxisome proliferator-activated receptor alpha (PPAR $\alpha$ ) supports the induction of peroxisome proliferation in PPAR $\alpha$ -deficient mouse liver. *J Biol Chem.* 276: 42485-42491. <http://dx.doi.org/10.1074/jbc.M106480200>.
- Yu, S; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environ Sci Technol.* 39: 195-205. <http://dx.doi.org/10.1021/es0496773>.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater.* 167: 97-104. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.087>.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res.* 36: 4985-4996.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem.* 19: 2212-2217.
- Yuan, B; Chen, Y; Fu, M. (2012). Degradation efficiencies and mechanisms of trichloroethylene (TCE) by controlled-release permanganate (CRP) oxidation. *Chem Eng J.* 192: 276-283. <http://dx.doi.org/10.1016/j.cej.2012.03.049>.
- Yuan, C. (2006). The effect of Fe(0) on electrokinetic remediation of clay contaminated with perchloroethylene. *Water Sci Technol.* 53: 91-98. <http://dx.doi.org/10.2166/wst.2006.176>.
- Yuan, S; Wen, H; Wu, X; Chen, J; Wang, L. (2010). Effect of nonionic and cationic surfactants on the dechlorination kinetics and products distribution of various polychlorinated benzenes by Cu/Fe particles. *Separation and Purification Technology.* 74: 130-137. <http://dx.doi.org/10.1016/j.seppur.2010.05.015>.



## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Yun, JY; Ha, SA, n; Kim, DK; Wang, J, eiPil. (2016). Synthesis of Nanosized Zirconium Carbide Powder by Magnesiothermic Reduction. 8: 2167-2171. <http://dx.doi.org/10.1166/sam.2016.2868>.
- Yunqiang, W; Ming'an, S. (2009). Infiltration characteristics of non-aqueous phase liquids in undisturbed loessal soil cores. *J Environ Sci*. 21: 1424-1431. [http://dx.doi.org/10.1016/S1001-0742\(08\)62435-3](http://dx.doi.org/10.1016/S1001-0742(08)62435-3).
- Zaa, CLY; Mclean, JE; Dupont, R; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation*. 30: 46-57. <http://dx.doi.org/10.1111/j1745-6592.2009.001268.x>.
- Zahlten, RN; Stratman, FW. (1974). The isolation of hormone-sensitive rat hepatocytes by a modified enzymatic technique. *Arch Biochem Biophys*. 163: 600-608. [http://dx.doi.org/10.1016/0003-9861\(74\)90519-0](http://dx.doi.org/10.1016/0003-9861(74)90519-0).
- Zaidi, H; Ojha, N; Morich, M; Griesmer, J; Hu, Z; Maniowski, P; Ratib, O; Izquierdo-Garcia, D; Fayad, ZA; Shao, L. (2011). Design and performance evaluation of a whole-body Ingenuity TF PET-MRI system. *Phys Med Biol*. 56: 3091-3106. <http://dx.doi.org/10.1088/0031-9155/56/10/013>.
- Zanelli, U; Puccini, P; Acerbi, D; Ventura, P; Gervasi, PG. (1996). Induction of peroxisomal beta-oxidation and P-450 4A-dependent activities by pivalic and trichloroacetic acid in rat liver and kidney. *Arch Toxicol*. 70: 145-149. <http://dx.doi.org/10.1007/s002040050253>.
- Zanetti, MC; Fiore, S. (2005). Evaluation of mutual connections between zero-valent iron reactivity and groundwater composition in trichloroethylene degradation. *Ann Chim*. 95: 779-789.
- Zanucoli, M; De Rose, R; Magnone, P; Sangiorgi, E; Fiegna, C. (2012). Performance Analysis of Rear Point Contact Solar Cells by Three-Dimensional Numerical Simulation. *I E E E Transactions on Electron Devices*. 59: 1311-1319. <http://dx.doi.org/10.1109/TED.2012.2187297>.
- Zarabadi-Poor, P; Badiei, A; Yousefi, AA. (2013). Synthesis of novel carbon nanostructures through the solvothermal route. *Scientia Iranica*. 20: 2382-2385.
- Zarate-Segura, P; Rios-Leal, E; Esparza-Garcia, F; Garcia-Mena, J; Sanz, JL; Zaiat, M; Poggi-Varaldo, HM. (2004). Perchloroethylene removal in two anaerobic continuous systems. *Interciencia*. 29: 562-+.
- Zarczynski, A; Kazmierczak, M; Gorzka, Z; Misiak, M. (2003). Destruction of organo-chlorine, -sulfur and -nitrogen compounds by thermocatalytic oxidation. *Przemysł Chemiczny*. 82: 1075-1077.
- Zastrow, U; Houben, L; Meertens, D; Grohe, A; Brammer, T; Schneiderloechner, E. (2006). Characterization of laser-fired contacts in PERC solar cells: SIMS and TEM analysis applying advanced preparation techniques. *Appl Surf Sci*. 252: 7082-7085. <http://dx.doi.org/10.1016/j.apsusc.2006.02.114>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect*. 73: 259-306.
- Zeka, A; Sullivan, JR; Vokonas, PS; Sparrow, D; Schwartz, J. (2006). Inflammatory markers and particulate air pollution: Characterizing the pathway to disease [Commentary]. *Int J Epidemiol*. 35: 1347-1356.
- Zeka, A; Zanobetti, A; Schwartz, J. (2006). Individual-level modifiers of the effects of particulate matter on daily mortality. *Am J Epidemiol*. 163: 849-859. <http://dx.doi.org/10.1093/aje/kwj116>.
- Zeng, Y; Zeng, Z; Ju, T; Zhang, F, an. (2015). Adsorption performance and mechanism of perchloroethylene on a novel nano composite beta-FeOOH-AC. *Microporous and Mesoporous Materials*. 210: 60-68. <http://dx.doi.org/10.1016/j.micromeso.2015.02.021>.
- Zhai, X; Hua, I; Rao, PS; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol*. 82: 61-74. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.007>.
- Zhang, B; Marcus, SL; Miyata, KS; Subramani, S; Capone, JP; Rachubinski, RA. (1993). Characterization of protein-DNA interactions within the peroxisome proliferator-responsive element of the rat hydratase-dehydrogenase gene. *J Biol Chem*. 268: 12939-12945.
- Zhang, B; Marcus, SL; Sajjadi, FG; Alvares, K; Reddy, JK; Subramani, S; Rachubinski, RA; Capone, JP. (1992). Identification of a peroxisome proliferator-responsive element upstream of the gene encoding rat peroxisomal enoyl-CoA hydratase/3-hydroxyacyl-CoA dehydrogenase. *Proc Natl Acad Sci USA*. 89: 7541-7545.
- Zhang, C; Werth, CJ; Webb, AG. (2008). Investigation of surfactant-enhanced mass removal and flux reduction in 3D correlated permeability fields using magnetic resonance imaging. *J Contam Hydrol*. 100: 116-126. <http://dx.doi.org/10.1016/j.jconhyd.2008.06.002>.
- Zhang, D; Park, CS; Koh, CS. (2012). A New Optimal Design Method of Rotor Slot of Three-Phase Squirrel Cage Induction Motor for NEMA Class D Speed-Torque Characteristic Using Multi-Objective Optimization Algorithm. *I E E E Transactions on Magnetics*. 48: 879-882. <http://dx.doi.org/10.1109/TMAG.2011.2174040>.
- Zhang, D; Ren, Z; Koh, CS. (2014). Multi-Objective Optimal Design of a NEMA Design D Three-phase Induction Machine Utilizing Gaussian-MOPSO Algorithm. *Journal of Electrical Engineering & Technology*. 9: 184-189. <http://dx.doi.org/10.5370/JEET.2014.9.1.184>.
- Zhang, H; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of dechlorination and sulfate reduction on the microbial community structure in denitrifying membrane-biofilm reactors. *Environ Sci Technol*. 44: 5159-5164. <http://dx.doi.org/10.1021/es100695n>.
- Zhang, J; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environ Sci Technol*. 40: 1830-1836. <http://dx.doi.org/10.1021/es051829m>.
- Zhang, JZ; Colon-Mercado, HR; Goodwin, JG, Jr. (2011). The effect of low concentrations of tetrachloroethylene on H-2 adsorption and activation on Pt in a fuel cell catalyst. *J Power Sources*. 196: 8391-8397. <http://dx.doi.org/10.1016/j.jpowsour.2011.06.081>.
- Zhang, L; Zhang, Y; Kershaw, SV; Zhao, Y; Wang, Y; Jiang, Y; Zhang, T; Yu, WW; Gu, P; Wang, Y; Zhang, H; Rogach, AL. (2014). Colloidal PbSe quantum dot-solution-filled liquid-core optical fiber for 1.55 μm telecommunication wavelengths. *Nanotechnology*. 25: 105704. <http://dx.doi.org/10.1088/0957-4484/25/10/105704>.
- Zhang, LF; Kanki, T; Sano, N; Toyoda, A. (2003). Development of TiO2 photocatalyst reaction for water purification. *Separation and Purification Technology*. 31: 105-110.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, PF; Simunek, J; Bowman, RS. (2004). Nonideal transport of solute and colloidal tracers through reactive zeolite/iron pellets. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR002445>.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environ Sci Technol.* 36: 3597-3603. <http://dx.doi.org/10.1021/es015816u>.
- Zhang, Q; Liang, T; Guan, L. (2013). Ultrasound-assisted dispersive liquid-liquid microextraction combined with gas chromatography-mass spectrometry in negative chemical ionization mode for the determination of polybrominated diphenyl ethers in water. *J Sep Sci.* 36: 1263-1269. <http://dx.doi.org/10.1002/jssc.201201049>.
- Zhang, S, hu; Pan, X; Jiao, H; Deng, W; Xu, J; Chen, Y; Altermatt, PP; Feng, Z; Verlinden, PJ. (2016). 335-W World-Record p-Type Monocrystalline Module With 20.6% Efficient PERC Solar Cells. 6: 145-152. <http://dx.doi.org/10.1109/JPHOTOV.2015.2498039>.
- Zhang, T; Chen, X; Li, Y; Liang, P, ei. (2006). Application of headspace liquid-phase microextraction to the analysis of volatile halocarbons in water. *Chromatographia.* 63: 633-637. <http://dx.doi.org/10.1365/s10337-006-0823-9>.
- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol.* 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng.* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W, ei; Li, L, i; Lin, K; Xiong, B; Li, B; Lu, S; Guo, M; Cui, X. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Sci Technol.* 65: 2258-2264. <http://dx.doi.org/10.2166/wst.2012.146>.
- Zhang, WX; Wang, CB; Lien, HL. (1998). Treatment of chlorinated organic contaminants with nanoscale bimetallic particles. *Catalysis Today.* 40: 387-395.
- Zhang, X; Qian, L; Xu, P; He, H; Du, Q. (2008). Study of H-beta-zeolite supported Rh catalyst by inverse gas chromatography. *Chem Eng J.* 137: 579-586. <http://dx.doi.org/10.1016/j.cej.2007.05.020>.
- Zhang, X; Stortz, G; Sossi, V; Thompson, CJ; Retière, F; Kozłowski, P; Thiessen, JD; Goertzen, AL. (2013). Development and evaluation of a LOR-based image reconstruction with 3D system response modeling for a PET insert with dual-layer offset crystal design. *Phys Med Biol.* 58: 8379-8399. <http://dx.doi.org/10.1088/0031-9155/58/23/8379>.
- Zhang, XH; Sewell, GW; Cui, SY. (2001). An improved method of hydrogen production as electron donor for anaerobic bioremediation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1661-1670.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energy Eng.* 118: 123-129.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 192: 1896-1899. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.087>.
- Zhang, Y; Lee, HK. (2012). Determination of ultraviolet filters in water samples by vortex-assisted dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. *J Chromatogr A.* 1249: 25-31. <http://dx.doi.org/10.1016/j.chroma.2012.06.019>.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci.* 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Sci Technol.* 69: 120-127. <http://dx.doi.org/10.2166/wst.2013.564>.
- Zhang, Y; Wang, X; Blake, DR; Li, L; Zhang, Z; Wang, S; Guo, H, ai; Lee, FSC; Gao, B, o; Chan, L; Wu, D, ui; Rowland, FS. (2012). Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. *J Geophys Res Atmos.* 117: n/a. <http://dx.doi.org/10.1029/2011JD017356>.
- Zhang, YL; Guo, H; Wang, XM; Simpson, IJ; Barletta, B; Blake, DR; Meinardi, S; Rowland, FS; Cheng, HR; Saunders, SM; Lam, SHM. (2010). Emission patterns and spatiotemporal variations of halocarbons in the Pearl River Delta region, southern China. *J Geophys Res Atmos.* 115. <http://dx.doi.org/10.1029/2009JD013726>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, Z; Zhang, Y; Wang, X; Lu, S; Huang, Z; Huang, X; Yang, W; Wang, Y; Zhang, Q. (2016). Spatiotemporal patterns and source implications of aromatic hydrocarbons at six rural sites across China's developed coastal regions. *J Geophys Res Atmos.* 121: 6669-6687. <http://dx.doi.org/10.1002/2016JD025115>.
- Zhang, ZF; Smith, JE. (2001). The velocity of DNAPL fingering in water-saturated porous media: laboratory experiments and a mobile-immobile-zone model. *J Contam Hydrol.* 49: 335-353.
- Zhang, ZF; Smith, JE. (2002). Visualization of DNAPL fingering processes and mechanisms in water-saturated porous media. *Transport in Porous Media.* 48: 41-59.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol.* 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-di-chloroethene biodegradation by other chloroethenes. *Water Res.* 44: 2276-2282. <http://dx.doi.org/10.1016/j.watres.2009.12.023>.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Zhao, HT; Nagy, KL; Waples, JS; Vance, GF. (2000). Surfactant-templated mesoporous silicate materials as sorbents for organic pollutants in water. *Environ Sci Technol.* 34: 4822-4827. <http://dx.doi.org/10.1021/es000990o>.
- Zhao, S, hiX; Zhang, L, ij; Wang, Y, uXin. (2013). Enhanced performance of a Nafion membrane through ionomer self-organization in the casting solution. *J Power Sources.* 233: 309-312. <http://dx.doi.org/10.1016/j.jpowsour.2013.01.052>.
- Zhao, W; Ioannidis, MA. (2003). Pore network simulation of the dissolution of a single-component wetting nonaqueous phase liquid. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001861>.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.002>.
- Zhao, Z; Fang, Y, uLun; Alvarez, PJJ; Wong, MS. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ.* 140: 468-477. <http://dx.doi.org/10.1016/j.apcatb.2013.04.032>.
- Zhen, H; Du, S; Rodenburg, LA; Mainelis, G; Fennell, DE. (2014). Reductive dechlorination of 1,2,3,7,8-pentachlorodibenzo-p-dioxin and Aroclor 1260, 1254 and 1242 by a mixed culture containing *Dehalococcoides mccartyi* strain 195. *Water Res.* 52: 51-62. <http://dx.doi.org/10.1016/j.watres.2013.12.038>.
- Zheng, F, ei; Gao, B, in; Sun, Y; Shi, X; Xu, H; Wu, J; Gao, Y. (2016). Removal of tetrachloroethylene from homogeneous and heterogeneous porous media: Combined effects of surfactant solubilization and oxidant degradation. *Chem Eng J.* 283: 595-603. <http://dx.doi.org/10.1016/j.cej.2015.08.004>.
- Zheng, T; Cantor, KP; Zhang, Y; Lynch, CF. (2002). Occupation and bladder cancer: A population-based, case-control study in Iowa. *J Occup Environ Med.* 44: 685-691.
- Zhi-Jie, L; Xiang-Gao, L; Shi-Rong, W. (2012). Preparation of TiO<sub>2</sub> Nano-particles with Controllable Surface Charges for Electrophoretic Display. *Wuji Cailiao Xuebao.* 27: 649-654. <http://dx.doi.org/10.3724/SP.J.1077.2012.00649>.
- Zhou, H; Gong, Y; Zhou, M. (2007). Infrared spectra of chlorinated ethylene cations: C<sub>2</sub>Cl<sub>4</sub><sup>+</sup>, C<sub>2</sub>HCl<sub>3</sub><sup>+</sup>, 1,1-C<sub>2</sub>H<sub>2</sub>Cl<sub>2</sub><sup>+</sup>, and trans-C<sub>2</sub>H<sub>2</sub>Cl<sub>2</sub><sup>+</sup> in solid argon. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 111: 603-609. <http://dx.doi.org/10.1021/jp066618y>.
- Zhou, S; Wallace, K. (1999). The effect of peroxisome proliferators on mitochondrial bioenergetics. *Toxicol Sci.* 48: 82-89.
- Zhou, Y; Varner, RK; Russo, RS; Wingenter, OW; Haase, KB; Talbot, R; Sive, BC. (2005). Coastal water source of short-lived halocarbons in New England. *J Geophys Res Atmos.* 110. <http://dx.doi.org/10.1029/2004JD005603>.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect.* 106 Suppl 4: 983-988.
- Zhou, ZN; Dai, YK; Tian, WJ; Wu, S. R.; Jing, FY; Feng, ZL. (1992). SEQUENCE STRUCTURE OF ETHYLENE-VINYL SUBSTITUTED COPOLYMER WITH C-13 NMR .4. *Sci China Ser B-Chem.* 35: 769-775.
- Zhu, B, aoWei; Lim, TT; Feng, J. (2008). Influences of amphiphiles on dechlorination of a trichlorobenzene by nanoscale Pd/Fe: Adsorption, reaction kinetics, and interfacial interactions. *Environ Sci Technol.* 42: 4513-4519. <http://dx.doi.org/10.1021/es800227r>.
- Zhu, L; Bozzelli, JW; Lay, TH. (1998). Comparison of AM1 and PM3 in MOPAC6 with literature for the thermodynamic parameters of C-1 and C-2 chlorocarbons. *Ind Eng Chem Res.* 37: 3497-3507.
- Zhu, WM; Ford, WT. (1991). OXIDATION OF ALKENES WITH AQUEOUS POTASSIUM PEROXYMONOSULFATE AND NO ORGANIC-SOLVENT. *J Org Chem.* 56: 7022-7026.
- Zhu, Y; Fiedler, K; Rudiger, S; Kemnitz, E. (2003). Aliovalent-substituted chromium-based catalysts for the hydrofluorination of tetrachloroethylene. *J Catal.* 219: 8-16. [http://dx.doi.org/10.1016/S0021-9517\(03\)00183-0](http://dx.doi.org/10.1016/S0021-9517(03)00183-0).
- Zhuang, P; Pavlostathis, SG. (1994). EFFECT OF CHLORINATED ALKENES ON THE REDUCTIVE DECHLORINATION AND METHANE PRODUCTION PROCESSES. *Water Sci Technol.* 30: 85-94.
- Zhuang, P; Pavlostathis, SG. (1995). EFFECT OF TEMPERATURE, PH AND ELECTRON-DONOR ON THE MICROBIAL REDUCTIVE DECHLORINATION OF CHLOROALKENES. *Chemosphere.* 31: 3537-3548.
- Zielhuis, GA; Gijsen, R; van der Gulden, JWJ. (1989). Menstrual disorders among dry-cleaning workers [Letter]. *Scand J Work Environ Health.* 15: 238.
- Zielke, D; Sylla, D; Neubert, T; Brendel, R; Schmidt, J, an. (2013). Direct Laser Texturing for High-Efficiency Silicon Solar Cells. 3: 656-661. <http://dx.doi.org/10.1109/JPHOTOV.2012.2228302>.
- Ziémons, E; Goffin, E; Lejeune, R; Angenot, L; Thunus, L. (2004). FT-IR measurement of tagitinin C after solvent extraction from *Tithonia diversifolia*. *Talanta.* 62: 383-387. <http://dx.doi.org/10.1016/j.talanta.2003.08.007>.
- Ziglio, G. (1981). Human exposure to environmental trichloroethylene and tetrachloroethylene: preliminary data on population groups of Milan, Italy. *Bull Environ Contam Toxicol.* 26: 131-136.
- Ziglio, G; Fara, GM; Beltramelli, G; Pregliasco, F. (1983). Human environmental exposure to trichloro- and tetrachloroethylene from water and air in Milan, Italy. *Arch Environ Contam Toxicol.* 12: 57-64.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium [Review]. *Environ Health Perspect.* 103: 5-7.
- Zingg, JM; Jones, PA. (1997). Genetic and epigenetic aspects of DNA methylation on genome expression, evolution, mutation and carcinogenesis. *Carcinogenesis.* 18: 869-882.
- Zitomer, DH; Owens, D; Speece, RE. (2000). Methanethiol production as an indicator of toxicity in anaerobic treatment. *Water Sci Technol.* 42: 231-235.

## Engineering/Occupational Exposure Literature Search Results

### Off Topic

- Ziv-El, M; Kalinowski, T; Krajmalnik-Brown, R; Halden, RU. (2014). Simultaneous determination of chlorinated ethenes and ethene in groundwater using headspace solid-phase microextraction with gas chromatography. *J Chromatogr Sci.* 52: 137-142. <http://dx.doi.org/10.1093/chromsci/bms258>.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere.* 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere.* 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zoccolillo, L; Amendola, L; Insogna, S; Pastorini, E. (2010). On-line analysis of volatile chlorinated hydrocarbons in air by gas chromatography-mass spectrometry Improvements in preconcentration and injection steps. *J Chromatogr A.* 1217: 3890-3895. <http://dx.doi.org/10.1016/j.chroma.2010.04.013>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem.* 63: 91-98.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem.* 55: 27-32.
- Zoeteman, BCJ; Harmsen, K; Linders, JBH, J; Morra, CFH; Slooff, W. (1980). Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere.* 9: 231-249.
- Zordan, M; Osti, M; Pesce, M; Costa, R. (1994). Chloral hydrate is recombinogenic in the wing spot test in *Drosophila melanogaster*. *Mutat Res.* 322: 111-116. [http://dx.doi.org/10.1016/0165-1218\(94\)00017-4](http://dx.doi.org/10.1016/0165-1218(94)00017-4).
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO<sub>2</sub>-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis.* 22: 198-202.
- Zuraimi, MS; Tham, KW. (2008). Effects of child care center ventilation strategies on volatile organic compounds of indoor and outdoor origins. *Environ Sci Technol.* 42: 2054-2059. <http://dx.doi.org/10.1021/es0714033>.
- Zurita, JL; Garcia, DA; Postigo, MA. (1992). EXCESS MOLAR VOLUMES OF TETRACHLOROETHENE + 1,4-DIOXANE + TETRAHYDROFURAN AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data.* 37: 206-209.
- Zuurbier, M; Lundqvist, C; Salines, G; Stansfeld, S; Hanke, W; Babisch, W; Bistrup, ML; Van Den Hazel, P; Moshammer, H. (2007). The environmental health of children: Priorities in Europe [Review]. *Int J Occup Med Environ Health.* 20: 291-308. <http://dx.doi.org/10.2478/v10001-007-0022-4>.
- Zwank, L; Berg, M; Schmidt, TC; Haderlein, SB. (2003). Compound-specific carbon isotope analysis of volatile organic compounds in the low-microgram per liter range. *Anal Chem.* 75: 5575-5583. <http://dx.doi.org/10.1021/ac034230i>.
- Zytner, R; Biswas, N; Bewtra, JK. (1989). Adsorption and desorption of perchloroethylene in soils, peat moss, and granular activated carbon. *Can J Civ Eng.* 16: 798-806. <http://dx.doi.org/10.1139/l89-123>.

## Exposure Literature Search Results

### On Topic

- Abrahamsson, K; Ekdahl, A; Collen, J; Pedersen, M. (1995). Marine algae - A source of trichloroethylene and perchloroethylene. *Limnol Oceanogr.* 40: 1321-1326.
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol.* 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect.* 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.
- Aeppli, C; Hofstetter, TB; Amaral, HI; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying in situ transformation rates of chlorinated ethenes by combining compound-specific stable isotope analysis, groundwater dating, and carbon isotope mass balances. *Environ Sci Technol.* 44: 3705-3711. <http://dx.doi.org/10.1021/es903895b>.
- Aggazzotti, G; Fantuzzi, G; Predieri, G; Righi, E; Moscardelli, S. (1994). Indoor exposure to perchloroethylene (PCE) in individuals living with dry-cleaning workers. *Sci Total Environ.* 156: 133-137. [http://dx.doi.org/10.1016/0048-9697\(94\)90349-2](http://dx.doi.org/10.1016/0048-9697(94)90349-2).
- Aggazzotti, G; Fantuzzi, G; Righi, E; Predieri, G; Gobba, FM; Paltrinieri, M; Cavalleri, A. (1994). Occupational and environmental exposure to perchloroethylene (PCE) in dry cleaners and their family members. *Arch Environ Occup Health.* 49: 487-493. <http://dx.doi.org/10.1080/00039896.1994.9955005>.
- Ahlborg, G, Jr. (1990). Pregnancy outcome among women working in laundries and dry-cleaning shops using tetrachloroethylene. *Am J Ind Med.* 17: 567-575. <http://dx.doi.org/10.1002/ajim.4700170503>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700170503/abstract>.
- Ahlers, J; Regelman, J; Riedhammer, C. (2003). Environmental risk assessment of airborne trichloroacetic acid - a contribution to the discussion on the significance of anthropogenic and natural sources. *Chemosphere.* 52: 531-537. [http://dx.doi.org/10.1016/S0045-6535\(03\)00201-7](http://dx.doi.org/10.1016/S0045-6535(03)00201-7).
- Ajo-Franklin, JB; Geller, J, iIT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual.* 36: 508-520. <http://dx.doi.org/10.2134/jeq2005.0426>.

## Exposure Literature Search Results

### On Topic

- Akob, DM; Cozzarelli, IM; Dunlap, DS; Rowan, EL; Lorah, MM. (2015). Organic and inorganic composition and microbiology of produced waters from Pennsylvania shale gas wells. *Appl Geochem*. 60: 116-125. <http://dx.doi.org/10.1016/j.apgeochem.2015.04.011>.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation*. 35: 57-66. <http://dx.doi.org/10.1111/gwmr.12133>.
- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim*. 92: 61-71.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ*. 8: 255-268.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res*. 30: 1876-1884.
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng*. 30: 51-66. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.008>.
- Anderson, M; Church, G. (1998). Offshore passive soil vapor survey at a contaminated coastal site. *J Environ Eng*. 124: 555-563.
- Antonelli, R; Dal PRA, A. (1991). PROBLEMS OF CONTAMINATION AND PROTECTION OF UNDERGROUND WATERS IN THE VENETO ALLUVIAL PLAIN NORTHERN ITALY (pp. 20-21). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/92/13845). Antonelli, R; Dal PRA, A.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med*. 37: 797-806.
- Ariya, PA; Catoire, V; Sander, R; Niki, H; Harris, GW. (1997). Trichloroethene and tetrachloroethene: Tropospheric probes for Cl- and Br-atom reactions during polar sunrise. *Tellus B Chem Phys Meteorol*. 49: 583-591.
- Artimo, A. (2002). Application of flow and transport models to the polluted Honkala aquifer, Sakyla, Finland. *Boreal Environmental Research*. 7: 161-172.
- Aschengrau, A; Janulewicz, PA; White, RF; Vieira, VM; Gallagher, LG; Getz, KD; Webster, TF; Ozonoff, DM. (2016). Long-term Neurotoxic Effects of Early-life Exposure to Tetrachloroethylene-contaminated Drinking Water. 82: 169-179. <http://dx.doi.org/10.1016/j.aogh.2016.01.013>.
- Aschengrau, A; Ozonoff, D; Paulu, C; Coogan, P; Vezina, R; Heeren, T; Zhang, Y. (1993). Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. *Arch Environ Health*. 48: 284-292. <http://dx.doi.org/10.1080/00039896.1993.9936715>.
- Aschengrau, A; Paulu, C; Ozonoff, D. (1998). Tetrachloroethylene-contaminated drinking water and the risk of breast cancer. *Environ Health Perspect*. 106: 947-953.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect*. 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health*. 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health*. 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health*. 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Aschengrau, A; Winter, MR; Vieira, VM; Webster, TF; Janulewicz, PA; Gallagher, LG; Weinberg, J; Ozonoff, DM. (2015). Long-term health effects of early life exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health*. 14: 36. <http://dx.doi.org/10.1186/s12940-015-0021-z>.
- Ashfold, MJ; Pyle, JA; Robinson, AD; Meneguz, E; Nadzir, MSM; Phang, SM; Samah, AA; Ong, S; Ung, HE; Peng, LK; Yong, SE; Harris, NRP. (2015). Rapid transport of East Asian pollution to the deep tropics. *Atmos Chem Phys*. 15: 3565-3573. <http://dx.doi.org/10.5194/acp-15-3565-2015>.
- Atlas, E; Schauffler, SM; Merrill, JT; Hahn, CJ; Ridley, B; Walega, J; Greenberg, J; Heidt, L; Zimmerman, P. (1992). ALKYL NITRATE AND SELECTED HALOCARBON MEASUREMENTS AT MAUNA-LOA-OBSERVATORY, HAWAII. *J Geophys Res Atmos*. 97: 10331-10348.
- ATSDR. (2012). Health Consultation: Review of Indoor Air Data from January 2012 through April of 2012, at the Navy Yard Mills Site, Dracut, Massachusetts, July 26, 2012 (pp. 31).
- ATSDR. (2012). Letter Health Consultation: Cabo Rojo Ground Water Contamination Site, Cabo Rojo, Puerto Rico. EPA Facility ID: PRN000206319, February 24, 2012 (pp. 8).
- ATSDR. (2013). Public Health Assessment for Hormigas Ground Water Plume Site, Carretera 785 KM 4.9, Caguas, Puerto Rico 00725, October 31, 2013 (pp. 60).
- ATSDR. (2015). Health Assessment for Groundwater, Surface Water, Soil and Sediment Data Evaluation, Corozal Well Site, Corozal, Puerto Rico, July 29, 2015. EPA Facility ID: PRN000206452.
- Audí-Miró, C; Cretnik, S; Torrentó, C; Rosell, M; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. *J Hazard Mater*. 299: 747-754. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.052>.

## Exposure Literature Search Results

### On Topic

- Aulenta, F; Bianchi, A; Majone, M; Petrangeli Papini, M; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int.* 31: 185-190. <http://dx.doi.org/10.1016/j.envint.2004.09.014>.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air and Waste Management Association.* 53: 889-896.
- Azuma, K; Uchiyama, I; Ikeda, K. (2007). The risk screening for indoor air pollution chemicals in Japan. *Risk Anal.* 27: 1623-1638. <http://dx.doi.org/10.1111/j.1539-6924.2007.00993.x>.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple dual C-Cl isotope patterns associated with reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 48: 9179-9186. <http://dx.doi.org/10.1021/es500822d>.
- Badin, A; Schirmer, M; Wermeille, C; Hunkeler, D. (2015). Perchloroethene source delineation using carbon-chlorine isotopic analysis: field investigations of isotopic signature variability. *Grundwasser.* 20: 263-270. <http://dx.doi.org/10.1007/s00767-015-0301-0>.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environ Sci Technol.* 42: 1268-1275. <http://dx.doi.org/10.1021/es071552l>.
- Baehr, AL; Stackelberg, PE; Baker, RJ. (1999). Evaluation of the atmosphere as a source of volatile organic compounds in shallow groundwater. *Water Resour Res.* 35: 127-136.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation.* 36: 38-53. <http://dx.doi.org/10.1111/gwmm.12149>.
- Bakwin, PS; Hurst, DF; Tans, PP; Elkins, JW. (1997). Anthropogenic sources of halocarbons, sulfur hexafluoride, carbon monoxide, and methane in the southeastern United States. *J Geophys Res Atmos.* 102: 15915-15925.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res.* 33: 2741-2757.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere.* 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation.* 26: 115-127.
- Barber, LB; Keefe, SH; Leblanc, DR; Bradley, PM; Chapelle, FH; Meyer, MT; Loftin, KA; Kolpin, DW; Rubio, F. (2009). Fate of Sulfamethoxazole, 4-Nonylphenol, and 17 beta-Estradiol in Groundwater Contaminated by Wastewater Treatment Plant Effluent. *Environ Sci Technol.* 43: 4843-4850. <http://dx.doi.org/10.1021/es803292v>.
- Barnes, DH; Wofsy, SC; Fehla, BP; Gottlieb, EW; Elkins, JW; Dutton, GS; Montzka, SA. (2003). Urban/industrial pollution for the New York City - Washington, DC, corridor, 1996-1998: 1. Providing independent verification of CO and PCE emissions inventories. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2001JD001116>.
- Barnes, DH; Wofsy, SC; Fehla, BP; Gottlieb, EW; Elkins, JW; Dutton, GS; Montzka, SA. (2003). Urban/industrial pollution for the New York City - Washington, DC, corridor, 1996-1998: 2. A study of the efficacy of the Montreal Protocol and other regulatory measures. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2001JD001117>.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol.* 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Bauer, U. (1981). [Human exposure to environmental chemicals: Investigations on volatile organic halogenated compounds in water, air, food, and human tissues: IV. Communication: Calculation of human exposure to organic halogenated compounds from the environment]. *Zentralbl Bakteriol, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B.* 174: 556-583.
- Bauer, U. (1991). OCCURRENCE OF TETRACHLOROETHYLENE IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Chemosphere.* 23: 1777-1781.
- Baya, MP; Figa-Talamanca, I; Siskos, PA. (1998). Determination of selected volatile organic compounds in the air of dry-cleaning shops in the Athens area: Pilot study. *Indoor Built Environ.* 7: 315-318.
- Begerow, J; Jermann, E; Keles, T; Freier, I; Ranft, U; Dunemann, L. (1996). Internal and external tetrachloroethene exposure of persons living in differently polluted areas of Northrhine-Westphalia (Germany). *Zentralblatt fuer Hygiene und Umweltmedizin.* 198: 394-406.
- Benignus, VA; Boyes, WK; Geller, AM; Bushnell, PJ. (2009). Long-term perchloroethylene exposure: A meta-analysis of neurobehavioral deficits in occupationally and residentially exposed groups. *J Toxicol Environ Health A.* 72: 824-831. <http://dx.doi.org/10.1080/15287390902800413>.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation.* 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Binger, CA; Martin, JP; Allen-King, RM; Fowler, M. (1999). Variability of chlorinated-solvent sorption associated with oxidative weathering of kerogen. *J Contam Hydrol.* 40: 137-158.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>; <http://oem.bmj.com/content/oemed/55/3/161.full.pdf>.
- Blake, NJ; Blake, DR; Chen, TY; Collins, JE; Sachse, GW; Anderson, BE; Rowland, FS. (1997). Distribution and seasonality of selected hydrocarbons and halocarbons over the western Pacific basin during PEM-West A and PEM-West B. *J Geophys Res Atmos.* 102: 28315-28331.
- Blake, NJ; Blake, DR; Wingenter, OW; Sive, BC; Kang, CH; Thornton, DC; Bandy, AR; Atlas, E; Flocke, F; Harris, JM; Rowland, FS. (1999). Aircraft measurements of the latitudinal, vertical, and seasonal variations of NMHCs, methyl nitrate, methyl halides, and DMS during the First Aerosol Characterization Experiment (ACE 1). *J Geophys Res Atmos.* 104: 21803-21817.

## Exposure Literature Search Results

### On Topic

- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of multiple chlorinated ethene sources in an industrialized area--a forensic field study using compound-specific isotope analysis. *Environ Sci Technol.* 43: 2701-2707. <http://dx.doi.org/10.1021/es803100p>.
- Blount, BC; Mcelprang, DO; Chambers, DM; Waterhouse, MG; Squibb, KS; Lakind, JS. (2010). Methodology for collecting, storing, and analyzing human milk for volatile organic compounds. *J Environ Monit.* 12: 1265-1273. <http://dx.doi.org/10.1039/b927022a>.
- Bogen, KT; Mckone, TE. (1988). Linking indoor air and pharmacokinetic models to assess tetrachloroethylene risk. *Risk Anal.* 8: 509-520.
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. *J Contam Hydrol.* 94: 13-33. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.002>.
- Bouhamra, WS; Elkilani, AS. (1999). Investigation and modeling of surface sorption-desorption behavior of volatile organic compounds for indoor air quality analysis. *Environ Technol.* 20: 531-545.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). MIGRATION OF CHLORINATED-HYDROCARBON SOLVENTS THROUGH COVENTRY SANDSTONE ROCK COLUMNS. *J Hydrol.* 149: 183-207.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health.* 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Bradley, PM. (2000). Microbial degradation of chloroethenes in groundwater systems. *Hydrogeology Journal.* 8: 104-111.
- Brand, KP; Jang, CJ; Park, JH; Serrano, PI; Weker, RA; Lee, K; Yanagisawa, Y. (1999). Residual perchloroethylene in dry-cleaned acetate: The effect of pressing and extent of inter-dry-cleaner variability. *J Air Waste Manag Assoc.* 49: 213-218.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corn cobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res.* 40: 2125-2134. <http://dx.doi.org/10.1016/j.watres.2006.04.011>.
- Brodkin, CA; Daniell, W; Checkoway, H; Echeverria, D; Johnson, J; Wang, K; Sohaey, R; Green, D; Redlich, C; Gretch, D. (1995). Hepatic ultrasonic changes in workers exposed to perchloroethylene. *Occup Environ Med.* 52: 679-685.
- Broster, BE; Pupek, DA. (2001). The significance of buried landscape in subsurface migration of dense non-aqueous phase liquids: The case of perchloroethylene in the Sussex aquifer, New Brunswick. *Environmental and Engineering Geoscience.* 7: 17-29.
- Brown, D; Kaplan, S. (1987). Retrospective cohort mortality study of dry cleaner workers using perchloroethylene. *J Occup Med.* 29: 535-541.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere.* 38: 795-806.
- Brown, T; Dassonville, C; Derbez, M; Ramalho, O; Kirchner, S; Crump, D; Mandin, C. (2015). Relationships between socioeconomic and lifestyle factors and indoor air quality in French dwellings. *Environ Res.* 140: 385-396. <http://dx.doi.org/10.1016/j.envres.2015.04.012>.
- Burton, WC; Harte, PT. (2013). Bedrock Geology and Outcrop Fracture Trends in the Vicinity of the Savage Municipal Well Superfund Site, Milford, New Hampshire. 25.
- Byczkowski, JZ; Fisher, JW. (1995). A computer program linking physiologically based pharmacokinetic model with cancer risk assessment for breast-fed infants. *Comput Methods Programs Biomed.* 46: 155-163. [http://dx.doi.org/10.1016/0169-2607\(94\)01616-N](http://dx.doi.org/10.1016/0169-2607(94)01616-N).
- Carter, JM; Lapham, WW; Zogorski, JS. (2008). Occurrence of volatile organic compounds in aquifers of the United States. *J Am Water Resour Assoc.* 44: 399-416. <http://dx.doi.org/10.1111/j.1752-1688.2008.00170.x>.
- Carwile, JL; Mahalingaiah, S; Winter, MR; Aschengrau, A. (2014). Prenatal drinking-water exposure to tetrachloroethylene and ischemic placental disease: a retrospective cohort study. *Environ Health.* 13: 72. <http://dx.doi.org/10.1186/1476-069X-13-72>.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ.* 36: 2039-2047.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ.* 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, LY; Chu, KW. (2007). Halocarbons in the atmosphere of the industrial-related Pearl River Delta region of China. *J Geophys Res Atmos.* 112. <http://dx.doi.org/10.1029/2006JD007097>.
- Chang, Y; Tai, C; Lin, R; Yang, S; Chen, C; Shih, T; Liou, S. (2003). A proportionate cancer morbidity ratio study of workers exposed to chlorinated organic solvents in Taiwan. *Ind Health.* 41: 77-87.
- Chao, CYH; Tung, TCW; Niu, JL; Pang, SW; Lee, RYM. (1999). Indoor perchloroethylene accumulation from dry cleaned clothing on residential premises. *Build Environ.* 34: 319-328.
- Chatzidiakou, L, ia; Mumovic, D; Summerfield, A. (2015). Is CO2 a good proxy for indoor air quality in classrooms? Part 2: Health outcomes and perceived indoor air quality in relation to classroom exposure and building characteristics. *Build Serv Eng Tech.* 36: 162-181. <http://dx.doi.org/10.1177/0143624414566245>.
- Chen, ZL; Megharaj, M; Naidu, R. (2004). Determination of tetrachloroethene, trichloroethylene, and their metabolites at trace levels in ground waters by on-line solid phase extraction/HPLC. *Journal of Liquid Chromatography and Related Technologies.* 27: 885-896. <http://dx.doi.org/10.1081/JLC-120029705>.
- Cherry, JA. (1992). CHLORINATED SOLVENTS IN GROUNDWATER - FIELD EXPERIMENTAL STUDIES OF BEHAVIOR AND REMEDIATION. *J Hazard Mater.* 32: 275-278.

## Exposure Literature Search Results

### On Topic

- Chiappini, L; Delery, L; Leoz, E; Brouard, B; Fagault, Y. (2009). A first French assessment of population exposure to tetrachloroethylene from small dry-cleaning facilities. *Indoor Air*. 19: 226-233. <http://dx.doi.org/10.1111/j.1600-0668.2009.00585.x>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air*. 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Clayton, CA; Pellizzari, ED; Whitmore, RW; Perritt, RL; Quackenboss, JJ. (1999). National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic, and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol*. 9: 381-392. <http://dx.doi.org/10.1038/sj.jea.7500055>.
- Coffin, RR; Witherell, LE; Novick, LF; Stone, KM. (1987). ESTABLISHMENT OF AN EXPOSURE LEVEL TO TETRACHLOROETHYLENE IN AMBIENT AIR IN VERMONT. *Public Health Rep*. 102: 681-686.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect*. 102: 556-561.
- Colman Lerner, JE; Kohajda, T; Elisabeth Aguilar, M; Andrea Massolo, L; Yanina Sanchez, E; Andres Porta, A; Opitz, P; Wichmann, G; Herbarth, O; If; Mueller, A. (2014). Improvement of health risk factors after reduction of VOC concentrations in industrial and urban areas. *Environ Sci Pollut Res Int*. 21: 9676-9688. <http://dx.doi.org/10.1007/s11356-014-2904-x>.
- Connor, TH; Theiss, JC; Hanna, HA; Monteith, DK; Matney, TS. (1985). Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol Lett*. 25: 33-40. [http://dx.doi.org/10.1016/0378-4274\(85\)90097-9](http://dx.doi.org/10.1016/0378-4274(85)90097-9).
- Cordier, S; Garlantézec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology*. 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ*. 11: 1113-1116. [http://dx.doi.org/10.1016/0004-6981\(77\)90243-8](http://dx.doi.org/10.1016/0004-6981(77)90243-8).
- Daft, JL. (1988). Rapid determination of fumigant and industrial chemical residues in food. *J Assoc Offic Anal Chem*. 71: 748-760.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull*. 28: 291-298.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation*. 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- Dayal, H; Gupta, S; Trieff, N; Maierson, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health*. 50: 108-111. <http://dx.doi.org/10.1080/00039896.1995.9940887>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ*. 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem*. 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- De Rooij, C; Boutonnet, JC; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Tetrachloroethylene. *Environ Monit Assess*. 53: 489-508.
- Delery, L; Chiappini, L; Cicolella, A. (2008). Assessment of population exposure to tetrachloroethylene emissions from French dry-cleaning facilities and their associated health risks [Les pressings: Exposition au tetrachloroethylene et risques sanitaires]. *E R S*. 7: 331-340. <http://dx.doi.org/10.1684/ers.2008.0164>.
- Delfino, RJ; Gone, H; Linn, WS; Pellizzari, ED; Hu, Y. (2003). Asthma symptoms in Hispanic children and daily ambient exposures to toxic and criteria air pollutants. *Environ Health Perspect*. 111: 647-656. <http://dx.doi.org/10.1289/ehp.5992>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241459/pdf/ehp0111-000647.pdf>.
- Delfino, RJ; Gong, H; Linn, WS; Hu, Y; Pellizzari, ED. (2003). Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expo Anal Environ Epidemiol*. 13: 348-363. <http://dx.doi.org/10.1038/sj.jea.7500287>; <http://www.nature.com/jes/journal/v13/n5/pdf/7500287a.pdf>.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation*. 30: 127-133. <http://dx.doi.org/10.1111/j.1745-6592.2010.001282.x>.
- Dewulf, J; Van Langenhove, M; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res*. 32: 2941-2950. [http://dx.doi.org/10.1016/S0043-1354\(98\)00058-X](http://dx.doi.org/10.1016/S0043-1354(98)00058-X).
- Dewulf, JP; Van Langenhove, HR; Der Auwera, LF. (1998). Air/water exchange dynamics of 13 volatile chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in the southern North Sea and the Scheldt estuary. *Environ Sci Technol*. 32: 903-911. <http://dx.doi.org/10.1021/es970765f>.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ*. 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.
- Dowty, B; Carlisle, D; Laseter, JL; Storer, J. (1975). Halogenated hydrocarbons in New Orleans drinking water and blood plasma. *Science*. 187: 75-77. <http://dx.doi.org/10.1126/science.1109227>.



## Exposure Literature Search Results

### On Topic

- Dowty, BJ; Carlisle, DR; Laseter, JL. (1975). New Orleans drinking water sources tested by gas chromatography-mass spectrometry: Occurrence and origin of aromatics and halogenated aliphatic hydrocarbons. *Environ Sci Technol*. 9: 762-765. <http://dx.doi.org/10.1021/es60106a008>.
- Doyle, P; Roman, E; Beral, V; Brookes, M. (1997). Spontaneous abortion in dry cleaning workers potentially exposed to perchloroethylene. *Occup Environ Med*. 54: 848-853. <http://dx.doi.org/10.1136/oem.54.12.848>; <http://oem.bmj.com/content/oemed/54/12/848.full.pdf>.
- D'Souza, JC; Jia, C; Mukherjee, B; Batterman, S. (2009). Ethnicity, housing and personal factors as determinants of VOC exposures. *Atmos Environ*. 43: 2884-2892. <http://dx.doi.org/10.1016/j.atmosenv.2009.03.017>.
- Duboudin, C. (2009). Pollution inside the home: descriptive analyses Part I: Analysis of the statistical correlations between pollutants inside homes. *E R S*. 8: 485-496. <http://dx.doi.org/10.1684/ers.2009.0304>.
- Duboudin, C. (2010). Pollution inside the home: descriptive analyses Part II: Identification of groups of homogenous homes in terms of pollution. *E R S*. 9: 27-38. <http://dx.doi.org/10.1684/ers.2009.0318>.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *J Air Waste Manag Assoc*. 57: 753-760. <http://dx.doi.org/10.3155/1047-3289.57.6.753>.
- Entz, RC; Diachenko, GW. (1988). Residues of volatile halocarbons in margarines. *Food Addit Contam*. 5: 267-276. <http://dx.doi.org/10.1080/02652038809373703>.
- Eskenazi, B; Fenster, L; Hudes, M; Wyrobek, AJ; Katz, DF; Gerson, J; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on the reproductive outcomes of wives of dry-cleaning workers. *Am J Ind Med*. 20: 593-600. <http://dx.doi.org/10.1002/ajim.4700200503>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200503/abstract>.
- Evans, GF. (1981). Measurement of perchloroethylene in ambient air. In JC McGovern (Ed.), (pp. 71-84). Pittsburgh, PA: Air Pollution Control Association.
- Evans, GF; Baumgardner, RE; Bumgarner, JE; Finkelstein, PL; Knoll, JE; Martin, BE. (1979). Measurement of perchloroethylene in ambient air. (EPA-600/4-79-047). Research Triangle Park, NC: U.S. Environmental Protection Agency.
- Ewing, BB; Chian, ESK; Cook, JC; Evans, CA; Hopke, PK; Perkins, EG. (1977). Monitoring to detect previously unrecognized pollutants in surface waters. (EPA560/6-77-015). Washington, DC: Office of Toxic Substances, U.S. Environmental Protection Agency.
- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ*. 407: 2165-2174. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.015>.
- FDA. (2003). Food and Drug Administration total diet study: Summary of residues found ordered by pesticide market baskets 91-3-01-4. Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005108087>.
- Fernandez, J; Guberan, E; Caperos, J. (1976). Experimental human exposures to tetrachloroethylene vapor and elimination in breath after inhalation. *Am Ind Hyg Assoc J*. 36: 143-150. <http://dx.doi.org/10.1080/0002889768507437>.
- Fielding, M; Gibson, TM; James, HA. (1981). LEVELS OF TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND PARA-DICHLOROBENZENE IN GROUNDWATERS. *Environ Technol Letters*. 2: 545-550.
- Finley, B; Lau, V; Paustenbach, D. (1992). Using an uncertainty analysis of direct and indirect exposure to contaminated groundwater to evaluate EPA's MCLs and health-based cleanup goals. *J Hazard Mater*. 32: 263-274. [http://dx.doi.org/10.1016/0304-3894\(92\)85096-J](http://dx.doi.org/10.1016/0304-3894(92)85096-J).
- Fishbein, L. (1992). Exposure from occupational versus other sources [Review]. *Scand J Work Environ Health*. 18: 5-16.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem*. 51: 8120-8127. <http://dx.doi.org/10.1021/jf0303159>.
- Focazio, MJ; Kolpin, DW; Barnes, KK; Furlong, ET; Meyer, MT; Zaugg, SD; Barber, LB; Thurman, ME. (2008). A national reconnaissance for pharmaceuticals and other organic wastewater contaminants in the United States--II) untreated drinking water sources. *Sci Total Environ*. 402: 201-216. <http://dx.doi.org/10.1016/j.scitotenv.2008.02.021>.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect*. 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere*. 23: 609-626.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol*. 13: 437-447.
- Fuller, BB. (1976). Air pollution assessment of tetrachloroethylene. Fuller, BB.
- Gallagher, L; Ozonoff, D; Webster, T; Vieira, V; Weinberg, J; Aschengrau, A. (2008). Reanalysis of the Risk of Breast Cancer and Tetrachloroethylene-Contaminated Drinking Water in Cape Cod, Massachusetts Using a Modified Exposure Assessment. *Epidemiology*. 19: S310-S311.
- Gallagher, LG; Vieira, VM; Ozonoff, D; Webster, TF; Aschengrau, A. (2011). Risk of breast cancer following exposure to tetrachloroethylene-contaminated drinking water in Cape Cod, Massachusetts: reanalysis of a case-control study using a modified exposure assessment. *Environ Health*. 10: 47. <http://dx.doi.org/10.1186/1476-069X-10-47>.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol*. 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- Garetano, G; Gochfeld, M. (2000). Factors influencing tetrachloroethylene concentrations in residences above dry-cleaning establishments. *Arch Environ Health*. 55: 59-68. <http://dx.doi.org/10.1080/00039890009603387>.

## Exposure Literature Search Results

### On Topic

- Garnier, R. (2010). Perchloroethylene exposure and biological surveillance. *Arch Mal Prof Environ.* 71: 183-184. <http://dx.doi.org/10.1016/j.admp.2010.02.013>.
- Garny, V; Lecloux, A; Papp, R. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - principles and purposes. *Environ Monit Assess.* 53: 395-399.
- Gautrois, M; Brauers, T; Koppmann, R; Rohrer, F; Stein, O; Rudolph, J. (2003). Seasonal variability and trends of volatile organic compounds in the lower polar troposphere. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD002765>.
- Gentner, DR; Miller, AM; Goldstein, AH. (2010). Seasonal variability in anthropogenic halocarbon emissions. *Environ Sci Technol.* 44: 5377-5382. <http://dx.doi.org/10.1021/es1005362>.
- Getz, KD; Janulewicz, PA; Rowe, S; Weinberg, JM; Winter, MR; Martin, BR; Vieira, VM; White, RF; Aschengrau, A. (2012). Prenatal and early childhood exposure to tetrachloroethylene and adult vision. *Environ Health Perspect.* 120: 1327-1332. <http://dx.doi.org/10.1289/ehp.1103996>.
- Giger, W; Molnarkubica, E. (1978). TETRACHLOROETHYLENE IN CONTAMINATED GROUND AND DRINKING WATERS. *Bull Environ Contam Toxicol.* 19: 475-480.
- Gilbert, D; Goyer, M; Lyman, W; Magil, G; Walker, P; Wallace, D; Wechsler, A; Yee, J. (1982). An exposure and risk assessment for tetrachloroethylene. (EPA-440/4-85-015). Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000LLOH.txt>.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ.* 290: 231-237.
- Golfinopoulos, SK; Kostopoulou, MN; Lekkas, TD. (1998). Volatile halogenated organics in the water supply system in Athens, Greece. *Water Res.* 32: 1811-1818. [http://dx.doi.org/10.1016/S0043-1354\(97\)00404-1](http://dx.doi.org/10.1016/S0043-1354(97)00404-1).
- Gros, V; Gaimoz, C; Herrmann, F; Custer, T; Williams, J; Bonsang, B; Sauvage, S; Locoge, N; D'Argouges, O; Sarda-Esteve, R; Sciare, J. (2011). Volatile organic compounds sources in Paris in spring 2007. Part I: qualitative analysis. *Environ Chem.* 8: 74-90. <http://dx.doi.org/10.1071/EN10068>.
- Grosjean, D; Williams, EL. (1992). PHOTOCHEMICAL POLLUTION AT 2 SOUTHERN CALIFORNIA SMOG RECEPTOR-SITES. *J Air Waste Manag Assoc.* 42: 805-809.
- Grzechulska-Damszel, J; Grzeskowiak, M; Przepiorski, J; Morawski, AW. (2014). Photocatalytic Decomposition of low-concentrated Trichloroethylene and Tetrachloroethylene in Water. *International Journal of Environmental Research.* 8: 347-352.
- Guan, J, un; Gao, K, ai; Wang, C; Yang, X; Lin, CH; Lu, C; Gao, P. (2014). Measurements of volatile organic compounds in aircraft cabins. Part I: Methodology and detected VOC species in 107 commercial flights. *Build Environ.* 72: 154-161. <http://dx.doi.org/10.1016/j.buildenv.2013.11.002>.
- Guberan, E; Fernandez, J. (1974). Control of industrial exposure to tetrachloroethylene by measuring alveolar concentrations: theoretical approach using a mathematical model. *Occup Environ Med.* 31: 159-167.
- Gulyas, H; Hemmerling, L. (1990). Tetrachloroethene air pollution originating from coin-operated dry cleaning establishments. *Environ Res.* 53: 90-99.
- Guo, H; Lee, SC; Chan, LY; Li, WM. (2004). Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res.* 94: 57-66. [http://dx.doi.org/10.1016/S0013-9351\(03\)00035-5](http://dx.doi.org/10.1016/S0013-9351(03)00035-5).
- Guo, H; Lee, SC; Louie, PK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere.* 57: 1363-1372. <http://dx.doi.org/10.1016/j.chemosphere.2004.07.055>.
- Guo, ZS; Tichenor, BA; Mason, MA; Plunket, CM. (1990). The temperature dependence of the emission of perchloroethylene from dry cleaned fabrics. *Environ Res.* 52: 107-115.
- Gupta, ML; Cicerone, RJ; Blake, DR; Rowland, FS; Isaksen, ISA. (1998). Global atmospheric distributions and source strengths of light hydrocarbons and tetrachloroethene. *J Geophys Res Atmos.* 103: 28219-28235.
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Sci Technol.* 34: 557-564.
- Haselmann, KF; Ketola, RA; Laturnus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ.* 34: 187-193.
- Haselmann, KF; Laturnus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut.* 139: 35-41.
- Hawthorne, SB; Miller, DJ; Louie, PKK; Butler, RD; Mayer, GG. (1996). Vapor-phase and particulate-associated pesticides and PCB concentrations in eastern North Dakota air samples. *J Environ Qual.* 25: 594-600.
- He, Z; Yang, G; Lu, X; Zhang, H. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut.* 177: 28-37. <http://dx.doi.org/10.1016/j.envpol.2013.02.008>.
- He, Z; Yang, G, uiP; Lu, XL, an; Ding, QY, ao; Zhang, HH, ai. (2013). Halocarbons in the marine atmosphere and surface seawater of the south Yellow Sea during spring. *Atmos Environ.* 80: 514-523. <http://dx.doi.org/10.1016/j.atmosenv.2013.08.025>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere.* 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Health, NJDo. (2013). Public Health Assessment Final Release: Public Health Implication of Site-Related Exposures to Tetrachloroethylene and Trichloroethylene, Pohatcong Valley Groundwater Contamination Superfund Site, Warren County, New Jersey. EPA Facility ID: NJD981179047, May 8, 2013 (pp. 103).

## Exposure Literature Search Results

### On Topic

- Health, NJDo. (2016). Health Assessment Final Release: Public Health Implications of Exposures to Chlorinated Volatile Organic Compounds in Public Supply Wells, Orange Valley Regional Ground Water Contamination Site, Orange and West Orange, Essex County, New Jersey. EPA Facility ID: NJD002148799. [https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange\\_Valley\\_Regional\\_Groundwater\\_Contamination\\_PHA\(PC\)\\_09-15-2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange_Valley_Regional_Groundwater_Contamination_PHA(PC)_09-15-2015_508.pdf).
- Health, ODo. (2012). Health Consultation: Jerry's Professional Cleaners Vapor Intrusion Site, Kent, Portage County, Ohio. EPA Facility ID: OHN000510524, September 17, 2012 (pp. 21).
- Health, VDo. (2015). Health Consultation: Sandston PCE Site, Sandston, Henrico County, Virginia, September 30, 2015. Atlanta, Georgia. [https://www.atsdr.cdc.gov/HAC/pha/Sandston\\_air/Sandston\\_Air\\_LHC\\_Sept2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/Sandston_air/Sandston_Air_LHC_Sept2015_508.pdf).
- Heikes, DL; Hopper, ML. (1986). Purge and trap method for determination of fumigants in whole grains, milled grain products, and intermediate grain-based foods. *J Assoc Offic Anal Chem.* 69: 990-998.
- Hennighausen, RH. (2002). [Tetrachloroethylene in drycleaning shops]. *Gesundheitswesen.* 64: 683-688. <http://dx.doi.org/10.1055/s-2002-36456>.
- Hentschel, W; Heudorf, U; Schmid, A. (1995). PERCHLORETHYLENE IMMISSIONS IN THE NEIGHBORHOOD OF DRY CLEANINGS. *Staub, Reinhaltung der Luft.* 55: 373-375.
- Hentschel, W; Kalker, U; Peters, M. (1993). PERCHLORETHYLENE CONCENTRATIONS IN THE NEIGHBORHOOD OF DRY CLEANINGS. *Staub, Reinhaltung der Luft.* 53: 335-340.
- Herbarth, O; Rolle-Kampczyk, U; Franck, U; Rehwagen, M; Weiss, H; Krumbiegel, P. (2004). Detecting exposure-dependent changes of liver detoxification capacity of children in a formerly high-loaded industrial area with a N-15-labelled diagnostic tool. *Isotopes Environ Health Stud.* 40: 69-74. <http://dx.doi.org/10.1080/10256010310001646545>.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. (1992). GROUNDWATER POLLUTION BY VOLATILE ORGANOCHLORINES IN JAPAN AND RELATED PHENOMENA IN THE SUBSURFACE ENVIRONMENT (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11335). Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K.
- Hisham, MWM; Grosjean, D. (1991). Air-pollution in southern California museums - indoor and outdoor levels of nitrogen-dioxide, peroxyacetyl nitrate, nitric-acid, and chlorinated hydrocarbons. *Environ Sci Technol.* 25: 857-862.
- Hisham, MWM; Grosjean, D. (1991). METHYLCHLOROFORM AND TETRACHLOROETHYLENE IN SOUTHERN CALIFORNIA, 1987-1990. *Environ Sci Technol.* 25: 1930-1936.
- Hisham, MWM; Grosjean, D. (1991). Sulfur dioxide, hydrogen sulfide, total reduced sulfur, chlorinated hydrocarbons and photochemical oxidants in southern California museums. *Atmos Environ.* 25: 1497-1505. [http://dx.doi.org/10.1016/0960-1686\(91\)90009-V](http://dx.doi.org/10.1016/0960-1686(91)90009-V).
- Ho, KF; Lee, SC; Guo, H; Tsai, WY. (2004). Seasonal and diurnal variations of volatile organic compounds (VOCs) in the atmosphere of Hong Kong. *Sci Total Environ.* 322: 155-166. <http://dx.doi.org/10.1016/j.scitotenv.2003.10.004>.
- Hollyfield, S; Sharma, VK. (1995). ORGANIC CONTAMINANTS AND CHARACTERISTICS OF SEDIMENTS FROM OSO BAY SOUTH TEXAS USA. *Environ Geol.* 25: 137-140.
- Holzmer, FJ; Dwarakanath, V; Ewing, JE; Jin, MQ; Londergan, JT. (2005). Characterization of tetrachloroethene DNAPL in low-permeability coastal plain sediments, North Carolina. *Environmental and Engineering Geoscience.* 11: 197-208.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci.* 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Howie, SJ. (1981). Ambient perchloroethylene levels inside coin-operated laundries with drycleaning machines on the premises. (EPA 600/4-82-032). Research Triangle Park, NC: U.S. Environmental Protection Agency; Environmental Monitoring Systems Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82230947>.
- Hudnell, HK; Schreiber, JS. (2004). Residential tetrachloroethylene exposure: Response. *Environ Health Perspect.* 112: A864-A865.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hunkeler, D; Aravena, R; Shouakar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and chlorine isotope ratios of chlorinated ethenes migrating through a thick unsaturated zone of a sandy aquifer. *Environ Sci Technol.* 45: 8247-8253. <http://dx.doi.org/10.1021/es201415k>.
- Hurst, DF; Bakwin, PS; Elkins, JW. (1998). Recent trends in the variability of halogenated trace gases over the United States. *J Geophys Res Atmos.* 103: 25299-25306.
- Hurst, DF; Bakwin, PS; Myers, RC; Elkins, JW. (1997). Behavior of trace gas mixing ratios on a very tall tower in North Carolina. *J Geophys Res Atmos.* 102: 8825-8835.
- Imbriani, M; Ghittori, S; Pezzagno, G; Capodaglio, E. (1988). Urinary excretion of tetrachloroethylene (perchloroethylene) in experimental and occupational exposure. *Arch Environ Occup Health.* 43: 292-298.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem.* 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Iordache, M; Popescu, LR; Neamtu, S; Pascu, LF; Iordache, I. (2016). Assessment of Pollution with Organochlorine Substances in the Accumulation Lakes on the Olt River, Using the Fugacity Model. *Rev Chim.* 67: 1186-1190.
- IPCS. (1984). Tetrachloroethylene. In *Environmental Health Criteria*. Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc31.htm#PartNumber:1>.
- James, KJ; Stack, MA. (1997). The impact of leachate collection on air quality in landfills. *Chemosphere.* 34: 1713-1721.

## Exposure Literature Search Results

### On Topic

- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2006). Learning disabilities as an outcome following prenatal exposure to tetrachloroethylene-contaminated drinking water. *Epidemiology*. 17: S234-S235.
- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2007). Prenatal exposure to tetrachloroethylene(PCE)-contaminated drinking water and the risk of learning and attention disabilities. *Neurotoxicol Teratol*. 29: 406. <http://dx.doi.org/10.1016/j.ntt.2007.03.037>.
- Janulewicz, PA; White, RF; Winter, MR; Weinberg, JM; Gallagher, LE; Vieira, V; Webster, TF; Aschengrau, A. (2008). Risk of learning and behavioral disorders following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol*. 30: 175-185. <http://dx.doi.org/10.1016/j.ntt.2008.01.007>.
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int*. 34: 922-931. <http://dx.doi.org/10.1016/j.envint.2008.02.002>.
- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environ Sci Technol*. 45: 1007-1013. <http://dx.doi.org/10.1021/es102099h>.
- Johnston, JE; Gibson, JM. (2014). Spatiotemporal variability of tetrachloroethylene in residential indoor air due to vapor intrusion: a longitudinal, community-based study. *J Expo Sci Environ Epidemiol*. 24: 564-571. <http://dx.doi.org/10.1038/jes.2013.13>.
- Juang, DF; Lee, CH; Hsueh, SC. (2009). Chlorinated volatile organic compounds found near the water surface of heavily polluted rivers. *Int J Environ Sci Tech*. 6: 545-556.
- Juang, DF; Yuan, CS; Hsueh, SC; Chiou, LJ. (2009). Distribution of volatile organic compounds around a polluted river. *Int J Environ Sci Tech*. 6: 91-104.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull*. 10: 520-526.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol*. 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Kawauchi, T; Nishiyama, K. (1989). Residual tetrachloroethylene in dry-cleaned clothes. *Environ Res*. 48: 296-301.
- Keith, LH; Garrison, AW; Allen, FR; Carter, MH; Floyd, TL; Pope, JD; Thruston, AD, Jr. (1976). Identification of organic compounds in drinking water from thirteen US cities. In G Athens (Ed.), (pp. 329-373). Ann Arbor, MI: Ann Arbor Science Publishers.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc*. 50: 1124-1137. <http://dx.doi.org/10.1111/jawr.12181>.
- Kido, K; Shiratori, T; Watanabe, T; Nakatsuka, H; Ohashi, M; Ikeda, M. (1989). CORRELATION OF TETRACHLOROETHYLENE IN BLOOD AND IN DRINKING-WATER - A CASE OF WELL WATER-POLLUTION. *Bull Environ Contam Toxicol*. 43: 444-453.
- Kilburn, K. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health*. 57: 113-120. <http://dx.doi.org/10.1080/00039890209602925>.
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J*. 69: 990-995. <http://dx.doi.org/10.2136/sssaj2003.0208>.
- Kiurski, JS; Oros, IB; Kecic, VS; Kovacevic, IM; Aksentijevic, SM. (2016). The temporal variation of indoor pollutants in photocopying shop. *Stoch Environ Res Risk Assess*. 30: 1289-1300. <http://dx.doi.org/10.1007/s00477-015-1107-4>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health*. 52: 348-354. <http://dx.doi.org/10.1080/00039899709602210>.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis metropolitan area (vol 52, pg 348, 1997). *Arch Environ Health*. 52: 486-486.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut*. 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Koppmann, R; Johnen, FJ; Plassdulmer, C; Rudolph, J. (1993). DISTRIBUTION OF METHYLCHLORIDE, DICHLOROMETHANE, TRICHLOROETHENE AND TETRACHLOROETHENE OVER THE NORTH AND SOUTH-ATLANTIC. *J Geophys Res Atmos*. 98: 20517-20526.
- Kostiainen, R. (1995). Volatile organic compounds in the indoor air of normal and sick houses. *Atmos Environ*. 29: 693-702.
- Kostopoulou, MN; Golfinopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere*. 40: 527-532.
- Koukouraki, EE; Berkhoudt, RA; Diamadopoulos, E. (1997). Determination of volatile chlorination by-products in drinking water in Greece. *Fresen Environ Bull*. 6: 160-165.
- Kowalska, J; Gierczak, T. (2013). Qualitative and Quantitative Analyses of the Halogenated Volatile Organic Compounds Emitted from the Office Equipment Items. *Indoor Built Environ*. 22: 920-931. <http://dx.doi.org/10.1177/1420326X12458299>.
- Kreiling, JA; Stephens, RE; Reinisch, CL. (2005). A mixture of environmental contaminants increases cAMP-dependent protein kinase in Spisula embryos. *Environ Toxicol Pharmacol*. 19: 9-18. <http://dx.doi.org/10.1016/j.etap.2004.02.007>.

## Exposure Literature Search Results

### On Topic

- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888. <http://dx.doi.org/10.1007/s11356-015-4156-9>.
- Kume, K; Ohura, T; Amagai, T; Fusaya, M. (2008). Field monitoring of volatile organic compounds using passive air samplers in an industrial city in Japan. *Environ Pollut.* 153: 649-657. <http://dx.doi.org/10.1016/j.envpol.2007.09.023>.
- Kwon, J; Weisel, CP; Morandi, MT; Stock, TH. (2016). Source proximity and meteorological effects on residential outdoor VOCs in urban areas: Results from the Houston and Los Angeles RIOPA studies. *Sci Total Environ.* 573: 954-964. <http://dx.doi.org/10.1016/j.scitotenv.2016.08.186>.
- Kwon, J; Weisel, CP; Turpin, BJ; Zhang, JF; Korn, LR; Morandi, MT; Stock, TH; Colome, S. (2006). Source proximity and outdoor-residential VOC concentrations: Results from the RIOPA study. *Environ Sci Technol.* 40: 4074-4082. <http://dx.doi.org/10.1021/es051828u>.
- Kwon, K, iD; Jo, W; Lim, H; Jeong, W. (2008). Volatile pollutants emitted from selected liquid household products. *Environ Sci Pollut Res Int.* 15: 521-526. <http://dx.doi.org/10.1007/s11356-008-0028-x>.
- Kyyronen, P; Taskinen, H; Lindbohm, ML; Hemminki, K; Heinonen, OP. (1989). Spontaneous abortions and congenital malformations among women exposed to tetrachloroethylene in dry cleaning. *J Epidemiol Community Health.* 43: 346-351. <http://dx.doi.org/10.1136/jech.43.4.346>; <http://jech.bmj.com/content/jech/43/4/346.full.pdf>.
- Lam, RHF; Brown, JP; Fan, AM; Milea, A. (1994). Chemicals in California drinking water: source contaminants, risk assessment, risk management, and regulatory standards. *J Hazard Mater.* 39: 173-192. [http://dx.doi.org/10.1016/0304-3894\(94\)00053-0](http://dx.doi.org/10.1016/0304-3894(94)00053-0).
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Larson, CD; Love, OT; Reynolds, G. (1983). TETRACHLOROETHYLENE LEACHED FROM LINED ASBESTOS CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc.* 75: 184-188.
- Lay, JP; Schauerte, W; Klein, W; Korte, F. (1984). INFLUENCE OF TETRACHLOROETHYLENE ON THE BIOTA OF AQUATIC SYSTEMS - TOXICITY TO PHYTOPLANKTON AND ZOOPLANKTON SPECIES IN COMPARTMENTS OF A NATURAL POND. *Arch Environ Contam Toxicol.* 13: 135-142.
- Lee, LJ, -H; Chung, CW; Ma, YC; Wang, GS; Chen, PC; Hwang, YH; Wang, JD. (2003). Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater. *Occup Environ Med.* 60: 364-369. <http://dx.doi.org/10.1136/oem.60.5.364>.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lehmann, I; Thielke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol.* 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>; <http://onlinelibrary.wiley.com/doi/10.1002/tox.10055/abstract>.
- Lemke, LD; Bahrou, AS. (2009). Partitioned multiobjective risk modeling of carcinogenic compounds in groundwater. *Stoch Environ Res Risk Assess.* 23: 27-39. <http://dx.doi.org/10.1007/s00477-007-0192-4>.
- Letkiewicz, F; Johnston, P; Macaluso, C; Elder, R; Yu, W. (1982). Occurrence in tetrachloroethylene (perchloroethylene) in drinking water, food and air. (JRB28130385229). McLean, VA: JRB Associates, Inc.
- Lewis, AC; Hopkins, JR; Carpenter, LJ; Stanton, J; Read, KA; Pilling, MJ. (2005). Sources and sinks of acetone, methanol, and acetaldehyde in North Atlantic marine air. *Atmos Chem Phys.* 5: 1963-1974.
- Li, Y; Zhang, Z; Fei, Y; Chen, H; Qian, Y; Dun, Y, u. (2016). Investigation of quality and pollution characteristics of groundwater in the Hutuo River Alluvial Plain, North China Plain. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5366-2>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lillian, D; Singh, HB; Appleby, A; Lobban, L; Arnsts, R; Gumpert, R; Hague, R; Toomey, J; Kazakis, J; Antell, M; Hansen, D; Scott, B. (1975). Atmospheric fates of halogenated compounds. *Environ Sci Technol.* 9: 1042-1048. <http://dx.doi.org/10.1021/es60110a005>.
- Limmer, MA; Balouet, JC; Karg, F; Vroblesky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol.* 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. (1996). Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull.* 32: 807-816.
- Liteplo, RG; Meek, ME. (1994). Tetrachloroethylene: Evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 12: 493-506. <http://dx.doi.org/10.1080/10590509409373463>.
- Liu, J; Drane, W; Liu, X; Wu, T. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: application of canonical correlation analysis. *Environ Res.* 109: 193-199. <http://dx.doi.org/10.1016/j.envres.2008.11.002>.
- Ma, H; Zhang, H; Wang, L; Wang, J; Chen, J. (2014). Comprehensive screening and priority ranking of volatile organic compounds in Daliao River, China. *Environ Monit Assess.* 186: 2813-2821. <http://dx.doi.org/10.1007/s10661-013-3582-8>.
- Makide, Y; Kanai, Y; Tominaga, T. (1980). Background atmospheric concentrations of halogenated hydrocarbons in Japan. *Bull Chem Soc Jpn.* 53: 2681-2682. <http://dx.doi.org/10.1246/bcsj.53.2681>.
- Makris, KC; Andra, SS. (2014). Limited representation of drinking-water contaminants in pregnancy-birth cohorts. *Sci Total Environ.* 468-469: 165-175. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.012>.

## Exposure Literature Search Results

### On Topic

- Malonova, H; Bardodej, Z. (1983). Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. *Cent Eur J Public Health*. 27: 319-328.
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit*. 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Maslia, ML; Aral, MM; Ruckart, PZ; Bove, FJ. (2016). Reconstructing Historical VOC Concentrations in Drinking Water for Epidemiological Studies at a US Military Base: Summary of Results. *Water*. 8. <http://dx.doi.org/10.3390/w8100449>.
- Massabo, M; Catania, F; Piazza, DD; Paladino, O. (2008). GROUNDWATER RISK ASSESSMENT OF PCE AT A CONTAMINATED SITE. *Fresen Environ Bull*. 17: 1452-1459.
- Mccarthy, MC; Hafner, HR; Chinkin, LR; Charrier, JG. (2007). Temporal variability of selected air toxics in the United States. *Atmos Environ*. 41: 7180-7194. <http://dx.doi.org/10.1016/j.atmosenv.2007.05.037>.
- Mccarthy, MC; Hafner, HR; Montzka, SA. (2006). Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc*. 56: 3-11.
- Mccarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect*. 117: 790-796. <http://dx.doi.org/10.1289/ehp.11861>.
- Mccarthy, TB; Jones, RD. (1983). Industrial gassing poisonings due to trichlorethylene, perchlorethylene, and 1,1,1-trichloroethane, 1961-80. *Br J Ind Med*. 40: 450-455.
- Mcdermott, MJ; Mazor, KA; Shost, SJ; Narang, RS; Aldous, KM; Storm, JE. (2005). Tetrachloroethylene (PCE, Perc) levels in residential dry cleaner buildings in diverse communities in New York City. *Environ Health Perspect*. 113: 1336-1343. <http://dx.doi.org/10.1289/ehp.7414>.
- Mcdonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in subslab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation*. 27: 86-92.
- Mchugh, TE; Rauch, SR; Paquette, SM; Connor, JA; Daus, AD. (2015). Life Cycle of Methyl tert-Butyl Ether in California Public Water Supply Wells. *Environ Sci Technol Lett*. 2: 7-11.
- Mckernan, LT; Ruder, AM; Petersen, MR; Hein, MJ; Forrester, CL; Sanderson, WT; Ashley, DL; Butler, MA. (2008). Biological exposure assessment to tetrachloroethylene for workers in the dry cleaning industry. *Environ Health*. 7: 12. <http://dx.doi.org/10.1186/1476-069X-7-12>.
- Mckone, TE; Bogen, KT. (1991). PREDICTING THE UNCERTAINTIES IN RISK ASSESSMENT - A CALIFORNIA GROUNDWATER CASE-STUDY. *Environ Sci Technol*. 25: 1674-1681.
- Mclaughlin, JK; Blot, WJ. (1997). A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer [Review]. *Int Arch Occup Environ Health*. 70: 222-231. <http://dx.doi.org/10.1007/s004200050211>.
- Miller, LJ; Uhler, AD. (1988). VOLATILE HALOCARBONS IN BUTTER - ELEVATED TETRACHLOROETHYLENE LEVELS IN SAMPLES OBTAINED IN CLOSE PROXIMITY TO DRY CLEANING ESTABLISHMENTS. *Bull Environ Contam Toxicol*. 41: 469-474.
- Minsley, B. (1983). TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER IN KALAMAZOO. *J Am Water Works Assoc*. 75: 272-279.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of tetrachloroethylene in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health*. 42: 303-309.
- Monster, AC; Smolders, JF. (1984). Tetrachloroethene in exhaled air of persons living near pollution sources. *Int Arch Occup Environ Health*. 53: 331-336. <http://dx.doi.org/10.1007/BF00380672>.
- Moran, MJ; Lapham, WW; Rowe, BL; Zogorski, JS. (2004). VOLATILE ORGANIC COMPOUNDS IN GROUND WATER FROM RURAL PRIVATE WELLS, 1986 TO 1999(1). *J Am Water Resour Assoc*. 40: 1141-1157.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environ Sci Technol*. 41: 74-81. <http://dx.doi.org/10.1021/es061553y>.
- Moschandreas, DJ; Odea, DS. (1995). MEASUREMENT OF PERCHLOROETHYLENE INDOOR AIR LEVELS CAUSED BY FUGITIVE EMISSIONS FROM UNVENTED DRY-TO-DRY DRY-CLEANING UNITS. *J Air Waste Manag Assoc*. 45: 111-115.
- Möse, JR; Wilfinger, G; Zeichen, R. (1985). [Pollution of drinking water by tetrachloroethylene]. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 111-120.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A*. 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. [http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn\\_exposure\\_wells.pdf](http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf).
- Murray, AJ; Riley, JP. (1973). The determination of chlorinated aliphatic hydrocarbons in air, natural waters, marine organisms, and sediments. *Anal Chim Acta*. 65: 261-270.
- Mutti, A; Smargiassi, A. (1998). Selective vulnerability of dopaminergic systems to industrial chemicals: risk assessment of related neuroendocrine changes. *Toxicol Ind Health*. 14: 311-323.
- Nakahama, T; Fukuhara, M; Inouye, Y. (1997). Volatile halogenated hydrocarbons in ambient air and the metabolites in human urine in an urban area (pp. 280-284). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/98/03630). Nakahama, T; Fukuhara, M; Inouye, Y.
- Newell, CJ; Cowie, I; Mcguire, TM; Mcnab, WW, Jr. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *J Environ Eng*. 132: 653-663. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(653\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(653)).
- Nicolle-Mir, L. (2010). Evaluation of the residential exposure to tetrachloroethylene used in dry cleaning. *E R S*. 9: 102-103.
- NRC. (2009). Contaminated water supplies at Camp Lejeune: Assessing potential health effects. Washington, DC: National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=12618](http://www.nap.edu/catalog.php?record_id=12618).
- NYSDOH. (1997). Tetrachloroethene ambient air criteria document. Final report. Albany, NY.

## Exposure Literature Search Results

### On Topic

- NYSDOH. (2005). Pumpkin patch day care center follow-up evaluation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- NYSDOH. (2005). Pumpkin patch day care center investigation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- Ogata, M; TAKATSUK.Y; Tomokuni, K. (1971). EXCRETION OF ORGANIC CHLORINE COMPOUNDS IN URINE OF PERSONS EXPOSED TO VAPOURS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Br J Ind Med*. 28: 386-8.
- Ohta, T; Morita, M; Mizoguchi, I. (1976). Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. *Atmos Environ*. 10: 557-560. [http://dx.doi.org/10.1016/0004-6981\(76\)90182-7](http://dx.doi.org/10.1016/0004-6981(76)90182-7).
- Ohta, T; Morita, M; Mizoguchi, I; Tada, T. (1977). Washout effect and diurnal variation for chlorinated hydrocarbons in ambient air. *Atmos Environ*. 11: 985-987.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ*. 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Okada, Y; Nakagoshi, A; Tsurukawa, M; Matsumura, C; Eiho, J; Nakano, T. (2012). Environmental risk assessment and concentration trend of atmospheric volatile organic compounds in Hyogo Prefecture, Japan. *Environ Sci Pollut Res Int*. 19: 201-213. <http://dx.doi.org/10.1007/s11356-011-0550-0>.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int*. 9: 175-182. <http://dx.doi.org/10.1065/espr2001.06.080>.
- Olie, JD; Bessesms, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere*. 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Opdam, JJ; Smolders, JF. (1987). Alveolar sampling and fast kinetics of tetrachloroethene in man. II. Fast kinetics. *Occup Environ Med*. 44: 26-34. <http://dx.doi.org/10.1136/oem.44.1.26>.
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere*. 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Page, BD; Conacher, HB; Salminen, J; Nixon, GR; Riedel, G; Mori, B; Gagnon, J; Brousseau, Y. (1993). Survey of bottled drinking water sold in Canada. Part 2. Selected volatile organic compounds. *J AOAC Int*. 76: 26-31.
- Page, JW; Soga, K; Illangasekare, T. (2007). The significance of heterogeneity on mass flux from DNAPL source zones: an experimental investigation. *J Contam Hydrol*. 94: 215-234. <http://dx.doi.org/10.1016/j.jconhyd.2007.06.004>.
- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ*. 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.
- Park, JH; Spengler, JD; Yoon, DW; Dumyahn, T; Lee, K; Ozkaynak, H. (1998). Measurement of air exchange rate of stationary vehicles and estimation of in-vehicle exposure. *J Expo Anal Environ Epidemiol*. 8: 65-78.
- Parsons, F; Wood, PR; Demarco, J. (1984). Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc*. 76: 56-59.
- Patterson, BM; Pribac, F; Barber, C; Davis, GB; Gibbs, R. (1993). BIODEGRADATION AND RETARDATION OF PCE AND BTEX COMPOUNDS IN AQUIFER MATERIAL FROM WESTERN-AUSTRALIA USING LARGE-SCALE COLUMNS. *J Contam Hydrol*. 14: 261-278.
- Paulu, C; Aschengrau, A; Ozonoff, D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect*. 107: 265-271.
- Pecoraino, G; Scalici, L, ea; Avellone, G; Ceraulo, L; Favara, R; Candela, EG; Provenzano, MC; Scaletta, C. (2008). Distribution of volatile organic compounds in Sicilian groundwaters analysed by head space-solid phase micro extraction coupled with gas chromatography mass spectrometry (SPME/GC/MS) [Review]. *Water Res*. 42: 3563-3577. <http://dx.doi.org/10.1016/j.watres.2008.07.022>.
- Pellizzari, E; Lioy, P; Quackenboss, J; Whitmore, R; Clayton, A; Freeman, N; Waldman, J; Thomas, K; Rodes, C; Wilcosky, T. (1995). Population-based exposure measurements in EPA region 5: A phase I field study in support of the National Human Exposure Assessment Survey. *J Expo Anal Environ Epidemiol*. 5: 327-358.
- Pellizzari, ED; Wallace, LA; Gordon, SM. (1992). Elimination kinetics of volatile organics in humans using breath measurements. *J Expo Anal Environ Epidemiol*. 2: 341-355.
- Pennell, KG; Scammell, MK; Mcclean, MD; Ames, J; Weldon, B; Friguglietti, L; Suuberg, EM; Shen, R; Indeglia, PA; Heiger-Bernays, WJ. (2013). Sewer Gas: An Indoor Air Source of PCE to Consider During Vapor Intrusion Investigations. *Ground Water Monitoring and Remediation*. 33: 119-126. <http://dx.doi.org/10.1111/gwmmr.12021>.
- Petitta, M; Pacioni, E, va; Sbarbati, C; Corvatta, G; Fanelli, M; Aravena, R. (2013). Hydrodynamic and isotopic characterization of a site contaminated by chlorinated solvents: Chienti River Valley, Central Italy. *Appl Geochem*. 32: 164-174. <http://dx.doi.org/10.1016/j.apgeochem.2012.09.012>.
- Phelan, TJ; Lemke, LD; Bradford, SA; O'Carroll, DM; Abriola, LM. (2004). Influence of textural and wettability variations on predictions of DNAPL persistence and plume development in saturated porous media. *Advances in Water Resources*. 27: 411-427. <http://dx.doi.org/10.1016/j.advwatres.2004.02.011>.
- Pizzol, L; Zabeo, A; Critto, A; Giubilato, E; Marcomini, A. (2015). Risk-based prioritization methodology for the classification of groundwater pollution sources. *Sci Total Environ*. 506-507: 505-517. <http://dx.doi.org/10.1016/j.scitotenv.2014.11.014>.

## Exposure Literature Search Results

### On Topic

- Plummer, LN; Sibrell, PL; Casile, GC; Busenberg, E; Hunt, AG; Schlosser, P. (2013). Tracing groundwater with low-level detections of halogenated VOCs in a fractured carbonate-rock aquifer, Leetown Science Center, West Virginia, USA. *Appl Geochem*. 33: 260-280. <http://dx.doi.org/10.1016/j.apgeochem.2013.02.021>.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KT; Prommer, H. (2009). Aerobic biodegradation of chlorinated ethenes in a fractured bedrock aquifer: quantitative assessment by compound-specific isotope analysis (CSIA) and reactive transport modeling. *Environ Sci Technol*. 43: 7458-7464. <http://dx.doi.org/10.1021/es900658n>.
- Popp, W; Muller, G; Baltes-Schmitz, B; Wehner, B; Vahrenholz, C; Schmieding, W; Benninghoff, M; Norpoth, K. (1992). Concentrations of tetrachloroethene in blood and trichloroacetic acid in urine in workers and neighbours of dry-cleaning shops. *Int Arch Occup Environ Health*. 63: 393-395.
- Poulsen, MM; Kueper, BH. (1992). A FIELD EXPERIMENT TO STUDY THE BEHAVIOR OF TETRACHLOROETHYLENE IN UNSATURATED POROUS-MEDIA. *Environ Sci Technol*. 26: 889-895.
- Propper, R; Wong, P; Bui, S; Austin, J; Vance, W; Alvarado, Á; Croes, B; Luo, D. (2015). Ambient and Emission Trends of Toxic Air Contaminants in California. *Environ Sci Technol*. 49: 11329-11339. <http://dx.doi.org/10.1021/acs.est.5b02766>.
- Pusz, A; Kulig, A. (2014). MONITORING OF TRICHLOROETHENE AND TETRACHLOROETHENE CONTENT IN SOIL-WATER ENVIRONMENT IN THIRD PHASE OF ECOLOGICAL AUDIT OF LAND. 40: 65-80. <http://dx.doi.org/10.2478/aep-2014-0016>.
- Quack, B; Suess, E. (1999). Volatile halogenated hydrocarbons over the western Pacific between 43 degrees and 4 degrees N. *J Geophys Res Atmos*. 104: 1663-1678.
- Quigley, CJ; Corsi, RL. (1995). EMISSIONS OF VOCs FROM A MUNICIPAL SEWER. *J Air Waste Manag Assoc*. 45: 395-403.
- Rai, SN; Bartlett, S; Krewski, D; Paterson, J. (2002). The use of probabilistic risk assessment in establishing drinking water quality objectives. *Hum Ecol Risk Assess*. 8: 493-509.
- Rao, HV; Brown, DR. (1993). A physiologically based pharmacokinetic assessment of tetrachloroethylene in groundwater for a bathing and showering determination. *Risk Anal*. 13: 37-49. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00727.x>.
- Rappaport, SM; Kupper, LL. (2004). Variability of environmental exposures to volatile organic compounds. *J Expo Anal Environ Epidemiol*. 14: 92-107. <http://dx.doi.org/10.1038/sj.jea.7500309>.
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation*. 20: 72-81.
- Razafindratsima, S; Guerin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal*. 22: 1433-1446. <http://dx.doi.org/10.1007/s10040-014-1133-1>.
- Reed, PM; Ellsworth, TR; Minsker, BS. (2004). Spatial interpolation methods for nonstationary plume data. *Ground Water*. 42: 190-202.
- Reinhard, K; Dulson, W; Exner, M. (1989). CONCENTRATIONS OF TETRACHLOROETHYLENE IN INDOOR-AIR AND FOOD IN APARTMENTS IN THE VICINITY OF DRY CLEANING SHOPS. *Zentralblatt fuer Hygiene und Umweltmedizin*. 189: 111-116.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water*. 40: 368-377.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation*. 28: 85-94. <http://dx.doi.org/10.1111/j.1745-6592.2008.00215.x>.
- Rine, JM; Shafer, JM; Covington, E; Berg, RC. (2006). Testing of stack-unit/aquifer sensitivity analysis using contaminant plume distribution in the subsurface of Savannah River Site, South Carolina, USA. *Hydrogeology Journal*. 14: 1620-1634. <http://dx.doi.org/10.1007/s10040-006-0083-7>.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol*. 11: 1229-1238.
- Rivett, MO; Shepherd, KA; Keeyes, LL; Brennan, AE. (2005). Chlorinated solvents in the Birmingham aquifer, UK: 1986-2001. *Quarterly Journal of Engineering Geology and Hydrogeology*. 38: 337-350. <http://dx.doi.org/10.1144/1470-9236/04-051>.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol*. 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Rivier, L; Ciais, P; Hauglustaine, DA; Bakwin, P; Bousquet, P; Peylin, P; Klonecki, A. (2006). Evaluation of SF6, C2Cl4, and CO to approximate fossil fuel CO2 in the Northern Hemisphere using a chemistry transport model. *J Geophys Res Atmos*. 111. <http://dx.doi.org/10.1029/2005JD006725>.
- Robinson, AD; Harris, NRP; Ashfold, MJ; Gostlow, B; Warwick, NJ; O'Brien, LM; Beardmore, EJ; Nadzir, MSM; Phang, SM; Samah, AA; Ong, S; Ung, HE; Peng, LK; Yong, SE; Mohamad, M; Pyle, JA. (2014). Long-term halocarbon observations from a coastal and an inland site in Sabah, Malaysian Borneo. *Atmos Chem Phys*. 14: 8369-8388. <http://dx.doi.org/10.5194/acp-14-8369-2014>.
- Roda, C; Kousignian, I; Ramond, A; Momas, I. (2013). Indoor tetrachloroethylene levels and determinants in Paris dwellings. *Environ Res*. 120: 1-6. <http://dx.doi.org/10.1016/j.envres.2012.09.005>.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull*. 24: 82-91.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal*. 4: 337-344. <http://dx.doi.org/10.2136/vzj2004.0100>.



## Exposure Literature Search Results

### On Topic

- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res.* 44: 2107-2112. <http://dx.doi.org/10.1016/j.watres.2009.12.016>.
- Rong, Y; Wang, RF; Chou, R. (1998). Monte Carlo simulation for a groundwater mixing model in soil remediation of tetrachloroethylene. *Journal of Soil Contamination.* 7: 87-102.
- Roose, P; Van Thuyne, G; Belpaire, C; Raemaekers, M; Brinkman, UA. (2003). Determination of VOCs in yellow eel from various inland water bodies in Flanders (Belgium). *J Environ Monit.* 5: 876-884. <http://dx.doi.org/10.1039/b307862k>.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc.* 102: 133-+.
- Rowe, BL; Toccalino, PL; Moran, MJ; Zogorski, JS; Price, CV. (2007). Occurrence and potential human-health relevance of volatile organic compounds in drinking water from domestic wells in the United States. *Environ Health Perspect.* 115: 1539-1546. <http://dx.doi.org/10.1289/ehp.10253>.
- Roy, A; Chien, YC; Weisel, CP; Georgopoulos, PG. (1999). Evaluation of a physiologically based pharmacokinetic model for perchloroethylene in humans at environmental exposure levels. *Epidemiology.* 10: S80-S80.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health.* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health.* 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.
- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health.* 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Rule, KL; Comber, SD; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment--trace organic chemicals. *Chemosphere.* 63: 581-591. <http://dx.doi.org/10.1016/j.chemosphere.2005.08.016>.
- Russo, RS. (2003). Chemical composition of Asian continental outflow over the western Pacific: Results from Transport and Chemical Evolution over the Pacific (TRACE-P). *J Geophys Res.* 108: 8804. <http://dx.doi.org/10.1029/2002jd003184>.
- Russo, RS; Zhou, Y; White, ML; Mao, H; Talbot, R; Sive, BC. (2010). Multi-year (2004-2008) record of nonmethane hydrocarbons and halocarbons in New England: seasonal variations and regional sources. *Atmos Chem Phys.* 10: 4909-4929. <http://dx.doi.org/10.5194/acp-10-4909-2010>.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ.* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Sallmen, M; Lindbohm, ML; Anttila, A; Kyyronen, P; Taskinen, H; Nykyri, E; Hemminki, K. (1998). Time to pregnancy among the wives of men exposed to organic solvents. *Occup Environ Med.* 55: 24-30.
- Sandholm, ST; Bradshaw, JD; Chen, G; Singh, HB; Talbot, RW; Gregory, GL; Blake, DR; Sachse, GW; Browell, EV; Barrick, JDW; Shipham, MA; Bachmeier, AS; Owen, D. (1992). SUMMERTIME TROPOSPHERIC OBSERVATIONS RELATED TO NXOY DISTRIBUTIONS AND PARTITIONING OVER ALASKA - ARCTIC BOUNDARY-LAYER EXPEDITION 3A. *J Geophys Res.* 97: 16481-16509.
- Sanhueza, E. (2000). Photochemical oxidation of chlorocarbons: A significant source of hci in remote tropical rains. *Interciencia.* 25: 186-+.
- Sanz, J; Garcia, A; Miro, J; Miguel, C. (2013). Drinking water supply by reverse osmosis plants: three years of experience at El Prat de Llobregat Municipality. *Desalination and Water Treatment.* 51: 124-131. <http://dx.doi.org/10.1080/19443994.2012.704728>.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN\_2D. *Hydrolog Process.* 13: 2847-2859.
- Schneider, M; Luxenhofer, O; Deissler, A; Ballschmiter, K. (1998). C1-C15 alkyl nitrates, benzyl nitrate, and bifunctional nitrates: Measurements in California and South Atlantic air and global comparison using C2Cl4 and CHBr3 as marker molecules. *Environ Sci Technol.* 32: 3055-3062.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol.* 157: 25-36. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.006>.
- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ.* 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.
- Schreiber, JS; House, S; Prohonic, E; Smead, G; Hudson, C; Styk, M; Lauber, J. (1993). An investigation of indoor air contamination in residences above dry cleaners. *Risk Anal.* 13: 335-344. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb01085.x>.
- Schreiber, JS; Hudnell, HK; Geller, AM; House, DE; Aldous, KM; Force, MS; Langguth, K; Prohonic, EJ; Parker, JC. (2002). Apartment residents' and day care workers' exposures to tetrachloroethylene and deficits in visual contrast sensitivity. *Environ Health Perspect.* 110: 655-664.
- Schroder, P; Plumacher, J. (1998). Evaluation of the impact of volatile chlorinated hydrocarbons on forest trees based on air and needle measurement data and the detoxification capacity of spruce needles. *Environ Sci Pollut Res Int.* Special issue no. 1: 38-45.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected non-methane organic compounds in landfill cover soils. *Environ Sci Technol.* 37: 5150-5158. <http://dx.doi.org/10.1021/es034016b>.

## Exposure Literature Search Results

### On Topic

- Schwarzenbach, RP; Molnar-Kubica, E; Giger, W; Wakeham, SG. (1979). Distribution, residence time, and fluxes of tetrachloroethylene and 1,4-dichlorobenzene in Lake Zurich, Switzerland. *Environ Sci Technol*. 13: 1367-1373.
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol*. 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Seiji, K; Inoue, O; Jin, C; Liu, YT; Cai, SX; Ohashi, M; Watanabe, T; Nakatsuka, H; Kawai, T; Ikeda, M. (1989). Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med*. 16: 675-684. <http://dx.doi.org/10.1002/ajim.4700160607>.
- Seiji, K; Jin, C; Watanabe, T; Nakatsuka, H; Ikeda, M. (1990). Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health*. 62: 171-176. <http://dx.doi.org/10.1007/BF00383594>; <http://link.springer.com/article/10.1007%2FBF00383594>.
- Serrano-Trespacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol*. 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Services, MDoHaS. (2015). Health Assessment Final Release: Vienna Wells, Maries County, Missouri. EPA Facility ID: MON000705803, October 20, 2015.
- Services, NJDoHaS. (2012). Health Consultation: Public Health Implications of Site-Related Indoor Air Exposures. Cornell-Dubilier Electronics Site, South Plainfield (Middlesex County), New Jersey. EPA Facility ID: NJD981557879, February 15, 2012 (pp. 40).
- Services, TDoSH. (2016). Consultation: Main Street Groundwater Plume Site (a/k/a Burnet Groundwater), Burnet, Burnet County, Texas. EPA Facility ID: TXN0006070441, February 25, 2016.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect*. 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Linder, SH; Marko, D; Bethel, H; Lupo, PJ. (2007). Comparative assessment of air pollution-related health risks in Houston. *Environ Health Perspect*. 115: 1388-1393. <http://dx.doi.org/10.1289/ehp.10043>.
- Shani, N; Rossi, P; Holliger, C. (2013). Correlations between Environmental Variables and Bacterial Community Structures Suggest Fe(III) and Vinyl Chloride Reduction As Antagonistic Terminal Electron-Accepting Processes. *Environ Sci Technol*. 47: 6836-6845. <http://dx.doi.org/10.1021/es304017s>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys*. 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shapiro, SD; Busenberg, E; Focazio, MJ; Plummer, LN. (2004). Historical trends in occurrence and atmospheric inputs of halogenated volatile organic compounds in untreated ground water used as a source of drinking water. *Sci Total Environ*. 321: 201-217. <http://dx.doi.org/10.1016/j.scitotenv.2003.09.007>.
- Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H. (1985). Human exposure assessment to environmental chemicals: nursing mothers study. Final report. U.S. Environmental Protection Agency: Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H.
- Sherlach, KS; Gorka, AP; Dantzler, A; Roepe, PD. (2011). Quantification of perchloroethylene residues in dry-cleaned fabrics. *Environ Toxicol Chem*. 30: 2481-2487. <http://dx.doi.org/10.1002/etc.665>.
- Shields, HC; Fleischer, DM; Weschler, CJ. (1996). Comparisons among VOCs measured in three types of US commercial buildings with different occupant densities. *Indoor Air*. 6: 2-17. <http://dx.doi.org/10.1111/j.1600-0668.1996.t01-3-00002.x>.
- Shrestha, A; Ritz, B; Wilhelm, M; Qiu, J; Cockburn, M; Heck, JE. (2014). Prenatal exposure to air toxics and risk of Wilms' tumor in 0- to 5-year-old children. *J Occup Environ Med*. 56: 573-578. <http://dx.doi.org/10.1097/JOM.000000000000167>.
- Sidonia, V; Haydee, KM; Ristoiu, D; Luminita, SD. (2009). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY FROM DEJ TOWN, ROMANIA. 54: 125-134.
- Simmonds, PG; Manning, AJ; Cunnold, DM; Mcculloch, A; O'Doherty, S; Derwent, RG; Krummel, PB; Fraser, PJ; Dunse, B; Porter, LW; Wang, RHJ; Grealley, BR; Miller, BR; Salameh, P; Weiss, RF; Prinn, RG. (2006). Global trends, seasonal cycles, and European emissions of dichloromethane, trichloroethene, and tetrachloroethene from the AGAGE observations at Mace Head, Ireland, and Cape Grim, Tasmania. *J Geophys Res Atmos*. 111. <http://dx.doi.org/10.1029/2006JD007082>.
- Sin, DWM; Wong, YC; Louie, PKK. (2000). Monitoring of Ambient Volatile Organic Compounds at Two Urban Sites in Hong Kong from 1997 to 1998. *Indoor Built Environ*. 9: 216-227. <http://dx.doi.org/10.1159/000057510>.
- Singh, HB. (1977). Atmospheric halocarbons: Evidence in favor of reduced average hydroxyl radical concentration in the troposphere. *Geophys Res Lett*. 4: 101-104. <http://dx.doi.org/10.1029/GL004i003p00101>.
- Singh, HB; Herlth, D; Ohara, D; Zahnle, K; Bradshaw, JD; Sandholm, ST; Talbot, R; Gregory, GL; Sachse, GW; Blake, DR; Wofsy, SC. (1994). SUMMERTIME DISTRIBUTION OF PAN AND OTHER REACTIVE NITROGEN SPECIES IN THE NORTHERN HIGH-LATITUDE ATMOSPHERE OF EASTERN CANADA. *J Geophys Res Atmos*. 99: 1821-1835.
- Singh, HB; Ohara, D; Herlth, D; Bradshaw, JD; Sandholm, ST; Gregory, GL; Sachse, GW; Blake, DR; Crutzen, PJ; Kanakidou, MA. (1992). ATMOSPHERIC MEASUREMENTS OF PEROXYACETYL NITRATE AND OTHER ORGANIC NITRATES AT HIGH-LATITUDES - POSSIBLE SOURCES AND SINKS. *J Geophys Res*. 97: 16511-16522.
- Singh, HB; Salas, LJ; Cavanagh, LA. (1977). Distribution, sources and sinks of atmospheric halogenated compounds. *Journal of the Air and Waste Management Association*. 27: 332-336.
- Singh, HB; Salas, LJ; Smith, A; Stiles, R; Shigeishi, H. (1981). Atmospheric measurements of selected hazardous organic chemicals Interim report-1980 [EPA Report]. (600/3-81-032). Research Triangle Park, NC: Environmental Protection Agency.

## Exposure Literature Search Results

### On Topic

- Singh, HB; Salas, LJ; Smith, AJ; Shigeishi, H. (1981). Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ.* 15: 601-612. [http://dx.doi.org/10.1016/0004-6981\(81\)90191-8](http://dx.doi.org/10.1016/0004-6981(81)90191-8).
- Sinkkonen, S; Veijanen, A; Paasivirta, J; Lahtipera, M; Vattulainen, A. (1995). CHLORINATED SHORT-CHAIN ALIPHATIC-HYDROCARBONS IN PINE NEEDLES BY PURGE-AND-TRAP GAS-CHROMATOGRAPHY MASS-SPECTROMETRY. *Chemosphere.* 30: 2343-2352.
- Skender, L. (1995). ASSESSMENT OF URBAN-POPULATION EXPOSURE TO TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY MEANS OF BIOLOGICAL MONITORING (VOL 49, PG 445, 1994). *Arch Environ Health.* 50: 174-174.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1993). Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health.* 65: S163-S165.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1994). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Occup Health.* 49: 445-451.
- Sogaard, EG; Aruna, R; Abraham-Peskir, J; Koch, CB. (2001). Conditions for biological precipitation of iron by *Gallionella ferruginea* in a slightly polluted ground water. *Appl Geochem.* 16: 1129-1137.
- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol.* 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health.* 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem.* 23: 2162-2169.
- Squillace, PJ; Moran, MJ. (2007). Factors associated with sources, transport, and fate of volatile organic compounds and their mixtures in aquifers of the United States. *Environ Sci Technol.* 41: 2123-2130. <http://dx.doi.org/10.1021/es061079w>.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environ Sci Technol.* 38: 5327-5338. <http://dx.doi.org/10.1021/es0349756>.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol.* 19: 643-666.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepage sediments: tree selection. *Int J Phytoremediation.* 10: 529-546. <http://dx.doi.org/10.1080/15226510802115067>.
- Stefaniak, AB; Breyse, PN; Murray, MPM; Rooney, BC; Schaefer, J. (2000). An evaluation of employee exposure to volatile organic compounds in three photocopy centers. *Environ Res.* 83: 162-173. <http://dx.doi.org/10.1006/enrs.2000.4061>.
- Stewart, RD; Baretta, ED; Dodd, HC; Torkelson, TR. (1970). Experimental human exposure to tetrachloroethylene. *Arch Environ Health.* 20: 224-229.
- Stingone, JA; Mcveigh, KH; Claudio, L. (2016). Association between prenatal exposure to ambient diesel particulate matter and perchloroethylene with children's 3rd grade standardized test scores. *Environ Res.* 148: 144-153. <http://dx.doi.org/10.1016/j.envres.2016.03.035>.
- Storm, JE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2011). Visual contrast sensitivity in children exposed to tetrachloroethylene. *Arch Environ Occup Health.* 66: 166-177. <http://dx.doi.org/10.1080/19338244.2010.539638>.
- Storm, JE; Mazor, KA; Shost, SJ; Serle, J; Aldous, KM; Blount, BC. (2013). Socioeconomic disparities in indoor air, breath, and blood perchloroethylene level among adult and child residents of buildings with or without a dry cleaner. *Environ Res.* 122: 88-97. <http://dx.doi.org/10.1016/j.envres.2013.02.001>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Su, FC; Mukherjee, B; Batterman, S. (2011). Trends of VOC exposures among a nationally representative sample: Analysis of the NHANES 1988 through 2004 data sets. *Atmos Environ.* 45: 4858-4867. <http://dx.doi.org/10.1016/j.atmosenv.2011.06.016>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Suthawaree, J; Tajima, Y; Khunchornyakong, A; Kato, S; Sharp, A; Kajii, Y. (2012). Identification of volatile organic compounds in suburban Bangkok, Thailand and their potential for ozone formation. *Atmos Res.* 104-105: 245-254. <http://dx.doi.org/10.1016/j.atmosres.2011.10.019>.
- Szelag, H; Makuch, B; Zwierzykowski, W. (1992). DETERMINATION OF TETRACHLOROETHYLENE IN COCOA BUTTER. 94: 436-438.
- Tait, NG; Davison, RM; Leharne, SA; Lerner, DN. (2008). Borehole Optimisation System (BOS) - A case study assessing options for abstraction of urban groundwater in Nottingham, UK. *Environ Modell Softw.* 23: 611-621. <http://dx.doi.org/10.1016/j.envsoft.2007.09.001>.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol.* 124: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2011.01.003>.
- Talbot, R; Mao, H; Scheuer, E; Dibb, J; Avery, M; Browell, E; Sachse, G; Vay, S; Blake, D; Huey, G; Fuelberg, H. (2008). Factors influencing the large-scale distribution of Hg<sup>0</sup> in the Mexico City area and over the North Pacific. *Atmos Chem Phys.* 8: 2103-2114. <http://dx.doi.org/10.5194/acp-8-2103-2008>.
- Talbot, RW; Bradshaw, JD; Sandholm, ST; Smyth, S; Blake, DR; Blake, NR; Sachse, GW; Collins, JE; Heikes, BG; Anderson, BE; Gregory, GL; Singh, HB; Lefer, BL; Bachmeier, AS. (1996). Chemical characteristics of continental outflow over the tropical South Atlantic Ocean from Brazil and Africa. *J Geophys Res Atmos.* 101: 24187-24202.

## Exposure Literature Search Results

### On Topic

- Talbot, RW; Dibb, JE; Klemm, KI; Bradshaw, JD; Sandholm, ST; Blake, DR; Sachse, GW; Collins, J; Heikes, BG; Gregory, GL; Anderson, BE; Singh, HB; Thornton, DC; Merrill, JT. (1996). Chemical characteristics of continental outflow from Asia to the troposphere over the western Pacific Ocean during September-October 1991: Results from PEM-West A. *J Geophys Res Atmos.* 101: 1713-1725.
- Talbot, RW; Dibb, JE; Lefer, BL; Scheuer, EM; Bradshaw, JD; Sandholm, ST; Smyth, S; Blake, DR; Blake, NJ; Sachse, GW; Collins, JE; Gregory, GL. (1997). Large-scale distributions of tropospheric nitric, formic, and acetic acids over the western Pacific basin during wintertime. *J Geophys Res Atmos.* 102: 28303-28313.
- Talbot, RW; Dibb, JE; Scheuer, EM; Blake, DR; Blake, NJ; Gregory, GL; Sachse, GW; Bradshaw, JD; Sandholm, ST; Singh, HB. (1999). Influence of biomass combustion emissions on the distribution of acidic trace gases over the southern Pacific basin during austral springtime. *J Geophys Res Atmos.* 104: 5623-5634.
- Talbot, RW; Dibb, JE; Scheuer, EM; Bradshaw, JD; Sandholm, ST; Singh, HB; Blake, DR; Blake, NJ; Atlas, E; Flocke, F. (2000). Tropospheric reactive odd nitrogen over the South Pacific in austral springtime. *J Geophys Res Atmos.* 105: 6681-6694.
- Thomas, KW; Pellizzari, ED; Perritt, RL; Nelson, WC. (1991). Effect of dry-cleaned clothes on tetrachloroethylene levels in indoor air, personal air, and breath for residents of several New Jersey homes. *J Expo Anal Environ Epidemiol.* 1: 475-490.
- Thompson, KM; Evans, JS. (1993). Workers' breath as a source of perchloroethylene (Perc) in the home. *J Expo Anal Environ Epidemiol.* 3: 417-430.
- Tichenor, BA; Sparks, LE; Jackson, MD; Guo, Z; Mason, MA; Plunket, CM; Rasor, SA. (1990). Emissions of perchloroethylene from dry cleaned fabrics. *Atmos Environ.* 24: 1219-1229. [http://dx.doi.org/10.1016/0960-1686\(90\)90087-4](http://dx.doi.org/10.1016/0960-1686(90)90087-4).
- Tsai, W, et al. (2012). An Analysis of Reducing Perchloroethylene Emissions in the Urban Environment: A Case Study of Taiwan. *CLEAN - Soil, Air, Water.* 40: 123-126. <http://dx.doi.org/10.1002/clen.201000462>.
- Tucker, JD; Sorensen, KJ; Ruder, AM; Mckernan, LT; Forrester, CL; Butler, MA. (2011). Cytogenetic analysis of an exposed-referent study: perchloroethylene-exposed dry cleaners compared to unexposed laundry workers. *Environ Health.* 10: 16. <http://dx.doi.org/10.1186/1476-069X-10-16>.
- U.S. EPA. (1996). Modeled ambient concentrations: perchloroethylene (CASRN 127-18-4) [EPA Report]. National Air Toxics Assessment, Technology Transfer Network, Office of Air and Radiation. [http://www.epa.gov/ttnatw01/nata/pdf/perch\\_conc.pdf](http://www.epa.gov/ttnatw01/nata/pdf/perch_conc.pdf).
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20Data%5C00thru05%5CTxt%5C00000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#>.
- Uhler, AD; Miller, LJ. (1988). Multiple headspace extraction gas chromatography for the determination of volatile halocarbon compounds in butter. *J Agric Food Chem.* 36: 772-775. <http://dx.doi.org/10.1021/jf00082a025>.
- Valcke, M; Krishnan, K. (2010). An Assessment of the Interindividual Variability of internal Dosimetry during Multi-Route Exposure to Drinking Water Contaminants. *Int J Environ Res Public Health.* 7: 4002-4022. <http://dx.doi.org/10.3390/ijerph7114002>.
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health.* 70: 403-406.
- van Wijngaarden, E; Hertz-Picciotto, I. (2004). A simple approach to performing quantitative cancer risk assessment using published results from occupational epidemiology studies. *Sci Total Environ.* 332: 81-87. <http://dx.doi.org/10.1016/j.scitotenv.2004.04.005>.
- van Zelm, R; Huijbregts, MA; van de Meent, D. (2010). Transformation products in the life cycle impact assessment of chemicals. *Environ Sci Technol.* 44: 1004-1009. <http://dx.doi.org/10.1021/es9021014>.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere.* 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).
- Vaughan, TL; Stewart, PA; Davis, S; Thomas, DB. (1997). Work in dry cleaning and the incidence of cancer of the oral cavity, larynx, and oesophagus. *Occup Environ Med.* 54: 692-695.
- Vedrinaro, D; Dragojevic, I; Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *Sci Total Environ.* 203: 253-259.
- Vemmer, H; Rohleder, K; Wieczorek, H; Haeseler, E. (1984). PERCHLORETHYLENE IN TISSUES OF FATTENING PIGS .2. TRANSFER OF PERCHLORETHYLENE FROM FEEDS TO SOME TISSUES OF FATTENING PIGS. *Landwirtsch Forsch.* 37: 36-43.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environ Sci Technol.* 31: 2368-2374.
- Verberk, MM; Scheffers, TML. (1980). Tetrachloroethylene in exhaled air of residents near dry-cleaning shops. *Environ Res.* 21: 432-437.
- Verplanke, AJ; Leummens, MH; Herber, RF. (1999). Occupational exposure to tetrachloroethene and its effects on the kidneys. *J Occup Environ Med.* 41: 11-16.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med.* 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- von Ehrenstein, OS; Aralis, H; Cockburn, M; Ritz, B. (2014). In Utero Exposure to Toxic Air Pollutants and Risk of Childhood Autism. *Epidemiology.* 25: 851-858. <http://dx.doi.org/10.1097/EDE.0000000000000150>.

## Exposure Literature Search Results

### On Topic

- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Sci Technol.* 37: 311-318.
- Vroblesky, D, onA; Petkewich, MD; Lowery, MA; Landmeyer, JE. (2011). Sewers as a Source and Sink of Chlorinated-Solvent Groundwater Contamination, Marine Corps Recruit Depot, Parris Island, South Carolina. *Ground Water Monitoring and Remediation.* 31: 63-69. <http://dx.doi.org/10.1111/j.1745-6592.2011.01349.x>.
- Vroblesky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation.* 24: 124-138.
- Vroblesky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Wagner, J, anM; Schuett, A; Carstensen, J; Foell, H. (2016). Series resistance contribution of majority carriers in CELLO impedance analysis: Influence of wafer thickness variation. *Solar Energy Materials and Solar Cells.* 146: 129-134. <http://dx.doi.org/10.1016/j.solmat.2015.11.029>.
- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol.* 25: 639-645.
- Walker, JT; Burnett, CA; Lalach, NR; Sestito, JP; Halperin, WE. (1997). Cancer mortality among laundry and dry cleaning workers. *Am J Ind Med.* 32: 614-619.
- Wang, C; Shao, M, in; Huang, D; Lu, S; Zeng, L; Hu, M, in; Zhang, Q. (2014). Estimating halocarbon emissions using measured ratio relative to tracers in China. *Atmos Environ.* 89: 816-826. <http://dx.doi.org/10.1016/j.atmosenv.2014.03.025>.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol.* 34: 2243-2248.
- Wang, S; Majeed, MA; Chu, P; Lin, H. (2009). Characterizing relationships between personal exposures to VOCs and socioeconomic, demographic, behavioral variables. *Atmos Environ.* 43: 2296-2302. <http://dx.doi.org/10.1016/j.atmosenv.2009.01.032>.
- Wang, T; Wong, CH; Cheung, TF; Blake, DR; Arimoto, R; Baumann, K; Tang, J; Ding, GA; Yu, XM; Li, YS; Streets, DG; Simpson, JJ. (2004). Relationships of trace gases and aerosols and the emission characteristics at Lin'an, a rural site in eastern China, during spring 2001. *J Geophys Res Atmos.* 109. <http://dx.doi.org/10.1029/2003JD004119>.
- Wang, YH; Shim, CS; Blake, N; Blake, D; Choi, Y; Ridley, B; Dibb, J; Wimmers, A; Moody, J; Flocke, F; Weinheimer, A; Talbot, R; Atlas, E. (2003). Intercontinental transport of pollution manifested in the variability and seasonal trend of springtime O-3 at northern middle and high latitudes. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2003JD003592>.
- Webler, T; Brown, HS. (1993). Exposure to tetrachloroethylene via contaminated drinking water pipes in Massachusetts: A predictive model. *Arch Environ Health.* 48: 293-297. <http://dx.doi.org/10.1080/00039896.1993.9936716>.
- Webster, E; Mackay, D; Di Guardo, A; Kane, D; Woodfine, D. (2004). Regional differences in chemical fate model outcome. *Chemosphere.* 55: 1361-1376. <http://dx.doi.org/10.1016/j.chemosphere.2003.10.061>.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfnegisdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Lange, CA; Lisitzina, L; Pfnegisdorff, A; Kotte, K. (2006). The phytotoxic effect of C(1)/C(2)-halocarbons and trichloroacetic acid on the steppe plant *Artemisia lerchiana*. *Chemosphere.* 65: 975-980. <http://dx.doi.org/10.1016/j.chemosphere.2006.03.039>.
- Wentz, M; Cates, DM. (1975). NON-AQUEOUS BLEACHING OF CELLULOSE BY PERCHLOROETHYLENE HYDROGEN PEROXIDE WATER. *Text Res J.* 45: 691-697.
- Wiedmann, TO; Guthner, B; Class, TJ; Ballschmiter, K. (1994). GLOBAL DISTRIBUTION OF TETRACHLOROETHENE IN THE TROPOSPHERE - MEASUREMENTS AND MODELING. *Environ Sci Technol.* 28: 2321-2329.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčková, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol.* 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Williams, D., PR. (2014). Methyl Tertiary Butyl Ether (MTBE) and Other Volatile Organic Compounds (VOCs) in Public Water Systems, Private Wells, and Ambient Groundwater Wells in New Jersey Compared to Regulatory and Human-Health Benchmarks. *Environ Forensics.* 15: 97-119. <http://dx.doi.org/10.1080/15275922.2013.873096>.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal.* 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Willson, CS; Hall, JL; Miller, CT; Imhoff, PT. (1999). Factors affecting bank formation during surfactant-enhanced mobilization of residual NAPL. *Environ Sci Technol.* 33: 2440-2446.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med.* 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200210/abstract>.
- Wingenter, OW; Blake, DR; Blake, NJ; Sive, BC; Rowland, FS; Atlas, E; Flocke, F. (1999). Tropospheric hydroxyl and atomic chlorine concentrations, and mixing timescales determined from hydrocarbon and halocarbon measurements made over the Southern Ocean. *J Geophys Res.* 104: 21,819-821,828. <http://dx.doi.org/10.1029/1999JD900203>.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba.* 46: 119-122.

## Exposure Literature Search Results

### On Topic

- Wittlingerová, Z; Macháčková, J; Petruželková, A; Zimová, M. (2016). Occurrence of perchloroethylene in surface water and fish in a river ecosystem affected by groundwater contamination. *Environ Sci Pollut Res Int.* 23: 5676-5692. <http://dx.doi.org/10.1007/s11356-015-5806-7>.
- Wollenweber, SD. (2002). Parameterization of a model-based 3-D PET scatter correction. *IEEE Trans Nucl Sci.* 49: 722-727.
- Wolska, L; Zygmunt, B; Namieśnik, J. (2003). Organic pollutants in the Odra river ecosystem. *Chemosphere.* 53: 561-569. [http://dx.doi.org/10.1016/S0045-6535\(03\)00368-0](http://dx.doi.org/10.1016/S0045-6535(03)00368-0).
- Wu, B; Harwell, JH; Sabatini, DA; Bailey, JD. (2000). Alcohol-free diphenyl oxide disulfonate middle-phase microemulsion systems. *Journal of Surfactants and Detergents.* 3: 465-474.
- Wu, C; Liu, LJS; Cullen, A; Westberg, H; Williamson, J. (2011). Spatial-temporal and cancer risk assessment of selected hazardous air pollutants in Seattle. *Environ Int.* 37: 11-17. <http://dx.doi.org/10.1016/j.envint.2010.06.006>.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut.* 95: 135-143. [http://dx.doi.org/10.1016/S0269-7491\(96\)00100-5](http://dx.doi.org/10.1016/S0269-7491(96)00100-5).
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res.* 35: 561-566.
- Yamamoto, N; Okayasu, H; Murayama, S; Mori, S; Hunahashi, K; Suzuki, K. (2000). Measurement of volatile organic compounds in the urban atmosphere of Yokohama, Japan, by an automated gas chromatographic system. *Atmos Environ.* 34: 4441-4446.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, KL; Ting, CC; Wang, JL; Wingenter, OW; Chan, CC. (2005). Diurnal and seasonal cycles of ozone precursors observed from continuous measurement at an urban site in Taiwan. *Atmos Environ.* 39: 3221-3230. <http://dx.doi.org/10.1016/j.atmosenv.2005.02.003>.
- Yokouchi, Y; Akimoto, H; Barrie, LA; Bottenheim, JW; Anlauf, K; Jobson, BT. (1994). SERIAL GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC MEASUREMENTS OF SOME VOLATILE ORGANIC-COMPOUNDS IN THE ARCTIC ATMOSPHERE DURING THE 1992 POLAR SUNRISE EXPERIMENT. *J Geophys Res Atmos.* 99: 25379-25389.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the Arctic troposphere. *Atmos Environ.* 30: 1723-1727.
- Yokouchi, Y; Mukai, H; Yamamoto, H; Otsuki, A; Saitoh, C; Nojiri, Y. (1997). Distribution of methyl iodide, ethyl iodide, bromoform, and dibromomethane over the ocean (east and southeast Asian seas and the western Pacific). *J Geophys Res Atmos.* 102: 8805-8809.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere.* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-0](http://dx.doi.org/10.1016/0045-6535(93)90097-0).
- Yoshida, M; Lee, BD; Hosomi, M. (2000). Decomposition of aqueous tetrachloroethylene by Fenton oxidation treatment. *Water Sci Technol.* 42: 203-208.
- Yu, JJ; Chou, SY. (2000). Contaminated site remedial investigation and feasibility removal of chlorinated volatile organic compounds from groundwater by activated carbon fiber adsorption. *Chemosphere.* 41: 371-378. [http://dx.doi.org/10.1016/S0045-6535\(99\)00437-3](http://dx.doi.org/10.1016/S0045-6535(99)00437-3).
- Yu, X; Ghasemizadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci.* 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, Y; Wang, X; Blake, DR; Li, L; Zhang, Z; Wang, S; Guo, H, ai; Lee, FSC; Gao, B, o; Chan, L; Wu, D, ui; Rowland, FS. (2012). Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. *J Geophys Res Atmos.* 117: n/a. <http://dx.doi.org/10.1029/2011JD017356>.
- Zhang, Z; Wang, X; Zhang, Y; Lü, S; Huang, Z; Huang, X; Wang, Y. (2015). Ambient air benzene at background sites in China's most developed coastal regions: exposure levels, source implications and health risks. *Sci Total Environ.* 511: 792-800. <http://dx.doi.org/10.1016/j.scitotenv.2015.01.003>.
- Zhou, Y; Varner, RK; Russo, RS; Wingenter, OW; Haase, KB; Talbot, R; Sive, BC. (2005). Coastal water source of short-lived halocarbons in New England. *J Geophys Res Atmos.* 110. <http://dx.doi.org/10.1029/2004JD005603>.
- Ziener, CE; Braunsdorf, P. (2014). Trace Analysis in End-Exhaled Air Using Direct Solvent Extraction in Gas Sampling Tubes: Tetrachloroethene in Workers as an Example. *International Journal of Analytical Chemistry.* 2014: 904512. <http://dx.doi.org/10.1155/2014/904512>.
- Ziglio, G. (1981). Human exposure to environmental trichloroethylene and tetrachloroethylene: preliminary data on population groups of Milan, Italy. *Bull Environ Contam Toxicol.* 26: 131-136.
- Ziglio, G; Fara, GM; Beltramelli, G; Pregliasco, F. (1983). Human environmental exposure to trichloro- and tetrachloroethylene from water and air in Milan, Italy. *Arch Environ Contam Toxicol.* 12: 57-64.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere.* 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere.* 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.

## Exposure Literature Search Results

### On Topic

- Zoccolillo, L; Amendola, L; Insogna, S; Pastorini, E. (2010). On-line analysis of volatile chlorinated hydrocarbons in air by gas chromatography-mass spectrometry Improvements in preconcentration and injection steps. *J Chromatogr A*. 1217: 3890-3895. <http://dx.doi.org/10.1016/j.chroma.2010.04.013>.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem*. 55: 27-32.
- Zoeteman, BCJ; Harmsen, K; Linders, JBH, J; Morra, CFH; Slooff, W. (1980). Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere*. 9: 231-249.
- Zuraimi, MS; Tham, KW. (2008). Effects of child care center ventilation strategies on volatile organic compounds of indoor and outdoor origins. *Environ Sci Technol*. 42: 2054-2059. <http://dx.doi.org/10.1021/es0714033>.
- Zurita, JL; Garcia, DA; Postigo, MA. (1992). EXCESS MOLAR VOLUMES OF TETRACHLOROETHENE + 1,4-DIOXANE + TETRAHYDROFURAN AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data*. 37: 206-209.

## Exposure Literature Search Results

### Off Topic

- Aardema, MJ; Albertini, S; Arni, P; Henderson, LM; Kirsch-Volders, M; Mackay, JM; Sarrif, AM; Stringer, DA; Taalman, RDF. (1998). Aneuploidy: A report of an ECETOC task force [Review]. *Mutat Res Rev Mutat Res*. 410: 3-79. [http://dx.doi.org/10.1016/S1383-5742\(97\)00029-X](http://dx.doi.org/10.1016/S1383-5742(97)00029-X).
- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol*. 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abdelnour, AF; Nehmeh, SA; Pan, T; Humm, JL; Vernon, P; Schoder, H; Rosenzweig, KE; Mageras, GS; Yorke, E; Larson, SM; Erdi, YE. (2007). Phase and amplitude binning for 4D-CT imaging. *Phys Med Biol*. 52: 3515-3529. <http://dx.doi.org/10.1088/0031-9155/52/12/012>.
- Abe, Y; Aravena, R; Zopfi, J; Parker, B; Hunkeler, D. (2009). Evaluating the fate of chlorinated ethenes in streambed sediments by combining stable isotope, geochemical and microbial methods. *J Contam Hydrol*. 107: 10-21. <http://dx.doi.org/10.1016/j.jconhyd.2009.03.002>.
- Abou-Nemeh, I; Majumdar, S; Saraf, A; Sirkar, KK; Vane, LM; Alvarez, FR; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. II: Hollow fiber membrane modules. *Environmental Progress*. 20: 64-73.
- Abramovitch, RA; Bangzhou, H; Abramovitch, DA; Jiangao, S. (1999). In situ decomposition of PAHs in soil and desorption of organic solvents using microwave energy. *Chemosphere*. 39: 81-87.
- Abriola, LM. (2005). Contaminant source zones: Remediation or perpetual stewardship? *Environ Health Perspect*. 113: A438-A439.
- Abriola, LM; Bradford, SA; Lang, J; Gaither, CL. (2004). Volatilization of binary nonaqueous phase liquid mixtures in unsaturated porous media. *Vadose Zone Journal*. 3: 645-655.
- Abriola, LM; Condit, WE; Cowell, MA. (2000). Influence of soil texture on rate-limited micellar solubilization. *J Environ Eng*. 126: 39-46.
- Abriola, LM; Drummond, CD; Hahn, EJ; Hayes, KF; Kibbey, TCG; Lemke, LD; Pennell, KD; Petrovskis, EA; Ramsburg, CA; Rathfelder, KM. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 1. Site characterization and test design. *Environ Sci Technol*. 39: 1778-1790. <http://dx.doi.org/10.1021/es0495819>.
- Abuin, E; Lissi, E; Duarte, R; Silber, JJ; Biasutti, MA. (2002). Solubilization in AOT-water reverse micelles. Effect of the external solvent. *Langmuir*. 18: 8340-8344. <http://dx.doi.org/10.1021/la020492o>.
- Abuin, E; Lissi, E; Jara, P. (2007). Effect of the organic solvent on the interfacial micropolarity of AOT-water reverse micelles. *Journal of the Chilean Chemical Society*. 52: 1082-1087.
- Abuodha, JOZ. (2002). Environmental impact assessment of the proposed titanium mining project in Kwale District, Kenya. *Marine Georesources and Geotechnology*. 20: 199-207. <http://dx.doi.org/10.1080/03608860290051895>.
- ACGIH. (1986). Documentation of the threshold limit values and biological exposure indices: Epichlorohydrin. Cincinnati, OH.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol*. 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Achanzar, WE; Brambila, EM; Diwan, BA; Webber, MM; Waalkes, MP. (2002). Inorganic arsenite-induced malignant transformation of human prostate epithelial cells. *J Natl Cancer Inst*. 94: 1888-1891. <http://dx.doi.org/10.1093/jnci/94.24.1888>.
- Acharya, S; Mehta, K; Rodrigues, S; Pereira, J; Krishnan, S; Rao, CV. (1995). Administration of subtoxic doses of t-butyl alcohol and trichloroacetic acid to male Wistar rats to study the interactive toxicity. *Toxicol Lett*. 80: 97-104. [http://dx.doi.org/10.1016/0378-4274\(95\)03340-Q](http://dx.doi.org/10.1016/0378-4274(95)03340-Q).
- Acharya, S; Mehta, K; Rodriguez, S; Pereira, J; Krishnan, S; Rao, CV. (1997). A histopathological study of liver and kidney in male Wistar rats treated with subtoxic doses of t-butyl alcohol and trichloroacetic acid. *Exp Toxicol Pathol*. 49: 369-373. [http://dx.doi.org/10.1016/S0940-2993\(97\)80119-4](http://dx.doi.org/10.1016/S0940-2993(97)80119-4).
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environ Sci Technol*. 36: 4618-4624. <http://dx.doi.org/10.1021/es0158859>.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem*. 49: 1309-1314.
- Adachi, A; Sakurai, H; Okano, T. (2007). Effect of spherosome on degradation of tetrachloroethylene in soil. *J Agric Food Chem*. 55: 9149-9151. <http://dx.doi.org/10.1021/jf071336w>.

## Exposure Literature Search Results

### Off Topic

- Adamson, DT; Lyon, DY; Hughes, JB. (2004). Flux and product distribution during biological treatment of tetrachloroethene dense non-aqueous-phase liquid. *Environ Sci Technol.* 38: 2021-2028. <http://dx.doi.org/10.1021/es034737a>.
- Adamson, DT; Mcdade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environ Sci Technol.* 37: 2525-2533. <http://dx.doi.org/10.1021/es020236y>.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetrahaloethene-dechlorinating enrichment culture. *Environ Sci Technol.* 34: 1959-1965.
- Adani, F; Tambone, F; Davoli, E; Scaglia, B. (2010). Surfactant properties and tetrachloroethene (PCE) solubilisation ability of humic acid-like substances extracted from maize plant and from organic wastes: a comparative study. *Chemosphere.* 78: 1017-1022. <http://dx.doi.org/10.1016/j.chemosphere.2009.11.039>.
- Adetutu, EM; Gundry, TD; Patil, SS; Golneshin, A; Adigun, J, oy; Bhaskarla, V; Aleer, S; Shahsavari, E; Ross, E; Ball, AS. (2015). Exploiting the intrinsic microbial degradative potential for field-based in situ dechlorination of trichloroethene contaminated groundwater. *J Hazard Mater.* 300: 48-57. <http://dx.doi.org/10.1016/j.jhazmat.2015.06.055>.
- Adey, WH; Luckett, C; Smith, M. (1996). Purification of industrially contaminated groundwaters using controlled ecosystems. *Ecol Eng.* 7: 191-212.
- Adib, K; Camillone, N; Fitts, JP; Rim, KT; Flynn, GW; Joyce, SA; Osgood, RM. (2002). CCl<sub>4</sub> chemistry on the magnetite selvage of single-crystal hematite: competitive surface reactions. *Surf Sci.* 497: 127-138.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of mass-transfer limitations on carbon isotope fractionation during microbial dechlorination of trichloroethene. *Environ Sci Technol.* 43: 8813-8820. <http://dx.doi.org/10.1021/es901481b>.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/je034203p>.
- Agostinelli, S; Paoli, G. (2001). An object oriented fully 3D tomography visual toolkit. *Comput Methods Programs Biomed.* 65: 61-69.
- Ahlborg, G, Jr. (1990). Validity of exposure data obtained by questionnaire. Two examples from occupational reproductive studies. *Scand J Work Environ Health.* 16: 284-288.
- Ahlborg, G; Bodin, L. (1991). Tobacco smoke exposure and pregnancy outcome among working women. A prospective study at prenatal care centers in Orebro County, Sweden. *Am J Epidemiol.* 133: 338-347.
- Ahmadvand, M; Sereshti, H; Parastar, H. (2015). Chemometric-based determination of polycyclic aromatic hydrocarbons in aqueous samples using ultrasound-assisted emulsification microextraction combined to gas chromatography-mass spectrometry. *J Chromatogr A.* 1413: 117-126. <http://dx.doi.org/10.1016/j.chroma.2015.08.026>.
- Ahmed, AA; Chen, D. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J.* 24: 159-164. <http://dx.doi.org/10.1111/j.1747-6593.2009.00175.x>.
- Ahn, S; Ross, SG; Asma, E; Miao, J; Jin, X; Cheng, L; Wollenweber, SD; Manjeshwar, RM. (2015). Quantitative comparison of OSEM and penalized likelihood image reconstruction using relative difference penalties for clinical PET. *Phys Med Biol.* 60: 5733-5751. <http://dx.doi.org/10.1088/0031-9155/60/15/5733>.
- Ahn, YS; Jeong, KS; Kim, KS. (2012). Cancer morbidity of professional emergency responders in Korea. *Am J Ind Med.* 55: 768-778. <http://dx.doi.org/10.1002/ajim.22068>.
- Ahn, YS; Zerbán, H; Grobholz, R; Bannasch, P. (1992). Sequential changes in glycogen content, expression of glucose transporters and enzymic patterns during development of clear/acidophilic cell tumors in rat kidney. *Carcinogenesis.* 13: 2329-2334.
- Ahrens, W; Merletti, F. (1998). A standard tool for the analysis of occupational lung cancer in epidemiologic studies. *Int J Occup Environ Health.* 4: 236-240.
- Aitio, A; Riihimäki, V; Vainio, H. (1984). Biological monitoring and surveillance of workers exposed to chemicals. In A Aitio; V Riihimäki; H Vainio (Eds.). New York, NY: Hemisphere Publishing Corporation.
- Ajo-Franklin, JB; Minsley, BJ; Daley, TM. (2007). Applying compactness constraints to differential travelttime tomography. *Geophysics.* 72: R67-R75. <http://dx.doi.org/10.1190/1.2742496>.
- Akbar, M; Narayanan, S; Restaino, M; Agah, M. (2014). A purge and trap integrated microGC platform for chemical identification in aqueous samples. *Analyst.* 139: 3384-3392. <http://dx.doi.org/10.1039/c4an00254g>.
- Akhan, B; Jakoby, BW; Watson, CC; Braun, H; Ritt, P; Quick, HH. (2015). GATE Monte Carlo simulations for variations of an integrated PET/MR hybrid imaging system based on the Biograph mMR model. *Phys Med Biol.* 60: 4731-4752. <http://dx.doi.org/10.1088/0031-9155/60/12/4731>.
- Aktaş, Ö; Schmidt, KR; Mungenast, S; Stoll, C; Tiehm, A. (2012). Effect of chloroethene concentrations and granular activated carbon on reductive dechlorination rates and growth of *Dehalococcoides* spp. *Bioresour Technol.* 103: 286-292. <http://dx.doi.org/10.1016/j.biortech.2011.09.119>.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Ulrich Mayer, K. (2006). Metal mobility during in situ chemical oxidation of TCE by KMnO<sub>4</sub>. *J Contam Hydrol.* 88: 137-152. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.004>.
- Ala, NK; Domenico, PA. (1992). INVERSE ANALYTICAL TECHNIQUES APPLIED TO COINCIDENT CONTAMINANT DISTRIBUTIONS AT OTIS-AIR-FORCE-BASE, MASSACHUSETTS. *Ground Water.* 30: 212-218.
- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage.* 104: 195-201. <http://dx.doi.org/10.1016/j.jenvman.2012.03.033>.



## Exposure Literature Search Results

### Off Topic

- Albergaria, JT; Alvim-Ferraz, M; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess.* 171: 171-180. <http://dx.doi.org/10.1007/s10661-009-1269-y>.
- Albergaria, JT; Alvim-Ferraz Maria da, C; Delerue, M. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere.* 73: 1557-1561. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.080>.
- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air Soil Pollut.* 225: 2058-2058. <http://dx.doi.org/10.1007/s11270-014-2058-y>.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ.* 14: 55-68.
- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 41: 500-509.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal.* 19: 1253-1267. <http://dx.doi.org/10.1007/s10040-011-0742-1>.
- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1565-1573. <http://dx.doi.org/10.1080/10934520903263538>.
- Alcantara-Garduño, ME; Okuda, T; Tsai, TY; Nishijima, W; Okada, M. (2008). Experimental and mathematical evaluation of trichloroethylene removal from saturated soil using acetic acid with saturated ozone. *Separation and Purification Technology.* 60: 299-307. <http://dx.doi.org/10.1016/j.seppur.2007.09.001>.
- Alden, CL. (1985). Species, sex, and tissue specificity in toxicologic and proliferative responses. *Toxicol Pathol.* 13: 135-140. <http://dx.doi.org/10.1177/019262338501300211>.
- Alden, WW; Repta, AJ. (1984). Exacerbation of cisplatin-induced nephrotoxicity by methionine. *Chem Biol Interact.* 48: 121-124. [http://dx.doi.org/10.1016/0009-2797\(84\)90012-7](http://dx.doi.org/10.1016/0009-2797(84)90012-7).
- Aldib, M; Christie, RM. (2013). Textile applications of photochromic dyes. Part 5: application of commercial photochromic dyes to polyester fabric by a solvent-based dyeing method. *Color Technol.* 129: 131-143. <http://dx.doi.org/10.1111/cote.12008>.
- Aleboye, A; Olya, ME; Aleboye, H. (2009). Oxidative treatment of azo dyes in aqueous solution by potassium permanganate. *J Hazard Mater.* 162: 1530-1535. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.089>.
- Alekshun, TJ; Sokol, L. (2007). Diseases of large granular lymphocytes [Review]. *Cancer Control.* 14: 141-150.
- Alekshun, TJ; Tao, J; Sokol, L. (2007). Aggressive T-cell large granular lymphocyte leukemia: A case report and review of the literature [Review]. *Am J Hematol.* 82: 481-485. <http://dx.doi.org/10.1002/ajh.20853>.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environ Sci Technol.* 35: 3713-3717.
- Alexander, HC; Mccarty, WM; Bartlett, EA. (1978). Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. *Bull Environ Contam Toxicol.* 20: 344-352. <http://dx.doi.org/10.1007/BF01683531>.
- Alfano, OM; Cassano, AE. (2008). Photoreactor modeling: Applications to advanced oxidation processes. *Int J Chem React Eng.* 6.
- Al-Ghobari, HM; Mohammad, FS; El Marazky, MSA. (2016). Evaluating two irrigation controllers under subsurface drip irrigated tomato crop. *Span J Agric Res.* 14. <http://dx.doi.org/10.5424/sjar/2016144-8615>.
- Al-Ghobari, HM; Mohammad, FS; El Marazky, SA. (2015). Assessment of smart irrigation controllers under subsurface and drip-irrigation systems for tomato yield in arid regions. *Crop and Pasture Science.* 66: 1086-1095. <http://dx.doi.org/10.1071/CP15065>.
- Alibegic, D; Tsuneda, S; Hirata, A. (2001). Kinetics of tetrachloroethylene (PCE) gas degradation and byproducts formation during UV/H2O2 treatment in UV-bubble column reactor. *Chem Eng Sci.* 56: 6195-6203.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). Oxidation of tetrachloroethylene in a bubble column photochemical reactor applying the UV/H2O2 technique. *Can J Chem Eng.* 81: 733-740.
- Alibegic, D; Tsuneda, S; Hirata, A. (2003). UV-bubble column reactor (UV-BCR) for photolytic removal of tetrachloroethylene (PCE) from the vapor phase: Methodological approach. *J Chem Eng Jpn.* 36: 178-186.
- Allegaert, K; Daniels, H; Naulaers, G; Tibboel, D; Devlieger, H. (2005). Pharmacodynamics of chloral hydrate in former preterm infants. *Eur J Pediatr.* 164: 403-407. <http://dx.doi.org/10.1007/s00431-005-1648-5>.
- Allen, BC; Crump, KS; Shipp, AM. (1988). Response to comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 559-561. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01198.x>.
- Allen, BC; Fisher, JW. (1993). Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal.* 13: 71-86.
- Allen-King, RM; Divine, DP; Robin, MJL; Alldredge, JR; Gaylord, DR. (2006). Spatial distributions of perchloroethylene reactive transport parameters in the Borden Aquifer. *Water Resour Res.* 42: 1413-1413. <http://dx.doi.org/10.1029/2005WR003977>.
- Allen-King, RM; Groenevelt, H; Warren, CJ; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol.* 22: 3-4.
- Allen-King, RM; Halket, RM; Gaylord, DR; Robin, MJL. (1998). Characterizing the heterogeneity and correlation of perchloroethene sorption and hydraulic conductivity using a facies-based approach. *Water Resour Res.* 34: 385-396.
- Allen-King, RM; Kalinovich, I; Dominic, DF; Wang, G; Polmanteer, R; Divine, D. (2015). Hydrophobic organic contaminant transport property heterogeneity in the Borden Aquifer. *Water Resour Res.* 51: 1723-1743. <http://dx.doi.org/10.1002/2014WR016161>.
- Almeida, CMM; Silverio, S; Silva, C; Paulino, A, na; Nascimento, S; Revez, CA. (2013). Optimization and Validation of FTIR Method with Tetrachloroethylene for Determination of Oils and Grease in Water Matrices. *J Braz Chem Soc.* 24: 1403-U1104. <http://dx.doi.org/10.5935/0103-5053.20130179>.

## Exposure Literature Search Results

### Off Topic

- Altare, CR; Bowman, RSB; Katz, LE; Kinney, KA; Sullivan, EJ. (2007). Regeneration and long-term stability of surfactant-modified zeolite for removal of volatile organic compounds from produced water. *Microporous and Mesoporous Materials*. 105: 305-316. <http://dx.doi.org/10.1016/j.micromeso.2007.04.001>.
- Altekruse, SF; Kosary, CL; Krapcho, M; Neyman, N; Aminou, R; Waldron, W; Ruhl, J; Howlander, N; Tatalovich, Z; Cho, H; Mariotto, A; Eisner, MP; Lewis, DR; Cronin, K; Chen, HS; Feuer, EJ; Stinchcomb, DG; Edwards, BK. (2010). SEER cancer statistics review, 1975-2007. Bethesda, MD: National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2007/](http://seer.cancer.gov/csr/1975_2007/).
- Altham, W. (2007). Benchmarking to trigger cleaner production in small businesses: drycleaning case study. *J Clean Prod*. 15: 798-813. <http://dx.doi.org/10.1016/j.jclepro.2006.07.005>.
- Altmann, L; Neuhaan, HF; Krämer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res*. 69: 83-89. <http://dx.doi.org/10.1006/enrs.1995.1028>.
- Altshuller, AP. (1980). Lifetimes of organic molecules in the troposphere and lower stratosphere. In JN Pitts Jr; RL Metcalf; D Grosjean (Eds.), (pp. 181-219). New York, NY: John Wiley & Sons.
- Alvarez, FR; Vane, LM; Hitchens, L. (2001). Demonstration of pilot-scale pervaporation systems for volatile organic compound removal from a surfactant enhanced aquifer remediation fluid. I: Spiral wound membrane modules. *Environmental Progress*. 20: 53-63.
- Alwin, PE. (1994). ACHIEVING IEC TYPE-2 SHORT-CIRCUIT COORDINATION. *IEEE Transactions on Industry Applications*. 30: 226-232.
- Amaral, HI; Aeppli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere*. 85: 774-781. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.063>.
- Amaral, HI; Fernandes, J; Berg, M; Schwarzenbach, RP; Kipfer, R. (2009). Assessing TNT and DNT groundwater contamination by compound-specific isotope analysis and 3H-3He groundwater dating: a case study in Portugal. *Chemosphere*. 77: 805-812. <http://dx.doi.org/10.1016/j.chemosphere.2009.08.011>.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). C-13/C-12 Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environ Sci Technol*. 44: 1023-1029. <http://dx.doi.org/10.1021/es901760q>.
- Amin, TA; Bindra, S; Narang, RS. (1998). Evaluation of passive samplers for analysis of chlorinated solvents. *J AOAC Int*. 81: 1027-1032.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J*. 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater*. 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amler, RW; Gilbertini, M. (1996). Pediatric environmental neurobehavioral test battery. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB96207352>.
- Amler, RW; Lybarger, JA; Anger, WK; Phifer, BL; Chappell, W; Hutchinson, L. (1994). Adoption of an adult environmental neurobehavioral test battery. *Neurotoxicol Teratol*. 16: 525-530. [http://dx.doi.org/10.1016/0892-0362\(94\)90131-7](http://dx.doi.org/10.1016/0892-0362(94)90131-7).
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Löffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environ Sci Technol*. 41: 963-970. <http://dx.doi.org/10.1021/es061438n>.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Löffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environ Sci Technol*. 41: 1710-1716. <http://dx.doi.org/10.1021/es061926v>.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Löffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environ Sci Technol*. 42: 5718-5726. <http://dx.doi.org/10.1021/es703227g>.
- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE. (2008). Microbial activity and distribution during enhanced contaminant dissolution from a NAPL source zone. *Water Res*. 42: 2963-2974. <http://dx.doi.org/10.1016/j.watres.2008.03.015>.
- Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE. (2009). Spatial and temporal distributions of Geobacter lovleyi and Dehalococcoides spp. during bioenhanced PCE-NAPL dissolution. *Environ Sci Technol*. 43: 1977-1985. <http://dx.doi.org/10.1021/es8027692>.
- An, W; Le, Y; Chen, JF. (2011). Toluidine Red Nanoparticles and Their Application in Electrophoretic Display. *J Nanosci Nanotechnol*. 11: 10926-10929. <http://dx.doi.org/10.1166/jnn.2011.4018>.
- Anders, MW. (1991). Glutathione-dependent bioactivation of xenobiotics: Implications for mutagenicity and carcinogenicity [Review]. In L Ernster; H Esumi; Y Fujii; HV Gelboin; R Kato; T Sugimura (Eds.), (pp. 89-99). Tokyo, Japan; London, England: Japan Scientific Societies Press; Taylor & Francis, Ltd.
- Andersen, H; Larsen, S; Spliid, H; Christensen, ND. (1999). Multivariate statistical analysis of organ weights in toxicity studies. *Toxicology*. 136: 67-77. [http://dx.doi.org/10.1016/S0300-483X\(99\)00056-6](http://dx.doi.org/10.1016/S0300-483X(99)00056-6).
- Anderson, MR; Johnson, RL; Pankow, JF. (1992). DISSOLUTION OF DENSE CHLORINATED SOLVENTS INTO GROUND-WATER .1. DISSOLUTION FROM A WELL-DEFINED RESIDUAL SOURCE. *Ground Water*. 30: 250-256.
- Anderson, RC; Anderson, JH. (2000). Respiratory toxicity of fabric softener emissions. *J Toxicol Environ Health A*. 60: 121-136.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na2CO3 on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu*. 33: 261-266.
- Ando, Y; Hashimoto, S; Ohyama, N; Inamura, K. (1992). CURRENT STATUS OF IMAGE SAVE AND CARRY (IS-AND-C) STANDARDIZATION. *Comput Methods Programs Biomed*. 37: 319-325.
- Anger, WK. (2003). Neurobehavioural tests and systems to assess neurotoxic exposures in the workplace and community. *Occup Environ Med*. 60: 531-538, 474. <http://dx.doi.org/10.1136/oem.60.7.531>.

## Exposure Literature Search Results

### Off Topic

- Anger, WK; Letz, R; Chrislip, DW; Frumkin, H; Hudnell, K; Russo, JM; Chappell, W; Hutchinson, L. (1994). Neurobehavioral test methods for environmental health studies of adults. *Neurotoxicol Teratol.* 16: 489-497. [http://dx.doi.org/10.1016/0892-0362\(94\)90128-7](http://dx.doi.org/10.1016/0892-0362(94)90128-7).
- Anon. (1978). Proposed guidelines for registering pesticides in the United States; hazard evaluation: humans and domestic animals. *Fed Reg.* 43: 37335-37402.
- Anon. (1979). Proposed health effects test standards for toxic substances control act test rules and proposed good laboratory practice standards for health effects. *Fed Reg.* 44: 44089-44092.
- Anon. (1995). SWEDES SUGGEST TAX TO PREVENT PERC USE. *European Chemical News.* 63: 21-21.
- Anon. (2001). NEMA releases Simulated Insertion Test. *I E E Electrical Insulation Magazine.* 17: 58-58.
- Anon. (2001). NEMA releases standard for aerospace and industrial electrical cable; will replace military specification. *I E E Electrical Insulation Magazine.* 17: 49-49.
- Anon. (2002). NEMA releases energy guide. 55: 18-18.
- Anon. (2002). NEMA releases safety guide. 55: 16-16.
- Anon. (2002). NEMA releases standard on enclosures. 55: 16-16.
- Anon. (2003). Environmental policy centre to provide global EHS regulatory monitoring for NEMA member companies. *I E E Electrical Insulation Magazine.* 19: 71-71.
- Anon. (2003). NEMA joins alliance to boost recycling of mercury lamps. *I E E Electrical Insulation Magazine.* 19: 71-71.
- Anon. (2003). NEMA's industrial control business indices rise. *Control Engineering Online.* 50: 9-9.
- Anon. (2004). NEMA launches electrical code monitoring service on website. *I E E Electrical Insulation Magazine.* 20: 40-40.
- Anon. (2005). Revised NEMA standard covers Aramid papers used for electrical insulation. *I E E Electrical Insulation Magazine.* 21: 54-54. <http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=1389277>.
- Anon. (2006). NEMA: More sustainable growth for controls expected in North America after torrid pace. *Control Engineering Online.* 53: 30-30.
- Anon. (2007). Industrial control equipment sales rising, says NEMA. *Control Engineering Online.* 54: 45-45.
- Anon. (2007). NEMA: More industrial control equipment. *Control Engineering Online.* 54: 45-45.
- Anonymous. (2000). AASHTO, ITE and NEMA release standard for control of roadside Dynamic Message Signs (DMS). *Institute of Transportation Engineers ITE Journal.* 70: 16-+.
- Antonio Lopez-Perez, J; Edwards, S; Ploeg, A. (2011). Control of Root-knot Nematodes on Tomato in Stone Wool Substrate with Biological Nematicides. *Journal of Nematology.* 43: 110-117.
- Anttila, S; Hirvonen, A; Husgafvel-Pursiainen, K; Karjalainen, A; Nurminen, T; Vainio, H. (1994). Combined effect of CYP1A1 inducibility and GSTM1 polymorphism on histological type of lung cancer. *Carcinogenesis.* 15: 1133-1135. <http://dx.doi.org/10.1093/carcin/15.6.1133>.
- Antti-Poika, M. (1986). Chronic intoxication due to occupational exposure to tri- or perchloroethylene: A clinical description of 30 cases. *Toxicol Lett.* 31S: 228.
- Apblett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc.* 837: 154-164.
- Apfalter, S; Krska, R; Linsinger, T; Oberhauser, A; Kandler, W; Grasserbauer, M. (1999). Interlaboratory comparison study for the determination of halogenated hydrocarbons in water. *Fresenius J Anal Chem.* 364: 660-665.
- Apreutesei, RE; Catrinescu, C; Teodosiu, C. (2008). Surfactant-modified natural zeolites for environmental applications in water purification. *Environmental Engineering and Management Journal.* 7: 149-161.
- Arancibia, R; Godoy, F; Garland, MT; Ibanez, A; Baggio, R; Klahn, AH. (2007). Reactions of the rhenium fragment ( $\eta(5)\text{-C}_5\text{Me}_5$ )Re(CO)(2) with chlorinated ethylenes: Coordination and C-Cl bond activation. *J Organomet Chem.* 692: 963-967. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.050>.
- Aranzabal, A; Pereda-Ayo, B; Pilar Gonzalez-Marcos, M; Gonzalez-Marcos, JA; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2014). State of the art in catalytic oxidation of chlorinated volatile organic compounds. *Chem Paper Chem Zvesti.* 68: 1169-1186. <http://dx.doi.org/10.2478/s11696-013-0505-7>.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol.* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Ardila Arias, AN; Angel martinez, M; Fuentes Zurita, G; Montes de Correa, C. (2007). Liquid-phase catalytic hydrodechlorination of perchloroethylene. *Revista Facultad de Ingenieria Universidad de Antioquia* 132-147.
- Ariadna Alvarez-Montero, M; Martin-Martinez, M; Gomez-Sainero, LM; Arevalo-Bastante, A; Bedia, J; Rodriguez, JJ. (2015). Kinetic Study of the Hydrodechlorination of Chloromethanes with Activated-Carbon-Supported Metallic Catalysts. *Ind Eng Chem Res.* 54: 2023-2029. <http://dx.doi.org/10.1021/ie5042484>.
- Arildskov, NP; Devlin, JF. (2000). Field and laboratory evaluation of a diffusive emitter for semipassive release of PCE to an aquifer. *Ground Water.* 38: 129-138.
- Arlie Sjøborg, P. (1992). *Solvent Neurotoxicity Methyl Chloride (Chapter 10)*. Boca Raton, FL: CRC Press.
- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. *J Contam Hydrol.* 40: 183-200.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). *Environ Sci Technol.* 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. *Environ Sci Technol.* 34: 1794-1805.

## Exposure Literature Search Results

### Off Topic

- Arpita, B; Ishimura, K; Nakamura, K; Takamizawa, K. (2013). Microbial dynamics in the process of restoration of groundwater contaminated by chlorinated ethene in the presence of *Escherichia coli*. *Journal of Material Cycles and Waste Management*. 15: 335-341. <http://dx.doi.org/10.1007/s10163-013-0124-y>.
- Arrebola, FJ; Gonzalez-Rodriguez, MJ; Frenich, AG; Marin-Juan, A; Vidal, JLM. (2005). Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography-mass spectrometry. *Anal Chim Acta*. 552: 60-66. <http://dx.doi.org/10.1016/j.aca.2005.07.054>.
- Aschengrau, A; Gallagher, LG; Winter, MR; Vieira, VM; Janulewicz, PA; Webster, TF; Ozonoff, DM. (2016). No Association Between Unintentional Head Injuries and Early-Life Exposure to Tetrachloroethylene (PCE)-Contaminated Drinking Water. *J Occup Environ Med*. 58: 1040-1045. <http://dx.doi.org/10.1097/JOM.0000000000000850>.
- Aschengrau, A; Rogers, S; Ozonoff, D. (2003). Perchloroethylene-contaminated drinking water and the risk of breast cancer: Additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect*. 111: 167-173. <http://dx.doi.org/10.1289/ehp.4980>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241345/pdf/ehp0111-000167.pdf>.
- Aschengrau, A; Weinberg, JM; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Exposure to tetrachloroethylene-contaminated drinking water and the risk of pregnancy loss. *Water Qual Expo Health*. 1: 23-34. <http://dx.doi.org/10.1007/s12403-009-0003-x>.
- Ashby, J. (1996). [Alpha]2[mu]-globulin nephropathy in white ravens. *Environ Health Perspect*. 104: 1264.
- Astrin, KH; Bishop, DF; Wetmur, JG; Kaul, B; Davidow, B; Desnick, RJ. (1987).  $\delta$ -aminolevulinic acid dehydratase isozymes and lead toxicity. *Ann N Y Acad Sci*. 514: 23-29. <http://dx.doi.org/10.1111/j.1749-6632.1987.tb48757.x>.
- Atasoy, E; Döğeroğlu, T; Kara, S. (2004). The estimation of NMVOC emissions from an urban-scale wastewater treatment plant. *Water Res*. 38: 3265-3274. <http://dx.doi.org/10.1016/j.watres.2004.04.036>.
- Atlas, E; Pollock, W; Greenberg, J; Heidt, L; Thompson, AM. (1993). ALKYL NITRATES, NONMETHANE HYDROCARBONS, AND HALOCARBON GASES OVER THE EQUATORIAL PACIFIC-OCEAN DURING SAGA-3. *J Geophys Res*. 98: 16933-16947.
- Atlas, E; Schauffler, S. (1991). ANALYSIS OF ALKYL NITRATES AND SELECTED HALOCARBONS IN THE AMBIENT ATMOSPHERE USING A CHARCOAL PRECONCENTRATION TECHNIQUE. *Environ Sci Technol*. 25: 61-67.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2015). Single-Walled Carbon Nanotube/Silica Composite as a Novel Coating for Solid-Phase Microextraction Fiber Based on Sol-Gel Technology. *Journal of Analytical Chemistry*. 70: 1192-1198. <http://dx.doi.org/10.1134/S1061934815100032>.
- Atteia, O; Hoehener, P. (2012). Fast semi-analytical approach to approximate plumes of dissolved redox-reactive pollutants in heterogeneous aquifers. 2: Chlorinated ethenes. *Advances in Water Resources*. 46: 74-83. <http://dx.doi.org/10.1016/j.advwatres.2012.02.006>.
- Auboeuf, D; Rieusset, J; Fajas, L; Vallier, P; Frering, V; Riou, JP; Staels, B; Auwerx, J; Laville, M; Vidal, H. (1997). Tissue distribution and quantification of the expression of mRNAs of peroxisome proliferator-activated receptors and liver X receptor-[alpha] in humans: No alteration in adipose tissue of obese and NIDDM patients. *Diabetes*. 46: 1319-1327. <http://dx.doi.org/10.2337/diabetes.46.8.1319>.
- Auinger, H. (1999). Determination and designation of the efficiency of electrical machines. 13: 15-23.
- Aulenta, F; Beccari, M; Majone, M; Papini, MP; Tandoi, V. (2008). Competition for H<sub>2</sub> between sulfate reduction and dechlorination in butyrate-fed anaerobic cultures. *Process Biochemistry*. 43: 161-168. <http://dx.doi.org/10.1016/j.procbio.2007.11.006>.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H<sub>2</sub> evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environ Sci Technol*. 42: 6185-6190. <http://dx.doi.org/10.1021/es800265b>.
- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environ Sci Technol*. 41: 2554-2559. <http://dx.doi.org/10.1021/es0624321>.
- Aulenta, F; Di Tomassi, C; Cupo, C; Papini, MP; Majone, M. (2006). Influence of hydrogen on the reductive dechlorination of tetrachloroethene (PCE) to ethene in a methanogenic biofilm reactor: role of mass transport phenomena. *J Chem Tech Biotechnol*. 81: 1520-1529. <http://dx.doi.org/10.1002/jctb.1562>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry*. 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments. *Water Sci Technol*. 52: 357-362.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments (vol 52, pg 357, 2005). *Water Sci Technol*. 52: 297-297.
- Aulenta, F; Fuoco, M; Canosa, A; Petrangeli Papini, M; Majone, M. (2008). Use of poly-beta-hydroxy-butyrates as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Sci Technol*. 57: 921-925. <http://dx.doi.org/10.2166/wst.2008.073>.
- Aulenta, F; Pera, A; Rossetti, S; Petrangeli Papini, M; Majone, M. (2007). Relevance of side reactions in anaerobic reductive dechlorination microcosms amended with different electron donors. *Water Res*. 41: 27-38. <http://dx.doi.org/10.1016/j.watres.2006.09.019>.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. 25: 1796-1802. <http://dx.doi.org/10.1016/j.bios.2009.12.033>.

## Exposure Literature Search Results

### Off Topic

- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of trichloroethene in a continuous-flow bioelectrochemical reactor: effect of cathode potential on rate, selectivity, and electron transfer mechanisms. *Environ Sci Technol.* 45: 8444-8451. <http://dx.doi.org/10.1021/es202262y>.
- Austin, EW; Okita, JR; Okita, RT; Larson, JL; Bull, RJ. (1995). Modification of lipoperoxidative effects of dichloroacetate and trichloroacetate is associated with peroxisome proliferation. *Toxicology.* 97: 59-69. [http://dx.doi.org/10.1016/0300-483X\(94\)02926-L](http://dx.doi.org/10.1016/0300-483X(94)02926-L).
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol.* 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.
- Averyanov, VA; Ryltsova, SV; Alferov, VA. (1997). Effect of medium on concurrent chlorination of tetrachloroethene and 1,2-dichloroethane. *Kinet Catal.* 38: 14-18.
- Aver'yanov, VA; Svechnikova, AA; Ermakov, AI. (2002). Effect of solvents on the selectivity of free-radical chlorination of functionalized ethanes, propanes, and tetrachloroethene. *Kinet Catal.* 43: 175-184.
- Avila, P; Sanchez, B; Cardona, AI. (2002). Influence of the methods of TiO<sub>2</sub> incorporation in monolithic catalysts for the photocatalytic destruction of chlorinated hydrocarbons in gas phase. *Catalysis Today.* 76: 271-278.
- Avramov, ID; Laenge, K; Rupp, S; Rapp, B; Rapp, M. (2007). Polymer coating behavior of Rayleigh-SAW resonators with gold electrode structure for gas sensor applications. *IEEE Trans Ultrason Ferroelectr Freq Control.* 54: 157-166.
- Axelsson, O. (1986). New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986. *Epidemiological studies of workers with exposure to tri- and tetrachloroethylenes [Review]*. New York: Elsevier Science Publishers.
- Ayensu, WK; Tchounwou, PB; McMurray, RW. (2004). Molecular and cellular mechanisms associated with autoimmune diseases. *Int J Environ Res Public Health.* 1: 39-73. <http://dx.doi.org/10.3390/ijerph2004010039>.
- Ayral-Cinar, D; Otero-Diaz, M; Demond, AH. (2016). A mechanism of basal spacing reduction in sodium smectitic clay materials in contact with DNAPL wastes. *Chemosphere.* 159: 577-583. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.079>.
- Ayyildiz, O; Peters, RW. (2004). Synergy of combined sonication and vapor stripping treatment in the removal of PCE from water. *Fresen Environ Bull.* 13: 1515-1517.
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the Evanite enrichment culture. *J Contam Hydrol.* 100: 11-21. <http://dx.doi.org/10.1016/j.jconhyd.2008.04.006>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol.* 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Baarnhielm, C; Dahlback, H; Skanberg, I. (1986). In vivo pharmacokinetics of felodipine predicted from in vitro studies in rat, dog and man. *Acta Pharmacol Toxicol.* 59: 113-122. <http://dx.doi.org/10.1111/j.1600-0773.1986.tb00142.x>.
- Baayen, RP; Cochius, G; Hendriks, H; Meffert, JP; Bakker, J; Bekker, M; van Den Boogert, PHJ, F; Stachewicz, H; van Leeuwen, GCM. (2006). History of potato wart disease in Europe - a proposal for harmonisation in defining pathotypes. *European Journal of Plant Pathology.* 116: 21-31. <http://dx.doi.org/10.1007/s10658-006-9039-y>.
- Babb, M. (1993). IEC AND NEMA - QUESTIONS AND CONCERNS. *Control Engineering Online.* 40: 71-75.
- Babiker, M; Dillon, MF; Bass, G; Walsh, TN. (2012). Oesophageal carcinoma in a married couple following long-term exposure to dry cleaning agents [Letter]. *Occup Environ Med.* 69: 525. <http://dx.doi.org/10.1136/oemed-2011-100407>.
- Baciacchi, R; D'Aprile, L; Innocenti, I; Massetti, F; Verginelli, J. (2014). Development of technical guidelines for the application of in-situ chemical oxidation to groundwater remediation. *J Clean Prod.* 77: 47-55. <http://dx.doi.org/10.1016/j.jclepro.2013.12.016>.
- Bacon, DR; Shaw, A. (1993). EXPERIMENTAL VALIDATION OF PREDICTED TEMPERATURE RISES IN TISSUE-MIMICKING MATERIALS. *Phys Med Biol.* 38: 1647-1659.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology.* 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, I; Toeroek, T; B-Beres, V; Toeroek, P; Tothmeresz, B; Nagy, AS; Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia.* 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Badawi, RD; Domigan, P; Johnson, O; Kemp, B; Kudrolli, H; Rempel, T; Rohatgi, R; Romanov, LV; Surti, S; Worstell, WA; Zimmerman, RE. (2004). Count-rate dependent event mispositioning and NEC in PET. *IEEE Trans Nucl Sci.* 51: 41-45. <http://dx.doi.org/10.1109/TNS.2003.823045>.
- Badea, SL; Vogt, C; Weber, S; Danet, AF; Richnow, HH. (2009). Stable isotope fractionation of gamma-hexachlorocyclohexane (lindane) during reductive dechlorination by two strains of sulfate-reducing bacteria. *Environ Sci Technol.* 43: 3155-3161. <http://dx.doi.org/10.1021/es801284m>.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol.* 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl<sub>4</sub> over Pt/gamma-Al<sub>2</sub>O<sub>3</sub> - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen.* 217: 79-89.
- Baek, NH; Jaffe, PR; Shingal, N. (1990). Simulating the degradation of TCE under methanogenesis. *J Environ Sci Health, Part A: Environ Sci Eng.* 25: 987-1006.

## Exposure Literature Search Results

### Off Topic

- Bagby, GCJ. (1994). Hematopoiesis. In G Stamatoyannopoulos; AW Nienhuis; PW Majerus; H Varmus (Eds.), (pp. 71-103). Philadelphia: W.B. Saunders Company.
- Baggetto, LG. (1992). Deviant energetic metabolism of glycolytic cancer cells. *Biochimie*. 74: 959-974. [http://dx.doi.org/10.1016/0300-9084\(92\)90016-8](http://dx.doi.org/10.1016/0300-9084(92)90016-8).
- Bagley, DM. (1998). Systematic approach for modeling tetrachloroethene biodegradation. *J Environ Eng*. 124: 1076-1086.
- Bagley, DM; Brodkorb, TS. (1999). Modeling microbial kinetics in an anaerobic sequencing batch reactor - Model development and experimental validation. *Water Environ Res*. 71: 1320-1332.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res*. 34: 171-178.
- Bai, C; Conwell, R. (2011). New Daily Detector Uniformity Quality Control Methodology for Cardiac SPECT Using Solid-State Detectors. *IEEE Trans Nucl Sci*. 58: 2198-2204. <http://dx.doi.org/10.1109/TNS.2011.2163945>.
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health*. 8: 191-203.
- Bai, GY; Brusseau, ML; Miller, RM. (1998). Influence of cation type, ionic strength, and pH on solubilization and mobilization of residual hydrocarbon by a biosurfactant. *J Contam Hydrol*. 30: 265-279.
- Bailer, AJ; Smith, RJ. (1994). Estimating upper confidence limits for extra risk in quantal multistage models. *Risk Anal*. 14: 1001-1010. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00069.x>.
- Bailey, SR; Russell, EL; Martinez, A. (1997). Evaluation of the AVOXimeter: Precision, long-term stability, linearity, and use without heparin. *J Clin Monit Comput*. 13: 191-198. <http://dx.doi.org/10.1023/A:1007308616686>.
- Baillet, C; Fadli, A; J-P, S. (1996). Experimental study on the thermal oxidation of 1,3-hexachlorobutadiene at 500 - 1100 degrees C. *Chemosphere*. 32: 1261-1273.
- Bajracharya, K; Barry, DA. (1994). NOTE ON COMMON MIXING CELL MODELS. *J Hydrol*. 153: 189-214.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg*. 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Balazova, A; Slodicka, M; Van Keer, R. (2006). Parameter determination for reductive dechlorination of chlorinated solvents. *Transport in Porous Media*. 65: 411-424. <http://dx.doi.org/10.1007/s11242-006-0001-4>.
- Baldwin, RA; Meinerz, R; Orloff, SB. (2016). Burrow fumigation versus trapping for pocket gopher (*Thomomys* spp.) management: a comparison of efficacy and cost effectiveness. *Wildlife Research*. 43: 389-397. <http://dx.doi.org/10.1071/WR16037>.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (2001). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard" by W. P. Ball et al. (vol 33, pg 2741, 1997). *Water Resour Res*. 37: 189-189.
- Ball, WP; Roberts, PV. (1991). LONG-TERM SORPTION OF HALOGENATED ORGANIC-CHEMICALS BY AQUIFER MATERIAL .2. INTRAPARTICLE DIFFUSION. *Environ Sci Technol*. 25: 1237-1249.
- Ballapragada, BS; Stensel, HD; Ferguson, JF. (1997). Comment on "Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture". *Environ Sci Technol*. 31: 1250-1250.
- Ballapragada, BS; Stensel, HD; Puhakka, JA; Ferguson, JF. (1997). Effect of hydrogen on reductive dechlorination of chlorinated ethenes. *Environ Sci Technol*. 31: 1728-1734.
- Ballvora, A; Flath, K; Lübeck, J; Strahwald, J; Tacke, E; Hofferbert, HR; Gebhardt, C. (2011). Multiple alleles for resistance and susceptibility modulate the defense response in the interaction of tetraploid potato (*Solanum tuberosum*) with *Synchytrium endobioticum* pathotypes 1, 2, 6 and 18. *Theor Appl Genet*. 123: 1281-1292. <http://dx.doi.org/10.1007/s00122-011-1666-9>.
- Balter, S. (2001). A new tool for benchmarking cardiovascular fluoroscopes. *Radiat Prot Dosimetry*. 94: 161-166.
- Baltruschat, H; Kamphausen, I; Oelgeklaus, R; Rose, J; Wahlkamp, M. (1997). Detection of volatile organic solvents using potentiodynamic gas sensors. *Anal Chem*. 69: 743-748.
- Balzarova, MA; Castka, P. (2008). Underlying mechanisms in the maintenance of ISO 14001 environmental management system. *J Clean Prod*. 16: 1949-1957. <http://dx.doi.org/10.1016/j.jclepro.2008.01.007>.
- Banerjee, S; Sutanto, S; Kleijn, JM; van Roosmalen, MJ; Witkamp, GJ; Stuart, MA. (2012). Colloidal interactions in liquid CO<sub>2</sub>--a dry-cleaning perspective [Review]. *Adv Colloid Interface Sci*. 175: 11-24. <http://dx.doi.org/10.1016/j.cis.2012.03.005>.
- Bao, GB; John, WW; Johnson, WP. (2000). Chromatographic alteration of a nonionic surfactant mixture during transport in dense nonaqueous phase liquid contaminated sediment. *Environ Sci Technol*. 34: 680-685.
- Baragi, JG; Aralaguppi, MI; Aminabhavi, TM; Kariduraganavar, MY; Kittur, AS. (2005). Density, Viscosity, Refractive Index, and Speed of Sound for Binary Mixtures of Anisole with 2-Chloroethanol, 1,4-Dioxane, Tetrachloroethylene, Tetrachloroethane, DMF, DMSO, and Diethyl Oxalate at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data*. 50: 910-916. <http://dx.doi.org/10.1021/jc049610v>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V. (1994). PHASE-BEHAVIOR OF WATER PERCHLOROETHYLENE ANIONIC SURFACTANT SYSTEMS. *Langmuir*. 10: 1146-1150.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol*. 30: 2143-2147.
- Barbier, O; Duran-Sandoval, D; Pineda-Torra, I; Kosykh, V; Fruchart, JC; Staels, B. (2003). Peroxisome proliferator-activated receptor [alpha] induces hepatic expression of the human bile acid glucuronidating UDP-glucuronosyltransferase 2B4 enzyme. *J Biol Chem*. 278: 32852-32860. <http://dx.doi.org/10.1074/jbc.M305361200>.

## Exposure Literature Search Results

### Off Topic

- Barchet, R; Biermann, J; Feucht, M; Th, H; Jori, H; Wilk, G. (1972). [Results of chemical investigations on environmental protection]. *Dtsch Lebensm-Rundsch.* 68: 69-74.
- Baric, M; Majone, M; Beccari, M; Papini, MP. (2012). Coupling of polyhydroxybutyrate (PHB) and zero valent iron (ZVI) for enhanced treatment of chlorinated ethanes in permeable reactive barriers (PRBs). *Chem Eng J.* 195: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.04.026>.
- Barman, N; Singha, D; Sahu, K. (2013). Fluorescence quenching of hydrogen-bonded coumarin 102-phenol complex: effect of excited-state hydrogen bonding strength. *J Phys Chem A.* 117: 3945-3953. <http://dx.doi.org/10.1021/jp4019298>.
- Barnes, DG; Dourson, M. (1988). Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol.* 8: 471-486. [http://dx.doi.org/10.1016/0273-2300\(88\)90047-5](http://dx.doi.org/10.1016/0273-2300(88)90047-5).
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barrass, N; Stewart, M; Warburton, S; Aitchison, J; Jackson, D; Wadsworth, P; Marsden, A; Orton, T. (1993). Cell proliferation in the liver and thyroid of C57Bl/10J mice after dietary administration of chlordane. *Environ Health Perspect.* 101: 219-223.
- Barret, O; Carpenter, TA; Clark, JC; Ansorge, RE; Fryer, TD. (2005). Monte Carlo simulation and scatter correction of the GE advance PET scanner with SimSET and Geant4. *Phys Med Biol.* 50: 4823-4840. <http://dx.doi.org/10.1088/0031-9155/50/20/006>.
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab.* 8: 33-45.
- Barthos, R; Mehn, D; Demortier, A; Pierard, N; Morciaux, Y; Demortier, G; Fonseca, A; Nagy, JB. (2005). Functionalization of single-walled carbon nanotubes by using alkyl-halides. *Carbon.* 43: 321-325. <http://dx.doi.org/10.1016/j.carbon.2004.09.018>.
- Bartlett, KB; Sachse, GW; Slate, T; Harward, C; Blake, DR. (2003). Large-scale distribution of CH<sub>4</sub> in the western North Pacific: Sources and transport from the Asian continent. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003076>.
- Bartoli, A; Esposito, G; D'Angeli, L; Chaabane, L; Terreno, E. (2013). MRI and PET Compatible Bed for Direct Co-Registration in Small Animals. *IEEE Trans Nucl Sci.* 60: 1596-1602. <http://dx.doi.org/10.1109/TNS.2013.2262950>.
- Bartsch, H; Malaveille, C; Barbin, A; Bresil, H; Tomatis, L; Montesano, R. (1976). Mutagenicity and metabolism of vinyl chloride and related compounds [Review]. *Environ Health Perspect.* 17: 193-198.
- Bartulewicz, J; Bartulewicz, E; Gawlowski, J; Niedzielski, J. (1998). Simple and rapid method for the determination of methylene chloride, ethylene dichloride, trichloroethylene and tetrachloroethylene in atmospheric air. *Chemia analityczna.* 43: 887-895.
- Basu, D; Asolekar, SR. (2012). Effect of carbon sources on the removal of 1,1,2-trichloroethane and 1,1,2,2-tetrachloroethane in UASB reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 638-644. <http://dx.doi.org/10.1080/10934529.2012.650586>.
- Basu, D; Asolekar, SR. (2012). Evaluation of substrate removal kinetics for UASB reactors treating chlorinated ethanes. *Environ Sci Pollut Res Int.* 19: 2419-2427. <http://dx.doi.org/10.1007/s11356-012-0754-y>.
- Batchelor, B. (2006). Overview of waste stabilization with cement [Review]. *Waste Manag.* 26: 689-698. <http://dx.doi.org/10.1016/j.wasman.2006.01.020>.
- Bateman, AJ; Epstein, SS. (1971). Dominant lethal mutations in mammals. In A Hollaender (Ed.), (pp. 541-568). New York, NY: Plenum Press.
- Bates, BA; Brenniman, GR; Allen, RJ; Anderson, RJ. (1991). ELUTION PROFILES OF 3 CHLORINATED HYDROCARBONS LEACHING THROUGH SANDY SOIL. *J Environ Eng.* 117: 279-290.
- Bateson, TF; Schwartz, J. (2008). Children's response to air pollutants [Review]. *J Toxicol Environ Health A.* 71: 238-243. <http://dx.doi.org/10.1080/15287390701598234>.
- Bauer, P; Attinger, S; Kinzelbach, W. (2001). Transport of a decay chain in homogenous porous media: analytical solutions. *J Contam Hydrol.* 49: 217-239.
- Bauer, S; Wolff, I; Werner, N; Schmidt, R; Blume, R; Pelzing, M. (1995). Toxicological investigations in the semiconductor industry: IV: Studies on the subchronic oral toxicity and genotoxicity of vacuum pump oils contaminated by waste products from aluminum plasma etching processes. *Toxicol Ind Health.* 11: 523-541. <http://dx.doi.org/10.1177/074823379501100506>.
- Baum, G; Oppenlaender, T. (1995). Vacuum-UV: Oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere.* 30: 1781-1790.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol.* 78: 129-146. <http://dx.doi.org/10.1016/j.jconhyd.2005.03.005>.
- Beck, BD; Rudel, R; Calabrese, EJ. (1994). The use of toxicology in the regulatory process. In AW Hayes (Ed.), (3 ed., pp. 19-58). New York, NY: Raven Press, Ltd.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environ Sci Technol.* 40: 4473-4480. <http://dx.doi.org/10.1021/es051849o>.
- Becker, JG; Berardesco, G; Rittmann, BE; Stahl, DA. (2005). The role of syntrophic associations in sustaining anaerobic mineralization of chlorinated organic compounds. *Environ Health Perspect.* 113: 310-316. <http://dx.doi.org/10.1289/ehp.6933>.
- Becker, JG; Seagren, EA. (2009). Modeling the Effects of Microbial Competition and Hydrodynamics on the Dissolution and Detoxification of Dense Nonaqueous Phase Liquid Contaminants. *Environ Sci Technol.* 43: 870-877. <http://dx.doi.org/10.1021/es801616f>.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol.* 57: 147-159.
- Beliiles, RP. (2002). Concordance across species in the reproductive and developmental toxicity of tetrachloroethylene [Review]. *Toxicol Ind Health.* 18: 91-106. <http://dx.doi.org/10.1191/0748233702th1370a>.

## Exposure Literature Search Results

### Off Topic

- Bell, PR. (1988). A NEW STANDARD FOR TRAFFIC CONTROL-SYSTEMS - NEMA STANDARD TS2. Institute of Transportation Engineers ITE Journal. 58: 25-26.
- Bellar, TA; Lichtenberg, JJ. (1974). Determining volatile organics at microgram-per-litre levels by gas chromatographs. J Am Water Works Assoc. 66: 739-744.
- Bellar, TA; Lichtenberg, JJ; Kroner, RC. (1974). The occurrence of organohalides in chlorinated drinking waters. J Am Water Works Assoc. 66: 703-706.
- Bellat, JP; Bertrand, O; Bouvier, F; Broyer, M; Francois, V; Maure, S; Weber, G. (1999). Characterization and utilization of MFI zeolites and MCM-41 materials for gaseous pollutant adsorption. Stud Surf Sci Catal. 125: 737-744.
- Bellobono, IR; Gianturco, F; Chiodaroli, CM. (1997). Pilot-plant photomineralization of volatile organic compounds in air, by photocatalytic membranes immobilising titanium dioxide and promoting photocatalysts. Fresen Environ Bull. 6: 469-474.
- Benane, S; Blackman, C; House, D. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. J Toxicol Environ Health. 48: 427-437.
- Benes, V; Frantik, E; Horvath, M; Kozena, L. (1986). Vigilance performance paralleled with blood levels of solvents: Acetone, styrene, tetrachloroethylene. Homeost Health Dis. 28: 234-236.
- Beneteau, KM; Aravena, R; Frape, SK. (1999). Isotopic characterization of chlorinated solvents-laboratory and field results. Organic Geochemistry. 30: 739-753.
- Benick, J; Zimmermann, K; Spiegelman, J; Hermle, M; Glunz, SW. (2011). Rear side passivation of PERC-type solar cells by wet oxides grown from purified steam. Progress in Photovoltaics. 19: 361-365. <http://dx.doi.org/10.1002/pip.1020>.
- Benmouyal, G; Bilodeau, H; Chano, S; Sybille, G. (1993). NEW ALGORITHM FOR PROTECTION OF CAPACITOR BANKS EXPOSED TO HARMONIC OVERVOLTAGES. I E E Transactions on Power Delivery. 8: 898-904.
- Bennedsen, LR; Muff, J; Sogaard, EG. (2012). Influence of chloride and carbonates on the reactivity of activated persulfate. Chemosphere. 86: 1092-1097. <http://dx.doi.org/10.1016/j.chemosphere.2011.12.011>.
- Bentley, P; Calder, I; Elcombe, C; Grasso, P; Stringer, D; Wiegand, HJ. (1993). Hepatic peroxisome proliferation in rodents and its significance for humans. Food Chem Toxicol. 31: 857-907. [http://dx.doi.org/10.1016/0278-6915\(93\)90225-N](http://dx.doi.org/10.1016/0278-6915(93)90225-N).
- Benvenuti, C; Canil, G; Chiggiato, P; Collin, P; Cosso, R; Guerin, J; Ilie, S; Latorre, D; Neil, KS. (1999). Surface cleaning efficiency measurements for UHV applications. Vacuum. 53: 317-320.
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. J Environ Eng. 132: 725-735. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(725\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(725)).
- Beranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of chlorinated ethenes: modeling and parameter estimation methods. Advances in Water Resources. 28: 87-98. <http://dx.doi.org/10.1016/j.advwatres.2004.08.014>.
- Bergamaschi, E; Mutti, A; Bocchi, MC; Alinovi, R; Olivetti, G; Ghiggeri, GM; Franchini, I. (1992). Rat model of perchloroethylene-induced renal dysfunctions. Environ Res. 59: 427-439. [http://dx.doi.org/10.1016/S0013-9351\(05\)80046-5](http://dx.doi.org/10.1016/S0013-9351(05)80046-5).
- Bergeron, M; Cadorette, J; Tetrault, MA; Beaudoin, JF; Leroux, JD; Fontaine, R; Lecomte, R. (2014). Imaging performance of LabPET APD-based digital PET scanners for pre-clinical research. Phys Med Biol. 59: 661-678. <http://dx.doi.org/10.1088/0031-9155/59/3/661>.
- Berggren, DRV; Marshall, I; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. Environ Sci Technol. 47: 1879-1886. <http://dx.doi.org/10.1021/es304244z>.
- Bergmann, H. (1993). TEST PHANTOMS IN NUCLEAR-MEDICINE - PLANAR-GAMMA CAMERA. Radiat Prot Dosimetry. 49: 285-293.
- Bergmann, H; Dobrozemsky, G; Minear, G; Nicoletti, R; Samal, M. (2005). An inter-laboratory comparison study of image quality of PET scanners using the NEMA NU 2-2001 procedure for assessment of image quality. Phys Med Biol. 50: 2193-2207. <http://dx.doi.org/10.1088/0031-9155/50/10/001>.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. J Environ Qual. 32: 801-815.
- Berlin, K; Edling, C; Persson, B; Ahlborg, G; Hillert, L; Hogstedt, B; Lundberg, I; Svensson, BG; Thiringer, G; Orbaek, P. (1995). Cancer incidence and mortality of patients with suspected solvent-related disorders. Scand J Work Environ Health. 21: 362-367.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. J Toxicol Environ Health. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernard, A; Hermans, C. (1997). Biomonitoring of early effects on the kidney or the lung. Sci Total Environ. 199: 205-211.
- Bernard, A; Lauwerys, R. (1989). Epidemiological application of early markers of nephrotoxicity. Toxicol Lett. 46: 293-306. [http://dx.doi.org/10.1016/0378-4274\(89\)90137-9](http://dx.doi.org/10.1016/0378-4274(89)90137-9).
- Bernstein, A; Ronen, Z; Gelman, F. (2013). Insight on RDX degradation mechanism by Rhodococcus strains using 13C and 15N kinetic isotope effects. Environ Sci Technol. 47: 479-484. <http://dx.doi.org/10.1021/es302691g>.
- Berton, P; Vera-Candioti, L; Goicoechea, HC; Wuilloud, RG. (2013). A microextraction procedure based on an ionic liquid as an ion-pairing agent optimized using a design of experiments for chromium species separation and determination in water samples. Analytical Methods. 5: 5065-5073. <http://dx.doi.org/10.1039/c3ay40617b>.
- Best, DE; Horii, SC; Bennett, W; Thomson, B; Snavely, D. (1992). REVIEW OF THE AMERICAN-COLLEGE-OF-RADIOLOGY-NATIONAL-ELECTRICAL-MANUFACTURERS-ASSOCIATION STANDARD ACTIVITY. Comput Methods Programs Biomed. 37: 305-309.
- Bethke, J; Kopf, J; Margaretha, P; Pignon, B; Dupont, L; Christiaens, LE. (1997). Photochemistry of isothiocoumarin (= 1H-[2]benzothiopyran-1-one). Helvetica Chimica Acta. 80: 1865-1868.



## Exposure Literature Search Results

### Off Topic

- Bettoli, MG; Ravanelli, M; Tositti, L; Tubertini, O; Guzzi, L; Martinotti, W; Queirazza, G; Tamba, M. (1998). Radiation induced decomposition of halogenated organic compounds in water. *Radiat Phys Chem Oxf Engl* 1993. 52: 327-331.
- Beyer, T; Hahn, P; Hartwig, S; Konz, W; Scharring, S; Katzir, A; Steiner, H; Jakusch, M; Kraft, M; Mizaikoff, B. (2003). Mini spectrometer with silver halide sensor fiber for in situ detection of chlorinated hydrocarbons. *Sens Actuators B*. 90: 319-323. [http://dx.doi.org/10.1016/S0925-4005\(03\)00054-6](http://dx.doi.org/10.1016/S0925-4005(03)00054-6).
- Bezbarua, BK; Reckhow, DA. (2004). Modification of the standard neutral ozone decomposition model. *Ozone: Science and Engineering*. 26: 345-357. <http://dx.doi.org/10.1080/019195104904821479>.
- Bhargava, KP; Srivastava, VK; Barthwal, JP; Sinha, JN. (1976). Significance of spinal autonomic loci in post coronary ligation arrhythmia. *Neuropharmacology*. 15: 625-633. [http://dx.doi.org/10.1016/0028-3908\(76\)90019-8](http://dx.doi.org/10.1016/0028-3908(76)90019-8).
- Bhatia, SC; Bhatia, R; Dubey, GP. (2009). Studies on Transport and Thermodynamic Properties of Binary Mixtures of Hexan-1-ol with Halogenated Compounds at 293.15 K. *Journal of Chemical and Engineering Data*. 54: 3303-3306. <http://dx.doi.org/10.1021/jc900278v>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol*. 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res*. 68: 260-269.
- Bhowmik, A; Asahino, A; Shiraki, T; Nakamura, K; Takamizawa, K. (2009). In situ study of tetrachloroethylene bioremediation with different microbial community shifting. *Environ Technol*. 30: 1607-1614. <http://dx.doi.org/10.1080/09593330903369986>.
- Bhowmik, A; Ishimura, K; Nakamura, K; Takamizawa, K. (2012). Degradation activity of Clostridium species DC-1 in the cis-1,2-dichloroethylene contaminated site in the presence of indigenous microorganisms and Escherichia coli. *Journal of Material Cycles and Waste Management*. 14: 212-219. <http://dx.doi.org/10.1007/s10163-012-0060-2>.
- Bhunya, SP; Das, P. (1987). Bone marrow chromosome aberration and sperm abnormality in mice in vivo induced by monochloroacetic acid (MCA). *Chrom Info Service*. 42: 28-30.
- Bianchimosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS-STEEL VS PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monitoring and Remediation*. 12: 126-131.
- Bianchimosquera, GC; Mackay, DM. (1994). AN EVALUATION OF THE REPRODUCIBILITY OF FORCED-GRADIENT SOLUTE TRANSPORT TESTS. *Ground Water*. 32: 937-948.
- Bickle, GM; Suzuki, T; Mitarai, Y. (1994). CATALYTIC DESTRUCTION OF CHLOROFLUOROCARBONS AND TOXIC CHLORINATED HYDROCARBONS. *Appl Catal B-Environ*. 4: 141-153.
- Bielefeldt, AR; Stensel, HD; Strand, SE. (1995). COMETABOLIC DEGRADATION OF TCE AND DCE WITHOUT INTERMEDIATE TOXICITY. *J Environ Eng*. 121: 791-797.
- Bignami, M; Cardamone, G; Comba, P; Ortali, VA; Morpurgo, G; Carere, A. (1977). Relationship between chemical structure and mutagenic activity in some pesticides: The use of Salmonella typhimurium and Aspergillus nidulans. *Mutat Res*. 46: 243-244. [http://dx.doi.org/10.1016/0165-1161\(77\)90103-0](http://dx.doi.org/10.1016/0165-1161(77)90103-0).
- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), NBS special publication (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bina, MT; Kashefi, A. (2011). Three-phase unbalance of distribution systems: Complementary analysis and experimental case study. *International Journal of Electrical Power & Energy Systems*. 33: 817-826. <http://dx.doi.org/10.1016/j.ijepes.2010.12.003>.
- Biswas, N; Zytner, RG; Bewtra, JK. (1992). MODEL FOR PREDICTING PCE DESORPTION FROM CONTAMINATED SOILS. *Water Environ Res*. 64: 170-178.
- Biswas, N; Zytner, RG; Mccorquodale, JA; Bewtra, JK. (1991). PREDICTION OF THE MOVEMENT OF PERCHLOROETHYLENE IN SOIL COLUMNS. *Water Air Soil Pollut*. 60: 361-380.
- Bizzigotti, GO; Reynolds, DA; Kueper, BH. (1997). Enhanced solubilization and destruction of tetrachloroethylene by hydroxypropyl-beta-cyclodextrin and iron. *Environ Sci Technol*. 31: 472-478.
- Black, D. (1982). Glue sniffing. *Arch Dis Child*. 57: 893-894.
- Black, H. (2006). Pressed for hard facts: Multiple tetrachloroethylene-cancer links go unconfirmed. *Environ Health Perspect*. 114: A114. <http://dx.doi.org/10.1289/ehp.114-a114>.
- Black, WZ; Brown, KW; Harshe, BL. (1999). Ampacity of cables in trays surrounded with fire barrier material. *I E E E Transactions on Power Delivery*. 14: 8-17.
- Black, WZ; Woodruff, GW; Kovalchik, PG; Duda, FT. (1994). AMPACITIES OF POWER-CABLES WOUND ON REELS. *I E E E Transactions on Power Delivery*. 9: 1209-1216.
- Blair, A; Burg, J; Foran, J; Gibb, H; Greenland, S; Morris, R; Raabe, G; Savitz, D; Teta, J; Wartenberg, D; Wong, O; Zimmerman, R. (1995). Guidelines for application of meta-analysis in environmental epidemiology. *Regul Toxicol Pharmacol*. 22: 189-197. <http://dx.doi.org/10.1006/rtph.1995.1084>.
- Blair, A; Petralia, SA; Stewart, PA. (2003). Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol*. 13: 50-56. [http://dx.doi.org/10.1016/S1047-2797\(02\)00250-8](http://dx.doi.org/10.1016/S1047-2797(02)00250-8); <http://www.sciencedirect.com/science/article/pii/S1047279702002508>.
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environ Sci Technol*. 32: 294-298.
- Blake, DR; Blake, NJ; Smith, TW; Wingenter, OW; Rowland, FS. (1996). Nonmethane hydrocarbon and halocarbon distributions during Atlantic Stratocumulus Transition Experiment Marine Aerosol and Gas Exchange, June 1992. *J Geophys Res Atmos*. 101: 4501-4514.

## Exposure Literature Search Results

### Off Topic

- Blake, DR; Smith, TW; Chen, TY; Whipple, WJ; Rowland, FS. (1994). EFFECTS OF BIOMASS BURNING ON SUMMERTIME NONMETHANE HYDROCARBON CONCENTRATIONS IN THE CANADIAN WETLANDS. *J Geophys Res Atmos.* 99: 1699-1719. <http://dx.doi.org/10.1029/93JD02598>.
- Blake, NJ; Blake, DR; Simpson, IJ; Lopez, JP; Johnston, NAC; Swanson, AL; Katzenstein, AS; Meinardi, S; Sive, BC; Colman, JJ; Atlas, E; Flocke, F; Vay, SA; Avery, MA; Rowland, FS. (2001). Large-scale latitudinal and vertical distributions of NMHCs and selected halocarbons in the troposphere over the Pacific Ocean during the March-April 1999 Pacific Exploratory Mission (PEM-Tropics B). *J Geophys Res Atmos.* 106: 32627-32644.
- Blake, NJ; Blake, DR; Simpson, IJ; Meinardi, S; Swanson, AL; Lopez, JP; Katzenstein, AS; Barletta, B; Shirai, T; Atlas, E; Sachse, G; Avery, M; Vay, S; Fuelberg, HE; Kiley, CM; Kita, K; Rowland, FS. (2003). NMHCs and halocarbons in Asian continental outflow during the Transport and Chemical Evolution over the Pacific (TRACE-P) Field Campaign: Comparison with PEM-West B. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003367>.
- Blanch-Raga, N; Soriano, MD; Palomares, AE; Concepcion, P; Martinez-Triguero, J; Lopez Nieto, JM. (2013). Catalytic abatement of trichloroethylene over Mo and/or W-based bronzes. *Appl Catal B-Environ.* 130: 36-43. <http://dx.doi.org/10.1016/j.apcatb.2012.10.016>.
- Blando, JD; Schill, DP; De La Cruz, MP; Zhang, L; Zhang, J. (2010). Preliminary study of propyl bromide exposure among New Jersey dry cleaners as a result of a pending ban on perchloroethylene. *Journal of the Air and Waste Management Association.* 60: 1049-1056. <http://dx.doi.org/10.3155/1047-3289.60.9.1049>.
- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frape, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environ Sci Technol.* 34: 2768-2772. <http://dx.doi.org/10.1021/es991179k>.
- Blossom, SJ; Doss, JC; Gilbert, KM. (2007). Chronic exposure to a trichloroethylene metabolite in autoimmune-prone MRL+/+ mice promotes immune modulation and alopecia. *Toxicol Sci.* 95: 401-411. <http://dx.doi.org/10.1093/toxsci/kfl149>.
- Blossom, SJ; Gilbert, KM. (2006). Exposure to a metabolite of the environmental toxicant, trichloroethylene, attenuates CD4+ T cell activation-induced cell death by metalloproteinase-dependent FasL shedding. *Toxicol Sci.* 92: 103-114. <http://dx.doi.org/10.1093/toxsci/kfj212>.
- Blossom, SJ; Pumford, NR; Gilbert, KM. (2004). Activation and attenuation of apoptosis of CD4+ T cells following in vivo exposure to two common environmental toxicants, trichloroacetaldehyde hydrate and trichloroacetic acid. *J Autoimmun.* 23: 211-220. <http://dx.doi.org/10.1016/j.jaut.2004.06.007>.
- Blunden, S. (1981). Drugs and the soldier. *J R Army Med Corps.* 127: 72-77.
- Blystone, PG; Johnson, MD; Haag, WR; Daley, PF. (1993). ADVANCED ULTRAVIOLET FLASH LAMPS FOR THE DESTRUCTION OF ORGANIC CONTAMINANTS IN AIR. *ACS Symp Ser Am Chem Soc.* 518: 380-392.
- Bob, MM; Brooks, MC; Mravik, SC; Wood, AL. (2008). A modified light transmission visualization method for DNAPL saturation measurements in 2-D models. *Advances in Water Resources.* 31: 727-742. <http://dx.doi.org/10.1016/j.advwatres.2008.01.016>.
- Bodenhofer, K; Hierlemann, A; Noetzel, G; Weimar, U; Gopel, W. (1996). Performances of mass-sensitive devices for gas sensing: Thickness shear mode and surface acoustic wave transducers. *Anal Chem.* 68: 2210-2218.
- Boehm, C; Landgraf, D; Makeschin, F. (2009). Effects of two contrasting agricultural land-use practices on nitrogen leaching in a sandy soil of Middle Germany. *172: 408-417.* <http://dx.doi.org/10.1002/jpln.200700104>.
- Boellaard, R; Buijs, F; de Jong, HWA, M; Lenox, M; Gremillion, T; Lammertsma, AA. (2003). Characterization of a single LSO crystal layer high resolution research tomograph. *Phys Med Biol.* 48: 429-448. <http://dx.doi.org/10.1088/0031-9155/48/4/302>.
- Bogen, K; Keating, G; Meissner, S; Vogel, J. (1998). Initial uptake kinetics in human skin exposed to dilute aqueous trichloroethylene in vitro. *J Expo Anal Environ Epidemiol.* 8: 253-271.
- Bogen, KT. (1995). Methods to Approximate Joint Uncertainty and Variability in Risk. *Risk Anal.* 15: 411-419.
- Bogh, D; Coffee, J; Stone, G; Custodio, J. (2006). Partial-discharge-inception testing on low-voltage motors. *I E E Transactions on Industry Applications.* 42: 148-154. <http://dx.doi.org/10.1109/TIA.2005.861369>.
- Bohme, R; Braun, A; Zimmer, K. (2002). Backside etching of UV-transparent materials at the interface to liquids. *Appl Surf Sci.* 186: 276-281.
- Bohy, M; Dridi, L; Schaefer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. *Vadose Zone Journal.* 5: 539-553. <http://dx.doi.org/10.2136/vzj2005.0079>.
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; McLaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Boillat, MA; Berode, M; Droz, PO. (1986). SURVEILLANCE OF WORKERS EXPOSED TO PERCHLOROETHYLENE OR STYRENE. *Soz Praventivmed.* 31: 260-262.
- Bois, F. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci.* 895: 317-337.
- Boisson, F; Wimberley, CJ; Lehnert, W; Zahra, D; Pham, T; Perkins, G; Hamze, H; Gregoire, MC; Reilhac, A. (2013). NEMA NU 4-2008 validation and applications of the PET-SORTEO Monte Carlo simulations platform for the geometry of the Inveon PET preclinical scanner. *Phys Med Biol.* 58: 6749-6763. <http://dx.doi.org/10.1088/0031-9155/58/19/6749>.
- Bolesch, DG; Nielsen, RB; Keasling, JD. (1997). COMPLETE REDUCTIVE DECHLORINATION OF TRICHLOROETHENE BY A GROUNDWATER MICROBIAL CONSORTIUM (pp. NEW YORK). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/98/14946). Bolesch, DG; Nielsen, RB; Keasling, JD.
- Bollinger, PA. (1980). OPTIMIZING THE DESIGN OF A NEMA TYPE-7 EXPLOSION-PROOF ENCLOSURE USED FOR ELECTRO-MECHANICAL SWITCHING DEVICES. *I E E Transactions on Industry Applications.* 16: 44-50.

## Exposure Literature Search Results

### Off Topic

- Bolm-Audorff, U; Ahrens, W; Jöckel, KH; Greiser, E; Molik, B; Timm, J; Wichmann, HE. (1989). Experience with supplementary questionnaires in a lung cancer case reference study. In D Hemon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Office for Official Publications of the European Community.
- Bong, M; Laskowska-Klita, T; Szymczyk, T. (1985). Effect of the benzene fraction of petroleum on protein content in rat liver and kidney. *Bull Environ Contam Toxicol.* 34: 45-54.
- Bonnett, AH. (1991). THE BENEFITS OF ALLOWING FOR INCREASED STARTING CURRENT IN AC SQUIRREL CAGE INDUCTION-MOTORS. *IEEE Transactions on Industry Applications.* 27: 1169-1174.
- Bonnett, AH. (2001). Operating temperature considerations and performance characteristics for IEEE 841 motors. *IEEE Transactions on Industry Applications.* 37: 1120-1131.
- Bonse, G; Urban, T; Reichert, D; Henschler, D. (1975). Chemical reactivity, metabolic oxirane formation and biological reactivity of chlorinated ethylenes in the isolated perfused rat liver preparation. *Biochem Pharmacol.* 24: 1829-1834. [http://dx.doi.org/10.1016/0006-2952\(75\)90468-2](http://dx.doi.org/10.1016/0006-2952(75)90468-2).
- Bonutti, F; Cattaruzzi, E; Cragolini, E; Floreani, M; Foti, C; Malisan, MR; Moretti, E; Geatti, O; Padovani, R. (2008). Count-rate analysis from clinical scans in PET with LSO detectors. *Radiat Prot Dosimetry.* 129: 288-290. <http://dx.doi.org/10.1093/rpd/ncn153>.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res.* 34: 4437-4445.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere.* 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol.* 32: 2614-2622.
- Bortone, I; Di Nardo, A; Di Natale, M; Erto, A; Musmarra, D; Santonastaso, GF. (2013). Remediation of an aquifer polluted with dissolved tetrachloroethylene by an array of wells filled with activated carbon. *J Hazard Mater.* 260: 914-920. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.050>.
- Bosma, TN; Cottaar, FH; Posthumus, MA; Teunis, CJ; van Veldhuizen, A; Schraa, G; Zehnder, AJ. (1994). Comparison of reductive dechlorination of hexachloro-1,3-butadiene in Rhine sediment and model systems with hydroxocobalamin. *Environ Sci Technol.* 28: 1124-1128. <http://dx.doi.org/10.1021/es00055a023>.
- Botta, D; Dancelli, E; Mantica, E. (1996). A case history of contamination by polychloro-1,3-butadiene congeners. *Environ Sci Technol.* 30: 453-462.
- Bottero, S; Hassanizadeh, SM; Kleingeld, PJ; Heimovaara, TJ. (2011). Nonequilibrium capillarity effects in two-phase flow through porous media at different scales. *Water Resour Res.* 47: 10505-10505. <http://dx.doi.org/10.1029/2011WR010887>.
- Bouchardy, C; Schüller, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health.* 28: 1-88.
- Bouwer, EJ; Mccarty, PL; Lance, JC. (1981). Trace organic behavior in soil columns during rapid infiltration of secondary wastewater. *Water Res.* 15: 151-159. [http://dx.doi.org/10.1016/0043-1354\(81\)90195-0](http://dx.doi.org/10.1016/0043-1354(81)90195-0).
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review [Review]. *Environ Health Perspect.* 110: 61-74.
- Bove, FJ. (1996). Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. *Toxicol Ind Health.* 12: 255-266.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environ Sci Technol.* 33: 764-770.
- Bowen, SE; Batis, JC; Paez-Martinez, N; Cruz, SL. (2006). The last decade of solvent research in animal models of abuse: Mechanistic and behavioral studies [Review]. *Neurotoxicol Teratol.* 28: 636-647. <http://dx.doi.org/10.1016/j.ntt.2006.09.005>.
- Bowler, RM; Mergler, D; Huel, G; Harrison, R; Cone, J. (1991). Neuropsychological impairment among former microelectronics workers. *Neurotoxicology.* 12: 87-103.
- Bowman, KJ. (1982). A method for quantitative scoring of the Farnsworth Panel D-15. *Acta Ophthalmol.* 60: 907-916. <http://dx.doi.org/10.1111/j.1755-3768.1982.tb00621.x>.
- Bowman, RS; Haggerty, GM; Huddleston, RG; Neel, D; Flynn, MM. (1995). SORPTION OF NONPOLAR ORGANIC-COMPOUNDS, INORGANIC CATIONS, AND INORGANIC OXYANIONS BY SURFACTANT-MODIFIED ZEOLITES. *ACS Symp Ser Am Chem Soc.* 594: 54-64.
- Boyce, CP. (1998). Comparison of approaches for developing distributions for carcinogenic slope factors. *Hum Ecol Risk Assess.* 4: 527-577.
- Boyd, GR; Li, MH; Husserl, J; Ocampo-Gomez, AM. (2006). Dip-angle influence on areal DNAPL recovery by co-solvent flooding with and without pre-flooding. *J Contam Hydrol.* 82: 319-337. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.007>.
- Boyd, GR; Ocampo-Gomez, A; Li, M; Husserl, J. (2006). Effects of initial saturation on properties modification and displacement of tetrachloroethene with aqueous isobutanol. *J Contam Hydrol.* 88: 69-91. <http://dx.doi.org/10.1016/j.jconhyd.2006.06.003>.

## Exposure Literature Search Results

### Off Topic

- Boyes, WK; Evans, MV; Eklund, C; Janssen, P; Simmons, JE. (2005). Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. *Risk Anal.* 25: 677-686. <http://dx.doi.org/10.1111/j.1539-6924.2005.00622.x>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol.* 136: 712-721.
- Bozzelli, JW; Kebbekus, BB. (1979). Analysis of selected volatile organic substances in ambient air. (PB80-144694). Newark, NJ: New Jersey Department of Environmental Protection. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80144694>.
- Braad, PE; Hansen, SB; Højlund-Carlsen, PF. (2015). Impact of high (131)I-activities on quantitative (124)I-PET. *Phys Med Biol.* 60: 5297-5312. <http://dx.doi.org/10.1088/0031-9155/60/13/5297>.
- Bradford, SA; Abriola, LM. (2001). Dissolution of residual tetrachloroethylene in fractional wettability porous media: Incorporation of interfacial area estimates. *Water Resour Res.* 37: 1183-1195.
- Bradford, SA; Phelan, TJ; Abriola, LM. (2000). Dissolution of residual tetrachloroethylene in fractional wettability porous media: correlation development and application. *J Contam Hydrol.* 45: 35-61.
- Bradford, SA; Rathfelder, KM; Lang, J; Abriola, LM. (2003). Entrapment and dissolution of DNAPLs in heterogeneous porous media. *J Contam Hydrol.* 67: 133-157. [http://dx.doi.org/10.1016/S0169-7722\(03\)00071-8](http://dx.doi.org/10.1016/S0169-7722(03)00071-8).
- Bradford, SA; Vendlinski, RA; Abriola, LM. (1999). The entrapment and long-term dissolution of tetrachloroethylene in fractional wettability porous media. *Water Resour Res.* 35: 2955-2964.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55. <http://dx.doi.org/10.1111/j.1745-6592.2011.01344.x>.
- Bradley, PM; Chapelle, FH. (1996). Anaerobic mineralization of vinyl chloride in Fe(III)-reducing, aquifer sediments. *Environ Sci Technol.* 30: 2084-2086.
- Bradley, PM; Chapelle, FH. (1997). Kinetics of DCE and VC mineralization under methanogenic and Fe(III)-reducing conditions. *Environ Sci Technol.* 31: 2692-2696.
- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environ Sci Technol.* 32: 553-557.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethane biodegradation under methanogenic conditions. *Environ Sci Technol.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (1999). Role for acetotrophic methanogens in methanogenic biodegradation of vinyl chloride. *Environ Sci Technol.* 33: 3473-3476.
- Bradley, PM; Chapelle, FH. (2000). Acetogenic microbial degradation of vinyl chloride. *Environ Sci Technol.* 34: 2761-2763. <http://dx.doi.org/10.1021/es991371m>.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Bradley, PM; Lacombe, PJ; Imbrigiotta, TE; Chapelle, FH; Goode, DJ. (2009). Flowpath Independent Monitoring of Reductive Dechlorination Potential in a Fractured Rock Aquifer. *Ground Water Monitoring and Remediation.* 29: 46-55.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kuschk, P; Kaestner, M. (2011). Adaptation of a Constructed Wetland to Simultaneous Treatment of Monochlorobenzene and Perchloroethene. *Int J Phytoremediation.* 13: 998-1013. <http://dx.doi.org/10.1080/15226514.2010.549860>.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol.* 67: 43-60. [http://dx.doi.org/10.1016/S0169-7722\(03\)00087-1](http://dx.doi.org/10.1016/S0169-7722(03)00087-1).
- Brandes, D; Farley, KJ. (1993). Importance of phase behaviour on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res.* 65: 869-878.
- Brasse, D; Tararine, M; Lamer, O; Bendriem, B. (1998). Investigation of noise equivalent count rate in positron imaging using a dual head gamma camera. *IEEE Trans Nucl Sci.* 45: 438-442.
- Bredeloux, P; Dubuc, I; Costentin, J. (2007). Comparisons between bupropion and dexamphetamine in a range of in vivo tests exploring dopaminergic transmission. *Br J Pharmacol.* 150: 711-719. <http://dx.doi.org/10.1038/sj.bjp.0707151>.
- Breitbarth, FW; Rottmayer, S. (1986). INVESTIGATION OF RADICAL REACTIONS IN C2CL4 AND C2CL4/O2 DISCHARGES BY ELECTRON-PARAMAGNETIC-RES, MASS, AND EMISSION-SPECTROSCOPY. *Plasma Chemistry and Plasma Processing.* 6: 381-399.
- Breitenstein, O; Fruehauf, F; Turek, M. (2016). Improved empirical method for calculating short circuit current density images of silicon solar cells from saturation current density images and vice versa. *Solar Energy Materials and Solar Cells.* 154: 99-103. <http://dx.doi.org/10.1016/j.solmat.2016.04.047>.
- Brendel, R; Dullweber, T; Peibst, R; Kranz, C; Merkle, A; Walter, D. (2016). Breakdown of the efficiency gap to 29% based on experimental input data and modeling. *Progress in Photovoltaics.* 24: 1475-1486. <http://dx.doi.org/10.1002/pip.2696>.
- Brendel, R; Peibst, R. (2016). Contact Selectivity and Efficiency in Crystalline Silicon Photovoltaics. 6: 1413-1420. <http://dx.doi.org/10.1109/JPHOTOV.2016.2598267>.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *J Environ Eng.* 132: 664-673. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:6\(664\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:6(664)).
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.

## Exposure Literature Search Results

### Off Topic

- Breslow, NE; Day, NE. (1994). Statistical Method in Cancer Research. Volume 2 - The Design and Analysis of Cohort Studies [Review]. In NE Breslow; NE Day (Eds.), (IARC Scientific Publications No. 82 ed., pp. 1-406). New York, NY: Oxford University Press. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Breton-Deval, L; Rossetti, S; Rios-Leal, E; Matturro, B; Poggi-Varaldo, HM. (2016). Effect of Coupling Zero-Valent Iron Side Filters on the Performance of Bioreactors Fed with a High Concentration of Perchloroethylene. *J Environ Eng.* 142: 16051-16051. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0001093](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0001093).
- Breuer, D. (1993). INTERLABORATORY TRIAL SERIES HALOGENATED HYDROCARBONS - QUALITY ASSURANCE WITHIN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCE OF EXTERNAL MEASURING SERVICES .3. Staub, Reinhaltung der Luft. 53: 435-440.
- Breuer, D; Schenk, H; Schirk, O. (1991). MULTICENTER TRIAL HALOGENATED HYDROCARBONS - QUALITY ASSURANCE IN THE FRAMEWORK OF AN EXCHANGE OF EXPERIENCES OF EXTERNAL MEASURING SERVICES (II). Staub, Reinhaltung der Luft. 51: 181-185.
- Brewster, ML; Annan, AP. (1994). GROUND-PENETRATING RADAR MONITORING OF A CONTROLLED DNAPL RELEASE - 200 MHZ RADAR. *Geophysics.* 59: 1211-1221.
- Brewster, ML; Annan, AP; Greenhouse, JP; Kueper, BH; Olhoeft, GR; Redman, JD; Sander, KA. (1995). OBSERVED MIGRATION OF A CONTROLLED DNAPL RELEASE BY GEOPHYSICAL METHODS. *Ground Water.* 33: 977-987.
- Brisson, VL; West, KA; Lee, PK; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *ISME J.* 6: 1702-1714. <http://dx.doi.org/10.1038/ismej.2012.15>.
- Broadwell, DK; Darcey, DJ; Hudnell, HK; Otto, DA; Boyes, WK. (1995). Work-site clinical and neurobehavioral assessment of solvent-exposed microelectronics workers. *Am J Ind Med.* 27: 677-698. <http://dx.doi.org/10.1002/ajim.4700270505>.
- Brodkin, CA; Daniell, W; Echeverria, D; Redlich, C; Checkoway, H. (1999). Concerns and assumptions of labor and management in the dry-cleaning industry. *Am J Ind Med.* 36: 482-483.
- Brodsky, J; Brodesser, J; Bauer, C; Roembke, J. (1997). The environmental fate of six existing chemicals in laboratory tests. *Chemosphere.* 34: 515-538.
- Brodzinsky, R; Singh, HB. (1983). Volatile organic chemicals in the atmosphere: An assessment of available data. (EPA-600/3-83-027a; PB83-195503). Triangle Park, NC: U.S. Environmental Protection Agency.
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: enhanced dissolution by methanol injection. *Environ Technol.* 28: 11-18. <http://dx.doi.org/10.1080/09593332808618767>.
- Broholm, K; Christensen, TH; Jensen, BK. (1991). LABORATORY FEASIBILITY STUDIES ON BIOLOGICAL INSITU TREATMENT OF A SANDY SOIL CONTAMINATED WITH CHLORINATED ALIPHATICS. *Environ Technol.* 12: 279-289.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environ Sci Technol.* 33: 681-690.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res.* 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).
- Brooks, MC; Annable, MD; Rao, PS; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2002). Controlled release, blind tests of DNAPL characterization using partitioning tracers. *J Contam Hydrol.* 59: 187-210.
- Brooks, MC; Annable, MD; Rao, PSC; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2004). Controlled release, blind test of DNAPL remediation by ethanol flushing. *J Contam Hydrol.* 69: 281-297. [http://dx.doi.org/10.1016/S0169-7722\(03\)00158-X](http://dx.doi.org/10.1016/S0169-7722(03)00158-X).
- Brovelli, A; Barry, DA; Robinson, C; Gerhard, JI. (2012). Analysis of acidity production during enhanced reductive dechlorination using a simplified reactive transport model. *Advances in Water Resources.* 43: 14-27. <http://dx.doi.org/10.1016/j.advwatres.2012.04.001>.
- Brown, CD; Wong, BA; Fennell, TR. (1996). In vivo and in vitro kinetics of ethylene oxide metabolism in rats and mice. *Toxicol Appl Pharmacol.* 136: 8-19. <http://dx.doi.org/10.1006/taap.1996.0002>.
- Brown, DP. (1978). Memorandum. Unknown: Unknown.
- Brown, LM; Hoover, R; Silverman, D; Baris, D; Hayes, R; Swanson, GM; Schoenberg, J; Greenberg, R; Liff, J; Schwartz, A; Dosemeci, M; Pottern, L; Fraumeni, JF, Jr. (2001). Excess incidence of squamous cell esophageal cancer among US Black men: Role of social class and other risk factors. *Am J Epidemiol.* 153: 114-122. <http://dx.doi.org/10.1093/aje/153.2.114>.
- Brown, MJ; Burris, DR. (1996). Enhanced organic contaminant sorption on soil treated with cationic surfactants. *Ground Water.* 34: 734-744.
- Brown, RC; Backus, G; Euling, SY; Foos, B; Makris, S; Moya, J; Olsen, M; Raffaele, K; Sonawane, B; Strong, J. (2009). Consideration of susceptible populations in risk assessment. *Birth Defects Res A Clin Mol Teratol.* 85: 433.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere.* 36: 1799-1810.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health.* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Browne, TE; Cohen, Y. (1993). POLYMER-GRAFTED SILICA - A SCREENING SYSTEM FOR POLYMERIC ADSORPTION RESIN DEVELOPMENT. *Ind Eng Chem Res.* 32: 716-725.
- Browning, IA. (1995). A comparison of laboratory and field reactions of a range of potato cultivars to infection with *Synchytrium endobioticum* (Schilb) Perc. *Potato Research.* 38: 281-289.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control.* 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Brozek, JP. (1993). TYPE-2 PROTECTION OF IEC STARTERS - A RECOMMENDED METHOD. *I E E E Transactions on Industry Applications.* 29: 215-218.

## Exposure Literature Search Results

### Off Topic

- Bruno, P; Caselli, M; de Gennaro, G; Solito, M; Tutino, M. (2007). Monitoring of odor compounds produced by solid waste treatment plants with diffusive samplers. *Waste Manag.* 27: 539-544. <http://dx.doi.org/10.1016/j.wasman.2006.03.006>.
- Bruno, TJ; Wertz, KH. (1996). Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black .5. Heavier ethane- and ethene-based compounds. *J Chromatogr A.* 723: 325-335.
- Bruschi, SA; Bull, RJ. (1993). In vitro cytotoxicity of mono-, di-, and trichloroacetate and its modulation by hepatic peroxisome proliferation. *Fundam Appl Toxicol.* 21: 366-375. <http://dx.doi.org/10.1006/faat.1993.1109>.
- Brusseau, ML. (1991). Cooperative sorption of organic chemicals in systems composed of low organic carbon aquifer materials. *Environ Sci Technol.* 25: 1747-1752.
- Brusseau, ML. (1992). Nonequilibrium transport of organic chemicals: The impact of pore-water velocity. *J Contam Hydrol.* 9: 353-368.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere.* 89: 1302-1306. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.027>.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol.* 28: 115-155.
- Bruzzoniti, MC; Mentasti, E; Sarzanini, C; Onida, B; Bonelli, B; Garrone, E. (2000). Retention properties of mesoporous silica-based materials. *Anal Chim Acta.* 422: 231-238.
- Buchanan, DH; Coombs, KJ; Murphy, PM; Chaven, C. (1993). A CONVENIENT METHOD FOR THE QUANTITATIVE-DETERMINATION OF ELEMENTAL SULFUR IN COAL BY HPLC ANALYSIS OF PERCHLOROETHYLENE EXTRACTS. *Energy Fuels.* 7: 219-221.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ( $\delta(13)C$  and  $\delta(37)Cl$ ) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environ Sci Technol.* 49: 13230-13237. <http://dx.doi.org/10.1021/acs.est.5b02918>.
- Budde, WL; Eichelberger, JW. (1979). An EPA manual for organics analysis using gas chromatography-mass spectrometry. (EPA-600/8-79-006). Cincinnati, OH: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9100T9DX.txt>.
- Buelke-Sam, J; Kimmel, CA. (1979). Development and standardization of screening methods for behavioral teratology. *Teratology.* 20: 17-30.
- Buelke-Sam, J; Kimmel, CA; Adams, J; Nelson, CJ; Vorhees, CV; Wright, DC; St Omer, V; Korol, BA; Butcher, RE; Geyer, MA. (1985). Collaborative behavioral teratology study: Results. *Neurobehav Toxicol Teratol.* 7: 591-624.
- Bueres, RF; Asedegbega-Nieto, E; Diaz, E, va; Ordonez, S; Diez, FV. (2010). Performance of carbon nanofibres, high surface area graphites, and activated carbons as supports of Pd-based hydrodechlorination catalysts. *Catalysis Today.* 150: 16-21. <http://dx.doi.org/10.1016/j.cattod.2009.05.020>.
- Bugaris, RM; Weber, NJ. (2013). Considerations in Applying Arc-Resistant Low Voltage Motor Control Centers in Refining Environments. *I E E E Transactions on Industry Applications.* 49: 784-790. <http://dx.doi.org/10.1109/TIA.2013.2240433>.
- Buhlmann, K; Reinbold, J; Cammann, K; Shulga, AA; Sundermeier, C; Knoll, M; Wierig, A; Weber, E. (1995). CLATHRATES AS COATING MATERIALS FOR DIELECTRIC TRANSDUCERS WITH REGARD TO ORGANIC-SOLVENT VAPOR SENSORS. *Sens Actuators B.* 26: 158-161.
- Bukowski, J. (2012). Comment on: "Visual contrast sensitivity in children exposed to tetrachloroethylene" by Storm et al [Letter]. *Arch Environ Occup Health.* 67: 51-52; author reply 53-55. <http://dx.doi.org/10.1080/19338244.2011.646362>.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect.* 108: 241-259.
- Bull, RJ. (2004). Proceedings of New Scientific Research Related to the Health Effects of Trichloroethylene and liver tumors in mice: U.S. Environmental Protection Agency. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=432706](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=432706).
- Bull, RJ; Orner, GA; Cheng, RS; Stillwell, L; Stauber, AJ; Sasser, LB; Lingohr, MK; Thrall, BD. (2002). Contribution of dichloroacetate and trichloroacetate to liver tumor induction in mice by trichloroethylene. *Toxicol Appl Pharmacol.* 182: 55-65. <http://dx.doi.org/10.1006/taap.2002.9427>.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology.* 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology.* 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Bullock, D; Catarella, A; NRC. (1998). A real-time simulation environment for evaluating traffic signal systems. *Trans Res Rec*130-135.
- Bunn, WW; Deane, ER; Klein, DW; Kleopfer, RD. (1975). Sampling and characterization of air for organic compounds. *Water Air Soil Pollut.* 4: 367-380. <http://dx.doi.org/10.1007/BF00280722>.
- Burge, SR; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation.* 25: 113-122.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation.* 28: 95-106. <http://dx.doi.org/10.1111/j.1745-6592.2008.00214.x>.
- Burns, PB; Swanson, GM. (1991). Risk of urinary bladder cancer among blacks and whites: The role of cigarette use and occupation. *Cancer Causes Control.* 2: 371-379. <http://dx.doi.org/10.1007/BF00054297>.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *J Environ Eng.* 124: 1012-1019.
- Burris, DR; Antworth, CP. (1992). INSITU MODIFICATION OF AN AQUIFER MATERIAL BY A CATIONIC SURFACTANT TO ENHANCE RETARDATION OF ORGANIC CONTAMINANTS. *J Contam Hydrol.* 10: 325-337.

## Exposure Literature Search Results

### Off Topic

- Burris, DR; Antworth, CP; Stauffer, TB; Macintyre, WG. (1991). HUMIC-ACID MODIFIED SILICA AS A MODEL AQUIFER MATERIAL. *Environ Toxicol Chem.* 10: 433-440.
- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environ Sci Technol.* 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem.* 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol.* 30: 3047-3052.
- Bursch, W; Lauer, B; Timmermann-Trosiener, I; Barthel, G; Schuppler, J; Schulte-Hermann, R. (1984). Controlled death (apoptosis) of normal and putative preneoplastic cells in rat liver following withdrawal of tumor promoters. *Carcinogenesis.* 5: 453-458.
- Burstyn, I. (2011). The ghost of methods past: Exposure assessment versus job-exposure matrix studies. *Occup Environ Med.* 68: 2-3. <http://dx.doi.org/10.1136/oem.2009.054585>.
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *J Environ Eng.* 131: 934-942. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:6\(934\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:6(934)).
- Burton, DT; Dilorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic Hazard Assessment of a Contaminated Surficial Aquifer Discharge into the Bush River, Maryland (U.S.A.). *Water Air Soil Pollut.* 139: 159-182.
- Bus, JS; Rickert, DE; Norton, RM; Gibson, JE. (1978). The pharmacokinetics and metabolism of aniline hydrochloride in Fischer 344 rats [Abstract]. *Toxicol Appl Pharmacol.* 45: 256.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Benignus, VA; Krantz, QT; Kenyon, EM. (2007). A Dosimetric Analysis of the Acute Behavioral Effects of Inhaled Toluene in Rats. *Toxicol Sci.* 99: 181-189. <http://dx.doi.org/10.1093/toxsci/kfm146>.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *J Toxicol Environ Health A.* 70: 1806-1814. <http://dx.doi.org/10.1080/15287390701459155>.
- Bushnell, PJ; Shafer, TJ; Bale, AS; Boyes, WK; Simmons, JE; Eklund, C; Jackson, TL. (2005). Developing an exposure-dose-response model for the acute neurotoxicity of organic solvents: overview and progress on in vitro models and dosimetry. *Environ Toxicol Pharmacol.* 19: 607-614. <http://dx.doi.org/10.1016/j.etap.2004.12.026>.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60. <http://dx.doi.org/10.1111/gwmr.12015>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol.* 32: 1276-1284.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environ Sci Technol.* 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol.* 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Butler, PA; Kraeutler, B. (2007). Adenosyl-176-norcobinamide - A likely biosynthetic precursor to natural 176-norvitamin B-12 derivatives. *J Organomet Chem.* 692: 1285-1291. <http://dx.doi.org/10.1016/j.jorganchem.2006.10.032>.
- Butler, PA; Murtaza, S; Kraeutler, B. (2006). Partial synthesis of Co alpha Co beta-dicyano-176-norcobinamide. *Monatshefte fur Chemie / Chemical Monthly.* 137: 1579-1589. <http://dx.doi.org/10.1007/s00706-006-0556-3>.
- Buvat, I; Castiglioni, I; Feuardent, J; Gilardi, MC. (2005). Unified description and validation of Monte Carlo simulators in PET. *Phys Med Biol.* 50: 329-346. <http://dx.doi.org/10.1088/0031-9155/50/2/011>.
- Byczkowski, JZ; Fisher, JW. (1994). Lactational transfer of tetrachloroethylene in rats. *Risk Anal.* 14: 339-349. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00250.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1994.tb00250.x/abstract>.
- Cabezas, JL; Beltran, S; Coca, J. (1991). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR FURFURAL WITH CHLORINATED HYDROCARBONS. *Fluid Phase Equilibria.* 62: 163-172.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). Role of methanogenic and sulfate-reducing bacteria in the reductive dechlorination of tetrachloroethylene in mixed culture. *Bull Environ Contam Toxicol.* 56: 817-824.
- Cacciato, A; Duerinckx, F; Baert, K; Moors, M; Caremans, T, om; Leys, G; De Keersmaecker, K; Szlufcik, J. (2013). Investigating manufacturing options for industrial PERL-type Si solar cells. *Solar Energy Materials and Solar Cells.* 113: 153-159. <http://dx.doi.org/10.1016/j.solmat.2013.02.012>.
- Cai, SX; Huang, MY; Chen, Z; Liu, YT; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health.* 29: 111-121. <http://dx.doi.org/10.2486/indhealth.29.111>; [https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29\\_3\\_111/\\_pdf](https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29_3_111/_pdf).
- Cai, Z; Wilson, RD; Lerner, DN. (2012). Assessing TCE source bioremediation by geostatistical analysis of a flux fence. *Ground Water.* 50: 908-917. <http://dx.doi.org/10.1111/j.1745-6584.2012.00916.x>.
- Cal/EPA. (2001). Public health goal for tetrachloroethylene in drinking water. Sacramento, CA: Office of Environmental Health Hazard Assessment. <http://www.oehha.org/water/phg/pdf/PCEAug2001.pdf>.
- Calabrese, EJ. (1983). Principles of animal extrapolation. New York: Wiley.
- Calabrese, EJ. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A TOXICOLOGISTS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 190-190.
- Caldwell, DJ. (1999). Review of mononuclear cell leukemia in F-344 rat bioassays and its significance to human cancer risk: A case study using alkyl phthalates [Review]. *Regul Toxicol Pharmacol.* 30: 45-53. <http://dx.doi.org/10.1006/rtph.1999.1305>.

## Exposure Literature Search Results

### Off Topic

- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med.* 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Calvert, JG. (1976). Hydrocarbon involvement in photochemical smog formation in Los Angeles atmosphere. *Environ Sci Technol.* 10: 256-262. <http://dx.doi.org/10.1021/es60114a003>.
- Calza, P; Minero, C; Pelizzetti, E. (1997). Photocatalytically assisted hydrolysis of chlorinated methanes under anaerobic conditions. *Environ Sci Technol.* 31: 2198-2203.
- Camaioni, DM; Ginovska, B; Dupuis, M. (2009). Modeling the Reaction of Fe Atoms with CCl<sub>4</sub>. *J Phys Chem C.* 113: 1830-1836. <http://dx.doi.org/10.1021/jp807604f>.
- Campagna, D; Gobba, F; Mergler, D; Moreau, T; Galassi, C; Cavalleri, A; Huel, G. (1996). Color vision loss among styrene-exposed workers neurotoxicological threshold assessment. *Neurotoxicology.* 17: 367-374.
- Campagna, D; Mergler, D; Huel, G; Bélanger, S; Truchon, G; Ostiguy, C; Drolet, D. (1995). Visual dysfunction among styrene-exposed workers. *Scand J Work Environ Health.* 21: 382-390.
- Campbell, JA; Corrigan, AV; Guy, A; Kirsch, RE. (1991). Immunohistologic localization of alpha, mu, and pi class glutathione S-transferases in human tissues. *Cancer.* 67: 1608-1613. [http://dx.doi.org/10.1002/1097-0142\(19910315\)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S](http://dx.doi.org/10.1002/1097-0142(19910315)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S).
- Campbell, MJ; Sheppard, JC; Au, BF. (1979). Measurement of hydroxyl concentration in boundary layer air by monitoring CO oxidation. *Geophys Res Lett.* 6: 175-178. <http://dx.doi.org/10.1029/GL006i003p00175>.
- Campbell, TJ; Burris, DR. (1996). Analysis of chlorinated ethene reduction products in vapor/water phase systems by dual-column, single-detector gas chromatography. *Int J Environ Anal Chem.* 63: 119-126.
- Campbell, TJ; Burris, DR; Roberts, AL; Wells, JR. (1997). Trichloroethylene and tetrachloroethylene reduction in a metallic iron-water-vapor batch system. *Environ Toxicol Chem.* 16: 625-630.
- Cañadas, M; Arce, P; Rato Mendes, P. (2011). Validation of a small-animal PET simulation using GAMOS: a GEANT4-based framework. *Phys Med Biol.* 56: 273-288. <http://dx.doi.org/10.1088/0031-9155/56/1/016>.
- Canadas, M; Embid, M; Lage, E; Desco, M; Jose Vaquero, J; Manuel Perez, J. (2011). NEMA NU 4-2008 Performance Measurements of Two Commercial Small-Animal PET Scanners: ClearPET and rPET-1. *IEEE Trans Nucl Sci.* 58: 58-65. <http://dx.doi.org/10.1109/TNS.2010.2072935>.
- Canner, PL; Berge, KG; Wenger, NK; Stamler, J; Friedman, L; Prineas, RJ; Friedewald, W. (1986). Fifteen year mortality in Coronary Drug Project patients: long-term benefit with niacin. *J Am Coll Cardiol.* 8: 1245-1255.
- Cano, MI; Pollán, M. (2001). Non-Hodgkin's lymphomas and occupation in Sweden. *Int Arch Occup Environ Health.* 74: 443-449. <http://dx.doi.org/10.1007/s004200100248>.
- Cao, JL; Yan, ZL, i; Deng, QF; Wang, Y, an; Yuan, ZY; Sun, G; Jia, T, ieKun; Wang, XD; Bala, H; Zhang, ZY. (2014). Mesoporous modified-red-mud supported Ni catalysts for ammonia decomposition to hydrogen. *Int J Hydrogen Energy.* 39: 5747-5755. <http://dx.doi.org/10.1016/j.ijhydene.2014.01.169>.
- Cao, X; Latta, C; Schmidt-Rohr, K; Mao, J; Pignatello, JJ. (2016). Investigation of sorbate-induced plasticization of Pahokee peat by solid-state NMR spectroscopy. *Journal of Soils and Sediments.* 16: 1841-1848. <http://dx.doi.org/10.1007/s11368-016-1378-5>.
- Cápiro, NL; Granbery, EK; Lebrón, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environ Sci Technol.* 45: 1547-1554. <http://dx.doi.org/10.1021/es102249x>.
- Cápiro, NL; Löffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE-DNAPL source zone. *J Contam Hydrol.* 182: 78-90. <http://dx.doi.org/10.1016/j.jconhyd.2015.08.007>.
- Cápiro, NL; Wang, Y; Hatt, JK; Lebrón, CA; Pennell, KD; Löffler, FE. (2014). Distribution of organohalide-respiring bacteria between solid and aqueous phases. *Environ Sci Technol.* 48: 10878-10887. <http://dx.doi.org/10.1021/es501320h>.
- Capone, JP. (1994). Mechanisms of peroxisome proliferator-induced carcinogenesis: Historical perspectives and current status. (EPA-68-D9-0133; EPA/600/R-95/038; PB95-193314). Washington, DC: U. S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB95193314>.
- CARB. (1998). 1990-1996 statewide perchloroethylene summary, ppb [Database]. Sacramento, CA: California Environmental Protection Agency. Retrieved from <http://www.arb.ca.gov/aqd/perc/pcstate.htm>
- Carbone, S. (1978). COPPER CORROSION OF ELECTRONIC MATERIALS IN PERCHLOROETHYLENE CLEANING SYSTEMS. *J Electrochem Soc.* 125: C360-C360.
- Carlile, DJ; Hakooz, N; Bayliss, MK; Houston, JB. (1999). Microsomal prediction of in vivo clearance of CYP2C9 substrates in humans. *Br J Clin Pharmacol.* 47: 625-635.
- Carpenter, CP. (1937). The chronic toxicity of tetrachlorethylene. *J Ind Hyg Toxicol.* 19: 323-336.
- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environ Sci Technol.* 34: 1088-1094.
- Carr, CS; Hughes, JB. (1998). Enrichment of high rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity. *Environ Sci Technol.* 32: 1817-1824.



## Exposure Literature Search Results

### Off Topic

- Carreón-Diazconti, C; Santamaría, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in situ reductive dechlorination using compound-specific stable isotopes, functional gene PCR, and geochemical data. *Environ Sci Technol.* 43: 4301-4307. <http://dx.doi.org/10.1021/es803308q>.
- Carroll, KC; Taylor, R; Gray, E; Brusseau, ML. (2009). The impact of composition on the physical properties and evaporative mass transfer of a PCE-diesel immiscible liquid. *J Hazard Mater.* 164: 1074-1081. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.003>.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett.* 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F(1) mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect.* 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res.* 27: 607-615.
- Casada, DA; Kueck, JD; Staunton, RH; Webb, MC. (2000). Efficiency testing of motors powered from pulse-width modulated adjustable speed drives. *IEEE Transactions on Energy Conversion.* 15: 240-244.
- Castelletto, V; Newby, GE; Zhu, Z; Hamley, IW; Noirez, L. (2010). Self-assembly of PEGylated peptide conjugates containing a modified amyloid beta-peptide fragment. *Langmuir.* 26: 9986-9996. <http://dx.doi.org/10.1021/la100110f>.
- Castello, G; Gerbino, TC; Kanitz, S. (1982). Gas chromatographic analysis of halocarbons in drinking water by headspace extraction and mixed column separation. *J Chromatogr A.* 247: 263-272. [http://dx.doi.org/10.1016/S0021-9673\(00\)85949-X](http://dx.doi.org/10.1016/S0021-9673(00)85949-X).
- Catchpole, KR; Blakers, AW. (2002). Modelling the PERC structure for industrial quality silicon. *Solar Energy Materials and Solar Cells.* 73: 189-202.
- Cattley, RC; DeLuca, J; Elcombe, C; Fenner-Crisp, PA; Lake, BG; Marsman, DS; Pastoor, T; Popp, JA; Robinson, DE; Schwetz, BA; Tugwood, JD; Wahli, W. (1998). Do peroxisome proliferating compounds pose a hepatocarcinogenic hazard to humans? *Regul Toxicol Pharmacol.* 27: 47-60. <http://dx.doi.org/10.1006/rtph.1997.1163>.
- Cattley, RC; Glover, SE. (1993). Elevated 8-hydroxydeoxyguanosine in hepatic DNA of rats following exposure to peroxisome proliferators: Relationship to carcinogenesis and nuclear localization. *Carcinogenesis.* 14: 2495-2499. <http://dx.doi.org/10.1093/carcin/14.12.2495>.
- Cattley, RC; Marsman, DS; Popp, JA. (1991). Age-related susceptibility to the carcinogenic effect of the peroxisome proliferator WY-14,643 in rat liver. *Carcinogenesis.* 12: 469-473.
- Cattley, RC; Popp, JA. (1989). Differences between the promoting activities of the peroxisome proliferator WY-14,643 and phenobarbital in rat liver. *Cancer Res.* 49: 3246-3251.
- Cattley, RC; Roberts, RA. (2000). Peroxisome proliferators and carcinogenesis: Editorial perspectives [Editorial]. *Mutat Res.* 448: 117-119. [http://dx.doi.org/10.1016/S0027-5107\(99\)00230-4](http://dx.doi.org/10.1016/S0027-5107(99)00230-4).
- Cavalcante, RM; de Andrade, MVF; Marins, RV; Oliveira, LDM. (2010). Development of a headspace-gas chromatography (HS-GC-PID-FID) method for the determination of VOCs in environmental aqueous matrices: Optimization, verification and elimination of matrix effect and VOC distribution on the Fortaleza Coast, Brazil. *Microchem J.* 96: 337-343. <http://dx.doi.org/10.1016/j.microc.2010.05.014>.
- Cave, L; Hartog, N; Al, T, om; Parker, B; Mayer, KU; Cogswell, S. (2007). Electrical monitoring of in situ chemical oxidation by permanganate. *Ground Water Monitoring and Remediation.* 27: 77-84.
- Ceballos, DM; Whittaker, SG; Lee, E; Roberts, J; Streicher, R; Nourian, F; Gong, W, ei; Broadwater, K. (2016). Occupational exposures to new dry cleaning solvents: High-flashpoint hydrocarbons and butylal. *J Occup Environ Hyg.* 13: 759-769. <http://dx.doi.org/10.1080/15459624.2016.1177648>.
- Cecchetti, M; Moehrs, S; Belcari, N; Del Guerra, A. (2013). Accurate and efficient modeling of the detector response in small animal multi-head PET systems. *Phys Med Biol.* 58: 6713-6731. <http://dx.doi.org/10.1088/0031-9155/58/19/6713>.
- Cederberg, H; Henriksson, J; Binderup, M, -L. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133-138, 2010). *Mutagenesis.* 25: 429-430. <http://dx.doi.org/10.1093/mutage/geq021>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect.* 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem.* 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem.* 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Stucki, JW. (2006). Hydration/expansion and cation charge compensation modulate the Brønsted basicity of distorted clay water. *Langmuir.* 22: 2961-2965. <http://dx.doi.org/10.1021/la0602113>.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol.* 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere.* 47: 971-976.
- Cervini-Silva, J; Wu, J; Stucki, JW; Larson, RA. (2000). Adsorption kinetics of pentachloroethane by iron-bearing smectites. *Clays and Clay Minerals.* 48: 132-138.
- Cha, KY; Borden, RC. (2012). Impact of injection system design on ISCO performance with permanganate--mathematical modeling results. *J Contam Hydrol.* 128: 33-46. <http://dx.doi.org/10.1016/j.jconhyd.2011.10.001>.

## Exposure Literature Search Results

### Off Topic

- Chaiko, DJ; Tasker, IR; Fredrickson, DR; Difilippo, AA; Smidt, SM; Vandegrift, GF. (1993). MEASUREMENTS OF AL(NO<sub>3</sub>)<sub>3</sub> ACTIVITIES IN AQUEOUS NITRATE SOLUTIONS. *J Nucl Mater.* 201: 184-189.
- Chan, CE; Payne, DNR; Hallam, BJ; Abbott, MD; Fung, TH; Wenham, AM; Tjahjono, BS; Wenham, SR. (2016). Rapid Stabilization of High-Performance Multicrystalline P-type Silicon PERC Cells. 6: 1473-1479. <http://dx.doi.org/10.1109/JPHOTOV.2016.2606704>.
- Chan, WW; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the effects of 1,1,1-trichloroethane and 1,1-dichloroethane on chlorinated ethene reductive dehalogenases. *Environ Sci Technol.* 45: 9693-9702. <http://dx.doi.org/10.1021/es201260n>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol.* 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chang, F. (2005). Strategies for benzodiazepine withdrawal in seniors. *CPI.* 138: 38-40.
- Chang, J, ihH; Qiang, Z; Huang, CP, ao. (2006). Remediation and stimulation of selected chlorinated organic solvents in unsaturated soil by a specific enhanced electrokinetics. *Colloid Surface Physicochem Eng Aspect.* 287: 86-93. <http://dx.doi.org/10.1016/j.colsurfa.2006.03.039>.
- Chang, JH; Cheng, SF. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *J Hazard Mater.* 131: 153-162. <http://dx.doi.org/10.1016/j.jhazmat.2005.09.026>.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen.* 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.
- Chang, LW; Deangelo, AB; Daniel, FB. (1989). Evaluation of DNA strand breaks (SB) by chloroacetic acids (CAs) and chloroacetaldehydes (CADs) in vivo and in vitro. *Proc Ann Mtg Am Assoc Canc Res.* 30: 146.
- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem.* 385: 1149-1152. <http://dx.doi.org/10.1007/s00216-006-0525-z>.
- Chang, YC; Choi, D; Takamizawa, K; Kikuchi, S. (2013). Effect of blast furnace dust on the degradation of chlorinated organic and endocrine disrupting compounds. *Process Biochemistry.* 48: 694-702. <http://dx.doi.org/10.1016/j.procbio.2013.02.012>.
- Chang, YC; Kikuchi, S; Kawachi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol.* 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol.* 78: 141-147.
- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol.* 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health.* 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Channel, SR; Latendresse, JR; Kidney, JK; Grabau, JH; Lane, JW; Steel-Goodwin, L; Gothaus, MC. (1998). A subchronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. *Toxicol Sci.* 43: 145-154. <http://dx.doi.org/10.1093/toxsci/43.2.145>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng.* 124: 1054-1060.
- Chapelle, FH; Bradley, PM; Casey, CC. (2005). Behavior of a chlorinated ethene plume following source-area treatment with Fenton's reagent. *Ground Water Monitoring and Remediation.* 25: 131-141.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water.* 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.
- Charbonneau, M; Short, BG; Lock, EA; Swenberg, JA. (1987). Mechanism of petroleum induced sex-specific protein droplet nephropathy and renal cell proliferation in Fischer-344 rats: Relevance to humans. In DD Hemphill (Ed.), (pp. 263-273). Columbia, MO: University of Missouri.
- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environ Sci Technol.* 39: 1064-1070. <http://dx.doi.org/10.1021/es0492945>.
- Chatterjee, N; Hartge, P; Cerhan, J; Cozen, W; Davis, S; Ishibe, N; Colt, J; Goldin, L; Severson, R. (2004). Risk of non-Hodgkin's lymphoma and family history of lymphatic, hematologic, and other cancers. *Cancer Epidemiol Biomarkers Prev.* 13: 1415-1421.
- Chawla, A; Schwarz, EJ; Dimaculangan, DD; Lazar, MA. (1994). Peroxisome proliferator-activated receptor (PPAR) gamma: Adipose-predominant expression and induction early in adipocyte differentiation. *Endocrinology.* 135: 798-800. <http://dx.doi.org/10.1210/en.135.2.798>.
- Checkoway, H; Echeverria, D; Moon, JD; Heyer, N; Costa, LG. (1994). Platelet monoamine oxidase B activity in workers exposed to styrene. *Int Arch Occup Environ Health.* 66: 359-362.
- Chen, C; Blancato, J. (1987). Pharmacokinetics in Risk Assessment: Drinking Water and Health Role of pharmacokinetic modeling in risk assessment: Perchloroethylene as an example. Washington, DC: National Academy Press.
- Chen, CW; Blancato, JN. (1989). Incorporation of biological information in cancer risk assessment: Example--vinyl chloride. *Cell Biol Toxicol.* 5: 417-444.
- Chen, CW, ei; Hao, R; Upadhyaya, VD; Ravi, TS; Rohatgi, A. (2016). Development of high-efficiency large-area screen-printed solar cells on direct kerfless epitaxially grown monocrystalline Si wafer and structure. *Progress in Photovoltaics.* 24: 1133-1141. <http://dx.doi.org/10.1002/pip.2779>.
- Chen, D; Tan, L; Liu, H; Hu, J; Li, Y; Tang, F. (2009). Fabricating Superhydrophilic Wool Fabrics. *Langmuir.* 26: 4675-4679. <http://dx.doi.org/10.1021/la903562h>.

## Exposure Literature Search Results

### Off Topic

- Chen, DH; Ye, XJ; Li, KY. (2005). Oxidation of PCE with a UV LED photocatalytic reactor. *Chem Eng Tech.* 28: 95-97. <http://dx.doi.org/10.1002/ceat.200407012>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, JP; Kiaei, D; Hoffman, AS. (1993). ACTIVITY OF HORSERADISH PEROXIDE ADSORBED ON RADIO-FREQUENCY GLOW DISCHARGE-TREATED POLYMERS. *J Biomater Sci Polym Ed.* 5: 167-182.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2010). Thermal decomposition of captan and formation pathways of toxic air pollutants. *Environ Sci Technol.* 44: 4149-4154. <http://dx.doi.org/10.1021/es9037935>.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2011). Air pollutants formed in thermal decomposition of folpet fungicide under oxidative conditions. *Environ Sci Technol.* 45: 554-560. <http://dx.doi.org/10.1021/es102652w>.
- Chen, L; Knox, RC. (1997). Using vertical circulation wells for partitioning tracer tests and remediation of DNAPLs. *Ground Water Monitoring and Remediation.* 17: 161-168.
- Chen, M; Abriola, LM; Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE; Christ, JA. (2013). Microbially enhanced dissolution and reductive dechlorination of PCE by a mixed culture: model validation and sensitivity analysis. *J Contam Hydrol.* 151: 117-130. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.005>.
- Chen, P. (2001). Understanding the dynamic surface tension of solutions containing volatile organic compounds (VOCs). *Colloid Surface Physicochem Eng Aspect.* 192: 195-204.
- Chen, S, hiS; Chen, G, uoYue; Chen, H, ua; Wei, Y, uM; Li, W, ei; Liu, Y, aXi; Liu, DC, ai; Lan, X, iuJin; Zheng, Y, ouL. (2012). Mapping stripe rust resistance gene YrSph derived from Tritium sphaerococcum Perc. with SSR, SRAP, and TRAP markers. *Euphytica.* 185: 19-26. <http://dx.doi.org/10.1007/s10681-011-0593-9>.
- Chen, S; Sun, D. (2016). An Improved Adaptive Signal Control Method for Isolated Signalized Intersection Based on Dynamic Programming. *I E E E Intelligent Transportation Systems Magazine.* 8: 4-14. <http://dx.doi.org/10.1109/MITS.2016.2605318>.
- Chen, SS; Huang, Y; Kuo, T. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation.* 30: 90-98. <http://dx.doi.org/10.1111/j.1745-6592.2010.01311.x>.
- Chen, SS; Huang, Y, iChu; Lin, JY, u; Lin, MH, ei. (2014). Dechlorination of tetrachloroethylene in water using stabilized nanoscale iron and palladized iron particles. *Desalination and Water Treatment.* 52: 702-711. <http://dx.doi.org/10.1080/19443994.2013.827305>.
- Chen, W; Sun, AD; Xu, QC. (2013). Optimization Design for Determination of Polycyclic Aromatic Hydrocarbons in Water Samples. *Asian J Chem.* 25: 2673-2678.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere.* 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, Y; Shen, H, ui; Altermatt, PP. (2014). Analysis of recombination losses in screen-printed aluminum-alloyed back surface fields of silicon solar cells by numerical device simulation. *Solar Energy Materials and Solar Cells.* 120: 356-362. <http://dx.doi.org/10.1016/j.solmat.2013.05.051>.
- Chen, YC; Lan, HX; Zhan, HY; Fu, SY. (2005). Simultaneous anaerobic-aerobic biodegradation of halogenated phenolic compound under oxygen-limited conditions. *J Environ Sci.* 17: 873-875.
- Chen, YT; Lu, CJ. (2014). Effects of tetrachloroethene on the measurement of radon in water with liquid scintillation counting method. *J Environ Radioact.* 127: 26-33. <http://dx.doi.org/10.1016/j.jenvrad.2013.09.011>.
- Chen, Z; Kuschik, P; Paschke, H; Kästner, M; Müller, JA; Köser, H. (2014). Treatment of a sulfate-rich groundwater contaminated with perchloroethene in a hydroponic plant root mat filter and a horizontal subsurface flow constructed wetland at pilot-scale. *Chemosphere.* 117: 178-184. <http://dx.doi.org/10.1016/j.chemosphere.2014.06.056>.
- Chen, Z; Vymazal, J; Kuschik, P. (2017). Effects of tidal operation on pilot-scale horizontal subsurface flow constructed wetland treating sulfate rich wastewater contaminated by chlorinated hydrocarbons. *Environ Sci Pollut Res Int.* 24: 1042-1050. <http://dx.doi.org/10.1007/s11356-016-7871-y>.
- Chen, Z; Wu, S; Braeckevelt, M; Paschke, H; Kästner, M; Köser, H; Kuschik, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere.* 89: 724-731. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.042>.
- Chene, Y; Rousseau, D; Lucidarme, P; Bertheloot, J; Caffier, V; Morel, P; Belin, E; Chapeau-Blondeau, F. (2012). On the use of depth camera for 3D phenotyping of entire plants. *Computers and Electronics in Agriculture.* 82: 122-127. <http://dx.doi.org/10.1016/j.compag.2011.12.007>.
- Cheney, MA; Robinson, L; Kukor, JJ. (2003). Abiotic transformation of perchloroethylene by manganese oxide. *Geochim Cosmo Acta.* 67: A63-A63.
- Cheng, B; Wang, X; Wang, L; Wu, Y. (2007). Surface modification of sub-micron spherical SiO<sub>2</sub> particles with butanedioic acid for electrophoresis in tetrachloroethylene. *Mater Lett.* 61: 1350-1353. <http://dx.doi.org/10.1016/j.matlet.2006.07.066>.
- Cheng, D; Chow, WL; He, J. (2010). A Dehalococoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *ISME J.* 4: 88-97. <http://dx.doi.org/10.1038/ismej.2009.90>.
- Cheng, H; Hu, Y; Luo, J; Sabatini, DA. (2009). Multipass membrane air-stripping (MAS) for removing volatile organic compounds (VOCs) from surfactant micellar solutions. *J Hazard Mater.* 170: 1070-1078. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.072>.
- Cheng, Z; Gao, B; Xu, H; Sun, Y; Shi, X; Wu, J. (2016). Effects of surface active agents on DNAPL migration and distribution in saturated porous media. *Sci Total Environ.* 571: 1147-1154. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.109>.

## Exposure Literature Search Results

### Off Topic

- Chern, JM; Yu, CF. (1999). Volatile organic compound emission from diffused aeration systems: Experiment and modeling. *Ind Eng Chem Res.* 38: 2156-2159.
- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res.* 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Chevalier, LR; Morris, T; Allen, C; Lazarowitz, V; Fektenberg, L. (2000). Comparison of primary and secondary surfactant flushing to enhance LNAPL recovery. *Int J Phytoremediation.* 9: 425-448.
- Chi, PH; Gillen, G. (2004). Positive secondary ion yield enhancement of metal elements using trichlorotrifluoroethane and tetrachloroethene backfilling. *Appl Surf Sci.* 231: 127-130. <http://dx.doi.org/10.1016/j.apsusc.2004.03.089>.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med.* 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).
- Chia, SE; Ong, CN; Tsakok, MF; Ho, A. (1996). Semen parameters in workers exposed to trichloroethylene. *Reprod Toxicol.* 10: 295-299. [http://dx.doi.org/10.1016/0890-6238\(96\)00058-5](http://dx.doi.org/10.1016/0890-6238(96)00058-5).
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol.* 38: 287-294.
- Chiba, M; Fujita, S; Suzuki, T. (1990). Pharmacokinetic correlation between in vitro hepatic microsomal enzyme kinetics and in vivo metabolism of imipramine and desipramine in rats. *J Pharm Sci.* 79: 281-287. <http://dx.doi.org/10.1002/jps.2600790402>.
- Chiemchaisri, W; Chiemchaisri, C; Khananthai, U; Kumar, S; Bharti, A; Fan, M. (2010). Role of final cover soil in regulating volatile organic compounds: emissions from solid waste disposal sites in developing countries. *Int J Environ Pollut.* 43: 3-15.
- Chiesi, A; Gioia, TC; Modenese, A; Abbacchini, C; Borsari, L; Clò, E; Di Rico, R; Ferrari, D; Gobba, FM. (2016). [Early effects of PCE exposure on visual function among dry cleaning workers]. *Med Lav.* 107: 12-21.
- Chihara, K; Terakado, T; Ninomiya, T; Mizuochi, H. (2004). Chromatographic adsorption measurement of chlorinated organics on high silica zeolite. *Stud Surf Sci Catal.* 154: 1991-1998.
- Childs, J; Acosta, E; Annable, MD; Brooks, MC; Enfield, CG; Harwell, JH; Hasegawa, M; Knox, RC; Rao, PS; Sabatini, DA; Shiau, B; Szekeres, E; Wood, AL. (2006). Field demonstration of surfactant-enhanced solubilization of DNAPL at Dover Air Force Base, Delaware. *J Contam Hydrol.* 82: 1-22. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.008>.
- Childs, JD; Acosta, E; Knox, R; Harwell, JH; Sabatini, DA. (2004). Improving the extraction of tetrachloroethylene from soil columns using surfactant gradient systems. *J Contam Hydrol.* 71: 27-45. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.011>.
- Chimiak, WJ. (1992). THE DIGITAL RADIOLOGY ENVIRONMENT. I E E E Journal on Selected Areas in Communications. 10: 1133-1144.
- Chin, DL; Duffy, SA; Hong, O. (2016). Knowledge of Occupational Chemical Exposure and Smoking Behavior in Korean Immigrant Drycleaners. *J Immigr Minor Health.* 18: 243-251. <http://dx.doi.org/10.1007/s10903-014-9989-7>.
- Chintawar, PS; Greene, HL. (1997). Decomposition characteristics of chlorinated ethylenes on metal loaded zeolite Y and gamma-Al<sub>2</sub>O<sub>3</sub>. *Appl Catal B-Environ.* 13: 81-92.
- Chintawar, PS; Greene, HL. (1997). Interaction of chlorinated ethylenes with chromium exchanged zeolite Y: An in situ FT-IR study. *J Catal.* 165: 12-21.
- Chiou, CT; Freed, VH; Schmedding, DW; Kohnert, RL. (1977). Partition coefficient and bioaccumulation of selected organic chemicals. *Environ Sci Technol.* 11: 475-478. <http://dx.doi.org/10.1021/es60128a001>.
- Chipanina, NN; Sherstyannikova, LV; Sterkhova, IV; Aksamentova, TN; Turchaninov, VK; Shainyan, BA. (2005). Self-association of trifluoromethanesulfonamide in inert solvents. *Russian Journal of General Chemistry.* 75: 876-882.
- Chipiga, L; Sydoff, M; Zvonova, I; Bernhardsson, C. (2016). INVESTIGATION OF PARTIAL VOLUME EFFECT IN DIFFERENT PET/CT SYSTEMS: A COMPARISON OF RESULTS USING THE MADEIRA PHANTOM AND THE NEMA NU-2 2001 PHANTOM. *Radiat Prot Dosimetry.* 169: 365-370. <http://dx.doi.org/10.1093/rpd/ncw027>.
- Chiriac, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, JM. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater.* 149: 249-263. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.094>.
- Chiriac, R; Carre, J; Perrodin, Y; Vaillant, H; Gasso, S; Miele, P. (2009). Study of the dispersion of VOCs emitted by a municipal solid waste landfill. *Atmos Environ.* 43: 1926-1931. <http://dx.doi.org/10.1016/j.atmosenv.2008.12.038>.
- Chitta, R; Macko, T; Brüll, R; Miller, M; Cong, R; Degroot, W. (2013). Carbonaceous sorbents for high-temperature interactive liquid chromatography of polyolefins. *J Sep Sci.* 36: 2063-2071. <http://dx.doi.org/10.1002/jssc.201201121>.
- Chiu, D; Niu, L; Mu, F; Peng, X; Zhou, L; Li, H; Li, R; Ni, J; Jiang, N; Hu, Y; Hao, Z; Xu, K. (2010). The experimental study for efficacy and safety of pancreatic cryosurgery. *Cryobiology.* 60: 281-286. <http://dx.doi.org/10.1016/j.cryobiol.2010.01.006>.
- Chiu, PW; Ng, EK; Teoh, AY; Wong, SK; Sung, JJ; Lau, JY. (2010). Precut sphincterotomy using insulated angulotome. *Endoscopy.* 42: 338-341. <http://dx.doi.org/10.1055/s-0029-1243857>.
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In JC Lipscomb; EV Ohanian (Eds.), (pp. 269). New York: Informa Healthcare.

## Exposure Literature Search Results

### Off Topic

- Chiu, WA. (2011). Trichloroacetic acid: Updated estimates of its bioavailability and its contribution to trichloroethylene-induced mouse hepatomegaly. *Toxicology*. 285: 114-125. <http://dx.doi.org/10.1016/j.tox.2011.04.009>.
- Chiu, WA; Bois, FY. (2006). Revisiting the population toxicokinetics of tetrachloroethylene. *Arch Toxicol*. 80: 382-385. <http://dx.doi.org/10.1007/s00204-006-0061-9>.
- Chiu, WA; Ginsberg, GL. (2011). PERC risk assessment model [Database]. Washington, DC: U.S. Environmental Protection Agency.
- Chiu, WA; Okino, MS; Evans, MV. (2009). Characterizing uncertainty and population variability in the toxicokinetics of trichloroethylene and metabolites in mice, rats, and humans using an updated database, physiologically based pharmacokinetic (PBPK) model, and Bayesian approach. *Toxicol Appl Pharmacol*. 241: 36-60. <http://dx.doi.org/10.1016/j.taap.2009.07.032>.
- Chiu, YC; Cheng, MH; Uriel, S; Brey, EM. (2010). Materials for engineering vascularized adipose tissue [Review]. *J Tissue Viability*. 20: 37-48. <http://dx.doi.org/10.1016/j.jtv.2009.11.005>.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2007). Effects of Grasses on the Fate of VOCs in Contaminated Soil and Air. *Water Air Soil Pollut*. 187: 243-250. <http://dx.doi.org/10.1007/s11270-007-9512-z>.
- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal*. 12: NIL\_318-NIL\_328. <http://dx.doi.org/10.2136/vzj2012.0081>.
- Cho, CW; Sung, K; Coapcioglu, MY; Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air Soil Pollut*. 167: 259-271. <http://dx.doi.org/10.1007/s11270-005-0081-8>.
- Cho, E; Ok, YW, oo; Upadhyaya, AD; Binns, MJ; Appel, J; Guo, J; Rohatgi, A. (2016). P-Type Indium-Doped Passivated Emitter Rear Solar Cells (PERC) on Czochralski Silicon Without Light-Induced Degradation. 6: 795-800. <http://dx.doi.org/10.1109/JPHOTOV.2016.2547578>.
- Cho, HH; Park, JW. (2003). Reactive dechlorination of PCE using zero valent iron plus surfactants. *ACS Symp Ser Am Chem Soc*. 837: 141-153.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere*. 64: 1047-1052. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.062>.
- Cho, J; Annable, MD; Rao, PS. (2004). Influence of residual surfactants on DNAPL characterization using partitioning tracers. *J Contam Hydrol*. 72: 67-83. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.007>.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere*. 81: 940-945. <http://dx.doi.org/10.1016/j.chemosphere.2010.07.054>.
- Choi, G; Balaji, N; Park, C; Choi, J; Lee, S; Kim, J; Ju, M; Lee, YJ; Yi, J. (2014). Optimization of PECVD-ONO rear surface passivation layer through improved electrical property and thermal stability. *Vacuum*. 101: 22-26. <http://dx.doi.org/10.1016/j.vacuum.2013.07.003>.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut*. 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Batchelor, B; Won, C; Chung, J. (2012). Nitrate reduction by green rusts modified with trace metals. *Chemosphere*. 86: 860-865. <http://dx.doi.org/10.1016/j.chemosphere.2011.11.035>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater*. 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol*. 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater*. 172: 623-630. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.041>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Choi, WY; Hoffmann, MR. (1995). PHOTOREDUCTIVE MECHANISM OF CCL4 DEGRADATION ON TiO2 PARTICLES AND EFFECTS OF ELECTRON-DONORS. *Environ Sci Technol*. 29: 1646-1654. <http://dx.doi.org/10.1021/es00006a031>.
- Choi, Y; Vay, SA; Vadrevu, KP; Soja, AJ; Woo, J; Nolf, S. R.; Sachse, GW; Diskin, GS; Blake, DR; Blake, NJ; Singh, HB; Avery, MA; Fried, A; Pfister, L; Fuelberg, HE. (2008). Characteristics of the atmospheric CO2 signal as observed over the conterminous United States during INTEX-NA. *J Geophys Res*. 113: D07301. <http://dx.doi.org/10.1029/2007JD008899>.
- Chomsurin, C; Kajorntraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Sci Technol*. 58: 2127-2132. <http://dx.doi.org/10.2166/wst.2008.830>.
- Choudhary, RNP; Pati, B; Das, PR; Dash, RR; Swain, S. (2014). Development of electronic materials from industrial waste red mud. *Journal of Materials Science: Materials in Electronics*. 25: 202-216. <http://dx.doi.org/10.1007/s10854-013-1574-7>.
- Chow, WH; McLaughlin, JK; Linet, MS; Niwa, S; Mandel, JS. (1994). Use of analgesics and risk of renal cell cancer. *Int J Cancer*. 59: 467-470. <http://dx.doi.org/10.1002/ijc.2910590406>.
- Chow, WH; McLaughlin, JK; Malaker, HS; Linet, MS; Weiner, JA; Stone, BJ. (1995). Esophageal cancer and occupation in a cohort of Swedish men. *Am J Ind Med*. 27: 749-757. <http://dx.doi.org/10.1002/ajim.4700270509>.
- Chow, WL; Cheng, D; Wang, S; He, J. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in Dehalococcoides species. *ISME J*. 4: 1020-1030. <http://dx.doi.org/10.1038/ismej.2010.27>.
- Chown, JC; Kueper, BH; Mcwhorter, DB. (1997). The use of upward hydraulic gradients to arrest downward DNAPL migration in rock fractures. *Ground Water*. 35: 483-491.
- Christ, JA; Abriola, LM. (2007). Modeling metabolic reductive dechlorination in dense non-aqueous phase liquid source-zones. *Advances in Water Resources*. 30: 1547-1561. <http://dx.doi.org/10.1016/j.advwatres.2006.05.024>.

## Exposure Literature Search Results

### Off Topic

- Christ, JA; Lemke, LD; Abriola, LM. (2005). Comparison of two-dimensional and three-dimensional simulations of dense nonaqueous phase liquids (DNAPLs): Migration and entrapment in a nonuniform permeability field. *Water Resour Res.* 41: 1007-1007. <http://dx.doi.org/10.1029/2004WR003239>.
- Christ, JA; Lemke, LD; Abriola, LM. (2009). The influence of dimensionality on simulations of mass recovery from nonuniform dense non-aqueous phase liquid (DNAPL) source zones. *Advances in Water Resources.* 32: 401-412. <http://dx.doi.org/10.1016/j.advwatres.2008.12.002>.
- Christ, JA; Ramsburg, CA; Pennell, KD; Abriola, LM. (2006). Estimating mass discharge from dense nonaqueous phase liquid source zones using upscaled mass transfer coefficients: An evaluation using multiphase numerical simulations. *Water Resour Res.* 42: 11420-11420. <http://dx.doi.org/10.1029/2006WR004886>.
- Christensen, KE; Altman, PW; Schaefer, C; Mccray, JE. (2015). Steady State DNAPL Dissolution in Three-Dimensional Fractured Sandstone Network Experiments. *J Environ Eng.* 141: 14047-14047. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000871](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000871).
- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med.* 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry.* 59: 143-160.
- Christophi, C; Harun, N; Fifis, T. (2008). Liver regeneration and tumor stimulation--a review of cytokine and angiogenic factors. *J Gastrointest Surg.* 12: 966-980. <http://dx.doi.org/10.1007/s11605-007-0459-6>.
- Chrysikopoulos, CV; Vogler, ET. (2006). Acoustically enhanced ganglia dissolution and mobilization in a monolayer of glass beads. *Transport in Porous Media.* 64: 103-121. <http://dx.doi.org/10.1007/s11242-005-1525-8>.
- Chu, KH; Jewell, WJ. (1994). TREATMENT OF TETRACHLOROETHYLENE WITH ANAEROBIC ATTACHED FILM PROCESS. *J Environ Eng.* 120: 58-71.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2003). Effects of biomass accumulation on microbially enhanced dissolution of a PCE pool: a numerical simulation. *J Contam Hydrol.* 65: 79-100. [http://dx.doi.org/10.1016/S0169-7722\(02\)00232-2](http://dx.doi.org/10.1016/S0169-7722(02)00232-2).
- Chu, M; Kitanidis, PK; Mccarty, PL. (2004). Possible factors controlling the effectiveness of bioenhanced dissolution of non-aqueous phase tetrachloroethene. *Advances in Water Resources.* 27: 601-615. <http://dx.doi.org/10.1016/j.advwatres.2004.03.002>.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2005). Modeling microbial reactions at the plume fringe subject to transverse mixing in porous media: When can the rates of microbial reaction be assumed to be instantaneous? *Water Resour Res.* 41: 6002-6002. <http://dx.doi.org/10.1029/2004WR003495>.
- Chu, M; Kitanidis, PK; Mccarty, PL. (2007). Dependence of lumped mass transfer coefficient on scale and reactions kinetics for biologically enhanced NAPL dissolution. *Advances in Water Resources.* 30: 1618-1629. <http://dx.doi.org/10.1016/j.advwatres.2006.06.016>.
- Chu, S; Huang, Q; Alvares, K; Yeldandi, AV; Rao, MS; Reddy, JK. (1995). Transformation of mammalian cells by overexpressing H2O2-generating peroxisomal fatty acyl-CoA oxidase. *Proc Natl Acad Sci USA.* 92: 7080-7084.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environ Sci Technol.* 43: 1455-1459. <http://dx.doi.org/10.1021/es802640q>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol.* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol.* 33: 3666-3671.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2001). Catalytic activity of clay from tidal flat sediments in the decomposition of perchloroethylene by gamma-rays. *Catalysis Letters.* 76: 247-248.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2002). Effect of dissolved metal ions on PCE decomposition by gamma-rays. *Chemosphere.* 47: 977-980.
- Chung, HH; Lee, MJ; Jung, J; Choi, SW. (2002). Photocatalytic activity of gamma-irradiated TiO2. *J Ind Eng Chem.* 8: 483-487.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Sci Technol.* 58: 495-501. <http://dx.doi.org/10.2166/wst.2008.432>.
- Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF C6H5CL/CH4/O-2/AR MIXTURES. *Combust Sci Tech.* 91: 53-72.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere.* 71: 639-648. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.013>.
- Cieplik, MK; Carbonell, JP; Muñoz, C; Baker, S; Krüger, S; Liljelind, P; Marklund, S; Louw, R. (2003). On dioxin formation in iron ore sintering. *Environ Sci Technol.* 37: 3323-3331. <http://dx.doi.org/10.1021/es026292g>.
- Cimini, A; Cristiano, L; Bernardo, A; Farioli-Vecchioli, S; Stefanini, S; Cerú, MP. (2000). Presence and inducibility of peroxisomes in a human glioblastoma cell line. *Biochim Biophys Acta.* 1474: 397-409. [http://dx.doi.org/10.1016/S0304-4165\(00\)00036-2](http://dx.doi.org/10.1016/S0304-4165(00)00036-2).
- Cirpka, OA; Windfuhr, C; Bisch, G; Granzow, S; Scholz-Muramatsu, H; Kobus, H. (1999). Microbial reductive dechlorination in large-scale sandbox model. *J Environ Eng.* 125: 861-870.
- Ciucanu, I; Chiriac, A. (2002). Membrane and trap system for continuous monitoring of volatile organic compounds using a portable gas chromatograph with thermal conductivity detector. *J Sep Sci.* 25: 447-452.
- Clancy, PB; Armstrong, J; Couture, M; Lussky, R; Wheeler, K. (1996). Treatment of chlorinated ethenes in groundwater with ozone and hydrogen peroxide. *Environmental Progress.* 15: 187-193.
- Clapp, LW; Semmens, MJ; Novak, PJ; Hozalski, RM. (2004). Model for in situ perchloroethene dechlorination via membrane-delivered hydrogen. *J Environ Eng.* 130: 1367-1381. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:11\(1367\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:11(1367)).

## Exposure Literature Search Results

### Off Topic

- Clark, CJ; Annable, MD; Rao, PSC. (2000). Evaluation of sonochemical destruction of PCE in in situ flushing waste fluids. *J Environ Eng.* 126: 1033-1038.
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater.* 96: 65-78.
- Clark, I; Assamoi, P; Bertrand, J; Giorgi, F. (2004). Characterization of potential zones of dust generation at eleven stations in the southern Sahara. *Theor Appl Climatol.* 77: 173-184. <http://dx.doi.org/10.1007/s00704-003-0033-4>.
- Claude, JC; Frentzel-Beyme, RR; Kunze, E. (1988). Occupation and risk of cancer of the lower urinary tract among men: A case-control study. *Int J Cancer.* 41: 371-379. <http://dx.doi.org/10.1002/ijc.2910410309>.
- Clausse, B; Garrot, B; Cornier, C; Paulin, C; Simonot-Grange, MH; Boutros, F. (1998). Adsorption of chlorinated volatile organic compounds on hydrophobic faujasite: correlation between the thermodynamic and kinetic properties and the prediction of air cleaning. *Microporous and Mesoporous Materials.* 25: 169-177.
- Clavel, J; Mandereau, L; Conso, F; Limasset, JC; Pourmir, I; Flandrin, G; Hémon, D. (1998). Occupational exposure to solvents and hairy cell leukaemia. *Occup Environ Med.* 55: 59-64. <http://dx.doi.org/10.1136/oem.55.1.59>.
- Clayton, JW, Jr. (1962). The toxicity of fluorocarbons with special reference to chemical constitution. *J Occup Environ Med.* 4: 262-273.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol.* 42: 113-140.
- Clewell, H. (2005). Use of mode of action in risk assessment: Past, present, and future. *Regul Toxicol Pharmacol.* 42: 3-14. <http://dx.doi.org/10.1016/j.yrtph.2005.01.008>.
- Clewell, HJ; Andersen, ME. (2004). Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: An example with trichloroethylene [Review]. *Crit Rev Toxicol.* 34: 385-445. <http://dx.doi.org/10.1080/10408440490500795>.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect.* 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci.* 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.
- Clewell, HJ; Gentry, PR; Kester, JE; Andersen, ME. (2005). Evaluation of physiologically based pharmacokinetic models in risk assessment: An example with perchloroethylene [Review]. *Crit Rev Toxicol.* 35: 413-433. <http://dx.doi.org/10.1080/10408440590931994>.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074. <http://dx.doi.org/10.1021/es00018a008>.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med.* 40: 855-861.
- Cogswell, SA. (1978). Chemical Economics Handbook CEH marketing research report on C2 chlorinated solvents. Menlo Park, CA: SRI International.
- Cojocel, C; Beuter, W; Müller, W; Mayer, D. (1989). Lipid peroxidation: A possible mechanism of trichloroethylene-induced nephrotoxicity. *Toxicology.* 55: 131-141. [http://dx.doi.org/10.1016/0300-483X\(89\)90180-7](http://dx.doi.org/10.1016/0300-483X(89)90180-7).
- Coleman, WE; Melton, RG; Slater, RW; Kopfler, FC; Voto, SJ; Allen, WK; Aurand, TA. (1981). Determination of organic contaminants by the Grob closed-loop-stripping technique. *J Am Water Works Assoc.* 73: 119-125.
- Collins, CH; Morgano, MA. (1999). Quantitative determination of several simple perhalogenated compounds by high-performance liquid chromatography. *J Chromatogr A.* 846: 395-399.
- Collins, EM; Sidebottom, HW; Wenger, JC; Le Calve, S; Mellouki, A; Lebras, G; Villenave, E; Wirtz, K. (2005). The influence of reaction conditions on the photooxidation of diisopropyl ether. *J Photochem Photobiol A.* 176: 86-97. <http://dx.doi.org/10.1016/j.jphotochem.2005.09.004>.
- Colomb, A; Yassaa, N; Williams, J; Peeken, I; Lochte, K. (2008). Screening volatile organic compounds (VOCs) emissions from five marine phytoplankton species by head space gas chromatography/mass spectrometry (HS-GC/MS). *J Environ Monit.* 10: 325-330. <http://dx.doi.org/10.1039/b715312>.
- Colt, J; Baris, D; Stewart, P; Schned, A; Heaney, J; Mott, L; Silverman, D; Karagas, M. (2004). Occupation and bladder cancer risk in a population-based case-control study in New Hampshire. *Cancer Causes Control.* 15: 759-769. <http://dx.doi.org/10.1023/B:CACO.0000043426.28741.a2>.
- Colt, JS; Karagas, MR; Schwenn, M; Baris, D; Johnson, A; Stewart, P; Verrill, C; Moore, LE; Lubin, J; Ward, MH; Samanic, C; Rothman, N; Cantor, KP; Beane Freeman, LE; Schned, A; Cherala, S; Silverman, DT. (2011). Occupation and bladder cancer in a population-based case-control study in Northern New England. *Occup Environ Med.* 68: 239-249. <http://dx.doi.org/10.1136/oem.2009.052571>.
- Comba, ME; Palabrica, VS; Kaiser, K, LE. (1994). Volatile halocarbons as tracers of pulp mill effluent plumes. *Environ Toxicol Chem.* 13: 1065-1074.
- Comelli, F; Castellari, C; Francesconi, R. (1981). VAPOR-LIQUID-EQUILIBRIA IN BINARY-SYSTEMS CONTAINING 1,3-DIOXOLANE AT ISOBARIC CONDITIONS .1. BINARY-MIXTURES OF 1,3-DIOXOLANE WITH 1,2-TRANS-DICHLOROETHYLENE, TRICHLOROETHYLENE, AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 26: 334-338.
- Comelli, F; Francesconi, R. (1995). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR 2,2,4-TRIMETHYLPENTANE PLUS 5 CHLOROHYDROCARBON BINARY-SYSTEMS AT 343.15-K. *Journal of Chemical and Engineering Data.* 40: 21-24.
- Committee on Methods for Toxicity Tests with Aquatic Organisms. (1975). Methods for acute toxicity tests with fish, macroinvertebrates, and amphibians. (EPA660/3-75-009; PB-242 105/5). Corvallis, OR: National Environmental Research Center. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB242105>.

## Exposure Literature Search Results

### Off Topic

- Conant, B; Cherry, JA; Gillham, RW. (2004). A PCE groundwater plume discharging to a river: influence of the streambed and near-river zone on contaminant distributions. *J Contam Hydrol.* 73: 249-279. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.001>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2006). Making the liquid-phase catalytic hydrodechlorination of PCE over Pd/C safer. 89: 369-376. <http://dx.doi.org/10.1007/s11144-006-0149-5>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2007). Deactivation and reactivation of Pd/C catalyst used in repeated batch hydrodechlorination of PCE. *Appl Catal B-Environ.* 71: 64-69. <http://dx.doi.org/10.1016/j.apcatb.2006.08.008>.
- Concibido, NC; Okuda, T; Nishijima, W; Okada, M. (2007). Kinetics of deactivation of Pd/C catalyst repeatedly used in the liquid-phase hydrodechlorination of PCE. 90: 127-136. <http://dx.doi.org/10.1007/s11144-007-5022-7>.
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. *J Contam Hydrol.* 58: 13-49.
- Considine, DM. (1974). *Chemical and process technology encyclopedia*. New York: McGraw-Hill.
- Consonni, D; De Matteis, S; Lubin, JH; Wacholder, S; Tucker, M; Pesatori, AC; Caporaso, NE; Bertazzi, PA; Landi, MT. (2010). Lung cancer and occupation in a population-based case-control study. *Am J Epidemiol.* 171: 323-333. <http://dx.doi.org/10.1093/aje/kwp391>.
- Cooper, AJ. (1994). Enzymology of cysteine S-conjugate beta-lyases. In MW Anders; W Dekant (Eds.), (pp. 71-113). San Diego, CA: Academic Press.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect.* 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol.* 31: 1928-1933.
- Cooper, M; Wagner, A; Wondrousch, D; Sonntag, F; Sonnabend, A; Brehm, M; Schüürmann, G; Adrian, L. (2015). Anaerobic microbial transformation of halogenated aromatics and fate prediction using electron density modeling. *Environ Sci Technol.* 49: 6018-6028. <http://dx.doi.org/10.1021/acs.est.5b00303>.
- Cooper, WJ; Meacham, DE; Nickelsen, MG; Lin, KJ; Ford, DB; Kurucz, CN; Waite, TD. (1993). THE REMOVAL OF TRICHLOROETHYLENE (TCE) AND TETRACHLOROETHYLENE (PCE) FROM AQUEOUS-SOLUTION USING HIGH-ENERGY ELECTRONS. *Journal of the Air and Waste Management Association.* 43: 1358-1366.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 27: 219-244.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. *Environ Sci Technol.* 35: 2014-2021.
- Corapcioglu, MY; Hossain, MA; Hossain, MA. (1991). METHANOGENIC BIOTRANSFORMATION OF CHLORINATED HYDROCARBONS IN GROUND-WATER. *J Environ Eng.* 117: 47-65.
- Corapcioglu, MY; Sung, K; Kim, J. (2004). Parameter determination of sequential reductive dehalogenation reactions of chlorinated hydrocarbons. *Transport in Porous Media.* 55: 169-182.
- Corbin, M; Mclean, D; Mannetje, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med.* 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Cordier, S; Clavel, J; Limasset, JC; Boccon-Gibod, L; Le Moual, N; Mandereau, L; Hemon, D. (1993). Occupational risks of bladder cancer in France: A multicentre case-control study. *Int J Epidemiol.* 22: 403-411. <http://dx.doi.org/10.1093/ije/22.3.403>.
- Cornfield, J. (1956). A statistical problem arising from retrospective studies. In J Neyman (Ed.), (pp. 135-148). Berkeley, CA: University of California Press. <http://projecteuclid.org/euclid.bsm/1200502552>.
- Cornfield, J. (1977). Carcinogenic risk assessment. *Science.* 198: 693-699. <http://dx.doi.org/10.1126/science.910152>.
- Cornfield, J. (1978). Models for carcinogenic risk assessment [comments] [Letter]. *Science.* 202: 1107-1109.
- Cornfield, J; Carlborg, FW; Van Ryzin, J. (1978). Setting tolerances on the basis of mathematical treatment of dose-response data extrapolated to low doses. In GL Plaa; WAM Duncan (Eds.), (pp. 143-164). New York, NY: Academic Press.
- Coronary Drug Project Research Group. (1975). Clofibrate and niacin in coronary heart disease. *JAMA.* 231: 360-381.
- Coronary Drug Project Research Group. (1977). Gallbladder disease as a side effect of drugs influencing lipid metabolism: Experience in the Coronary Drug Project. *N Engl J Med.* 296: 1185-1190. <http://dx.doi.org/10.1056/NEJM197705262962101>.
- Cortada, C; Vidal, L; Canals, A. (2011). Determination of geosmin and 2-methylisoborneol in water and wine samples by ultrasound-assisted dispersive liquid-liquid microextraction coupled to gas chromatography-mass spectrometry. *J Chromatogr A.* 1218: 17-22. <http://dx.doi.org/10.1016/j.chroma.2010.11.007>.
- Cortada, C; Vidal, L; Pastor, R; Santiago, N; Canals, A. (2009). Determination of organochlorine pesticides in water samples by dispersive liquid-liquid microextraction coupled to gas chromatography-mass spectrometry. *Anal Chim Acta.* 649: 218-221. <http://dx.doi.org/10.1016/j.aca.2009.07.041>.
- Corton, JC. (2008). Evaluation of the role of peroxisome proliferator-activated receptor alpha (PPARalpha) in mouse liver tumor induction by trichloroethylene and metabolites [Review]. *Crit Rev Toxicol.* 38: 857-875. <http://dx.doi.org/10.1080/10408440802209796>.
- Corton, JC; Anderson, SP; Stauber, A. (2000). Central role of peroxisome proliferator-activated receptors in the actions of peroxisome proliferators [Review]. *Annu Rev Pharmacol Toxicol.* 40: 491-518. <http://dx.doi.org/10.1146/annurev.pharmtox.40.1.491>.
- Corton, JC; Fan, LQ; Brown, S; Anderson, SP; Bocos, C; Cattley, RC; Mode, A; Gustafsson, JA. (1998). Down-regulation of cytochrome P450 2C family members and positive acute-phase response gene expression by peroxisome proliferator chemicals. *Mol Pharmacol.* 54: 463-473. <http://dx.doi.org/10.1124/mol.54.3.463>.



## Exposure Literature Search Results

### Off Topic

- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. *J Air Waste Manag Assoc.* 50: 529-535.
- Costantini, AS; Benvenuti, A; Vineis, P; Kriebel, D; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, G; Mendico, I; Maltoni, S; Miligi, L. (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. *Am J Ind Med.* 51: 803-811. <http://dx.doi.org/10.1002/ajim.20592>.
- Costantini, AS; Miligi, L; Kriebel, D; Ramazzotti, V; Rodella, S; Scarpi, E; Stagnaro, E; Tumino, R; Fontana, A; Masala, G; Viganò, C; Vindigni, C; Crosignani, P; Benvenuti, A; Vineis, P. (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. *Epidemiology.* 12: 78-87.
- Costanza, J, ed; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. *Environ Sci Technol.* 41: 1729-1734. <http://dx.doi.org/10.1021/es062419g>.
- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. *Chemosphere.* 70: 2060-2067. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.007>.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ.* 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Costentin, C; Robert, M; Saveant, JM. (2006). Electron transfer and bond breaking: Recent advances. *Chem Phys.* 324: 40-56. <http://dx.doi.org/10.1016/j.chemphys.2005.09.029>.
- Costet, N; Garlandezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol.* 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Couceiro, M; Crespo, P; Marques, R, uif; Fonte, P. (2014). Scatter Fraction, Count Rates, and Noise Equivalent Count Rate of a Single-Bed Position RPC TOF-PET System Assessed by Simulations Following the NEMA NU2-2001 Standards. *IEEE Trans Nucl Sci.* 61: 1153-1163. <http://dx.doi.org/10.1109/TNS.2014.2303654>.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. *Desalination.* 117: 233-245.
- Coulibaly, KM; Borden, RC. (2004). Impact of edible oil injection on the permeability of aquifer sands. *J Contam Hydrol.* 71: 219-237. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.002>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol.* 126: 315-329. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.
- Coute, N; Ortego, JD; Richardson, JT; Twigg, MV. (1998). Catalytic steam reforming of chlorocarbons: trichloroethane, trichloroethylene and perchloroethylene. *Appl Catal B-Environ.* 19: 175-187.
- Couto, MN; Borges, JR, JR; Guedes, P; Almeida, R; Monteiro, E; Almeida, CMR; Basto, MCP; Vasconcelos, MTS, D. (2014). An Improved Method for the Determination of Petroleum Hydrocarbons From Soil Using a Simple Ultrasonic Extraction and Fourier Transform Infrared Spectrophotometry. *Petroleum Science and Technology.* 32: 426-432. <http://dx.doi.org/10.1080/10916466.2011.587383>.
- Covington, TR; Gentry, P; Van Landingham, CB; Clewell, HJ. (2006). Issues in using Markov Chain Monte Carlo analysis to calibrate a PBPK model for use in risk assessment: Case studies with dichloromethane and perchloroethylene [Abstract]. *Toxicologist.* 90: 261.
- Covington, TR; Gentry, PR; Van Landingham, CB; Andersen, ME; Kester, JE; Clewell, HJ. (2007). The use of Markov chain Monte Carlo uncertainty analysis to support a public health goal for perchloroethylene. *Regul Toxicol Pharmacol.* 47: 1-18. <http://dx.doi.org/10.1016/j.yrtph.2006.06.008>.
- Cox, P; Niewohner, J; Pidgeon, N; Gerrard, S; Fischhoff, B; Riley, D. (2003). The use of mental models in chemical risk protection: Developing a generic workplace methodology. *Risk Anal.* 23: 311-324.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (OSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen.* 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A. (1989). Genetic toxicology of 1,1,2-trichloroethylene [Review]. *Mutat Res.* 221: 11-37. [http://dx.doi.org/10.1016/0165-1110\(89\)90043-2](http://dx.doi.org/10.1016/0165-1110(89)90043-2).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1985). Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. *Mutat Res Genet Toxicol Environ Mutagen.* 155: 105-111. [http://dx.doi.org/10.1016/0165-1218\(85\)90126-0](http://dx.doi.org/10.1016/0165-1218(85)90126-0).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1991). In vitro studies with nine known or suspected spindle poisons: results in tests for chromosome malsegregation in *Aspergillus nidulans*. *Mutagenesis.* 6: 131-136. <http://dx.doi.org/10.1093/mutage/6.2.131>.
- Crespo, P; Reis, J; Couceiro, M; Blanco, A; Ferreira, NC; Marques, R, uif; Martins, P; Fonte, P. (2012). Whole-Body Single-Bed Time-of-Flight RPC-PET: Simulation of Axial and Planar Sensitivities With NEMA and Anthropomorphic Phantoms. *IEEE Trans Nucl Sci.* 59: 520-529. <http://dx.doi.org/10.1109/TNS.2012.2182677>.
- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; Mcneill, K; Elsner, M. (2013). Reductive dechlorination of TCE by chemical model systems in comparison to dehalogenating bacteria: insights from dual element isotope analysis (13C/12C, 37Cl/35Cl). *Environ Sci Technol.* 47: 6855-6863. <http://dx.doi.org/10.1021/es400107n>.
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *J Environ Eng.* 131: 1724-1732. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:12\(1724\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:12(1724)).

## Exposure Literature Search Results

### Off Topic

- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res.* 31: 411-418. [http://dx.doi.org/10.1016/S0043-1354\(96\)00258-8](http://dx.doi.org/10.1016/S0043-1354(96)00258-8).
- Cronn, DR; Rasmussen, RA; Robinson, E. (1976). Report for phase I: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-01). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E. (1977). Report for phase II: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-02). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E; Harsch, DE. (1977). Halogenated compound identification and measurement in the troposphere and lower stratosphere. *J Geophys Res.* 82: 5935-5944. <http://dx.doi.org/10.1029/JC082i037p05935>.
- Crouch, E. (1988). Comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 549-550. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01195.x>.
- Crump, K; Allen, B; Shipp, A. (1989). Choice of dose measure for extrapolating carcinogenic risk from animals to humans: An empirical investigation of 23 chemicals. *Health Phys.* 57: 387-393.
- Crump, KS. (1998). On summarizing group exposures in risk assessment: Is an arithmetic mean or a geometric mean more appropriate? *Risk Anal.* 18: 293-297. <http://dx.doi.org/10.1111/j.1539-6924.1998.tb01296.x>.
- Crump, KS; Allen, BC; Howe, RB; Crockett, PW. (1987). Time-related factors in quantitative risk assessment. *J Chronic Dis.* 40: 101S-111S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80013-9](http://dx.doi.org/10.1016/S0021-9681(87)80013-9).
- Crump, KS; Guess, HA; Deal, KL. (1977). Confidence intervals and test of hypotheses concerning dose response relations inferred from animal carcinogenicity data. *Biometrics.* 33: 437-451. <http://dx.doi.org/10.2307/2529358>.
- Crutzen, PJ; Isaksen, ISA; McAfee, JR. (1978). The impact of the chlorocarbon industry on the ozone layer. *J Geophys Res.* 83: 345-363. <http://dx.doi.org/10.1029/JC083iC01p00345>.
- Cruz, SL; Balster, RL; Woodward, JJ. (2000). Effects of volatile solvents on recombinant N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *Br J Pharmacol.* 131: 1303-1308. <http://dx.doi.org/10.1038/sj.bjp.0703666>.
- Cruz, SL; Mirshahi, T; Thomas, B; Balster, RL; Woodward, JJ. (1998). Effects of the abused solvent toluene on recombinant N-methyl-D-aspartate and non-N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *J Pharmacol Exp Ther.* 286: 334-340.
- Cueto, MJM; Vallejo, MG; Rodriguez, MR; Minchero, RM. (1994). PHYSICO-CHEMICAL STUDIES CONCERNING MISCELLES OF VEGETABLE-OILS .15. APPLICATION OF ANDRADE AND KRONE EQUATIONS TO METHYL MIRYSTATE SOLUTIONS IN CYCLOHEXANE, HEXANE, TETRACHLOROETHYLENE OR TRICHLOROETHYLENE. *Grasas y Aceites.* 45: 224-226.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther.* 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol.* 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos.* 27: 542-548.
- Cunha, SC; Almeida, C; Mendes, E; Fernandes, JO. (2011). Simultaneous determination of bisphenol A and bisphenol B in beverages and powdered infant formula by dispersive liquid-liquid micro-extraction and heart-cutting multidimensional gas chromatography-mass spectrometry. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 28: 513-526. <http://dx.doi.org/10.1080/19440049.2010.542551>.
- Cunha, SC; Cunha, C; Ferreira, AR; Fernandes, JO. (2012). Determination of bisphenol A and bisphenol B in canned seafood combining QuEChERS extraction with dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. *Anal Bioanal Chem.* 404: 2453-2463. <http://dx.doi.org/10.1007/s00216-012-6389-5>.
- Cunha, SC; Pena, A; Fernandes, JO. (2015). Dispersive liquid-liquid microextraction followed by microwave-assisted silylation and gas chromatography-mass spectrometry analysis for simultaneous trace quantification of bisphenol A and 13 ultraviolet filters in wastewaters. *J Chromatogr A.* 1414: 10-21. <http://dx.doi.org/10.1016/j.chroma.2015.07.099>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environ Sci Technol.* 38: 4768-4774. <http://dx.doi.org/10.1021/es049965z>.
- Cupples, AM; Spormann, AM; Mccarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environ Sci Technol.* 38: 1102-1107. <http://dx.doi.org/10.1021/es0348647>.
- Curcio, P; Allix, F; Pickaert, G; Jamart-Grégoire, B. (2011). A favorable, narrow,  $\delta(h)$  Hansen-parameter domain for gelation of low-molecular-weight amino acid derivatives. *Chemistry.* 17: 13603-13612. <http://dx.doi.org/10.1002/chem.201101423>.
- Curtis, GP; Reinhard, M. (1994). Reductive dehalogenation of hexachloroethane, carbon tetrachloride, and bromoform by anthrahydroquinone disulfonate and humic acid. *Environ Sci Technol.* 28: 2393-2401.
- Cushey, MA; Rubin, Y. (1997). Field-scale transport of nonpolar organic solutes in 3-D heterogeneous aquifers. *Environ Sci Technol.* 31: 1259-1268. <http://dx.doi.org/10.1021/es9601999>.
- Cutler, J; Parker, G; Rosen, S; Prenney, B; Healey, R; Caldwell, G. (1986). Childhood leukemia in Woburn, Massachusetts. *Public Health Rep.* 101: 201-205.
- Cvelbar, U; Mozetic, M; Zalar, A. (2003). Improvement of electrical conductivity of Cu/Ag glue joints by discharge cleaning. *Vacuum.* 71: 207-211. [http://dx.doi.org/10.1016/S0042-207X\(02\)00738-8](http://dx.doi.org/10.1016/S0042-207X(02)00738-8).
- da Silva Augusto, LG; Lieber, S. R.; Ruiz, MA; de Souza, CA. (1997). Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen.* 29: 46-52. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)29:1<46::AID-EM6>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)29:1<46::AID-EM6>3.0.CO;2-B).

## Exposure Literature Search Results

### Off Topic

- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res.* 78: 2456-2465. <http://dx.doi.org/10.2175/106143006X123111>.
- Dabirian, A; Lachowicz, A; Schuttauf, JW; Paviet-Salomon, B; Morales-Masis, M; Hessler-Wyser, A; Despeisse, M; Ballif, C. (2017). Metallization of Si heterojunction solar cells by nanosecond laser ablation and Ni-Cu plating. *Solar Energy Materials and Solar Cells.* 159: 243-250. <http://dx.doi.org/10.1016/j.solmat.2016.09.021>.
- Daffer, P; Crump, K; Masterman, M. (1980). Asymptotic theory for analyzing dose-response survival data with application to low-dose extrapolation problems. *Math Biosci.* 50: 207-230. [http://dx.doi.org/10.1016/0025-5564\(80\)90037-1](http://dx.doi.org/10.1016/0025-5564(80)90037-1).
- Dai, R; Wu, G; Chen, H. (2011). Stable titanium dioxide grafted with poly [N-(p-vinyl benzyl) phthalimide] composite particles in suspension for electrophoretic displays. *Colloid and Polymer Science.* 289: 401-407. <http://dx.doi.org/10.1007/s00396-011-2375-2>.
- Daishima, S; Iida, Y. (1992). MONITORING OF TRACE AMOUNTS OF ORGANIC-COMPOUNDS IN AIR BY TOWNSEND DISCHARGE-CHEMICAL IONIZATION MASS-SPECTROMETRY. *Bunseki Kagaku.* 41: 207-213.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1994). Use of tissue deposition data from rats and dogs to determine species differences in input parameters for a physiological model for perchloroethylene. *Environ Res.* 67: 54-67. <http://dx.doi.org/10.1006/enrs.1994.1064>.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1995). Physiologically based pharmacokinetic model useful in prediction of the influence of species, dose, and exposure route on perchloroethylene pharmacokinetics. *J Toxicol Environ Health.* 44: 301-317. <http://dx.doi.org/10.1006/taap.1994.1179>.
- Damgaard, I; Bjerg, PL; Bælum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol.* 146: 37-50. <http://dx.doi.org/10.1016/j.jconhyd.2012.11.010>.
- Damgaard, I, da; Bjerg, PL; Jacobsen, CS; Tsitonaki, A; Kernn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation.* 33: 48-61. <http://dx.doi.org/10.1111/j.1745-6592.2012.01405.x>.
- Damrongsiri, S; Tongcumpou, C; Sabatini, DA. (2013). Partition behavior of surfactants, butanol, and salt during application of density-modified displacement of dense non-aqueous phase liquids. *J Hazard Mater.* 248-249: 261-267. <http://dx.doi.org/10.1016/j.jhazmat.2012.12.059>.
- Damrongsiri, S; Tongcumpou, C; Weschayanwivat, P; Sabatini, DA. (2010). Solubilization of dibutyltin dichloride with surfactant solutions in single and mixed oil systems. *J Hazard Mater.* 181: 1109-1114. <http://dx.doi.org/10.1016/j.jhazmat.2010.05.129>.
- Dane, JH; Hofstee, C; Corey, AT. (1998). Simultaneous measurement of capillary pressure, saturation, and effective permeability of immiscible liquids in porous media. *Water Resour Res.* 34: 3687-3692.
- Dang, T, ri; Sainato, N. (2014). NEMA and IEC Standards: A Practical Approach. *IEEE Transactions on Industry Applications.* 50: 3079-3085. <http://dx.doi.org/10.1109/TIA.2014.2307879>.
- Daniel, FB; Deangelo, AB; Stober, JA; Olson, GR; Page, NP. (1992). Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol.* 19: 159-168. [http://dx.doi.org/10.1016/0272-0590\(92\)90147-A](http://dx.doi.org/10.1016/0272-0590(92)90147-A).
- Daniel, FB; Meier, J. R.; Deangelo, AB. (1993). Advances in research on carcinogenic and genotoxic by-products of chlorine disinfection: Chlorinated hydroxyfuranones and chlorinated acetic acids. *Ann Ist Super Sanita.* 29: 279-291.
- Daniell, WE; Claypoole, KH; Checkoway, H; Smith-Weller, T; Dager, SR; Townes, BD; Rosenstock, L. (1999). Neuropsychological function in retired workers with previous long-term occupational exposure to solvents. *Occup Environ Med.* 56: 93-105.
- Danna, M; Lecchi, M; Bettinardi, V; Gilardi, MC; Stearns, CW; Lucignani, G; Fazio, F. (2006). Generation of the acquisition-specific NEC (AS-NEC) curves to optimize the injected dose in 3D F-18-FDG whole body PET studies. *IEEE Trans Nucl Sci.* 53: 86-92. <http://dx.doi.org/10.1109/TNS.2005.862966>.
- Daprato, RC; Löffler, FE; Hughes, JB. (2007). Comparative analysis of three tetrachloroethene to ethene halo-respiring consortia suggests functional redundancy. *Environ Sci Technol.* 41: 2261-2269. <http://dx.doi.org/10.1021/es061544p>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2008). Biotic and abiotic anaerobic transformations of trichloroethene and cis-1,2-dichloroethene in fractured sandstone. *Environ Sci Technol.* 42: 4323-4330. <http://dx.doi.org/10.1021/es702196a>.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry.* 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Das, DB; Gauldie, R; Mirzaei, M. (2007). Dynamic effects for two-phase flow in porous media: Fluid property effects. *AIChE J.* 53: 2505-2520. <http://dx.doi.org/10.1002/aic.11292>.
- Das, JC; Steinmetz, J, onD; McPhee, AA. (2016). Out-of-Step and Single Phasing Protection of Synchronous Chipper Motors. *IEEE Transactions on Industry Applications.* 52: 1931-1937. <http://dx.doi.org/10.1109/TIA.2015.2489180>.
- Dasgupta, R; Hirschmann, MM. (2007). Effect of variable carbonate concentration on the solidus of mantle peridotite. *Am Mineral.* 92: 370-379. <http://dx.doi.org/10.2138/am.2007.2201>.
- Dasgupta, R; Hirschmann, MM; Smith, ND. (2007). Partial melting experiments of peridotite CO<sub>2</sub> at 3 GPa and genesis of alkalic ocean island basalts. *Journal of Petrology.* 48: 2093-2124. <http://dx.doi.org/10.1093/ptrology/egm053>.
- Datskos, PG; Rajic, S; Sepaniak, MJ; Lavrik, N; Tipple, CA; Senesac, LR; Datskou, I. (2001). Chemical detection based on adsorption-induced and photoinduced stresses in microelectromechanical systems devices. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 19: 1173-1179.

## Exposure Literature Search Results

### Off Topic

- Datskos, PG; Sepaniak, MJ; Tipple, CA; Lavrik, N. (2001). Photomechanical chemical microsensors. *Sens Actuators B*. 76: 393-402.
- Datta, S; Talukdar, G; Sharma, A. (1986). Cytotoxic effects of arsenic in dietary oil primed rats. *Sci Cult*. 52: 196-198.
- Dattaa, R; Sarkar, D; Sharma, S; Sanda, K. (2006). Arsenic biogeochemistry and human health risk assessment in organo-arsenical pesticide-applied acidic and alkaline soils: An incubation study. *Sci Total Environ*. 372: 39-48. <http://dx.doi.org/10.1016/j.scitotenv.2006.08.003>.
- Daugey, N; Bergeat, A; Schuck, A; Caubet, P; Dorthe, G. (1997). Vibrational distribution in CN(X-2 Sigma(+)) from the N+C-2->CN+C reaction. *Chem Phys*. 222: 87-103.
- Davidson, IW. (1984). The biological basis for extrapolation of dose-carcinogenic response relationships of laboratory animals to man: A review paper. Washington, DC: U.S. Environmental Protection Agency.
- Davidson, IWF; Beliles, RP. (1991). Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics [Review]. *Drug Metab Rev*. 23: 493-599. <http://dx.doi.org/10.3109/03602539109029772>.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem*. 10: 463-474.
- Davis, JW; Odom, JM; Deweerdt, KA; Stahl, DA; Fishbain, SS; West, RJ; Klecka, GM; Decarolis, JG. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: characterization of microbial community structure. *J Contam Hydrol*. 57: 41-59.
- Davis, LM; Caspary, WJ; Sakallah, SA; Maronpot, R; Wiseman, R; Barrett, JC; Elliott, R; Hozier, JC. (1994). Loss of heterozygosity in spontaneous and chemically induced tumors of the B6C3F1 mouse. *Carcinogenesis*. 15: 1637-1645. <http://dx.doi.org/10.1093/carcin/15.8.1637>.
- Dawson, HE; Roberts, PV. (1997). Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water*. 35: 261-269.
- de Faire, U; Ericsson, CG; Hamsten, A; Nilsson, J. (1995). Design features of a five-year Bezafibrate Coronary Atherosclerosis Intervention Trial (BECAIT). *Drugs Exp Clin Res*. 21: 105-124.
- De Ferrari, M; Artuso, M; Bonassi, S; Bonatti, S; Cavalieri, Z; Pescatore, D; Marchini, E; Pisano, V; Abbondandolo, A. (1991). Cytogenetic biomonitoring of an Italian population exposed to pesticides: Chromosome aberration and sister-chromatid exchange analysis in peripheral blood lymphocytes. *Mutat Res Genet Toxicol Environ Mutagen*. 260: 105-113. [http://dx.doi.org/10.1016/0165-1218\(91\)90086-2](http://dx.doi.org/10.1016/0165-1218(91)90086-2).
- de Jong, HW; van Velden, FH; Kloet, RW; Buijs, FL; Boellaard, R; Lammertsma, AA. (2007). Performance evaluation of the ECAT HRRT: an LSO-LYSO double layer high resolution, high sensitivity scanner. *Phys Med Biol*. 52: 1505-1526. <http://dx.doi.org/10.1088/0031-9155/52/5/019>.
- de Jong, V; Cieplik, MK; Reints, WA; Fernandez-Reino, F; Louw, R. (2002). A mechanistic study on the catalytic combustion of benzene and chlorobenzene. *J Catal*. 211: 355-365. <http://dx.doi.org/10.1006/jcat.2002.3762>.
- De Kimpe, J; Cornelis, R; Mees, L; Vanholder, R. (1996). Basal metabolism of intraperitoneally injected carrier-free 74As-labeled arsenate in rabbits. *Fundam Appl Toxicol*. 34: 240-248. <http://dx.doi.org/10.1006/faat.1996.0193>.
- de la Iglesia, FA; Gough, AW; Sigler, RE. (1997). alpha2u-Globulin nephropathy and ravens: Do ravens of a different feather flock together? *Environ Health Perspect*. 105: 903-904.
- De La Iglesia, FA; Lewis, JE; Buchanan, RA; Marcus, EL; McMahon, G. (1982). Light and electron microscopy of liver in hyperlipoproteinemic patients under long-term gemfibrozil treatment. *Atherosclerosis*. 43: 19-37. [http://dx.doi.org/10.1016/0021-9150\(82\)90096-X](http://dx.doi.org/10.1016/0021-9150(82)90096-X).
- de Marco, I; Caballero, BM; Lopez-Urionabarrenechea, A; Laresgoiti, MF; Torres, A; Chomon, MJ. (2009). Pyrolysis of the rejects of a waste packaging separation and classification plant. *J Anal Appl Pyrol*. 85: 384-391. <http://dx.doi.org/10.1016/j.jaap.2008.09.002>.
- de Oliveira Costa, LF; Rangel, E, Jr; de Carvalho Filho, JM. (2014). Differences and Similarities Between ANSI and IEC Cultures for MV Assemblies-The Brazilian Experience. *I E E E Transactions on Industry Applications*. 50: 2392-2402. <http://dx.doi.org/10.1109/TIA.2013.2293820>.
- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; van Wijk, D. (2004). 1,1,1-trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess*. 97: 39-56.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere*. 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Diekert, G; Verstraete, W. (2002). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge: perspectives for in situ remediation. *Water Sci Technol*. 45: 43-48.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Verstraete, W. (2001). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge in lab-scale UASB reactors. *Adv Environ Res*. 6: 17-27.
- DeAngelo, AB. (2000). Response to "Epigenetic mechanisms of chemical carcinogenesis" by James E. Klaunig, Lisa M. Kamendulis, and Xu Yong. *Hum Exp Toxicol*. 19: 561-562. <http://dx.doi.org/10.1191/096032700701546460>.
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1996). The carcinogenicity of dichloroacetic acid in the male fischer 344 rat. *Toxicology*. 114: 207-221. [http://dx.doi.org/10.1016/S0300-483X\(96\)03510-X](http://dx.doi.org/10.1016/S0300-483X(96)03510-X).
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1997). Failure of monochloroacetic acid and trichloroacetic acid administered in the drinking water to produce liver cancer in male F344/N rats. *J Toxicol Environ Health*. 52: 425-445. <http://dx.doi.org/10.1080/00984109708984074>.
- DeAngelo, AB; Daniel, FB; Stober, JA; Olson, GR. (1991). The carcinogenicity of dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol*. 16: 337-347. [http://dx.doi.org/10.1016/0272-0590\(91\)90118-N](http://dx.doi.org/10.1016/0272-0590(91)90118-N).
- DeAngelo, AB; Daniel, FB; Wong, DM; George, MH. (2008). The induction of hepatocellular neoplasia by trichloroacetic acid administered in the drinking water of the male B6C3F1 mouse. *J Toxicol Environ Health A*. 71: 1056-1068. <http://dx.doi.org/10.1080/15287390802111952>.
- DeAngelo, AB; George, MH; House, DE. (1999). Hepatocarcinogenicity in the male B6C3F1 mouse following a lifetime exposure to dichloroacetic acid in the drinking water: Dose-response determination and modes of action. *J Toxicol Environ Health A*. 58: 485-507.

## Exposure Literature Search Results

### Off Topic

- Decker, SP; Klabunde, JS; Khaleel, A; Klabunde, KJ. (2002). Catalyzed destructive adsorption of environmental toxins with nanocrystalline metal oxides. Fluoro-, chloro-, bromocarbons, sulfur, and organophosphorus compounds. *Environ Sci Technol.* 36: 762-768. <http://dx.doi.org/10.1021/es010733z>.
- Dedrick, RL. (1973). Animal scale-up. *J Pharmacokinet Pharmacodyn.* 1: 435-461. <http://dx.doi.org/10.1007/BF01059667>.
- Dees, C; Travis, C. (1994). Trichloroacetate stimulation of liver DNA synthesis in male and female mice. *Toxicol Lett.* 70: 343-355. [http://dx.doi.org/10.1016/0378-4274\(94\)90129-5](http://dx.doi.org/10.1016/0378-4274(94)90129-5).
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores in micronuclei: A new assay for the detection of aneuploidy. *Mutat Res.* 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Deipser, A. (1998). Biodegradation of volatile CFCs, H-CFCs and VC in compost and marl. *Waste Manag Res.* 16: 330-341.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int.* 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Dejz, A; Burguet, MC; Munoz, R; Sanchoello, M. (1995). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF TETRACHLOROETHYLENE WITH 1-BUTANOL AND 2-BUTANOL AT 6-KPA AND 20-KPA. *Journal of Chemical and Engineering Data.* 40: 290-292.
- Dejz, A; Gonzalez-Alfaro, V; Llopis, FJ; Miguel, PJ; Vazquez, MI. (1999). Vapor-liquid equilibrium of binary mixtures of tetrachloroethylene with 1-pentanol, 3-methyl-1-butanol, and 2-methyl-1-butanol. *Journal of Chemical and Engineering Data.* 44: 286-290.
- Dejz, A; Gonzalezalfaro, V; Miguel, PJ; Vazquez, MI. (1996). Isobaric vapor-liquid equilibria of tetrachloroethylene plus 1-propanol and plus 2-propanol at 20 and 100 kPa. *Journal of Chemical and Engineering Data.* 41: 1361-1365.
- Dekant, W. (2001). Chemical-induced nephrotoxicity mediated by glutathione S-conjugate formation. *Toxicol Lett.* 124: 21-36. [http://dx.doi.org/10.1016/S0378-4274\(00\)00285-X](http://dx.doi.org/10.1016/S0378-4274(00)00285-X).
- Dekant, W. (2001). Does exposure to trichloroethene in low doses constitute a cancer risk to humans? *Hum Ecol Risk Assess.* 7: 657-675. <http://dx.doi.org/10.1080/20018091094565>.
- Dekant, W. (2010). Toxicological review of trichloroethylene in support of the IRIS database in support of the IRIS database (draft Of October 2009) comments of the Halogenated Solvents Industry Alliance. Arlington, VA: Halogenated Solvents Industry Alliance. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2009-0791-0018.1>.
- Dekant, W; Berthold, K; Vamvakas, S; Henschler, D; Anders, MW. (1988). Thioacylating intermediates as metabolites of S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2,2-trichlorovinyl)-L-cysteine formed by cysteine conjugate beta-lyase. *Chem Res Toxicol.* 1: 175-178. <http://dx.doi.org/10.1021/tx00003a008>.
- Dekant, W; Metzler, M; Henschler, D. (1986). Identification of S-1,2-dichlorovinyl-N-acetyl-cysteine as a urinary metabolite of trichloroethylene: A possible explanation for its nephrocarcinogenicity in male rats. *Biochem Pharmacol.* 35: 2455-2458. [http://dx.doi.org/10.1016/0006-2952\(86\)90039-0](http://dx.doi.org/10.1016/0006-2952(86)90039-0).
- Dekant, W; Vamvakas, S; Berthold, K; Schmitt, S; Henschler, D. (1986). Cysteine conjugate beta-lyase mediated cleavage and mutagenicity of the tetrachloroethylene metabolite s-1,1,2-trichlorovinyl-cysteine. *Toxicol Lett.* 31: 209.
- Dekant, W; Vamvakas, S; Anders, MW. (1989). Bioactivation of nephrotoxic haloalkenes by glutathione conjugation: formation of toxic and mutagenic intermediates by cysteine conjugate beta-lyase [Review]. *Drug Metab Rev.* 20: 43-83. <http://dx.doi.org/10.3109/03602538908994144>.
- Dekant, W; Vamvakas, S; Anders, MW. (1990). Biosynthesis, bioactivation, and mutagenicity of S-conjugates [Review]. *Toxicol Lett.* 53: 53-58. [http://dx.doi.org/10.1016/0378-4274\(90\)90094-3](http://dx.doi.org/10.1016/0378-4274(90)90094-3).
- Dekker, TJ; Abriola, LM. (2000). The influence of field-scale heterogeneity on the surfactant-enhanced remediation of entrapped nonaqueous phase liquids. *J Contam Hydrol.* 42: 219-251.
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133. <http://dx.doi.org/10.1029/2001WR000444>.
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delannoy, L; Giraudon, JM; Granger, P; Leclercq, L; Leclercq, G. (2002). Hydrodechlorination of CCl<sub>4</sub> over group VI transition metal carbides. *Appl Catal B-Environ.* 37: 161-173.
- Delinsky, AD; Delinsky, DC; Muralidhara, S; Fisher, JW; Bruckner, JV; Bartlett, MG. (2005). Analysis of dichloroacetic acid in rat blood and tissues by hydrophilic interaction liquid chromatography with tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 19: 1075-1083. <http://dx.doi.org/10.1002/rcm.189>.
- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air Waste.* 43: 203-207.
- Demarest, L. (2014). Soil composition at the aquifer level, groundwater quality and the presence of *Dehalococcoides ethenogenes* at Dover AFB. *Environ Earth Sci.* 71: 4157-4164. <http://dx.doi.org/10.1007/s12665-013-2806-0>.
- Demeestere, K; De Visscher, A; Dewulf, J; Van Leeuwen, M; Van Langenhove, H. (2004). A new kinetic model for titanium dioxide mediated heterogeneous photocatalytic degradation of trichloroethylene in gas-phase. *Appl Catal B-Environ.* 54: 261-274. <http://dx.doi.org/10.1016/j.apcatb.2004.06.020>.
- Demond, AH. (1982) A source of tetrachloroethylene in the drinking water of New England: An evaluation of the toxicity of tetrachloroethylene and the prediction of its leaching rates from vinyl-lined asbestos-cement pipe. (Master's Thesis). Massachusetts Institute of Technology, Cambridge, MA. Retrieved from <http://dspace.mit.edu/handle/1721.1/15478>
- Demond, AH. (1985). LEACHING OF TETRACHLOROETHYLENE FROM VINYL-LINED PIPE (pp. 1-9; 1985). (ISSN 0733-9372; EISSN 1943-7870; HMT/85/0002141). Demond, AH.

## Exposure Literature Search Results

### Off Topic

- Demou, E; Hellweg, S; Wilson, MP; Hammond, SK; Mckone, TE. (2009). Evaluating indoor exposure modeling alternatives for LCA: A case study in the vehicle repair industry. *Environ Sci Technol.* 43: 5804-5810. <http://dx.doi.org/10.1021/es803551y>.
- Dempsey, BA; Lee, AP; Kim, B. (1993). REMOVAL OF VOLATILE ORGANIC-CHEMICALS FROM WATER USING HYDRAULIC JETS. *Hazardous Waste and Hazardous Materials.* 10: 323-333.
- Den, W; Ravindran, V. (2005). Photooxidation for degradation of trichloroethylene and perchloroethylene in contaminated gas streams: Free-radical reaction kinetics, mechanisms, product formation and product removal. *Abstracts of Papers - American Chemical Society.* 229: U829-U829.
- Den, W; Ravindran, V; Pirbazari, M. (2006). Photooxidation and biotrickling filtration for controlling industrial emissions of trichloroethylene and. *Chem Eng Sci.* 61: 7909-7923. <http://dx.doi.org/10.1016/j.ces.2006.09.015>.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environ Sci Technol.* 33: 2651-2656.
- Deng, W; Chen, D; Xiong, Z; Verlinden, PJ; Dong, J; Ye, F; Li, H, ui; Zhu, H; Zhong, M; Yang, Y; Chen, Y; Feng, Z; Altermatt, P. (2016). 20.8% PERC Solar Cell on 156 mm x 156 mm P-Type Multicrystalline Silicon Substrate. 6: 3-9. <http://dx.doi.org/10.1109/JPHOTOV.2015.2489881>.
- Deonandan, R; Campbell, K; Ostbye, T; Tummon, I; Robertson, J. (2000). A comparison of methods for measuring socio-economic status by occupation or postal area. *Chronic Dis Can.* 21: 114-118.
- Desbaumes, E; Imhoff, C. (1971). Use of Saran bags for the determination of solvent concentration in the air of workshops. *Gefahrst Reinhalt Luft.* 31: 36-41.
- Deshmukh, NS; Lapsiya, KL; Savant, DV; Chiplonkar, SA; Yeole, TY; Dhakephalkar, PK; Ranade, DR. (2009). Upflow anaerobic filter for the degradation of adsorbable organic halides (AOX) from bleach composite wastewater of pulp and paper industry. *Chemosphere.* 75: 1179-1185. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.042>.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med.* 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Desvergne, B; Wahli, W. (1995). PPAR: A key factor in nutrient/gene interactions. In P Baeuerle (Ed.), (pp. 142-176). Boston, MA: Birkhauser.
- Devasena, M; Nambi, IM. (2010). Migration and entrapment of mercury in porous media. *J Contam Hydrol.* 117: 60-70. <http://dx.doi.org/10.1016/j.jconhyd.2010.06.005>.
- Devlinny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste and Hazardous Materials.* 12: 283-293.
- Devlin, JF; Barbaro, JR. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem.* 20: 2443-2449. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<2443:AMOEMN>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<2443:AMOEMN>2.0.CO;2).
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol.* 69: 233-261. [http://dx.doi.org/10.1016/S0169-7722\(03\)00156-6](http://dx.doi.org/10.1016/S0169-7722(03)00156-6).
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Dewulf, J; Ponnet, D; Vanlangenhove, H. (1996). Measurement of atmospheric monocyclic aromatic hydrocarbons and chlorinated C-1- and C-2- hydrocarbons at ng.m(-3) concentration levels. *Int J Environ Anal Chem.* 62: 289-301.
- Dewulf, J; Vanlangenhove, H. (1995). Simultaneous determination of C-1- and C-2-halocarbons and monocyclic aromatic hydrocarbons in marine water samples at NG/L concentration levels. *Int J Environ Anal Chem.* 61: 35-46.
- Dewulf, J; Vanlangenhove, H; Everaert, M. (1997). Solid-phase microextraction of volatile organic compounds - Estimation of the sorption equilibrium from the Kovats index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model. *J Chromatogr A.* 761: 205-217.
- Dhennezel, O; Ollis, DF. (1996). Photocatalytic oxidation of air contaminants by chlorine (Cl) or hydroxyl (OH) radicals or holes (h+): Mechanistic correlations. *Stud Surf Sci Catal.* 101: 435-442.
- Di Nardo, A; Bortone, I; Di Natale, M; Erto, A; Musmarra, D. (2014). A Heuristic Procedure to Optimize the Design of a Permeable Reactive Barrier for In Situ Groundwater Remediation. *AST.* 32: 125-140.
- Di Palma, L; De Filippis, P; Lausdei, D; Petrucci, E. (2015). KINETIC TESTS OF ANAEROBIC DECHLORINATION OF A POLLUTED GROUNDWATER IN ITALY. *Environmental Engineering and Management Journal.* 14: 2713-2718.
- Di, Z; Zheng, S; Xiao-Hui, Y; Da-Peng, W; Kun, D; Ya-Feng, G. (2013). A Porous Membrane Extraction and Microtrap System for On-line Monitoring of Volatile Organic Compounds in Water. *Chin J Anal Chem.* 41: 1153-1158. <http://dx.doi.org/10.3724/SP.J.1096.2013.21228>.
- Diabetes Atherosclerosis Intervention Study Investigators. (2001). Effect of fenofibrate on progression of coronary-artery disease in type 2 diabetes: The Diabetes Atherosclerosis Intervention Study, a randomised study. *Lancet.* 357: 905-910. [http://dx.doi.org/10.1016/S0140-6736\(00\)04209-4](http://dx.doi.org/10.1016/S0140-6736(00)04209-4).
- Diallo, MS; Abriola, LM; Weber, WJ, Jr. (1994). Solubilization of non-aqueous phase liquid hydrocarbons in micellar solutions of dodecyl alcohol ethoxylates. Washington, D.C.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res.* 32: 3325-3330.
- Díaz, E; Ordóñez, S; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). High-surface area graphites as supports for hydrodechlorination catalysts: Tuning support surface chemistry for an optimal performance. *Appl Catal B-Environ.* 99: 181-190. <http://dx.doi.org/10.1016/j.apcatb.2010.06.016>.

## Exposure Literature Search Results

### Off Topic

- Dickert, FL; Bruckdorfer, T; Feigl, H; Haunschild, A; Kuschow, V; Obermeier, E; Bulst, WE; Knauer, U; Mages, G. (1993). SUPRAMOLECULAR DETECTION OF SOLVENT VAPORS WITH QMB AND SAW DEVICES. *Sens Actuators B*. 13: 297-301.
- Dickert, FL; Haunschild, A; Hofmann, P. (1994). CHOLESTERIC LIQUID-CRYSTALS FOR SOLVENT VAPOR DETECTION - ELIMINATION OF CROSS-SENSITIVITY BY BAND SHAPE-ANALYSIS AND PATTERN-RECOGNITION. *Fresenius J Anal Chem*. 350: 577-581.
- Dickert, FL; Haunschild, A; Maune, V. (1993). TETRAAZACYCLOPHANES AS HOST MOLECULES FOR SOLVENT VAPORS - MASS-SENSITIVE DETECTION AND FORCE-FIELD CALCULATIONS. *Sens Actuators B*. 12: 169-173.
- Dickson, AG; Riley, JP. (1976). The distribution of short-chain halogenated aliphatic hydrocarbons in some marine organisms. *Mar Pollut Bull*. 7: 167-169. [http://dx.doi.org/10.1016/0025-326X\(76\)90212-5](http://dx.doi.org/10.1016/0025-326X(76)90212-5).
- Dietert, RR. (2008). Developmental immunotoxicology (DIT): windows of vulnerability, immune dysfunction and safety assessment. *J Immunotoxicol*. 5: 401-412. <http://dx.doi.org/10.1080/15476910802483324>.
- Dietrich, DR. (1997). Doubting nongenotoxic mechanisms of renal cancer: Comparing apples and oranges in the alpha2u-globulin hypothesis. *Environ Health Perspect*. 105: 898-902.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (*Populus deltoides* x *nigra* DN34). *Environ Toxicol Chem*. 20: 389-393. [http://dx.doi.org/10.1897/1551-5028\(2001\)020<0389:POCATH>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2001)020<0389:POCATH>2.0.CO;2).
- Difilippo, FP. (2015). Enhanced PET resolution by combining pinhole collimation and coincidence detection. *Phys Med Biol*. 60: 7969-7984. <http://dx.doi.org/10.1088/0031-9155/60/20/7969>.
- Dilla, W; Koser, HJK. (1983). ON THE DEHYDROCHLORINATION DECHLORINATION OF TRICHLOROETHYLENE, PERCHLOROETHYLENE AND 1,1,1-TRICHLOROETHANE BY METAL CHLORIDES AND OXIDATIVE HYDROLYTIC DEGRADATION PRODUCTS. *Mater Corros*. 34: 241-245.
- Dilla, W; Koser, HJK. (1984). THE INFLUENCE OF CHLOROACETYL CHLORIDES AND CHLOROACETIC ACIDS ON THE CORROSION OF METALS IN TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Mater Corros*. 35: 16-22.
- Dillier, N; Laszlo, J; Müller, B; Koella, W; Olpe, H. (1978). Activation of an inhibitory noradrenergic pathway projecting from the locus coeruleus to the cingulate cortex of the rat. *Brain Res*. 154: 61-68. [http://dx.doi.org/10.1016/0006-8993\(78\)91051-X](http://dx.doi.org/10.1016/0006-8993(78)91051-X).
- Dilling, WL. (1977). Interphase transfer processes II Evaporation rates of chloro methanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions Comparisons with theoretical predictions. *Environ Sci Technol*. 11: 405-409. <http://dx.doi.org/10.1021/es60127a009>.
- Dilling, WL. (1982). Atmospheric environment. In RA Conway (Ed.), (pp. 154-197). New York, NY: Van Nostrand Reinhold Company.
- Dilling, WL; Bredeweg, CJ; Tefertiller, NB. (1976). Organic photochemistry: Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environ Sci Technol*. 10: 351-356. <http://dx.doi.org/10.1021/es60115a006>.
- Dilling, WL; Tefertiller, NB; Kallos, GJ. (1975). Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environ Sci Technol*. 9: 833-838. <http://dx.doi.org/10.1021/es60107a008>.
- Dimitriades, B; Gay, BW, Jr; Arnts, RR; Seila, RL. (1983). Photochemical reactivity of perchloroethylene: A new appraisal. *J Air Pollut Control Assoc*. 33: 575-587.
- Dimmer, CH; Mcculloch, A; Simmonds, PG; Nickless, G; Bassford, MR; Smythe-Wright, D. (2001). Tropospheric concentrations of the chlorinated solvents, tetrachloroethene and trichloroethene, measured in the remote northern hemisphere. *Atmos Environ*. 35: 1171-1182.
- Disdier, J; Pichat, P; Mas, D. (2005). Measuring the effect of photocatalytic purifiers on indoor air hydrocarbons and carbonyl pollutants. *J Air Waste Manag Assoc*. 55: 88-96.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res*. 33: 1688-1694.
- Dittmer, DS. (1959). Handbook of toxicology, volume V: Fungicides. In DS Dittmer (Ed.). Philadelphia: W. B. Saunders Co.
- Divine, CE; Sanford, WE; Mccray, JE. (2003). Helium and Neon Groundwater Tracers to Measure Residual DNAPL: Laboratory Investigation. *Vadose Zone Journal*. 2: 382-388.
- Dmitrieva, NV. (1966). Maximum permissible concentration of tetrachloroethylene in factory air. *Gig Sanit*. 31: 387-393.
- Dmitriyeva, NV; Kuleshov, EV; Orjonikidze, EK. (1968). [Changes in the impedance and bioelectrical activity of the cerebral cortex of rats under the action of anesthetic drugs]. *Zh Vyssh Nerv Deiat Im I P Pavlova*. 18: 463-468.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ*. 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Dobaradaran, S; Lutze, H; Mahvi, AH; Schmidt, TC. (2014). Transformation efficiency and formation of transformation products during photochemical degradation of TCE and PCE at micromolar concentrations. *Chemosphere*. 12: 16. <http://dx.doi.org/10.1186/2052-336X-12-16>.
- Dobbs, GT; Balu, B; Young, C; Kranz, C; Hess, DW; Mizaiakoff, B. (2007). Mid-infrared chemical sensors utilizing plasma-deposited fluorocarbon membranes. *Anal Chem*. 79: 9566-9571. <http://dx.doi.org/10.1021/ac070832g>.
- Dobecki, M; Romanowicz, B. (1991). THE USE OF GAS-CHROMATOGRAPHY FOR THE DETERMINATION OF VINYL-CHLORIDE AND CHLORINATED ORGANIC-SOLVENTS VAPORS IN THE WORKING ENVIRONMENT. *Chemia analityczna*. 36: 499-506.
- Dobson, DJ; Saini, S. (1997). Porphyrin-modified electrodes as biomimetic sensors for the determination of organohalide pollutants in aqueous samples. *Anal Chem*. 69: 3532-3538.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.

## Exposure Literature Search Results

### Off Topic

- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem*. 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doi, A; Hill, G; Seely, J; Hailey, J; Kissling, G; Bucher, J. (2007). alpha 2u-globulin nephropathy and renal tumors in national toxicology program studies. *Toxicol Pathol*. 35: 533-540. <http://dx.doi.org/10.1080/01926230701338941>.
- Dokuyucu, T; Akkaya, A; Akcura, M; Kara, R; Budak, H. (2004). Collection, identification and conservation of wheat landraces in Kahramanmaraş province in East Mediterranean Region of Turkey. *Cereal Research Communications*. 32: 167-174.
- Dolfing, J. (1999). Comment on "Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture". *Environ Sci Technol*. 33: 2127-2127.
- Dolfing, J. (2000). Energetics of anaerobic degradation pathways of chlorinated aliphatic compounds. *Microb Ecol*. 40: 2-7.
- Domanska, U. (1998). Measurement and correlation of the solubility of crown ethers in selected organic solvents. *Polish Journal of Chemistry*. 72: 925-939.
- Dombi, A; Fekete, ZA; Kiricsi, I. (2000). In situ photocatalytic reactor with FT-IR analysis for heterogeneous catalytic studies. *Appl Catal A-Gen*. 193: 5-8.
- Dong, Ji; Yoon, KD. (1999). Thermal decomposition mechanism of chlorinated volatile organics at pyrolytic and oxidative conditions. *Korean J Chem Eng*. 16: 501-504.
- Dong, T; Luo, H; Wang, Y; Hu, B; Chen, H, ua. (2011). Stabilization of Fe-Pd bimetallic nanoparticles with sodium carboxymethyl cellulose for catalytic reduction of para-nitrochlorobenzene in water. *Desalination*. 271: 11-19. <http://dx.doi.org/10.1016/j.desal.2010.12.003>.
- Dong, Y; Liang, X; Krumholz, L; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environ Sci Technol*. 43: 690-697. <http://dx.doi.org/10.1021/es801917p>.
- Donlon, C; Robinson, IS; Reynolds, M; Wimmer, W; Fisher, G; Edwards, R; Nightingale, TJ. (2008). An infrared sea surface temperature autonomous radiometer (ISAR) for deployment aboard volunteer observing ships (VOS). *J Atmos Ocean Tech*. 25: 93-113. <http://dx.doi.org/10.1175/2007JTECHO505.1>.
- Donoghue, AM; Dryson, EW; Wynn-Williams, G. (1995). Contrast sensitivity in organic-solvent-induced chronic toxic encephalopathy. *J Occup Environ Med*. 37: 1357-1363.
- Dooley, PK. (1998). A comparison of liquid-filled and dry-type transformers for industrial applications. *I E E Transactions on Industry Applications*. 34: 222-226.
- Doong, R; Wu, S. (1995). SUBSTRATE EFFECTS ON THE ENHANCED BIOTRANSFORMATION OF POLYCHLORINATED HYDROCARBONS UNDER ANAEROBIC CONDITION. *Chemosphere*. 30: 1499-1511.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol*. 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chen, TF. (1996). Anaerobic degradation of 1,1,1-trichloroethane with the amendment of different substrate and microbial concentrations. *Chemosphere*. 32: 2003-2014.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol*. 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res*. 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere*. 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Water Sci Technol*. 26: 159-168.
- Doong, RA; Wu, SC. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN AQUEOUS-SOLUTIONS CONTAINING FERROUS AND SULFIDE IONS. *Chemosphere*. 24: 1063-1075.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere*. 32: 377-390.
- Dordevic, D; Cerkovnik, J; Gorenek, M. (2006). The comparison of the kinetics of hydrolysis of some reactive dyes before and after purification. 14: 85-88.
- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit*. 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Dorgerloh, U, te; Theissen, H; Becker, R; Hilbert, S; Nehls, I. (2010). Sampling and Quantification of Volatile Organohalogenes, Ethene and Methane in Groundwater. *Grundwasser*. 15: 231-239. <http://dx.doi.org/10.1007/s00767-010-0144-7>.
- Dorman, DC; McManus, BE; Parkinson, CU; Manuel, CA; McElveen, AM; Everitt, JI. (2004). Nasal Toxicity of Manganese Sulfate and Manganese Phosphate in Young Male Rats Following Subchronic (13-Week) Inhalation Exposure. *Inhal Toxicol*. 16: 481-488.



## Exposure Literature Search Results

### Off Topic

- Dorne, J; Walton, K; Renwick, A. (2001). Uncertainty factors for chemical risk assessment. human variability in the pharmacokinetics of CYP1A2 probe substrates. *Food Chem Toxicol.* 39: 681-696.
- Dorne, JLC, M; Renwick, AG. (2005). The refinement of uncertainty/safety factors in risk assessment by the incorporation of data on toxicokinetic variability in humans. *Toxicol Sci.* 86: 20-26. <http://dx.doi.org/10.1093/toxsci/kfi160>.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology.* 5: 124-127.
- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol.* 132: 746-748.
- Doskey, PV; Aldstadt, JH; Kuo, JM; Costanza, MS. (1996). Evaluation of an in situ, on-line purging system for the cone penetrometer. *J Air Waste Manag Assoc.* 46: 1081-1085.
- Doull, J; Bridges, DA; Kroes, R; Golberg, L; Munros, IC; Paynter, OE; Pitot, HC; Squire, R; Williams, G; Darby, W. (1983). A report of the International Expert Advisory Committee to the Nutrition Foundation The relevance of mouse liver hepatoma to human carcinogenic risk. Washington, DC: The Nutrition Foundation, Inc.
- Dourado, A; Marina, V; Vera, L. (2008). Occupational exposure to perchloroethylene in degrease operation of chromation process [Abstract]. *Toxicol Lett.* 180: S65. <http://dx.doi.org/10.1016/j.toxlet.2008.06.556>.
- Doust, HG; Huang, JC. (1992). THE FATE AND TRANSPORT OF HAZARDOUS CHEMICALS IN THE SUBSURFACE ENVIRONMENT. *Water Sci Technol.* 25: 169-176.
- Dowideit, P; Mertens, R; Vonsonntag, C. (1996). Non-hydrolytic decay of formyl chloride into CO and HCl in aqueous solution. *J Am Chem Soc.* 118: 11288-11292.
- Draga, M; Ciucanu, I; Agotici, V; Fernandez, A; Barna, R. (2009). Quantitative evaluation of perchlorethylene in groundwater before and after its oxidation by helical solid sorbent extraction and gas chromatography. *Chemosphere.* 75: 1210-1214. <http://dx.doi.org/10.1016/j.chemosphere.2009.02.016>.
- Drasche, H; Funk, L; Herbolzheimer, R. (1972). Storing of air samples for the analysis of contaminants, especially of chlorinated hydrocarbons. *Gefahrst Reinhalt Luft.* 32: 20-25.
- Dressler, K; Kratt, M; Voss, PA; Ebert, S; Herguth, A; Hahn, G. (2016). Influence of Al Particle Size and Firing Profile on Void Formation in Rear Local Contacts of Silicon Solar Cells. 6: 68-73. <http://dx.doi.org/10.1109/JPHOTOV.2015.2491610>.
- Dressler, K; Rauer, M; Kaloudis, M; Dauwe, S; Herguth, A; Hahn, G. (2015). Nondestructive Characterization of Voids in Rear Local Contacts of PERC-Type Solar Cells. 5: 70-76. <http://dx.doi.org/10.1109/JPHOTOV.2014.2359745>.
- Dreyer, C; Krey, G; Keller, H; Givel, F; Helftenbein, G; Wahli, W. (1992). Control of the peroxisomal beta-oxidation pathway by a novel family of nuclear hormone receptors. *Cell.* 68: 879-887. [http://dx.doi.org/10.1016/0092-8674\(92\)90031-7](http://dx.doi.org/10.1016/0092-8674(92)90031-7).
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environ Sci Technol.* 39: 8460-8465. <http://dx.doi.org/10.1021/es050251d>.
- Driver, EM; Roberts, J; Dollar, P; Charles, M; Hurst, P; Halden, RU. (2017). Comparative meta-analysis and experimental kinetic investigation of column and batch bottle microcosm treatability studies informing in situ groundwater remedial design. *J Hazard Mater.* 323: 377-385. <http://dx.doi.org/10.1016/j.jhazmat.2016.05.008>.
- Drobna, Z; Xing, W; Thomas, DJ; Styblo, M. (2006). shRNA silencing of AS3MT expression minimizes arsenic methylation capacity of HepG2 cells. *Chem Res Toxicol.* 19: 894-898. <http://dx.doi.org/10.1021/tx060076u>.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 22: 525-533. [http://dx.doi.org/10.1897/1551-5028\(2003\)022<0525:ROMCMI>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2003)022<0525:ROMCMI>2.0.CO;2).
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.078>.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 23: 252-257.
- Droz, PO; Guillemin, MP. (1986). Occupational exposure monitoring using breath analysis. *J Occup Med.* 28: 593-602.
- Droz, PO; Wu, MM; Cumberland, WG. (1989). Variability in biological monitoring of organic solvent exposure II application of a population physiological model. *Occup Environ Med.* 46: 547-558.
- Droz, PO; Wu, MM; Cumberland, WG; Berode, M. (1989). Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. *Br J Ind Med.* 46: 447-460.
- Dryson, E; t Mannetje, A; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). Case-control study of high risk occupations for bladder cancer in New Zealand. *Int J Cancer.* 122: 1340-1346. <http://dx.doi.org/10.1002/ijc.23194>.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environ Sci Technol.* 36: 2630-2635. <http://dx.doi.org/10.1021/es010184x>.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.

## Exposure Literature Search Results

### Off Topic

- Du, Y; Zhang, W, ei; Whitten, W; Li, H; Watson, DB; Xu, J, un. (2010). Membrane-Extraction Ion Mobility Spectrometry for in Situ Detection of Chlorinated Hydrocarbons in Water. *Anal Chem.* 82: 4089-4096. <http://dx.doi.org/10.1021/ac100162d>.
- Duarte, CL; Ribeiro, MA; Sato, IM; Sampa, MHD, O. (2004). Efficiency of organic compounds removal by electron-beam irradiation in presence of high metal concentration. *Radiat Phys Chem Oxf Engl* 1993. 71: 451-454. <http://dx.doi.org/10.1016/j.radphyschem.2004.04.024>.
- Dubey, SR, am; Singh, SK; Singh, RK. (2015). Local Diagonal Extrema Pattern: A New and Efficient Feature Descriptor for CT Image Retrieval. *I E E E Signal Processing Letters.* 22: 1215-1219. <http://dx.doi.org/10.1109/LSP.2015.2392623>.
- Dubey, SR, am; Singh, SK; Singh, RK. (2016). Novel local bit-plane dissimilarity pattern for computed tomography image retrieval. *Electronics Letters.* 52: 1290-1291. <http://dx.doi.org/10.1049/el.2016.1206>.
- Ducom, G; Cabassud, C. (1999). Interests and limitations of nano-filtration for the removal of volatile organic compounds in drinking water production. *Desalination.* 124: 115-123.
- Ducommun, P; Boutsiadou, X; Hunkeler, D. (2013). Direct-push multilevel sampling system for unconsolidated aquifers. *Hydrogeology Journal.* 21: 1901-1908. <http://dx.doi.org/10.1007/s10040-013-1035-7>.
- Dueñas-Laita, A; Pérez-Miranda, M; González-López, MA; Martín-Escudero, JC; Ruiz-Mambrilla, M; Blanco-Varela, J. (2005). Acute arsenic poisoning. *Lancet.* 365: 1982. [http://dx.doi.org/10.1016/S0140-6736\(05\)66670-6](http://dx.doi.org/10.1016/S0140-6736(05)66670-6).
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol.* 21: 444-448.
- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environ Sci Technol.* 41: 2303-2310. <http://dx.doi.org/10.1021/es062010r>.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res.* 36: 4193-4202.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *J Environ Eng.* 124: 441-448.
- Dullweber, T; Gatz, S; Hannebauer, H; Falcon, T, om; Hesse, R; Schmidt, J, an; Brendel, R. (2012). Towards 20% efficient large-area screen-printed rear-passivated silicon solar cells. *Progress in Photovoltaics.* 20: 630-638. <http://dx.doi.org/10.1002/pip.1198>.
- Dullweber, T; Kranz, C; Beier, B; Veith, B; Schmidt, J; Roos, BFP; Hohn, O; Dippell, T; Brendel, R. (2013). Inductively coupled plasma chemical vapour deposited AlOx/SiNy layer stacks for applications in high-efficiency industrial-type silicon solar cells. *Solar Energy Materials and Solar Cells.* 112: 196-201. <http://dx.doi.org/10.1016/j.solmat.2013.01.036>.
- Dullweber, T; Kranz, C; Peibst, R; Baumann, U; Hannebauer, H; Fuelle, A; Steckemetz, S; Weber, T; Kutzer, M; Mueller, M; Fischer, G; Palinginis, P; Neuhaus, H. (2016). PERC plus : industrial PERC solar cells with rear Al grid enabling bifaciality and reduced Al paste consumption. *Progress in Photovoltaics.* 24: 1487-1498. <http://dx.doi.org/10.1002/pip.2712>.
- Dullweber, T; Schmidt, J, an. (2016). Industrial Silicon Solar Cells Applying the Passivated Emitter and Rear Cell (PERC) Concept-A Review. 6: 1366-1381. <http://dx.doi.org/10.1109/JPHOTOV.2016.2571627>.
- Dullweber, T; Wehmeier, N; Nowack, A; Brendemuehl, T; Kajari-Schroeder, S; Brendel, R. (2016). Industrial bifacial n-type silicon solar cells applying a boron co-diffused rear emitter and an aluminum rear finger grid. *Physica Status Solidi A: Applications and Materials Science (Print).* 213: 3046-3052. <http://dx.doi.org/10.1002/pssa.201600346>.
- Dumitran, C; Ion, O; Florinel, D. (2009). Spectroscopy and Gas Chromatographic Measurements of TPH in Soil Samples Contaminated with Crude Oil. *Rev Chim.* 60: 1335-1337.
- Dumlu, A; Yalcinkaya, S; Olgac, V; Güvercin, M. (2007). Osteomyelitis due to arsenic trioxide use for tooth devitalization. *Int Endod J.* 40: 317-322. <http://dx.doi.org/10.1111/j.0143-2885.2007.01230.x>.
- Dwarakanath, V; Jackson, RE; Pope, GA. (2002). Influence of wettability on the recovery of NAPLs from alluvium. *Environ Sci Technol.* 36: 227-231. <http://dx.doi.org/10.1021/es011023w>.
- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol.* 38: 465-488.
- Dyne, D; Cocker, J; Wilson, HK. (1997). A novel device for capturing breath samples for solvent analysis. *Sci Total Environ.* 199: 83-89.
- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibrac acid, nafenopin and LY171883. *Carcinogenesis.* 12: 1557-1561.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis.* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eastmond, DA; Tucker, JD. (1989). Kinetochore localization in micronucleated cytokinesis-blocked Chinese hamster ovary cells: A new and rapid assay for identifying aneuploidy-inducing agents. *Mutat Res.* 224: 517-525. [http://dx.doi.org/10.1016/0165-1218\(89\)90079-7](http://dx.doi.org/10.1016/0165-1218(89)90079-7).
- Eberts, SM; Braun, C; Jones, S. (2008). Compound-specific isotope analysis: Questioning the origins of a trichloroethene plume. *Environ Forensics.* 9: 85-95. <http://dx.doi.org/10.1080/15275920801888368>.
- Ebrahim, AS; Babakrishnan, K; Sakthisekaran, D. (1996). Perchloroethylene-induced alterations in glucose metabolism and their prevention by 2-deoxy-D-glucose and vitamin E in mice. *J Appl Toxicol.* 16: 339-348. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3); [http://onlinelibrary.wiley.com/doi/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3/abstract](http://onlinelibrary.wiley.com/doi/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3/abstract).
- Echeverria, D; White, RF; Sampaio, C. (1995). A behavioral evaluation of PCE exposure in patients and dry cleaners: A possible relationship between clinical and preclinical effects. *J Occup Environ Med.* 37: 667-680.
- Edler, L; Kopp-Schneider, A. (1998). Statistical models for low dose exposure. *Mutat Res-Fundam Mol Mech Mutagen.* 405: 227-236. [http://dx.doi.org/10.1016/S0027-5107\(98\)00140-7](http://dx.doi.org/10.1016/S0027-5107(98)00140-7).

## Exposure Literature Search Results

### Off Topic

- Edmiston, PL; Underwood, LA. (2009). Absorption of dissolved organic species from water using organically modified silica that swells. *Separation and Purification Technology*. 66: 532-540. <http://dx.doi.org/10.1016/j.seppur.2009.02.001>.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci*. 22: 281-293.
- Edwards, BK; Ward, E; Kohler, BA; Ehemann, C; Zauber, AG; Anderson, RN; Jemal, A; Schymura, MJ; Lansdorp-Vogelaar, I; Seeff, LC; van Ballegooijen, M; Goede, SL; Ries, LAG. (2010). Annual report to the nation on the status of cancer, 1975-2006, featuring colorectal cancer trends and impact of interventions (risk factors, screening, and treatment) to reduce future rates. *Cancer*. 116: 544-573. <http://dx.doi.org/10.1002/cncr.24760>.
- Effmert, M. (1990). INTERACTION BETWEEN SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC AND COLLETOTRICHUM-COCCODES (WALLR) HUGHES IN WART RESISTANCE TESTING. *Potato Research*. 33: 247-250.
- Efron, B; Tibshirani, RJ. (1994). *An introduction to the bootstrap*. Boca Raton, FL: Chapman & Hall.
- Eger El, II. (1963). A mathematical model of uptake and distribution. In EM Papper; RJ Kitz (Eds.), (pp. 72-87). New York, NY: McGraw-Hill Book Company, Inc.
- Ehlers, GA; D Rose, P. (2006). The potential for reductive dehalogenation of chlorinated phenol in a sulphidogenic environment in situ enhanced biodegradation. *Water SA*. 32: 243-248.
- Ehlers, GA; Rose, PD. (2006). An integrated anaerobic/aerobic bioprocess for the remediation of chlorinated phenol-contaminated soil and groundwater. *Water Environ Res*. 78: 701-709. <http://dx.doi.org/10.2175/106143006X101728>.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation*. 24: 53-59.
- Eisele, AP; Mukerjee, S; Smith, LA; Thoma, ED; Whitaker, DA; Oliver, KD; Wu, T; Colon, M; Alston, L; Cousett, TA; Miller, MC; Smith, DM; Stallings, C. (2016). Volatile organic compounds at two oil and natural gas production well pads in Colorado and Texas using passive samplers. *Journal of the Air and Waste Management Association*. 66: 412-419. <http://dx.doi.org/10.1080/10962247.2016.1141808>.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Sci Technol*. 36: 191-198. [http://dx.doi.org/10.1016/S0273-1223\(97\)00352-1](http://dx.doi.org/10.1016/S0273-1223(97)00352-1).
- Eisenbraun, EJ; Payne, KW; Bymaster, JS; Iob, A; Apblett, A. (2002). Improved method for dehydrating secondary alcohols using inorganic sulfates supported on silica in refluxing octane. *Ind Eng Chem Res*. 41: 2611-2616. <http://dx.doi.org/10.1021/ie010549m>.
- Ekins, S; Murray, GI; Burke, MD; Williams, JA; Marchant, NC; Hawksworth, GM. (1995). Quantitative differences in phase I and II metabolism between rat precision-cut liver slices and isolated hepatocytes. *Drug Metab Dispos*. 23: 1274-1279.
- Ekre, R; Johnson, PC; Rittmann, BE; Krajmalnik-Brown, R. (2014). Method for Assessing Source Zone Natural Depletion at Chlorinated Aliphatic Spill Sites. *Ground Water Monitoring and Remediation*. 34: 61-71. <http://dx.doi.org/10.1111/gwrm.12049>.
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Sci Technol*. 45: 49-54.
- Elcombe, CR; Mitchell, AM. (1986). Peroxisome proliferation due to di(2-ethylhexyl) phthalate (DEHP): Species differences and possible mechanisms. *Environ Health Perspect*. 70: 211-219.
- Elcombe, CR; Rose, MS; Pratt, IS. (1985). Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: Possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol*. 79: 365-376. [http://dx.doi.org/10.1016/0041-008X\(85\)90135-8](http://dx.doi.org/10.1016/0041-008X(85)90135-8).
- Elfarra, AA; Krause, RJ. (2007). S-(1,2,2-trichlorovinyl)-L-cysteine sulfoxide, a reactive metabolite of S-(1,2,2-Trichlorovinyl)-L-cysteine formed in rat liver and kidney microsomes, is a potent nephrotoxicant. *J Pharmacol Exp Ther*. 321: 1095-1101. <http://dx.doi.org/10.1124/jpet.107.120444>.
- Elfarra, AA; Krause, RJ. (2008). Michael addition-elimination reactions: Roles in toxicity and potential new therapeutic applications. In AA Elfarra (Ed.), (pp. 57-68). New York, NY: Springer. [http://dx.doi.org/10.1007/978-0-387-77300-1\\_3](http://dx.doi.org/10.1007/978-0-387-77300-1_3).
- Eliason, P; Morose, G. (2011). Safer alternatives assessment: The Massachusetts process as a model for state governments. *J Clean Prod*. 19: 517-526. <http://dx.doi.org/10.1016/j.jclepro.2010.05.011>.
- Elmore, JD; Wong, JL; Laumbach, AD; Streips, UN. (1976). Vinyl chloride mutagenicity via the metabolites chlorooxirane and chloroacetaldehyde monomer hydrate. *Biochim Biophys Acta*. 442: 405-419. [http://dx.doi.org/10.1016/0005-2787\(76\)90314-2](http://dx.doi.org/10.1016/0005-2787(76)90314-2).
- Elovaara, E; Hemminki, K; Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology*. 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research*. 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.
- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem*. 80: 4731-4740. <http://dx.doi.org/10.1021/ac702543y>.
- El-Zein, RA; Hay, MJ; Lopez, MS; Bondy, ML; Morris, DL; Legator, MS; Abdel-Rahman, SZ. (2006). Response to comments on 'Cytogenetic effects in children treated with methylphenidate' by El-Zein et al [Letter]. *Cancer Lett*. 231: 146-148. <http://dx.doi.org/10.1016/j.canlet.2005.10.007>.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage*. 57: 155-164.
- Emmert, B; Bünger, J; Keuch, K; Müller, M; Emmert, S; Hallier, E; Westphal, GA. (2006). Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent *S. typhimurium* strain YG7108pin3ERb5. *Toxicology*. 228: 66-76. <http://dx.doi.org/10.1016/j.tox.2006.08.013>.

## Exposure Literature Search Results

### Off Topic

- Emunson, BM; Ewing, JS. (1971). NEW NEMA STANDARDS FOR DC MOTORS FOR USE ON RECTIFIED POWER. IGA7: 535-&.
- Endoh, K; Kaneko, T; Sato, A. (1989). [A physiologically based pharmacokinetic model to describe the transfer of organic solvents in the human body. Simulation of kinetic behavior of trichloroethylene using a spreadsheet program]. Sangyo Igaku. 31: 335-341.
- Endres, AL; Greenhouse, JP. (1996). Detection and monitoring of chlorinated solvent contamination by thermal neutron logging. Ground Water. 34: 283-292.
- Environment Canada. (1993). Tetrachloroethylene. In Priority Substances List Assessment Report. Ottawa, Canada: Minister of Supply and Services Canada. <http://www.hc-sc.gc.ca/ewh-semt/pubs/contaminants/psl1-lsp1/trichloroethylene/index-eng.php>.
- EPA, U. (1997). Exposure factors handbook: Volume I - General factors. (EPA/600/P-95/002Fa). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. [http://epa-prgs.ornl.gov/radionuclides/EFH\\_Final\\_1997\\_EPA600P95002Fa.pdf](http://epa-prgs.ornl.gov/radionuclides/EFH_Final_1997_EPA600P95002Fa.pdf).
- EPA, US. (1980). Determination not to initiate a rebuttable presumption against registration (RPAR) of pesticide products containing carbaryl; availability of decision document. Fed Reg. 45: 81869-81876.
- Epstein, DL; Nolen, GA; Randall, JL; Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1992). Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. Teratology. 46: 225-235. <http://dx.doi.org/10.1002/tera.1420460306>.
- Ergas, SJ; Schroeder, ED; Chang D, PY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. Water Environ Res. 67: 816-821.
- Eriksson, L; Watson, CC; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Lenox, M; Burbar, Z; Conti, M; Bendriem, B; Heiss, WD; Nutt, R. (2005). The ECAT HRRT: An example of NEMA scatter estimation issues for LSO-based PET systems. IEEE Trans Nucl Sci. 52: 90-94. <http://dx.doi.org/10.1109/TNS.2004.843139>.
- Eriksson, L; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Bruckbauer, T; Hamill, J; Mulnix, T; Vollmar, S; Bendriem, B; Heiss, WD; Nutt, R. (2002). NEMA count-rate evaluation of the first and second generation of the Ecac Exact and Ecac Exact HR family of scanners. IEEE Trans Nucl Sci. 49: 640-643.
- Eriksson, L; Wienhard, K; Eriksson, M; Casey, ME; Knoess, C; Bruckbauer, T; Hamill, J; Schmand, M; Gremillion, T; Lenox, M; Conti, M; Bendriem, B; Heiss, WD; Nutt, R. (2002). The ECAT HRRT: NEMA NEC evaluation of the HRRT system, the new high-resolution research tomograph. IEEE Trans Nucl Sci. 49: 2085-2088. <http://dx.doi.org/10.1109/TNS.2002.803784>.
- Ermisch, R; Schulze, D; Schwedes, J. (1993). A NEW TYPE OF EXTRACTOR FOR BULK MATERIALS WITH POOR FLOW CHARACTERISTICS. 46: E89-E93.
- Ernst, M; Walter, D; Fell, A; Lim, B; Weber, K. (2016). Efficiency Potential of P-Type Al<sub>2</sub>O<sub>3</sub>/SiN<sub>x</sub> Passivated PERC Solar Cells With Locally Laser-Doped Rear Contacts. 6: 624-631. <http://dx.doi.org/10.1109/JPHOTOV.2016.2535353>.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the <sup>13</sup>C/<sup>12</sup>C isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). Acta Hydrochim Hydrobiol. 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The C-<sup>13</sup>/C-<sup>12</sup> and H-<sup>2</sup>/H-<sup>1</sup> ratios of trichloroethene, tetrachloroethene and their metabolites. Isotopes Environ Health Stud. 34: 245-253.
- Ertl, S; Spitz, A. (2004). Low-temperature sealed tube combustion of gaseous, liquid and solid organic compounds for <sup>13</sup>C/<sup>12</sup>C and <sup>14</sup>C analysis. Isotopes Environ Health Stud. 40: 163-170. <http://dx.doi.org/10.1080/10256010410001671023>.
- Erto, A; Andreozzi, R; Lancia, A; Musmarra, D. (2010). Factors affecting the adsorption of trichloroethylene onto activated carbons. Appl Surf Sci. 256: 5237-5242. <http://dx.doi.org/10.1016/j.apsusc.2009.12.110>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. J Environ Manage. 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. J Environ Manage. 92: 23-30. <http://dx.doi.org/10.1016/j.jenvman.2010.07.044>.
- Erto, A; Lancia, A; Musmarra, D. (2011). A modelling analysis of PCE/TCE mixture adsorption based on Ideal Adsorbed Solution Theory. Separation and Purification Technology. 80: 140-147. <http://dx.doi.org/10.1016/j.seppur.2011.04.021>.
- Erto, A; Lancia, A; Musmarra, D. (2012). A Real Adsorbed Solution Theory model for competitive multicomponent liquid adsorption onto granular activated carbon. Microporous and Mesoporous Materials. 154: 45-50. <http://dx.doi.org/10.1016/j.micromeso.2011.10.041>.
- Esclapez, MD; Díez-García, MI; Sàez, V; Bonete, P; González-García, J. (2013). Electrochemical degradation of trichloroacetic acid in aqueous media: influence of the electrode material. Environ Technol. 34: 383-393. <http://dx.doi.org/10.1080/09593330.2012.696723>.
- Eskenazi, B; Wyrobek, AJ; Fenster, L; Katz, DF; Sadler, M; Lee, J; Hudes, M; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on semen quality in dry cleaning workers. Am J Ind Med. 20: 575-591. <http://dx.doi.org/10.1002/ajim.4700200502>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200502/abstract>.
- Essing, HG; Schacke, G; Schaller, KH; Valentin, H. (1973). [Occupational-medical studies on the dynamics of tetrachloroethylene in the organism]. Die Medizinische Welt. 24: 242-244.
- Ethell, DW; Buhler, LA. (2003). Fas ligand-mediated apoptosis in degenerative disorders of the brain. J Clin Immunol. 23: 439-446.
- Evans, GM. (1991). US-EPA SITE DEMONSTRATION OF AWD TECHNOLOGIES AQUADETOX - SVE SYSTEM. J Air Waste Manag Assoc. 41: 1519-1523.
- Evans, JS; Thompson, KM; Hattis, D. (2000). Exposure efficiency: Concept and application to perchloroethylene exposure from dry cleaners. J Air Waste Manag Assoc. 50: 1700-1703.

## Exposure Literature Search Results

### Off Topic

- Evans, MV; Chiu, WA; Okino, MS; Caldwell, JC. (2009). Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol.* 236: 329-340. <http://dx.doi.org/10.1016/j.taap.2009.02.013>.
- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation.* 34: 65-78. <http://dx.doi.org/10.1111/gwmr.12069>.
- Eveillard, A; Lasserre, F; de Tayrac, M; Polizzi, A; Claus, S; Canlet, C; Mselli-Lakhal, L; Gotardi, G; Paris, A; Guillou, H; Martin, PG; Pineau, T. (2009). Identification of potential mechanisms of toxicity after di-(2-ethylhexyl)-phthalate (DEHP) adult exposure in the liver using a systems biology approach. *Toxicol Appl Pharmacol.* 236: 282-292. <http://dx.doi.org/10.1016/j.taap.2009.02.008>.
- Eveillard, A; Mselli-Lakhal, L; Mogha, A; Lasserre, F; Polizzi, A; Pascussi, JM; Guillou, H; Martin, PG; Pineau, T. (2009). Di-(2-ethylhexyl)-phthalate (DEHP) activates the constitutive androstane receptor (CAR): a novel signalling pathway sensitive to phthalates. *Biochem Pharmacol.* 77: 1735-1746. <http://dx.doi.org/10.1016/j.bcp.2009.02.023>.
- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect.* 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Everatt, R; Slapšytė, G; Mierauskienė, J; Dedonytė, V; Bakienė, L. (2013). Biomonitoring study of dry cleaning workers using cytogenetic tests and the comet assay. *J Occup Environ Hyg.* 10: 609-621. <http://dx.doi.org/10.1080/15459624.2013.818238>.
- Ewald, E; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U, te. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococcoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environ Sci Technol.* 41: 7744-7751.
- Fabbri, D; Bezzi, R; Torri, C; Galletti, P; Tagliavini, E. (2007). Determination of tetrachloroethylene and other volatile halogenated organic compounds in oil wastes by headspace SPME GC-MS. *Chromatographia.* 66: 377-382. <http://dx.doi.org/10.1365/s10337-007-0353-0>.
- Fabbro-Peray, P; Daures, JP; Rossi, JF. (2001). Environmental risk factors for non-Hodgkin's lymphoma: A population-based case-control study in Languedoc-Roussillon, France. *Cancer Causes Control.* 12: 201-212. <http://dx.doi.org/10.1023/A:1011274922701>.
- Fabre, F. (1978). Induced intragenic recombination in yeast can occur during the G1 mitotic phase. *Nature.* 272: 795-798.
- Fabre, F; Roman, H. (1977). Genetic evidence for inducibility of recombination competence in yeast. *Proc Natl Acad Sci USA.* 74: 1667-1671.
- Fachini, A; Vasconcelos, MTS, D. (2006). Effects of zeolites on cultures of marine micro-algae - A brief review. *Environ Sci Pollut Res Int.* 13: 414-417. <http://dx.doi.org/10.1065/espr2006.01.293>.
- Fagerlund, F; Illangasekare, TH; Niemi, A. (2007). Nonaqueous-phase liquid infiltration and immobilization in heterogeneous media: 2. Application to stochastically heterogeneous formations. *Vadose Zone Journal.* 6: 483-495. <http://dx.doi.org/10.2136/vzj2006.0172>.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol.* 131: 9-28. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.011>.
- Fagerlund, F; Niemi, A; Illangasekare, TH. (2008). Modeling of nonaqueous phase liquid (NAPL) migration in heterogeneous saturated media: Effects of hysteresis and fluid immobility in constitutive relations. *Water Resour Res.* 44: 3409-3409. <http://dx.doi.org/10.1029/2007WR005974>.
- Fahnenbrock, S; Klockow, D. (1994). A SOLID-ELECTROLYTE SENSOR AS AN ALARM DEVICE TO DETECT CHLORINATED HYDROCARBONS IN EXHAUST-GAS. *Sens Actuators B.* 19: 515-517.
- Faisal, SM; Ahmad, R; Ahmad, W; Hasnain, AU. (2006). Micronuclei induction and chromosomal aberrations in *Rattus norvegicus* by chloroacetic acid and chlorobenzene. *Ecotoxicol Environ Saf.* 65: 159-164. <http://dx.doi.org/10.1016/j.ecoenv.2006.03.002>.
- Faiz, J; Ebrahimpour, H; Pillay, P. (2004). Influence of unbalanced voltage on the steady-state performance of a three-phase squirrel-cage induction motor. *IEEE Transactions on Energy Conversion.* 19: 657-662. <http://dx.doi.org/10.1109/TEC.2004.837283>.
- Falk, HL. (1978). Biologic evidence for the existence of thresholds in chemical carcinogenesis. *Environ Health Perspect.* 22: 167-170.
- Fan, C; Tsai, M; Tsui, L. (2014). Structural characterization of bagasse-derived composts with different maturities and their solubility enhancing effect on PCE and toluene. *Chemosphere.* 105: 95-99. <http://dx.doi.org/10.1016/j.chemosphere.2013.12.102>.
- Fan, L, -Q; Coley, J; Miller, RT; Cattley, RC; Corton, JC. (2003). Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators. *Biochem Pharmacol.* 65: 949-959. [http://dx.doi.org/10.1016/S0006-2952\(03\)00004-2](http://dx.doi.org/10.1016/S0006-2952(03)00004-2).
- Fang, G; Si, Y; Tian, C; Zhang, G; Zhou, D. (2012). Degradation of 2,4-D in soils by Fe3O4 nanoparticles combined with stimulating indigenous microbes. *Environ Sci Pollut Res Int.* 19: 784-793. <http://dx.doi.org/10.1007/s11356-011-0597-y>.
- Fang, Y; Clapp, LW; Hozalski, RM; Novak, PJ; Semmens, MJ. (2004). Membrane gas transfer under conditions of creeping flow: modeling gas composition effects. *Water Res.* 38: 2489-2498. <http://dx.doi.org/10.1016/j.watres.2004.03.011>.
- Fang, Y; Hozalski, RM; Clapp, LW; Novak, PJ; Semmens, MJ. (2002). Passive dissolution of hydrogen gas into groundwater using hollow-fiber membranes. *Water Res.* 36: 3533-3542.
- Farhadi, K; Farajzadeh, M, irA; Matin, AA; Hashemi, P. (2009). Dispersive liquid-liquid microextraction and liquid chromatographic determination of pentachlorophenol in water. *Central European Journal of Chemistry.* 7: 369-374. <http://dx.doi.org/10.2478/s11532-009-0013-3>.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al2O3/TiO2 composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farmaki, E; Kaloudis, T; Dintitrou, K; Thanasoulas, N; Kousouris, L; Tzoumerkas, F. (2007). Validation of a FT-IR method for the determination of oils and grease in water using tetrachloroethylene as the extraction solvent. *Desalination.* 210: 52-60. <http://dx.doi.org/10.1016/j.desal.2006.05.032>.
- Farrar, D; Allen, B; Crump, K; Shipp, A. (1989). Evaluation of uncertainty in input parameters to pharmacokinetic models and the resulting uncertainty in output [Review]. *Toxicol Lett.* 49: 371-385.

## Exposure Literature Search Results

### Off Topic

- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environ Sci Technol.* 33: 1237-1243.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol.* 34: 514-521.
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environ Sci Technol.* 34: 2549-2556. <http://dx.doi.org/10.1021/es991135b>.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environ Sci Technol.* 28: 53-62.
- Fathepure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environ Sci Technol.* 28: 746-752.
- Faustman, EM; Gohlke, J; Judd, NL; Lewandowski, TA; Bartell, SA; Griffith, WC. (2005). Modeling developmental processes in animals: Applications in neurodevelopmental toxicology. *Environ Toxicol Pharmacol.* 19: 615-624. <http://dx.doi.org/10.1016/j.etap.2004.12.027>.
- Feenstra, S. (2003). Spatial variability of non-aqueous phase liquid chemicals in soil - Implications for source zone mass estimates. *Environmental and Engineering Geoscience.* 9: 19-23.
- Feenstra, S. (2005). Soil sampling in NAPL source zones: Challenges to representativeness. *Environ Forensics.* 6: 57-63.
- Feijen-Jeurissen, MMR; Jorna, JJ; Nieuwenhuys, BE; Sinquin, G; Petit, C; Hindermann, JP. (1999). Mechanism of catalytic destruction of 1,2-dichloroethane and trichloroethylene over gamma-Al<sub>2</sub>O<sub>3</sub> and gamma-Al<sub>2</sub>O<sub>3</sub> supported chromium and palladium catalysts. *Catalysis Today.* 54: 65-79.
- Fekete-Kertesz, I; Molnar, M; Atkari, A; Gruiz, K; Fenyvesi, E. (2013). Hydrogen peroxide oxidation for in situ remediation of trichloroethylene - from the laboratory to the field. *Periodica Polytechnica Chemical Engineering.* 57: 41-51. <http://dx.doi.org/10.3311/PPch.2169>.
- Feldmann, F; Bivour, M; Reichel, C; Steinkemper, H; Herm, M; Glunz, SW. (2014). Tunnel oxide passivated contacts as an alternative to partial rear contacts. *Solar Energy Materials and Solar Cells.* 131: 46-50. <http://dx.doi.org/10.1016/j.solmat.2014.06.015>.
- Felix, K; Manna, SK; Wise, K; Barr, J; Ramesh, GT. (2005). Low levels of arsenite activates nuclear factor-kB and activator protein-1 in immortalized mesencephalic cells. *J Biochem Mol Toxicol.* 19: 67-77. <http://dx.doi.org/10.1002/jbt.20062>.
- Fender, H. (1993). Chromosomenanalytische untersuchungen bei textilreinigern. In D Arndt; G Obe (Eds.), (pp. 71-76). München, Germany: MMV Verlag.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere.* 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environ Sci Technol.* 35: 1830-1839.
- Fennell, DE; Gossett, JM. (1998). Modeling the production of and competition for hydrogen in a dechlorinating culture. *Environ Sci Technol.* 32: 2450-2460.
- Fennell, DE; Gossett, JM. (1999). Comment on "Enrichment of high rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity". *Environ Sci Technol.* 33: 2681-2682.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 31: 918-926.
- Fennell, DE; Nijenhuis, I; Wilson, SF; Zinder, SH; Haggblom, MM. (2004). Dehalococcoides ethenogenes strain 195 reductively dechlorinates diverse chlorinated aromatic pollutants. *Environ Sci Technol.* 38: 2075-2081. <http://dx.doi.org/10.1021/es034989b>.
- Fenner, K; Scheringer, M; Hungerbühler, K. (2003). Joint persistence of transformation products in chemicals assessment: case studies and uncertainty analysis. *Risk Anal.* 23: 35-53.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Fernandez-Ibanez, P; Blanco, J; Malato, S; de las Nieves, FJ. (2003). Application of the colloidal stability of TiO<sub>2</sub> particles for recovery and reuse in solar photocatalysis. *Water Res.* 37: 3180-3188. [http://dx.doi.org/10.1016/S0043-1354\(03\)00157-X](http://dx.doi.org/10.1016/S0043-1354(03)00157-X).
- Ferrand, JF; Cénée, S; Laurent-Puig, P; Lorient, MA; Trinchet, JC; Degos, F; Bronovicky, JP; Pelletier, G; Stücker, I. (2008). Hepatocellular carcinoma and occupation in men: A case-control study. *J Occup Environ Med.* 50: 212-220. <http://dx.doi.org/10.1097/JOM.0b013e31815d88e2>.
- Ferrario, F; Continenza, D; Pisani, P; Magnani, C; Merletti, F; Berrino, F. (1988). Description of a job-exposure matrix for sixteen agents which are or may be related to respiratory cancer. In C Hogstedt; C Reuterwall (Eds.), *International Congress Series* (pp. 379-382). Amsterdam, Holland: Excerpta Medica.
- Ferreira-Gonzalez, A; DeAngelo, AB; Nasim, S; Garrett, CT. (1995). Ras oncogene activation during hepatocarcinogenesis in B6C3F1 male mice by dichloroacetic and trichloroacetic acids. *Carcinogenesis.* 16: 495-500. <http://dx.doi.org/10.1093/carcin/16.3.495>.
- Ferrero, A; Poon, JK; Chaudhari, AJ; Macdonald, LR; Badawi, RD. (2011). Effect of Object Size on Scatter Fraction Estimation Methods for PET-A Computer Simulation Study. *IEEE Trans Nucl Sci.* 58: 82-86. <http://dx.doi.org/10.1109/TNS.2010.2080685>.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environ Sci Technol.* 38: 1746-1752. <http://dx.doi.org/10.1021/es0305609>.
- Fertig, F; Greulich, J; Krauss, K; Clement, F; Biro, D; Preu, R; Rein, S. (2014). The BOSCO Solar Cell: Simulation and Experiment. 4: 1243-1251. <http://dx.doi.org/10.1109/JPHOTOV.2014.2333875>.
- Fertig, F; Krauss, K; Greulich, J; Clement, F; Biro, D; Preu, R; Rein, S. (2014). The BOSCO solar cell - a both sides collecting and contacted structure. *Physica Status Solidi Rapid Research Letters.* 8: 381-384. <http://dx.doi.org/10.1002/pssr.201409143>.

## Exposure Literature Search Results

### Off Topic

- Fertig, F; Nold, S; Woehrl, N; Greulich, J; Haedrich, I; Krauss, K; Mittag, M, ax; Biro, D; Rein, S; Preu, R. (2016). Economic feasibility of bifacial silicon solar cells. *Progress in Photovoltaics*. 24: 800-817. <http://dx.doi.org/10.1002/pip.2730>.
- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water*. 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation*. 25: 68-77.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol*. 46: 131-149.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum*. 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Finkbeiner; Hoffmann; Kreisel. (1997). ENVIRONMENTAL AUDITING: The Functional Unit in the Life Cycle Inventory Analysis of Degreasing Processes in the Metal-Processing Industry. *Environ Manage*. 21: 635-642.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)(2)(4-picoline)(4) for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem*. 70: 1268-1276.
- Finley, BL; Scott, P; Paustenbach, DJ. (1993). Evaluating the adequacy of maximum contaminant levels as health-protective cleanup goals: an analysis based on Monte Carlo techniques. *Regul Toxicol Pharmacol*. 18: 438-455. <http://dx.doi.org/10.1006/rtph.1993.1069>.
- Fischer, RG; Kastler, J; Ballschmiter, K. (2000). Levels and pattern of alkyl nitrates, multifunctional alkyl nitrates, and halocarbons in the air over the Atlantic Ocean. *J Geophys Res Atmos*. 105: 14473-14494.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol*. 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J*. 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Fisher, JW. (1994). Estimating human health risks for trichloroethylene, a water contaminant, using physiological models. In RGM Wang (Ed.), *Environmental Science and Pollution Control Series* (pp. 393 - 406). New York: Marcel Dekker.
- Fisher, JW; Mahle, D; Abbas, R. (1998). A human physiologically based pharmacokinetic model for trichloroethylene and its metabolites, trichloroacetic acid and free trichloroethanol. *Toxicol Appl Pharmacol*. 152: 339-359. <http://dx.doi.org/10.1006/taap.1998.8486>.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol*. 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1990). Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol*. 102: 497-513.
- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol*. 140: 56-66. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.007>.
- Flavell, DM; Ireland, H; Stephens, JW; Hawe, E; Acharya, J; Mather, H; Hurel, SJ; Humphries, SE. (2005). Peroxisome proliferator-activated receptor alpha gene variation influences age of onset and progression of type 2 diabetes. *Diabetes*. 54: 582-586.
- Flavell, DM; Jamshidi, Y; Hawe, E; Pineda Torra, I; Taskinen, MR; Frick, MH; Nieminen, MS; Kesäniemi, YA; Pasternack, A; Staels, B; Miller, G; Humphries, SE; Talmud, PJ; Syväne, M. (2002). Peroxisome proliferator-activated receptor alpha gene variants influence progression of coronary atherosclerosis and risk of coronary artery disease. *Circulation*. 105: 1440-1445.
- Flavell, DM; Pineda, TI; Jamshidi, Y; Evans, D; Diamond, JR; Elkeles, RS; Bujac, SR; Miller, G; Talmud, PJ; Staels, B; Humphries, SE. (2000). Variation in the PPAR- $\alpha$  gene is associated with altered function in vitro and plasma lipid concentrations in Type II diabetic subjects. *Diabetologia*. 43: 673-680.
- Fleischer, K; Munnings, RS. (1996). Power systems analysis for direct current (DC) distribution systems. *I E E Transactions on Industry Applications*. 32: 982-989.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg*. 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococcoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol*. 45: 712-718. <http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res*. 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable carbon isotope fractionation of 1,2-dichloropropane during dichloroelimination by Dehalococcoides populations. *Environ Sci Technol*. 43: 6915-6919. <http://dx.doi.org/10.1021/es900365x>.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Loeffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococcoides. *Environ Sci Technol*. 45: 2951-2957. <http://dx.doi.org/10.1021/es103728q>.

## Exposure Literature Search Results

### Off Topic

- Flocke, F; Herman, RL; Salawitch, RJ; Atlas, E; Webster, CR; Schauffler, SM; Lueb, RA; May, RD; Moyer, EJ; Rosenlof, KH; Scott, DC; Blake, DR; Bui, TP. (1999). An examination of chemistry and transport processes in the tropical lower stratosphere using observations of long-lived and short-lived compounds obtained during STRAT and POLARIS. *J Geophys Res Atmos.* 104: 26625-26642.
- Flórez Menéndez, JC; Fernández Sánchez, ML; Fernández Martínez, E; Sánchez Uría, JE; Sanz-Medel, A. (2004). Static headspace versus head space solid-phase microextraction (HS-SPME) for the determination of volatile organochlorine compounds in landfill leachates by gas chromatography. *Talanta.* 63: 809-814. <http://dx.doi.org/10.1016/j.talanta.2003.12.044>.
- Flower, DR; North, AC; Attwood, TK. (1993). Structure and sequence relationships in the lipocalins and related proteins. *Protein Sci.* 2: 753-761.
- Flynn, SJ; Loffler, FE; Tiedje, JM. (2000). Microbial community changes associated with a shift from reductive dechlorination of PCE to reductive dechlorination of cis-DCE and VC. *Environ Sci Technol.* 34: 1056-1061.
- Fofana, I; Wasserberg, V; Borsi, H; Gockenbach, E. (2002). Preliminary investigations for the retrofilling of Perchloroethylene based fluid filled transformer. *I E E Transactions on Dielectrics and Electrical Insulation.* 9: 97-103.
- Forczek, ST; Laturnus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ.* 61: 103-108. <http://dx.doi.org/10.17221/900/2014-PSE>.
- Forkert, PG; Birch, DW. (1989). Pulmonary toxicity of trichloroethylene in mice: covalent binding and morphological manifestations. *Drug Metab Dispos.* 17: 106-113.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Fortuny, J; de Sanjosé, S; Becker, N; Maynadié, M; Cocco, PL; Staines, A; Foretova, L; Vornanen, M; Brennan, P; Nieters, A; Alvaro, T; Boffetta, P. (2006). Statin use and risk of lymphoid neoplasms: results from the European Case-Control Study EPLYMPH. *Cancer Epidemiol Biomarkers Prev.* 15: 921-925. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0866>.
- Foucher, C; Rattier, S; Flavell, DM; Talmud, PJ; Humphries, SE; Kastelein, JJ; Ayyobi, A; Pimstone, S; Frohlich, J; Ansquer, JC; Steiner, G; investigators, D. (2004). Response to micronized fenofibrate treatment is associated with the peroxisome-proliferator-activated receptors alpha G/C intron7 polymorphism in subjects with type 2 diabetes. *Pharmacogenetics.* 14: 823-829.
- Fountain, JC; Klimek, A; Beikirch, MG; Middleton, TM. (1991). THE USE OF SURFACTANTS FOR INSITU EXTRACTION OF ORGANIC POLLUTANTS FROM A CONTAMINATED AQUIFER. *J Hazard Mater.* 28: 295-311.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, AW; Yang, X; Murlu, H; Lawlor, TE; Cifone, MA; Reno, FE. (1996). Absence of mutagenic effects of sodium dichloroacetate. *Fundam Appl Toxicol.* 32: 87-95. <http://dx.doi.org/10.1006/faat.1996.0110>.
- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Francesconi, R; Castellari, C; Comelli, F. (1999). Excess molar enthalpies and excess molar volumes of diethyl carbonate plus some n-alkoxyethanols at (298.15 and 313.15) K. *Journal of Chemical and Engineering Data.* 44: 1373-1378.
- Francisca, FM; Montoro, MA. (2015). Influence of Particle Size Distribution and Wettability on the Displacement of LNAPL in Saturated Sandy Soils. *J Environ Eng.* 141: 14091-14091. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000915](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000915).
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Frankel, DM; Johnson, CE; Pitt, HM. (1957). Preparation and properties of tetrachloroethylene oxide. *J Org Chem.* 22: 1119-1120.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: Characterization of a mutant deficient in receptor protein. *Antimicrob Agents Chemother.* 17: 151-156.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: characterization of a mutant deficient in receptor protein 10. *Antimicrob Agents Chemother.* 17.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol.* 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frazer, L. (2005). Metal attraction: An ironclad solution to arsenic contamination? *Environ Health Perspect.* 113: A398-A401.
- Fredriksson, M; Bengtsson, NO; Hardell, L; Axelson, O. (1989). Colon cancer, physical activity, and occupational exposures: A case-control study. *Cancer.* 63: 1838-1842.
- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environ Sci Technol.* 39: 8358-8368.
- Freeman, GL; Steinke, JM. (1993). Evaluation of two oximeters for use in cardiac catheterization laboratories. *Cathet Cardiovasc Diagn.* 30: 51-57.
- Freeman, SR; Drake, AL; Heilig, LF; Graber, M; McNealy, K; Schilling, LM; Dellavalle, RP. (2006). Statins, fibrates, and melanoma risk: a systematic review and meta-analysis [Review]. *J Natl Cancer Inst.* 98: 1538-1546. <http://dx.doi.org/10.1093/jnci/djj412>.
- Freeze, GA; Fountain, JC; Pope, GA; Jackson, RE. (1995). MODELING THE SURFACTANT-ENHANCED REMEDIATION OF PERCHLOROETHYLENE AT THE BORDEN TEST SITE USING THE UTCHEM COMPOSITIONAL SIMULATOR. *ACS Symp Ser Am Chem Soc.* 594: 191-200.
- Freireich, EJ; Gehan, EA; Rall, DP; Schmidt, LH; Skipper, HE. (1966). Quantitative comparison of toxicity of anticancer agents in mouse, rat, hamster, dog, monkey, and man. *J Natl Cancer Inst.* 50: 219-244.



## Exposure Literature Search Results

### Off Topic

- Freitas, JG; Barker, JF. (2013). Denatured ethanol release into gasoline residuals, Part 1: source behaviour. *J Contam Hydrol.* 148: 67-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.12.010>.
- Frenette, B; Mergler, D; Bowler, R. (1991). Contrast-sensitivity loss in a group of former microelectronics workers with normal visual acuity. *Optometry and Vision Science.* 68: 556-560.
- Frick, M; Elo, O; Haapa, K; Heinonen, O; Heinsalmi, P; Helo, P; Huttunen, J; Kaitaniemi, P; Koskinen, P; Manninen, V. (1987). Helsinki Heart Study: Primary-prevention trial with gemfibrozil in middle-aged men with dyslipidemia: Safety of treatment, changes in risk factors, and incidence of coronary heart disease. *N Engl J Med.* 317: 1237-1245. <http://dx.doi.org/10.1056/NEJM198711123172001>.
- Frick, MH; Syväne, M; Nieminen, MS; Kauma, H; Majahalme, S; Virtanen, V; Kesäniemi, YA; Pasternack, A; Taskinen, MR. (1997). Prevention of the angiographic progression of coronary and vein-graft atherosclerosis by gemfibrozil after coronary bypass surgery in men with low levels of HDL cholesterol. *Lipid Coronary Angiography Trial (LOCAT) Study Group. Circulation.* 96: 2137-2143.
- Fricker, AD; Laroe, SL; Shea, ME; Bedard, DL. (2014). Dehalococcoides mccartyi Strain JNA Dechlorinates Multiple Chlorinated Phenols Including Pentachlorophenol and Harbors at Least 19 Reductive Dehalogenase Homologous Genes. *Environ Sci Technol.* 48: 14300-14308. <http://dx.doi.org/10.1021/es503553f>.
- Friedrich, JF; Wigan, L; Unger, W; Lippitz, A; Erdmann, J; Gorsler, HV; Prescher, D; Wittrich, H. (1995). Barrier properties of plasma and chemically fluorinated polypropylene and polyethyleneterephthalate. *Surf Coating Tech.* 74-75: 910-918.
- Friedrich, JF; Wigant, L; Unger, W; Lippitz, A; Wittrich, H; Prescher, D; Erdmann, J; Gorsler, HV; Nick, L. (1995). BARRIER PROPERTIES OF PLASMA-MODIFIED POLYPROPYLENE AND POLYETHYLENTEREPHTHALATE. *J Adhes Sci Tech.* 9: 1165-1180.
- Fries, E; Püttmann, W. (2006). Improvement of HS-SPME for analysis of volatile organic compounds (VOC) in water samples by simultaneous direct fiber cooling and freezing of analyte solution. *Anal Bioanal Chem.* 386: 1497-1503. <http://dx.doi.org/10.1007/s00216-006-0715-8>.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg.* 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol.* 88: 235-248. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.001>.
- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-contaminated aquifer. *Environ Sci Technol.* 39: 5787-5795. <http://dx.doi.org/10.1021/es048322g>.
- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: laboratory experiments. *Chemosphere.* 67: 816-825. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.012>.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res.* 41: 355-364. <http://dx.doi.org/10.1016/j.watres.2006.09.026>.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol.* 88: 219-234. <http://dx.doi.org/10.1016/j.jconhyd.2006.07.001>.
- Frush, DP. (2017). Meeting the Needs for Radiation Protection: Diagnostic Imaging. *Health Phys.* 112: 214-219. <http://dx.doi.org/10.1097/HP.0000000000000605>.
- Fu, X; Imhoff, PT. (2002). Mobilization of small DNAPL pools formed by capillary entrapment. *J Contam Hydrol.* 56: 137-158.
- Fujita, I; Hirohata, M; Matsuzaki, T; Ozasa, Y; Matsuoka, R. (1997). Study on waste water contaminated by tetrachloroethylene. *JITHE.* 43: 59-63.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere.* 42: 345-350.
- Fullerton, H; Crawford, M; Bakenne, A; Freedman, DL; Zinder, SH. (2013). Anaerobic Oxidation of Ethene Coupled to Sulfate Reduction in Microcosms and Enrichment Cultures. *Environ Sci Technol.* 47: 12374-12381. <http://dx.doi.org/10.1021/es4029765>.
- Fung, JM; Weisenstein, BP; Mack, EE; Vidumsky, JE; Ei, TA; Zinder, SH. (2009). Reductive dehalogenation of dichlorobenzenes and monochlorobenzene to benzene in microcosms. *Environ Sci Technol.* 43: 2302-2307. <http://dx.doi.org/10.1021/es802131d>.
- Fure, AD; Jawitz, JW; Annable, MD. (2006). DNAPL source depletion: linking architecture and flux response [Review]. *J Contam Hydrol.* 85: 118-140. <http://dx.doi.org/10.1016/j.jconhyd.2006.01.002>.
- Furnus, CC; Ulrich, MA; Terreros, MC; Dulout, FN. (1990). The induction of aneuploidy in cultured Chinese hamster cells by propionaldehyde and chloral hydrate. *Mutagenesis.* 5: 323-326.
- Furukawa, K. (2006). Oxygenases and dehalogenases: molecular approaches to efficient degradation of chlorinated environmental pollutants [Review]. *Biosci Biotechnol Biochem.* 70: 2335-2348. <http://dx.doi.org/10.1271/bbb.60218>.
- Furuki, K; Ukai, H; Okamoto, S; Takada, S; Kawai, T; Miyama, Y; Mitsuyoshi, K; Zhang, ZW; Higashikawa, K; Ikeda, M. (2000). Monitoring of occupational exposure to tetrachloroethene by analysis for unmetabolized tetrachloroethene in blood and urine in comparison with urinalysis for trichloroacetic acid. *Int Arch Occup Environ Health.* 73: 221-227.
- Furusawa, T; Asama, R; Okada, M; Aika, K; Kojima, R; Kato, M; Suzuki, N. (2010). Destructive Adsorption of Chlorinated Volatile Organic Compounds on Calcium Oxide Powder under Air Flow. *J Chem Eng Jpn.* 43: 537-543.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen.* 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Futamata, H; Yoshida, M; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by Dehalococcoides-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *ISME J.* 1: 471-479. <http://dx.doi.org/10.1038/ismej.2007.42>.

## Exposure Literature Search Results

### Off Topic

- Futamura, S; Zhang, AH; Einaga, H; Kabashima, H. (2002). Involvement of catalyst materials in nonthermal plasma chemical processing of hazardous air pollutants. *Catalysis Today*. 72: 259-265.
- Futamura, S; Zhang, AH; Yamamoto, T. (1997). The dependence of nonthermal plasma behavior of VOCs on their chemical structures. *Journal of Electrostatics*. 42: 51-62.
- Gaertner, RRW; Trpeski, L; Johnson, KC. (2004). A case-control study of occupational risk factors for bladder cancer in Canada. *Cancer Causes Control*. 15: 1007-1019. <http://dx.doi.org/10.1007/s10552-004-1448-7>.
- Gaidau, C; Martinescu, T; Simion, D; Mocioiu, A, naM; Sendrea, C; Fleancu, M; Niculescu, M. (2014). Study on Dry Cleaning with Decamethylcyclpentasiloxane as Ecological Alternative for Leathers and Furskins. *Rev Chim*. 65: 411-415.
- Gaipl, US; Kuhn, A; Sheriff, A; Munoz, LE; Franz, S; Voll, RE; Kalden, JR; Herrmann, M. (2006). Clearance of apoptotic cells in human SLE [Review]. *Curr Dir Autoimmun*. 9: 173-187. <http://dx.doi.org/10.1159/000090781>.
- Gallagher, L; Ozonoff, D; Webster, T; Vieira, V; Aschengrau, A. (2006). Use of a water distribution system model to assess exposure to tetrachloroethylene-contaminated drinking water. *Epidemiology*. 17: S470-S471.
- Gallard, H; von Gunten, U; Kaiser, HP. (2003). Prediction of the disinfection and oxidation efficiency of full-scale ozone reactors. *Journal of Water Supply: Research and Technology-AQUA*. 52: 277-290.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta*. 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem*. 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Gallivanone, F; Stefano, A; Grosso, E; Canevari, C; Gianolli, L; Messa, C; Gilardi, MC; Castiglioni, I. (2011). PVE Correction in PET-CT Whole-Body Oncological Studies From PVE-Affected Images. *IEEE Trans Nucl Sci*. 58: 736-747. <http://dx.doi.org/10.1109/TNS.2011.2108316>.
- Galloway, SM; Armstrong, MJ; Reuben, C; Colman, S; Brown, B; Cannon, C; Bloom, AD; Nakamura, F; Ahmed, M; Duk, S; Rimpo, J; Margolin, BH; Resnick, MA; Anderson, B; Zeiger, E. (1987). Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals [Review]. *Environ Mol Mutagen*. 10: 1-175. <http://dx.doi.org/10.1002/em.2850100502>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2850100502/abstract>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am*. 60: 86-90.
- Gan, Y; Yu, T; Zhou, A; Liu, Y; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B12. *Environ Sci Process Impacts*. 16: 1882-1888. <http://dx.doi.org/10.1039/c4em00040d>.
- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol*. 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.
- Ganning, A; Brunk, U; Dallner, G. (1984). Phthalate esters and their effect on the liver [Review]. *Hepatology*. 4: 541-547.
- Ganning, AE; Brunk, U; Dallner, G. (1983). Effects of dietary di(2-ethylhexyl)phthalate on the structure and function of rat hepatocytes. *Biochim Biophys Acta*. 763: 72-82. [http://dx.doi.org/10.1016/0167-4889\(83\)90027-7](http://dx.doi.org/10.1016/0167-4889(83)90027-7).
- Ganning, AE; Brunk, U; Edlund, C; Elhammer, A; Dallner, G. (1987). Effects of prolonged administration of phthalate ester on the liver. *Environ Health Perspect*. 73: 251-258.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol*. 25: 715-722.
- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environ Sci Technol*. 43: 2943-2949. <http://dx.doi.org/10.1021/es803382z>.
- Gao, H; Blanford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water*. 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.
- Gao, JW; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res*. 31: 2479-2486.
- Gao, S; Rupp, E; Bell, S; Willinger, M; Foley, T; Barbaris, B; Saez, AE; Arnold, RG; Betterton, E. (2008). Mixed redox catalytic destruction of chlorinated solvents in soils and groundwater. *Ann N Y Acad Sci*. 1140: 435-445. <http://dx.doi.org/10.1196/annals.1454.044>.
- Gaponenko, MS; Buganov, OV; Onushchenko, AA; Hickey, SG; Malyarevich, AM; Tikhomirov, SA; Yumashev, KV. (2010). Exciton relaxation in PbS quantum dots. *Physica Status Solidi Rapid Research Letters*. 4: 341-343. <http://dx.doi.org/10.1002/pssr.201004349>.
- Garate, MP; Bejarano, A; de La Fuente, JC. (2016). Vapour pressures for 1-(butoxymethoxy)butane (dibutoxymethane) and 1,1,1,2,2,3,3,4,4-nonafluoro-4-methoxybutane (methyl nonafluorobutyl ether) over the pressure range of (15-80) kPa. *The Journal of Chemical Thermodynamics*. 101: 351-355. <http://dx.doi.org/10.1016/j.jct.2016.06.025>.
- Garcia, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P. (1992). Emissions of volatile organic compounds by coal-fired power stations (pp. 1589-1597). (ISSN 0004-6981; BIOSIS/92/23588). Garcia, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P.
- García-Medina, NE; Jiménez-Capdeville, ME; Ciucci, M; Martínez, LM; Delgado, JM; Horn, CC. (2007). Conditioned flavor aversion and brain Fos expression following exposure to arsenic. *Toxicology*. 235: 73-82. <http://dx.doi.org/10.1016/j.tox.2007.03.009>.
- García-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *Int Biodeterior Biodegradation*. 83: 92-96. <http://dx.doi.org/10.1016/j.ibiod.2013.04.011>.
- Gardner, KH; Arias, MS. (2000). Clay swelling and formation permeability reductions induced by a nonionic surfactant. *Environ Sci Technol*. 34: 160-166.
- Gargas, ML; Burgess, RJ; Voisard, DE; Cason, GH; Andersen, ME. (1989). Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol*. 98: 87-99.

## Exposure Literature Search Results

### Off Topic

- Gariot, P; Barrat, E; Drouin, P; Genton, P; Pointel, JP; Foliguet, B; Kolopp, M; Debry, G. (1987). Morphometric study of human hepatic cell modifications induced by fenofibrate. *Metabolism*. 36: 203-210.
- Garriga, R; Perez, P; Gracia, M. (2004). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with cyclohexane at nine temperatures. *Fluid Phase Equilibria*. 216: 285-292. <http://dx.doi.org/10.1016/j.fluid.2003.11.007>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with benzene at nine temperatures. *Fluid Phase Equilibria*. 227: 79-86. <http://dx.doi.org/10.1016/j.fluid.2004.02.021>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with tetrachloromethane at nine temperatures. *Fluid Phase Equilibria*. 227: 71-78. <http://dx.doi.org/10.1016/j.fluid.2004.10.025>.
- Gart, JJ. (1970). A locally most powerful test for the symmetric folded binomial distribution. *Biometrics*. 26: 129-138.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev*. 10: 1239-1248.
- Gassenbauer, Y; Ramspeck, K; Bethmann, B; Dressler, K; Moschner, JD; Fiedler, M; Brouwer, E; Droessler, R; Lenck, N; Heyer, F; Feldhaus, M; Seidl, A; Mueller, M; Metz, A. (2013). Rear-Surface Passivation Technology for Crystalline Silicon Solar Cells: A Versatile Process for Mass Production. 3: 125-130. <http://dx.doi.org/10.1109/JPHOTOV.2012.2211338>.
- Gates-Anderson, DD; Siegrist, RL; Cline, SR. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *J Environ Eng*. 127: 337-347.
- Gatz, S; Dullweber, T; Mertens, V; Einsele, F; Brendel, R. (2012). Firing stability of SiNy/SiNx stacks for the surface passivation of crystalline silicon solar cells. *Solar Energy Materials and Solar Cells*. 96: 180-185. <http://dx.doi.org/10.1016/j.solmat.2011.09.051>.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech*. 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers [Review]. *J Hazard Mater*. 68: 41-71.
- Gay, BW, Jr; Hanst, PL; Bufalini, JJ; Noonan, RC. (1976). Atmospheric oxidation of chlorinated ethylenes. *Environ Sci Technol*. 10: 58-67. <http://dx.doi.org/10.1021/es60112a005>.
- Ge, B; Ludois, DC. (2016). Design Concepts for a Fluid-Filled Three-Phase Axial-Peg-Style Electrostatic Rotating Machine Utilizing Variable Elastance. *I E E E Transactions on Industry Applications*. 52: 2156-2166. <http://dx.doi.org/10.1109/TIA.2016.2517075>.
- Ge, R; Tao, L; Kramer, PM; Cunningham, ML; Pereira, MA. (2002). Effect of peroxisome proliferators on the methylation and protein level of the c-myc protooncogene in B6C3F1 mice liver. *J Biochem Mol Toxicol*. 16: 41-47. <http://dx.doi.org/10.1002/jbt.10019>.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci*. 62: 28-35.
- Ge, R; Yang, S; Kramer, PM; Tao, L; Pereira, MA. (2001). The effect of dichloroacetic acid and trichloroacetic acid on DNA methylation and cell proliferation in B6C3F1 mice. *J Biochem Mol Toxicol*. 15: 100-106. <http://dx.doi.org/10.1002/jbt.5>.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; III, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett*. 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-I](http://dx.doi.org/10.1016/0378-4274(93)90126-I).
- Gebert, K. (1971). DYEING OF POLYESTER TEXTILE FABRIC IN PERCHLOROETHYLENE BY EXHAUST PROCESS. *J Soc Dyers Colour*. 87: 509-&.
- Gehring, PJ; Watanabe, PG; Blau, GE. (1979). Risk assessment of environmental carcinogens utilizing pharmacokinetic parameters. *Ann N Y Acad Sci*. 329: 137-152. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15341.x>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering*. 21: 523-538.
- Gehring, P; Eschweiler, H; Fiedler, H. (1995). OZONE-ELECTRON BEAM TREATMENT FOR GROUNDWATER REMEDIATION. *Radiat Phys Chem Oxf Engl* 1993. 46: 1075-1078.
- Gehring, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Sci Technol*. 37: 195-201.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1986). RADIATION-CHEMICAL DEGRADATION OF TRACES OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE IN DRINKING WATER (pp. 196-203). (ISSN 0044-3727; BIOSIS/87/06691). Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). DECOMPOSITION OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE IN DRINKING WATER BY A COMBINED RADIATION-OZONE TREATMENT. *Water Res*. 22: 645-646.
- Geller, AM. (2001). A table of color distance scores for quantitative scoring of the Lanthony Desaturate color vision test. *Neurotoxicol Teratol*. 23: 265-267. [http://dx.doi.org/10.1016/S0892-0362\(01\)00139-8](http://dx.doi.org/10.1016/S0892-0362(01)00139-8).
- Geller, AM; Hudnell, HK. (1997). Critical issues in the use and analysis of the Lanthony Desaturate Color Vision Test. *Neurotoxicol Teratol*. 19: 455-465.

## Exposure Literature Search Results

### Off Topic

- Gemici, U; Tarcan, G; Helvacı, C; Somay, AM. (2008). High arsenic and boron concentrations in groundwaters related to mining activity in the Bigadic borate deposits (Western Turkey). *Appl Geochem*. 23: 2462-2476. <http://dx.doi.org/10.1016/j.apgeochem.2008.02.013>.
- Gennari, P; Naldi, M; Motta, R; Nucci, MC; Giacomini, C; Violante, FS; Raffi, GB. (1992). gamma-Glutamyltransferase isoenzyme pattern in workers exposed to tetrachloroethylene. *Am J Ind Med*. 21: 661-671. <http://dx.doi.org/10.1002/ajim.4700210506>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700210506/abstract>.
- Gentry, PR; Covington, TR; Clewell, HJ, III. (2003). Evaluation of the potential impact of pharmacokinetic differences on tissue dosimetry in offspring during pregnancy and lactation. *Regul Toxicol Pharmacol*. 38: 1-16. [http://dx.doi.org/10.1016/S0273-2300\(03\)00047-3](http://dx.doi.org/10.1016/S0273-2300(03)00047-3).
- Gentry, PR; Covington, TR; Lawrence, G; McDonald, T; Snow, ET; Germolec, D; Moser, G; Yager, JW; Clewell III, HJ. (2005). Comparison of tissue dosimetry in the mouse following chronic exposure to arsenic compounds. *J Toxicol Environ Health A*. 68: 329-351. <http://dx.doi.org/10.1080/15287390590900813>.
- George, B; Mathews, V; Poonkuzhali, B; Shaji, RV; Srivastava, A; Chandy, M. (2004). Treatment of children with newly diagnosed acute promyelocytic leukemia with arsenic trioxide: A single center experience. *Leukemia*. 18: 1587-1590. <http://dx.doi.org/10.1038/sj.leu.2403480>.
- George, J; Byth, K; Farrell, GC. (1996). Influence of clinicopathological variables on CYP protein expression in human liver. *J Gastroenterol Hepatol*. 11: 33-39.
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist*. 15: 160.
- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol*. 28: 610-618.
- Gerbino, TC; Nadotti, S; Castello, P. (1992). Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. *J Chromatogr*. 623: 123-127.
- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water*. 45: 147-157. <http://dx.doi.org/10.1111/j.1475-6584.2006.00269.x>.
- Germolec, DR; Yang, RSH; Ackermann, MF; Rosenthal, GJ; Boorman, GA; Blair, P; Luster, MI. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: II. Immunosuppression in B6C3F1 mice. *Fundam Appl Toxicol*. 13: 377-387. [http://dx.doi.org/10.1016/0272-0590\(89\)90275-3](http://dx.doi.org/10.1016/0272-0590(89)90275-3).
- Geyer, CJ. (1996). *Markov Chain Monte Carlo In Practice Estimation and optimization of functions*. London: Chapman & Hall.
- Ghai, NK. (1999). Comparison of international and NEMA standards for salient pole synchronous machines. *I E E E Transactions on Energy Conversion*. 14: 8-15.
- Ghai, NK. (1999). IEC and NEMA standards for large squirrel-cage induction motors - A comparison. *I E E E Transactions on Energy Conversion*. 14: 545-552.
- Ghanem, A; Soerens, TS; Adel, MM; Thoma, GJ. (2003). Investigation of fluorescent dyes as partitioning tracers for subsurface nonaqueous phase liquid (NAPL) characterization. *J Environ Eng*. 129: 740-744. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:8\(740\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:8(740)).
- Gharaibeh, SH; Moore, SV; Buck, A. (1998). Effluent treatment of industrial wastewater using processed solid residue of olive mill products and commercial activated carbon. *J Chem Tech Biotechnol*. 71: 291-298.
- Gharanti, ME; Valstar, J; Janssen, G; Marsman, A; Hoteit, I. (2016). On the efficiency of the hybrid and the exact second-order sampling formulations of the EnKF: a reality-inspired 3-D test case for estimating biodegradation rates of chlorinated hydrocarbons at the port of Rotterdam. *Hydrol Earth Syst Sci*. 20: 4561-4583. <http://dx.doi.org/10.5194/hess-20-4561-2016>.
- Ghasemzadeh-Mohammadi, V; Mohammadi, A; Hashemi, M; Khaksar, R; Haratian, P. (2012). Microwave-assisted extraction and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for isolation and determination of polycyclic aromatic hydrocarbons in smoked fish. *J Chromatogr A*. 1237: 30-36. <http://dx.doi.org/10.1016/j.chroma.2012.02.078>.
- Ghiaci, M; Arshadi, M; Sedaghat, ME; Kalbasi, RJ; Gil, A. (2008). Adsorption of Organic Pollutants from Aqueous Solutions on Cereal Ashes. *Journal of Chemical and Engineering Data*. 53: 2707-2709. <http://dx.doi.org/10.1021/jc800532p>.
- Gholami, M; Kebria, DY; Mahmudi, M. (2014). Electrokinetic remediation of perchloroethylene-contaminated soil. *Int J Environ Sci Tech*. 11: 1433-1438. <http://dx.doi.org/10.1007/s13762-014-0555-6>.
- Ghorpade, PA; Ha, M, inGyu; Choi, W, onHo; Park, J, ooY. (2013). Combined calcium sulfoaluminate and ordinary portland cement/Fe(II) system for enhanced dechlorination of trichloroethylene. *Chem Eng J*. 231: 326-333. <http://dx.doi.org/10.1016/j.cej.2013.07.031>.
- Ghorpade, PA; Ha, M, inGyu; Park, J, ooY. (2015). Effect of different types of calcium sulfate on the reactivity of cement/Fe(II) system in dechlorination of trichloroethylene. *Desalination and Water Treatment*. 54: 1426-1435. <http://dx.doi.org/10.1080/19443994.2014.950342>.
- Ghorpade, PA; Kim, JH; Choi, W, onHo; Park, J, ooY. (2014). Reactivity of different cement minerals in presence of Fe(II) for reducing trichloroethylene. *Desalination and Water Treatment*. 52: 805-815. <http://dx.doi.org/10.1080/19443994.2013.827300>.
- Ghorpade, PA; Kim, JH; Choi, WH; Park, JY. (2014). New and effective multi-element alpha-hematite systems for reduction of trichloroethylene. *Environ Technol*. 35: 27-35. <http://dx.doi.org/10.1080/09593330.2013.805819>.
- Ghosh, J; Tick, GR. (2013). A pore scale investigation of crude oil distribution and removal from homogeneous porous media during surfactant-induced remediation. *J Contam Hydrol*. 155: 20-30. <http://dx.doi.org/10.1016/j.jconhyd.2013.09.003>.
- Ghosh, S; Litasov, K; Ohtani, E. (2014). Phase relations and melting of carbonated peridotite between 10 and 20 GPa: a proxy for alkali- and CO<sub>2</sub>-rich silicate melts in the deep mantle. *Contributions to Mineralogy and Petrology*. 167. <http://dx.doi.org/10.1007/s00410-014-0964-z>.

## Exposure Literature Search Results

### Off Topic

- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere*. 33: 1531-1542.
- Giaya, A; Thompson, RW; Denkwicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials*. 40: 205-218.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauning, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res*. 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem*. 13: 453-460.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp. JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation*. 30: 106-113. <http://dx.doi.org/10.1111/j1745-6592.2010.001283.x>.
- Gil, A; Elmchaouri, A; El Mouzdaoui, Y; Korili, SA. (2015). Removal of Tetrachloroethylene from Aqueous Solutions by Adsorption on Clay Minerals. *AST*. 33: 355-367.
- Gilbert, KM; Whitlow, AB; Pumford, NR. (2004). Environmental contaminant and disinfection by-product trichloroacetaldehyde stimulates T cells in vitro. *Int Immunopharmacol*. 4: 25-36. <http://dx.doi.org/10.1016/j.intimp.2003.10.001>.
- Gillam, JE; Solevi, P; Oliver, JF; Casella, C; Heller, M; Joram, C; Rafecas, M. (2014). Sensitivity recovery for the AX-PET prototype using inter-crystal scattering events. *Phys Med Biol*. 59: 4065-4083. <http://dx.doi.org/10.1088/0031-9155/59/15/4065>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis*. 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res*. 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).
- Gillette, JR. (1976). Application of pharmacokinetic principles in the extrapolation of animal data to humans. *Clin Toxicol*. 9: 709-722. <http://dx.doi.org/10.3109/15563657608988176>.
- Gimmi, T; Fluhler, H; Studer, B; Rasmuson, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut*. 68: 291-305.
- Ginja, S; Bensefa-Colas, L; Conso, F. (2007). Epilepsy and cerebral atrophy in a dry-cleaning worker: perchloroethylene effect? *Arch Mal Prof Environ*. 68: 171-179.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect*. 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Smolenski, S; Hattis, D; Guyton, KZ; Johns, DO; B, S. (2009). Genetic polymorphism in glutathione transferases (GST): Population distribution of GSTM1, T1, and P1 conjugating activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 389-439. <http://dx.doi.org/10.1080/10937400903158375>.
- Ginsberg, GL; Foos, BP; Firestone, MP. (2005). Review and analysis of inhalation dosimetry methods for application to children's risk assessment [Review]. *J Toxicol Environ Health A*. 68: 573-615. <http://dx.doi.org/10.1080/15287390590921793>.
- Gioia, F; Alfani, G; Andreutti, S; Murena, F. (2003). Oil mobility in a saturated water-wetted bed of glass beads. *J Hazard Mater*. 97: 315-327.
- Gioia, F; Urciuolo, M. (2006). Combined effect of Bond and capillary numbers on hydrocarbon mobility in water saturated porous media. *J Hazard Mater*. 133: 218-225. <http://dx.doi.org/10.1016/j.jhazmat.2005.10.010>.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol*. 27: 177-184.
- Glinghammar, B; Skogsberg, J; Hamsten, A; Ehrenborg, E. (2003). PPARdelta activation induces COX-2 gene expression and cell proliferation in human hepatocellular carcinoma cells. *Biochem Biophys Res Commun*. 308: 361-368.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol*. 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol*. 31: 3154-3160.
- Gloor, M; Bakwin, P; Hurst, D; Lock, L; Draxler, R; Tans, P. (2001). What is the concentration footprint of a tall tower? *J Geophys Res Atmos*. 106: 17831-17840.
- Glover, KC; Munakata-Marr, J; Illangasekare, TH. (2007). Biologically enhanced mass transfer of tetrachloroethene from DNAPL in source zones: experimental evaluation and influence of pool morphology. *Environ Sci Technol*. 41: 1384-1389. <http://dx.doi.org/10.1021/es060922n>.
- Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data*. 48: 535-540. <http://dx.doi.org/10.1021/jc020065c>.
- Gobba, F; Ghittori, S; Imbriani, M; Maestri, L; Capodaglio, E; Cavalleri, A. (1997). The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review [Review]. *Sci Total Environ*. 199: 3-12.
- Gobba, F; Righi, E; Fantuzzi, G; Predieri, G; Cavazzuti, L; Aggazzotti, G. (1998). Two-year evolution of perchloroethylene-induced color-vision loss. *Arch Environ Health*. 53: 196-198. <http://dx.doi.org/10.1080/00039899809605695>.
- Gobba, F; Righi, E; Fantuzzi, G; Roccatto, L; Predieri, G; Aggazzotti, G. (2003). Perchloroethylene in alveolar air, blood, and urine as biologic indices of low-level exposure. *J Occup Environ Med*. 45: 1152-1157. <http://dx.doi.org/10.1097/01.jom.0000094990.52172.ea>.

## Exposure Literature Search Results

### Off Topic

- Gobel, R; Seitz, RW; Tomellini, SA; Kraska, R; Kellner, R. (1995). INFRARED ATTENUATED TOTAL-REFLECTION SPECTROSCOPIC INVESTIGATIONS OF THE DIFFUSION BEHAVIOR OF CHLORINATED HYDROCARBONS INTO POLYMER MEMBRANES. *Vibrational Spectroscopy*. 8: 141-149.
- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res*. 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Godsy, EM; Warren, E; Paganelli, VV. (2003). The role of microbial reductive dechlorination of TCE at a phytoremediation site. *Int J Phytoremediation*. 5: 73-87. <http://dx.doi.org/10.1080/16226510390856484>.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect*. 106: 41-44.
- Gold, LS; De Roos, AJ; Waters, M; Stewart, P. (2008). Systematic literature review of uses and levels of occupational exposure to tetrachloroethylene [Review]. *J Occup Environ Hyg*. 5: 807-839. <http://dx.doi.org/10.1080/15459620802510866>.
- Gold, LS; Manley, NB; Slone, TH; Rohrbach, L; Garfinkel, GB. (2005). Supplement to the Carcinogenic Potency Database (CPDB): results of animal bioassays published in the general literature through 1997 and by the National Toxicology Program in 1997-1998. *Toxicol Sci*. 85: 747-808. <http://dx.doi.org/10.1093/toxsci/kfi161>.
- Gold, LS; Milliken, K; Stewart, P; Purdue, M; Severson, R; Seixas, N; Blair, A; Davis, S; Hartge, P; De Roos, AJ. (2010). Occupation and multiple myeloma: An occupation and industry analysis. *Am J Ind Med*. 53: 768-779. <http://dx.doi.org/10.1002/ajim.20857>.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med*. 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldenhar, LM; Ruder, AM; Ewers, LM; Earnest, S; Haag, WM; Petersen, MR. (1999). Concerns of the dry-cleaning industry: A qualitative investigation of labor and management. *Am J Ind Med*. 35: 112-123.
- Goldman, JA. (1996). Connective tissue disease in people exposed to organic chemical solvents: Systemic sclerosis (scleroderma) in dry cleaning plant and aircraft industry workers. *J Clin Rheumatol*. 2: 185-190.
- Goldstein, A; Aronow, L; Kalman, SM. (1969). Principles of drug action: The basis of pharmacology. New York, NY: Harper and Row.
- Goldstein, L; Prasher, SO; Ghoshal, S. (2007). Three-dimensional visualization and quantification of non-aqueous phase liquid volumes in natural porous media using a medical X-ray Computed Tomography scanner. *J Contam Hydrol*. 93: 96-110. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.013>.
- Gomez, MR. (1997). Factors associated with exposure in occupational safety and health administration data. *Am Ind Hyg Assoc J*. 58: 186-195.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med*. 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ*. 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gong, AK. (1995). Near-patient measurements of methemoglobin, oxygen saturation, and total hemoglobin: Evaluation of a new instrument for adult and neonatal intensive care. *Crit Care Med*. 23: 193-201.
- Gonikberg, MG; Zhulin, VM; Butuzov, VP. (1956). Thermal reactions of tetrachloroethylene at superhigh pressures. *Russian Chemical Bulletin*. 5: 739-741.
- Gonullu, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res*. 30: 649-653.
- Gonzalez, AJ; Aguilar, A; Conde, P; Hernandez, L; Moliner, L; Vidal, LF; Sanchez, F; Sanchez, S; Correcher, C; Molinos, C; Barbera, J; Lankes, K; Junge, S; Bruckbauer, T; Bruyndonckx, P; Benloch, JM. (2016). A PET Design Based on SiPM and Monolithic LYSO Crystals: Performance Evaluation. *IEEE Trans Nucl Sci*. 63: 2471-2477. <http://dx.doi.org/10.1109/TNS.2016.2522179>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO<sub>2</sub>-Washcoated Minimonoliths. *Ind Eng Chem Res*. 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- González, CA; López-Abente, G; Errezola, M; Escolar, A; Riboli, E; Izarzugaza, I; Nebot, M. (1989). Occupation and bladder cancer in Spain: A multi-centre case-control study. *Int J Epidemiol*. 18: 569-577. <http://dx.doi.org/10.1093/ije/18.3.569>.
- Gonzalez, CA; Montes de Correa, C. (2010). Catalytic Hydrodechlorination of Tetrachloroethylene over Pd/TiO<sub>2</sub> Minimonoliths. *Ind Eng Chem Res*. 49: 490-497. <http://dx.doi.org/10.1021/ie901027y>.
- Gonzalez, JC; Griffis, DP; Miao, TT; Russell, PE. (2001). Chemically enhanced focused ion beam micromachining of copper. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 19: 2539-2542.
- Gonzalez, MC; Le Roux, GC; Rosso, JA; Braun, AM. (2007). Mineralization of CCl<sub>4</sub> by the UVC-photolysis of hydrogen peroxide in the presence of methanol. *Chemosphere*. 69: 1238-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.076>.
- Gonzalez Sanchez, CA; Maya Patino, CO; de Correa, CM. (2008). Catalytic hydrodechlorination of dichloromethane in the presence of traces of chloroform and tetrachloroethylene. *Catalysis Today*. 133: 520-525. <http://dx.doi.org/10.1016/j.cattod.2007.12.024>.
- Gonzalez-Velasco, JR; Aranzabal, A; Gutierrez-Ortiz, JI; Lopez-Fonseca, R; Gutierrez-Ortiz, MA. (1998). Activity and product distribution of alumina supported platinum and palladium catalysts in the gas-phase oxidative decomposition of chlorinated hydrocarbons. *Appl Catal B-Environ*. 19: 189-197.
- Gonzalez-Velasco, JR; Aranzabal, A; Lopez-Fonseca, R; Ferret, R; Gonzalez-Marcos, JA. (2000). Enhancement of the catalytic oxidation of hydrogen-lean chlorinated VOCs in the presence of hydrogen-supplying compounds. *Appl Catal B-Environ*. 24: 33-43.
- Gonzalez-Velasco, JR; Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Steltenpohl, P. (2000). Evaluation of H-type zeolites in the destructive oxidation of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 24: 233-242.
- Goody, DC; Bloomfield, JP; Harrold, G; Leharne, SA. (2002). Towards a better understanding of tetrachloroethene entry pressure in the matrix of Permo-Triassic sandstones. *J Contam Hydrol*. 59: 247-265.

## Exposure Literature Search Results

### Off Topic

- Goodman, DG; Ward, JM; Squire, RA; Chu, KC; Linhart, MS. (1979). Neoplastic and nonneoplastic lesions in aging F344 rats. *Toxicol Appl Pharmacol.* 48: 237-248. [http://dx.doi.org/10.1016/0041-008X\(79\)90029-2](http://dx.doi.org/10.1016/0041-008X(79)90029-2).
- Goodman, G; Wilson, R. (1991). Quantitative prediction of human cancer risk from rodent carcinogenic potencies: a closer look at the epidemiological evidence for some chemicals not definitively carcinogenic in humans. *Regul Toxicol Pharmacol.* 14: 118-146.
- Goodman, LS; Gilman, A; Gilman, AG. (1990). Goodman and Gilman's the pharmacological basis of therapeutics. In LS Goodman; A Gilman; AG Gilman (Eds.), (8th ed.). New York, NY: Pergamon Press.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology.* 1: 277-284.
- Gorginpour, H; Oraee, H; Abdi, E. (2014). Calculation of Core and Stray Load Losses in Brushless Doubly Fed Induction Generators. *I E E E Transactions on Industrial Electronics.* 61: 3167-3177. <http://dx.doi.org/10.1109/TIE.2013.2279357>.
- Gorzka, Z; Paryczak, T; Zarczynski, A; Kazmierczak, M; Michniewicz, M. (2003). Dioxins in thermo-catalyzed oxidates of selected organochlorine compounds. *Przemysł Chemiczny.* 82: 1020-1022.
- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). *Acute poisoning Clinical toxicology of commercial products (4 ed.)*. Baltimore, MD: Williams & Wilkins.
- Gossett, JM. (1987). Measurement of Henry's law constants for C1 and C2 chlorinated hydrocarbons. *Environ Sci Technol.* 21: 202-208. <http://dx.doi.org/10.1021/es00156a012>.
- Gotpagar, J; Grulke, E; Tsang, T; Bhattacharyya, D. (1997). Reductive dehalogenation of trichloroethylene using zero-valent iron. *Environmental Progress.* 16: 137-143.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir.* 15: 8412-8420.
- Gotpagar, JK; Grulke, EA; Bhattacharyya, D. (1998). Reductive dehalogenation of trichloroethylene: Kinetic models and experimental verification. *J Hazard Mater.* 62: 243-264.
- Goud, BB; Venkatesu, P; Rao, MVP. (1995). EXCESS VOLUMES OF 1,1,2,2-TETRACHLOROETHANE OR TETRACHLOROETHENE PLUS 2-CHLOROTOLUENE, PLUS 3-CHLOROTOLUENE, AND PLUS 4-CHLOROTOLUENE AT 303.15 AND 313.15 K. *Journal of Chemical and Engineering Data.* 40: 1211-1213.
- Gourley, M; Miller, FW. (2007). Mechanisms of disease: Environmental factors in the pathogenesis of rheumatic disease. *Nat Clin Pract Rheumatol.* 3: 172-180. <http://dx.doi.org/10.1038/nprheum0435>.
- Goyal, A; Singh, M. (2007). Densities, viscosities and thermodynamic excess properties of ternary liquid mixtures of aniline plus acetone plus (benzene or plus toluene or plus carbon tetrachloride or plus 1,4-dioxane) and their constituent binaries at 298.15 K. *J Indian Chem Soc.* 84: 250-255.
- Graber, ER; Laor, Y; Ronen, D. (2008). Aquifer contamination by chlorinated-VOCs: the case of an urban metropolis megasite overlying the Coastal Plain aquifer in Israel. *Hydrogeology Journal.* 16: 1615-1623. <http://dx.doi.org/10.1007/s10040-008-0366-2>.
- Graedel, TE. (1978). Bell Laboratories to H B Singh [Personal Communication].
- Graham, G; Patry, M. (1992). HAZARDOUS-WASTE MINIMIZATION AT TINKER AFB. *Plat Surf Finish.* 79: 28-29.
- Graham, MJ; Wilson, SA; Winham, MA; Spencer, AJ; Rees, JA; Old, SL; Bonner, FW. (1994). Lack of peroxisome proliferation in marmoset liver following treatment with ciprofibrate for 3 years. *Fundam Appl Toxicol.* 22: 58-64.
- Grandjean, P; Landrigan, PJ. (2006). Developmental neurotoxicity of industrial chemicals [Review]. *Lancet.* 368: 2167-2178. [http://dx.doi.org/10.1016/s0140-6736\(06\)69665-7](http://dx.doi.org/10.1016/s0140-6736(06)69665-7).
- Grant, GP; Gerhard, JI; Kueper, BH. (2007). Field scale impacts of spatially correlated relative permeability in heterogeneous multiphase systems. *Advances in Water Resources.* 30: 1144-1159. <http://dx.doi.org/10.1016/j.advwatres.2006.10.005>.
- Grant, WF. (1998). Higher plant assays for the detection of genotoxicity in air polluted environments. *Ecosys Health.* 4: 210-229. <http://dx.doi.org/10.1046/j.1526-0992.1998.98097.x>.
- Grant, WF; Owens, ET. (1998). Chromosome aberration assays in *Crepis* for the study of environmental mutagens. *Mutat Res.* 410: 291-307. [http://dx.doi.org/10.1016/S1383-5742\(98\)00004-0](http://dx.doi.org/10.1016/S1383-5742(98)00004-0).
- Gras, R; Shellie, RA; Cortes, H; Luong, J. (2013). Multidimensional Gas Chromatography using Planar Microfluidic Devices for the Characterization of Chlorinated Degreasers in Marine Gas Oil. 26: 450-454.
- Grasl-Kraupp, B; Huber, W; Schulte-Hermann, R. (1993). Are peroxisome proliferators tumour promoters in rat liver? In G Gibson; B Lake (Eds.), (pp. 667-693). London, England, UK: Taylor and Francis.
- Graton, J; Berthelot, M; Besseau, F; Laurence, C. (2005). An enthalpic scale of hydrogen-bond basicity. 3. Ammonia, primary, secondary, and tertiary amines. *J Org Chem.* 70: 7892-7901. <http://dx.doi.org/10.1021/jo050535g>.
- Graton, J; Berthelot, M; Laurence, C. (2001). Hydrogen-bond basicity pK(HB) scale of secondary amines. 2130-2135. <http://dx.doi.org/10.1039/b105082f>.
- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis.* 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Gray, TJ; Beamand, JA; Lake, BG; Foster, JR; Gangolli, SD. (1982). Peroxisome proliferation in cultured rat hepatocytes produced by clofibrate and phthalate ester metabolites. *Toxicol Lett.* 10: 273-279. [http://dx.doi.org/10.1016/0378-4274\(82\)90087-X](http://dx.doi.org/10.1016/0378-4274(82)90087-X).

## Exposure Literature Search Results

### Off Topic

- Gray, TJ; Lake, BG; Beamand, JA; Foster, JR; Gangolli, SD. (1983). Peroxisome proliferation in primary cultures of rat hepatocytes. *Toxicol Appl Pharmacol.* 67: 15-25.
- Gray, TJB; Lake, BG; Beamand, JA; Foster, JR; Gangolli, SD. (1983). Peroxisomal effects of phthalate esters in primary cultures of rat hepatocytes. *Toxicology.* 28: 167-179. [http://dx.doi.org/10.1016/0300-483X\(83\)90115-4](http://dx.doi.org/10.1016/0300-483X(83)90115-4).
- Green, MA. (2015). The Passivated Emitter and Rear Cell (PERC): From conception to mass production. *Solar Energy Materials and Solar Cells.* 143: 190-197. <http://dx.doi.org/10.1016/j.solmat.2015.06.055>.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GA. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *J Toxicol Environ Health A.* 63: 145-157. <http://dx.doi.org/10.1080/15287390151126487>.
- Green, T; Dow, J; Ellis, MK; Foster, JR; Odum, J. (1997). The role of glutathione conjugation in the development of kidney tumours in rats exposed to trichloroethylene. *Chem Biol Interact.* 105: 99-117.
- Green, T; Mainwaring, GW; Foster, JR. (1997). Trichloroethylene-induced mouse lung tumors: Studies of the mode of action and comparisons between species. *Fundam Appl Toxicol.* 37: 125-130. <http://dx.doi.org/10.1006/faat.1997.2312>.
- Greene, R. (2001). NEMA releases new standard. *Chemical Engineering Progress.* 97: 16-16.
- Gregory, KB; Mason, MG; Picken, HD; Weathers, LJ; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci.* 17: 169-181.
- Gregory, R; Partridge, M; Flower, MA. (2006). Performance evaluation of the Philips "Gemini" PET/CT system. *IEEE Trans Nucl Sci.* 53: 93-101. <http://dx.doi.org/10.1109/TNS.2005.862968>.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol.* 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Gressler May, L; Kelly, J. R.; Bottino, MA; Hill, T. (2015). Influence of the resin cement thickness on the fatigue failure loads of CAD/CAM feldspathic crowns. *Dent Mater.* 31: 895-900. <http://dx.doi.org/10.1016/j.dental.2015.04.019>.
- Griffin, BM; Tiedje, JM. (2007). Microbial reductive dehalogenation in Antarctic melt pond sediments. *Antarct Sci.* 19: 411-416. <http://dx.doi.org/10.1017/S0954102007000570>.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environ Sci Technol.* 38: 4300-4303. <http://dx.doi.org/10.1021/es035439g>.
- Griffin, JM; Blossom, SJ; Jackson, SK; Gilbert, KM; Pumford, NR. (2000). Trichloroethylene accelerates an autoimmune response by Th1 T cell activation in MRL +/- mice. *Immunopharmacology.* 46: 123-137. [http://dx.doi.org/10.1016/S0162-3109\(99\)00164-2](http://dx.doi.org/10.1016/S0162-3109(99)00164-2).
- Griffin, JM; Gilbert, KM; Lamps, LW; Pumford, NR. (2000). CD4+ T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL +/- mice. *Toxicol Sci.* 57: 345-352.
- Griffin, JM; Gilbert, KM; Pumford, NR. (2000). Inhibition of CYP2E1 reverses CD4+ T-cell alterations in trichloroethylene-treated MRL +/- mice. *Toxicol Sci.* 54: 384-389.
- Griffiths, BS; Bonkowski, M; Dobson, G; Caul, S. (1999). Changes in soil microbial community structure in the presence of microbial-feeding nematodes and protozoa. *Pedobiologia.* 43: 297-304.
- Griggs, M; Hartzo, GD. (2006). Overload for ASD applications - How much is required? *I E E E Transactions on Industry Applications.* 42: 890-899. <http://dx.doi.org/10.1109/TIA.2006.876084>.
- Grimm, RE; Olhoeft, GR; McKinley, K; Rossabi, J; Riha, B. (2005). Nonlinear complex-resistivity survey for DNAPL at the Savannah River site A-014 outfall. *J Environ Eng Geophys.* 10: 351-364.
- Grimsrud, EP; Rasmussen, RA. (1975). Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. *Atmos Environ.* 9: 1014-1017. [http://dx.doi.org/10.1016/0004-6981\(75\)90022-0](http://dx.doi.org/10.1016/0004-6981(75)90022-0).
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOs) adsorption. *Korean J Chem Eng.* 20: 950-955.
- Grivennikov, SI; Greten, FR; Karin, M. (2010). Immunity, inflammation, and cancer. *Cell.* 140: 883-899. <http://dx.doi.org/10.1016/j.cell.2010.01.025>.
- Grobin, AC; Matthews, DB; Devaud, LL; Morrow, AL. (1998). The role of GABA(A) receptors in the acute and chronic effects of ethanol [Review]. *Psychopharmacology.* 139: 2-19.
- Gromiec, JP; Wesolowski, W; Brzezniak, S; Wroblewska-Jakubowska, K; Kucharska, M. (2002). Occupational exposure to rubber vulcanization products during repair of rubber conveyor belts in a brown coal mine. *J Environ Monit.* 4: 1054-1059. <http://dx.doi.org/10.1039/b209207g>.
- Grosse, Y; Baan, R; Secretan-Laubay, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Guha, N; Islami, F; Galichet, L; Straif, K. (2011). Carcinogenicity of chemicals in industrial and consumer products, food contaminants and flavourings, and water chlorination byproducts. *Lancet Oncol.* 12: 328-329. [http://dx.doi.org/10.1016/S1470-2045\(11\)70088-2](http://dx.doi.org/10.1016/S1470-2045(11)70088-2).
- Groster, A; Chan, WW; Edwards, EA. (2009). 1,1,1-trichloroethane and 1,1-dichloroethane reductive dechlorination kinetics and co-contaminant effects in a Dehalobacter-containing mixed culture. *Environ Sci Technol.* 43: 6799-6807. <http://dx.doi.org/10.1021/es901038x>.
- Grotus, N; Reader, AJ; Stute, S; Rosenwald, JC; Giraud, P; Buvat, I. (2009). Fully 4D list-mode reconstruction applied to respiratory-gated PET scans. *Phys Med Biol.* 54: 1705-1721. <http://dx.doi.org/10.1088/0031-9155/54/6/020>.
- Groves, WA; Achutan, C. (2004). Laboratory and field evaluation of a SAW microsensor array for measuring perchloroethylene in breath. *J Occup Environ Hyg.* 1: 779-788. <http://dx.doi.org/10.1080/15459620490885626>.
- Groves, WA; Grey, AB; O'Shaughnessy, PT. (2006). Surface acoustic wave (SAW) microsensor array for measuring VOCs in drinking water. *J Environ Monit.* 8: 932-941. <http://dx.doi.org/10.1039/b608358g>.



## Exposure Literature Search Results

### Off Topic

- Groves, WA; Zellers, ET. (1996). Investigation of Organic Vapor Losses to Condensed Water Vapor in Tedlar Bags Used for Exhaled-Breath Sampling. *Am Ind Hyg Assoc J.* 57: 257-263.
- Groves, WA; Zellers, ET. (1996). Prototype Instrument Employing a Microsensor Array for the Analysis of Organic Vapors in Exhaled Breath. *Am Ind Hyg Assoc J.* 57: 1103-1108.
- Gu, AZ; Stensel, HD; Pietari, JMH; Strand, SE. (2003). Vinyl bromide as a surrogate for determining vinyl chloride reductive dechlorination potential. *Environ Sci Technol.* 37: 4410-4416. <http://dx.doi.org/10.1021/es0207899>.
- Gu, BH; West, OR; Siegrist, RL. (1995). USING C-14-LABELED RADIOCHEMICALS CAN CAUSE EXPERIMENTAL ERROR IN STUDIES OF THE BEHAVIOR OF VOLATILE ORGANIC-COMPOUNDS. *Environ Sci Technol.* 29: 1210-1214.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J.* 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Lin, K; Liu, Y; Luo, Q. (2012). Comparison of Photodegradation Performance of 1,1,1-Trichloroethane in Aqueous Solution with the Addition of H<sub>2</sub>O<sub>2</sub> or S<sub>2</sub>O<sub>8</sub><sup>2-</sup> Oxidants. *Ind Eng Chem Res.* 51: 7196-7204. <http://dx.doi.org/10.1021/ie202769d>.
- Gu, Z; Bao, Q; Taschereau, R; Wang, H; Bai, B; Chatziioannou, AF. (2014). Optimization of the Energy Window for PETbox4, a Preclinical PET Tomograph With a Small Inner Diameter. *IEEE Trans Nucl Sci.* 61: 1164-1173. <http://dx.doi.org/10.1109/TNS.2014.2321326>.
- Gu, Z; Prout, DL; Taschereau, R; Bai, B; Chatziioannou, AF. (2016). A New Pulse Pileup Rejection Method Based on Position Shift Identification. *IEEE Trans Nucl Sci.* 63: 22-29. <http://dx.doi.org/10.1109/TNS.2015.2495169>.
- Gu, Z; Taschereau, R; Vu, NT; Wang, H; Prout, DL; Silverman, RW; Bai, B; Stout, DB; Phelps, ME; Chatziioannou, AF. (2013). NEMA NU-4 performance evaluation of PETbox4, a high sensitivity dedicated PET preclinical tomograph. *Phys Med Biol.* 58: 3791-3814. <http://dx.doi.org/10.1088/0031-9155/58/11/3791>.
- Gu, ZW; Sele, B; Chmara, D; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Faure, J. Effects of trichloroethylene and its metabolites on the rate of sister-chromatidexchange in vivo and in vitro study on the human lymphocytes.
- Gu, ZW; Sele, B; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Chmara, D; Faure, J. (1981). Induction d'échanges entre les chromatides soeurs (SCE) par le trichloroéthylène et ses métabolites. *Toxicol Eur Res.* 3: 63-67.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res-Fundam Mol Mech Mutagen.* 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, X; Liu, F, ei; Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. *Environ Geochem Health.* 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.
- Guay, D; Divigalpitiya, WMR; Belanger, D; Feng, XH. (1994). CHEMICAL BONDING IN RESTACKED SINGLE-LAYER MOS(2) BY X-RAY-ABSORPTION SPECTROSCOPY. *Chem Mater.* 6: 614-619.
- Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2004). Remediation of NAPL below the water table by steam-induced heat conduction. *J Contam Hydrol.* 72: 207-225. <http://dx.doi.org/10.1016/j.jconhyd.2003.11.001>.
- Guengerich, FP; Macdonald, TL. (1984). Chemical mechanisms of catalysis by cytochrome P450: a unified view. *Acc Chem Res.* 17: 9-16.
- Guérin, B; Fakhri, GE. (2008). Realistic PET Monte Carlo Simulation With Pixelated Block Detectors, Light Sharing, Random Coincidences and Dead-Time Modeling. *IEEE Trans Nucl Sci.* 55: 942-952. <http://dx.doi.org/10.1109/TNS.2008.924064>.
- Guigard, SE; Stiver, WH; Zytner, RG. (1996). Retention capacities of immiscible chemicals in unsaturated soils. *Water Air Soil Pollut.* 89: 277-289.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water.* 43: 70-86.
- Guillemot, A; Mijoin, J; Mignard, S; Magnoux, P. (2007). Volatile organic compounds (VOCs) removal over dual functional adsorbent/catalyst system. *Appl Catal B-Environ.* 75: 249-255. <http://dx.doi.org/10.1016/j.apcatb.2007.04.020>.
- Guillemot, M; Castel, B. (2015). Workplace Nitrous Oxide Sampling: Alternative Adsorbents. *Ind Eng Chem Res.* 54: 7760-7765. <http://dx.doi.org/10.1021/acs.iecr.5b00832>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Adsorption of tetrachloroethylene on cationic X and Y zeolites: Influence of cation nature and of water vapor. *Ind Eng Chem Res.* 46: 4614-4620. <http://dx.doi.org/10.1021/ie0616390>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2007). Mode of zeolite catalysts deactivation during chlorinated VOCs oxidation. *Appl Catal A-Gen.* 327: 211-217. <http://dx.doi.org/10.1016/j.apcata.2007.05.012>.
- Guillemot, M; Mijoin, J; Mignard, S; Magnoux, P. (2008). Adsorption of tetrachloroethylene (PCE) in gas phase on zeolites of faujasite type: Influence of water vapour and of Si/Al ratio. *Microporous and Mesoporous Materials.* 111: 334-342. <http://dx.doi.org/10.1016/j.micromeso.2007.08.035>.
- Guiot, SR; Cimpoia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environ Sci Technol.* 42: 3011-3017. <http://dx.doi.org/10.1021/es702121u>.
- Guiot, SR; Kuhn, R; Lévesque, MJ; Cimpoia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water Sci Technol.* 55: 465-471. <http://dx.doi.org/10.2166/wst.2007.292>.
- Guittonneau, S; Glaze, WH; Duguet, JP; Wable, O; Mallevalle, J. (1992). CHARACTERIZATION OF NATURAL-WATER FOR POTENTIAL TO OXIDIZE ORGANIC POLLUTANTS WITH OZONE. *Ozone: Science and Engineering.* 14: 185-196.
- Guo, D; Sarkar, J; Suino-Powell, K; Xu, Y; Matsumoto, K; Jia, Y; Yu, S; Khare, S; Haldar, K; Rao, MS; Foreman, JE; Monga, SP; Peters, JM; Xu, HE; Reddy, JK. (2007). Induction of nuclear translocation of constitutive androstane receptor by peroxisome proliferator-activated receptor alpha synthetic ligands in mouse liver. *J Biol Chem.* 282: 36766-36776. <http://dx.doi.org/10.1074/jbc.M707183200>.

## Exposure Literature Search Results

### Off Topic

- Guo, H; Ding, AJ; Wang, T; Simpson, IJ; Blake, DR; Barletta, B; Meinardi, S; Rowland, FS; Saunders, SM; Fu, TM; Hung, WT; Li, YS. (2009). Source origins, modeled profiles, and apportionments of halogenated hydrocarbons in the greater Pearl River Delta region, southern China. *J Geophys Res Atmos.* 114. <http://dx.doi.org/10.1029/2008JD011448>.
- Guo, H; Zhao, X. (2008). Preparation of microcapsules with narrow-size distribution by complex coacervation: Effect of sodium dodecyl sulphate concentration and agitation rate. *J Microencapsul.* 25: 221-227. <http://dx.doi.org/10.1080/02652040701861828>.
- Guo, HL; Zhao, XP. (2004). Preparation of a kind of red encapsulated electrophoretic ink. *Optical Materials.* 26: 297-300. <http://dx.doi.org/10.1016/j.optmat.2004.01.010>.
- Guo, HL; Zhao, XP; Wang, JP. (2005). The relation between narrow-dispersed microcapsules and surfactants. *J Microencapsul.* 22: 853-862. <http://dx.doi.org/10.1080/02652040500175198>.
- Gupta, DK; Mohanty, KK. (2001). A laboratory study of surfactant flushing of DNAPL in the presence of macroemulsion. *Environ Sci Technol.* 35: 2836-2843. <http://dx.doi.org/10.1021/es001496n>.
- Gupta, H; Tanaka, S. (1995). PHOTOCATALYTIC MINERALISATION OF PERCHLOROETHYLENE USING TITANIUM DIOXIDE. *Water Sci Technol.* 31: 47-54.
- Gupta, S; Seagren, EA. (2005). Comparison of bioenhancement of nonaqueous phase liquid pool dissolution with first- and zero-order biokinetics. *J Environ Eng.* 131: 165-169. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:1\(165\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:1(165)).
- Gurtler, R; Moller, U; Sommer, S; Muller, H; Kleinermanns, K. (1994). PHOTOOXIDATION OF EXHAUST POLLUTANTS .3. PHOTOOXIDATION OF THE CHLOROETHENES - DEGRADATION EFFICIENCIES, QUANTUM YIELDS AND PRODUCTS. *Chemosphere.* 29: 1671-1682.
- Guth, DJ. (1994). Comparison of quantitative exposure-response models: application to risk assessment of acute exposure to toluene or tetrachloroethylene [Abstract]. *Toxicologist.* 14: 400.
- Guth, DJ; Carroll, RJ; Simpson, DG; Zhou, H. (1997). Categorical regression analysis of acute exposure to tetrachloroethylene. *Risk Anal.* 17: 321-332.
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2004). Combustion of aliphatic C-2 chlorohydrocarbons over ceria-zirconia mixed oxides catalysts. *Appl Catal A-Gen.* 269: 147-155. <http://dx.doi.org/10.1016/j.apcata.2004.04.014>.
- Guvunis, A; Koc, A. (2015). Optimising delineation accuracy of tumours in PET for radiotherapy planning using blind deconvolution. *Radiat Prot Dosimetry.* 165: 495-498. <http://dx.doi.org/10.1093/rpd/ncv110>.
- Guyton, KZ; Chiu, WA; Bateson, TF; Jinot, J; Scott, CS; Brown, RC; Caldwell, JC. (2009). A reexamination of the PPAR-alpha activation mode of action as a basis for assessing human cancer risks of environmental contaminants [Review]. *Environ Health Perspect.* 117: 1664-1672. <http://dx.doi.org/10.1289/ehp.0900758>.
- Guyton, KZ; Hogan, KA; Scott, CS; Cooper, GS; Bale, AS; Kopylev, L; Barone, S; Makris, SL; Glenn, B; Subramaniam, RP; Gwinn, MR; Dzubow, RC; Chiu, WA. (2014). Human health effects of tetrachloroethylene: key findings and scientific issues. *Environ Health Perspect.* 122: 325-334. <http://dx.doi.org/10.1289/ehp.1307359>.
- Guyton, KZ; Liu, Y; Gorospe, M; Xu, Q; Holbrook, NJ. (1996). Activation of mitogen-activated protein kinase by H<sub>2</sub>O<sub>2</sub>. Role in cell survival following oxidant injury. *J Biol Chem.* 271: 4138-4142.
- Guyton, KZ; Xu, Q; Holbrook, NJ. (1996). Induction of the mammalian stress response gene GADD153 by oxidative stress: Role of AP-1 element. *Biochem J.* 314: 547-554.
- Guzelian, PS; Henry, CJ; Farland, WH; Olin, SS. (1992). Developmental toxicants risk assessment [Letter]. *Pediatrics.* 89: 353.
- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Gyftakis, KN; Kappatou, J; Safacas, AN. (2010). Study of Asynchronous Motors with Asymmetrical Rotor Slots Under FEM Steady-State Analysis. *International Review of Electrical Engineering.* 5: 2601-2609.
- Ha, JH; Seagren, EA; Song, X, in. (2014). Oxygen Transport across the Capillary Fringe in LNAPL Pool-Source Zones. *J Environ Eng.* 140: 14040-14040. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000866](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000866).
- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Int J Phytoremediation.* 10: 555-575.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta.* 63: 3429-3441.
- Hack, CE; Chiu, WA; Jay Zhao, Q; Clewell, HJ. (2006). Bayesian population analysis of a harmonized physiologically based pharmacokinetic model of trichloroethylene and its metabolites. *Regul Toxicol Pharmacol.* 46: 63-83. <http://dx.doi.org/10.1016/j.yrtph.2006.05.012>.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *J Toxicol Environ Health A.* 61: 209-223. <http://dx.doi.org/10.1080/00984100050131350>.
- Haddad, S; Withey, J; Lapare, S; Law, F; Krishnan, K. (1998). Physiologically-based pharmacokinetic modeling of pyrene in the rat. *Environ Toxicol Pharmacol.* 5: 245-255. [http://dx.doi.org/10.1016/S1382-6689\(98\)00008-8](http://dx.doi.org/10.1016/S1382-6689(98)00008-8).
- Hadjoudj, R; Monnier, H; Roizard, C; Fo, L. (2008). Measurements of diffusivity of chlorinated VOCs in heavy absorption solvents using a laminar falling film contactor. *Chemical Engineering and Processing: Process Intensification.* 47: 1478-1483. <http://dx.doi.org/10.1016/j.cep.2007.04.014>.
- Hadjoudj, R; Monnier, H; Roizard, C; Lapique, F. (2004). Absorption of chlorinated VOCs in high-boiling solvents: Determination of Henry's law constants and infinite dilution activity coefficients. *Ind Eng Chem Res.* 43: 2238-2246. <http://dx.doi.org/10.1021/ie0304006>.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol.* 119: 89-98. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.011>.

## Exposure Literature Search Results

### Off Topic

- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere*. 89: 1369-1375. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.097>.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res*. 44: 331-339. <http://dx.doi.org/10.1016/j.watres.2009.09.033>.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol*. 75: 281-296. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.002>.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere*. 41: 1219-1225.
- Hagmar, L; Bellander, T; Högstedt, B; Hallberg, T; Attewell, R; Raihle, G; Au, WW; Legator, MS; Mitelman, F; Skerfving, S. (1988). Biological effects in a chemical factory with mutagenic exposure. I. Cytogenetic and haematological parameters. *Int Arch Occup Environ Health*. 60: 437-444. <http://dx.doi.org/10.1007/BF00381392>.
- Hake, CL; Stewart, RD. (1977). Human exposure to tetrachloroethylene: Inhalation and skin contact. *Environ Health Perspect*. 21: 231-238.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpaa, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol*. 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol*. 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol*. 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol*. 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.
- Halasz, J; Hodos, M; Hannus, I; Tasi, G; Kiricsi, I. (2005). Catalytic detoxification of C-2-chlorohydrocarbons over iron-containing oxide and zeolite catalysts. *Colloid Surface Physicochem Eng Aspect*. 265: 171-177. <http://dx.doi.org/10.1016/j.colsurfa.2005.03.030>.
- Hallam, B; Uruena, A; Russell, R; Aleman, M; Abbott, M; Dang, C, hi; Wenham, S; Tous, L; Poortmans, J, ef. (2015). Efficiency enhancement of i-PERC solar cells by implementation of a laser doped selective emitter. *Solar Energy Materials and Solar Cells*. 134: 89-98. <http://dx.doi.org/10.1016/j.solmat.2014.11.028>.
- Halmann, M; Hunt, AJ; Spath, D. (1992). PHOTODEGRADATION OF DICHLOROMETHANE, TETRACHLOROETHYLENE AND 1,2-DIBROMO-3-CHLOROPROPANE IN AQUEOUS SUSPENSIONS OF TIO(2) WITH NATURAL, CONCENTRATED AND SIMULATED SUNLIGHT. *Solar Energy Materials and Solar Cells*. 26: 1-16.
- Halonen, I; Tarhanen, J; Ollikainen, S; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1994). THE EFFECT OF INORGANIC AND ORGANIC CHLORINE ON FORMATION OF HIGHLY CHLORINATED ORGANIC-COMPOUNDS DURING INCINERATION - LABORATORY PILOT-STUDY. *Chemosphere*. 28: 2129-2138.
- Halonen, I; Tarhanen, J; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1995). Effect of catalysts and chlorine source on the formation of organic chlorinated compounds. *Chemosphere*. 30: 1261-1273.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut*. 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hamer, PS; Lowe, DM; Wallace, SE. (1997). Energy-efficient induction motors performance characteristics and life-cycle cost comparisons for centrifugal loads. *I E E E Transactions on Industry Applications*. 33: 1312-1320.
- Hamilton, A. (2006). NEMA sets sites on energy policy act implementation for T & D products. *I E E E Electrical Insulation Magazine*. 22: 56-57.
- Hamilton, R. (2004). NEMA and Magnet Wire Industry unite to improve toxic air pollutant standard. *I E E E Electrical Insulation Magazine*. 20: 57-58.
- Hamilton, R. (2006). NEMA releases first revision of 2003 Magnet Wire standard. *I E E E Electrical Insulation Magazine*. 22: 54-54.
- Hammond, GE; Valocchi, AJ; Lichtner, PC. (2005). Application of Jacobian-free Newton-Krylov with physics-based preconditioning to biogeochemical transport. *Advances in Water Resources*. 28: 359-376. <http://dx.doi.org/10.1016/j.advwatres.2004.12.001>.
- Hammond, WE. (1995). The status of healthcare standards in the United States. *Int J Bio Med Comput*. 39: 87-92.
- Hampson, MC; Coombes, JW; Murphy, AM. (1983). PROCEDURES FOR ISOLATING POPULATIONS OF WHOLE AND FRAGMENTED RESTING SPORANGIA OF SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC FROM POTATO TISSUE FOR ELECTRON-MICROSCOPY AND CHEMICAL-ANALYSIS. *Plant Soil*. 72: 49-55.
- Han, K; Hong, U; Park, S; Lee, G; Kwon, S; Kim, Y. (2016). Long-term monitoring and evaluating biological activity of in situ anaerobic reductive dechlorination at a highly recharged and TCE-contaminated aquifer. *Desalination and Water Treatment*. 57: 24085-24095. <http://dx.doi.org/10.1080/19443994.2016.1153903>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol*. 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell*. 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).
- Hanefeld, M; Kemmer, C; Kadner, E. (1983). Relationship between morphological changes and lipid-lowering action of p-chlorophenoxyisobutyric acid (CPIB) on hepatic mitochondria and peroxisomes in man. *Atherosclerosis*. 46: 239-246. [http://dx.doi.org/10.1016/0021-9150\(83\)90115-6](http://dx.doi.org/10.1016/0021-9150(83)90115-6).
- Hanefeld, M; Kemmer, C; Leonhardt, W; Kunze, KD; Jaross, W; Haller, H. (1980). Effects of p-chlorophenoxyisobutyric acid (CPIB) on the human liver. *Atherosclerosis*. 36: 159-172.

## Exposure Literature Search Results

### Off Topic

- Haney, JT, Jr. (2016). Historical drinking water contamination at Camp Lejeune: Regulatory risk assessor and personal perspectives. *Hum Ecol Risk Assess.* 22: 1029-1035. <http://dx.doi.org/10.1080/10807039.2015.1129890>.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol.* 28: 273-280. <http://dx.doi.org/10.1007/BF00213102>; <http://link.springer.com/article/10.1007%2FBF00213102>.
- Hanioka, N; Omae, E; Yoda, R; Jinno, H; Nishimura, T; Ando, M. (1997). Effect of trichloroethylene on cytochrome P450 enzymes in the rat liver. *Bull Environ Contam Toxicol.* 58: 628-635.
- Hanna, RA; Buchler, PM; Cheeseman, CR. (2005). A study of the influence of organic compounds during the cement hydration by using XRD and DTA. *Materials Science Forum.* 498-499: 740-746.
- Hannebauer, H; Dullweber, T; Baumann, U; Falcon, T, om; Brendel, R. (2014). 21.2%-efficient fineline-printed PERC solar cell with 5 busbar front grid. *Physica Status Solidi Rapid Research Letters.* 8: 675-679. <http://dx.doi.org/10.1002/pssr.201409190>.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; McLaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med.* 43: 133-139.
- Hao, OJ; Phull, KK; Simmers, KW. (1992). LABORATORY EVALUATION OF THE LEACHING OF ORGANICS FROM FABRIC MATERIAL. *J Am Water Works Assoc.* 84: 92-98.
- Haque, MH. (2008). Determination of NEMA Design Induction Motor Parameters From Manufacturer Data. *I E E E Transactions on Energy Conversion.* 23: 997-1004. <http://dx.doi.org/10.1109/TEC.2008.2001451>.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon.* 49: 2206-2215. <http://dx.doi.org/10.1016/j.carbon.2011.01.050>.
- Harbec, D; Meunier, JL; Guo, L; Jureidini, J. (2007). A parametric study of carbon nanotubes production from tetrachloroethylene using a supersonic thermal plasma jet. *Carbon.* 45: 2054-2064. <http://dx.doi.org/10.1016/j.carbon.2007.05.025>.
- Harbottle, MJ; Al-Tabbaa, A. (2008). Degradation of 2-chlorobenzoic acid in stabilised/solidified soil systems. *Int Biodeterior Biodegradation.* 61: 173-181. <http://dx.doi.org/10.1016/j.ibiod.2007.07.002>.
- Hardell, L; Eriksson, M; Lenner, P; Lundgren, E. (1981). Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy acids: A case-control study. *Br J Cancer.* 43: 169-176.
- Hardie, DWF. (1964). Chlorocarbons and chlorohydrocarbons: Trichloroethylene. In RE Kirk; DF Othmer (Eds.), (2nd ed., pp. 183-195). New York, NY: John Wiley and Sons.
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health.* 7: 66-75.
- Harding, KC; Lee, PK; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of varying growth conditions on stable carbon isotope fractionation of trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environ Sci Technol.* 47: 12342-12350. <http://dx.doi.org/10.1021/es402617q>.
- Hardwick, JP; Song, BJ; Huberman, E; Gonzalez, FJ. (1987). Isolation, complementary DNA sequence, and regulation of rat hepatic lauric acid omega-hydroxylase (cytochrome P-450LA omega): Identification of a new cytochrome P-450 gene family. *J Biol Chem.* 262: 801-810.
- Harendra, S; Vipulanandan, C. (2011). Effects of Surfactants on Solubilization of Perchloroethylene (PCE) and Trichloroethylene (TCE). *Ind Eng Chem Res.* 50: 5831-5837. <http://dx.doi.org/10.1021/ie102589e>.
- Harendra, S; Vipulanandan, C. (2011). Fe/Ni Bimetallic Particles Transport in Columns Packed with Sandy Clay Soil. *Ind Eng Chem Res.* 50: 404-411. <http://dx.doi.org/10.1021/ie101546k>.
- Harendra, S; Vipulanandan, C. (2011). Solubilization and degradation of perchloroethylene (PCE) in cationic and nonionic surfactant solutions. *J Environ Sci.* 23: 1240-1248. [http://dx.doi.org/10.1016/S1001-0742\(10\)60576-1](http://dx.doi.org/10.1016/S1001-0742(10)60576-1).
- Harendra, S; Vipulanandan, C. (2012). Determination of Sodium Dodecyl Sulfate (SDS) and Biosurfactants Sorption and Transport Parameters in Clayey Soil. *Journal of Surfactants and Detergents.* 15: 805-813. <http://dx.doi.org/10.1007/s11743-012-1355-y>.
- Harendra, S; Vipulanandan, C. (2013). Sorption and transport studies of cetyl trimethylammonium bromide (CTAB) and Triton X-100 in clayey soil. *J Environ Sci.* 25: 576-584. [http://dx.doi.org/10.1016/S1001-0742\(12\)60070-9](http://dx.doi.org/10.1016/S1001-0742(12)60070-9).
- Haridy, SA; Persson, M; Berndtsson, R. (2004). Estimation of LNAPL saturation in fine sand using time-domain reflectometry. *Hydrological Sciences Journal.* 49: 987-1000.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol.* 151: 16-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.04.002>.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol.* 131: 100-118. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.011>.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweerd, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environ Sci Technol.* 33: 1100-1109.
- Harley, RA; Cass, GR. (1994). Modeling the concentrations of gas-phase toxic organic air pollutants: Direct emissions and atmospheric formation. *Environ Sci Technol.* 28: 88-98. <http://dx.doi.org/10.1021/es00050a013>.
- Harmon, TC; Delabarre, BK; Roberts, PV. (1996). Estimating internal mass transfer rates in soils using scintillation fluid extraction. 6: 155-164.
- Harrap, KR. (1975). Deviant metabolic patterns in malignant disease. In EJ Ambrose; FJC Roe (Eds.), (2nd ed., pp. 96-125). New York: Halsted Press.
- Harrington, JM; Whitby, H; Gray, CN; Reid, FJ; Aw, TC; Waterhouse, JA. (1989). Renal disease and occupational exposure to organic solvents: A case referent approach. *Br J Ind Med.* 46: 643-650. <http://dx.doi.org/10.1136/oem.46.9.643>.

## Exposure Literature Search Results

### Off Topic

- Harrington-Brock, K; Doerr, CL; Moore, MM. (1998). Mutagenicity of three disinfection by-products: Di- and trichloroacetic acid and chloral hydrate in L5178Y(+/-) --3.7.2C mouse lymphoma cells. *Mutat Res Genet Toxicol Environ Mutagen.* 413: 265-276.
- Harrington-Brock, K; Smith, TW; Parker, LM; Moore, MM. (1992). Environmental and Molecular Mutagenesis/Genotoxic effects of by-products of the chlorination of drinking water. Reno, Nevada.
- Harris, MI. (1995). Chapter 1: Summary. In MI Harris; CC Cowie; MP Stern; EJ Boyko; GE Reiber; PH Bennett (Eds.), (2nd ed., pp. 1-14). Bethesda, MD: National Diabetes Data Group; National Institutes of Health; National Institute of Diabetes and Digestive and Kidney Diseases. <http://diabetes.niddk.nih.gov/dm/pubs/america/contents.htm>.
- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol.* 11: 3-10. [http://dx.doi.org/10.1093/annonc/11.suppl\\_1.S3](http://dx.doi.org/10.1093/annonc/11.suppl_1.S3).
- Harris, RA; Mihic, SJ; Dildy-Mayfield, JE; Machu, TK. (1995). Actions of anesthetics on ligand-gated ion channels: Role of receptor subunit composition [Review]. *FASEB J.* 9: 1454-1462.
- Harrold, G; Goody, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environ Sci Technol.* 37: 1919-1925. <http://dx.doi.org/10.1021/es020117i>.
- Hart, R; Turturro, A. (1988). Comments on Allen et al [Letter]. *Risk Anal.* 8: 545-547. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01194.x>.
- Harte, PT. (2002). Comparison of temporal trends in VOCs as measured with PDB samplers and low-flow sampling methods. *Ground Water Monitoring and Remediation.* 22: 45-47.
- Harte, PT; Flanagan, SM. (2011). Application of a New Vertical Profiling Tool (ESASS) for Sampling Groundwater Quality During Hollow-Stem Auger Drilling. *Ground Water Monitoring and Remediation.* 31: 86-98. <http://dx.doi.org/10.1111/j.1745-6592.2011.01326.x>.
- Harte, PT; Konikow, LF; Hornberger, GZ. (2006). Simulation of solute transport across low-permeability barrier walls. *J Contam Hydrol.* 85: 247-270. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.012>.
- Harte, PT; Smith, TE; Williams, JH; Degnan, JR. (2012). Time series geophysical monitoring of permanganate injections and in situ chemical oxidation of PCE, OU1 area, Savage Superfund Site, Milford, NH, USA. *J Contam Hydrol.* 132: 58-74. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.008>.
- Hartge, P; Cahill, JI; West, D; Hauck, M; Austin, D; Silverman, D; Hoover, R. (1984). Design and methods in a multi-center case-control interview study. *Am J Public Health.* 74: 52-56.
- Hartge, P; Hoover, R; Kantor, A. (1985). Bladder cancer risk and pipes, cigars, and smokeless tobacco. *Cancer.* 55: 901-906. [http://dx.doi.org/10.1002/1097-0142\(19850215\)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q](http://dx.doi.org/10.1002/1097-0142(19850215)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q).
- Hartwell, TD; Crowder, JH; Sheldon, LS; Pellizzari, ED; Wallace, L. (1985). Proceedings of the Air Pollution Control Association 78th Annual Meeting/Levels of volatile organics in indoor air. Pittsburgh, PA: Air Pollution Control Association.
- Harvey, RW; Barber, LB. (1992). ASSOCIATIONS OF FREE-LIVING BACTERIA AND DISSOLVED ORGANIC-COMPOUNDS IN A PLUME OF CONTAMINATED GROUNDWATER. *J Contam Hydrol.* 9: 91-103.
- Hasan, R; Mendler, R; Steinbeigle, L. (2016). Hybrid Arc Flash Protection Within Electrically Classified Areas. *I E E E Transactions on Industry Applications.* 52: 3548-3556. <http://dx.doi.org/10.1109/TIA.2016.2544746>.
- Hasegawa, A; Yajima, I. (1991). DETERMINATION OF HALOCARBONS IN AIR BY USING ADSORBENT COLLECTION SOLVENT-EXTRACTION GC. *Bunseki Kagaku.* 40: 489-494.
- Haselmann, KF; Laturnus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere.* 41: 1769-1774.
- Haseman, JK; Hailey, JR; Morris, RW. (1998). Spontaneous neoplasm incidences in Fischer 344 rats and B6C3F1 mice in two-year carcinogenicity studies: A National Toxicology Program update. *Toxicol Pathol.* 26: 428-441. <http://dx.doi.org/10.1177/019262339802600318>.
- Hashisho, Z; Rood, M; Botich, L. (2005). Microwave-swing adsorption to capture and recover vapors from air streams with activated carbon fiber cloth. *Environ Sci Technol.* 39: 6851-6859. <http://dx.doi.org/10.1021/es050338z>.
- Hashsham, SA; Freedman, DL. (2003). Adsorption of vitamin B-12 to alumina, kaolinite, sand and sandy soil. *Water Res.* 37: 3189-3193. [http://dx.doi.org/10.1016/S0043-1354\(03\)00131-3](http://dx.doi.org/10.1016/S0043-1354(03)00131-3).
- Hasmall, S; Orphanides, G; James, N; Pennie, W; Hedley, K; Soames, A; Kimber, I; Roberts, R. (2002). Downregulation of lactoferrin by PPARalpha ligands: Role in perturbation of hepatocyte proliferation and apoptosis. *Toxicol Sci.* 68: 304-313.
- Hasmall, SC; James, NH; Macdonald, N; West, D; Chevalier, S; Cosulich, SC; Roberts, RA. (1999). Suppression of apoptosis and induction of DNA synthesis in vitro by the phthalate plasticizers monoethylhexylphthalate (MEHP) and diisononylphthalate (DINP): A comparison of rat and human hepatocytes in vitro. *Arch Toxicol.* 73: 451-456. <http://dx.doi.org/10.1007/s002040050634>.
- Hassoun, EA; Dey, S. (2008). Dichloroacetate- and trichloroacetate-induced phagocytic activation and production of oxidative stress in the hepatic tissues of mice after acute exposure. *J Biochem Mol Toxicol.* 22: 27-34. <http://dx.doi.org/10.1002/jbt.20210>.
- Haston, ZC; Mccarty, PL. (1999). Chlorinated ethene half-velocity coefficients (Ks) for reductive dehalogenation. *Environ Sci Technol.* 33: 223-226.
- Hatfield, K; Stauffer, TB. (1992). Nonequilibrium modeling of transport in fine sand containing residual decane (pp. 369-382). (ISSN 0882-5696; BIOSIS/93/10481). Hatfield, K; Stauffer, TB.
- Hatt, JK; Ritalahti, KM; Ogles, DM; Lebrón, CA; Löffler, FE. (2013). Design and application of an internal amplification control to improve Dehalococcoides mccartyi 16S rRNA gene enumeration by qPCR. *Environ Sci Technol.* 47: 11131-11138. <http://dx.doi.org/10.1021/es4019817>.
- Hattis, D; White, P; Koch, P. (1993). Uncertainties in pharmacokinetic modeling for perchloroethylene. II. Comparison of model predictions with data for a variety of different parameters [Review]. *Risk Anal.* 13: 599-610. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb01322.x>.

## Exposure Literature Search Results

### Off Topic

- Hattis, D; White, P; Marmorstein, L; Koch, P. (1990). Uncertainties in pharmacokinetic modeling for perchloroethylene. I. Comparison of model structure, parameters, and predictions for low-dose metabolism rates for models derived by different authors. *Risk Anal.* 10: 449-458. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00528.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1990.tb00528.x/abstract>.
- Haunschild, J; Reis, IE; Chipei, T; Demant, M; Thaidigsmann, B; Linse, M; Rein, S. (2012). Rating and sorting of mc-Si as-cut wafers in solar cell production using PL imaging. *Solar Energy Materials and Solar Cells.* 106: 71-75. <http://dx.doi.org/10.1016/j.solmat.2012.05.027>.
- Hauswirth, SC; Miller, CT. (2014). A comparison of physicochemical methods for the remediation of porous medium systems contaminated with tar. *J Contam Hydrol.* 167: 44-60. <http://dx.doi.org/10.1016/j.jconhyd.2014.08.002>.
- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen.* 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2860050703/abstract>.
- Hawthorne, SB; Hegvik, KM; Yang, Y; Miller, DJ. (1994). DETERMINATION OF HEAVY HYDROCARBON CONTAMINATION USING SUPERCRITICAL-FLUID EXTRACTION WITH INFRARED DETECTION. *Fuel.* 73: 1876-1879.
- Hayden, N; Diebold, J; Farrell, C; Laible, J; Stacey, R. (2006). Characterization and removal of DNAPL from sand and clay layered media. *J Contam Hydrol.* 86: 53-71. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.008>.
- Hayden, NJ; Brooks, MC; Annable, MD; Zhou, HX. (2001). Activated carbon for removing tetrachloroethylene from alcohol solutions. *J Environ Eng.* 127: 1116-1123.
- Hayden, NJ; Diebold, J; Noyes, G. (1999). Phase behavior of chlorinated solvent plus water plus alcohol mixtures with application to alcohol flushing. *Journal of Chemical and Engineering Data.* 44: 1085-1090.
- Haydon, DA; Urban, BW. (1983). The action of alcohols and other non-ionic surface active substances on the sodium current of the squid giant axon. *J Physiol.* 341: 411-427.
- Haydon, DA; Urban, BW. (1983). The action of hydrocarbons and carbon tetrachloride on the sodium current of the squid giant axon. *J Physiol.* 338: 435-450.
- Haydon, DA; Urban, BW. (1983). The effects of some inhalation anaesthetics on the sodium current of the squid giant axon. *J Physiol.* 341: 429-439.
- He, F; Zhao, D; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res.* 44: 2360-2370. <http://dx.doi.org/10.1016/j.watres.2009.12.041>.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Löffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environ Sci Technol.* 36: 3945-3952. <http://dx.doi.org/10.1021/es025528d>.
- He, L, i; Huang, G, uohe; Lu, H, wei; Shen, J. (2013). Degradation kinetics of dense nonaqueous phase liquids in the environment under impacts of mixed white and colored noises. *Stoch Environ Res Risk Assess.* 27: 1947-1955. <http://dx.doi.org/10.1007/s00477-013-0729-7>.
- He, Q; Yan, Y; Li, H; Zhang, Y; Chen, L; Wang, Y. (2015). Characteristics and reactivity of volatile organic compounds from non-coal emission sources in China. *Atmos Environ.* 115: 153-162. <http://dx.doi.org/10.1016/j.atmosenv.2015.05.066>.
- Health, TDo. (2015). Health Consultation: Evaluation of Indoor Air Sampling Events, Former Walker Machine Products, Collierville, Shelby County, Tennessee, July 28, 2015.
- Heavner, DL; Morgan, WT; Ogden, MW. (1995). Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ Int.* 21: 3-21.
- Heavner, GL; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular biomarker-based biokinetic modeling of a PCE-dechlorinating and methanogenic mixed culture. *Environ Sci Technol.* 47: 3724-3733. <http://dx.doi.org/10.1021/es303517s>.
- Hedenqvist, MS; Ritums, JE; Conde-Brana, M; Bergman, G. (2004). Structure and properties of poly(ethylene-co-chlorotrifluoroethylene) and polyvinylidene fluoride exposed to water, hydrochloric acid, hydrobromic acid and tetrachloroethylene. *Polymer Engineering and Science.* 44: 113-122.
- Hegedus, M; Dombi, A. (2004). Comparative study of heterogeneous photocatalytic decomposition of tetrachloroethene and trichloroethene in the gas phase. *Appl Catal A-Gen.* 271: 177-184. <http://dx.doi.org/10.1016/j.apcata.2004.02.057>.
- Hegedus, M; Dombi, A. (2004). Gas-phase heterogeneous photocatalytic oxidation of chlorinated ethenes over titanium dioxide: perchloroethene. *Appl Catal B-Environ.* 53: 141-151. <http://dx.doi.org/10.1016/j.apcatb.2004.05.010>.
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis.* 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Heidari, M; Attari, SG; Rafieiemam, M. (2016). Application of solid phase microextraction and needle trap device with silica composite of carbon nanotubes for determination of perchloroethylene in laboratory and field. *Anal Chim Acta.* 918: 43-49. <http://dx.doi.org/10.1016/j.aca.2016.03.009>.
- Heidari, M; Bahrami, A; Ghiasvand, AR; Emam, MR; Shahna, FG; Soltanian, AR. (2015). Graphene packed needle trap device as a novel field sampler for determination of perchloroethylene in the air of dry cleaning establishments. *Talanta.* 131: 142-148. <http://dx.doi.org/10.1016/j.talanta.2014.07.043>.
- Heidari, M; Bahrami, A; Ghiasvand, AR; Shahna, FG; Soltanian, AR. (2012). A novel needle trap device with single wall carbon nanotubes sol-gel sorbent packed for sampling and analysis of volatile organohalogen compounds in air. *Talanta.* 101: 314-321. <http://dx.doi.org/10.1016/j.talanta.2012.09.032>.
- Heiderscheidt, JL; Crimi, M; Siegrist, RL; Singletary, MA. (2008). Optimization of Full-Scale Permanganate ISCO System Operation: Laboratory and Numerical Studies. *Ground Water Monitoring and Remediation.* 28: 72-84. <http://dx.doi.org/10.1111/j.1745-6592.2008.00213.x>.

## Exposure Literature Search Results

### Off Topic

- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res.* 39: 3579-3586. <http://dx.doi.org/10.1016/j.watres.2005.06.029>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700260203/abstract>.
- Hejtmančík, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci.* 69: 234-243.
- Held, RJ; Illangasekare, TH. (1995). FINGERING OF DENSE NONAQUEOUS PHASE LIQUIDS IN POROUS-MEDIA .1. EXPERIMENTAL INVESTIGATION. *Water Resour Res.* 31: 1213-1222.
- Hellman, B; Ullberg, S. (1986). Rate of incorporation of [3H]thymidine in various tissues of the mouse. A basis for the evaluation of genotoxic effects of chemicals. *Cell Tissue Kinet.* 19: 183-194. <http://dx.doi.org/10.1111/j.1365-2184.1986.tb00729.x>.
- Hellweg, S; Demou, E; Bruzzi, R; Meijer, A; Rosenbaum, RK; Huijbregts, MA; Mckone, TE. (2009). Integrating human indoor air pollutant exposure within Life Cycle Impact Assessment [Review]. *Environ Sci Technol.* 43: 1670-1679. <http://dx.doi.org/10.1021/es8018176>.
- Hellweg, S; Demou, E; Scheringer, M; Mckone, TE; Hungerbühler, K. (2005). Confronting workplace exposure to chemicals with LCA: examples of trichloroethylene and perchloroethylene in metal degreasing and dry cleaning. *Environ Sci Technol.* 39: 7741-7748. <http://dx.doi.org/10.1021/es047944z>.
- Helma, C; Eckl, P; Gottmann, E; Kassie, F; Rodinger, W; Steinkellner, H; Windpassinger, C; Schulte-Hermann, R; Knasmüller, S. (1998). Genotoxic and ecotoxic effects of groundwaters and their relation to routinely measured chemical parameters. *Environ Sci Technol.* 32: 1799-1805. <http://dx.doi.org/10.1021/es971049g>.
- Hemminki, K; Franssila, E; Vainio, H. (1980). Spontaneous abortions among female chemical workers in Finland. *Int Arch Occup Environ Health.* 45: 123-126. <http://dx.doi.org/10.1007/BF01274131>.
- Hemminki, K; Saloniemä, I; Luoma, K; Salonen, T; Partanen, T; Vainio, H; Hemminki, E. (1980). Transplacental carcinogens and mutagens: Childhood cancer, malformations, and abortions as risk indicators. *J Toxicol Environ Health A.* 6: 1115-1126. <http://dx.doi.org/10.1080/15287398009529932>.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res.* 203: 405-414.
- Henri, CV; Fernandez-Garcia, D. (2015). A random walk solution for modeling solute transport with network reactions and multi-rate mass transfer in heterogeneous systems: Impact of biofilms. *Advances in Water Resources.* 86: 119-132. <http://dx.doi.org/10.1016/j.advwatres.2015.09.028>.
- Henri, CV; Fernandez-Garcia, D; de Barros, FPJ. (2016). Assessing the joint impact of DNAPL source-zone behavior and degradation products on the probabilistic characterization of human health risk. *Advances in Water Resources.* 88: 124-138. <http://dx.doi.org/10.1016/j.advwatres.2015.12.012>.
- Henry, B; Grant, SG; Klopman, G; Rosenkranz, HS. (1998). Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: Evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res.* 397: 313-335. [http://dx.doi.org/10.1016/S0027-5107\(97\)00231-5](http://dx.doi.org/10.1016/S0027-5107(97)00231-5).
- Henry, SM; Hardcastle, CH; Warner, SD. (2003). Chlorinated solvent and DNAPL remediation: An overview of physical, chemical, and biological processes. *ACS Symp Ser Am Chem Soc.* 837: 1-20.
- Henschler, D. (1977). Metabolism and mutagenicity of halogenated olefins - A comparison of structure and activity. *Environ Health Perspect.* 21: 61-64.
- Henschler, D; Bonse, G. (1977). Metabolic activation of chlorinated ethylenes: Dependence of mutagenic effect on electrophilic reactivity of the metabolically formed epoxides. *Arch Toxicol.* 39: 7-12. <http://dx.doi.org/10.1007/BF00343270>.
- Herber, U; Meisch, HU. (1995). STUDIES ABOUT THE DESORPTION OF VOLATILE HALOCARBONS FROM ACTIVATED CARBON BY APPLICATION OF STATIC HEADSPACE GAS-CHROMATOGRAPHY. *Fresenius J Anal Chem.* 353: 219-221.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr.* 33: 1179-1182.
- Herman, BA; Harris, GR. (1999). Theoretical study of steady-state temperature rise within the eye due to ultrasound insonation. *IEEE Trans Ultrason Ferroelectr Freq Control.* 46: 1566-1574.
- Hernberg, S; Kauppinen, T; Riala, R; Korkala, ML; Asikainen, U. (1988). Increased risk for primary liver cancer among women exposed to solvents. *Scand J Work Environ Health.* 14: 356-365.
- Hernberg, S; Korkala, ML; Asikainen, U; Riala, R. (1984). Primary liver cancer and exposure to solvents. *Int Arch Occup Environ Health.* 54: 147-153. <http://dx.doi.org/10.1007/BF00378517>.
- Heron, G; Bierschenk, J; Swift, R; Watson, R; Kominek, M. (2016). Thermal DNAPL Source Zone Treatment Impact on a CVOC Plume. *Ground Water Monitoring and Remediation.* 36: 26-37. <http://dx.doi.org/10.1111/gwmmr.12148>.
- Heron, G; Gierke, JS; Faulkner, B; Mravik, S; Wood, L; Enfield, CG. (2002). Pulsed air sparging in aquifers contaminated with dense nonaqueous phase liquids. *Ground Water Monitoring and Remediation.* 22: 73-82.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation.* 33: 31-43. <http://dx.doi.org/10.1111/gwmmr.12028>.
- Herren-Freund, SL; Pereira, MA; Khoury, MD; Olson, G. (1987). The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol Appl Pharmacol.* 90: 183-189. [http://dx.doi.org/10.1016/0041-008X\(87\)90325-5](http://dx.doi.org/10.1016/0041-008X(87)90325-5).

## Exposure Literature Search Results

### Off Topic

- Herrera, E; Amusquivar, E; López-Soldado, I; Ortega, H. (2006). Maternal lipid metabolism and placental lipid transfer [Review]. *Horm Res.* 65: 59-64. <http://dx.doi.org/10.1159/000091507>.
- Herrera-Lopez, D; Poggi-Varaldo, HM. (2007). A generalization of the model of reactions in series for reactor of complete mixture. *Afinidad.* 64: 41-47.
- Herrera-Lopez, D; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2007). A generalization of the series and parallel-series reaction model for complete mix reactors. *Interciencia.* 32: 324-327.
- Herrinton, LJ. (1998). Epidemiology of the Revised European-American Lymphoma Classification subtypes [Review]. *Epidemiol Rev.* 20: 187-203.
- Herzog, H; Tellmann, L; Hocke, C; Pietrzyk, U; Casey, ME; Kuwert, T. (2004). NEMA NU2-2001 guided performance evaluation of four siemens ECAT PET scanners. *IEEE Trans Nucl Sci.* 51: 2662-2669. <http://dx.doi.org/10.1109/TNS.2004.835778>.
- Hess, TF; Schrader, PS. (2002). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT). *J Environ Qual.* 31: 736-744.
- Hieslmair, H; Appel, J; Kasthuri, J, ai; Guo, J; Johnson, B; Binns, J. (2016). Impact of the injection-level-dependent lifetime on V-oc, FF, ideality m, J(02), and the dim light response in a commercial PERC cell. *Progress in Photovoltaics.* 24: 1448-1457. <http://dx.doi.org/10.1002/pip.2792>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol.* 27: 335-346.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med.* 58: 295-300.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environ Sci Technol.* 35: 3031-3039.
- Himeno, R; Ohashi, F; Kume, T; Asai, E; Ban, T; Suzuki, T; Iida, T; Habuchi, H; Tsutsumi, Y; Natsuhara, H; Nonomura, S. (2012). Optical band gap of semiconductive type II Si clathrate purified by centrifugation. *Journal of Non-Crystalline Solids.* 358: 2138-2140. <http://dx.doi.org/10.1016/j.jnoncrysol.2011.12.064>.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2011). Evaluation of a laboratory-scale bioreactive in situ sediment cap for the treatment of organic contaminants. *Water Res.* 45: 5365-5374. <http://dx.doi.org/10.1016/j.watres.2011.06.022>.
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol.* 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hinoshita, F; Hardin, JA; Sherr, DH. (1992). Fluoranthene induces programmed cell death and alters growth of immature B cell populations in bone marrow cultures. *Toxicology.* 73: 203-218. [http://dx.doi.org/10.1016/0300-483X\(92\)90103-L](http://dx.doi.org/10.1016/0300-483X(92)90103-L).
- Hinson, JA; Roberts, DW. (1992). Role of covalent and noncovalent interactions in cell toxicity: Effects on proteins [Review]. *Annu Rev Pharmacol Toxicol.* 32: 471-510. <http://dx.doi.org/10.1146/annurev.pa.32.040192.002351>.
- Hinton, RH; Mitchell, FE; Mann, A; Chescoe, D; Price, SC; Nunn, A; Grasso, P; Bridges, JW. (1986). Effects of phthalic acid esters on the liver and thyroid. *Environ Health Perspect.* 70: 195-210.
- Hiortdahl, KM; Borden, RC. (2014). Enhanced reductive dechlorination of tetrachloroethene dense nonaqueous phase liquid with EVO and Mg(OH)2. *Environ Sci Technol.* 48: 624-631. <http://dx.doi.org/10.1021/es4042379>.
- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Sci Technol.* 37: 161-168.
- Hirl, PJ; COUNCIL, NR. (1998). Combined anaerobic/aerobic biostimulation for remediation of rail yards contaminated by diesel engine repair and maintenance. *Trans Res Rec*114-119.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Sci Technol.* 35: 49-56.
- Hirvonen, A; Tuhkanen, T; Ettala, M; Korhonen, S; Kalliokoski, P. (1998). Evaluation of a field-scale UV/H2O2-oxidation system for the purification of groundwater contaminated with PCE. *Environ Technol.* 19: 821-828.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Formation of chlorinated acetic acids during UV H2O2-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere.* 32: 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). TREATMENT OF TCE-AND PCE-CONTAMINATED GROUNDWATER USING V-H-2O2 AND O-3H-2O-2 OXIDATION PROCESS. *Water Sci Technol.* 33: 67-73.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; McKenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environ Sci Technol.* 33: 1092-1099.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med.* 22: 722-726.
- Hobson, ST; Cemalovic, S; Patel, SV. (2012). Preconcentration and detection of chlorinated organic compounds and benzene. *Analyst.* 137: 1284-1289. <http://dx.doi.org/10.1039/c2an16053f>.
- Hodder, SL; Mounzer, K; Dejesus, E; Ebrahimi, R; Grimm, K; Esker, S; Ecker, J; Farajallah, A; Flaherty, JF; Group, AS. (2010). Patient-reported outcomes in virologically suppressed, HIV-1-Infected subjects after switching to a simplified, single-tablet regimen of efavirenz, emtricitabine, and tenofovir DF. *AIDS Patient Care STDS.* 24: 87-96. <http://dx.doi.org/10.1089/apc.2009.0259>.
- Hoekstra, EJ; De Leer, EWB; Brinkman, UAT. (1999). Mass balance of trichloroacetic acid in the soil top layer. *Chemosphere.* 38: 551-563.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoelen, TP; Cunningham, JA; Hopkins, GD; Lebron, CA; Reinhard, M. (2006). Bioremediation of cis-DCE at a sulfidogenic site by amendment with propionate. *Ground Water Monitoring and Remediation.* 26: 82-91.



## Exposure Literature Search Results

### Off Topic

- Hoenig, JM; Heisey, DM. (2001). The abuse of power: The pervasive fallacy of power calculations for data analysis. *Am Stat.* 55: 19-24.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol.* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hoffmann, D; Rathkamp, G; Nesnow, S; Wynder, EL. (1972). Fluoranthenes: Quantitative determination in cigarette smoke, formation by pyrolysis, and tumor-initiating activity. *J Natl Cancer Inst.* 49: 1165-1175.
- Hofmann, M; Schmidt, C; Kohn, N; Rentsch, J; Glunz, SW; Preu, R. (2008). Stack system of PECVD amorphous silicon and PECVD silicon oxide for silicon solar cell rear side passivation. *Progress in Photovoltaics.* 16: 509-518. <http://dx.doi.org/10.1002/pip.835>.
- Hofstee, C; Dane, JH; Hill, WE. (1997). Three-fluid retention in porous media involving water, PCE and air. *J Contam Hydrol.* 25: 235-247.
- Hofstee, C; Gutiérrez Ziegler, C; Trötschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol.* 67: 61-78. [http://dx.doi.org/10.1016/S0169-7722\(03\)00088-3](http://dx.doi.org/10.1016/S0169-7722(03)00088-3).
- Hofstee, C; Oostrom, M; Dane, JH; Walker, RC. (1998). Infiltration and redistribution of perchloroethylene in partially saturated, stratified porous media. *J Contam Hydrol.* 34: 293-313.
- Hofstee, C; Walker, RC; Dane, JH. (1998). Infiltration and redistribution of perchloroethylene in stratified water-saturated porous media. *Soil Sci Soc Am J.* 62: 13-22.
- Hofstetter, J; Fenning, DP; Powell, DM; Morishige, AE; Wagner, H; Buonassisi, T. (2014). Sorting Metrics for Customized Phosphorus Diffusion Gettering. 4: 1421-1428. <http://dx.doi.org/10.1109/JPHOTOV.2014.2349736>.
- Hoggan, JL; Bae, K; Kibbey, TC. (2007). Non-steady state partitioning of dry cleaning surfactants between tetrachloroethylene (PCE) and water in porous media. *J Contam Hydrol.* 93: 149-160. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.007>.
- Höhener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol.* 182: 173-182. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.006>.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environ Sci Technol.* 35: 4449-4456. <http://dx.doi.org/10.1021/es0110067>.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis.* 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Holm, AK; Rini, M; Nibbering, ETJ; Fidler, H. (2003). Femtosecond UV/mid-IR study of photochromism of the spiropyran 1',3'-dihydro-1',3',3'-trimethyl-6-nitrospiro-[2H-1-benzopyran-2,2'-(2H)-indole] in solution. *Chem Phys Lett.* 376: 214-219. [http://dx.doi.org/10.1016/S0009-2614\(03\)00949-7](http://dx.doi.org/10.1016/S0009-2614(03)00949-7).
- Holoshitz, N; Alsheikh-Ali, AA; Karas, RH. (2008). Relative safety of gemfibrozil and fenofibrate in the absence of concomitant cerivastatin use. *Am J Cardiol.* 101: 95-97. <http://dx.doi.org/10.1016/j.amjcard.2007.07.057>.
- Hölscher, T; Lisek, J; Baani, M; Duan, TH; Adrian, L. (2010). Bacterial cultures preferentially removing singly flanked chlorine substituents from chlorobenzenes. *Environ Sci Technol.* 44: 8936-8942. <http://dx.doi.org/10.1021/es101971m>.
- Holson, RR; Pearce, B. (1992). Principles and pitfalls in the analysis of prenatal treatment effects in multiparous species. *Neurotoxicol Teratol.* 14: 221-228. [http://dx.doi.org/10.1016/0892-0362\(92\)90020-B](http://dx.doi.org/10.1016/0892-0362(92)90020-B).
- Holt, LA. (1984). SORPTION OF PERCHLOROETHYLENE AND TOLUENE BY WOOL AND OTHER TEXTILES - INFLUENCE OF CO-SOLVENTS. *Text Res J.* 54: 226-230.
- Holtcamp, W. (2012). Subtle shades of impairment: childhood tetrachloroethylene exposure may cause subclinical deficits in adult vision [Comment]. *Environ Health Perspect.* 120: A362.
- Holuszko, ME; Leeder, WR; Mackay, M; Giroux, L; Macphee, T; Ng, K, aW; Dexter, H. (2016). Effects of organic liquids on coking properties of a higher-inert Western Canadian coal. *Fuel Process Tech.* 155: 225-231. <http://dx.doi.org/10.1016/j.fuproc.2016.06.021>.
- Homem, V; Sousa, R; Moreira, JL; Santos, L; Alves, A. (2012). Response surface optimisation applied to a headspace-solid phase microextraction-gas chromatography-mass spectrometry method for the analysis of volatile organic compounds in water matrices. *Int J Environ Anal Chem.* 92: 166-189. <http://dx.doi.org/10.1080/03067319.2010.536228>.
- Hønning, J; Broholm, MM; Bjerg, PL. (2007). Quantification of potassium permanganate consumption and PCE oxidation in subsurface materials. *J Contam Hydrol.* 90: 221-239. <http://dx.doi.org/10.1016/j.jconhyd.2006.10.002>.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation.* 28: 98-107.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere.* 40: 1383-1388.
- Hooker, PD; Klabunde, KJ. (1994). DESTRUCTIVE ADSORPTION OF CARBON-TETRACHLORIDE ON IRON(III) OXIDE. *Environ Sci Technol.* 28: 1243-1247.
- Horbelt, R; Ebert, S; Ulbikaite, V; Hahn, G; Job, R; Terheiden, B. (2016). Al-density variation as one driving force for void formation in PERC solar cells. *Physica Status Solidi Rapid Research Letters.* 10: 515-519. <http://dx.doi.org/10.1002/pssr.201600078>.
- Horvatic, M. (1998). Potentials for self regulating equipment in perchlorethylene cleaning. *Tekstil.* 47: 486-487.
- Horvatic, PM. (1997). Hydrocarbon emissions or perchloroethylene? *Tekstil.* 46: 407-408.

## Exposure Literature Search Results

### Off Topic

- Horzel, JT; Shengzhao, Y; Bay, N; Passig, M; Pysch, D; Kuehnlein, H; Nussbaumer, H; Verlinden, P. (2015). Industrial Si Solar Cells With Cu-Based Plated Contacts. 5: 1595-1600. <http://dx.doi.org/10.1109/JPHOTOV.2015.2478067>.
- Hoshida, Y; Toffanin, S; Lachenmayer, A; Villanueva, A; Minguez, B; Llovet, JM. (2010). Molecular classification and novel targets in hepatocellular carcinoma: recent advancements. *Semin Liver Dis.* 30: 35-51. <http://dx.doi.org/10.1055/s-0030-1247131>.
- Hosoya, K; Kageyama, Y; Yoshizako, K; Kimata, K; Araki, T; Tanaka, N. (1995). UNIFORM-SIZED POLYMER-BASED SEPARATION MEDIA PREPARED USING VINYL METHACRYLATE AS A CROSS-LINKING AGENT - POSSIBLE POWERFUL ADSORBENT FOR SOLID-PHASE EXTRACTION OF HALOGENATED ORGANIC-SOLVENTS IN AN AQUEOUS ENVIRONMENT. *J Chromatogr A.* 711: 247-255.
- Hossain, A; Corapcioglu, MY. (1996). Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media. *Transport in Porous Media.* 24: 203-220.
- Hossain, SMG; McLaughlan, RG. (2012). Oxidation of Chlorophenols in Aqueous Solution by Excess Potassium Permanganate. *Water Air Soil Pollut.* 223: 1429-1435. <http://dx.doi.org/10.1007/s11270-011-0955-x>.
- Hossaini, R; Chipperfield, MP; Saiz-Lopez, A; Fernandez, R; Monks, S; Feng, W; Brauer, P; von Glasow, R. (2016). A global model of tropospheric chlorine chemistry: Organic versus inorganic sources and impact on methane oxidation. *J Geophys Res Atmos.* 121: 14271-14297. <http://dx.doi.org/10.1002/2016JD025756>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria.* 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Hou, X, inYan; Bian, S, huG; Chen, JF; Le, Y. (2012). High charged red pigment nanoparticles for electrophoretic displays. *Optical Materials.* 35: 201-204. <http://dx.doi.org/10.1016/j.optmat.2012.07.030>.
- Houk, VS; Demarini, DM. (1991). Characterizing the genotoxicity of hazardous industrial wastes and effluents using short-term bioassays. In MS Simmons (Ed.), (pp. 211-245). Chelsea, MI: Lewis Publishers, Inc.
- Hours, M; Dananche, B; Fevotte, J; Bergeret, A; Ayzac, L; Cardis, E; Etard, JF; Pallen, C; Roy, P; Fabry, J. (1994). Bladder cancer and occupational exposures. *Scand J Work Environ Health.* 20: 322-330.
- Houston, JB. (1994). Relevance of in vitro kinetic parameters to in vivo metabolism of xenobiotics. *Toxicol In Vitro.* 8: 507-512. [http://dx.doi.org/10.1016/0887-2333\(94\)90002-7](http://dx.doi.org/10.1016/0887-2333(94)90002-7).
- Houston, JB. (1994). Utility of in vitro drug metabolism data in predicting in vivo metabolic clearance [Review]. *Biochem Pharmacol.* 47: 1469-1479.
- Houten, L; Sonnesso, G. (1980). Occupational exposure and cancer of the liver. *Arch Environ Health.* 35: 51-53.
- Howard, CJ. (1976). Rate constants for the gas-phase reactions of OH radicals with ethylene and halogenated ethylene compounds. *J Chem Phys.* 65: 4771-4777. <http://dx.doi.org/10.1063/1.432932>.
- Howe, RB. (1983). GLOBAL83, an experimental program developed for the U.S. Environmental Protection Agency as an update to GLOBAL82: A computer program to extrapolate quantal animal toxicity data to low doses (May 1982) (Version 1983) [Computer Program]. Ruston, LA: K.S. Crump and Co., Inc.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol.* 32: 591-599.
- Howsawkung, J; Watts, RJ; Washington, DL; Teel, AL; Hess, TF; Crawford, RL. (2001). Evidence for simultaneous abiotic - Biotic oxidations in a microbial-Fenton's system. *Environ Sci Technol.* 35: 2961-2966.
- Howse, MLP; Bell, GM. (2007). Drugs and toxins that damage the kidney. *Medicine (Baltimore).* 35: 399-403. <http://dx.doi.org/10.1016/j.mpmed.2007.04.002>.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environ Sci Technol.* 39: 2888-2897. <http://dx.doi.org/10.1021/es049017y>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect.* 102: 31-34.
- Hsam, SLK; Huang, XQ; Zeller, FJ. (2001). Chromosomal location of genes for resistance to powdery mildew in common wheat (*Triticum aestivum* L. em Thell.) 6. Alleles at the Pm5 locus. *Theor Appl Genet.* 102: 127-133.
- HSDB. (1996). Phenothiazine (Version Last Revision Date: 20050623) [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov>
- HSDB. (2001). Tetrachloroethylene. Bethesda, Maryland: National Library of Medicine, National Toxicology Program, Hazardous Substances Data Bank.
- HSIA. (1984). Comments and additional corrections on the health assessment document tetrachloroethylene (perchloroethylene). Arlington, VA.
- HSIA. (2004). Comment entitled "evaluation of EPA's neurotoxicity of tetrachloroethylene" submitted by Paul H. Dugard, Ph.D, Halogenated Solvents Industry Alliance, Inc. for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0006>.
- HSIA. (2004). Comment focusing on "certain halogenated solvents" submitted by Paul H. Dugard, Director of Scientific Studies, the Halogenated Solvents Industry Alliance, Inc. (HSIA) for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0005>.
- Hsu, CH; Yang, CH; Wang, Y, iHan; Huang, CW, ei; Lien, SY; Kung, CY; Lou, J, enC. (2016). Low Cost Local Contact Opening by Using Polystyrene Spheres Spin-Coating Method for PERC Solar Cells. *Materials.* 9. <http://dx.doi.org/10.3390/ma9070549>.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull.* 15: 125-128.

## Exposure Literature Search Results

### Off Topic

- Hsu, HL; Demond, AH. (2007). Influence of organic acid and organic base interactions on interfacial properties in NAPL--water systems. *Environ Sci Technol.* 41: 897-902. <http://dx.doi.org/10.1021/es061676i>.
- Hsu, HL, an; Demond, AH. (2010). Impact of Multi-Interface Surfactant Adsorption on Wettability in Dense Nonaqueous Phase Liquid Systems. *Environ Eng Sci.* 27: 95-101. <http://dx.doi.org/10.1089/ees.2009.0240>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal.* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsueh, KP; Hao, OJ; Wu, YC. (1991). Removal of volatile organic compounds in a rotating disk contactor: Batch and continuous operation (pp. 67-74). (ISSN 1047-7624; BIOSIS/92/23712). Hsueh, KP; Hao, OJ; Wu, YC.
- Hu, C; Bi, A; Pan, ZH. (2009). Differential expression of three T-type calcium channels in retinal bipolar cells in rats. *Vis Neurosci.* 26: 177-187. <http://dx.doi.org/10.1017/S0952523809090026>.
- Hu, M; Zhang, Y; Liu, Y; Wang, X, in; Wong, P, oK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *Int Biodeterior Biodegradation.* 85: 103-107. <http://dx.doi.org/10.1016/j.ibiod.2013.06.008>.
- Hu, M; Zhang, Y; Wang, Z; Jiang, Z; Li, J. (2011). Influence of humic acid on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater.* 190: 1074-1078. <http://dx.doi.org/10.1016/j.jhazmat.2011.03.088>.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun.* 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics.* 176: 53-56. <http://dx.doi.org/10.1016/j.ssi.2004.05.006>.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl<sub>4</sub>: Intermediates and byproducts. *Environ Sci Technol.* 30: 864-871.
- Huang, CH, ao; Chang, Y, uHsu; Lin, HK, ai; Peng, CW, ei; Chung, W, enS; Lee, C, hiY; Chiu, HT. (2007). Phase segregation assisted morphology sculpting: Growth of graphite and silicon crystals via vapor-solid reactions. *J Phys Chem C.* 111: 4138-4145. <http://dx.doi.org/10.1021/jp0666961>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethene concentrations. *Environ Sci Technol.* 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, HC; Lee, JF; Lee, CK; Chen, JC. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater.* 138: 485-492. <http://dx.doi.org/10.1016/j.jhazmat.2006.05.094>.
- Huang, J; Appiah-Sefah, G; Nkrumah, NP; Li, J. (2016). MAGNOLIA GRANDIFLORA FOR MONITORING TRICHLOROETHYLENE AND TETRACHLOROETHYLENE CONTAMINATION OF GROUNDWATER. *Fresen Environ Bull.* 25: 783-792.
- Huang, J; Christ, JA; Goltz, MN; Demond, AH. (2015). Modeling NAPL dissolution from pendular rings in idealized porous media. *Water Resour Res.* 51: 8182-8197. <http://dx.doi.org/10.1002/2015WR016924>.
- Huang, J; Gan, H; Li, H; Wu, K. (1998). [Mutagenicity of typical organo-halogenated compounds from drinking water]. *Huanjing Kexue.* 19: 54-57.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater.* 87: 155-169.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere.* 46: 815-825.
- Hubert, P. (2010). Effects of low doses: Proof and inferences. *E R S.* 9: 295-302. <http://dx.doi.org/10.1684/ers.2010.0365>.
- Hubler, G; Montzka, DD; Norton, RB; Murphy, PC; Fehsenfeld, FC; Liu, SC; Ridley, BA; Walega, JG; Atlas, E; Grahek, FE; Heidt, LE; Merrill, J; Huebert, BJ; Bodhaine, BA. (1992). TOTAL REACTIVE OXIDIZED NITROGEN (NOY) IN THE REMOTE PACIFIC TROPOSPHERE AND ITS CORRELATION WITH O<sub>3</sub> AND CO - MAUNA-LOA-OBSERVATORY PHOTOCHEMISTRY EXPERIMENT 1988. *J Geophys Res Atmos.* 97: 10427-10447.
- Hubner, A; Hampe, C; Aberle, AG. (1997). A simple fabrication process for 20% efficient silicon solar cells. *Solar Energy Materials and Solar Cells.* 46: 67-77.
- Hubner, HJ; Worner, M; Kaiser, W; Seilmeier, A. (1991). SUBPICOSECOND VIBRATIONAL-RELAXATION OF SKELETAL MODES IN POLYATOMIC-MOLECULES. *Chem Phys Lett.* 182: 315-320.
- Hudnell, HK; Boyes, WK; Otto, DA; House, DE; Creason, JP; Geller, AM; Darcey, DJ; Broadwell, DK. (1996). Battery of neurobehavioral tests recommended to ATSDR: Solvent-induced deficits in microelectronic workers [Review]. *Toxicol Ind Health.* 12: 235-243.
- Hudnell, HK; House, D; Schmid, J; Koltai, D; Stopford, W; Wilkins, J; Savitz, DA; Swinker, M; Music, S. (2001). Human visual function in the North Carolina clinical study on possible estuary-associated syndrome. *J Toxicol Environ Health A.* 62: 575-594. <http://dx.doi.org/10.1080/15287390151079633>.
- Hudnell, HK; Otto, DA; House, DE. (1996). The influence of vision on computerized neurobehavioral test scores: A proposal for improving test protocols. *Neurotoxicol Teratol.* 18: 391-400. [http://dx.doi.org/10.1016/0892-0362\(96\)00040-2](http://dx.doi.org/10.1016/0892-0362(96)00040-2).
- Huff, J. (1995). Mechanisms, chemical carcinogenesis, and risk assessment: Cell proliferation and cancer. *Am J Ind Med.* 27: 293-300. <http://dx.doi.org/10.1002/ajim.4700270213>.
- Huff, J. (1996). Response: Alpha-2-mu-globulin nephropathy, posed mechanisms, and white ravens. *Environ Health Perspect.* 104: 1264-1267.
- Huffman, GP; Shah, N; Huggins, FE; Stock, LM; Chatterjee, K; Kilbane, JJ; Chou, MIM; Buchanan, DH. (1995). SULFUR SPECIATION OF DESULFURIZED COALS BY XANES SPECTROSCOPY. *Fuel.* 74: 549-555.
- Huggins, FE; Vaidya, SV; Shah, N; Huffman, GP. (1993). INVESTIGATION OF SULFUR FORMS EXTRACTED FROM COAL BY PERCHLOROETHYLENE. *Fuel Process Tech.* 35: 233-257.

## Exposure Literature Search Results

### Off Topic

- Hughes, JB; Parkin, GF. (1996). Concentration Effects on Chlorinated Aliphatic Transformation Kinetics. *J Environ Eng.* 122: 92. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(1996\)122:2\(92\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(1996)122:2(92)).
- Hughes, JB; Parkin, GF. (1996). Individual biotransformation rates in chlorinated aliphatic mixtures. *J Environ Eng.* 122: 99-106.
- Hughes, JP. (1954). Hazardous exposure to some so-called safe solvents. *JAMA.* 156: 234-237.
- Hughes, MA; Degroot, JLB. (1993). A PET RECYCLING PROCESS. *Chem Eng Res Des.* 71: 127-133.
- Huisman, BH; Kooyman, RPH; Vanveggel, F; Reinhoudt, DN. (1996). Molecular recognition by self-assembled monolayers detected with surface plasmon resonance. *Adv Mater Deerfield.* 8: 561-&.
- Huling, SG; Ko, S; Pivetz, B. (2011). Groundwater Sampling at ISCO Sites: Binary Mixtures of Volatile Organic Compounds and Persulfate. *Ground Water Monitoring and Remediation.* 31: 72-79. <http://dx.doi.org/10.1111/j.1745-6592.2011.01332.x>.
- Humayra, AS; Kimura, Y; Takamizawa, K; Sato, T. (2005). Transport of Clostridium bifermentans DPH-1 through the laboratory column can be explained by two-region model for bioremediation. *Environ Technol.* 26: 1151-1159.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO<sub>2</sub> films. *Environ Sci Technol.* 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO<sub>2</sub> films. *Environ Sci Technol.* 31: 1440-1445.
- Hung, HM; Hoffmann, MR. (1998). Kinetics and mechanism of the enhanced reductive degradation of CCl<sub>4</sub> by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 32: 3011-3016.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environ Sci Technol.* 39: 5975-5981. <http://dx.doi.org/10.1021/es048464a>.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environ Sci Technol.* 33: 2733-2738.
- Hunkeler, D; Aravena, R; Cox, E. (2002). Carbon isotopes as a tool to evaluate the origin and fate of vinyl chloride: laboratory experiments and modeling of isotope evolution. *Environ Sci Technol.* 36: 3378-3384. <http://dx.doi.org/10.1021/es011479d>.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol.* 74: 265-282. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.003>.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environ Sci Technol.* 43: 6750-6756. <http://dx.doi.org/10.1021/es900579z>.
- Hurst, CH; Waxman, DJ. (2003). Activation of PPAR $\alpha$  and PPAR $\gamma$  by environmental phthalate monoesters. *Toxicol Sci.* 74: 297-308. <http://dx.doi.org/10.1093/toxsci/kfg145>.
- Huss, JM; Kelly, DP. (2005). Mitochondrial energy metabolism in heart failure: A question of balance. *J Clin Invest.* 115: 547-555. <http://dx.doi.org/10.1172/JCI24405>.
- Huttunen, J; Heinonen, O; Manninen, V; Koskinen, P; Hakulinen, T; Teppo, L; Mänttari, M; Frick, M. (1994). The Helsinki Heart Study: An 8.5-year safety and mortality follow-up. *J Intern Med.* 235: 31-39. <http://dx.doi.org/10.1111/j.1365-2796.1994.tb01029.x>.
- Huybrechts, G; Olbregts, J; Thomas, K. (1967). Gas-phase chlorine-photosensitized oxidation and oxygen-inhibited photochlorination of tetrachloroethylene and pentachloroethane. *Trans Faraday Soc.* 63: 1647-1655. <http://dx.doi.org/10.1039/TF9676301647>.
- Huybrechts, T; Dewulf, J; Moerman, O; Van Langenhove, H. (2000). Evaluation of purge-and-trap-high-resolution gas chromatography-mass spectrometry for the determination of 27 volatile organic compounds in marine water at the ng l(-1) concentration level. *J Chromatogr A.* 893: 367-382.
- Hwang, I; Batchelor, B. (2000). Reductive dechlorination of tetrachloroethylene by Fe(II) in cement slurries. *Environ Sci Technol.* 34: 5017-5022.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environ Sci Technol.* 35: 3792-3797.
- Hwang, I; Park, HJ; Kang, WH; Park, JY. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater.* 118: 103-111. <http://dx.doi.org/10.1016/j.jhazmat.2004.10.002>.
- Hwang, YK; Endres, AL; Piggott, SD; Parker, BL. (2008). Long-term ground penetrating radar monitoring of a small volume DNAPL release in a natural groundwater flow field. *J Contam Hydrol.* 97: 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2007.11.004>.
- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- Hyun, SP, il; Hayes, K, imF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *J Environ Eng.* 135: 1009-1014. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000073](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000073).
- IARC. (1995). Chloral and chloral hydrate. In *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans* (pp. 245-269). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/mono63-9.pdf>.
- IARC. (2000). Di(2-ethylhexyl) phthalate [Review]. In *IARC monographs on the evaluation of carcinogenic risks to humans* (pp. 41-148). Lyon, France.
- IARC. (2004). Some drinking-water disinfectants and contaminants, including arsenic. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 1-477). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol84/index.php>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLIN/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- IARC. (2010). Ingested nitrate and nitrite and cyanobacterial peptide toxins. In *IARC Monographs on the evaluation of carcinogenic risks to humans*. Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol94/mono94.pdf>.

## Exposure Literature Search Results

### Off Topic

- Iavicoli, I; Carelli, G; Marinaccio, A. (2006). Dose-response relationships in human experimental exposure to solvents. *Dose-Response*. 4: 155-168. <http://dx.doi.org/10.2203/dose-response.05-036.lavicoli>.
- Ibaraki, M. (2001). Source characteristics and contaminant plume evolution. *Transport in Porous Media*. 44: 577-589.
- ICRP. (1975). Report of the task group on reference man. In *ICRP Publication 23*. Oxford, UK: Pergamon Press. [http://ani.sagepub.com/site/include/files/icrp\\_publications\\_collection.xhtml](http://ani.sagepub.com/site/include/files/icrp_publications_collection.xhtml).
- Idrissou, M; Ngom, DF; Malou, R; Vayssade, B; Courbis, AL. (2015). Water balance simulation for resource evaluation at the catchment scale: application to the Nema (Sudano-Sahelian zone, Senegal). *Hydrological Sciences Journal*. 60: 1620-1630. <http://dx.doi.org/10.1080/02626667.2014.932055>.
- Ikbal, M; Tastekin, A; Dogan, H; Pirim, I; Ors, R. (2004). The assessment of genotoxic effects in lymphocyte cultures of infants treated with chloral hydrate. *Mutat Res*. 564: 159-164. <http://dx.doi.org/10.1016/j.mrgentox.2004.08.007>.
- Ikeda, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect*. 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikeda, M; Ohtsujii, H. (1972). COMPARATIVE STUDY OF EXCRETION OF FUJIWARA REACTION-POSITIVE SUBSTANCES IN URINE OF HUMANS AND RODENTS GIVEN TRICHLORO-DERIVATIVES OR TETRACHLORO-DERIVATIVES OF ETHANE AND ETHYLENE. *Br J Ind Med*. 29: 99-&.
- Ikeda, M; Ohtsujii, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med*. 29: 328-333. <http://dx.doi.org/10.1136/oem.29.3.328>; <http://oem.bmj.com/content/oemed/29/3/328.full.pdf>.
- Iloukhani, H; Reddy, KD; Rao, MVP. (1985). EXCESS VOLUMES OF TETRACHLOROETHYLENE WITH SOME ALIPHATIC AND ALICYCLIC KETONES AT 303.15-K AND 313.15-K. *Journal of Chemical and Engineering Data*. 30: 306-308.
- Iloukhani, H; Samiey, B. (2005). Studies of viscosities and excess molar volumes of the binary mixtures of 1-heptanol plus 1,2-dichloroethane, plus 1,1,1-trichloroethane, plus 1,1,2,2-tetrachloroethane, plus trichloroethylene and tetrachloroethylene at (293.15, 298.15, and 303.15) K for the liquid region and at ambient pressure. *Journal of Chemical and Engineering Data*. 50: 1911-1916. <http://dx.doi.org/10.1021/je0501890>.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environ Sci Technol*. 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Imaoka, T; Takatsuka, T; Yamamoto, K. (2006). Catalytic dehalogenation enhanced by appending dendritic ligands on cobalt porphyrins. *Journal of Porphyrins and Phthalocyanines*. 10: 1066-1070.
- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res*. 42: 871-882. <http://dx.doi.org/10.1016/j.watres.2007.08.035>.
- Imfeld, G; Pieper, H; Shani, N; Rossi, P; Nikolausz, M; Nijenhuis, I; Paschke, H; Weiss, H; Richnow, HH. (2011). Characterization of Groundwater Microbial Communities, Dechlorinating Bacteria, and In Situ Biodegradation of Chloroethenes Along a Vertical Gradient. *Water Air Soil Pollut*. 221: 107-122. <http://dx.doi.org/10.1007/s11270-011-0774-0>.
- Imhoff, PT; Frizzell, A; Miller, CT. (1997). Evaluation of thermal effects on the dissolution of a nonaqueous phase liquid in porous media. *Environ Sci Technol*. 31: 1615-1622.
- Imhoff, PT; Gleyzer, SN; McBride, JF; Vancho, LA; Okuda, I; Miller, CT. (1995). COSOLVENT ENHANCED REMEDIATION OF RESIDUAL REUSE NONAQUEOUS PHASE LIQUIDS - EXPERIMENTAL INVESTIGATION. *Environ Sci Technol*. 29: 1966-1976.
- Imhoff, PT; Mann, AS; Mercer, M; Fitzpatrick, M. (2003). Scaling DNAPL migration from the laboratory to the field. *J Contam Hydrol*. 64: 73-92. [http://dx.doi.org/10.1016/S0169-7722\(02\)00106-7](http://dx.doi.org/10.1016/S0169-7722(02)00106-7).
- Imoberdorf, GE; Cassano, AE; Alfano, OM; Irazoqui, HA. (2006). Modeling of a multiannular photocatalytic reactor for perchloroethylene degradation in air. *AIChE J*. 52: 1814-1823. <http://dx.doi.org/10.1002/aic.10771>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Optimal design and modeling of annular photocatalytic wall reactors. *Catalysis Today*. 129: 118-126. <http://dx.doi.org/10.1016/j.cattod.2007.06.057>.
- Imoberdorf, GE; Cassano, AE; Irazoqui, HA; Alfano, OM. (2007). Simulation of a multi-annular photocatalytic reactor for degradation of perchloroethylene in air: Parametric analysis of radiative energy efficiencies. *Chem Eng Sci*. 62: 1138-1154. <http://dx.doi.org/10.1016/j.ces.2006.10.024>.
- Imoberdorf, GE; Irazoqui, HA; Alfano, OM; Cassano, AE. (2007). Scaling-up from first principles of a photocatalytic reactor for air pollution remediation. *Chem Eng Sci*. 62: 793-804. <http://dx.doi.org/10.1016/j.ces.2006.10.004>.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2005). Photocatalytic degradation of tetrachloroethylene in gas phase on TiO<sub>2</sub> films: A kinetic study. *Ind Eng Chem Res*. 44: 6075-6085. <http://dx.doi.org/10.1021/ie049185z>.
- Infante-Rivard, C; Siemiatycki, J; Lakhani, R; Nadon, L. (2005). Maternal exposure to occupational solvents and childhood leukemia. *Environ Health Perspect*. 113: 787-792. <http://dx.doi.org/10.1289/ehp.7707>.
- Inoue, O; Ukai, H; Ikeda, M. (2006). Green chemistry in urinalysis for trichloroethanol and trichloroacetic acid as markers of exposure to chlorinated hydrocarbon solvents. *Ind Health*. 44: 207-214.
- Interagency Staff Group on Carcinogens. (1986). *Chemical carcinogens: A review of the science and its associated principles [Review]*. *Environ Health Perspect*. 67: 201-282.
- International Fabricare Institute. (1984). Comments of the laundry-cleaning council on the external review draft health assessment document for tetrachloroethylene (perchloroethylene).
- IOM. (2002). *Gulf War and health. Vol. 2: Insecticides and solvents*. Washington, DC: National Academies Press.

## Exposure Literature Search Results

### Off Topic

- lordache, M; Meghea, A; Neamtu, S; Popescu, LR; lordache, I. (2014). Evaluation of Contamination with Priority Hazardous Substances in Olt River Water and Sediments near the Industrial Platform of Ramnicu Valcea. *Rev Chim.* 65: 87-93.
- IPCS. (1986). Asbestos and other natural mineral fibres. In *Environmental Health Criteria* (pp. 112). (Environmental Health Criteria 53). Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc53.htm>.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environ Sci Technol.* 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial diversity and changes in the distribution of dehalogenase genes during dechlorination with different concentrations of cis-DCE. *Environ Sci Technol.* 45: 5339-5345. <http://dx.doi.org/10.1021/es104199y>.
- Ishmael, J; Lock, EA. (1986). Nephrotoxicity of hexachlorobutadiene and its glutathione-derived conjugates. *Toxicol Pathol.* 14: 258-262. <http://dx.doi.org/10.1177/019262338601400216>.
- Issemann, I; Green, S. (1990). Activation of a member of the steroid hormone receptor superfamily by peroxisome proliferators. *Nature.* 347: 645-650.
- Issemann, I; Prince, RA; Tugwood, JD; Green, S. (1993). The peroxisome proliferator-activated receptor:retinoid X receptor heterodimer is activated by fatty acids and fibrates hypolipidaemic drugs. *J Mol Endocrinol.* 11: 37-47.
- Istok, JD; Field, JA; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory and field investigation of surfactant sorption using single-well, "push-pull" tests. *Ground Water.* 37: 589-598.
- Isukapalli, SS; Roy, A; Georgopoulos, PG. (1998). Stochastic response surface methods (SRSMs) for uncertainty propagation: application to environmental and biological systems. *Risk Anal.* 18: 351-363.
- Isukapalli, SS; Roy, A; Georgopoulos, PG. (2000). Efficient Sensitivity/Uncertainty Analysis Using the Combined Stochastic Response Surface Method and Automated Differentiation: Application to Environmental and Biological Systems. *Risk Anal.* 20: 591-602.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health.* 49: 172-182.
- Ito, Y; Yamanoshita, O; Kurata, Y; Kamijima, M; Aoyama, T; Nakajima, T. (2007). Induction of peroxisome proliferator-activated receptor alpha (PPARalpha)-related enzymes by di(2-ethylhexyl) phthalate (DEHP) treatment in mice and rats, but not marmosets. *Arch Toxicol.* 81: 219-226. <http://dx.doi.org/10.1007/s00204-006-0141-x>.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere.* 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Ivanov, WN; Hei, TK. (2006). Sodium arsenite accelerates TRAIL-mediated apoptosis in melanoma cells through upregulation of TRAIL-R1/R2 surface levels and downregulation of cFLIP expression. *Exp Cell Res.* 312: 4120-4138. <http://dx.doi.org/10.1016/j.yexcr.2006.09.019>.
- Iveson, SM; Galvin, KP. (2012). The effect of perchloroethylene on coking properties. *Fuel.* 95: 504-513. <http://dx.doi.org/10.1016/j.fuel.2011.10.009>.
- Jackson, R; Grainge, JW. (1975). Arsenic and cancer. *Can Med Assoc J.* 113: 396-401.
- Jackson, RE. (2003). The evolution of DNAPL remediation practice. *ACS Symp Ser Am Chem Soc.* 837: 21-35.
- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation.* 19: 102-110.
- Jackson, RE; Priddle, MW; Lesage, S. (1990). Transport and fate of CFC-113 in groundwater.
- Jackson, S, aML; Rananaware, A; Rix, C; Bhosale, SV; Latham, K, ay. (2015). Clathrate directed assembly of tetrapyridyl-tetraphenylethylene metal-organic frameworks. *RSC Advances.* 5: 84134-84141. <http://dx.doi.org/10.1039/c5ra18499a>.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol.* 52: 1253-1260. <http://dx.doi.org/10.1007/s00254-006-0563-z>.
- Jager, JW; Ostrosky-Wegman, P. (1997). Arsenic: A paradoxical human carcinogen [Review]. *Mutat Res.* 386: 181-184. [http://dx.doi.org/10.1016/s1383-5742\(97\)00002-1](http://dx.doi.org/10.1016/s1383-5742(97)00002-1).
- Jain, DVS; Wadi, RK; Saini, SB. (1981). ISOTHERMAL LIQUID-VAPOR EQUILIBRIA FOR ACETYLACETONE+, AND ACRYLONITRILE+ CARBON-TETRACHLORIDE AND ACRYLONITRILE+ TETRACHLOROETHYLENE AT 303.15 AND 323.15 K. 19: 167-170.
- Jain, R. (2016). Levels of selected urinary metabolites of volatile organic compounds in a representative sample of US adolescents. *Toxicol Environ Chem.* 98: 977-990. <http://dx.doi.org/10.1080/02772248.2015.1132319>.
- Jain, V; Demond, AH. (1999). Impact of surfactants for aquifer remediation on physical properties of the aqueous phase. *J Contam Hydrol.* 40: 25-35.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 1. Emulsion transport. *Environ Sci Technol.* 36: 5426-5433. <http://dx.doi.org/10.1021/es0113955>.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 2. Formation of emulsion in situ. *Environ Sci Technol.* 36: 5434-5440. <http://dx.doi.org/10.1021/es011396x>.
- Jakoby, BW; Bercier, Y; Conti, M; Casey, ME; Bendriem, B; Townsend, DW. (2011). Physical and clinical performance of the mCT time-of-flight PET/CT scanner. *Phys Med Biol.* 56: 2375-2389. <http://dx.doi.org/10.1088/0031-9155/56/8/004>.
- Jakoby, BW; Bercier, Y; Watson, CC; Bendriem, B; Townsend, DW. (2009). Performance Characteristics of a New LSO PET/CT Scanner With Extended Axial Field-of-View and PSF Reconstruction. *IEEE Trans Nucl Sci.* 56: 633-639. <http://dx.doi.org/10.1109/TNS.2009.2015764>.
- Jakusch, M; MizaiKoff, B; Kellner, R. (1997). Towards a remote IR fiber-optic sensor system for the determination of chlorinated hydrocarbons in water. *Sens Actuators B.* 38: 83-87.

## Exposure Literature Search Results

### Off Topic

- Jalbert, M; Dane, JH; Bahaminyakamwe, L. (2003). Influence of porous medium and NAPL distribution heterogeneities on partitioning inter-well tracer tests: a laboratory investigation. *J Hydrol.* 272: 79-94.
- Jalouli, M; Carlsson, L; Ameen, C; Linden, D; Ljungberg, A; Michalik, L; Eden, S; Wahli, W; Oscarsson, J. (2003). Sex difference in hepatic peroxisome proliferator-activated receptor alpha expression: Influence of pituitary and gonadal hormones. *Endocrinology.* 144: 101-109. <http://dx.doi.org/10.1210/en.2002-220630>.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut.* 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol.* 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- James, JT; Limerio, TF; Leano, HJ; Boyd, JF; Covington, PA. (1994). VOLATILE ORGANIC CONTAMINANTS FOUND IN THE HABITABLE ENVIRONMENT OF THE SPACE-SHUTTLE - STS-26 TO STS-55. *Aviat Space Environ Med.* 65: 851-857.
- Jamshidi, Y; Montgomery, HE; Hense, HW; Myerson, SG; Torra, IP; Stael, B; World, MJ; Doering, A; Erdmann, J; Hengstenberg, C; Humphries, SE; Schunkert, H; Flavell, DM. (2002). Peroxisome proliferator-activated receptor alpha gene regulates left ventricular growth in response to exercise and hypertension. *Circulation.* 105: 950-955.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. *Chemosphere.* 54: 917-925. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.033>.
- Jang, J, iS; Yeo, SD, o. (2015). Adsorption of Ethylbenzene and Tetrachloroethylene Using Natural and Organically Modified Clays. *Separation Science and Technology.* 50: 573-582. <http://dx.doi.org/10.1080/01496395.2014.956758>.
- Jang, JY; Droz, PO. (1997). Ethnic differences in biological monitoring of several organic solvents: II. A simulation study with a physiologically based pharmacokinetic model. *Int Arch Occup Environ Health.* 70: 41-50. <http://dx.doi.org/10.1007/s004200050184>.
- Jang, JY; Droz, PO; Berode, M. (1997). Ethnic differences in biological monitoring of several organic solvents. I. Human exposure experiment. *Int Arch Occup Environ Health.* 69: 343-349.
- Jang, JY; Droz, PO; Chung, HK. (1999). Uncertainties in physiologically based pharmacokinetic models caused by several input parameters. *Int Arch Occup Environ Health.* 72: 247-254.
- Jang, JY; Kang, SK; Chung, HK. (1993). Biological exposure indices of organic solvents for Korean workers. *Int Arch Occup Environ Health.* 65: S219-S222.
- Jat, P; Serre, ML. (2016). Bayesian Maximum Entropy space/time estimation of surface water chloride in Maryland using river distances. *Environ Pollut.* 219: 1148-1155. <http://dx.doi.org/10.1016/j.envpol.2016.09.020>.
- Jawitz, JW; Sillan, RK; Annable, MD; Rao, PSC; Warner, K. (2000). In situ alcohol flushing of a DNAPL source zone at a dry cleaner site. *Environ Sci Technol.* 34: 3722-3729.
- Jayakody, P; Parajuli, PB; Sassenrath, GF; Ouyang, Y. (2014). Relationships between water table and model simulated ET. *Ground Water.* 52: 303-310. <http://dx.doi.org/10.1111/gwat.12053>.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environ Sci Technol.* 36: 5491-5497. <http://dx.doi.org/10.1021/es020566i>.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 39: 1399-1414. <http://dx.doi.org/10.1081/ESE-120037841>.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and carbon isotopes fractionation during volatilization and diffusive transport of trichloroethene in the unsaturated zone. *Environ Sci Technol.* 46: 3169-3176. <http://dx.doi.org/10.1021/es203547p>.
- Jeannotat, S; Hunkeler, D. (2013). Can soil gas VOCs be related to groundwater plumes based on their isotope signature? *Environ Sci Technol.* 47: 12115-12122. <http://dx.doi.org/10.1021/es4010703>.
- Jeffroy, M; Weber, G, uy; Hostachy, S; Bellat, JP; Fuchs, AH; Boutin, A. (2011). Structural Changes in Nanoporous MFI Zeolites Induced by Tetrachloroethene Adsorption: A Joint Experimental and Simulation Study. *J Phys Chem C.* 115: 3854-3865. <http://dx.doi.org/10.1021/jp109447n>.
- Jensen, OM; Wahrendorf, J; Knudsen, JB; Sorensen, BL. (1987). The Copenhagen case-referent study on bladder cancer: Risks among drivers, painters, and certain other occupations. *Scand J Work Environ Health.* 13: 129-134.
- Jensen, S; Rosenberg, R. (1975). Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res.* 9: 659-661.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jeong, SW. (2005). Evaluation of the use of capillary numbers for quantifying the removal of DNAPL trapped in a porous medium by surfactant and surfactant foam floods. *J Colloid Interface Sci.* 282: 182-187. <http://dx.doi.org/10.1016/j.jcis.2004.08.108>.
- Jeong, SW; Ju, BK; Lee, BJ. (2009). Effects of alcohol-partitioning type and airflow on cosolvent flooding to benzene-LNAPL saturated porous media. *J Hazard Mater.* 166: 603-611. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.102>.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater.* 95: 125-135.

## Exposure Literature Search Results

### Off Topic

- Jeong, SW; Wood, AL; Lee, TR. (2002). Enhanced contact of cosolvent and DNAPL in porous media by concurrent injection of cosolvent and air. *Environ Sci Technol.* 36: 5238-5244. <http://dx.doi.org/10.1021/es0157705>.
- Jeong, SW; Wood, AL; Lee, TR. (2003). Enhanced removal of DNAPL trapped in porous media using simultaneous injection of cosolvent with air: influencing factors and removal mechanisms. *J Hazard Mater.* 101: 109-122.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(III)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol.* 87: 1179-1186. <http://dx.doi.org/10.1002/jctb.3746>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater.* 184: 234-240. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.027>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupation and bladder cancer: A cohort study in Sweden. *Br J Cancer.* 92: 1276-1278. <http://dx.doi.org/10.1038/sj.bjc.6602473>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupational risk factors for kidney cancer: A cohort study in Sweden. *World Journal of Urology.* 23: 271-278. <http://dx.doi.org/10.1007/s00345-005-0007-5>.
- Ji, J; Hemminki, K. (2005). Occupation and upper aerodigestive tract cancers: A follow-up study in Sweden. *J Occup Environ Med.* 47: 785-795. <http://dx.doi.org/10.1097/01.jom.0000165798.28569.b5>.
- Ji, J; Hemminki, K. (2005). Occurrences of leukemia subtypes by socioeconomic and occupational groups in Sweden. *J Occup Environ Med.* 47: 1131-1140. <http://dx.doi.org/10.1097/01.jom.0000174302.63621.e8>.
- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health.* 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.
- Ji, J; Hemminki, K. (2006). Socioeconomic and occupational risk factors for pancreatic cancer: A cohort study in Sweden. *J Occup Environ Med.* 48: 283-288. <http://dx.doi.org/10.1097/01.jom.0000199511.14305.dc>.
- Ji, J; Hemminki, K. (2006). Socioeconomic/occupational risk factors for lymphoproliferative diseases in Sweden. *Ann Epidemiol.* 16: 370-376. <http://dx.doi.org/10.1016/j.annepidem.2005.09.002>.
- Jian, Y; Planeta, B; Carson, RE. (2015). Evaluation of bias and variance in low-count OSEM list mode reconstruction. *Phys Med Biol.* 60: 15-29. <http://dx.doi.org/10.1088/0031-9155/60/1/15>.
- Jin, B; Laskov, C; Rolle, M; Haderlein, SB. (2011). Chlorine isotope analysis of organic contaminants using GC-qMS: method optimization and comparison of different evaluation schemes. *Environ Sci Technol.* 45: 5279-5286. <http://dx.doi.org/10.1021/es200749d>.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res.* 69: 1094-1099.
- Jin, M; Hirasaki, GJ; Jackson, RE; Kostarelos, K; Pope, GA. (2007). Control of downward migration of dense nonaqueous phase liquid during surfactant flooding by design simulations. *Water Resour Res.* 43: 1412-1412. <http://dx.doi.org/10.1029/2006WR004858>.
- Jin, MQ; Delshad, M; Dwarakanath, V; McKinney, DC; Pope, GA; Sepehrnoori, K; Tilburg, CE; Jackson, RE. (1995). PARTITIONING TRACER TEST FOR DETECTION, ESTIMATION, AND REMEDIATION PERFORMANCE ASSESSMENT OF SUBSURFACE NONAQUEOUS PHASE LIQUIDS. *Water Resour Res.* 31: 1201-1211.
- Jin, S; Fallgren, PH; Morris, JM; Edgar, ES. (2008). Degradation of trichloroethene in water by electron supplementation. *Chem Eng J.* 140: 642-645. <http://dx.doi.org/10.1016/j.cej.2008.01.035>.
- Jin, X, in; Mahinthakumar, G; Zechman, EM; Ranjithan, RS. (2009). A genetic algorithm-based procedure for 3D source identification at the Borden emplacement site. *J Hydroinform.* 11: 51-64. <http://dx.doi.org/10.2166/hydro.2009.002>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chlorinated solvents from carbonate-buffered water by zero-valent iron. *Central European Journal of Chemistry.* 5: 87-106. <http://dx.doi.org/10.2478/s11532-006-0071-8>.
- Jiricek, M; Sracek, O; Janda, V. (2007). Removal of chloro derivatives of ethene from ground water with granulated-iron reaction barriers. *Chem Listy.* 101: 176-180.
- Jirtle, RL; Meyer, SA. (1991). Liver tumor promotion: effect of phenobarbital on EGF and protein kinase C signal transduction and transforming growth factor-beta 1 expression. *Dig Dis Sci.* 36: 659-668.
- Jo, WK; Kim, SH. (2001). Worker exposure to aromatic volatile organic compounds in dry cleaning stores. *AIHAJ.* 62: 466-471. [http://dx.doi.org/10.1202/0002-8894\(2001\)062<0466:WETAVO>2.0.CO;2](http://dx.doi.org/10.1202/0002-8894(2001)062<0466:WETAVO>2.0.CO;2).
- Jochmann, MA; Yuan, X; Schmidt, TC. (2007). Determination of volatile organic hydrocarbons in water samples by solid-phase dynamic extraction. *Anal Bioanal Chem.* 387: 2163-2174. <http://dx.doi.org/10.1007/s00216-006-1066->
- Johannsen, FR; Levinskas, GJ; Tegeris, AS. (1986). Effects of formaldehyde in the rat and dog following oral exposure. *Toxicol Lett.* 30: 1-6. [http://dx.doi.org/10.1016/0378-4274\(86\)90171-2](http://dx.doi.org/10.1016/0378-4274(86)90171-2).
- Johansen, K; Tinnerberg, H; Lynge, E. (2005). Use of history science methods in exposure assessment for occupational health studies. *Occup Environ Med.* 62: 434-441. <http://dx.doi.org/10.1136/oem.2004.016493>.
- Johanson, G; Filser, JG. (1992). Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch Toxicol.* 66: 291-295. <http://dx.doi.org/10.1007/BF02307176>.
- John, EM; Savitz, DA; Shy, CM. (1994). Spontaneous abortions among cosmetologists. *Epidemiology.* 5: 147-155. <http://dx.doi.org/10.1097/00001648-199403000-00004>.
- John, WW; Bao, GB; Johnson, WP; Stauffer, TB. (2000). Sorption of nonionic surfactant oligomers to sediment and PCE DNAPL: Effects on PCE distribution between water and sediment. *Environ Sci Technol.* 34: 672-679.



## Exposure Literature Search Results

### Off Topic

- Johnson, DN; Pedit, JA; Miller, CT. (2004). Efficient, near-complete removal of DNAPL from three-dimensional, heterogeneous porous media using a novel combination of treatment technologies. *Environ Sci Technol.* 38: 5149-5156. <http://dx.doi.org/10.1021/es0344765>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress.* 19: 157-166.
- Johnson, JC; Sun, SB; Jaffe, PR. (1999). Surfactant enhanced perchloroethylene dissolution in porous media: The effect on mass transfer rate coefficients. *Environ Sci Technol.* 33: 1286-1292.
- Johnson, LC; Ovchinnikov, O; Shokouhi, S; Peterson, TE. (2015). Development of a Germanium Small-Animal SPECT System. *IEEE Trans Nucl Sci.* 2015: 2036-2042. <http://dx.doi.org/10.1109/TNS.2015.2448673>.
- Johnson, P; Dawson, B; Goldberg, S. (1998). A review: Trichloroethylene metabolites: Potential cardiac teratogens [Review]. *Environ Health Perspect.* 106: 995-999.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998). Cardiac teratogenicity of trichloroethylene metabolites. *J Am Coll Cardiol.* 32: 540-545. [http://dx.doi.org/10.1016/S0735-1097\(98\)00232-0](http://dx.doi.org/10.1016/S0735-1097(98)00232-0).
- Johnson, RH; Poeter, EP. (2007). Insights into the use of time-lapse GPR data as observations for inverse multiphase flow simulations of DNAPL migration. *J Contam Hydrol.* 89: 136-155. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.003>.
- Johnson, RL; Thoms, RB; Zogorski, JS. (2003). Effects of daily precipitation and evapotranspiration patterns on flow and VOC transport to groundwater along a watershed flow path. *Environ Sci Technol.* 37: 4944-4954.
- Johnson, WP; Bao, GB; John, WW. (2002). Specific UV absorbance of Aldrich humic acid: Changes during transport in aquifer sediment. *Environ Sci Technol.* 36: 608-616. <http://dx.doi.org/10.1021/es010920x>.
- Johnston, JJ; Borden, RC; Barlaz, MA. (1996). Anaerobic biodegradation of alkylbenzenes and trichloroethylene in aquifer sediment down gradient of a sanitary landfill. *J Contam Hydrol.* 23: 263-283.
- Jollet, V; Gissane, C; Schlaf, M. (2014). Optimization of the neutralization of Red Mud by pyrolysis bio-oil using a design of experiments approach. *Energy Environ Sci.* 7: 1125-1133. <http://dx.doi.org/10.1039/c3ee43585g>.
- Joly, JG; Doyon, C; Peasant, Y. (1975). Cytochrome P-450 measurement in rat liver homogenate and microsomes. Its use for correction of microsomal losses incurred by differential centrifugation. *Drug Metab Dispos.* 3: 577-586.
- Jones, BK; Hathway, DE. (1978). The biological fate of vinylidene chloride in rats. *Chem Biol Interact.* 20: 27-41.
- Jones, RB; Mackrodt, WC. (1982). Structure-mutagenicity relationships for chlorinated ethylenes: a model based on the stability of the metabolically derived epoxides. *Biochem Pharmacol.* 31: 3710-3713.
- Joos, GF. (2003). Bronchial hyperresponsiveness: Too complex to be useful? *Curr Opin Pharmacol.* 3: 233-238. [http://dx.doi.org/10.1016/S1471-4892\(03\)00046-8](http://dx.doi.org/10.1016/S1471-4892(03)00046-8).
- Jorgenson, TA; Meierhenry, EF; Rushbrook, CJ; Bull, RJ; Robinson, M. (1985). Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3F1 mice. *Fundam Appl Toxicol.* 5: 760-769. [http://dx.doi.org/10.1016/0272-0590\(85\)90200-3](http://dx.doi.org/10.1016/0272-0590(85)90200-3).
- Josse, F; Lukas, R; Zhou, RN; Schneider, S; Everhart, D. (1996). AC-impedance-based chemical sensors for organic solvent vapors. *Sens Actuators B.* 36: 363-369.
- Josyula, AB; Poplin, GS; Kurzius-Spencer, M; McClellan, HE; Kopplin, MJ; Sturup, S; Lantz, RC; Burgess, JL. (2006). Environmental arsenic exposure and sputum metalloproteinase concentrations. *Environ Res.* 102: 283-290. <http://dx.doi.org/10.1016/j.envres.2006.01.003>.
- Ju, Z; Fan, N, a; Ma, X; Li, J; Ma, X; Xu, L; Qian, Y. (2007). Synthesis of uniform TiO<sub>2</sub> hollow spheres by a co-reduction route at low temperature. *J Phys Chem C.* 111: 16202-16206. <http://dx.doi.org/10.1021/jp074305c>.
- Judd, MS; Vancleve, JE; Jenkins, JD. (1976). RECOVERY OF PERCHLOROETHYLENE SCRUBBING MEDIUM. *American Ceramic Society Bulletin.* 55: 442-442.
- Juhasz, AL; Smith, E; Weber, J; Rees, M; Rofe, A; Kuchel, T; Sansom, L; Naidu, R. (2006). In vivo assessment of arsenic bioavailability in rice and its significance for human health risk assessment. *Environ Health Perspect.* 114: 1826-1831. <http://dx.doi.org/10.1289/ehp.9322>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater.* 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere.* 71: 726-734. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.020>.
- Jung, B; Batchelor, B. (2009). Kinetics of transformation of 1,1,1-trichloroethane by Fe(II) in cement slurries. *J Hazard Mater.* 163: 1315-1321. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.102>.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ.* 449: 443-450. <http://dx.doi.org/10.1016/j.scitotenv.2013.01.085>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research.* 8: 819-830.
- Jung, J; Yoo, DH; Lee, MJ. (2002). Radiation treatment of TCE and PCE in the presence of anatase, P25 and bentonite. *Journal of Radioanal Chem.* 251: 423-425.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2002). TCE and PCE decomposition by a combination of gamma-rays, ozone and titanium dioxide. *Journal of Radioanal Chem.* 252: 451-454.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H<sub>2</sub>O<sub>2</sub> and O<sub>3</sub> effects on radiation treatment of TCE and PCE. *Chemosphere.* 51: 881-885. [http://dx.doi.org/10.1016/S0045-6535\(03\)00039-0](http://dx.doi.org/10.1016/S0045-6535(03)00039-0).
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.

## Exposure Literature Search Results

### Off Topic

- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku*. 37: 395-400.
- Jungclaus, GA; Lopez-Avila, V; Hites, RA. (1978). Organic compounds in an industrial wastewater: a case study of their environmental impact. *Environ Sci Technol*. 12: 88-96.
- Juntunen, J. (1986). Occupational toxicology of trichloroethylene with special reference to neurotoxicity. In PL Chambers; P Gehring; F Sakai (Eds.), (pp. 189-200). Amsterdam, Netherlands: Elsevier Science Publishers.
- Kacew, S; Lambert, GH. (1997). Environmental toxicology and pharmacology of human development. In S Kacew; GH Lambert (Eds.). Washington, DC: Taylor and Francis.
- Kaemmerer, K; Fink, J; Keitzmann, M. (1982). Studies on the pharmacodynamics of perchloroethylene. *Prakt Tierarzt*. 63: 171-182.
- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Gonzalez, AL; Guenel, P; Hardell, L; Launoy, G; Merler, E; Merletti, F; Suarez-Varela, MM; Stang, A. (2000). Occupation and small bowel adenocarcinoma: a European case-control study. *Occup Environ Med*. 57: 760-766.
- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Guenel, P; Hardell, L; Cyr, D; Ballard, T; Zambon, P; Morales Suárez-Varela, MM; Stang, A; Olsen, J. (2002). Occupational risk factors for small bowel carcinoid tumor: A European population-based case-control study. *J Occup Environ Med*. 44: 516-522.
- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res*. 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kalimuthu, K; Solomon, RDJ; Ganesh-Kumar, S; Vimalan, J. (2011). REDUCTIVE DECHLORINATION OF PERCHLOROETHYLENE BY BACILLUS SP JSK1 ISOLATED FROM DRY CLEANING INDUSTRIAL SLUDGE. *Carpath J Earth Env*. 6: 165-170.
- Kalinovich, I; Allen-King, RM; Thomas, K. (2012). Distribution of carbonaceous matter in lithofacies: impacts on HOC sorption nonlinearity. *J Contam Hydrol*. 133: 84-93. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.007>.
- Kalluri, R; Weinberg, RA. (2009). The basics of epithelial-mesenchymal transition. *J Clin Invest*. 119: 1420-1428. <http://dx.doi.org/10.1172/jci39104>.
- Kamon, M; Endo, K; Kawabata, J; Inui, T; Katsumi, T. (2004). Two-dimensional DNAPL migration affected by groundwater flow in unconfined aquifer. *J Hazard Mater*. 110: 1-12. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.033>.
- Kanazawa, S; Filip, Z. (1987). EFFECTS OF TRICHLOROETHYLENE TETRACHLOROETHYLENE AND DICHLOROMETHANE ON SOIL BIOMASS AND MICROBIAL COUNTS (pp. 24-33). (ISSN 0174-3015; BIOSIS/87/29199). Kanazawa, S; Filip, Z.
- Kaneda, S; Kaneko, N. (2008). Collembolans feeding on soil affect carbon and nitrogen mineralization by their influence on microbial and nematode activities. *Biol Fertil Soils*. 44: 435-442. <http://dx.doi.org/10.1007/s00374-007-0222-x>.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci*. 14: 183-192.
- Kang, JW; Lee, KH; Koh, CI; Nam, SN. (2001). The kinetics of the sonochemical process for the destruction of aliphatic and aromatic hydrocarbons. *Korean J Chem Eng*. 18: 336-341.
- Kang, N; Hua, I; Rao, PS. (2006). Enhanced Fenton's destruction of non-aqueous phase perchloroethylene in soil systems. *Chemosphere*. 63: 1685-1698. <http://dx.doi.org/10.1016/j.chemosphere.2005.10.011>.
- Kang, N; Hua, I; Rao, PSC. (2004). Production and characterization of encapsulated potassium permanganate for sustained release as an in situ oxidant. *Ind Eng Chem Res*. 43: 5187-5193. <http://dx.doi.org/10.1021/ie0499097>.
- Kang, ZH; Wang, EB; Lian, SY; Gao, L; Jiang, M; Hu, CW; Xu, L. (2004). Selected synthesis of carbon nanostructures directed by silver nanocrystals. *Nanotechnology*. 15: 490-493. <http://dx.doi.org/10.1088/0957-4484/15/5/015>.
- Kanters, J; Louw, R. (1996). Thermal and catalysed halogenation in combustion reactions. *Chemosphere*. 32: 89-97.
- Kanu, AB; Hill, HH; Gribb, MM; Walters, RN. (2007). A small subsurface ion mobility spectrometer sensor for detecting environmental soil-gas contaminants. *J Environ Monit*. 9: 51-60. <http://dx.doi.org/10.1039/b610493b>.
- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol*. 72: 87-93. <http://dx.doi.org/10.1007/s00128-003-0244-5>.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere*. 43: 1071-1078.
- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere*. 44: 925-934.
- Kao, CM; Chen, SC; Wang, JY; Chen, YL; Lee, SZ. (2003). Remediation of PCE-contaminated aquifer by an in situ two-layer biobarrier: laboratory batch and column studies. *Water Res*. 37: 27-38.
- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res*. 37: 4885-4894. <http://dx.doi.org/10.1016/j.watres.2003.08.001>.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res*. 34: 835-845.
- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Progress in Clinical and Biological Research* (pp. 377-384). New York, NY: Wiley.
- Karadagli, F; Rittmann, BE. (2005). Kinetic characterization of *Methanobacterium bryantii* M.o.H. *Environ Sci Technol*. 39: 4900-4905. <http://dx.doi.org/10.1021/es047993b>.
- Karasavvas, N; Carcamo, JM; Stratis, G; Golde, DW. (2005). Vitamin C protects HL60 and U266 cells from arsenic toxicity. *Blood*. 105: 4004-4012. <http://dx.doi.org/10.1182/blood-2003-03-0772>.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H<sub>2</sub>-based membrane biofilm reactor and community fingerprinting. *Water Res*. 58: 21-28. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.

## Exposure Literature Search Results

### Off Topic

- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen*. 22: 113-128. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S. (2013). KINETICS OF DEGRADATION OF PERCHLOROETHYLENE UNDER ULTRASONIC IRRADIATION AND PHOTOOXIDATION IN AQUEOUS SOLUTION. *Environ Protect Eng*. 39: 29-38. <http://dx.doi.org/10.5277/epe130403>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering*. 9: 32. <http://dx.doi.org/10.1186/1735-2746-9-32>.
- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *J Am Water Works Assoc*. 89: 41-53.
- Karimi, M; Sereshti, H; Khojeh, V; Samadi, S. (2013). Ligandless-ultrasound-assisted emulsification microextraction followed by inductively coupled plasma-optical emission spectrometry for simultaneous determination of heavy metals in water samples. *Int J Environ Anal Chem*. 93: 401-415. <http://dx.doi.org/10.1080/03067319.2012.656308>.
- Karim-Nezhad, G; Ahmadi, M; Zare-Dizajdizi, B. (2011). Background Corrected Dispersive Liquid-Liquid Microextraction of Cadmium Combined with Flame Atomic Absorption Spectrometry. *J Braz Chem Soc*. 22: 1816-1822.
- Karpov, VV; Belkin, AI. (1975). DYEING OF POLYESTER FIBERS IN PERCHLOROETHYLENE AS SOLVENT. *J Appl Chem USSR*. 48: 2100-2102.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res*. 34: 4161-4168.
- Kaspar, S; Rathgeb, F; Nopper, D; Gauglitz, G. (1999). Influence of relative humidity in sensing halogenated hydrocarbons with Reflectometric Interference Spectroscopy (RfS). *Fresenius J Anal Chem*. 363: 193-196.
- Kassebaum, JH. (1994). COMPREHENSIVE LOW-VOLTAGE MOTOR SPECIFICATIONS. *I E E E Transactions on Industry Applications*. 30: 1373-1382.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C<sub>2</sub>H<sub>4</sub>CL<sub>2</sub> AND CH<sub>4</sub>. *Combust Flame*. 83: 365-374.
- Kastenbaum, MA; Bowman, KO. (1970). Tables for determining the statistical significance of mutation frequencies. *DNA Repair*. 9: 527-549.
- Kaster, AK; Mayer-Blackwell, K; Pasarelli, B; Spormann, AM. (2014). Single cell genomic study of *Dehalococcoides* species from deep-sea sediments of the Peruvian Margin. *ISME J*. 8: 1831-1842. <http://dx.doi.org/10.1038/ismej.2014.24>.
- Katakya, R; Wylie, LA. (2001). Investigation of mechanisms for the reductive dechlorination of chlorinated ethylenes using electroanalytical techniques. *Analyst*. 126: 1901-1906.
- Katerkamp, A; Bolsmann, P; Niggemann, M; Pellmann, M; Cammann, K. (1995). MICROCHEMICAL SENSORS BASED ON FIBEROPTIC EXCITATION OF SURFACE-PLASMONS. *Mikrochim Acta*. 119: 63-72.
- Kato, I; Koenig, K; Shore, R; Baptiste, M; Lillquist, P; Frizzera, G; Burke, J; Watanabe, H. (2002). Use of anti-inflammatory and non-narcotic analgesic drugs and risk of non-Hodgkin's lymphoma (NHL) (United States). *Cancer Causes Control*. 13: 965-974. <http://dx.doi.org/10.1023/A:1021953224822>.
- Kato, I; Koenig, KL; Watanabe-Meserve, H; Baptiste, MS; Lillquist, PP; Frizzera, G; Burke, JS; Moseson, M; Shore, RE. (2005). Personal and occupational exposure to organic solvents and risk of non-Hodgkin's lymphoma (NHL) in women (United States). *Cancer Causes Control*. 16: 1215-1224.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology*. 130: 141-154. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol*. 21: 81-89. <http://dx.doi.org/10.1002/jat.717>.
- Katz, RM; Jowett, D. (1981). Female laundry and dry cleaning workers in Wisconsin: a mortality analysis. *Am J Public Health*. 71: 305-307.
- Kaufman, AS; McLean, JE; Reynolds, CR. (1988). Sex, race, residence, region, and education differences on the 11 WAIS-R subtests. *J Clin Psychol*. 44: 231-248.
- Kaufman, DS; Shipley, WU; Feldman, AS. (2009). Bladder cancer. *Lancet*. 374: 239-249. [http://dx.doi.org/10.1016/S0140-6736\(09\)60491-8](http://dx.doi.org/10.1016/S0140-6736(09)60491-8).
- Kaune, WT; Savitz, DA. (1994). Simplification of the Wertheimer-Leeper wire code. *Bioelectromagnetics*. 15: 275-282. <http://dx.doi.org/10.1002/bem.2250150402>.
- Kauppinen, T; Heikkilä, P; Plato, N; Woldbaek, T; Lenvik, K; Hansen, J; Kristjansson, V; Pukkala, E. (2009). Construction of job-exposure matrices for the Nordic Occupational Cancer Study (NOCCA). *Acta Oncol*. 48: 791-800. <http://dx.doi.org/10.1080/02841860902718747>.
- Kawaguchi, K; Oku, N; Rin, K; Yamanaka, K; Okada, S. (1996). Dimethylarsenics reveal DNA damage induced by superoxide anion radicals. *Biol Pharm Bull*. 19: 551-553.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health*. <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Kawase, T; Yamane, M; Fuji, T; Minagawa, M; Sawada, H; Moriya, Y. (1997). Fluoroalkylation of polyester by end-capped fluoroalkyl-functional silanes. *J Adhes Sci Tech*. 11: 1381-1397.
- Kawase, Y; Masuya, T; Yasuda, K; Nakamura, M. (2006). Development of small ultrasonic reactor for on-site treatment of wastewater including chlorinated hydrocarbon. *J Chem Eng Jpn*. 39: 95-98.
- Kawata, K; Shimazaki, R; Okabe, S. (2009). Comparison of gene expression profiles in HepG2 cells exposed to arsenic, cadmium, nickel, and three model carcinogens for investigating the mechanisms of metal carcinogenesis. *Environ Mol Mutagen*. 50: 46-59. <http://dx.doi.org/10.1002/em.20438>.

## Exposure Literature Search Results

### Off Topic

- Kaye, AJ; Cho, J; Basu, NB; Chen, X; Annable, MD; Jawitz, JW. (2008). Laboratory investigation of flux reduction from dense non-aqueous phase liquid (DNAPL) partial source zone remediation by enhanced dissolution. *J Contam Hydrol.* 102: 17-28. <http://dx.doi.org/10.1016/j.jconhyd.2008.01.006>.
- Keating, A; Venkateswaran, K; Szoenyi, M; Macclune, K; Mechler, R. (2016). From event analysis to global lessons: disaster forensics for building resilience. *Natural Hazards and Earth System Sciences.* 16: 1603-1616. <http://dx.doi.org/10.5194/nhess-16-1603-2016>.
- Kebria, DY; Taghizadeh, M; Camacho, JV; Latifi, N. (2016). Remediation of PCE contaminated clay soil by coupling electrokinetics with zero-valent iron permeable reactive barrier. *Environ Earth Sci.* 75. <http://dx.doi.org/10.1007/s12665-016-5466-z>.
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forder, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet.* 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environ Sci Technol.* 38: 2209-2216. <http://dx.doi.org/10.1021/es034661i>.
- Keen, C; Dabill, DW; Groves, JA. (1996). On-site monitoring of personal exposure to tetrachloroethylene at dry cleaning establishments. *Ann Occup Hyg.* 40: 281-292.
- Keene, WC; Khalil, MAK; Ill, ED; McCulloch, A; Graedel, TE; Lobert, JM; Aucott, ML; Gong, SL; Harper, DB; Kleiman, G; Midgley, P; Moore, RM; Seuzaret, C; Sturges, WT; Benkovitz, CM; Koropalov, V; Barrie, LA; Li, YF. (1999). Composite global emissions of reactive chlorine from anthropogenic and natural sources: reactive chlorine emissions inventory. *J Geophys Res.* 104: 8429-8440.
- Keller, DA; Heck, H. (1988). Mechanistic studies on chloral toxicity: Relationship to trichloroethylene carcinogenesis. *Toxicol Lett.* 42: 183-191. [http://dx.doi.org/10.1016/0378-4274\(88\)90076-8](http://dx.doi.org/10.1016/0378-4274(88)90076-8).
- Keller, R. (1988). COMPARATIVE STUDIES OF DIFFUSION COLLECTORS AND OF ACTIVE SAMPLING FOR THE DETECTION OF TOLUENE AND TETRACHLOROETHENE IN THE AIR AT THE WORK PLACE. *Zentralbl Bakteriol Mikrobiol Hyg.* 186: 448-449.
- Kemp, BJ; Hruska, CB; McFarland, AR; Lenox, MW; Lowe, VJ. (2009). NEMA NU 2-2007 performance measurements of the Siemens Inveon preclinical small animal PET system. *Phys Med Biol.* 54: 2359-2376. <http://dx.doi.org/10.1088/0031-9155/54/8/007>.
- Kempton, H; Davis, A; Olsen, R. (1992). Remediation of solvent-contaminated soils by aeration. *J Environ Qual.* 21: 121-128.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol.* 24: 3-4.
- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 1559-1569.
- Kepner, RE; Maarse, H; Strating, J. (1964). Gas chromatographic head space techniques for the quantitative determination of volatile components in multicomponent aqueous solutions. *Anal Chem.* 36: 77-82.
- Keppler, F; Borchers, R; Hamilton, JT; Kilian, G; Pracht, J; Schöler, HF. (2006). De novo formation of chloroethyne in soil. *Environ Sci Technol.* 40: 130-134. <http://dx.doi.org/10.1021/es0513279>.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environ Sci Technol.* 36: 2479-2483. <http://dx.doi.org/10.1021/es015611j>.
- Kerbey, AL; Randle, PJ; Cooper, RH; Whitehouse, S; Pask, HT; Denton, RM. (1976). Regulation of pyruvate dehydrogenase in rat heart. Mechanism of regulation of proportions of dephosphorylated and phosphorylated enzyme by oxidation of fatty acids and ketone bodies and of effects of diabetes: role of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide-adenine dinucleotide. *Biochem J.* 154: 327-348.
- Kerfoot, WB. (2003). Microbubble ozone sparging for chlorinated ethene spill remediation. *ACS Symp Ser Am Chem Soc.* 837: 86-108.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med.* 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kerr, M; Schmidt, J; Cuevas, A. (2000). Comparison of the open circuit voltage of simplified PERC cells passivated with PECVD silicon nitride and thermal silicon oxide. *Progress in Photovoltaics.* 8: 529-536.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol.* 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin.* 200: 5-6.
- Keymeulen, R; Voutetaki, A; Van Langenhove, H. (1995). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN PLANT LEAVES BY GAS CHROMATOGRAPHY-MASS SPECTROMETRY. *J Chromatogr A.* 699: 1-2.
- Kezic, S; Monster, AC; Krüse, J; Verberk, MM. (2000). Skin absorption of some vaporous solvents in volunteers. *Int Arch Occup Environ Health.* 73: 415-422. <http://dx.doi.org/10.1007/s004200000161>.
- Kezic, S; Monster, AC; van de Gevel, I; Krüse, J; Opdam, JG; Verberk, MM. (2001). Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J.* 62: 12-18. <http://dx.doi.org/10.1080/15298660108984604>.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl<sub>4</sub> by high surface-area aluminum oxide. *Environ Sci Technol.* 36: 1620-1624. <http://dx.doi.org/10.1021/es010650i>.
- Khalil, MAK; Moore, RM; Harper, DB; Lobert, JM; Erickson, DJ; Koropalov, V; Sturges, WT; Keene, WC. (1999). Natural emissions of chlorine-containing gases: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8333-8346.
- Khalil, MAK; Rasmussen, RA. (1999). Atmospheric methyl chloride. *Atmos Environ.* 33: 1305-1321.

## Exposure Literature Search Results

### Off Topic

- Khan, AJ; Watts, RJ. (1996). Mineral-catalyzed peroxidation of tetra chloroethylene. *Water Air Soil Pollut.* 88: 247-260.
- Khattak, S; K-Moghtader, G; Mccartin, K; Barrera, M; Kennedy, D; Koren, G. (1999). Pregnancy outcome following gestational exposure to organic solvents: A prospective controlled study. *JAMA.* 281: 1106-1109. <http://dx.doi.org/10.1001/jama.281.12.1106>.
- Khiutti, A; Afanasenko, O; Antonova, O; Shuvalov, O; Novikova, L; Krylova, E; Chalaya, N; Mironenko, N; Spooner, DM; Gavrilenko, T. (2012). Characterization of resistance to *Synchytrium endobioticum* in cultivated potato accessions from the collection of Vavilov Institute of Plant Industry. *Plant Breeding (Print).* 131: 744-750. <http://dx.doi.org/10.1111/j.1439-0523.2012.02005.x>.
- Kiaei, D; Hoffman, AS; Horbett, TA. (1995). Platelet adhesion to fibrinogen adsorbed on glow discharge-deposited polymers. *ACS Symp Ser Am Chem Soc.* 602: 450-462.
- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environ Sci Technol.* 36: 104-111. <http://dx.doi.org/10.1021/es010966q>.
- Kido, T; Sugaya, C; Ikeuchi, R; Kudo, Y; Tsunoda, M; Aizawa, Y. (2013). The Increases in mRNA Expressions of Inflammatory Cytokines by Adding Cleaning Solvent or Tetrachloroethylene in the Murine Macrophage Cell Line J774.1 Evaluated by Real-time PCR. *Ind Health.* 51: 319-325.
- Kiecak, A; Kret, E, wa; Cichostepska, M; Malina, G. (2013). ASSESSMENT OF INTRINSIC BIODEGRADATION POTENTIALS IN AN AQUIFER CONTAMINATED WITH CHLORINATED ETHENES IN THE VICINITY OF NOWA DEBA. 20: 265-278. <http://dx.doi.org/10.2478/eces-2013-0019>.
- Kielhorn, J; Melber, C; Wahnschaffe, U; Aitio, A; Mangelsdorf, I. (2000). Vinyl chloride: still a cause for concern [Review]. *Environ Health Perspect.* 108: 579-588.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg.* 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Kikuchi, Y; Hirao, M. (2008). Practical method of assessing local and global impacts for risk-based decision making: A case study of metal degreasing processes. *Environ Sci Technol.* 42: 4527-4533. <http://dx.doi.org/10.1021/es7024164>.
- Kikuchi, Y; Hirao, M. (2010). Local risks and global impacts considering plant-specific functions and constraints: a case study of metal parts cleaning. *Int J Life Cycle Assess.* 15: 17-31. <http://dx.doi.org/10.1007/s11367-009-0137-x>.
- Kim, DC; Ihm, SK. (2001). Role of water in the catalytic decomposition of chlorinated hydrocarbons over chromium-containing catalysts. *J Chem Eng Jpn.* 34: 143-147.
- Kim, ES; Lee, DH; Yum, BW; Chang, HW. (2005). The effect of ionic strength and hardness of water on the non-ionic surfactant-enhanced remediation of perchloroethylene contamination. *J Hazard Mater.* 119: 195-203. <http://dx.doi.org/10.1016/j.jhazmat.2004.12.015>.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol.* 184: 25-34. <http://dx.doi.org/10.1016/j.jconhyd.2015.11.002>.
- Kim, H; Annable, MD; Rao, PSC. (2001). Gaseous transport of volatile organic chemicals in unsaturated porous media: Effect of water-partitioning and air-water interfacial adsorption. *Environ Sci Technol.* 35: 4457-4462. <http://dx.doi.org/10.1021/es001965l>.
- Kim, H; Annable, MD; Rao, PSC; Cho, J. (2009). Laboratory evaluation of surfactant-enhanced air sparging for perchloroethene source mass depletion from sand. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 406-413. <http://dx.doi.org/10.1080/10934520802659786>.
- Kim, H; Kim, T; Shin, S; Annable, MD. (2012). Measurement of air and VOC vapor fluxes during gas-driven soil remediation: bench-scale experiments. *Environ Sci Technol.* 46: 9533-9540. <http://dx.doi.org/10.1021/es300821y>.
- Kim, H, eeSik; Lee, W, anSuk; Ahn, C, hiY; Kim, BH; Kim, JE, ok; Oh, H, eeM. (2010). Kinetic correlation between degradation and dechlorination of perchloroethylene in the Fenton reaction. *Korean J Chem Eng.* 27: 1750-1754. <http://dx.doi.org/10.1007/s11814-010-0304-6>.
- Kim, H; Rao, PSC; Annable, MD. (1999). Consistency of the interfacial tracer technique: experimental evaluation. *J Contam Hydrol.* 40: 79-94.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater.* 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere.* 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter (pp. 331-337). (BIOSIS/97/18416). Kim, JO.
- Kim, JO; Terkonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant (pp. 253-259). (BIOSIS/99/00164). Kim, JO; Terkonda, PK; Lee, SD.
- Kim, K; Gurol, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environ Sci Technol.* 39: 9303-9308. <http://dx.doi.org/10.1021/es050830j>.
- Kim, KS; Kwon, T, aeS; Yang, JS; Yang, J, iWon. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination.* 205: 87-96. <http://dx.doi.org/10.1016/j.desal.2006.04.043>.
- Kim, KS; Min, JY; Dickman, MB. (2008). Oxalic acid is an elicitor of plant programmed cell death during *Sclerotinia sclerotiorum* disease development. *Mol Plant Microbe Interact.* 21: 605-612. <http://dx.doi.org/10.1094/MPMI-21-5-0605>.
- Kim, M; Park, S; Kim, D. (2013). Highly efficient PERC cells fabricated using the low cost laser ablation process. *Solar Energy Materials and Solar Cells.* 117: 126-131. <http://dx.doi.org/10.1016/j.solmat.2013.04.025>.
- Kim, MY; Oskarsson, T; Acharyya, S; Nguyen, DX; Zhang, XH; Norton, L; Massague, J. (2009). Tumor self-seeding by circulating cancer cells. *Cell.* 139: 1315-1326. <http://dx.doi.org/10.1016/j.cell.2009.11.025>.
- Kim, NK. (2005). Cover letter addressed to Robert E. McGaughy [Personal Communication].

## Exposure Literature Search Results

### Off Topic

- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, SY; Talbot, R; Mao, H; Blake, D; Vay, S; Fuelberg, H. (2008). Continental outflow from the US to the upper troposphere over the North Atlantic during the NASA INTEX-NA Airborne Campaign. *Atmos Chem Phys.* 8: 1989-2005.
- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environ Sci Technol.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.
- Kimura, A; Ishida, Y; Hayashi, T; Wada, T; Yokoyama, H; Sugaya, T; Mukaida, N; Kondo, T. (2006). Interferon- $\gamma$  Plays protective roles in sodium arsenite-induced renal injury by up-regulating intrarenal multidrug resistance-associated protein 1 expression. *Am J Pathol.* 169: 1118-1128. <http://dx.doi.org/10.2353/ajpath.2006.060024>.
- Kindler, TP; Chameides, WL; Wine, PH; Cunnold, DM; Aleya, FN; Franklin, JA. (1995). THE FATE OF ATMOSPHERIC PHOSGENE AND THE STRATOSPHERIC CHLORINE LOADINGS OF ITS PARENT COMPOUNDS - CCL<sub>4</sub>, C<sub>2</sub>CL<sub>4</sub>, C<sub>2</sub>HCL<sub>3</sub>, CH<sub>3</sub>CCL<sub>3</sub>, AND CHCL<sub>3</sub>. *J Geophys Res Atmos.* 100: 1235-1251.
- King, MD; Thompson, KC. (2003). Rate constants for the reaction of NO and HO<sub>2</sub> with peroxy radicals formed from the reaction of OH, Cl or NO<sub>3</sub> with alkenes, dienes and alpha, beta-unsaturated carbonyls. *Atmos Environ.* 37: 4517-4527. [http://dx.doi.org/10.1016/S1352-2310\(03\)00570-3](http://dx.doi.org/10.1016/S1352-2310(03)00570-3).
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol.* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kini, PG; Bansal, RC; Aithal, RS. (2007). A novel approach toward interpretation and application of voltage unbalance factor. *I E E Transactions on Industrial Electronics.* 54: 2315-2322. <http://dx.doi.org/10.1109/TIE.2007.899935>.
- Kinoshita, A; Wanibuchi, H; Morimura, K; Wei, M; Nakae, D; Arai, T; Minowa, O; Noda, T; Nishimura, S; Fukushima, S. (2007). Carcinogenicity of dimethylarsinic acid in Ogg1-deficient mice. *Cancer Sci.* 98: 803-814. <http://dx.doi.org/10.1111/j.1349-7006.2007.00475.x>.
- Kirov, AS; Piao, JZ; Schmidlein, CR. (2008). Partial volume effect correction in PET using regularized iterative deconvolution with variance control based on local topology. *Phys Med Biol.* 53: 2577-2591. <http://dx.doi.org/10.1088/0031-9155/53/10/009>.
- Kirtland, BC; Aelion, CM; Stone, PA. (2005). Assessing in situ mineralization of recalcitrant organic compounds in vadose zone sediments using delta<sup>13</sup>C and <sup>14</sup>C measurements. *J Contam Hydrol.* 76: 1-18. <http://dx.doi.org/10.1016/j.jconhyd.2004.07.007>.
- Kishi, R; Harabuchi, I; Ikeda, T; Katakura, Y; Miyake, H. (1993). Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med.* 50: 470-480.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Faerber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health.* 211: 308-317. <http://dx.doi.org/10.1016/j.ijheh.2007.02.01>.
- Kitchin, KT; Wallace, K; Andrewes, P. (2003). Some chemical properties underlying arsenic's biological activity. In WR Chappell; CO Abernathy; RL Calderon; DJ Thomas (Eds.), *Proceedings of the Fifth International Conference on Arsenic Exposure and Health Effects*, July 14-18, 2002, San Diego, California (pp. 345-354). NA: Elsevier B.V. <http://dx.doi.org/10.1016/b978-044451441-7/50027-0>.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research.* 7: 109-116.
- Klaunig, JE; Ruch, RJ; DeAngelo, AB; Kaylor, WH. (1988). Inhibition of mouse hepatocyte intercellular communication by phthalate monoesters. *Cancer Lett.* 43: 65-71. [http://dx.doi.org/10.1016/0304-3835\(88\)90215-7](http://dx.doi.org/10.1016/0304-3835(88)90215-7).
- Kleiman, G; Prinn, RG. (2000). Measurement and deduction of emissions of trichloroethene, tetrachloroethene, and trichloromethane (chloroform) in the northeastern United States and southeastern Canada. *J Geophys Res Atmos.* 105: 28875-28893.
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere.* 38: 1175-1188. [http://dx.doi.org/10.1016/S0045-6535\(98\)00485-8](http://dx.doi.org/10.1016/S0045-6535(98)00485-8).
- Kligerman, AD; Doerr, CL; Tennant, AH; Harrington-Brock, K; Allen, JW; Winkfield, E; Poorman-Allen, P; Kundu, B; Funasaka, K; Roop, BC; Mass, MJ; Demarini, DM. (2003). Methylated trivalent arsenicals as candidate ultimate genotoxic forms of arsenic: Induction of chromosomal mutations but not gene mutations. *Environ Mol Mutagen.* 42: 192-205. <http://dx.doi.org/10.1002/em.10192>.
- Kline, SA; McCoy, EC; Rosenkranz, HS; Van Duuren, BL. (1982). Mutagenicity of chloroalkene epoxides in bacterial systems. *Mutat Res.* 101: 115-125. [http://dx.doi.org/10.1016/0165-1218\(82\)90002-7](http://dx.doi.org/10.1016/0165-1218(82)90002-7).
- Kline, SA; Solomon, JJ; Van Duuren, BL. (1978). Synthesis and reactions of chloroalkene epoxides. *J Org Chem.* 43: 3596-3600.
- Kline, SA; Van Duuren, BL; McCoy, EC; Rosenkranz, HS; DiPaolo, JA. (1980). Bacterial mutagenicity and transformation of mammalian cells by chloroalkene epoxides. *Proc Ann Mtg Am Assoc Canc Res.* 21: 78.
- Kmetz, AA; Becker, MD; Lyon, BA; Foster, E; Xue, Z; Johnston, KP; Abriola, LM; Pennell, KD. (2016). Improved Mobility of Magnetite Nanoparticles at High Salinity with Polymers and Surfactants. *Energy Fuels.* 30: 1915-1926. <http://dx.doi.org/10.1021/acs.energyfuels.5b01785>.
- Knaak, JB; Al-Bayati, MA; Raabe, OG; Blancato, JN. (1993). Development of in vitro V<sub>max</sub> and K<sub>m</sub> values for the metabolism of isofenphos by P-450 liver enzymes in animals and human. *Toxicol Appl Pharmacol.* 120: 106-113. <http://dx.doi.org/10.1006/taap.1993.1092>.
- Knauss, KG; Dibley, MJ; Leif, RN; Mew, DA; Aines, RD. (2000). The aqueous solubility of trichloroethene (TCE) and tetrachloroethene (PCE) as a function of temperature. *Appl Geochem.* 15: 501-512.
- Knoll, JE; Smith, MA; Midgett, MR. (1979). Evaluation of emission test methods for halogenated hydrocarbons - volume I, CCl<sub>4</sub>, C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, C<sub>2</sub>Cl<sub>4</sub> and C<sub>2</sub>HCl<sub>3</sub>. (EPA-600/4-79-025). Research Triangle Park, N.C.: U.S. Environmental Protection Agency.

## Exposure Literature Search Results

### Off Topic

- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater.* 174: 876-879. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.043>.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environ Sci Technol.* 41: 5824-5832. <http://dx.doi.org/10.1021/es070361f>.
- Ko, S; Batchelor, B. (2010). Effect of Cement Type on Performance of Ferrous Iron-Based Degradative Solidification and Stabilization. *Environ Eng Sci.* 27: 977-987. <http://dx.doi.org/10.1089/ees.2010.0189>.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage.* 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Ko, SO, h; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol.* 53: 359-364. <http://dx.doi.org/10.1007/s00254-007-0651-8>.
- Koch, J; Voelker, P. (1996). Formation of artefacts and its suppression during the determination of volatile halogenated hydrocarbons in water by means of headspace gas chromatography under the standard conditions of DIN 38407-F5. Part I: Formation of dehydrohalogenation products from saturated halogenated hydrocarbons. *Acta Hydrochim Hydrobiol.* 24: 176-178.
- Koeber, R; Hollert, H; Hornbruch, G; Jekel, M; Kamptner, A; Klaas, N; Maes, H; Mangold, KM; Martac, E; Matheis, A; Paar, H; Schaeffer, A; Schell, H; Schiwy, A; Schmidt, KR; Strutz, TJ; Thuemmler, S; Tiehm, A; Braun, J. (2014). Nanoscale zero-valent iron flakes for groundwater treatment. *Environ Earth Sci.* 72: 3339-3352. <http://dx.doi.org/10.1007/s12665-014-3239-0>.
- Koenig, J; Lee, M; Manefield, M. (2015). Aliphatic organochlorine degradation in subsurface environments. *Reviews in Environmental Science and Biotechnology.* 14: 49-71. <http://dx.doi.org/10.1007/s11157-014-9345-3>.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater.* 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Koenik, A; Madsen, MT; Sunderland, JJ. (2012). GATE Simulations of Small Animal SPECT for Determination of Scatter Fraction as a Function of Object Size. *IEEE Trans Nucl Sci.* 59: 1887-1891. <http://dx.doi.org/10.1109/TNS.2012.2205403>.
- Koepsell, TD; Daling, JR; Weiss, NS; Taylor, JW; Olshan, AF; Lyon, JL; Swanson, GM; Child, M. (1987). Antigenic stimulation and the occurrence of multiple myeloma. *Am J Epidemiol.* 126: 1051-1062.
- Kogevinas, M; 't Mannetje, A; Cordier, S; Ranft, U; González, C; Vineis, P; Chang-Claude, J; Lynge, E; Wahrendorf, J; Tzonou, A; Jöckel, K; Serra, C; Porru, S; Hours, M; Greiser, E; Boffetta, P. (2003). Occupation and bladder cancer among men in Western Europe. *Cancer Causes Control.* 14: 907-914. <http://dx.doi.org/10.1023/B:CACO.0000007962.19066.9c>.
- Kohan, MJ; Huggins-Clark, G; George, SE. Mutagenicity of chlorinated and brominated acetic acids.
- Kohan, MJ; Huggins-Clark, G; George, SE. (1998). Mutagenicity of chlorinated and brominated acetic acids. *Environ Mol Mutagen.* 31: 36. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)29+<27::AID-EM4>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)29+<27::AID-EM4>3.0.CO;2-F).
- Kohlmyer, SG; Miyaoka, RM; Lewellen, TK. (1999). Evaluation of low energy threshold settings for PVIPET systems. *IEEE Trans Nucl Sci.* 46: 2141-2145.
- Kohn, MC; Portier, CJ. (1993). Effects of the mechanism of receptor-mediated gene expression on the shape of the dose-response curve. *Risk Anal.* 13: 565-572. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00016.x>.
- Koizumi, A; Kumai, M; Ikeda, M. (1982). In vivo suppression of 1,1,1-trichloroethane metabolism by co-administered tetrachloroethylene: an inhalation study. *Bull Environ Contam Toxicol.* 29: 196-199.
- Kok, RJ; Haas, M; Moolenaar, F; de Zeeuw, D; Meijer, DK. (1998). Drug delivery to the kidneys and the bladder with the low molecular weight protein lysozyme. *Ren Fail.* 20: 211-217.
- Kolstad, HA; Bonde, JP; Spano, M; Giwercman, A; Zschiesche, W; Kaae, D; Larsen, SB; Roeleveld, N. (1999). Change in semen quality and sperm chromatin structure following occupational styrene exposure. *Int Arch Occup Environ Health.* 72: 135-141.
- Kolthammer, JA; Su, KH; Grover, A; Narayanan, M; Jordan, DW; Muzic, RF. (2014). Performance evaluation of the Ingenuity TF PET/CT scanner with a focus on high count-rate conditions. *Phys Med Biol.* 59: 3843-3859. <http://dx.doi.org/10.1088/0031-9155/59/14/3843>.
- Komaki, Y; Pals, J; Wagner, ED; Marinas, BJ; Plewa, MJ. (2009). Mammalian cell DNA damage and repair kinetics of monohaloacetic acid drinking water disinfection by-products. *Environ Sci Technol.* 43: 8437-8442. <http://dx.doi.org/10.1021/es901852z>.
- Komatsu, T; Momonoi, K; Matsuo, T; Hanaki, K. (1994). BIOTRANSFORMATION OF CIS-1,2-DICHLOROETHYLENE TO ETHYLENE AND ETHANE UNDER ANAEROBIC CONDITIONS. *Water Sci Technol.* 30: 75-84.
- Komatsu, T; Shinmyo, J; Momonoi, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Sci Technol.* 36: 125-132.
- Komulainen, H. (2004). Experimental cancer studies of chlorinated by-products [Review]. *Toxicology.* 198: 239-248. <http://dx.doi.org/10.1016/j.tox.2004.01.031>.
- Konik, A; Madsen, MT; Sunderland, JJ. (2010). GATE Simulations of Human and Small Animal PET for Determination of Scatter Fraction as a Function of Object Size. *IEEE Trans Nucl Sci.* 57: 2558-2563. <http://dx.doi.org/10.1109/TNS.2010.2065240>.
- Koper, O; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .3. Chloroform, trichloroethene, and tetrachloroethene. *Chem Mater.* 9: 2481-2485.
- Koper, O; Lagadic, I; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .2. *Chem Mater.* 9: 838-848.
- Koper, O; Li, YX; Klabunde, KJ. (1993). DESTRUCTIVE ADSORPTION OF CHLORINATED HYDROCARBONS ON ULTRAFINE (NANOSCALE) PARTICLES OF CALCIUM-OXIDE. *Chem Mater.* 5: 500-505.

## Exposure Literature Search Results

### Off Topic

- Kopinke, FD; Georgi, A; Voskamp, M; Richnow, HH. (2005). Carbon isotope fractionation of organic contaminants due to retardation on humic substances: implications for natural attenuation studies in aquifers. *Environ Sci Technol.* 39: 6052-6062. <http://dx.doi.org/10.1021/es040096n>.
- Kopp, ML. (2012). The Vyatka deformations in the East European Platform: Formation dynamics and expression in recent structure. *Geotectonics.* 46: 435-454. <http://dx.doi.org/10.1134/S0016852112060040>.
- Korn, J. (1977). Hvor mange endnu? Perklorforgiftning i møntrensierier. *Ugeskr Laeger.* 139: 303-304.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: The use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol.* 34: 383-397.
- Kotasidis, FA; Matthews, JC; Angelis, GI; Noonan, PJ; Jackson, A; Price, P; Lionheart, WR; Reader, AJ. (2011). Single scan parameterization of space-variant point spread functions in image space via a printed array: the impact for two PET/CT scanners. *Phys Med Biol.* 56: 2917-2942. <http://dx.doi.org/10.1088/0031-9155/56/10/003>.
- Kotiaho, T; Gylling, S; Lunding, A; Lauritsen, FR. (1995). DIRECT DETERMINATION OF STYRENE AND TETRACHLOROETHYLENE IN OLIVE OIL BY MEMBRANE INLET MASS-SPECTROMETRY. *J Agric Food Chem.* 43: 928-930.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ.* 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Koul, H; Kennington, L; Honeyman, T; Jonassen, J; Menon, M; Scheid, C. (1996). Activation of c-myc gene mediates the mitogenic effects of oxalate in LLC-PK1 cells, a line of renal epithelial cells. *Kidney Int.* 50: 1525-1530. <http://dx.doi.org/10.1038/ki.1996.467>.
- Koul, H; Kennington, L; Nair, G; Honeyman, T; Menon, M; Scheid, C. (1994). Oxalate-induced initiation of DNA synthesis in LLC-PK1 cells, a line of renal epithelial cells. *Biochem Biophys Res Commun.* 205: 1632-1637. <http://dx.doi.org/10.1006/bbrc.1994.2854>.
- Kowalska, J; Szewczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int.* 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Kozłowska, A. (2016). A new generic name, *Semigothograptus*, for *Gothograptus* & *meganassa*; Rickards & Palmer, 2002, from the Silurian post-*lundgreni*; Biozone recovery phase, and comparative morphology of retiolitids from the lowermost upper Homerian (upper Wenlock). *Zootaxa.* 4208: 4208. <http://dx.doi.org/10.11646/zootaxa.4208.6.2>.
- Kranz, C; Baumann, U; Wolpensinger, B; Lottspeich, F; Mueller, M; Palinginis, P; Brendel, R; Dullweber, T. (2016). Void formation in screen-printed local aluminum contacts modeled by surface energy minimization. *Solar Energy Materials and Solar Cells.* 158: 11-18. <http://dx.doi.org/10.1016/j.solmat.2016.06.039>.
- Kranz, C; Wolpensinger, B; Brendel, R; Dullweber, T. (2016). Analysis of Local Aluminum Rear Contacts of Bifacial PERC plus Solar Cells. *6: 830-836.* <http://dx.doi.org/10.1109/JPHOTOV.2016.2551465>.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int.* 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kranzioch, I; Stoll, C; Holbach, A; Chen, H; Wang, L; Zheng, B; Norra, S; Bi, Y; Schramm, KW; Tiehm, A. (2013). Dechlorination and organohalide-respiring bacteria dynamics in sediment samples of the Yangtze Three Gorges Reservoir. *Environ Sci Pollut Res Int.* 20: 7046-7056. <http://dx.doi.org/10.1007/s11356-013-1545-9>.
- Kranzioch-Seipel, I; Beckert, U; Shen, C; Yin, D; Tiehm, A. (2016). Microbial dechlorination of HCB, PCP, PCB180, HCH and PCE in a Yangtze Three Gorges Reservoir enrichment culture, China. *Environ Earth Sci.* 75: 928-928. <http://dx.doi.org/10.1007/s12665-016-5653-y>.
- Krasovskii, GN. (1976). Extrapolation of experimental data from animals to man. *Environ Health Perspect.* 13: 51-58.
- Krasowski, M; Harrison, N. (2000). The actions of ether, alcohol and alkane general anaesthetics on GABAA and glycine receptors and the effects of TM2 and TM3 mutations. *Br J Pharmacol.* 129: 731-743. <http://dx.doi.org/10.1038/sj.bjp.0703087>.
- Krasteva, N; Fogel, Y; Bauer, RE; Muellen, K; Joseph, Y; Matsuzawa, N; Yasuda, A; Vossmeier, T. (2007). Vapor sorption and electrical response of Au-nanoparticle-dendrimer composites. *Adv Funct Mater.* 17: 881-888. <http://dx.doi.org/10.1002/adfm.200600598>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res.* 50: 3701-3708.
- Kraupp-Grasl, B; Huber, W; Taper, H; Schulte-Hermann, R. (1991). Increased susceptibility of aged rats to hepatocarcinogenesis by the peroxisome proliferator nafenopin and the possible involvement of altered liver foci occurring spontaneously. *Cancer Res.* 51: 666-671.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther.* 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Krauss, K; Fertig, F; Greulich, J; Rein, S; Preu, R. (2016). biPERC silicon solar cells enabling bifacial applications for industrial solar cells with passivated rear sides. *Physica Status Solidi A: Applications and Materials Science (Print).* 213: 68-71. <http://dx.doi.org/10.1002/pssa.201532737>.
- Kreppel, H; Liu, J; Liu, Y; Reichl, FX; Klaassen, CD. (1994). Zinc-induced arsenite tolerance in mice. *Fundam Appl Toxicol.* 23: 32-37. <http://dx.doi.org/10.1006/faat.1994.1075>.
- Kriebel, D; Zeka, A; Eisen, EA; Wegman, DH. (2004). Quantitative evaluation of the effects of uncontrolled confounding by alcohol and tobacco in occupational cancer studies. *Int J Epidemiol.* 33: 1040-1045.
- Kringstad, KP; Ljungquist, PO; De, SF; Stroemberg, LM. Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination.



## Exposure Literature Search Results

### Off Topic

- Kringstad, KP; Ljungquist, PO; de Sousa, F; Stromberg, LM. (1981). Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination. *Environ Sci Technol.* 15: 562-566. <http://dx.doi.org/10.1021/es00087a006>.
- Krishnaiah, A; Surendranath, KN. (1996). Densities, speeds of sound, and viscosities of mixtures of oxolane with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data.* 41: 1012-1014.
- Krishnaiah, A; Surendranath, KN; Viswanath, DS. (1994). EXCESS VOLUMES AND VISCOSITIES OF 1,4-DIOXANE PLUS CHLORINATED ETHANES OR PLUS CHLORINATED ETHENES AT 303.15-K. *Journal of Chemical and Engineering Data.* 39: 756-758.
- Krishnan, K; G, J. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment [Review]. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 23: 31 - 53. <http://dx.doi.org/10.1081/GNC-200051856>.
- Krochmal, D. (1999). Determination of organic volatile compounds in workplace air by use of passive samplers and gas chromatography. Part I. A method of determination of chlorinated aliphatic hydrocarbons after solvent desorption. *Chemia analityczna.* 44: 963-976.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerthsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res.* 16: 54-62.
- Krost, KJ; Pellizzari, ED; Walburn, SG; Hubbard, SA. (1982). Collection and analysis of hazardous organic emissions. *Anal Chem.* 54: 810-817.
- Krumbiegel, P; Kulicke, K; Rasenberger, U; Starke, M. (1992). MEASUREMENT OF LIVER-DAMAGE BY PERCHLOROETHYLENE WITH THE INVIVO N-15 METHACETIN TEST. *Isotopenpraxis.* 28: 27-30.
- Kruper, WJ; Emmons, AH. (1991). SYNTHESIS OF ALPHA-HALOCINNAMATE ESTERS VIA SOLVOLYTIC REARRANGEMENT OF TRICHLOROALLYL ALCOHOLS. *J Org Chem.* 56: 3323-3329.
- Krzemień, A; Riesgo fernández, P; Suárez sánchez, A; Diego álvarez, I. (2016). Beyond the pan-european standard for reporting of exploration results, mineral resources and reserves. *Resources Policy.* 49: 81-91.
- Kubal, M; Janda, V; Benes, P; Hendrych, J. (2008). In situ chemical oxidation and its application to remediation of contaminated soil and groundwater. *Chem Listy.* 102: 493-499.
- Kuc, T; Pawelka, Z; Sobczyk, L. (2001). Solvent assisted proton transfer processes in phenol-amine complexes revealed in effective dipole moments. *Phys Chem Chem Phys.* 3: 5201-5207.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: carbon, chlorine, and hydrogen isotope fractionation in transformation of TCE to ethene by a Dehalococcoides culture. *Environ Sci Technol.* 47: 9668-9677. <http://dx.doi.org/10.1021/es400463p>.
- Kueper, BH; Frind, EO. (1991). 2-PHASE FLOW IN HETEROGENEOUS POROUS-MEDIA .1. MODEL DEVELOPMENT. *Water Resour Res.* 27: 1049-1057.
- Kueper, BH; Gerhard, JI. (1995). Variability of point source infiltration rates for two-phase flow in heterogeneous porous media. *Water Resour Res.* 31: 2971-2980.
- Kueper, BH; Redman, D; Starr, RC; Reitsma, S; Mah, M. (1993). A FIELD EXPERIMENT TO STUDY THE BEHAVIOR OF TETRACHLOROETHYLENE BELOW THE WATER-TABLE - SPATIAL-DISTRIBUTION OF RESIDUAL AND POOLED DNAPL. *Ground Water.* 31: 756-766.
- Kuhn, TK; Hamonts, K; Dijk, JA; Kalka, H; Stichler, W; Springael, D; Dejonghe, W; Meckenstock, RU. (2009). Assessment of the intrinsic bioremediation capacity of an eutrophic river sediment polluted by discharging chlorinated aliphatic hydrocarbons: a compound-specific isotope approach. *Environ Sci Technol.* 43: 5263-5269. <http://dx.doi.org/10.1021/es803600s>.
- Kulabako, RN; Nalubega, M; Wozel, E; Thunvik, R. (2010). Environmental health practices, constraints and possible interventions in peri-urban settlements in developing countries--a review of Kampala, Uganda [Review]. *Int J Environ Health Res.* 20: 231-257. <http://dx.doi.org/10.1080/09603120903545745>.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Kumagai, Y; Sumi, D. (2007). Arsenic: Signal transduction, transcription factor, and biotransformation involved in cellular response and toxicity [Review]. *Annu Rev Pharmacol Toxicol.* 47: 243-262. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105144>.
- Kumar, NS; Palanivelu, K. (2007). Pervaporative recovery of perchloroethylene from spent solvent of electroplating industry: Experiment and modelling studies. *Journal of Sci Ind Res.* 66: 490-494.
- Kumar, P; Prasad, AK; Dutta, KK. (2000). Steroidogenic alterations in testes and sera of rats exposed to trichloroethylene (TCE) by inhalation. *Hum Exp Toxicol.* 19: 117-121.
- Kumar, S; Lange, JP; Van Rossum, G; Kersten, SRA. (2015). Liquefaction of lignocellulose: Do basic and acidic additives help out? *Chem Eng J.* 278: 99-104. <http://dx.doi.org/10.1016/j.cej.2014.12.026>.
- Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data.* 47: 425-427. <http://dx.doi.org/10.1021/je0102661>.
- Kumm, J; Hartmann, P; Eberlein, D; Wolf, A. (2016). Adhesion quality of evaporated aluminum layers on passivation layers for rear metallization of silicon solar cells. *Thin Solid Films.* 612: 393-399. <http://dx.doi.org/10.1016/j.tsf.2016.05.031>.
- Kummert, R; Molnar-Kubica, E; Giger, W. (1978). Trace determination of tetrachloroethylene in natural waters by direct aqueous injection high-pressure liquid chromatography. *Anal Chem.* 50: 1637-1639.
- Kundu, SK; Kennedy, EM; Mackie, JC; Holdsworth, CI; Molloy, TS; Gaikwad, VV; Dlugogorski, BZ. (2016). Experimental Study on the Reaction of CCl3F and CH4 in a Dielectric Barrier Discharge Nonequilibrium Plasma Reactor. *Ind Eng Chem Res.* 55: 463-471. <http://dx.doi.org/10.1021/acs.iecr.5b04010>.
- Kung, JW; Currie, IS; Forbes, SJ; Ross, JA. (2010). Liver development, regeneration, and carcinogenesis. *J Biomed Biotechnol.* 2010: 984248. <http://dx.doi.org/10.1155/2010/984248>.

## Exposure Literature Search Results

### Off Topic

- Kungsanant, S; Kitiyanan, B; Rirksomboon, T; Osuwan, S; Scamehorn, JF. (2009). Recovery of nonionic surfactant from VOC-contaminated coacervate phase solutions by co-current vacuum stripping: Effect of surfactant concentration, temperature, and solute type. *Separation and Purification Technology*. 66: 510-516. <http://dx.doi.org/10.1016/j.seppur.2009.02.008>.
- Kuo, SL; Hines, AL. (1992). ADSORPTION OF 1,1,1-TRICHLOROETHANE AND TETRACHLOROETHYLENE ON SILICA-GEL. *Journal of Chemical and Engineering Data*. 37: 1-3.
- Kurata, Y; Kidachi, F; Yokoyama, M; Toyota, N; Tsuchitani, M; Katoh, M. (1998). Subchronic toxicity of Di(2-ethylhexyl)phthalate in common marmosets: lack of hepatic peroxisome proliferation, testicular atrophy, or pancreatic acinar cell hyperplasia. *Toxicol Sci*. 42: 49-56. <http://dx.doi.org/10.1006/toxs.1997.2414>.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). DESTRUCTION RATE OF VOLATILE ORGANOCHLORINE COMPOUNDS IN WATER BY OZONATION WITH ULTRAVIOLET-RADIATION. *Water Res*. 25: 1199-1203.
- Kustov, LM; Al-Abed, SR; Virkutyte, J; Kirichenko, OA; Shuvalova, EV; Kapustin, GI; Mishin, IV; Nissenbaum, VD; Tkachenko, OP; Finashina, ED. (2014). Novel Fe-Pd/SiO<sub>2</sub> catalytic materials for degradation of chlorinated organic compounds in water. *Pure Appl Chem*. 86: 1141-1158. <http://dx.doi.org/10.1515/pac-2014-0207>.
- Kustov, LM; Finashina, ED; Shuvalova, EV; Tkachenko, OP; Kirichenko, OA. (2011). Pd-Fe nanoparticles stabilized by chitosan derivatives for perchloroethene dechlorination. *Environ Int*. 37: 1044-1052. <http://dx.doi.org/10.1016/j.envint.2011.05.003>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environ Sci Technol*. 34: 2484-2489. <http://dx.doi.org/10.1021/es9900095>.
- Kwon, G; Jung, HT; Shin, K; Sung, BJ. (2011). The Structure and the Percolation Behavior of a Mixture of Carbon Nanotubes and Molecular Junctions: A Monte Carlo Simulation Study. *J Nanosci Nanotechnol*. 11: 4317-4323. <http://dx.doi.org/10.1166/jnn.2011.3659>.
- Kwon, S; Sullivan, EJ; Katz, LE; Bowman, RS; Kinney, KA. (2011). Laboratory and field evaluation of a pretreatment system for removing organics from produced water. *Water Environ Res*. 83: 843-854. <http://dx.doi.org/10.2175/106143011X12928814445212>.
- Kwon, SM; Kim, YH, o; Jung, I, IH; Park, D; Hwang, J; Kim, Y. (2009). Size classification of airborne particle for air-based lab-on-a-chip using micromachined electrical mobility analyzer. *Curr Appl Phys*. 9: E308-E310. <http://dx.doi.org/10.1016/j.cap.2009.06.049>.
- Kwon, TS; Yang, JS; Baek, K; Lee, JY; Yang, JW. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: batch and column studies. *J Hazard Mater*. 136: 610-617. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.038>.
- Kyrklund, T. (1992). The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: Acute and chronic exposures to organic solvents [Review]. *Am J Ind Med*. 21: 15-24. <http://dx.doi.org/10.1002/ajim.4700210105>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid composition of rat cerebral cortex. *Scand J Work Environ Health*. 14: 91-94.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res*. 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Kyung, D; Sihm, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater*. 311: 1-10. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.074>.
- Labra, M; Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air Soil Pollut*. 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Labranche, DF; Collins, MR. (1996). Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water Environ Res*. 68: 348-358.
- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol*. 149: 761-770.
- Lacinova, L; Cernikova, M; Hrabal, J; Cernik, M. (2013). IN-SITU COMBINATION OF BIO AND ABIO REMEDIATION OF CHLORINATED ETHENES. 20: 463-473. <http://dx.doi.org/10.2478/eces-2013-0034>.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol*. 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). FEASIBILITY TESTING FOR THE ON-SITE BIOREMEDIATION OF ORGANIC WASTES BY NATIVE MICROBIAL CONSORTIA. *Int Biodeterior Biodegradation*. 33: 41-59.
- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2012). Evaluation of Silicate Minerals for pH Control During Bioremediation: Application to Chlorinated Solvents. *Water Air Soil Pollut*. 223: 2663-2684. <http://dx.doi.org/10.1007/s11270-011-1058-4>.
- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2014). Control of groundwater pH during bioremediation: improvement and validation of a geochemical model to assess the buffering potential of ground silicate minerals. *J Contam Hydrol*. 160: 21-29. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.006>.
- Lacroix, E; Brovelli, A; Maillard, J; Rohrbach-Brandt, E; Barry, DA; Holliger, C. (2014). Use of silicate minerals for long-term pH control during reductive dechlorination of high tetrachloroethene concentrations in continuous flow-through columns. *Sci Total Environ*. 482-483: 23-35. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.099>.
- Ladaa, TI; Lee, CM; Coates, JT; Falta, RW. (2001). Cosolvent effects of alcohols on the Henry's law constant and aqueous solubility of tetrachloroethylene (PCE). *Chemosphere*. 44: 1137-1143.

## Exposure Literature Search Results

### Off Topic

- Lafuente, A; Mallo, J. (1986). THIOETHERS IN URINE DURING OCCUPATIONAL EXPOSURE TO TETRACHLOROETHYLENE. *Br J Ind Med.* 43: 68-69.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc.* 81: 583-596.
- Lage, E; Vaquero, JJ; Sisniega, A; España, S; Tapias, G; Abella, M; Rodríguez-Ruano, A; Ortuño, JE; Udías, A; Desco, M. (2009). Design and performance evaluation of a coplanar multimodality scanner for rodent imaging. *Phys Med Biol.* 54: 5427-5441. <http://dx.doi.org/10.1088/0031-9155/54/18/005>.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere.* 125: 147-154. <http://dx.doi.org/10.1016/j.chemosphere.2014.12.023>.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *J Environ Eng.* 133: 859-868. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372](http://dx.doi.org/10.1061/(ASCE)0733-9372).
- Lai, SC; Baker, AK; Schuck, TJ; van Velthoven, P; Oram, DE; Zahn, A; Hermann, M; Weigelt, A; Slemr, F; Brenninkmeijer, CAM; Ziereis, H. (2010). Pollution events observed during CARIBIC flights in the upper troposphere between South China and the Philippines. *Atmos Chem Phys.* 10: 1649-1660.
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a Dehalococcoides - Dehalobacter coculture. *Environ Sci Technol.* 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Lajtos, I; Czernin, J; Dahlbom, M; Daver, F; Emri, M; Farshchi-Heydari, S; Forgacs, A; Hoh, CK; Jozsai, I; Krizsan, AK; Lantos, J; Major, P; Molnar, J; Opposits, G; Tron, L; Vera, DR; Balkay, L. (2014). Cold wall effect eliminating method to determine the contrast recovery coefficient for small animal PET scanners using the NEMA NU-4 image quality phantom. *Phys Med Biol.* 59: 2727-2746. <http://dx.doi.org/10.1088/0031-9155/59/11/2727>.
- Lake, BG; Evans, JG; Cunninghame, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect.* 101: 241-247.
- Lakshminathiraj, P; Raju, GB; Sakai, Y; Takuma, Y; Yamasaki, A; Kato, S; Kojima, T. (2012). Studies on electrochemical detoxification of trichloroethene (TCE) on Ti/IrO<sub>2</sub>-Ta<sub>2</sub>O<sub>5</sub> electrode from aqueous solution. *Chem Eng J.* 198: 211-218. <http://dx.doi.org/10.1016/j.cej.2012.05.092>.
- Lamare, F; Turzo, A; Bizais, Y; Le Rest, CC; Visvikis, D. (2006). Validation of a Monte Carlo simulation of the Philips Allegro/GEMINI PET systems using GATE. *Phys Med Biol.* 51: 943-962. <http://dx.doi.org/10.1088/0031-9155/51/4/013>.
- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res.* 35: 3077-3084.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Landry, TD; Ramsey, JC; McKenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol.* 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum.* 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lanthon, P. (1978). The desaturated panel D-15. *Doc Ophthalmol.* 46: 185-189. <http://dx.doi.org/10.1007/BF00174107>.
- Lapare, S; Tardif, R; Brodeur, J. (1993). Effect of various exposure scenarios on the biological monitoring of organic solvents in alveolar air: 1. Toluene and m-xylene. *Int Arch Occup Environ Health.* 64: 569-580.
- Lapinskas, PJ; Corton, JC. (1997). Peroxisome proliferator-activated receptor alpha: Central mediator of peroxisome proliferator toxicity. *CIIT Activities.* 17: 1-9.
- Lapointe, MC; Martel, R; Lange, SF; Côté, S. (2016). Effect of energetic materials wettability on their outdoor effective elution rate. *J Hazard Mater.* 311: 194-202. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.075>.
- Lapsley, M; Akers, K; Norden, AG. (1998). Sensitive assays for urinary retinol-binding protein and beta-2-glycoprotein-1 based on commercially available standards. *Ann Clin Biochem.* 35: 115-119.
- Larsen, GL. (1985). Distribution of cysteine conjugate beta-lyase in gastrointestinal bacteria and in the environment. *Xenobiotica.* 15: 199-209. <http://dx.doi.org/10.3109/00498258509045350>.
- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol.* 29: 97-103.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environ Sci Technol.* 42: 1711-1717. <http://dx.doi.org/10.1021/es0717055>.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A.* 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.
- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol.* 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Lash, LH; Nelson, RM; Van Dyke, RA; Anders, MW. (1990). Purification and characterization of human kidney cytosolic cysteine conjugate beta-lyase activity. *Drug Metab Dispos.* 18: 50-54.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect.* 108: 225-240.
- Lash, LH; Qian, W; Putt, DA; Jacobs, K; Elfarra, AA; Krause, RJ; Parker, JC. (1998). Glutathione conjugation of trichloroethylene in rats and mice: Sex-, species-, and tissue-dependent differences. *Drug Metab Dispos.* 26: 12-19.

## Exposure Literature Search Results

### Off Topic

- Laslo-Baker, D; Barrera, M; Knittel-Keren, D; Kozer, E; Wolpin, J; Khattak, S; Hackman, R; Rovet, J; Koren, G. (2004). Child neurodevelopmental outcome and maternal occupational exposure to solvents. *Arch Pediatr Adolesc Med.* 158: 956-961. <http://dx.doi.org/10.1001/archpedi.158.10.956>.
- Latendresse, JR; Pereira, MA. (1997). Dissimilar characteristics of n-methyl-n-nitrosourea-initiated foci and tumors promoted by dichloroacetic acid or trichloroacetic acid in the liver of female B6C3F1 mice. *Toxicol Pathol.* 25: 433-440. <http://dx.doi.org/10.1177/019262339702500501>.
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl<sub>3</sub>) - An overview. *Biogeochemistry.* 60: 121-139.
- Lauermann, T; Froehlich, B; Hahn, G; Terheiden, B. (2015). Diffusion-based model of local AI back surface field formation for industrial passivated emitter and rear cell solar cells. *Progress in Photovoltaics.* 23: 10-18. <http://dx.doi.org/10.1002/pip.2388>.
- Laumbach, AD; Lee, S; Wong, J; Streips, UN. (1976). Detection and prevention of cancer; Proceedings of the Third International Symposium on Detection and Prevention of Cancer Studies on the mutagenicity of vinyl chloride metabolites and related chemicals. New York, NY: Marcel Dekker, Inc.
- Lauwerys, R; Herbrand, J; Buchet, JP; Bernard, A; Gaussin, J. (1983). Health surveillance of workers exposed to tetrachloroethylene in dry-cleaning shops. *Int Arch Occup Environ Health.* 52: 69-77. <http://dx.doi.org/10.1007/BF00380609>; <http://link.springer.com/article/10.1007%2FBF00380609>.
- Lavrenteva, OM; Holenberg, Y; Nir, A. (2009). Motion of viscous drops in tubes filled with yield stress fluid. *Chem Eng Sci.* 64: 4772-4786. <http://dx.doi.org/10.1016/j.ces.2009.06.055>.
- Lawrence, A; Stuart, M; Cheney, C; Jones, N; Moss, R. (2006). Investigating the scale of structural controls on chlorinated hydrocarbon distributions in the fractured-porous unsaturated zone of a sandstone aquifer in the UK. *Hydrogeology Journal.* 14: 1470-1482. <http://dx.doi.org/10.1007/s10040-006-0068-6>.
- Lawrence, AR; Geol, C; Stuart, ME; Barker, JA; Tester, DJ. (1996). Contamination of chalk groundwater by chlorinated solvents: Case study of deep penetration by non-aqueous phase liquids. *J Inst Water Environ Manag.* 10: 263-272.
- Lawrence, R; Miller, D. (2015). Optimizing System Efficiency Using Premium Efficient Motors. *I E E Transactions on Industry Applications.* 51: 163-168. <http://dx.doi.org/10.1109/TIA.2014.2349853>.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *J Air Waste Manag Assoc.* 49: 1315-1323.
- Le, CF; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking waters. *Revue des Sciences de l'Eau.* 11: 103-108.
- Le Curieux, F; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking water. *Revue des Sciences de l'Eau.* 11: 103-118.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res.* 34: 2390-2396.
- Leake, HC. (1997). Sizing of cables in randomly-filled trays with consideration for load diversity. *I E E Transactions on Power Delivery.* 12: 39-44.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis.* 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Ledakowicz, S; Miller, JS. (1993). KINETICS OF TETRACHLOROETHENE PHOTOCHEMICALS. *Chem Eng Sci.* 48: 2443-2451.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol.* 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol.* 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, C, chi; Doong, R, an. (2014). Enhanced dechlorination of tetrachloroethylene by polyethylene glycol-coated zerovalent silicon in the presence of nickel ions. *Appl Catal B-Environ.* 144: 182-188. <http://dx.doi.org/10.1016/j.apcatb.2013.06.033>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol.* 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CL, i; Lin, C; Jou, C. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air and Waste Management Association.* 62: 1443-1448. <http://dx.doi.org/10.1080/10962247.2012.719579>.
- Lee, D, aeY; Lee, HH, o; Ahn, J, unY; Park, HJ; Kim, JH; Kwon, HJ, in; Jeong, J, iW. (2011). A new back surface passivation stack for thin crystalline silicon solar cells with screen-printed back contacts. *Solar Energy Materials and Solar Cells.* 95: 26-29. <http://dx.doi.org/10.1016/j.solmat.2010.05.004>.
- Lee, DW; Alexandrovskii, SV; Tolochko, OV; Kim, D; Kim, BK. (2005). Synthesis and kinetics for nanocrystalline titanium carbide upon metallothermic reduction of liquid chlorides. *Glass Physics and Chemistry.* 31: 549-553.
- Lee, EH; Kim, J; Cho, KS; Ahn, YG; Hwang, GS. (2010). Degradation of hexane and other recalcitrant hydrocarbons by a novel isolate, *Rhodococcus* sp. EH831. *Environ Sci Pollut Res Int.* 17: 64-77. <http://dx.doi.org/10.1007/s11356-009-0238-x>.
- Lee, EJ; Kim, DS; Lee, SH. (2002). Ni/Cu metallization for low-cost high-efficiency PERC cells. *Solar Energy Materials and Solar Cells.* 74: 65-70.
- Lee, G; Min, S; Hong, JP, yo. (2013). Optimal Shape Design of Rotor Slot in Squirrel-Cage Induction Motor Considering Torque Characteristics. *I E E Transactions on Magnetics.* 49: 2197-2200. <http://dx.doi.org/10.1109/TMAG.2013.2239626>.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere.* 76: 1082-1087. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.032>.
- Lee, IS; Bae, JH; Mccarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol.* 94: 76-85. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.003>.

## Exposure Literature Search Results

### Off Topic

- Lee, IS; Bae, JH; Yang, Y; Mccarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol.* 74: 313-331. <http://dx.doi.org/10.1016/j.jconhyd.2004.03.006>.
- Lee, KU, k; Park, KJ, u; Kim, MH, o; Kwon, O, hJ; Kim, J, aeJ. (2014). Preparation of the carbon sphere coated with iron oxide and its application for electronic paper. *Dyes and Pigments.* 102: 22-28. <http://dx.doi.org/10.1016/j.dyepig.2013.10.012>.
- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol.* 43: 132-137. <http://dx.doi.org/10.1007/s00254-002-0618-8>.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater.* 128: 218-226. <http://dx.doi.org/10.1016/j.jhazmat.2005.08.005>.
- Lee, KY; Ha, DT. (2009). Phase separation behavior of three common alcohols with methoxy-nonafluorobutane or ethoxy-nonafluorobutane in water. *Can J Civ Eng.* 36: 738-742. <http://dx.doi.org/10.1139/L09-020>.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *J Environ Eng.* 131: 1441-1446. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1441\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1441)).
- Lee, KY; Lee, JY; Khinast, J; Stencel, JR; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *J Environ Eng.* 130: 100-103. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(100\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(100)).
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol.* 46: 883-889. <http://dx.doi.org/10.1007/s00254-004-1098-9>.
- Lee, M. (1998). The remediation of tetrachloroethylene by surfactant flushing in both the saturated and the unsaturated zone. *Environ Technol.* 19: 1073-1083.
- Lee, M. (2000). A numerical study of surfactant flushing to remediate NAPL (Non-aqueous phase liquid). *Water Air Soil Pollut.* 121: 289-307.
- Lee, M; Fountain, JC. (1999). The effectiveness of surfactants for remediation of organic pollutants in the unsaturated zone. *Journal of Soil Contamination.* 8: 39-62.
- Lee, M; Kang, H; Do, W. (2005). Application of nonionic surfactant-enhanced in situ flushing to a diesel contaminated site. *Water Res.* 39: 139-146. <http://dx.doi.org/10.1016/j.waters.2004.09.012>.
- Lee, MD; Sehayek, L; Sleep, BE; Vandell, TD. (1999). Investigation and remediation of a 1,2-dichloroethane spill part II: Documentation of natural attenuation. *Ground Water Monitoring and Remediation.* 19: 82-88.
- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environ Sci Technol.* 41: 4277-4285. <http://dx.doi.org/10.1021/es062736d>.
- Lee, S. (2007). Enhanced dissolution of TCE in NAPL by TCE-degrading bacteria in wetland soils. *J Hazard Mater.* 145: 17-22. <http://dx.doi.org/10.1016/j.jhazmat.2006.10.073>.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243. <http://dx.doi.org/10.1016/j.jconhyd.2015.09.005>.
- Lee, SS; Pineau, T; Drago, J; Lee, EJ; Owens, JW; Kroetz, DL; Fernandez-Salguero, PM; Westphal, H; Gonzalez, FJ. (1995). Targeted disruption of the alpha isoform of the peroxisome proliferator-activated receptor gene in mice results in abolishment of the pleiotropic effects of peroxisome proliferators. *Mol Cell Biol.* 15: 3012-3022.
- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with co-metabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Sci Technol.* 36: 6-7.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.
- Lee, WJ; Chen, CY; Lin, WC; Wang, YT; Chin, CJ. (1996). Phosgene formation from the decomposition of 1,1-C2H2Cl2 contained gas in an RF plasma reactor. *J Hazard Mater.* 48: 51-67.
- Lee, WJ; Cicek, B; Senkan, SM. (1993). Chemical structures of fuel-rich and fuel-lean flames of chloroform/methane mixtures. *Environ Sci Technol.* 27: 949-960. <http://dx.doi.org/10.1021/es00042a019>.
- Lee, Y; Buchanan, BG; Klopman, G; Dimayuga, M; Rosenkranz, HS. (1996). The potential of organ specific toxicity for predicting rodent carcinogenicity. *Mutat Res-Fundam Mol Mech Mutagen.* 358: 37-62. [http://dx.doi.org/10.1016/0027-5107\(96\)00110-8](http://dx.doi.org/10.1016/0027-5107(96)00110-8).
- Lee, YC; Kim, CW; Lee, J, aeY; Shin, HJ, ae; Yang, J, iWon. (2009). Characterization of nanoscale zero valent iron modified by nonionic surfactant for trichloroethylene removal in the presence of humic acid: A research note. *Desalination and Water Treatment.* 10: 33-38.
- Lee, YC; Kwon, TS; Yang, JS; Yang, JW. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.036>.

## Exposure Literature Search Results

### Off Topic

- Lee, YG; Park, J. (2013). Effect of soil organic carbon on sorption and desorption of perchloroethylene in soils. *Korean J Chem Eng.* 30: 345-350. <http://dx.doi.org/10.1007/s11814-012-0222-x>.
- Leen, JB. (2012). Laser-based spectrometer for real-time monitoring of VOCs at Superfund sites.
- Lehman, B; Wilkins, A; Berman, S, am; Poplawski, M; Miller, NJ. (2011). Proposing Measures of Flicker in the Low Frequencies for Lighting Applications. *Leukos.* 7: 189-195. <http://dx.doi.org/10.1582/LEUKOS.2010.07.03004>.
- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health.* 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, KB. (1911). Experimentelle Studien über den Einfluss technisch und hygienisch wichtiger Gase und Dämpfe auf den Organismus (XVI-XXIII) Die gechlorten Kohlenwasserstoffe der Fettreihe nebst Betrachtungen über die einphasische und zweiphasische Giftigkeit atherischer Körper [Experimental studies on the effect of technical and hygienically important gases and vapors on the organism (XVI-XXIII): chlorinated aliphatic hydrocarbons, and considerations on the one-stage and two-stage toxicity of volatile products]. *Int J Hyg Environ Health.* 74: 1-60.
- Lehmann, KB; Schmidt-Kehl, L. (1936). Die 13 wichtigsten Chlorkohlenwasserstoffe der Fettreihe von Standpunkt der Gewerbehygiene [The 13 most important chlorinated hydrocarbons from the standpoint of occupational hygiene]. *Archiv fuer Hygiene und Bakteriologie.* 116: 131-268.
- Leibman, KC; Ortiz, E. (1970). Epoxide intermediates in microsomal oxidation of olefins to glycols. *J Pharmacol Exp Ther.* 173: 242-246.
- Lelieveld, J; van Aardenne, J; Fischer, H; de Reus, M; Williams, J; Winkler, P. (2004). Increasing ozone over the Atlantic Ocean. *Science.* 304: 1483-1487. <http://dx.doi.org/10.1126/science.1096777>.
- Lellbach, H; Effmert, M. (1990). RESULTS OF DIALLEL ANALYSIS OF THE GENETICS OF RESISTANCE TO SYNCHYTRIUM-ENDOBIOTICUM (SCHILB) PERC, PATHOTYPE-1 (DL) OF THE POTATO (SOLANUM-TUBEROSUM L). *Potato Research.* 33: 251-256.
- Lemic, J; Milosevic, S; Vukasinovic, M; Radosavljevic-Mihajlovic, A, na; Kovacevic, D. (2006). Surface modification of a zeolite and the influence of pH and ionic strength on the desorption of an amine. *Serbian Chemical Society Journal.* 71: 1161-1172. <http://dx.doi.org/10.2298/JSC0611161L>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech.* 134: 367-387.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag.* 18: 361-370.
- Lemke, LD; Abriola, LM. (2003). Predicting DNAPL entrapment and recovery: the influence of hydraulic property correlation. *Stoch Environ Res Risk Assess.* 17: 408-418. <http://dx.doi.org/10.1007/s00477-003-0162-4>.
- Lemke, LD; Abriola, LM; Goovaerts, P. (2004). Dense nonaqueous phase liquid (DNAPL) source zone characterization: Influence of hydraulic property correlation on predictions of DNAPL infiltration and entrapment. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR001980>.
- Lemke, LD; Abriola, LM; Lang, JR. (2004). Influence of hydraulic property correlation on predicted dense nonaqueous phase liquid source zone architecture, mass recovery and contaminant flux. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2004WR003061>.
- Lenczewski, M; Jardine, P; Mckay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol.* 64: 151-168. [http://dx.doi.org/10.1016/S0169-7722\(02\)00090-6](http://dx.doi.org/10.1016/S0169-7722(02)00090-6).
- Lenczewski, ME; Mckay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water.* 42: 534-541.
- Lendvay, JM; Loffler, FE; Dollhopf, M; Aiello, MR; Daniels, G; Fathepure, BZ; Gebhard, M; Heine, R; Helton, R; Shi, J; Krajmalnik-Brown, R; Major, CL; Barcelona, MJ; Petrovskis, E; Hickey, R; Tiedje, JM; Adriaens, P. (2003). Bioreactive barriers: A comparison of bioaugmentation and biostimulation for chlorinated solvent remediation. *Environ Sci Technol.* 37: 1422-1431. <http://dx.doi.org/10.1021/es025985u>.
- Lenio, MAT; Howard, J; Lu, D; Jentschke, F; Augarten, Y; Lennon, A; Wenham, SR. (2012). Series Resistance Analysis of Passivated Emitter Rear Contact Cells Patterned Using Inkjet Printing. *Advances in Materials Science and Engineering.* <http://dx.doi.org/10.1155/2012/965418>.
- Lenio, MAT; Lennon, AJ; Ho-Baillie, A; Wenham, SR, SR. (2010). Effect of electroless nickel on the series resistance of high-efficiency inkjet printed passivated emitter rear contacted solar cells. *Solar Energy Materials and Solar Cells.* 94: 2102-2107. <http://dx.doi.org/10.1016/j.solmat.2010.06.035>.
- Lenoble, J. (1993). Atmospheric radiative transfer. Hampton, VA: A. Deepak Publishing. <http://www.worldcat.org/title/atmospheric-radiative-transfer/oclc/27769441>.
- Leong, MI; Huang, SD. (2008). Dispersive liquid-liquid microextraction method based on solidification of floating organic drop combined with gas chromatography with electron-capture or mass spectrometry detection. *J Chromatogr A.* 1211: 8-12. <http://dx.doi.org/10.1016/j.chroma.2008.09.111>.
- Leopardi, P; Zijno, A; Bassani, B; Pacchierotti, F. (1993). In vivo studies on chemically induced aneuploidy in mouse somatic and germinal cells. *Mutat Res.* 287: 119-130. [http://dx.doi.org/10.1016/0027-5107\(93\)90151-5](http://dx.doi.org/10.1016/0027-5107(93)90151-5).
- Lesage, S; Brown, S. (1994). OBSERVATION OF THE DISSOLUTION OF NAPL MIXTURES. *J Contam Hydrol.* 15: 1-2.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 32: 241-257.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation.* 16: 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation.* 23: 102-110.

## Exposure Literature Search Results

### Off Topic

- Lettenberger, M; Emmerling, F; Gottfried, NH; Laubereau, A. (1995). ORIENTATIONAL MOTION OF ANTHRACENE IN LIQUID SOLUTION STUDIED BY IR/UV DOUBLE-RESONANCE SPECTROSCOPY. *Chem Phys Lett.* 240: 324-329.
- Letterman, RG; Deyonker, NJ; Burkey, TJ; Webster, CE. (2016). Calibrating Reaction Enthalpies: Use of Density Functional Theory and the Correlation Consistent Composite Approach in the Design of Photochromic Materials. *J Phys Chem A.* 120: 9982-9997. <http://dx.doi.org/10.1021/acs.jpca.6b09278>.
- Leung, CT; Brugge, JS. (2009). Tumor self-seeding: Bidirectional flow of tumor cells. *Cell.* 139: 1226-1228. <http://dx.doi.org/10.1016/j.cell.2009.12.013>.
- Leung, HW. (1992). Use of physiologically based pharmacokinetic models to establish biological exposure indexes. *AIHA J.* 53: 369-374. <http://dx.doi.org/10.1080/15298669291359799>.
- Leung, SW; Watts, RJ; Miller, GC. (1992). DEGRADATION OF PERCHLOROETHYLENE BY FENTON REAGENT - SPECIATION AND PATHWAY. *J Environ Qual.* 21: 377-381.
- Leuschner, J; Beuscher, N. (1998). Studies on the mutagenic and carcinogenic potential of chloral hydrate. *Arzneimittelforschung.* 48: 961-968.
- Leuschner, J; Leuschner, F. (1991). Evaluation of the mutagenicity of chloral hydrate in vitro and in vivo. *Arzneimittelforschung.* 41: 1101-1103.
- Lévesque, B; Ayotte, P; Tardif, R; Ferron, L; Gingras, S; Schlouch, E; Gingras, G; Levallois, P; Dewailly, E. (2002). Cancer risk associated with household exposure to chloroform. *J Toxicol Environ Health A.* 65: 489-502. <http://dx.doi.org/10.1080/15287390252807957>.
- Lewellen, TK; Kohlmyer, SG; Miyaoka, RS; Kaplan, MS. (1996). Investigation of the performance of the general electric ADVANCE positron emission tomograph in 3D mode. *IEEE Trans Nucl Sci.* 43: 2199-2206.
- Lewellen, TK; Kohlmyer, SG; Miyaoka, RS; Schubert, S; Stearns, CW. (1995). INVESTIGATION OF THE COUNT RATE PERFORMANCE OF GENERAL-ELECTRIC ADVANCE POSITRON EMISSION TOMOGRAPH. *IEEE Trans Nucl Sci.* 42: 1051-1057.
- Lezak, MD. (1995). Neuropsychological assessment. New York: Oxford University Press.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH<sub>2</sub>Cl<sub>2</sub> decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol.* 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Chen, CY; Hsieh, LT. (2003). Decomposition of 1,2-dichloroethane in an RF plasma environment. *J Chem Tech Biotechnol.* 78: 817-823. <http://dx.doi.org/10.1002/jctb.868>.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O-2/Ar in the cold plasma environment. *Chem Eng J.* 92: 177-184.
- Li, D, a; Le, Y; Hou, X; Chen, JF; Shen, Z. (2011). Colored nanoparticles dispersions as electronic inks for electrophoretic display. *Synthetic Metals.* 161: 1270-1275. <http://dx.doi.org/10.1016/j.synthmet.2011.04.022>.
- Li, D, ao; Zheng, Y, i; Wang, X. (2008). Effect of phosphoric acid on catalytic combustion of trichloroethylene over Pt/P-MCM-41. *Appl Catal A-Gen.* 340: 33-41. <http://dx.doi.org/10.1016/j.apcata.2008.01.035>.
- Li, DQ; Swanson, BI. (1993). SURFACE-ACOUSTIC-WAVE THIN-FILM CHEMICAL MICROSENSORS BASED ON COVALENTLY BOUND C-60 DERIVATIVES - A MOLECULAR SELF-ASSEMBLY APPROACH. *Langmuir.* 9: 3341-3344.
- Li, G; Feng, YQ; Li, XG; Gao, P; Wang, J; Xie, JY. (2007). Preparation and characterization of polyurea microcapsules containing colored electrophoretic responsive fluid. *Journal of Materials Science.* 42: 4838-4844. <http://dx.doi.org/10.1007/s10853-006-0639-x>.
- Li, H; Shen, TT; Wang, XL; Lin, KF; Liu, YD; Lu, SG; Gu, JD; Wang, P; Lu, Q; Du, XM. (2013). Biodegradation of perchloroethylene and chlorophenol co-contamination and toxic effect on activated sludge performance. *Bioresour Technol.* 137: 286-293. <http://dx.doi.org/10.1016/j.biortech.2013.02.050>.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environ Sci Technol.* 39: 4864-4870. <http://dx.doi.org/10.1021/es050424z>.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environ Sci Technol.* 35: 568-574.
- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem.* 21: 1377-1383.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environ Sci Technol.* 38: 440-448. <http://dx.doi.org/10.1021/es034830z>.
- Li, MT; Hao, LL; Sheng, LX; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol.* 99: 6878-6884. <http://dx.doi.org/10.1016/j.biortech.2008.01.048>.
- Li, T; Guo, Y; Hu, H; Zhang, X; Jin, Y; Zhang, X; Zhang, Y. (2016). Determination of volatile chlorinated hydrocarbons in water samples by static headspace gas chromatography with electron capture detection. *J Sep Sci.* 39: 358-366. <http://dx.doi.org/10.1002/jssc.201500771>.
- Li, X; Sundquist, J; Sundquist, K. (2008). Socioeconomic and occupational risk factors for rheumatoid arthritis: A nationwide study based on hospitalizations in Sweden. *J Rheumatol.* 35: 986-991.
- Li, XH; Xu, XB; Wang, XT; Ma, LL. (2004). Headspace single-drop microextraction with gas chromatography for determination of volatile halocarbons in water samples. *Int J Environ Anal Chem.* 84: 633-645. <http://dx.doi.org/10.1080/0306731042000208743>.
- Li, Y; Abriola, LM; Phelan, TJ; Ramsburg, CA; Pennell, KD. (2007). Experimental and numerical validation of the total trapping number for prediction of DNAPL mobilization. *Environ Sci Technol.* 41: 8135-8141. <http://dx.doi.org/10.1021/es070834i>.
- Li, YL; Zhang, TZ; Liang, P. (2005). Application of continuous-flow liquid-phase microextraction to the analysis of volatile halohydrocarbons in water. *Anal Chim Acta.* 536: 245-249.
- Li, Z; Bowman, RS. (2001). Regeneration of surfactant-modified zeolite after saturation with chromate and perchloroethylene. *Water Res.* 35: 322-326.

## Exposure Literature Search Results

### Off Topic

- Li, Z; Hanlie, H. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res.* 42: 605-614. <http://dx.doi.org/10.1016/j.watres.2007.08.010>.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant--a column study. *Water Res.* 40: 3811-3819. <http://dx.doi.org/10.1016/j.watres.2006.08.025>.
- Li, Z; Yoshida, N; Wang, A; Nan, J; Liang, B; Zhang, C; Zhang, D; Suzuki, D; Zhou, X; Xiao, Z; Katayama, A. (2015). Anaerobic mineralization of 2,4,6-tribromophenol to CO<sub>2</sub> by a synthetic microbial community comprising *Clostridium*, *Dehalobacter*, and *Desulfatiglans*. *Bioresour Technol.* 176: 225-232. <http://dx.doi.org/10.1016/j.biortech.2014.10.097>.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere.* 54: 419-423. [http://dx.doi.org/10.1016/S0045-6535\(03\)00752-5](http://dx.doi.org/10.1016/S0045-6535(03)00752-5).
- Li, ZH; Bowman, RS. (1998). Sorption of chromate and PCE by surfactant-modified clay minerals. *Environ Eng Sci.* 15: 237-245.
- Li, ZH; Bowman, RS. (1998). Sorption of perchloroethylene by surfactant-modified zeolite as controlled by surfactant loading. *Environ Sci Technol.* 32: 2278-2282.
- Li, ZH; Jones, HR; Bowman, RS; Helferich, R. (1999). Enhanced reduction of chromate and PCE by palletized surfactant-modified zeolite/zerovalent iron. *Environ Sci Technol.* 33: 4326-4330.
- Liang, C; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol.* 177-178: 158-166. <http://dx.doi.org/10.1016/j.jconhyd.2015.04.006>.
- Liang, C; Huang, CF, en; Mohanty, N; Lu, CJ, en; Kurakalva, RM. (2007). Hydroxypropyl-beta-cyclodextrin-mediated iron-activated persulfate oxidation of trichloroethylene and tetrachloroethylene. *Ind Eng Chem Res.* 46: 6466-6479. <http://dx.doi.org/10.1021/ie0705148>.
- Liang, C; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol.* 100: 91-100. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.012>.
- Liang, H; Falta, RW. (2008). Modeling field-scale cosolvent flooding for DNAPL source zone remediation. *J Contam Hydrol.* 96: 1-16. <http://dx.doi.org/10.1016/j.jconhyd.2007.09.005>.
- Liang, X; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res.* 44: 2125-2132. <http://dx.doi.org/10.1016/j.watres.2009.12.026>.
- Liang, X; Dong, Y; Kuder, T; Krumholz, L, eeR; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environ Sci Technol.* 41: 7094-7100. <http://dx.doi.org/10.1021/es070970n>.
- Liang, X; Mundle, SO; Nelson, JL; Passeport, E; Chan, CC; Lacrampe-Couloume, G; Zinder, SH; Sherwood Lollar, B. (2014). Distinct carbon isotope fractionation during anaerobic degradation of dichlorobenzene isomers. *Environ Sci Technol.* 48: 4844-4851. <http://dx.doi.org/10.1021/es4054384>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology.* 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.
- Lide, D. R. (1990). *CRC Handbook of Chemistry and Physics*. In DR Lide (Ed.). Boca Raton, FL: CRC Press.
- Lieber, CS. (1997). Cytochrome P-4502E1: Its physiological and pathological role. *Physiol Rev.* 77: 517-544.
- Lieberzeit, PA; Greibl, W; Stathopoulos, H; Dickert, FL; Fischerauer, G; Bulst, WE. (2006). Covalently anchored supramolecular monolayers on quartz surfaces for use in SAW sensors. *Sens Actuators B.* 113: 677-683. <http://dx.doi.org/10.1016/j.snb.2005.07.018>.
- Lieberzeit, PA; Palfinger, C; Dickert, FL; Fischerauer, G. (2009). SAW RFID-Tags for Mass-Sensitive Detection of Humidity and Vapors. 9: 9805-9815. <http://dx.doi.org/10.3390/s91209805>.
- Lien, HL; Zhang, WX. (2001). Nanoscale iron particles for complete reduction of chlorinated ethenes. *Colloid Surface Physicochem Eng Aspect.* 191: 97-105.
- Lien, SY; Yang, CH; Wu, KC; Kung, CY. (2015). Investigation on the passivated Si/Al<sub>2</sub>O<sub>3</sub> interface fabricated by non-vacuum spatial atomic layer deposition system. *Nanoscale Res Lett.* 10: 93. <http://dx.doi.org/10.1186/s11671-015-0803-9>.
- Lifshitz, JM; Gandelsman, M. (1997). Effect of near-surface impact-induced damage on the residual strength of woven glass epoxy composite beams. *Compos Sci Tech.* 57: 205-216.
- Lillford, L; Beevers, C; Bowen, D; Kirkland, D. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133-138, 2010) [Letter]. *Mutagenesis.* 25: 427-428. <http://dx.doi.org/10.1093/mutage/geq020>.
- Lillian, D; Singh, HB. (1974). Absolute determination of atmospheric halocarbons by gas phase coulometry. *Anal Chem.* 46: 1060-1063. <http://dx.doi.org/10.1021/ac60344a003>.
- Lillian, D; Singh, HB; Appleby, A. (1976). Gas chromatographic analysis of ambient halogenated compounds. *Journal of the Air and Waste Management Association.* 26: 141-143.
- Lim, B; Brendemuehl, T; Dullweber, T; Brendel, R. (2016). Loss Analysis of n-Type Passivated Emitter Rear Totally Diffused Back-Junction Silicon Solar Cells with Efficiencies up to 21.2%. 6: 447-453. <http://dx.doi.org/10.1109/JPHOTOV.2016.2520211>.
- Lim, DH, ee; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environ Sci Technol.* 43: 5443-5448. <http://dx.doi.org/10.1021/es9003203>.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol.* 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.



## Exposure Literature Search Results

### Off Topic

- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res.* 41: 875-883. <http://dx.doi.org/10.1016/j.watres.2006.11.01>.
- Lima, G; Parker, B; Meyer, J. (2012). Dechlorinating microorganisms in a sedimentary rock matrix contaminated with a mixture of VOCs. *Environ Sci Technol.* 46: 5756-5763. <http://dx.doi.org/10.1021/es300214f>.
- Limmer, MA; Burken, JG. (2015). Phytoscreening with SPME: Variability Analysis. *Int J Phytoremediation.* 17: 1115-1122. <http://dx.doi.org/10.1080/15226514.2015.1045127>.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environ Sci Technol.* 48: 10634-10640. <http://dx.doi.org/10.1021/es502680p>.
- Lin, C; Jou, CJ; Wang, CL. (2009). Visible-light-sensitized dechlorination of perchloroethylene. *Water Environ Res.* 81: 76-81. <http://dx.doi.org/10.2175/106143008X304802>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere.* 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, W; Li, Z. (2010). Detection and quantification of trace organic contaminants in water using the FT-IR-attenuated total reflectance technique. *Anal Chem.* 82: 505-515. <http://dx.doi.org/10.1021/ac901192d>.
- Lin, YS; Egeghy, PP; Rappaport, SM. (2008). Relationships between levels of volatile organic compounds in air and blood from the general population. *J Expo Sci Environ Epidemiol.* 18: 421-429. <http://dx.doi.org/10.1038/sj.jes.7500635>.
- Lindbohm, ML. (1999). Effects of occupational solvent exposure on fertility [Review]. *Scand J Work Environ Health.* 25: 44-46.
- Lindbohm, ML; Hemminki, K. (1988). Nationwide data base on medically diagnosed spontaneous abortions in Finland. *Int J Epidemiol.* 17: 568-573. <http://dx.doi.org/10.1093/ije/17.3.568>.
- Linderman, RG; Davis, EA. (2004). Varied response of marigold (*Tagetes* spp.) genotypes to inoculation with different arbuscular mycorrhizal fungi. *Sci Hortic (Amsterdam).* 99: 67-78. [http://dx.doi.org/10.1016/S0304-4238\(03\)0081-5](http://dx.doi.org/10.1016/S0304-4238(03)0081-5).
- Lindsay, E; Vlcek, A; Langford, CH. (1993). MECHANISM OF ASSOCIATIVE PHOTOINDUCED LIGAND SUBSTITUTION IN W(CO)<sub>4</sub>PHEN UNDER METAL-TO-LIGAND CHARGE-TRANSFER EXCITATION - SUBNANOSECOND TRANSIENT SPECTRA AND SOLVENT AND WAVELENGTH DEPENDENCE EVIDENCE FOR RAPID PRIMARY PROCESSES. *Inorg Chem.* 32: 2269-2275.
- Lindsay, EM; Langford, CH; Kirk, AD. (1999). Photochemical Reactivity of W(CO)<sub>4</sub>(phen): Evidence for Prompt One-Electron Transfer in Competition with Vibrational Relaxation. *Inorg Chem.* 38: 4771-4776.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation.* 27: 108-121.
- Linke, D; Dropka, N; Kiessling, PM; Konig, M; Krause, J; Lange, RP; Sontag, D. (2014). Characterization of a 75 kg multicrystalline Si ingot grown in a KRISTMAG (R)-type G2-sized directional solidification furnace. *Solar Energy Materials and Solar Cells.* 130: 652-660. <http://dx.doi.org/10.1016/j.solmat.2014.04.028>.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos.* 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun.* 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Lipscomb, JC; Poet, TS. (2008). In vitro measurements of metabolism for application in pharmacokinetic modeling [Review]. *Pharmacol Ther.* 118: 82-103. <http://dx.doi.org/10.1016/j.pharmthera.2008.01.006>.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; Mclaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med.* 53: 992-1007. <http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Lisa, GA; Tudose, RZ. (2003). Individual mass transfer coefficients in heterogeneous liquid-liquid systems. *Rev Chim.* 54: 348-351.
- Liu, B; Jia, C. (2014). Effects of exposure to mixed volatile organic compounds on the neurobehavioral test performance in a cross-sectional study of US adults. *Int J Environ Health Res.* 25: 1-15. <http://dx.doi.org/10.1080/09603123.2014.945514>.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res.* 35: 1975-1985.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water.* 40: 175-184.
- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragric Acrisols. *J Environ Qual.* 45: 331-340. <http://dx.doi.org/10.2134/jeq2015.07.0406>.
- Liu, F; Cichocka, D; Nijenhuis, I; Richnow, HH; Fennell, DE. (2010). Carbon isotope fractionation during dechlorination of 1,2,3,4-tetrachlorodibenzo-p-dioxin by a Dehalococcoides-containing culture. *Chemosphere.* 80: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2010.06.027>.
- Liu, F; Fennell, DE. (2008). Dechlorination and detoxification of 1,2,3,4,7,8-hexachlorodibenzofuran by a mixed culture containing Dehalococcoides ethenogenes Strain 195. *Environ Sci Technol.* 42: 602-607. <http://dx.doi.org/10.1021/es071380s>.
- Liu, P; Zhang, X; Sun, L; Dai, S; Yu, C; Luo, X. (2014). Optimization of Rear Local Al-Contacts on High Efficiency Commercial PERC Solar Cells with Dot and Line Openings. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/515969>.
- Liu, S; Wu, G; Chen, HZ; Wang, M. (2012). Preparation and characterization of Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub> particles for dual-particle electrophoretic display. *Synthetic Metals.* 162: 89-94. <http://dx.doi.org/10.1016/j.synthmet.2011.11.016>.
- Liu, TG; Liu, SJ; Yang, ZY. (2010). A method to monitor non-ferrous debris in ferrographic analysis. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology.* 224: 203-208. <http://dx.doi.org/10.1243/13506501JET609>.

## Exposure Literature Search Results

### Off Topic

- Liu, W, ei; Chai, J; Chen, L, uS; Xu, L, ei; Zhu, M; Lu, J. (2012). Effect of the Composition of Mixed Oils on the Phase Behavior and Solubilization Ability of Microemulsion Systems. *Journal of Chemical and Engineering Data*. 57: 469-474. <http://dx.doi.org/10.1021/je201060w>.
- Liu, Y; Guyton, KZ; Gorospe, M; Xu, Q; Lee, JC; Holbrook, NJ. (1996). Differential activation of ERK, JNK/SAPK and P38/CSBP/RK map kinase family members during the cellular response to arsenite. *Free Radic Biol Med*. 21: 771-781.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol*. 157: 11-24. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.008>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Effects of inorganic anions on carbon isotope fractionation during Fenton-like degradation of trichloroethene. *J Hazard Mater*. 308: 187-191. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.044>.
- Liu, Y; Zhou, A; Gan, Y; Li, X. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ*. 548-549: 1-5. <http://dx.doi.org/10.1016/j.scitotenv.2016.01.011>.
- Liu, YJ. (2001). Single-point determination of intrinsic viscosity of semirigid thermotropic copolyesters in phenol/1,1,2,2-tetrachloroethane. *Macromolecular Materials & Engineering*. 286: 611-617.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol*. 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem*. 12: 1377-1393.
- Lô, A; Tall-Dia, A; Bonfoh, B; Schelling, E. (2016). Tuberculosis among transhumant pastoralist and settled communities of south-eastern Mauritania. *Global Health Action*. 9: 30334. <http://dx.doi.org/10.3402/gha.v9.30334>.
- Lo, VL; Pey, KL; Tung, CH; Ang, DS; Foo, TS; Tang, LJ. (2006). Percolation resistance evolution during progressive breakdown in narrow MOSFETs. *I E E E Electron Device Letters*. 27: 396-398. <http://dx.doi.org/10.1109/LED.2006.873422>.
- Lochner, F. (1976). Perchlorathylen -- eine Bestandsaufnahme. *Umwelt*. 6: 434-436.
- Lock, EA; Sani, Y; Moore, RB; Finkelstein, MB; Anders, MW; Seawright, AA. (1996). Bone marrow and renal injury associated with haloalkene cysteine conjugates in calves. *Arch Toxicol*. 70: 607-619. <http://dx.doi.org/10.1007/s002040050319>.
- Loh, MM; Levy, JI; Spengler, JD; Houseman, EA; Bennett, DH. (2007). Ranking cancer risks of organic hazardous air pollutants in the United States. *Environ Health Perspect*. 115: 1160-1168. <http://dx.doi.org/10.1289/ehp.9884>.
- Lohman, JH. (2002). A history of dry cleaners and sources of solvent releases from dry cleaning equipment. *Environ Forensics*. 3: 35-58. <http://dx.doi.org/10.1006/enfo.2002.0079>.
- Lohmueller, E; Thaidigsmann, B; Pospischil, M; Jaeger, U; Mack, S; Specht, J; Nekarda, J; Retzlaff, M; Krieg, A; Clement, F; Wolf, A; Biro, D; Preu, R. (2011). 20% Efficient Passivated Large-Area Metal Wrap Through Solar Cells on Boron-Doped Cz Silicon. *I E E E Electron Device Letters*. 32: 1719-1721. <http://dx.doi.org/10.1109/LED.2011.2167709>.
- Lohner, ST; Becker, D; Mangold, KM; Tiehm, A. (2011). Sequential reductive and oxidative biodegradation of chloroethenes stimulated in a coupled bioelectro-process. *Environ Sci Technol*. 45: 6491-6497. <http://dx.doi.org/10.1021/es200801r>.
- Lohner, ST; Tiehm, A. (2009). Application of Electrolysis to Stimulate Microbial Reductive PCE Dechlorination and Oxidative VC Biodegradation. *Environ Sci Technol*. 43: 7098-7104. <http://dx.doi.org/10.1021/es900835d>.
- Loizou, GD; Urban, G; Dekant, W; Anders, MW. (1994). GAS-UPTAKE PHARMACOKINETICS OF 2,2-DICHLORO-1,1,1-TRIFLUOROETHANE (HCFC-123). *Drug Metab Dispos*. 22: 511-517.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water*. 50: 754-764. <http://dx.doi.org/10.1111/j.1745-6584.2011.00897.x>.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frappe, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE abiotic and biotic degradation pathways in a permeable reactive barrier using compound specific isotope analysis. *Ground Water Monitoring and Remediation*. 32: 53-62. <http://dx.doi.org/10.1111/j.1745-6592.2012.01403.x>.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environ Sci Technol*. 35: 261-269. <http://dx.doi.org/10.1021/es001227x>.
- Long, DL; Blake, AJ; Champness, NR; Wilson, C; Schroder, M. (2002). Constructing terbium co-ordination polymers of 4,4'-bipyridine-N,N'-dioxide by means of diffusion solvent mixtures. *Chemistry*. 8: 2026-2033.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng*. 119: 300-320.
- Longino, BL; Kueper, BH. (1995). THE USE OF UPWARD GRADIENTS TO ARREST DOWNWARD DENSE, NONAQUEOUS PHASE LIQUID (DNAPL) MIGRATION IN THE PRESENCE OF SOLUBILIZING SURFACTANTS. *Canadian Geotechnical Journal*. 32: 296-308.
- Longino, BL; Kueper, BH. (1999). Effects of capillary pressure and use of polymer solutions on dense, non-aqueous-phase liquid retention and mobilization in a rough-walled fracture. *Environ Sci Technol*. 33: 2447-2455.
- Longino, BL; Kueper, BH. (1999). Nonwetting phase retention and mobilization in rock fractures. *Water Resour Res*. 35: 2085-2093.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol*. 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lookman, R; Borremans, B; De Ceuster, T; Gemoets, J; Diels, L. (2005). Effects of carbon source amendment on the anaerobic degradation of 1,1,1-trichloroethane (TCA) in a contaminated aquifer. *Water Air Soil Pollut*. 166: 197-216. <http://dx.doi.org/10.1007/s11270-005-6967-7>.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngaert, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation*. 27: 65-74.

## Exposure Literature Search Results

### Off Topic

- Loop, CM; White, WB. (2001). A conceptual model for DNAPL transport in karst ground water basins. *Ground Water*. 39: 119-127.
- Loper, JC. (1980). Mutagenic effects of organic compounds in drinking water. *Mutat Res*. 76: 241-268. [http://dx.doi.org/10.1016/0165-1110\(80\)90019-6](http://dx.doi.org/10.1016/0165-1110(80)90019-6).
- Lopes, FVS; Miranda, SM; Monteiro, RAR; Martins, SDS; Silva, AMT; Faria, JL; Boaventura, R; Vilar, VJP. (2013). Perchloroethylene gas-phase degradation over titania-coated transparent monoliths. *Appl Catal B-Environ*. 140: 444-456. <http://dx.doi.org/10.1016/j.apcatb.2013.04.034>.
- Lopes, FVS; Monteiro, RAR; Silva, AMT; Silva, GV; Faria, JL; Mendes, AM; Vilar, VJP; Boaventura, R, uiAR. (2012). Insights into UV-TiO<sub>2</sub> photocatalytic degradation of PCE for air decontamination systems. *Chem Eng J*. 204: 244-257. <http://dx.doi.org/10.1016/j.cej.2012.07.079>.
- Lopez, E; Ordenez, S. (2008). Effect of organosulphur, organonitrogen and organooxygen compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al<sub>2</sub>O<sub>3</sub>. *Appl Catal B-Environ*. 82: 264-272. <http://dx.doi.org/10.1016/j.apcatb.2008.02.001>.
- Lopez, E; Ordenez, S; Diez, F. (2006). Deactivation of a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ*. 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez, E; Ordenez, S; Diez, FV. (2003). Inhibition effects of organosulphur compounds on the hydrodechlorination of tetrachloroethylene over Pd/Al<sub>2</sub>O<sub>3</sub> catalysts. *Catalysis Today*. 84: 121-127. [http://dx.doi.org/10.1016/S0920-5861\(03\)00265-7](http://dx.doi.org/10.1016/S0920-5861(03)00265-7).
- Lopez, E; Ordenez, S; Sastre, H; Diez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater*. 97: 281-294.
- Lopezavila, V; Young, R; Kim, R; Beckert, WF. (1993). INTERLABORATORY EVALUATION OF AN OFF-LINE SUPERCRITICAL-FLUID EXTRACTION INFRARED SPECTROMETRIC METHOD FOR DETERMINATION OF PETROLEUM-HYDROCARBONS IN SOLID MATRICES. *J AOAC Int*. 76: 555-564.
- Lopez-Fonseca, R; Aranzabal, A; Gutierrez-Ortiz, JI; Alvarez-Urriarte, JI; Gonzalez-Velasco, JR. (2001). Comparative study of the oxidative decomposition of trichloroethylene over H-type zeolites under dry and humid conditions. *Appl Catal B-Environ*. 30: 303-313.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2002). Dealuminated Y zeolites for destruction of chlorinated volatile organic compounds. *J Catal*. 209: 145-150. <http://dx.doi.org/10.1006/jcat.2002.3591>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol*. 78: 15-22. <http://dx.doi.org/10.1002/jctb.726>.
- Lopez-Forlaseca, R; Gutierrez-Ortiz, JI; Gonzalez-Velasco, JR. (2004). Catalytic combustion of chlorinated hydrocarbons over H-BETA and PdO/H-BETA zeolite catalysts. *Appl Catal A-Gen*. 271: 39-46. <http://dx.doi.org/10.1016/j.apcata.2004.02.044>.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environ Sci Technol*. 33: 227-234.
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res*. 35: 3811-3827.
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol*. 70: 117-145. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.01>.
- Lorraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res*. 35: 1453-1460.
- Lord, DL; Demond, AH; Hayes, KF. (2005). Comparison of capillary pressure relationships of organic liquid-water systems containing an organic acid or base. *J Contam Hydrol*. 77: 195-208. <http://dx.doi.org/10.1016/j.jconhyd.2005.01.001>.
- Lorefice, S; di Meane, EA; Sega, M. (2010). Stability assessment of density reference liquids supported by GC-MS analysis (density reference liquids stability supported by GC-MS). *Measurement*. 43: 637-644. <http://dx.doi.org/10.1016/j.measurement.2010.01.005>.
- Lou, JC; Chang, YS. (1997). Thermal oxidation of chloroform. *Combust Flame*. 109: 188-197.
- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste and Hazardous Materials*. 13: 399-407.
- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *J Environ Eng*. 132: 940-948. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:8\(940\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:8(940)).
- Loughran, TP, Jr. (1993). Clonal diseases of large granular lymphocytes [Review]. *Blood*. 82: 1-14.
- Loukiala, A; Tuna, U; Beer, S; Jahnke, S; Ruotsalainen, U. (2010). Gap-filling methods for 3D PlanTIS data. *Phys Med Biol*. 55: 6125-6139. <http://dx.doi.org/10.1088/0031-9155/55/20/006>.
- Love, OT, Jr; Eilers, RG. (1982). Treatment of drinking water containing trichloroethylene and related industrial solvents. *J Am Water Works Assoc*. 74: 413-425.
- Lovell, D. (2010). Is tetrachloroethylene genotoxic or not [Comment]. *Mutagenesis*. 25: 443-446. <http://dx.doi.org/10.1093/mutage/geq036>.
- Lovelock, JE. (1974). Atmospheric halocarbons and stratospheric ozone. *Nature*. 252: 292-294. <http://dx.doi.org/10.1038/252292a0>.
- Lowengart, RA; Peters, JM; Cicioni, C; Buckley, J; Bernstein, L; Preston-Martin, S; Rappaport, E. (1987). Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst*. 79: 39-46. <http://dx.doi.org/10.1093/jnci/79.1.39>.
- Lowenheim, FA; Moran, MK. (1975). Perchloroethylene (tetrachloroethylene). In FA Lowenheim; MK Moran (Eds.), (pp. 604-611). New York: John Wiley & Sons.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol*. 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.

## Exposure Literature Search Results

### Off Topic

- Lu, AH; Liu, J; Zhao, D; Guo, YJ; Li, QR; Li, N. (2004). Photocatalysis of V-bearing rutile on degradation of halohydrocarbons. *Catalysis Today*. 90: 337-342. <http://dx.doi.org/10.1016/j.cattod.2004.04.044>.
- Lu, C; Bjerg, PL; Zhang, F; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere*. 83: 1467-1474. <http://dx.doi.org/10.1016/j.chemosphere.2011.03.007>.
- Lu, C; Broholm, MM; Fabricius, I, daL; Bjerg, PL. (2014). Determination of Matrix Pore Size Distribution in Fractured Clayey Till and Assessment of Matrix Migration of Dechlorinating Bacteria. *Bioremediat J*. 18: 295-308. <http://dx.doi.org/10.1080/10889868.2014.939133>.
- Lu, GX; Zhang, Y, i; Noyce, DA. (2011). Intelligent Traffic Signal System for Isolated Intersections Dynamic Pedestrian Accommodation. *Trans Res Rec96-111*. <http://dx.doi.org/10.3141/2259-09>.
- Lu, LH; Kang, XH; Xie, HQ. (2002). Effects of surfactant on zinc recovery by solvent extraction during leaching in HCl-FeCl<sub>3</sub> solution. *Chinese Journal of Chemical Engineering*. 10: 109-111.
- Lü, W; Kamiya, I. (2012). The influence of interlayer molecules in luminescence of self-assembled bilayer PbS quantum dot films. *J Nanosci Nanotechnol*. 12: 410-415. <http://dx.doi.org/10.1166/jnn.2012.5361>.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 1725-1734.
- Luber, S; Adamczyk, K; Nibbering, ET; Batista, VS. (2013). Photoinduced proton coupled electron transfer in 2-(2'-hydroxyphenyl)-benzothiazole. *J Phys Chem A*. 117: 5269-5279. <http://dx.doi.org/10.1021/jp403342w>.
- Lucas, D; Herve, A; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2011). Clinical impact assessment of chronic exposure to tetrachloroethylene in a population of 50 dry-cleaning workers. *Arch Mal Prof Environ*. 72: 439-448. <http://dx.doi.org/10.1016/j.admp.2011.09.002>.
- Lucas, D; Hervé, A; Lucas, R; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2015). Assessment of Exposure to Perchloroethylene and its Clinical Repercussions for 50 Dry-Cleaning Employees. *J Occup Environ Hyg*. 12: 767-773. <http://dx.doi.org/10.1080/15459624.2015.1048346>.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res*. 8: 197-211. [http://dx.doi.org/10.1016/S1093-0191\(02\)00132-6](http://dx.doi.org/10.1016/S1093-0191(02)00132-6).
- Ludwig, HR; Meister, MV; Roberts, DR; Cox, C. (1983). Worker exposure to perchloroethylene in the commercial dry cleaning industry. *Am Ind Hyg Assoc J*. 44: 600-605. <http://dx.doi.org/10.1080/15298668391405391>.
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2003). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett*. 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2004). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett*. 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Luka, T; Grosser, S; Hagendorf, C; Ramspeck, K; Turek, M. (2016). Intra-grain versus grain boundary degradation due to illumination and annealing behavior of multi-crystalline solar cells. *Solar Energy Materials and Solar Cells*. 158: 43-49. <http://dx.doi.org/10.1016/j.solmat.2016.05.061>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos*. 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol*. 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol*. 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Lunn, SRD; Kueper, BH. (1997). Removal of pooled dense, nonaqueous phase liquid from saturated porous media using upward gradient alcohol floods. *Water Resour Res*. 33: 2207-2219.
- Lunn, SRD; Kueper, BH. (1999). Manipulation of density and viscosity for the optimization of DNAPL recovery by alcohol flooding. *J Contam Hydrol*. 38: 427-445.
- Lunn, SRD; Kueper, BH. (1999). Risk reduction during chemical flooding: Preconditioning DNAPL density in situ prior to recovery by miscible displacement. *Environ Sci Technol*. 33: 1703-1708.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech*. 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Luo, W; Anashkin, E; Matthews, CG. (2010). Performance Evaluation of a PEM Scanner Using the NEMA NU 4-2008 Small Animal PET Standards. *IEEE Trans Nucl Sci*. 57: 94-103. <http://dx.doi.org/10.1109/TNS.2009.2036847>.
- Lutes, CC; Liles, DS; Suthersan, SS; Lenzo, F; Hansen, M; Payne, FC; Burdick, JV; Vance, D. (2003). Comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environ Sci Technol*. 37: 2618-2619. <http://dx.doi.org/10.1021/es030355t>.
- Lutz, W; Krajewska, B. (1987). Ocena Czynnosci Watroby Na Podstawie Niektorych Parametrow Biochemicznych I Testu CBJ-131 U Pracownikow Przewlekle Ekspozowanych Na Dzialanie Rozpuszczalnikow Organicznych [Evaluation of the liver function basing on certain biochemical parameters and CBJ-131 test in workers chronically exposed to organic solvents]. *Med Pr*. 38: 34-39.

## Exposure Literature Search Results

### Off Topic

- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol.* 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail.* 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lyew, D; Tartakovsky, B; Manuel, MF; Guiot, SR. (2002). A microcosm test for potential mineralization of chlorinated compounds under coupled aerobic/anaerobic conditions. *Chemosphere.* 47: 695-699.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res.* 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lynge, E. (1994). Danish Cancer Registry as a resource for occupational research. *J Occup Med.* 36: 1169-1173.
- Lynge, E. (2008). Comments on toxicological review of tetrachloroethylene CAS no. 127-18-4 EPA/635/R-08/011A external draft review [Personal Communication].
- Lynge, E; Andersen, A; Rylander, L; Tinnerberg, H; Lindbohm, ML; Pukkala, E; Romundstad, P; Jensen, P; Clausen, LB; Johansen, K. (2006). Cancer in persons working in dry cleaning in the Nordic countries. *Environ Health Perspect.* 114: 213-219. <http://dx.doi.org/10.1289/ehp.8425>.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control.* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lynge, E; Tinnerberg, H; Rylander, L; Romundstad, P; Johansen, K; Lindbohm, ML; Heikkilä, P; Westberg, H; Clausen, LB; Piombino, A; Thorsted, BL. (2011). Exposure to tetrachloroethylene in dry cleaning shops in the Nordic countries. *Ann Occup Hyg.* 55: 387-396. <http://dx.doi.org/10.1093/annhyg/meq101>.
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 30: 1627-1639.
- Lysychenko, G; Weber, R; Kovach, V; Gertsruk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)--a review of the risks and the remediation options. *Environ Sci Pollut Res Int.* 22: 14391-14404. <http://dx.doi.org/10.1007/s11356-015-5184-1>.
- Ma, C; Wu, Y. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol.* 55: 47-54. <http://dx.doi.org/10.1007/s00254-007-0963-8>.
- Ma, C; Wu, Y; Sun, C; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol.* 52: 1511-1519. <http://dx.doi.org/10.1007/s00254-006-0595-4>.
- Ma, HW; Wu, KY; Ton, CD. (2002). Setting information priorities for remediation decisions at a contaminated-groundwater site. *Chemosphere.* 46: 75-81.
- Ma, R; Hu, P; Jin, L; Wang, Y; Lu, J; Luo, M. (2011). Characterization of CrOx/Al<sub>2</sub>O<sub>3</sub> catalysts for dichloromethane oxidation. *Catalysis Today.* 175: 598-602. <http://dx.doi.org/10.1016/j.cattod.2011.04.025>.
- Ma, TH; Sandhu, SS; Peng, Y; Chen, TD; Kim, TW. (1992). Synergistic and antagonistic effects on genotoxicity of chemicals commonly found in hazardous waste sites. *Mutat Res-Fundam Mol Mech Mutagen.* 270: 71-77. [http://dx.doi.org/10.1016/0027-5107\(92\)90103-9](http://dx.doi.org/10.1016/0027-5107(92)90103-9).
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918. [http://dx.doi.org/10.1016/S0043-1354\(03\)00111-8](http://dx.doi.org/10.1016/S0043-1354(03)00111-8).
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H<sub>2</sub> gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166. <http://dx.doi.org/10.1016/j.watres.2006.01.005>.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med.* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Macdonald, LR; Harrison, RL; Alessio, AM; Hunter, WC; Lewellen, TK; Kinahan, PE. (2011). Effective count rates for PET scanners with reduced and extended axial field of view. *Phys Med Biol.* 56: 3629-3643. <http://dx.doi.org/10.1088/0031-9155/56/12/011>.
- Macdonald, LR; Schmitz, RE; Alessio, AM; Wollenweber, SD; Stearns, CW; Ganin, A; Harrison, RL; Lewellen, TK; Kinahan, PE. (2008). Measured count-rate performance of the Discovery STE PET/CT scanner in 2D, 3D and partial collimation acquisition modes. *Phys Med Biol.* 53: 3723-3738. <http://dx.doi.org/10.1088/0031-9155/53/14/002>.
- Maciel, JV; Soares, BM; Mandlate, JS; Picoloto, RS; Bizzi, CA; Flores, EM; Duarte, FA. (2014). Simple and fast method for iron determination in white and red wines using dispersive liquid-liquid microextraction and ultraviolet-visible spectrophotometry. *J Agric Food Chem.* 62: 8340-8345. <http://dx.doi.org/10.1021/jf5019774>.
- Mack, S; Wolf, A; Walczak, A; Thaidigsmann, B; Wotke, EA; Spiegelman, JJ; Preu, R; Biro, D. (2011). Properties of purified direct steam grown silicon thermal oxides. *Solar Energy Materials and Solar Cells.* 95: 2570-2575. <http://dx.doi.org/10.1016/j.solmat.2011.03.002>.
- Mackay, D; Bobra, A; Chan, DW; Shiu, WY. (1982). Vapor pressure correlations for low-volatility environmental chemicals. *Environ Sci Technol.* 16: 645-649. <http://dx.doi.org/10.1021/es00104a004>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res.* 30: 369-383.

## Exposure Literature Search Results

### Off Topic

- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. *J Contam Hydrol.* 41: 81-131.
- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis.* 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.
- Mackenzie, K; Bleyl, S; Kopinke, FD; Doose, H; Bruns, J. (2015). Carbo-Iron as improvement of the nanoiron technology: From laboratory design to the field test. *Sci Total Environ.* 563-564: 641-648. <http://dx.doi.org/10.1016/j.scitotenv.2015.07.107>.
- Mackinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. *J Contam Hydrol.* 56: 49-74.
- Macko, T; Denayer, JF; Pasch, H; Pan, L; Li, J; Raphael, A. (2004). Adsorption of polypropylene and polyethylene on liquid chromatographic column packings. *Chromatographia.* 59: 461-467. <http://dx.doi.org/10.1365/s10337-004-0228-6>.
- MacNaughton, MG; Uddin, DE. (1984). Toxicology of mixed distillate and high-energy synthetic fuels. In MA Mehlman; GP Hemstreet; JJ Thorpe; NK Weaver (Eds.), (pp. 121-132). Princeton, NJ: Princeton Scientific Publishers, Inc.
- Maçôas, EM; Kananavicius, R; Myllyperkiö, P; Pettersson, M; Kunttu, H. (2007). Ultrafast electronic and vibrational energy relaxation of Fe(acetylacetonate)<sub>3</sub> in solution. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 111: 2054-2061. <http://dx.doi.org/10.1021/jp066271z>.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health.* 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Macpherson, AN; Truscott, TG; Turner, PH. (1994). FOURIER-TRANSFORM LUMINESCENCE SPECTROSCOPY OF SOLVATED SINGLET OXYGEN. *J Chem Soc Faraday Trans.* 90: 1065-1072.
- Maddalena, RL; Mckone, TE; Layton, DW; Hsieh, DP. (1995). Comparison of multi-media transport and transformation models: regional fugacity model vs. CalTOX. *Chemosphere.* 30: 869-889. [http://dx.doi.org/10.1016/0045-6535\(94\)00447-3](http://dx.doi.org/10.1016/0045-6535(94)00447-3).
- Mader, C; Mueller, J; Eidelloth, S; Brendel, R. (2012). Local rear contacts to silicon solar cells by in-line high-rate evaporation of aluminum. *Solar Energy Materials and Solar Cells.* 107: 272-282. <http://dx.doi.org/10.1016/j.solmat.2012.06.047>.
- Magnusson, J; Ramel, C; Eriksson, A. (1977). Mutagenic effects of chlorinated phenoxyacetic acids in *Drosophila melanogaster*. *Hereditas.* 87: 121-123. <http://dx.doi.org/10.1111/j.1601-5223.1977.tb01252.x>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A.* 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mahler, B; Massei, N. (2007). Anthropogenic contaminants as tracers in an urbanizing karst aquifer. *J Contam Hydrol.* 91: 81-106. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.010>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen.* 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Mailhes, JB; Preston, RJ; Yuan, ZP; Payne, HS. (1988). Analysis of mouse metaphase II oocytes as an assay for chemically induced aneuploidy. *Mutat Res.* 198: 145-152. [http://dx.doi.org/10.1016/0027-5107\(88\)90049-8](http://dx.doi.org/10.1016/0027-5107(88)90049-8).
- Maimone, M. (1997). Coping with groundwater contamination. *Chem Eng.* 104: 195-&.
- Mainz, EL. (1993). ORGANIC AND IONIC SOIL REMOVAL BY VAPOR DEGREASING WITH A HETEROGENEOUS AZEOTROPE OF PERCHLOROETHYLENE AND WATER. *Plat Surf Finish.* 80: 24-26.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol.* 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maithreepala, RA; Doong, RA. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater.* 164: 337-344. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.007>.
- Maitre, A; Hours, M; Bonnetterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol.* 31: 2395-2401.
- Majdan, M; Tarasiuk, B; Gladysz-Plaska, A; Pikus, S. (2007). Adsorption of organic pollutants on organo-clays. *Przemysł Chemiczny.* 86: 126-131.
- Major, D; Edwards, E; Mccarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation.* 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environ Sci Technol.* 36: 5106-5116. <http://dx.doi.org/10.1021/es0255711>.
- Mak, C; Cornu, E; Moresoli, C; Chen, P. (2004). Surface tension, diffusion and kinetics studies of an air-stripping process. *Separation and Purification Technology.* 36: 95-106. [http://dx.doi.org/10.1016/S1383-5866\(03\)00202-8](http://dx.doi.org/10.1016/S1383-5866(03)00202-8).
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environ Sci Technol.* 45: 8395-8402. <http://dx.doi.org/10.1021/es201270z>.
- Malaveille, C; Bartsch, H; Barbin, A; Camus, AM; Montesano, R; Croisy, A; Jacquignon, P. (1975). Mutagenicity of vinyl chloride, chloroethyleneoxide, chloroacetaldehyde and chloroethanol. *Biochem Biophys Res Commun.* 63: 363-370. [http://dx.doi.org/10.1016/0006-291X\(75\)90697-X](http://dx.doi.org/10.1016/0006-291X(75)90697-X).

## Exposure Literature Search Results

### Off Topic

- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett.* 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Mallin, K. (1990). Investigation of a bladder cancer cluster in northwestern Illinois. *Am J Epidemiol.* 132: S96-S106.
- Mallinson, CF; Kozlowski, S; Harvey, A, nn; Watts, JF. (2016). An investigation of the effect of chlorinated solvents on surface characteristics of S-65 beryllium. *Surf Interface Anal.* 48: 689-693. <http://dx.doi.org/10.1002/sia.5912>.
- Mancini, SA; Lacrampe-Couloume, G; Lollar, BS. (2008). Source differentiation for benzene and chlorobenzene groundwater contamination: A field application of stable carbon and hydrogen isotope analyses. *Environ Forensics.* 9: 177-186. <http://dx.doi.org/10.1080/15275920802119086>.
- Mannervik, B. (1985). The isoenzymes of glutathione transferase [Review]. *Adv Enzymol Relat Areas Mol Biol.* 57: 357-417.
- Manogue, WH. (1958). The kinetics of the absorption of phosgene into water and aqueous solutions. *Dissertation Abstracts International, B: The Sciences and Engineering.* 18: 984.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol.* 131: 64-78. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.004>.
- Manookin, MB; Weick, M; Stafford, BK; Demb, JB. (2010). NMDA receptor contributions to visual contrast coding. *Neuron.* 67: 280-293. <http://dx.doi.org/10.1016/j.neuron.2010.06.020>.
- Mantel, N. (1963). Chi-square tests with one degree of freedom; extensions of the Mantel-Haenszel procedure. *J Am Stat Assoc.* 58: 690-700.
- Mantilla, LF. (2008). Analysis of the voltage phasors characteristics for motor unbalanced supplies under constant voltage level. *Electrical Engineering (Archiv fur Elektrotechnik).* 90: 395-406. <http://dx.doi.org/10.1007/s00202-007-0089-8>.
- Manz, L. (1997). Applying adjustable-speed drives to three-phase induction NEMA frame motors. *I E E E Transactions on Industry Applications.* 33: 402-407.
- Manzo, L; Artigas, F; Martinez, E; Mutti, A; Bergamaschi, E; Nicotera, P; Tonini, M; Candura, SM; Ray, DE; Costa, LG. (1996). Biochemical markers of neurotoxicity A review of mechanistic studies and applications [Review]. *Hum Exp Toxicol.* 1]: S20-S35.
- Mao, H; Talbot, RW; Sive, BC; Kim, S, uY; Blake, DR; Weinheimer, AJ. (2010). Arctic mercury depletion and its quantitative link with halogens. *J Atmos Chem.* 65: 145-170. <http://dx.doi.org/10.1007/s10874-011-9186-1>.
- Mao, X; Ciblak, A, li; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environ Sci Technol.* 45: 6517-6523. <http://dx.doi.org/10.1021/es200943z>.
- Mao, X; Ciblak, A, li; Baek, K; Amiri, M; Loch-Carusio, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res.* 46: 1847-1857. <http://dx.doi.org/10.1016/j.watres.2012.01.002>.
- Mao, X; Wang, J; Ciblak, A, li; Cox, EE; Riis, C; Terkelsen, M; Gent, DB; Alshawabkeh, AN. (2012). Electrokinetic-enhanced bioaugmentation for remediation of chlorinated solvents contaminated clay. *J Hazard Mater.* 213: 311-317. <http://dx.doi.org/10.1016/j.jhazmat.2012.02.001>.
- Maphosa, F; van Passel, MW; de Vos, WM; Smidt, H. (2012). Metagenome analysis reveals yet unexplored reductive dechlorinating potential of *Dehalobacter* sp. E1 growing in co-culture with *Sedimentibacter* sp. *Environmental Microbiology Reports.* 4: 604-616. <http://dx.doi.org/10.1111/j.1758-2229.2012.00376.x>.
- Marais, LJ; Otero, R; Riga, E. (2010). CONTROL OF PLANT-PARASITIC NEMATODES WITH THE BIONEMATICIDE NEMA-Q (R) AN EXTRACT OF QUILLAJA SAPONARIA. *Journal of Nematology.* 42: 254-255.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg.* 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.
- Marcatili, S; Pettinato, C; Daniels, S; Lewis, G; Edwards, P; Fanti, S; Spezi, E. (2013). Development and validation of RAYDOSE: a Geant4-based application for molecular radiotherapy. *Phys Med Biol.* 58: 2491-2508. <http://dx.doi.org/10.1088/0031-9155/58/8/2491>.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe<sup>2+</sup> activated persulfate. *Sci Total Environ.* 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillén, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol.* 100: 5757-5762. <http://dx.doi.org/10.1016/j.biortech.2009.06.078>.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol.* 83: 1190-1196. <http://dx.doi.org/10.1002/jctb.1914>.
- Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G; Vicent, T; Reddy, CA. (2006). Novel aerobic Perchloroethylene degradation by the white-rot fungus *Trametes versicolor*. *Environ Sci Technol.* 40: 7796-7802. <http://dx.doi.org/10.1021/es0622958>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol.* 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marcus, DL; Bonds, C. (1999). Results of the reactant sand-fracking pilot test and implications for the in situ remediation of chlorinated VOCs and metals in deep and fractured bedrock aquifers. *J Hazard Mater.* 68: 125-153.
- Marcus, SL; Miyata, KS; Zhang, B; Subramani, S; Rachubinski, RA; Capone, JP. (1993). Diverse peroxisome proliferator-activated receptors bind to the peroxisome proliferator-responsive elements of the rat hydratase/dehydrogenase and fatty acyl-CoA oxidase genes but differentially induce expression. *Proc Natl Acad Sci USA.* 90: 5723-5727.
- Marcus, Y. (2006). Preferential solvation in mixed solvents 13. Mixtures of tetrahydrofuran with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Solution Chemistry.* 35: 251-277. <http://dx.doi.org/10.1007/s10953-006-9366-9>.

## Exposure Literature Search Results

### Off Topic

- Marcus, Y. (2006). Preferential solvation in mixed solvents. 14. Mixtures of 1,4-dioxane with organic solvents: Kirkwood-Buff integrals and volume-corrected preferential solvation parameters. *Journal of Molecular Liquids*. 128: 115-126. <http://dx.doi.org/10.1016/j.molliq.2005.12.005>.
- Marczinek, S; Schafer, W; Peiffer, S. (2006). Identification and quantification of natural degradation processes in an aquifer contaminated with chlorinated ethenes. *Grundwasser*. 11: 207-216. <http://dx.doi.org/10.1007/s00767-006-0146-7>.
- Margard, W. (1978). In vitro bioassay of chlorinated hydrocarbon solvents [Unpublished]. Frederick, MD: Batelle Laboratories.
- Marinas, BJ; Li, RA. (1994). COMPOSITE SORPTION OF PURE VAPORS ON POLYOLEFINS, CARBON, AND MINERALS. *J Environ Eng*. 120: 1207-1231.
- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology*. 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marotta, E; Paradisi, C. (2002). Isomerization and dissociation of C2X5+ and C2X4+\* ions (X = Cl, F) from chlorofluoroethanes in an ion trap mass spectrometer. *J Mass Spectrom*. 37: 1280-1286. <http://dx.doi.org/10.1002/jms.403>.
- Marquardt, JU; Thorgeirsson, SS. (2010). Stem cells in hepatocarcinogenesis: Evidence from genomic data [Review]. *Semin Liver Dis*. 30: 26-34. <http://dx.doi.org/10.1055/s-0030-1247130>.
- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis*. 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr*. 45: 516-519.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylydino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res*. 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrac acid. *Carcinogenesis*. 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Marsman, DS; Popp, JA. (1994). Biological potential of basophilic hepatocellular foci and hepatic adenoma induced by the peroxisome proliferator, Wy-14,643. *Carcinogenesis*. 15: 111-117. <http://dx.doi.org/10.1093/carcin/15.1.111>.
- Martens, J. (2016). *Sinostoma yunnanicum*, the first nemastomatine harvestman in China (Arachnida: Opiliones: Nemastomatidae). *Zootaxa*. 4126: 444-450. <http://dx.doi.org/10.11646/zootaxa.4126.3.9>.
- Marth, E; Stuenzner, D; Binder, H; Moese, JR. (1985). Tetrachlorethylen: eine Studie über die Wirkung niedriger Konzentrationen von 1,1,2,2-Tetrachlorethylen (Perchlorethylen) am Organismus der Maus II Rückstandsuntersuchungen von Tetrachlorethylen in verschiedenen Organen und Nachweis von histologischen Veränderungen der untersuchten Organe. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 541-547.
- Marth, E; Stunzner, D; Binder, H; Mose, JR. (1985). [Tetrachlorethylene: effect of low concentrations of 1,1,2,2-tetrachloroethylene (perchloroethylene) on organisms in the mouse. I. Laboratory chemical research]. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 525-540.
- Martin, PM; Mailman, RB. (1988). Permanent alteration in licking pattern of rats due to neonatal lead exposure. 14: 361.
- Martin, VB; Smith, CB; Gupta, BS. (1998). Identification of source emissions from finished textile fabrics. *Text Chem Color*. 30: 15-19.
- Martinez-Rodriguez, MJ; Fox, EB; Rhodes, WD; Mcwhorter, CS; Greenway, S; Colon-Mercado, HR. (2011). The Effect of Low Concentrations of Tetrachloroethylene on the Performance of PEM Fuel Cells. *J Electrochem Soc*. 158: B698-B702. <http://dx.doi.org/10.1149/1.3563799>.
- Martin-Martin, D; Garcia-Tabares, E; Rey-Stolle, I. (2016). Assessment of Rear-Surface Processing Strategies for III-V on Si Multijunction Solar Cells Based on Numerical Simulations. *I E E E Transactions on Electron Devices*. 63: 252-258. <http://dx.doi.org/10.1109/TED.2015.2498527>.
- Martino, M; Rosal, R; Sastre, H; Diez, FV. (1999). Hydrodechlorination of dichloromethane, trichloroethane, trichloroethylene and tetrachloroethylene over a sulfided Ni/Mo-gamma-alumina catalyst. *Appl Catal B-Environ*. 20: 301-307.
- Mashayekhi, HA, li; Abroomand-Azar, P; Saber-Tehrani, M; Waqif-Husain, S. (2011). Rapid and sensitive determination of biphenyl and biphenyl oxide in water samples using dispersive liquid-liquid microextraction followed by gas chromatography. *Int J Environ Anal Chem*. 91: 516-524. <http://dx.doi.org/10.1080/03067310903525167>.
- Maslia, ML; Aral, MM; Faye, RE; Grayman, WM; Suárez-Soto, RJ; Sautner, JB; Anderson, BA; Bove, FJ; Ruckart, PZ; Moore, SM. (2012). Complexities in hindcasting models--when should we say enough is enough [Comment]. *Ground Water*. 50: 10-16; discussion 16-18. <http://dx.doi.org/10.1111/j.1745-6584.2011.00884.x>.
- Mason, AR; Kueper, BH. (1996). Numerical simulation of surfactant-enhanced solubilization of pooled DNAPL. *Environ Sci Technol*. 30: 3205-3215.
- Masten, SJ. (1991). Ozonation of VOC's in the presence of humic acid and soils (pp. 287-312). (ISSN 0191-9512; EISSN 1547-6545; BIOSIS/91/25845). Masten, SJ.
- Matejova, L; Brunatova, T; Danis, S. (2015). TiO2-CeO2 prepared by using pressurized and supercritical fluids: effect of processing parameters and cerium amount on (micro)structural and morphological properties. *Res Chem Intermed*. 41: 9243-9257. <http://dx.doi.org/10.1007/s11164-015-1990-9>.
- Matejova, L; Cieslarova, M; Matej, Z; Danis, S; Peikertova, P; Sihor, M; Lang, J; Matejka, V. (2016). Microstructure, Optical and Photocatalytic Properties of TiO2 Thin Films Prepared by Chelating-Agent Assisted Sol-Gel Method. *J Nanosci Nanotechnol*. 16: 504-514. <http://dx.doi.org/10.1166/jnn.2016.10684>.
- Materna, BL. (1985). Occupational exposure to perchloroethylene in the dry cleaning industry. *AIHA J*. 46: 268-273.
- Mathes, SE; Rasmussen, TC. (2006). Combining multivariate statistical analysis with geographic information systems mapping: a tool for delineating groundwater contamination. *Hydrogeology Journal*. 14: 1493-1507. <http://dx.doi.org/10.1007/s10040-006-0041-4>.



## Exposure Literature Search Results

### Off Topic

- Mathias, E; Sanhueza, E; Hisatsune, IC; Heicklen, J. (1974). The chlorine atom sensitized oxidation and ozonolysis of C2Cl4. *Can J Chem.* 52: 3852-3862.
- Matsuda, H; Ose, Y; Nagase, H; Sato, T; Kito, H; Sumida, K. (1991). MUTAGENICITY OF OZONATION AND CHLORINATION PRODUCTS FROM PARAHYDROXYBENZALDEHYDE. *Sci Total Environ.* 103: 141-149.
- Matsunaga, K; Yamabe, S; Mori, T. (1997). Photodegradation of polychlorobiphenyls by titanium dioxide/ferric ion/hydrogen peroxide/UV light system. *JTTHE.* 43: 174-181.
- Mattei, F; Guida, F; Matrat, M; Cenée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med.* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattsson, S; Vañó, E. (2013). ICRP perspective on criteria of acceptability for medical radiological equipment [Review]. *Radiat Prot Dosimetry.* 153: 158-160. <http://dx.doi.org/10.1093/rpd/ncs296>.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ.* 545-546: 445-452. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.098>.
- Matucha, M; Forczek, ST; Gryndler, M; Uhlirova, H; Fuksova, K; Schroder, P. (2003). Trichloroacetic acid in Norway spruce/soil-system I Biodegradation in soil. *Chemosphere.* 50: 303-309.
- Mauzerall, DL; Jacob, DJ; Fan, SM; Bradshaw, JD; Gregory, GL; Sachse, GW; Blake, DR. (1996). Origin of tropospheric ozone at remote high northern latitudes in summer. *J Geophys Res Atmos.* 101: 4175-4188.
- Maxwell, RM; Kastenberger, WE. (1999). Stochastic environmental risk analysis: an integrated methodology for predicting cancer risk from contaminated groundwater. *Stoch Environ Res Risk Assess.* 13: 27-47.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JE; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environ Sci Technol.* 40: 5704-5709. <http://dx.doi.org/10.1021/es052521y>.
- May, R. (1976) Aufnahme Metabolisierung und Ausscheidung von Tetrachloräthylen und Beeinflussung durch gleichzeitige Aufnahme von Athanol beim Menschen. (Doctoral Dissertation). Universität Würzburg, Würzburg, Germany.
- Mayeno, AN; Yang, RS; Reisfeld, B. (2005). Biochemical reaction network modeling: predicting metabolism of organic chemical mixtures. *Environ Sci Technol.* 39: 5363-5371. <http://dx.doi.org/10.1021/es0479991>.
- Mayer, VW; Goin, CJ. (1980). Induction of mitotic recombination by certain hair-dye chemicals in *Saccharomyces cerevisiae*. *Mutat Res.* 78: 243-252. [http://dx.doi.org/10.1016/0165-1218\(80\)90105-6](http://dx.doi.org/10.1016/0165-1218(80)90105-6).
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating *Dehalococcoides mccartyi* Consortium. *Environ Sci Technol.* 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.
- Mayes, MD. (1999). Epidemiologic studies of environmental agents and systemic autoimmune diseases [Review]. *Environ Health Perspect.* 107: 743-748.
- Maymó-Gatell, X; Nijenhuis, I; Zinder, SH. (2001). Reductive dechlorination of cis-1,2-dichloroethene and vinyl chloride by "Dehalococcoides ethenogenes". *Environ Sci Technol.* 35: 516-521. <http://dx.doi.org/10.1021/es001285i>.
- Mazari-Hiriart, M; Hernandez-Eugenio, C; Rojo-Callejas, F; Lozano-Santacruz, R. (2000). Vertical variability of PCE sorption in the lacustrine clays of Mexico city. *Environ Geol.* 39: 595-602.
- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environ Sci Technol.* 35: 4783-4788. <http://dx.doi.org/10.1021/es0110372>.
- McAllister, SS; Gifford, AM; Greiner, AL; Kelleher, SP; Saelzler, MP; Ince, TA; Reinhardt, F; Harris, LN; Hylander, BL; Repasky, EA; Weinberg, RA. (2008). Systemic endocrine instigation of indolent tumor growth requires osteopontin. *Cell.* 133: 994-1005. <http://dx.doi.org/10.1016/j.cell.2008.04.045>.
- Mccall, RE; Patel, FMA; Mock, GN; Grady, PL. (1998). Solvent and ultrasonic alternatives to perchloroethylene drycleaning of textiles. *Text Chem Color.* 30: 11-18.
- Mccallie, SW. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A MANUFACTURERS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 189-189.
- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA.* 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol.* 42: 49-60.
- Mccarty, PL; Chu, M, inY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology.* 43: 276-282. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.004>.
- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol.* 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther.* 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- Mccauley, KM; Pratt, DA; Wilson, S. R.; Shey, J; Burkey, TJ; van Der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B-12-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc.* 127: 1126-1136. <http://dx.doi.org/10.1021/ja0488573p>.

## Exposure Literature Search Results

### Off Topic

- Mccauley, KM; Wilson, S. R.; van Der Donk, WA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem.* 41: 5844-5848. <http://dx.doi.org/10.1021/ic025714k>.
- McClenney, WA; Jacumin, HH; Oliver, KD; Daughtrey, EH; Whitaker, DA. (2006). Comparison of 24 h averaged VOC monitoring results for residential indoor and outdoor air using Carbopack X-filled diffusive samplers and active sampling--a pilot study. *J Environ Monit.* 8: 263-269. <http://dx.doi.org/10.1039/b507850d>.
- McConnell, EE; Wagner, JC; Skidmore, JW; Moore, JA. (1984). Biological effects of man-made mineral fibres: Proceedings of a WHO/IARC conference in association with JEMRB and TIMA, Copenhagen, 2-22 April 1982A comparative study of the fibrogenic and carcinogenic effects of UICC Canadian chrysotile B asbestos and glass microfibre (JM 100). Copenhagen: WHO.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med.* 50: 349-354.
- Mccue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Sci Technol.* 47: 79-84.
- Mcculloch, A. (2002). Trichloroacetic acid in the environment. *Chemosphere.* 47: 667-686.
- Mcculloch, A; Aucott, ML; Graedel, TE; Kleiman, G; Midgley, PM; Li, YF. (1999). Industrial emissions of trichloroethene, tetrachloroethene, and dichloromethane: Reactive Chlorine Emissions Inventory. *J Geophys Res Atmos.* 104: 8417-8427.
- Mcculloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988-1992. *Atmos Environ.* 30: 601-608. [http://dx.doi.org/10.1016/1352-2310\(09\)50032-5](http://dx.doi.org/10.1016/1352-2310(09)50032-5).
- Mcdaniel, TV; Martin, PA; Ross, N; Brown, S; Lesage, S; Pauli, BD. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol.* 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.
- Mcdaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AM; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol.* 52: 410-417. <http://dx.doi.org/10.1007/s00244-005-8218-8>.
- McDiarmid, MA; Gehle, K. (2006). Preconception brief: Occupational/environmental exposures. *Matern Child Health J.* 10: 123-128. <http://dx.doi.org/10.1007/s10995-006-0089-8>.
- McDonald, AD; Armstrong, B; Cherry, NM; Delorme, C; Diodati-Nolin, A; McDonald, JC; Robert, D. (1986). Spontaneous abortion and occupation. *J Occup Med.* 28: 1232-1238.
- McDonald, AD; McDonald, JC; Armstrong, B; Cherry, N; Delorme, C; Nolin, A; Robert, D. (1987). Occupation and pregnancy outcome. *Br J Ind Med.* 44: 521-526.
- Mcelveen, R; Melfi, M. (2016). Locked-Rotor Test Methods for Induction Motors Investigated. *I E E Transactions on Industry Applications.* 52: 3595-3602. <http://dx.doi.org/10.1109/TIA.2016.2544925>.
- Mcginley, PM; Katz, LE; Weber, WJ. (1996). Competitive sorption and displacement of hydrophobic organic contaminants in saturated subsurface soil systems. *Water Resour Res.* 32: 3571-3577.
- Mcgregor, DB; Brown, A; Cattanaach, P; Edwards, I; McBride, D; Riach, C; Caspary, WJ. (1988). Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. *Environ Mol Mutagen.* 12: 85-154. <http://dx.doi.org/10.1002/em.2860120111>.
- Mcguire, MM; Hamers, RJ. (2000). Extraction and quantitative analysis of elemental sulfur from sulfide mineral surfaces by high-performance liquid chromatography. *Environ Sci Technol.* 34: 4651-4655.
- Mcguire, T; Hughes, JB. (2003). Effects of surfactants on the dechlorination of chlorinated ethenes. *Environ Toxicol Chem.* 22: 2630-2638.
- Mchedlidze, T; Herguth, A; Weber, J. (2016). Monitoring of Si-solar cell degradation with electroluminescence. *Solar Energy Materials and Solar Cells.* 155: 38-42. <http://dx.doi.org/10.1016/j.solmat.2016.05.008>.
- Mchugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to distinguish between vapor intrusion and indoor sources of VOCs. *Environ Sci Technol.* 45: 5952-5958. <http://dx.doi.org/10.1021/es200988d>.
- Mckeown, C; Gillen, G; Dempsey, MF; Findlay, C. (2016). Influence of slice overlap on positron emission tomography image quality. *Phys Med Biol.* 61: 1259-1277. <http://dx.doi.org/10.1088/0031-9155/61/3/1259>.
- McKinney, LL; Weakley, FB; Eldridge, AC; Campbell, RE; Cowan, JC; Picken, JC; Blester, HE. (1957). S-(dichlorovinyl) L-cysteine: an agent causing fatal aplastic anemia in calves. *J Am Chem Soc.* 79: 3932-3933. <http://dx.doi.org/10.1021/ja01571a093>.
- McKone, T; Bogen, K. (1993). CaLTOX, a multimedia total-exposure model for hazardous waste sites. Pat II: The dynamic multimedia transport and transformation model. Sacramento, CA: California Environmental Protection Agency.
- McKone, TE; Bogen, KT. (1992). Uncertainties in health-risk assessment: an integrated case study based on tetrachloroethylene in California groundwater. *Regul Toxicol Pharmacol.* 15: 86-103.
- Mckone, TE; Daniels, JI. (1991). Estimating human exposure through multiple pathways from air, water, and soil. *Regul Toxicol Pharmacol.* 13: 36-61. [http://dx.doi.org/10.1016/0273-2300\(91\)90040-3](http://dx.doi.org/10.1016/0273-2300(91)90040-3).
- McLaughlin, JK. (1993). Renal cell cancer and exposure to gasoline: A review [Review]. *Environ Health Perspect.* 101: 111-114.
- McLean, D; Mannetje, A; Dryson, E; Walls, C; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2009). Leukaemia and occupation: A New Zealand Cancer Registry-based case-control Study. *Int J Epidemiol.* 38: 594-606. <http://dx.doi.org/10.1093/ije/dyn220>.
- McMartin, KI; Koren, G. (1999). Exposure to organic solvents. Does it adversely affect pregnancy? *Can Fam Physician.* 45: 1671-1673.
- Mcnab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environ Sci Technol.* 34: 149-153.

## Exposure Literature Search Results

### Off Topic

- Mcwatters, RS; Rowe, RK. (2015). Permeation of Volatile Organic Compounds through EVOH Thin Film Membranes and Coextruded LLDPE/EVOH/LLDPE Geomembranes. *Journal of Geotechnical and Geoenvironmental Engineering*. 141. [http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0001209](http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0001209).
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from [http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn\\_childhood\\_leukemia\\_follow.pdf](http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf)
- Meade, TW; Framework, FtBMRCGPR; clinics, pv. (2001). Design and intermediate results of the Lower Extremity Arterial Disease Event Reduction (LEADER)\* trial of bezafibrate in men with lower extremity arterial disease [ISRCTN4119421]. *Current Controlled Trials in Cardiovascular Medicine*. 2: 195-204. <http://dx.doi.org/10.1186/cvm-2-4-195>.
- Megharaj, M; Jovcic, A; Boul, HL; Thiele, JH. (1997). Recalcitrance of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) to cometabolic degradation by pure cultures of aerobic and anaerobic bacteria. *Arch Environ Contam Toxicol*. 33: 141-146.
- Meharg, AA; Cairney, JWG. (2000). Ectomycorrhizas - extending the capabilities of rhizosphere remediation? *Soil Biol Biochem*. 32: 1475-1484.
- Mehendale, HM. (2005). Tissue repair: An important determinant of final outcome of toxicant-induced injury [Review]. *Toxicol Pathol*. 33: 41-51. <http://dx.doi.org/10.1080/01926230590881808>.
- Mehranian, A; Kotasidis, F; Zaidi, H. (2016). Accelerated time-of-flight (TOF) PET image reconstruction using TOF bin subsetization and TOF weighting matrix pre-computation. *Phys Med Biol*. 61: 1309-1331. <http://dx.doi.org/10.1088/0031-9155/61/3/1309>.
- Meier, KL; Bailer, AJ; Portier, CJ. (1993). A measure of tumorigenic potency incorporating dose-response shape. *Biometrics*. 49: 917-926.
- Meier, MA; Hungerbuhler, K; Aleankirkpatrick, P. (1997). Integrated product and process development using case studies: A challenge to the education of science and engineering undergraduates. *Chimia*. 51: 171-175.
- Meijer, J; Afzelius, BA. (1989). Effects of clofibrate treatment and of starvation on peroxisomes, mitochondria, and lipid droplets in mouse hepatocytes: a morphometric study. *J Ultra Mol Struct Res*. 102: 87-94. [http://dx.doi.org/10.1016/0889-1605\(89\)90037-2](http://dx.doi.org/10.1016/0889-1605(89)90037-2).
- Mejia, JM; Ochoa Dominguez, H; Vergara Villegas, OO; Ortega Máynez, L; Mederos, B. (2014). Noise reduction in small-animal PET images using a multiresolution transform. *IEEE Trans Med Imaging*. 33: 2010-2019. <http://dx.doi.org/10.1109/TMI.2014.2329702>.
- Melcher, RG; Langner, RR; Kagel, RO. (1978). Criteria for the evaluation of methods for the collection of organic pollutants in air using solid sorbents. *Am Ind Hyg Assoc J*. 39: 349-361. <http://dx.doi.org/10.1080/0002889778507771>.
- Melfi, MJ. (2006). Low-voltage PWM inverter-fed motor insulation issues. *I E E E Transactions on Industry Applications*. 42: 128-133. <http://dx.doi.org/10.1109/TIA.2005.861308>.
- Melfi, MJ; Umans, SD; Atem, JE. (2015). Viability of Highly Efficient Multi-Horsepower Line-Start Permanent-Magnet Motors. *I E E E Transactions on Industry Applications*. 51: 120-128. <http://dx.doi.org/10.1109/TIA.2014.2347239>.
- Melnick, RL. (2001). Is peroxisome proliferation an obligatory precursor step in the carcinogenicity of di(2-ethylhexyl)phthalate (DEHP)? [Review]. *Environ Health Perspect*. 109: 437-442.
- Melnick, RL. (2002). The IARC evaluation of di(2-ethylhexyl)phthalate (DEHP): A flawed decision based on an untested hypothesis. *Int J Occup Environ Health*. 8: 284-286.
- Melnick, RL; Kohn, MC; Huff, J. (1997). Weight of evidence versus weight of speculation to evaluate the alpha2u-globulin hypothesis. *Environ Health Perspect*. 105: 904-906.
- Melwanki, MB; Fuh, MR. (2008). Dispersive liquid-liquid microextraction combined with semi-automated in-syringe back extraction as a new approach for the sample preparation of ionizable organic compounds prior to liquid chromatography. *J Chromatogr A*. 1198-1199: 1-6. <http://dx.doi.org/10.1016/j.chroma.2008.05.007>.
- Melwanki, MB; Fuh, MR. (2008). Partitioned dispersive liquid-liquid microextraction: an approach for polar organic compounds extraction from aqueous samples. *J Chromatogr A*. 1207: 24-28. <http://dx.doi.org/10.1016/j.chroma.2008.08.052>.
- Men, Y; Feil, H; Verberkmoes, NC; Shah, MB; Johnson, DR; Lee, PK; West, KA; Zinder, SH; Andersen, GL; Alvarez-Cohen, L. (2012). Sustainable syntrophic growth of Dehalococcoides ethenogenes strain 195 with Desulfovibrio vulgaris Hildenborough and Methanobacterium congolense: global transcriptomic and proteomic analyses. *ISME J*. 6: 410-421. <http://dx.doi.org/10.1038/ismej.2011.111>.
- Mendler, R; Hasan, R; Trolle, JB; Mina, NL. (2015). Hazardous-Rated Electrical Equipment and the Arc-Flash Hazard. *I E E E Transactions on Industry Applications*. 51: 4335-4341. <http://dx.doi.org/10.1109/TIA.2015.2424881>.
- Mendoza-Figueroa, T; López-Revilla, R; Villa-Trevino, S. (1983). DNA breaks induced by micromolar concentrations of dimethylnitrosamine in liver primary cell cultures from untreated and phenobarbital treated rats. *Toxicology*. 27: 55-69. [http://dx.doi.org/10.1016/0300-483X\(83\)90075-6](http://dx.doi.org/10.1016/0300-483X(83)90075-6).
- Meng, X; Wen, T; Sun, S; Zheng, R; Ren, J; Tang, F. (2010). Synthesis and Application of Carbon-Iron Oxide Microspheres' Black Pigments in Electrophoretic Displays. *Nanoscale Res Lett*. 5: 1664-1668. <http://dx.doi.org/10.1007/s11671-010-9692-0>.
- Mennear, J; Maronpot, R; Boorman, G; Eustis, S; Huff, J; Haseman, J; Mcconnell, E; Ragan, H; Miller, R. (1986). New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986. Toxicologic and carcinogenic effects of inhaled tetrachloroethylene in rats and mice. New York: Elsevier Science Publishers.
- Mentzen, BF; Lefebvre, F. (2002). Evolution of host/guest interactions during adsorption of tetrachloroethylene (TCET) by silicalite (MFI) - A study by X-ray powder diffraction, NMR and molecular mechanics. *Materials Research Bulletin*. 37: 957-970.
- Mera, N; Ohmori, S; Itahashi, K; Kiuchi, M; Igarashi, T; Rikihisa, T; Kitada, M. (1994). Immunochemical evidence for the occurrence of Mu class glutathione S-transferase in human fetal livers. *J Biochem*. 116: 315-320.
- Merck. (1996). The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals. In S Budavari (Ed.), (12th ed.). Rahway, NJ: Merck & Co., Inc.
- Mergler, D. (1987). Worker participation in occupational health research: Theory and practice. *Int J Health Serv*. 17: 151-167.

## Exposure Literature Search Results

### Off Topic

- Mergler, D; Belanger, S; De Grosbois, S; Vachon, N. (1988). Chromal focus of acquired chromatic discrimination loss and solvent exposure among printshop workers. *Toxicology*. 49: 341-348. [http://dx.doi.org/10.1016/0300-483X\(88\)90017-0](http://dx.doi.org/10.1016/0300-483X(88)90017-0).
- Mergler, D; Blain, L. (1987). Assessing color vision loss among solvent-exposed workers. *Am J Ind Med*. 12: 195-203. <http://dx.doi.org/10.1002/ajim.4700120208>.
- Mergler, D; Blain, L; Lemaire, J; Lalande, F. (1988). Colour vision impairment and alcohol consumption. *Neurotoxicol Teratol*. 10: 255-260. [http://dx.doi.org/10.1016/0892-0362\(88\)90025-6](http://dx.doi.org/10.1016/0892-0362(88)90025-6).
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health*. 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Mergler DHuel, G; Belanger, S; Bowler, RM; Truchon, G; Drolet, D; Ostiguy, C. (1996). Surveillance of early neurotoxic dysfunction. *Neurotoxicology*. 17: 803-812.
- Merlo-Sosa, L; Cota-Sanchez, G; Soucy, G. (2006). Effect of the liquid atomization quality on the pyrolysis of organic compounds by induction thermal plasma. *High Temperature Material Processes*. 10: 79-102.
- Mersch-Sundermann, V; Schneider, U; Klopman, G; Rosenkranz, HS. (1994). SOS induction in *Escherichia coli* and *Salmonella* mutagenicity: A comparison using 330 compounds [Review]. *Mutagenesis*. 9: 205-224. <http://dx.doi.org/10.1093/mutage/9.3.205>.
- Mertens, R; Vonsonntag, C. (1995). PHOTOLYSIS (LAMBDA=254 NM) OF TETRACHLOROETHENE IN AQUEOUS-SOLUTIONS. *J Photochem Photobiol A*. 85: 1-9.
- Meskar, A; Plee-Gautier, E; Amet, Y; Berthou, F; Lucas, D. (2001). Interactions alcool-xénobiotiques. Rôle du cytochrome P450 2E1 [Alcohol-xenobiotic interactions. Role of cytochrome P450 2E1] [Review]. *Pathol Biol*. 49: 696-702. [http://dx.doi.org/10.1016/S0369-8114\(01\)00235-8](http://dx.doi.org/10.1016/S0369-8114(01)00235-8).
- Mesrobian, A; Hudson, JA. (1997). Comparative performance of open and totally enclosed machines. *I E E E Transactions on Industry Applications*. 33: 154-159.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene. *Environ Sci Technol*. 46: 2772-2780. <http://dx.doi.org/10.1021/es203152a>.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene (vol 46, pg 2772, 2012). *Environ Sci Technol*. 46: 12241-12241. <http://dx.doi.org/10.1021/es304055d>.
- Messing, K; Dumais, L; Courville, J; Seifert, AM; Boucher, M. (1994). Evaluation of exposure data from men and women with the same job title. *J Occup Med*. 36: 913-917.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med*. 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Meszáros, E, va; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of Dehalococoides and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1768-x>.
- Meszáros, E; Sipos, R; Pal, R; Romsics, C; Marialigeti, K. (2013). Stimulation of trichloroethene biodegradation in anaerobic three-phase microcosms. *Int Biodeterior Biodegradation*. 84 (Oct 2013): 126-133. <http://dx.doi.org/10.1016/j.ibiod.2012.08.006>.
- Mettivier, G; Tabacchini, V; Conti, M; Russo, P. (2012). Signal-to-Noise Gain at Variable Randoms Ratio in TOF PET. *IEEE Trans Nucl Sci*. 59: 1948-1957. <http://dx.doi.org/10.1109/TNS.2012.2198833>.
- Meyer, AH; Penning, H; Lowag, H; Elsner, M. (2008). Precise and Accurate Compound Specific Carbon and Nitrogen Isotope Analysis of Atrazine: Critical Role of Combustion Oven Conditions. *Environ Sci Technol*. 42: 7757-7763. <http://dx.doi.org/10.1021/es800534h>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgerirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis*. 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremau, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem*. 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.
- Mi, J; Ren, J; Wang, JC; Bao, WR. (2007). Ultrasonic and microwave desulfurization of coal in tetrachloroethylene. *Energ Source Part A*. 29: 1261-1268. <http://dx.doi.org/10.1080/00908310500431040>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater*. 300: 530-537. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.047>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Zhang, X; Fu, X; Danish, M; Qiu, Z; Sui, Q. (2015). Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. *Chem Eng J*. 281: 286-294. <http://dx.doi.org/10.1016/j.cej.2015.06.076>.
- Miao, Z; Gu, X; Lu, S; Dionysiou, DD; Al-Abed, SR; Zang, X; Wu, X; Qiu, Z; Sui, Q; Danish, M. (2015). Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. *Chem Eng J*. 275: 53-62. <http://dx.doi.org/10.1016/j.cej.2015.04.014>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Miceli, A; Glister, J; Andreyev, A; Bryman, D; Kurchaninov, L; Lu, P; Muennich, A; Retiere, F; Sossi, V. (2012). Simulations of a micro-PET system based on liquid xenon. *Phys Med Biol*. 57: 1685-1700. <http://dx.doi.org/10.1088/0031-9155/57/6/1685>.

## Exposure Literature Search Results

### Off Topic

- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001480>.
- Michalak, AM; Kitanidis, PK. (2004). Application of geostatistical inverse modeling to contaminant source identification at Dover AFB, Delaware. *Journal of Hydraulic Research.* 42: 9-18.
- Michalkiewicz, B; Kalucki, K. (2002). Direct conversion of methane into methanol formaldehyde and organic acids. *Przemysl Chemiczny.* 81: 165-170.
- Michel, K; Bureau, B; Pouvreau, C; Sangleboeuf, JC; Boussard-Pledel, C; Jouan, T; Rouxel, T; Adam, JL; Staubmann, K; Steinner, H; Baumann, T; Katzir, A; Bayona, J; Konz, W. (2003). Development of a chalcogenide glass fiber device for in situ pollutant detection. *Journal of Non-Crystalline Solids.* 326: 434-438. [http://dx.doi.org/10.1016/S0022-3093\(03\)00438-1](http://dx.doi.org/10.1016/S0022-3093(03)00438-1).
- Michulec, M; Wardencki, W. (2006). The application of single drop extraction technique for chromatographic determination of solvent residues in edible oils and pharmaceutical products. *Chromatographia.* 64: 191-197. <http://dx.doi.org/10.1365/s10337-006-0009-5>.
- Michulec, M; Wardencki, W. (2007). Validation of SPME-GC and HS-GC procedures for the determination of selected solvent residues in edible oil matrices. *Accreditation and Quality Assurance.* 12: 94-104. <http://dx.doi.org/10.1007/s00769-006-0235-4>.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Sci Technol.* 37: 105-110.
- Mieles, J; Zhan, H. (2012). Analytical solutions of one-dimensional multispecies reactive transport in a permeable reactive barrier-aquifer system. *J Contam Hydrol.* 134-135: 54-68. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.002>.
- Miettinen, OS. (1970). Matching and design efficiency in retrospective studies. *Am J Epidemiol.* 91: 111-118.
- Miettinen, OS. (1976). Stratification by a multivariate confounder score. *Am J Epidemiol.* 104: 609-620.
- Miettinen, OS; Wang, JD. (1981). An alternative to the proportionate mortality ratio. *Am J Epidemiol.* 114: 144-148.
- Mieure, JP. (1980). Determining volatile organics in water. *Environ Sci Technol.* 14: 930-935. <http://dx.doi.org/10.1021/es60168a002>.
- Miguet, M; Goetz, V; Plantard, G; Jaeger, Y. (2015). Removal of a Chlorinated Volatile Organic Compound (Perchloroethylene) from the Aqueous Phase by Adsorption on Activated Carbon. *Ind Eng Chem Res.* 54: 9813-9823. <http://dx.doi.org/10.1021/acs.iecr.5b02364>.
- Miguet, M; Goetz, V; Plantard, G; Jaeger, Y. (2016). Sustainable Thermal Regeneration of Spent Activated Carbons by Solar Energy: Application to Water Treatment. *Ind Eng Chem Res.* 55: 7003-7011. <http://dx.doi.org/10.1021/acs.iecr.6b01260>.
- Mihic, SJ. (1999). Acute effects of ethanol on GABAA and glycine receptor function. *Neurochem Int.* 35: 115-123. [http://dx.doi.org/10.1016/S0197-0186\(99\)00053-4](http://dx.doi.org/10.1016/S0197-0186(99)00053-4).
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res.* 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Sci Technol.* 43: 365-372.
- Mikhaylova, E; De Lorenzo, G; Chmeissani, M; Kolstein, M; Cañadas, M; Arce, P; Calderón, Y; Uzun, D; Ariño, G; Macias-Montero, JG; Martinez, R; Puigdengoles, C; Cabruja, E. (2014). Simulation of the expected performance of a seamless scanner for brain PET based on highly pixelated CdTe detectors. *IEEE Trans Med Imaging.* 33: 332-339. <http://dx.doi.org/10.1109/TMI.2013.2284657>.
- Miligi, L; Seniori, CA; Crosignani, P; Fontana, A; Masala, G; Nanni, O; Ramazzotti, V; Rodella, S; Stagnaro, E; Tumino, R; Vigano, C; Vindigni, C; Vineis, P. (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopoeitic malignancies in women. *Am J Ind Med.* 36: 60-69. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<60::AID-AJIM9>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<60::AID-AJIM9>3.0.CO;2-Z).
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis.* 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.
- Miller, DJ; Hawthorne, SB. (2000). Solubility of liquid organics of environmental interest in subcritical (hot/liquid) water from 298 K to 473 K. *Journal of Chemical and Engineering Data.* 45: 78-81.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environ Sci Technol.* 39: 2631-2635.
- Miller, JS; Ledakowicz, S. (1993). PHOTOCHEMICAL OXIDATION OF TETRACHLOROETHENE IN CARBON-TETRACHLORIDE SOLUTIONS. *Journal of Physical Organic Chemistry.* 6: 545-550.
- Miller, RE; Guengerich, FP. (1982). Oxidation of trichloroethylene by liver microsomal cytochrome P-450: Evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry.* 21: 1090-1097. <http://dx.doi.org/10.1021/bi00534a041>.
- Miller, RE; Guengerich, FP. (1983). Metabolism of trichloroethylene in isolated hepatocytes, microsomes, and reconstituted enzyme systems containing cytochrome P-450. *Cancer Res.* 43: 1145-1152.
- Min, S; Chaigneau, M; Courtois, YA; Festy, B. (1987). [Genotoxic activity of organic esters apt to form from 2-chloroethanol generated by the sterilization by ethylene oxide]. *Ann Pharm Fr.* 45: 353-359.
- Minnich, MM; Schumacher, BA; Zimmerman, JH. (1997). Comparison of soil VOCs measured by soil gas, heated headspace, and methanol extraction techniques. *Journal of Soil Contamination.* 6: 187-203.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from amputated, dry, fortified soils. *J Environ Qual.* 26: 108-114.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res.* 43: 4429-4429. <http://dx.doi.org/10.1029/2005WR003996>.
- Miranda, B; Diaz, E; Ordóñez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Mirfazaelian, A; Kim, KB; Lee, S; Kim, HJ; Bruckner, JV; Fisher, JW. (2007). Organ growth functions in maturing male Sprague-Dawley rats. *J Toxicol Environ Health A.* 70: 429-438. <http://dx.doi.org/10.1080/15287390600755265>.

## Exposure Literature Search Results

### Off Topic

- Mitchell, AE; Morin, D; Lakritz, J; Jones, AD. (1997). Quantitative profiling of tissue- and gender-related expression of glutathione S-transferase isoenzymes in the mouse. *Biochem J.* 325: 207-216.
- Mitchell, AM; Bridges, JW; Elcombe, CR. (1984). Factors influencing peroxisome proliferation in cultured rat hepatocytes. *Arch Toxicol.* 55: 239-246.
- Mitchell, AM; Lhuguenot, JC; Bridges, JW; Elcombe, CR. (1985). Identification of the proximate peroxisome proliferator(s) derived from di(2-ethylhexyl) phthalate. *Toxicol Appl Pharmacol.* 80: 23-32. [http://dx.doi.org/10.1016/0041-008X\(85\)90097-3](http://dx.doi.org/10.1016/0041-008X(85)90097-3).
- Mitra, S; Gupta, SK. (2013). Biodegradation of tetrachloroethylene-rich synthetic wastewater in anaerobic hybrid reactor. *Desalination and Water Treatment.* 51: 4506-4513. <http://dx.doi.org/10.1080/19443994.2013.770232>.
- Mitra, S; Gupta, SK. (2013). Biodegradation of Trichloroethylene in Anaerobic Hybrid Reactor. *Environ Prog Sustain Energy.* 32: 1055-1060. <http://dx.doi.org/10.1002/ep.11705>.
- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloroethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. *Clean Tech Environ Pol.* 16: 947-956. <http://dx.doi.org/10.1007/s10098-013-0695-2>.
- Mizobuchi, M; Okuda, S; Nishikawa, Y; Hasuike, A; Sakaguchi, S. (1987). DECOMPOSITION OF 1,1,1,2-TETRACHLOROETHYLENE USED AS INNER STANDARD SUBSTANCE ON GAS CHROMATOGRAPHY. *Eisei Kagaku.* 33: 165-169.
- Mo, J; Xu, N; Xiao, C; Cheng, B; Han, X. (2015). Polymethacrylate-based Fiber Containing an Interpenetrating Polymer Network and Its Use for Oil Absorption. *Fibers and Polymers.* 16: 8-16. <http://dx.doi.org/10.1007/s12221-015-0008-y>.
- Mochida, K; Saito, K. (1985). Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. *Bull Environ Contam Toxicol.* 35: 593-595.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. *J Hydrol.* 542: 437-449. <http://dx.doi.org/10.1016/j.jhydrol.2016.09.023>.
- Moerbeek, M; Piersma, AH; Slob, W. (2004). A comparison of three methods for calculating confidence intervals for the benchmark dose. *Risk Anal.* 24: 31-40. <http://dx.doi.org/10.1111/j.0272-4332.2004.00409.x>.
- Moeschlin, S. (1965). Poisoning: diagnosis and treatment. New York: Grune and Stratton.
- Moghaddam, AP; Abbas, R; Fisher, JW; Lipscomb, JC. (1997). The role of mouse intestinal microflora in the metabolism of trichloroethylene, an in vivo study. *Hum Exp Toxicol.* 16: 629-635. <http://dx.doi.org/10.1177/096032719701601101>.
- Moghaddam, AP; Abbas, R; Fisher, JW; Stavrou, S; Lipscomb, JC. (1996). Formation of dichloroacetic acid by rat and mouse gut microflora, an in vitro study. *Biochem Biophys Res Commun.* 228: 639-645. <http://dx.doi.org/10.1006/bbrc.1996.1709>.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. *Environ Sci Technol.* 39: 1698-1706. <http://dx.doi.org/10.1021/es048810o>.
- Mohammed, OF; Luber, S; Batista, VS; Nibbering, ET. (2011). Ultrafast branching of reaction pathways in 2-(2'-hydroxyphenyl)benzothiazole in polar acetonitrile solution. *J Phys Chem A.* 115: 7550-7558. <http://dx.doi.org/10.1021/jp202277t>.
- Mohammed, OF; Xiao, D; Batista, VS; Nibbering, ET. (2014). Excited-state intramolecular hydrogen transfer (ESIHT) of 1,8-dihydroxy-9,10-anthraquinone (DHAQ) characterized by ultrafast electronic and vibrational spectroscopy and computational modeling. *J Phys Chem A.* 118: 3090-3099. <http://dx.doi.org/10.1021/jp501612f>.
- Molins, E; Miravittles, C; Espinosa, E; Ballester, M. (2002). 1,1',3,3',6,6',8,8'-octachloro-9,9'-bifluorenylidene and perchloro-9,9'-bifluorenylidene, two exceedingly twisted ethylenes. *J Org Chem.* 67: 7175-7178. <http://dx.doi.org/10.1021/jo010979m>.
- Molnar, IL; O'Carroll, DM; Gerhard, JI. (2011). Impact of surfactant-induced wettability alterations on DNAPL invasion in quartz and iron oxide-coated sand systems. *J Contam Hydrol.* 119: 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.004>.
- Moloney, WC; King, VP. (1973). Reduction of leukemia incidence following splenectomy in the rat. *Cancer Res.* 33: 573-574.
- Mondal, PK; Lima, G; Zhang, D; Lomheim, L; Tossell, RW; Patel, P; Sleep, BE. (2016). Evaluation of peat and sawdust as permeable reactive barrier materials for stimulating in situ biodegradation of trichloroethene. *J Hazard Mater.* 313: 37-48. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.049>.
- Monnier, H; Falk, L. (2011). Intensification of G/L absorption in microstructured falling film. Application to the treatment of chlorinated VOC's - part II: Modeling and geometric optimization. *Chem Eng Sci.* 66: 2475-2490. <http://dx.doi.org/10.1016/j.ces.2011.01.016>.
- Monnier, H; Falk, L; Lapique, F; Hadjoudj, R; Roizard, C. (2010). Intensification of G/L absorption in microstructured falling film. Application to the treatment of chlorinated VOC's - part I: Comparison between structured and microstructured packings in absorption devices. *Chem Eng Sci.* 65: 6425-6434. <http://dx.doi.org/10.1016/j.ces.2010.09.027>.
- Monnier, H; Mhiri, N; Falk, L. (2010). Falling liquid film stability in microgas/liquid absorption. *Chemical Engineering and Processing: Process Intensification.* 49: 953-957. <http://dx.doi.org/10.1016/j.cep.2010.05.001>.
- Monster, A; Regouin-Peters, W; Van Schijndel, A; Van der Tuin, J. (1983). Biological monitoring of occupational exposure to tetrachloroethene. *Scand J Work Environ Health.* 9: 273-281.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health.* 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>; <http://link.springer.com/article/10.1007%2FBF00377785>.
- Monster, AC. (1984). Trichloroethylene. In A Aitio; V Riihimaki; H Vainio (Eds.), (pp. 111-130). Washington, DC: Hemisphere Publishing Corporation.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of 1,1,1,-trichloroethane in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health.* 42: 293-301. <http://dx.doi.org/10.1007/BF00377783>.

## Exposure Literature Search Results

### Off Topic

- Monteiro, RAR; Miranda, SM; Rodrigues-Silva, C; Faria, JL; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Gas phase oxidation of n-decane and PCE by photocatalysis using an annular photoreactor packed with a monolithic catalytic bed coated with P25 and PC500. *Appl Catal B-Environ*. 165: 306-315. <http://dx.doi.org/10.1016/j.apcatb.2014.10.026>.
- Monteiro, RAR; Rodrigues-Silva, C; Lopes, FVS; Silva, AMT; Boaventura, R, uiAR; Vilar, VJP. (2015). Evaluation of a solar/UV annular pilot scale reactor for 24 h continuous photocatalytic oxidation of n-decane. *Chem Eng J*. 280: 409-416. <http://dx.doi.org/10.1016/j.cej.2015.06.014>.
- Monteiro, RAR; Silva, AMT; Angelo, JRM; Silva, GV; Mendes, AM; Boaventura, R, uiAR; Vilar, VJP. (2015). Photocatalytic oxidation of gaseous perchloroethylene over TiO<sub>2</sub> based paint. *J Photochem Photobiol A*. 311: 41-52. <http://dx.doi.org/10.1016/j.jphotochem.2015.06.007>.
- Moody, DE; Reddy, JK; Lake, BG; Popp, JA; Reese, DH. (1991). Peroxisome proliferation and nongenotoxic carcinogenesis: commentary on a symposium. *Toxicol Sci*. 16: 233-248.
- Moon, CS; Lee, JT; Chun, JH; Ikeda, M. (2001). Use of solvents in industries in Korea: experience in Sinpyeong-Jangrim industrial complex. *Int Arch Occup Environ Health*. 74: 148-152.
- Moon, IS; Kim, DS; Lee, SH. (2001). New method for patterning the rear passivation layers of high-efficiency solar cells. *Journal of Materials Science: Materials in Electronics*. 12: 605-607.
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect*. 108: 215-223.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurrekoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med*. 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Morelli, S; Grigioni, M; Giovagnoli, MR; Balzano, S; Giansanti, D. (2010). Picture archiving and communication systems in digital cytology. *Ann Ist Super Sanita*. 46: 130-137. [http://dx.doi.org/10.4415/ANN\\_10\\_02\\_05](http://dx.doi.org/10.4415/ANN_10_02_05).
- Moreno-Barbero, E; Kim, Y; Saenton, S; Illangasekare, TH. (2007). Intermediate-scale investigation of nonaqueous-phase liquid architecture on partitioning tracer test performance. *Vadose Zone Journal*. 6: 725-734. <http://dx.doi.org/10.2136/vzj2006.0108>.
- Moreno-Medina, CU; Breton-Deval, L; Rios-Leal, E; Barrera-Cortes, J; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2011). PERCHLOROETHYLENE SOLUBILIZATION WITH A NON-IONIC TENSIOACTIVE. *Interciencia*. 36: 224-228.
- Mori, N; Ohta, S; Chiba, H; Takagi, T; Niimi, Y; Shinde, V; Kajale, MD; Osada, T. (2013). Rediscovery of Indian dwarf wheat (*Triticum aestivum* L. ssp *sphaerococcum* (Perc.) MK.) an ancient crop of the Indian subcontinent. *Genetic Resources and Crop Evolution*. 60: 1771-1775. <http://dx.doi.org/10.1007/s10722-013-9994-z>.
- Morimoto, Y; Ueno, Y; Takeuchi, W; Kojima, S; Matsuzaki, K; Ishitsu, T; Umegaki, K; Kiyanagi, Y; Kubo, N; Katoh, C; Shiga, T; Shirato, H; Tamaki, N. (2011). Development of a 3D Brain PET Scanner Using CdTe Semiconductor Detectors and Its First Clinical Application. *IEEE Trans Nucl Sci*. 58: 2181-2189. <http://dx.doi.org/10.1109/TNS.2011.2146790>.
- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis*. 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morishige, AE; Jensen, MA; Needleman, DB; Nakayashiki, K; Hofstetter, J; Li, T, suTA; Buonassisi, T. (2016). Lifetime Spectroscopy Investigation of Light-Induced Degradation in p-type Multicrystalline Silicon PERC. 6: 1466-1472. <http://dx.doi.org/10.1109/JPHOTOV.2016.2606699>.
- Morita, Z; Uchimura, K; Motomura, H. (1975). FUNDAMENTAL STUDIES OF SOLVENT DYEING WITH TETRACHLOROETHYLENE .2. DIFFUSION OF 1,4-DIAMINOANTHRAQUINONE IN NYLON-6. *Bull Chem Soc Jpn*. 48: 1081-1082.
- Moriya, M; Ohta, T; Watanabe, K; Miyazawa, T; Kato, K; Shirasu, Y. (1983). Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res*. 116: 185-216.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Sherwood Lollar, B. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol*. 76: 279-293. <http://dx.doi.org/10.1016/j.jconhyd.2004.11.002>.
- Morrill, PL; Seepersad, DJ; Lacrampe-Couloume, G; Edwards, EA; Sleep, BE; McMaster, ML; Major, DW; Lollar, BS. (2004). The use of stable carbon isotope analysis to model enhanced dissolution of tetrachloroethene. *Geochim Cosmo Acta*. 68: A458-A458.
- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; Lebron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol*. 110: 60-71. <http://dx.doi.org/10.1016/j.jconhyd.2009.08.006>.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: toward an improved quantification of biodegradation. *Environ Sci Technol*. 40: 3886-3892. <http://dx.doi.org/10.1021/es051513e>.
- Morrison, G; Li, H; Mishra, S; Buechlein, M. (2015). Airborne phthalate partitioning to cotton clothing. *Atmos Environ*. 115: 149-152. <http://dx.doi.org/10.1016/j.atmosenv.2015.05.051>.
- Morrison, G; Shakila, NV; Parker, K. (2015). Accumulation of gas-phase methamphetamine on clothing, toy fabrics, and skin oil. *Indoor Air*. 25: 405-414. <http://dx.doi.org/10.1111/ina.12159>.
- Morrison, GC; Weschler, CJ; Bekö, G; Koch, HM; Salthammer, T; Schripp, T; Toftum, J; Clausen, G. (2016). Role of clothing in both accelerating and impeding dermal absorption of airborne SVOCs. *J Expo Sci Environ Epidemiol*. 26: 113-118. <http://dx.doi.org/10.1038/jes.2015.42>.
- Morse, HC, III; Anver, MR; Fredrickson, TN; Haines, DC; Harris, AW; Harris, NL; Jaffe, ES; Kogan, SC; MacLennan, IC; Pattengale, PK; Ward, JM. (2002). Bethesda proposals for classification of lymphoid neoplasms in mice. *Neoplasia*. 100: 246-258.

## Exposure Literature Search Results

### Off Topic

- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, W; Marjanovic, D. (1984). Leukemia incidence by occupation in the Portland-Vancouver metropolitan area. *Am J Ind Med.* 6: 185-205.
- Moryama, MT; Domiki, C; Miyazawa, K; Tanaka, T; Suzuki, K. (2005). Effects of oxalate exposure on Madin-Darby canine kidney cells in culture: Renal prothrombin fragment-1 mRNA expression. *Urol Res.* 33: 470-475. <http://dx.doi.org/10.1007/s00240-005-0510-6>.
- Moser, RH. (1983). TETRACHLOROETHYLENE IN DRINKING-WATER - A WATER SUPPLIERS PERSPECTIVE - DISCUSSION. *J Am Water Works Assoc.* 75: 189-190.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol.* 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moslen, MT; Reynolds, ES; Boor, PJ; Bailey, K; Szabo, S. (1977). Trichloroethylene-induced deactivation of cytochrome P-450 and loss of liver glutathione in vivo. *Res Comm Chem Pathol Pharmacol.* 16: 109-120.
- Moss, RA. (2010). "Carbon Dichloride": Dihalocarbenes Sixty Years After Hine. *J Org Chem.* 75: 5773-5783.
- Mouafi, YPB; Zuschlag, AS; Pichon, PY; Fritz, JM; Schonecker, A; Hahn, G. (2016). Novel RGS materials with high fill factors and no material-induced shunts with record solar cell efficiencies exceeding 16%. *Solar Energy Materials and Solar Cells.* 146: 25-34. <http://dx.doi.org/10.1016/j.solmat.2015.11.022>.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). ADSORPTION-ISOTHERMS OF TRICHLOROETHYLENE AND TETRACHLOROETHYLENE BY VARIOUS NATURAL SOLIDS. *J Hydrol.* 149: 163-182.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology.* 31: 89-95.
- Mueller, J; Cen, YW; Davis, RH. (1997). Crossflow microfiltration of oily water. *J Memb Sci.* 129: 221-235.
- Mueller, J; Hinken, D; Blankemeyer, S; Kohlenberg, H; Sonntag, U; Bothe, K; Dullweber, T; Koentges, M; Brendel, R. (2015). Resistive Power Loss Analysis of PV Modules Made From Halved 15.6 x 15.6 cm(2) Silicon PERC Solar Cells With Efficiencies up to 20.0%. 5: 189-194. <http://dx.doi.org/10.1109/JPHOTOV.2014.2367868>.
- Mueller, M; Altermatt, PP; Wagner, H; Fischer, G. (2014). Sensitivity Analysis of Industrial Multicrystalline PERC Silicon Solar Cells by Means of 3-D Device Simulation and Metamodeling. 4: 107-113. <http://dx.doi.org/10.1109/JPHOTOV.2013.2287753>.
- Mueser, KT; McGurk, SR. (2004). Schizophrenia [Review]. *Lancet.* 363: 2063-2072. [http://dx.doi.org/10.1016/S0140-6736\(04\)16458-1](http://dx.doi.org/10.1016/S0140-6736(04)16458-1).
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res.* 29: 2434-2439.
- Mujahid, A; Stathopoulos, H; Lieberzeit, PA; Dickert, FL. (2010). Solvent vapour detection with cholesteric liquid crystals-optical and mass-sensitive evaluation of the sensor mechanism. *Sensors.* 10: 4887-4897. <http://dx.doi.org/10.3390/s100504887>.
- Mukerjee, S; Smith, LA; Thoma, ED; Oliver, KD; Whitaker, DA; Wu, T; Colon, M; Alston, L; Cousett, TA; Stallings, C. (2016). Spatial analysis of volatile organic compounds in South Philadelphia using passive samplers. *Journal of the Air and Waste Management Association.* 66: 492-498. <http://dx.doi.org/10.1080/10962247.2016.1147505>.
- Mukherjee, R; Jow, L; Noonan, D; McDonnell, DP. (1994). Human and rat peroxisome proliferator activated receptors (PPARs) demonstrate similar tissue distribution but different responsiveness to PPAR activators. *J Steroid Biochem Mol Biol.* 51: 157-166. [http://dx.doi.org/10.1016/0960-0760\(94\)90089-2](http://dx.doi.org/10.1016/0960-0760(94)90089-2).
- Mullen, K; Carron, K. (1994). ADSORPTION OF CHLORINATED ETHYLENES AT 1-OCTADECANETHIOL-MODIFIED SILVER SURFACES. *Anal Chem.* 66: 478-483.
- Mullens, J; Reggers, G; Ruysen, M; Carleer, R; Yperman, J; Franco, D; Vanpoucke, LC. (1997). The determination of the gases released during heating of a flame retardant for polymers - Coupling of TG with FTIR, MS and GC-MS. 49: 1061-1067.
- Muller, G; Spassovski, M; Henschler, D. (1974). Metabolism of trichloroethylene in man: II. Pharmacokinetics of metabolites. *Arch Toxicol.* 32: 283-295. <http://dx.doi.org/10.1007/BF00330110>.
- Mumford, KG; Smith, JE; Dickson, SE. (2008). Mass flux from a non-aqueous phase liquid pool considering spontaneous expansion of a discontinuous gas phase. *J Contam Hydrol.* 98: 85-96. <http://dx.doi.org/10.1016/j.jconhyd.2008.02.007>.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A.* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water.* 45: 692-702. <http://dx.doi.org/10.1111/j.1745-6584.2007.00359.x>.
- Mundt, KA; Birk, T; Burch, MT. (2003). Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer [Review]. *Int J Occup Environ Health.* 76: 473-491. <http://dx.doi.org/10.1007/s00420-003-0457-2>.
- Munoz, MJ; Rodriguez, M; Martin, R; Galan, M. (1994). A STUDY OF THE VISCOSITY OF METHYL MYRISTATE SOLUTIONS IN ORGANIC-SOLVENTS. 90: 177-180.
- Murakami, K; Horikawa, K. (1995). The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere.* 31: 3733-3739. [http://dx.doi.org/10.1016/0045-6535\(95\)00222-T](http://dx.doi.org/10.1016/0045-6535(95)00222-T).
- Murata, K; Inoue, O; Akutsu, M; Iwata, T. (2010). Neuromotor Effects of Short-Term and Long-Term Exposures to Trichloroethylene in Workers. *Am J Ind Med.* 53: 915-921. <http://dx.doi.org/10.1002/ajim.20850>.



## Exposure Literature Search Results

### Off Topic

- Murphy, B; Kirwan, P; Mcloughlin, R. (2003). Investigation into polymer-diffusant interactions using ATR-FTIR spectroscopy. *Vibrational Spectroscopy*. 33: 75-82. [http://dx.doi.org/10.1016/S0924-2031\(03\)00091-2](http://dx.doi.org/10.1016/S0924-2031(03)00091-2).
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Murray, WD; Richardson, M. (1993). DEVELOPMENT OF BIOLOGICAL AND PROCESS TECHNOLOGIES FOR THE REDUCTION AND DEGRADATION OF PULP-MILL WASTES THAT POSE A THREAT TO HUMAN HEALTH. *Crit Rev Environ Sci Tech*. 23: 157-194.
- Musgrove, M; Katz, BG; Fahluquist, LS; Crandall, CA; Lindgren, RJ. (2014). Factors Affecting Public-Supply Well Vulnerability in Two Karst Aquifers. *Ground Water*. 52: 63-75. <http://dx.doi.org/10.1111/gwat.12201>.
- Mutti, A. (2012). Biological monitoring as a means to assess exposure and to predict adverse effects of chemical pollutants: an overview of current activities in key Italian laboratories CONCLUSION. *Med Lav*. 103: 413-416.
- Mutti, A; Ferroni, C; Vescovi, PP; Bottazzi, R; Selis, L; Gerra, G; Franchini, I. (1989). Endocrine effects of psychological stress associated with neurobehavioral performance testing. *Life Sci*. 44: 1831-1836.
- Muttray, A; Wolff, U; Jung, D; Konietzko, J. (1997). Blue-yellow deficiency in workers exposed to low concentrations of organic solvents. *Int Arch Occup Environ Health*. 70: 407-412.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.
- Myszkowski, J; Pelech, R; Wroblewska, A; Milchert, E. (2006). Formation of environmentally friendly processes by utilization of wastes and by-products. *Przemysł Chemiczny*. 85: 638-640.
- Naessens, M; Tran-Minh, A. (1998). Whole-cell biosensor for determination of volatile organic compounds in the form of aerosols. *Anal Chim Acta*. 364: 153-158.
- Naessens, M; Tran-Minh, C. (1999). Biosensor using immobilized *Chlorella* microalgae for determination of volatile organic compounds. *Sens Actuators B*. 59: 100-102.
- Nagano, K; Nishizawa, T; Yamamoto, S; Matsushima, T. (1998). Inhalation carcinogenesis studies of six halogenated hydrocarbons in rats and mice. In K Chiyotani; Y Hosoda; Y Aizawa (Eds.), (pp. 741-746). Amsterdam: Elsevier Science.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE*. 38: 240-246.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A*. 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakajima, T; Kamijo, Y; Usuda, N; Liang, Y; Fukushima, Y; Kametani, K; Gonzalez, FJ; Aoyama, T. (2000). Sex-dependent regulation of hepatic peroxisome proliferation in mice by trichloroethylene via peroxisome proliferator-activated receptor alpha (PPARalpha). *Carcinogenesis*. 21: 677-682.
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater*. 165: 388-393. <http://dx.doi.org/10.1016/j.jhazmat.2008.10.030>.
- Nakamura, Y; Shimazoe, K; Takahashi, H; Yoshimura, S; Seto, Y; Kato, S; Takahashi, M; Momose, T. (2016). Development of a novel handheld intra-operative laparoscopic Compton camera for (18)F-Fluoro-2-D-glucose-guided surgery. *Phys Med Biol*. 61: 5837-5850. <http://dx.doi.org/10.1088/0031-9155/61/15/5837>.
- Nakanishi, S; Hino, T. (1993). DETERMINATION OF VOLATILE CHLORINATED HYDROCARBONS IN SOIL USING SAMPLING VIALS FOR STORAGE AND EXTRACTION BY MEANS OF WATER-HEXANE EXTRACTION METHOD. *JTTHE*. 39: 29-36.
- Nakasa, H; Mera, N; Ohmori, S; Itahashi, K; Igarashi, T; Ishii, I; Kitada, M. (1997). Nucleotide sequence of pi class glutathione S-transferase in human fetal liver. *Res Commun Mol Pathol Pharmacol*. 97: 67-78.
- Nakatsuka, H; Watanabe, T; Takeuchi, Y; Hisanaga, N; Shibata, E; Suzuki, H; Huang, MY; Chen, Z; Qu, QS; Ikeda, M. (1992). Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health*. 64: 113-117. <http://dx.doi.org/10.1007/BF00381478>; <http://link.springer.com/article/10.1007%2FBF00381478>.
- Nakayashiki, K; Hofstetter, J; Morishige, AE; Li, T, suTA; Needleman, DB; Jensen, MA; Buonassisi, T. (2016). Engineering Solutions and Root-Cause Analysis for Light-Induced Degradation in p-Type Multicrystalline Silicon PERC Modules. 6: 860-868. <http://dx.doi.org/10.1109/JPHOTOV.2016.2556981>.
- Nam, J; Kim, I; Kwon, J; Kim, YD, o. (2016). Applications of electrochemical ferrate(VI) for degradation of trichloroethylene in the aqueous phase. *Desalination and Water Treatment*. 57: 5138-5145. <http://dx.doi.org/10.1080/19443994.2014.1001440>.
- Nambi, IM; Werth, CJ; Sanford, RA; Valocchi, AJ. (2003). Pore-scale analysis of anaerobic halo-respiring bacterial growth along the transverse mixing zone of an etched silicon pore network. *Environ Sci Technol*. 37: 5617-5624. <http://dx.doi.org/10.1021/es034271w>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res*. 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).

## Exposure Literature Search Results

### Off Topic

- Nath, J. R.; Saini, R. (1991). VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE AND CYCLOHEXANE. *Fluid Phase Equilibria*. 68: 281-290.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria*. 109: 39-51.
- Nath, J; Chaudhary, SK. (1992). EXCESS VOLUMES, DIELECTRIC-CONSTANTS, REFRACTIVE-INDEXES, AND VISCOSITIES FOR ANISOLE PLUS METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHENE, TETRACHLOROETHENE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data*. 37: 387-390.
- Nath, J; Dixit, AP. (1984). ULTRASONIC VELOCITIES IN, AND ADIABATIC COMPRESSIBILITIES AND EXCESS VOLUMES FOR, BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, AND CYCLOHEXANE. *Journal of Chemical and Engineering Data*. 29: 313-316.
- Nath, J; Dixit, AP. (1990). TOTAL VAPOR-PRESSURES FOR BINARY-LIQUID MIXTURES OF ACETONE WITH TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE AND CYCLOHEXANE AT 273.15 K. *Fluid Phase Equilibria*. 60: 205-212.
- Nath, J; Mishra, SK. (1998). Excess molar volumes and kinematic viscosities of binary liquid mixtures of cyclohexanone plus dichloromethane, plus trichloromethane, plus 1,2-dichloroethane, plus trichloroethene, plus 1,1,1-trichloroethane, and plus cyclohexane. *Journal of Chemical and Engineering Data*. 43: 196-200.
- Nath, J; Mishra, SK. (1998). Excess molar volumes of (cyclohexanone plus trichloromethane, or 1,2-dichloroethane, or trichloroethene, or 1,1,1-trichloroethane, or cyclohexane) at T = 308.15 K, and of (cyclohexanone plus dichloromethane) at T = 303.15 K. *Fluid Phase Equilibria*. 152: 277-282.
- Nath, J; Mishra, SK. (1998). Relative permittivities and refractive indices of binary mixtures of cyclohexanone with dichloromethane, trichloromethane, 1,2-dichloroethane, trichloroethene and cyclohexane at T = 303.15 K. *Fluid Phase Equilibria*. 145: 89-97.
- Nath, J; Pandey, JG. (1996). Excess molar volumes, relative permittivities, and refractive indexes of 1,1,2,2-tetrachloroethane plus pyridine, plus anisole, plus methyl ethyl ketone, and plus 1,4-dioxane at 303.15 K. *Journal of Chemical and Engineering Data*. 41: 844-847.
- Nath, J; RASHMI. (1990). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF 1,4-DIOXANE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria*. 58: 319-324.
- Nath, J; Saini, R. (1989). EXCESS VOLUMES FOR BINARY-LIQUID MIXTURES OF METHYLETHYLKETONE WITH METHYLENE-CHLORIDE, 1,2-DICHLOROETHANE, TRICHLOROETHYLENE, TETRACHLOROETHYLENE AND CYCLOHEXANE AT VARIOUS TEMPERATURES. *Fluid Phase Equilibria*. 50: 297-303.
- Navarri, P; Marchal, D; Ginestet, A. (2001). Activated carbon fibre materials for VOC removal. *Filtrat Separ*. 38: 34-40.
- Nayak, JN; Aralaguppi, MI; Toti, US; Aminabhavi, TM. (2003). Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of Tri- n -butylamine + Triethylamine, + Tetrahydrofuran, + Tetradecane, + Tetrachloroethylene, + Pyridine, or + Trichloroethylene at (298.15, 303.15, and 308.15) K. *Journal of Chemical and Engineering Data*. 48: 1483-1488. <http://dx.doi.org/10.1021/jc030147g>.
- NCI. (1977). Bioassay of lindane for possible carcinogenicity. (DHEW Publication No. (NIH) 77-814). Bethesda, Maryland.
- NCI. (2010). SEER stat fact sheets: Non-Hodgkin lymphoma: Survival & stage. Bethesda, MD. <http://seer.cancer.gov/statfacts/html/nhl.html#survival>.
- NCI. (2010). What you need to know about cervical cancer. (NIH Publication No. 08-2407). Washington, D.C.: U.S. Department of Health and Human Services. <http://www.cancer.gov/cancertopics/wyntk/cervix.pdf>.
- Ndjou'ou, AC; Bou-Nasr, J; Cassidy, D. (2006). Effect of Fenton reagent dose on coexisting chemical and microbial oxidation in soil. *Environ Sci Technol*. 40: 2778-2783. <http://dx.doi.org/10.1021/es0525152>.
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. *Water Res*. 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. *Environ Monit Assess*. 60: 329-336.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Enhanced Photocatalytic Activity of TiO<sub>2</sub> Nanosheets by Doping with Cu for Chlorinated Solvent Pollutants Degradation. *Ind Eng Chem Res*. 53: 1368-1376. <http://dx.doi.org/10.1021/ie403405z>.
- Ndong, LBB, i; Ibondou, MP; Gu, X; Xu, M; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO<sub>2</sub> Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air Soil Pollut*. 225. <http://dx.doi.org/10.1007/s11270-014-1951-8>.
- Ndong, LBB, i; Ibondou, MP; Miao, Z; Gu, X; Lu, S; Qiu, Z; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO<sub>2</sub> nano-sheets in aqueous phase. *J Environ Sci*. 26: 1188-1194. [http://dx.doi.org/10.1016/S1001-0742\(13\)60541-0](http://dx.doi.org/10.1016/S1001-0742(13)60541-0).
- Nduta, KG; Mwangi, IW; Wanjau, RW; Ngila, JC. (2016). Removal of Chlorine and Chlorinated Organic Compounds from Aqueous Media Using Substrate-Anchored Zero-Valent Bimetals. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-015-2685-y>.
- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 362-388. <http://dx.doi.org/10.1080/10937400903158359>.
- Neasham, D; Sifi, A; Nielsen, KR; Overvad, K; Raaschou-Nielsen, O; Tjønneland, A; Barricarte, A; González, CA; Navarro, C; Rodriguez Suarez, L; Travis, RC; Key, T; Linseisen, J; Kaaks, R; Crosignani, P; Berrino, F; Rosso, S; Mattiello, A; Vermeulen, RC; Bueno-de-Mesquita, HB; Berglund, G; Manjer, J; Zackrisson, S; Hallmans, G; Malmer, B; Bingham, S; Khaw, KT; Bergmann, MM; Boeing, H; Trichopoulou, A; Masala, G; Tumino, R; Lund, E; Slimani, N; Ferrari, P; Boffetta, P; Vineis, P; Riboli, E. (2011). Occupation and risk of lymphoma: A

## Exposure Literature Search Results

### Off Topic

- multicentre prospective cohort study (EPIC) - Erratum [Erratum]. *Occup Environ Med.* 68: 550. <http://dx.doi.org/10.1136/oem.2009.048173corr1>.
- Neely, WB; Branson, DR; Blau, GE. (1974). Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environ Sci Technol.* 8: 1113-1115. <http://dx.doi.org/10.1021/es60098a008>.
- Nelson, A; Mendoza, T; Hoyle, G; Brody, A; Fermin, C; Morris, G. (2001). Enhancement of fibrogenesis by the p53 tumor suppressor protein in asbestos-exposed rodents. *Chest.* 120: S33-S34. [http://dx.doi.org/10.1378/chest.120.1\\_suppl.S33](http://dx.doi.org/10.1378/chest.120.1_suppl.S33).
- Nelson, BK; Snyder, DL; Shaw, PB. (2001). Developmental toxicity interactions of methanol and radiofrequency radiation or 2-methoxyethanol in rats. *Int J Toxicol.* 20: 89-100.
- Nelson, DE; Emont, SL; Brackbill, RM; Cameron, LL; Peddicord, J; Fiore, MC. (1994). Cigarette smoking prevalence by occupation in the United States. A comparison between 1978 to 1980 and 1987 to 1990 [Review]. *J Occup Med.* 36: 516-525.
- Nelson, DK; Lapara, TM; Novak, PJ. (2012). Structure and function of assemblages of Bacteria and Archaea in model anaerobic aquifer columns: can functional instability be practically beneficial? *Environ Sci Technol.* 46: 10137-10144. <http://dx.doi.org/10.1021/es300652z>.
- Nelson, GM; Swank, AE; Brooks, LR; Bailey, KC; George, SE. (2001). Metabolism, microflora effects, and genotoxicity in haloacetic acid-treated cultures of rat cecal microbiota. *Toxicol Sci.* 60: 232-241. <http://dx.doi.org/10.1093/toxsci/60.2.232>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis.* 16: 1243-1245.
- Nelson, JL; Fung, JM; Cadillo-Quiroz, H; Cheng, X; Zinder, SH. (2011). A role for *Dehalobacter* spp. in the reductive dehalogenation of dichlorobenzenes and monochlorobenzene. *Environ Sci Technol.* 45: 6806-6813. <http://dx.doi.org/10.1021/es200480k>.
- Nelson, JL; Jiang, J; Zinder, SH. (2014). Dehalogenation of chlorobenzenes, dichlorotoluenes, and tetrachloroethene by three *Dehalobacter* spp. *Environ Sci Technol.* 48: 3776-3782. <http://dx.doi.org/10.1021/es4044769>.
- Nelson, MA; Bull, RJ. (1988). Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver in vivo. *Toxicol Appl Pharmacol.* 94: 45-54. [http://dx.doi.org/10.1016/0041-008X\(88\)90335-3](http://dx.doi.org/10.1016/0041-008X(88)90335-3).
- Nelson, MA; Lansing, AJ; Sanchez, IM; Bull, RJ; Springer, DL. (1989). Dichloroacetic acid and trichloroacetic acid-induced DNA strand breaks are independent of peroxisome proliferation. *Toxicology.* 58: 239-248. [http://dx.doi.org/10.1016/0300-483X\(89\)90139-X](http://dx.doi.org/10.1016/0300-483X(89)90139-X).
- Nelson, MD; Parker, BL; Al, TA; Cherry, JA; Loomer, D. (2001). Geochemical reactions resulting from in situ oxidation of PCE-DNAPL by KMnO<sub>4</sub> in a sandy aquifer. *Environ Sci Technol.* 35: 1266-1275.
- Nelson, YM; Jewell, WJ. (1993). VINYL-CHLORIDE BIODEGRADATION WITH METHANOTROPHIC ATTACHED FILMS. *J Environ Eng.* 119: 890-907.
- Nemali, MR; Usuda, N; Reddy, MK; Oyasu, K; Hashimoto, T; Osumi, T; Rao, MS; Reddy, JK. (1988). Comparison of constitutive and inducible levels of expression of peroxisomal beta-oxidation and catalase genes in liver and extrahepatic tissues of rat. *Cancer Res.* 48: 5316-5324.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A, my; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere.* 80: 600-607. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.036>.
- Nesslany, F; Marzin, D. (1999). A micromethod for the in vitro micronucleus assay. *Mutagenesis.* 14: 403-410. <http://dx.doi.org/10.1093/mutage/14.4.403>.
- Nestmann, ER; Chu, I; Kowbel, DJ; Matula, TI. (1980). Short-lived mutagen in *Salmonella* produced by reaction of trichloroacetic acid and dimethyl sulphoxide. *Can J Genet Cytol.* 22: 35-40. <http://dx.doi.org/10.1139/g80-006>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med.* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Neumann, HP; Rittel, A; Hertwig, K; Weber, A. (1995). EXPERIMENTAL INVESTIGATIONS OF THE KINETICS OF CATHODIC REDUCTION OF CHLORINATED HYDROCARBONS. *Chem Tech (Leipzig).* 47: 74-80.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination.* 7: 531-542.
- Newman, TB; Hulley, SB. (1996). Carcinogenicity of lipid-lowering drugs [Review]. *JAMA.* 275: 55-60.
- Nexo, BA. (1995). Risk assessment methodologies for carcinogenic compounds in indoor air. *Scand J Work Environ Health.* 21: 376-381.
- Ni, Y; Wong, T; Kadlubar, F; Fu, P. (1994). Hepatic metabolism of chloral hydrate to free radical(s) and induction of lipid peroxidation. *Biochem Biophys Res Commun.* 204: 937-943. <http://dx.doi.org/10.1006/bbrc.1994.2550>.
- Ni, YC; Kadlubar, FF; Fu, PP. (1995). Formation of malondialdehyde-modified 2'-deoxyguanosyl adduct from metabolism of chloral hydrate by mouse liver microsomes. *Biochem Biophys Res Commun.* 216: 1110-1117. <http://dx.doi.org/10.1006/bbrc.1995.2735>.
- Ni, YC; Wong, TY; Lloyd, RV; Heinze, TM; Shelton, S; Casciano, D; Kadlubar, FF; Fu, PP. (1996). Mouse liver microsomal metabolism of chloral hydrate, trichloroacetic acid, and trichloroethanol leading to induction of lipid peroxidation via a free radical mechanism. *Drug Metab Dispos.* 24: 81-90.
- Ni, Z; Smit, M; Grotenhuis, T, im; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol.* 164: 209-218. <http://dx.doi.org/10.1016/j.jconhyd.2014.06.005>.
- Ni, Z; van Gaans, P; Smit, M; Rijnaarts, H; Grotenhuis, T. (2015). Biodegradation of cis-1,2-Dichloroethene in Simulated Underground Thermal Energy Storage Systems. *Environ Sci Technol.* 49: 13519-13527. <http://dx.doi.org/10.1021/acs.est.5b03068>.
- Nickelsen, MG; Cooper, WJ; Secker, DA; Rosocha, LA; Kurucz, CN; Waite, TD. (2002). Kinetic modeling and simulation of PCE and TCE removal in aqueous solutions by electron-beam irradiation. *Radiat Phys Chem Ox F Engl* 1993. 65: 579-587.
- Nicolai, M; Zanicoli, M; Magnone, P; Tonini, D; Sangiorgi, E; Fiagna, C. (2016). Theoretical study of the impact of rear interface passivation on MWT silicon solar cells. *Journal of Computational Electronics.* 15: 277-286. <http://dx.doi.org/10.1007/s10825-015-0763-4>.

## Exposure Literature Search Results

### Off Topic

- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf.* 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol.* 20: 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environ Sci Technol.* 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere.* 25: 449-462.
- Niemczewski, B. (2001). N-methylpyrrolidone and dowanol DPM as replacements for chlorinated solvents in ultrasonic cleaning. *Institute of Metal Finishing Transactions.* 79: 68-72.
- Niemczewski, B. (2003). Propylene glycol ethers for ultrasonic cleaning. *Plat Surf Finish.* 90: 38-43.
- Niemczewski, B. (2004). Temperature of maximal cavitation intensity of glycol ethers in ultrasonic cleaning. *Institute of Metal Finishing Transactions.* 82: 71-73.
- Nietert, PJ; Sutherland, SE; Silver, RM; Pandey, JP; Knapp, RG; Hoel, DG; Dosemeci, M. (1998). Is occupational organic solvent exposure a risk factor for scleroderma? *Arthritis Rheum.* 41: 1111-1118. [http://dx.doi.org/10.1002/1529-0131\(199806\)41:6<1111::AID-ART19>3.0.CO;2-J](http://dx.doi.org/10.1002/1529-0131(199806)41:6<1111::AID-ART19>3.0.CO;2-J).
- Niewohner, J; Cox, P; Gerrard, S; Pidgeon, N. (2004). Evaluating the efficacy of a mental models approach for improving occupational chemical risk protection. *Risk Anal.* 24: 349-361.
- Niggemann, M; Katerkamp, A; Pellmann, M; Bolsmann, P; Reinbold, J; Cammann, K. (1996). Remote sensing of tetrachloroethene with a micro-fibre optical gas sensor based on surface plasmon resonance spectroscopy. *Sens Actuators B.* 34: 328-333.
- Niinobe, D; Morikawa, H; Hiza, S; Sato, T; Matsuno, S; Fujioka, H; Katsura, T; Okamoto, T; Hamamoto, S; Ishihara, T; Arimoto, S. (2011). Large-size multi-crystalline silicon solar cells with honeycomb textured surface and point-contacted rear toward industrial production. *Solar Energy Materials and Solar Cells.* 95: 49-52. <http://dx.doi.org/10.1016/j.solmat.2010.04.035>.
- Nijenhuis, I; Nikolausz, M; Köth, A; Felföldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kästner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere.* 67: 300-311. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.084>.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol.* 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nilsson, T; Pelusco, F; Montanarella, L; Larsen, B; Facchetti, S; Madsen, JO. (1995). An evaluation of solid-phase microextraction for analysis of volatile organic compounds in drinking water. *HRC - Journal of High Resolution Chromatography.* 18: 617-624. <http://dx.doi.org/10.1002/jhrc.1240181002>.
- Nimios, MR; Jacoby, WA; Blake, DM; Milne, TA. (1993). DIRECT MASS-SPECTROMETRIC STUDIES OF THE DESTRUCTION OF HAZARDOUS WASTES .2. GAS-PHASE PHOTOCATALYTIC OXIDATION OF TRICHLOROETHYLENE OVER TiO<sub>2</sub> - PRODUCTS AND MECHANISMS. *Environ Sci Technol.* 27: 732-740.
- Ninomiyama, K; Sakai, M; Ohba, E; Kashiwagi, N. (1994). KINETIC-MODEL FOR THE BIOTRANSFORMATION OF TETRACHLOROETHYLENE IN GROUNDWATER. *Water Sci Technol.* 30: 13-18.
- NIOSH. (1976). Criteria for a recommended standard occupational exposure to tetrachloroethylene (perchloroethylene). (NIOSH-HSM-99-73-20; PB90-180092). Cincinnati, OH.
- NIOSH. (1977). NIOSH manual of analytical methods: Second edition, volume 3, part II: Standards completion program validated methods (2nd ed.). (DHEW (NIOSH) Publication No. 77-157-C). Cincinnati, Ohio.
- Nishijima, W; Ochi, Y; Tsai, TY; Nakano, Y; Okada, M. (2004). Catalytic hydrodechlorination of chlorinated ethylenes in organic solvents at room temperature and atmospheric pressure. *Appl Catal B-Environ.* 51: 135-140. <http://dx.doi.org/10.1016/j.apcatb.2004.02.001>.
- Njoroge, BNK; Ball, WP; Cherry, RS. (1998). Sorption of 1,2,4-trichlorobenzene and tetrachloroethene within an authigenic soil profile: Changes in K<sub>oc</sub> with soil depth. *J Contam Hydrol.* 29: 347-377.
- Nomiyama, K; Liu, SJ; Nomiyama, H. (1992). Critical levels of blood and urinary cadmium, urinary beta 2-microglobulin and retinol-binding protein for monitoring cadmium health effects. In GF Nordberg; RFM Herber; L Alessio (Eds.), *IARC Sci Publ* (pp. 325-340). Lyon, France: International Agency for Research on Cancer.
- Norman, KNT. (1991). DETERMINATION OF TETRACHLOROETHYLENE IN OLIVE OIL BY AUTOMATED HEADSPACE GAS-CHROMATOGRAPHY. *Food Addit Contam.* 8: 513-516.
- Nowell, PC. (1991). Boundaries between promotion and progression during carcinogenesis Genetic instability and tumor development [Review]. New York: Plenum Press.
- NRC. (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). Pesticides in the diets of infants and children. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). Science and judgment in risk assessment (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1995). Biologic markers in urinary toxicology. Washington, DC: The National Academies Press. <http://www.nap.edu/openbook.php?isbn=0309052289>.

## Exposure Literature Search Results

### Off Topic

- NRC. (2006). Assessing the human health risks of trichloroethylene: Key scientific issues. Washington, DC: The National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=11707](http://www.nap.edu/catalog.php?record_id=11707).
- NRC. (2008). Phthalates and cumulative risk assessment: The task ahead. Washington, DC: National Academies Press. <http://dx.doi.org/10.17226/12528>.
- NRC. (2010). Review of the Environmental Protection Agency's draft IRIS assessment of tetrachloroethylene. Washington, DC: National Academies Press.
- NTP. (1983). Carcinogenesis studies of 1,1,1,2-tetrachloroethane (CAS no 630-20-6) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, North Carolina. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr237.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr237.pdf).
- NTP. (1983). Carcinogenesis studies of pentachloroethane (CAS No. 76-01-7) in F344/N rats and B6C3F1 mice (gavage study). Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr232.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr232.pdf).
- NTP. (1983). Unpublished data on tetrachloroethylene: on Salmonella/microsome preincubation test provided by Dr E Zeiger. Research Triangle Park. <http://ntp.niehs.nih.gov/index.cfm?objectid=0706C9B3-A7E6-5FFA-616B1853179EE1C2>.
- NTP. (1986). Toxicology and carcinogenesis studies of isophorone (CAS No. 78-59-1) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr291.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr291.pdf).
- NTP. (1987). Toxicology and carcinogenesis studies of dimethyl methylphosphonate (CAS No. 756-79-6) in F344/N rats and B6C3F1 mice. Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr323.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr323.pdf).
- NTP. (1988). Toxicology and carcinogenesis studies of trichloroethylene (CAS No. 79-01-6) in four strains of rats (ACI, August, Marshall, Osborne-Mendel) (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr273.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr273.pdf).
- NTP. (1989). Toxicology and carcinogenesis studies of hexachloroethane (CAS no. 67-72-1) in F344/N rats (gavage studies). (NTP TR 361). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr361.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr361.pdf).
- NTP. (1990). Carcinogenesis studies of trichloroethylene (without epichlorohydrin) (CAS No. 79-01-6) in F344/N rats and B6C3F1 mice (gavage studies). In Technical Report Series. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr243.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr243.pdf).
- NTP. (1990). Toxicology and carcinogenesis studies of d-limonene (CAS NO. 5989-27-5) in F344/N rats and B6C3F1 mice (gavage studies). (PB90231416). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr347.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr347.pdf).
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (ad libitum and dietary controlled) (CAS No. 302-17-0) in male B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B281C-F52B-BFE3-3DB705CBE8D93129>.
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (CAS No. 302-17-0) in B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B1E0A-B8EA-DC24-EBFD0E177564EAE3>.
- NTP. (2004). NTP 11th Report on Carcinogens [NTP] (11 ed.). (PB2005104914). Research Triangle Park, NC. <http://ntp.niehs.nih.gov/index.cfm?objectid=32BA9724-F1F6-975E-7FCE50709CB4C932>.
- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53(tm1Brd)(N5) haploinsufficient] mice (drinking water studies). (NIH Publication No. 07-4428). Bethesda, MD: National Institutes of Health.
- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53tm1Brd(N5) haploinsufficient] mice (drinking water studies). (PB2008-109740; NTP GMM 11; NIH PUB 07-4428). Research Triangle Park. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2008109740>.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry. *Anal Chim Acta.* 455: 1-9.
- Nurok, D; Kleyle, RM; Muhoberac, BB; Frost, MC; Hajdu, P; Robertson, DH; Kamat, SV; Russell, AJ. (1999). Study of enzyme-catalyzed reactions in organic solvents using multiple linear regression. *Journal of Molecular Catalysis B: Enzymatic.* 7: 273-282.
- Nutley, E; Tcheong, A; Allen, J; Collins, B; Ma, M; Lowe, X; Bishop, J; Moore, D; Wyrobek, A. (1996). Micronuclei induced in round spermatids of mice after stem-cell treatment with chloral hydrate: evaluations with centromeric DNA probes and kinetochore antibodies. *Environ Mol Mutagen.* 28: 80-89. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)28:2<80::AID-EM3>3.0.CO;2-I](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)28:2<80::AID-EM3>3.0.CO;2-I).
- Nyairo, WN; Owuor, PO; Kengara, FO. (2015). Effect of anthropogenic activities on the water quality of Amala and Nyangores tributaries of River Mara in Kenya. *Environ Monit Assess.* 187: 691. <http://dx.doi.org/10.1007/s10661-015-4913-8>.
- Nyberg, K. (1971). UDDEHOLM - TRICHLOROETHYLENE AND PERCHLOROETHYLENE BY A NEW PROCESS - ETHYLENE AND ACETYLENE PROCESSES - OXICHLORINATION AND HYDROXYCHLORINATION-FLOW SHEET. 83: 24-&.
- NYS OAG. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Judith S. Schreiber, Ph.D., Environmental Protection Bureau on EPA docket ORD-2003-0014 (March 1, 2004). Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0003>.

## Exposure Literature Search Results

### Off Topic

- NYS OAG. (2004). Comment focusing on "peer review workshop of the neurotoxicity of tetrachloroethylene discussion paper" submitted Judith S. Schreiber, Ph.D., Chief Scientist, Albany Environmental Protection Bureau (EHP) for EPA docket ORD-2003-0014. Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0007>.
- NYSDOH. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Jan E. Storm and Kimberly A. Mazor, New York State Department of Health for EPA docket ORD-2003-0014 (March 3, 2004). Troy, NY. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0004>.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol.* 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Nzengung, VA; Jeffers, P. (2001). Sequestration, Phytoreduction, and Phytooxidation of Halogenated Organic Chemicals by Aquatic and Terrestrial Plants. *Int J Phytoremediation.* 3: 13-40. <http://dx.doi.org/10.1080/15226510108500048>.
- Obidiegwu, JE; Flath, K; Gebhardt, C. (2014). Managing potato wart: a review of present research status and future perspective [Review]. *Theor Appl Genet.* 127: 763-780. <http://dx.doi.org/10.1007/s00122-014-2268-0>.
- O'Brien, M; Spear, B; Glauert, H. (2005). Role of oxidative stress in peroxisome proliferator-mediated carcinogenesis [Review]. *Crit Rev Toxicol.* 35: 61-88. <http://dx.doi.org/10.1080/10408440590905957>.
- O'Carroll, DM; Bradford, SA; Abriola, LM. (2004). Infiltration of PCE in a system containing spatial wettability variations. *J Contam Hydrol.* 73: 39-63. <http://dx.doi.org/10.1016/j.jconhyd.2003.12.004>.
- O'Carroll, DM; Mumford, KG; Abriola, LM; Gerhard, JI. (2010). Influence of wettability variations on dynamic effects in capillary pressure. *Water Resour Res.* 46. <http://dx.doi.org/10.1029/2009WR008712>.
- Oesch, F. (1973). Mammalian epoxide hydrolases: inducible enzymes catalyzing the inactivation of carcinogenic and cytotoxic metabolites derived from aromatic and olefinic compounds [Review]. *Xenobiotica.* 3: 305-340. <http://dx.doi.org/10.3109/00498257309151525>.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. *Environ Sci Technol.* 43: 2891-2898. <http://dx.doi.org/10.1021/es803080c>.
- O'Flaherty, EJ; Scott, W; Schreiner, C; Beliles, RP. (1992). A physiologically based kinetic model of rat and mouse gestation: disposition of a weak acid. *Toxicol Appl Pharmacol.* 112: 245-256. [http://dx.doi.org/10.1016/0041-008X\(92\)90194-W](http://dx.doi.org/10.1016/0041-008X(92)90194-W).
- Ogata, M; Hasegawa, T. (1981). Effects of chlorinated aliphatic hydrocarbons on mitochondrial oxidative phosphorylation in the rat with reference to the effects of chlorinated aromatic hydrocarbons. *Ind Health.* 19: 71-75.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. *Environ Geochem Health.* 29: 331-336. <http://dx.doi.org/10.1007/s10653-007-9094-0>.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. *J Hazard Mater.* 153: 157-163. <http://dx.doi.org/10.1016/j.jhazmat.2007.08.045>.
- Ohandja, DG, uy; Stuckey, DC. (2006). Development of a membrane-aerated biofilm reactor to completely mineralise perchloroethylene in wastewaters. *J Chem Tech Biotechnol.* 81: 1736-1744. <http://dx.doi.org/10.1002/jctb.1596>.
- Ohandja, DG, uy; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *J Environ Eng.* 133: 20-27. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2007\)133:1\(20\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:1(20)).
- Ohandja, DG, uy; Stuckey, DC. (2010). Effect of perchloroethylene (PCE) and hydraulic shock loads on a membrane-aerated biofilm reactor (MABR) biodegrading PCE. *J Chem Tech Biotechnol.* 85: 294-301. <http://dx.doi.org/10.1002/jctb.2307>.
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water.* 36: 164-170.
- O'Haver, JH; Walk, R; Kitiyanan, B; Harwell, JH; Sabatini, DA. (2004). Packed column and hollow fiber air stripping of a contaminant-surfactant stream. *J Environ Eng.* 130: 4-11. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(4\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(4)).
- Ohno, H; Aoyama, T; Kishimoto, H. (1992). Simultaneous determination of volatile organic pollutants in water by headspace gas chromatographic analysis with dual detection. *JTTHE.* 38: 84-92.
- Ohtsuki, T; Sato, K; Koizumi, A; Kumai, M; Ikeda, M. (1983). Limited capacity of humans to metabolize tetrachloroethylene. *Int Arch Occup Environ Health.* 51: 381-390. <http://dx.doi.org/10.1007/BF00378352>; <http://link.springer.com/article/10.1007%2FBF00378352>.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol.* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Okitsu, K; Yoshioka, Y; Tanabe, S. (2006). Effect of transition metal powder and low-energy ultrasound frequency on degradation rate of chlorinated hydrocarbons in water. *Bunseki Kagaku.* 55: 567-571.
- Okouchi, S. (1986). VOLATILIZATION COEFFICIENT FOR STRIPPING TRICHLOROETHYLENE 1 1 1 TRICHLOROETHANE AND TETRACHLOROETHYLENE FROM WATER (pp. TREATMENT). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/86/31597). Okouchi, S.
- Okuda, I; McBride, JF; Gleyzer, SN; Miller, CT. (1996). Physicochemical transport processes affecting the removal of residual DNAPL by nonionic surfactant solutions. *Environ Sci Technol.* 30: 1852-1860.
- Olaniran, AO; Pillay, D; Pillay, B. (2008). Aerobic biodegradation of dichloroethenes by indigenous bacteria isolated from contaminated sites in Africa. *Chemosphere.* 73: 24-29. <http://dx.doi.org/10.1016/j.chemosphere.2008.06.003>.
- Oliveira, AAS; Teixeira, IF; Christofani, T; Tristao, JC; Guimaraes, IR; Moura, FCC. (2014). Biphasic oxidation reactions promoted by amphiphilic catalysts based on red mud residue. *Appl Catal B-Environ.* 144: 144-151. <http://dx.doi.org/10.1016/j.apcatb.2013.07.015>.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol.* 33: 1145-1147.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol.* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.

## Exposure Literature Search Results

### Off Topic

- Olshan, AF; Anderson, L; Roman, E; Fear, N; Wolff, M; Whyatt, R; Vu, V; Diwan, BA; Potischman, N. (2000). Workshop to identify critical windows of exposure for children's health: Cancer work group summary [Review]. *Environ Health Perspect.* 108: 595-597.
- Olson, MJ; Garg, BD; Murty, CV; Roy, AK. (1987). Accumulation of alpha 2u-globulin in the renal proximal tubules of male rats exposed to unleaded gasoline. *Toxicol Appl Pharmacol.* 90: 43-51. [http://dx.doi.org/10.1016/0041-008X\(87\)90304-8](http://dx.doi.org/10.1016/0041-008X(87)90304-8).
- Omae, K; Takebayashi, T; Sakurai, H. (1999). Occupational exposure limits based on biological monitoring: The Japan Society for Occupational Health. *Int Arch Occup Environ Health.* 72: 271-273. <http://dx.doi.org/10.1007/s004200050372>.
- Onasch, J. (2011). A feasibility and cost comparison of perchloroethylene dry cleaning to professional wet cleaning: case study of Silver Hanger Cleaners, Bellingham, Massachusetts. *J Clean Prod.* 19: 477-482. <http://dx.doi.org/10.1016/j.jclepro.2010.07.015>.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj.* 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).
- Onoda, K; Yoshikawa, S. (2008). Applications of anodized TiO2 films for environmental purifications. *Appl Catal B-Environ.* 80: 277-285. <http://dx.doi.org/10.1016/j.apcatb.2007.11.023>.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol.* 37: 179-197.
- Opdam, JJ; Smolders, JF. (1986). Alveolar sampling and fast kinetics of tetrachloroethene in man. I. Alveolar sampling. *Br J Ind Med.* 43: 814-824. <http://dx.doi.org/10.1136/oem.43.12.814>; <http://oem.bmj.com/content/oemed/43/12/814.full.pdf>.
- Orbay, O; Gao, S; Barbaris, B; Rupp, E; Sáez, AE; Arnold, RG; Betterton, EA. (2008). Catalytic Dechlorination of Gas-phase Perchloroethylene under Mixed Redox Conditions. *Appl Catal B-Environ.* 79: 43-52. <http://dx.doi.org/10.1016/j.apcatb.2007.09.034>.
- Ordaz, AA; Rocha, JM; Aguilar, FJA; Granados, SG; Bedioui, F. (2000). Electrocatalysis of the reduction of organic halide derivatives at modified electrodes coated by cobalt and iron macrocyclic complex-based films: application to the electrochemical determination of pollutants. *Analisis.* 28: 238-244.
- Ordóñez, S; Díaz, E; Bueres, RF; Asedegbega-Nieto, E; Sastre, H. (2010). Carbon nanofibre-supported palladium catalysts as model hydrodechlorination catalysts. *J Catal.* 272: 158-168. <http://dx.doi.org/10.1016/j.jcat.2010.03.001>.
- Ordóñez, S; Díez, FV; Sastre, H. (2001). Characterisation of the deactivation of platinum and palladium supported on activated carbon used as hydrodechlorination catalysts. *Appl Catal B-Environ.* 31: 113-122.
- Ordóñez, S; Díez, FV; Sastre, H. (2002). Catalytic hydrodechlorination of chlorinated olefins over a Pd/Al2O3 catalyst: Kinetics and inhibition phenomena. *Ind Eng Chem Res.* 41: 505-511. <http://dx.doi.org/10.1021/ie010679v>.
- Ordóñez, S; Díez, FV; Sastre, H. (2002). Hydrodechlorination of tetrachloroethylene over sulfided catalysts: kinetic study. *Catalysis Today.* 73: 325-331.
- Ordóñez, S; Sastre, H; Díez, FV. (1999). Deactivation of red mud and modified red mud used as catalyst for the hydrodechlorination of tetrachloroethylene. *Stud Surf Sci Catal.* 126: 443-446.
- Ordóñez, S; Sastre, H; Díez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ.* 25: 49-58.
- Ordóñez, S; Sastre, H; Díez, FV. (2001). Characterisation and deactivation studies of sulfided red mud used as catalyst for the hydrodechlorination of tetrachloroethylene. *Appl Catal B-Environ.* 29: 263-273.
- Ordóñez, S; Sastre, H; Díez, FV. (2001). Hydrodechlorination of tetrachloroethylene over modified red mud: deactivation studies and kinetics. *Appl Catal B-Environ.* 34: 213-226.
- Ordóñez, S; Sastre, H; Díez, FV. (2003). Hydrodechlorination of tetrachloroethene over Pd/Al2O3: influence of process conditions on catalyst performance and stability. *Appl Catal B-Environ.* 40: 119-130.
- Ordóñez, S; Sastre, H; Díez, FV. (2001). Catalytic hydrodechlorination of tetrachloroethylene over red mud. *J Hazard Mater.* 81: 103-114.
- Ortali, VA; Cardamone, G; Salvini, P; Di Giuseppe, G; Carere, A. (1977). Mutagenicity of several chemicals tested in two different systems: *Salmonella typhimurium* and *streptomyces coelicolor*. *Atti Assoc Genet Ital.* 22: 53-54.
- Ortega, P; Orpella, A; Martin, I; Colina, M; Lopez, G; Voz, C; Sanchez, MI; Molpeceres, C; Alcubilla, R. (2012). Laser-fired contact optimization in c-Si solar cells. *Progress in Photovoltaics.* 20: 173-180. <http://dx.doi.org/10.1002/pip.1115>.
- Ortiz, AM; Sipes, BS; Miyasaka, SC; Arakaki, AS. (2015). Green Manure Crops for Management of *Meloidogyne javanica* and *Pythium aphanidermatum*. *HortScience.* 50: 90-98.
- Osejo, RE; Wilson, DJ. (1991). SOIL CLEAN UP BY INSITU AERATION .9. DIFFUSION CONSTANTS OF VOLATILE ORGANICS AND REMOVAL OF UNDERLYING LIQUID. *Separation Science and Technology.* 26: 1433-1466.
- Oster, T; Illenberger, E. (1990). FORMATION OF SOLVATED IONS BY ELECTRON-CAPTURE IN VANDERWAALS AGGREGATES. *Berichte der Bunsengesellschaft für physikalische Chemie.* 94: 1287-1290.
- O'Sullivan, DW; Heikes, BG; Snow, J; Burrow, P; Avery, M; Blake, DR; Sachse, GW; Talbot, RW; Thornton, DC; Bandy, AR. (2004). Long-term and seasonal variations in the levels of hydrogen peroxide, methylhydroperoxide, and selected compounds over the Pacific Ocean. *J Geophys Res Atmos.* 109. <http://dx.doi.org/10.1029/2003JD003689>.
- Otieno, MA; Baggs, RB; Hayes, JD; Anders, MW. (1997). Immunolocalization of microsomal glutathione S-transferase in rat tissues. *Drug Metab Dispos.* 25: 12-20.
- Otson, R; Williams, DT. (1982). Headspace chromatographic determination of water pollutants. *Anal Chem.* 54: 942-946. <http://dx.doi.org/10.1021/ac00243a023>.
- Otte, X; Lejeune, R; Thunus, L. (1997). Fourier Transform Infrared Spectrometry (FTIR) for qualitative and quantitative analysis of azodicarboxamide and its potential impurities. *Anal Chim Acta.* 355: 7-13.

## Exposure Literature Search Results

### Off Topic

- Oung, O; Hassanizadeh, SM; Bezuijen, A. (2005). Two-phase flow experiments in a geocentrifuge and the significance of dynamic capillary pressure effect. *Journal of Porous Media*. 8: 247-257.
- Ouyan, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res*. 36: 33-40.
- Overby, LH; Gardlik, S; Philpot, RM; Serabjit-Singh, CJ. (1994). Unique distribution profiles of glutathione S-transferases in regions of kidney, ureter, and bladder of rabbit. *Lab Invest*. 70: 468-478.
- Ozaki, S; Zhao, L; Amemiya, T; Itoh, K; Murabayashi, M. (2004). Gas-phase photocatalytic degradation of cis-1,2-dichloroethylene using titanium dioxide under near-UV-illumination. *Appl Catal B-Environ*. 52: 81-89. <http://dx.doi.org/10.1016/j.apcatb.2003.10.010>.
- Ozturk, ZZ; Zhou, R; Ahsen, V; Bekaroglu, O; Gopel, W. (1996). Molecular recognition with metal containing supramolecular compounds: Soluble tetradentate dithioglyoximes for the detection of organic solvents in the gas phase. *Sens Actuators B*. 36: 404-408.
- Paaso, N; Peuravuori, J; Pihlaja, K. (2000). Extraction efficiency of chloroethenes from contaminated dry cleaner's sludge with three different methods. *Waste Manag*. 20: 69-74.
- Padgett, PK; Hayden, NJ. (1999). Mobilization of Residual Tetrachloroethylene During Alcohol Flushing of Clay-Containing Porous Media. *J Contam Hydrol*. 40: 285.
- Padilla, M; Hoefler, H; Reichel, C; Chu, H; Greulich, J; Rein, S; Warta, W; Hermle, M; Schubert, MC. (2014). Surface recombination parameters of interdigitated-back-contact silicon solar cells obtained by modeling luminescence images. *Solar Energy Materials and Solar Cells*. 120: 363-375. <http://dx.doi.org/10.1016/j.solmat.2013.05.050>.
- Page, NP; Saffiotti, U. (1976). Report on carcinogenesis bioassay of chloroform. (DHEWPUBNIH761279). Bethesda, MD: National Cancer Institute.
- Page, T; Harris, RH; Epstein, SS. (1976). Drinking water and cancer mortality in Louisiana. 193: 55-57.
- Pal, A. (1994). PHOTOCHEMICAL-REACTION OF TRICHLOROACETIC-ACID WITH DIPHENYLAMINE AND ITS ANALYTICAL APPLICATION. *Bull Chem Soc Jpn*. 67: 2420-2423.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria*. 143: 241-251.
- Pal, A; Sharma, S. (1998). Viscosities and densities of some n-alkoxyethanols with trichloroethylene and tetrachloroethylene at 298.15 K. *Journal of Chemical and Engineering Data*. 43: 21-24.
- Pal, A; Singh, W. (1995). EXCESS MOLAR VOLUMES OF 2-(2-ALKOXYETHOXY)ETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE AT 298.15 AND 308.15 K. *Journal of Chemical and Engineering Data*. 40: 1130-1133.
- Pal, A; Singh, W. (1996). Excess molar volumes of 2-[2-(2-alkoxyethoxy)ethoxy] ethanols with trichloroethylene and tetrachloroethylene at 298.15 and 308.15 K. *Journal of Chemical and Engineering Data*. 41: 181-184.
- Pal, A; Singh, W. (1996). Excess molar volumes of linear and cyclic ethers plus chloroethenes at 298.15 K. *Journal of Chemical and Engineering Data*. 41: 428-430.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria*. 129: 211-221.
- Palau, J; Soler, A; Canals, À; Aravena, R. (2010). Use of Environmental Isotopes (<sup>13</sup>C, <sup>15</sup>N, and <sup>18</sup>O) for Evaluating Sources and Fate of Nitrate and Tetrachloroethene in an Alluvial Aquifer. *Environ Forensics*. 11: 237-247. <http://dx.doi.org/10.1080/15275922.2010.494997>.
- Palit, DK; Zhang, TQ; Kumazaki, S; Yoshihara, K. (2003). Hydrogen-bond dynamics in the excited state of coumarin 102-aniline hydrogen-bonded complex. *J Phys Chem A*. 107: 10798-10804. <http://dx.doi.org/10.1021/jp030633a>.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol*. 53: 14-22.
- Pan, C; Hilpert, M; Miller, CT. (2004). Lattice-Boltzmann simulation of two-phase flow in porous media. *Water Resour Res*. 40. <http://dx.doi.org/10.1029/2003WR002120>.
- Pan, Y; Yang, J; Jia, Y; Xu, Z. (2016). Experimental study on non-aqueous phase liquid multiphase flow characteristics and controlling factors in heterogeneous porous media. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-015-4888-3>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Marneri, M; Parapouli, M; Hatziloukas, E; Tandoi, V. (2007). Dechlorinating ability of TCE-fed microcosms with different electron donors. *J Hazard Mater*. 149: 582-589. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.113>.
- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. *Water Air Soil Pollut*. 225. <http://dx.doi.org/10.1007/s11270-013-1785-9>.
- Panek, D; Konieuny, K. (2007). Preparation and applying the membranes with carbon black to pervaporation of toluene from the diluted aqueous solutions. *Separation and Purification Technology*. 57: 507-512. <http://dx.doi.org/10.1016/j.seppur.2006.10.011>.
- Pang, L, inLin; Bi, JQ; Bai, Y, uJun; Zhu, H, uil; Qi, YX, in; Wang, CG, uo; Han, F, uD; Li, SJ, ie. (2008). Synthesis of carbon spheres via a low-temperature metathesis reaction. *J Phys Chem C*. 112: 12134-12137. <http://dx.doi.org/10.1021/jp801935m>.
- Pankow, JF; Asher, WE; Zogorski, JS. (2006). Source apportionment modeling of volatile organic compounds in streams. *Environ Toxicol Chem*. 25: 921-932.
- Pannett, B; Coggon, D; Acheson, E. (1985). A job-exposure matrix for use in population based studies in England and Wales. *Br J Ind Med*. 42: 777-783.
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. *Ground Water Monitoring and Remediation*. 32: 106-119. <http://dx.doi.org/10.1111/j.1745-6592.2011.01372.x>.
- Paracosterman, D; Dugan, L. (1995). Softeners in pigment printing. *Tekstil*. 44: 355-360.



## Exposure Literature Search Results

### Off Topic

- Paras, P. (1993). OPERATIONAL PERFORMANCE AND QUALITY-CONTROL OF ANGER TYPE GAMMA CAMERAS INCLUDING SPECT. *Radiat Prot Dosimetry*. 49: 311-316.
- Paredes, JR; Ordonez, S; Vega, A; Diez, FV. (2004). Catalytic combustion of methane over red mud-based catalysts. *Appl Catal B-Environ*. 47: 37-45. [http://dx.doi.org/10.1016/S0926-3373\(03\)00325-4](http://dx.doi.org/10.1016/S0926-3373(03)00325-4).
- Park, E; Parker, JC. (2005). Evaluation of an upscaled model for DNAPL dissolution kinetics in heterogeneous aquifers. *Advances in Water Resources*. 28: 1280-1291. <http://dx.doi.org/10.1016/j.advwatres.2005.04.002>.
- Park, EJ; Lee, JH; Yu, GY; He, G; Ali, SR; Holzer, RG; Osterreicher, CH; Takahashi, H; Karin, M. (2010). Dietary and genetic obesity promote liver inflammation and tumorigenesis by enhancing IL-6 and TNF expression. *Cell*. 140: 197-208. <http://dx.doi.org/10.1016/j.cell.2009.12.052>.
- Park, KT; Klier, K; Wang, CB; Zhang, WX. (1997). Interaction of tetrachloroethylene with Pd(100) studied by high-resolution X-ray photoemission spectroscopy. *J Phys Chem B*. 101: 5420-5428.
- Park, SJ; Ionascu, D; Killoran, J; Mamede, M; Gerbaudo, VH; Chin, L; Berbeco, R. (2008). Evaluation of the combined effects of target size, respiratory motion and background activity on 3D and 4D PET/CT images. *Phys Med Biol*. 53: 3661-3679. <http://dx.doi.org/10.1088/0031-9155/53/13/018>.
- Park, T; Rettich, TR; Battino, R; Wilhelm, E. (1987). BINARY GASEOUS-DIFFUSION COEFFICIENTS .6. CHLOROBENZENE, 1,2-DICHLOROBENZENE, 1,3-DICHLOROBENZENE, 1,1,1-TRICHLOROETHANE, TETRACHLOROETHENE, 1,4-DIOXANE AND OCTAMETHYLCYCLOTETRAILOXANE WITH AIR AT 1-ATM AND 283-K TO 343-K. *Mater Chem Phys*. 16: 397-410.
- Parker, BL; Gillham, RW; Cherry, JA. (1994). DIFFUSIVE DISAPPEARANCE OF IMMISCIBLE-PHASE ORGANIC LIQUIDS IN FRACTURED GEOLOGIC MEDIA. *Ground Water*. 32: 805-820.
- Parker, JC. (2003). Physical Processes Affecting Natural Depletion of Volatile Chemicals in Soil and Groundwater. *Vadose Zone Journal*. 2: 222-230.
- Parker, JC; Davidson, IWF. (1984). Extrapolation of the carcinogenic response. *making*: 38.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res*. 40. <http://dx.doi.org/10.1029/2003WR002807>.
- Parker, LV; Ranney, TA. (1994). EFFECT OF CONCENTRATION ON SORPTION OF DISSOLVED ORGANICS BY PVC, PTFE, AND STAINLESS-STEEL WELL CASINGS. *Ground Water Monitoring and Remediation*. 14: 139-149.
- Parker, W; Monteith, H; Melcer, H. (1995). Preliminary assessment of the removal of volatile organic compounds in a biological selector process. *Water Environ Res*. 67: 798-801. <http://dx.doi.org/10.2175/106143095x131709>.
- Parker, WJ; Monteith, HD. (1996). Stripping of VOC's from dissolved air flotation. *Environmental Progress*. 15: 73-81.
- Parker, WJ; Monteith, HD; Melcer, H. (1996). VOCs in fixed film processes .1. Pilot studies. *J Environ Eng*. 122: 557-563.
- Parker, WJ; Yu, JY. (2001). Dynamic modeling to assess worker exposure to gas-phase volatile organic compounds in collector sewers. *Water Environ Res*. 73: 450-460.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res*. 71: 1158-1164.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol*. 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of C2Cl6 and C2Cl4 Multilayers with Fe-0 Atoms over FeO(111). *J Phys Chem C*. 113: 10233-10241. <http://dx.doi.org/10.1021/jp901040f>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of Fe-0 Atoms, Clusters, and Nanoparticles with CCl4 Multilayers on FeO(111). *J Phys Chem C*. 113: 1818-1829. <http://dx.doi.org/10.1021/jp8076062>.
- Parodi, S; Malacarne, D; Romano, P; Taningher, M. (1991). Are genotoxic carcinogens more potent than nongenotoxic carcinogens? *Environ Health Perspect*. 95: 199-204.
- Parrett, JW, Jr; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environ Sci Technol*. 33: 1691-1696.
- Parris, CA. (1986). NEMA AND TRAFFIC CONTROL. *Institute of Transportation Engineers ITE Journal*. 56: 31-33.
- Parris, CA. (1986). NEW NEMA TRAFFIC CONTROLLER CONCEPT. *Institute of Transportation Engineers ITE Journal*. 56: 41-42.
- Parrish, JM; Austin, EW; Stevens, DK; Kinder, DH; Bull, RJ. (1996). Haloacetate-induced oxidative damage to DNA in the liver of male B6C3F1 mice. *Toxicology*. 110: 103-111. [http://dx.doi.org/10.1016/0300-483X\(96\)03342-2](http://dx.doi.org/10.1016/0300-483X(96)03342-2).
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Sci Technol*. 58: 1629-1636. <http://dx.doi.org/10.2166/wst.2008.543>.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO<sub>2</sub> nanocomposites in the presence of UV light under anoxic conditions. *Water Res*. 45: 4198-4210. <http://dx.doi.org/10.1016/j.watres.2011.05.019>.
- Parzefall, W; Berger, W; Kainzbauer, E; Teufelhofer, O; Schulte-Hermann, R; Thurman, R. (2001). Peroxisome proliferators do not increase DNA synthesis in purified rat hepatocytes. *Carcinogenesis*. 22: 519-523.

## Exposure Literature Search Results

### Off Topic

- Pasquini, DA. (1978). Evaluation of glass sampling tubes for industrial breath analysis. *Am Ind Hyg Assoc J.* 39: 55-62. <http://dx.doi.org/10.1080/0002889778507713>.
- Pastewski, S; Hallmann, E; Medrzycka, K. (2006). Physicochemical aspects of the application of surfactants and biosurfactants in soil remediation. *Environ Eng Sci.* 23: 579-588.
- Pastewski, S; Hallmann, E; Medrzycka, K. (2006). The solubilizing and emulsifying properties of nonionic surfactants with reference to soil remediation. *Przemysł Chemiczny.* 85: 1346-1348.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect.* 108: 201-214.
- Patel, R; Zhou, RN; Zinszer, K; Josse, F; Cernosek, R. (2000). Real-time detection of organic compounds in liquid environments using polymer-coated thickness shear mode quartz resonators. *Anal Chem.* 72: 4888-4898. <http://dx.doi.org/10.1021/ac0003955>.
- Patel, SV. (2012). Unattended Vapor Intrusion Monitor.
- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst.* 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.
- Patel, UD; Suresh, S. (2007). Dechlorination of chlorophenols using magnesium-palladium bimetallic system. *J Hazard Mater.* 147: 431-438. <http://dx.doi.org/10.1016/j.jhazmat.2007.01.029>.
- Patil, SS; Adetutu, EM; Sheppard, PJ; Morrison, P; Menz, IR; Ball, AS. (2014). Site-specific pre-evaluation of bioremediation technologies for chloroethene degradation. *Int J Environ Sci Tech.* 11: 1869-1880. <http://dx.doi.org/10.1007/s13762-013-0383-0>.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol.* 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Paudel, A; Van den Mooter, G. (2012). Influence of solvent composition on the miscibility and physical stability of naproxen/PVP K 25 solid dispersions prepared by cosolvent spray-drying. *Pharm Res.* 29: 251-270. <http://dx.doi.org/10.1007/s11095-011-0539-x>.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere.* 111: 471-477. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.057>.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. *Chemosphere.* 119: 1113-1119. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.022>.
- Paulu, C; Aschengrau, A; Ozonoff, D. (2002). Exploring associations between residential location and breast cancer incidence in a case-control study. *Environ Health Perspect.* 110: 471-478.
- Paulus, DH; Tellmann, L; Quick, HH. (2013). Towards improved hardware component attenuation correction in PET/MR hybrid imaging. *Phys Med Biol.* 58: 8021-8040. <http://dx.doi.org/10.1088/0031-9155/58/22/8021>.
- Pavlostathis, SG; Mathavan, GN. (1992). DESORPTION-KINETICS OF SELECTED VOLATILE ORGANIC-COMPOUNDS FROM FIELD CONTAMINATED SOILS. *Environ Sci Technol.* 26: 532-538.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere.* 27: 585-595.
- Paykoc, ZV; Powell, JF. (1945). The excretion of sodium trichloroacetate. *J Pharmacol Exp Ther.* 85: 289-293.
- Payne, DNR; Chan, CE; Hallam, BJ; Hoex, B; Abbott, MD; Wenham, SR, SR; Bagnall, DM. (2016). Acceleration and mitigation of carrier-induced degradation in p-type multi-crystalline silicon. *Physica Status Solidi Rapid Research Letters.* 10: 237-241. <http://dx.doi.org/10.1002/pssr.201510437>.
- Payne, DNR; Chan, CE; Hallam, BJ; Hoex, B; Abbott, MD; Wenham, SR; Bagnall, DM. (2016). Rapid passivation of carrier-induced defects in p-type multi-crystalline silicon. *Solar Energy Materials and Solar Cells.* 158: 102-106. <http://dx.doi.org/10.1016/j.solmat.2016.05.022>.
- Pearce, N; Checkoway, H; Kriebel, D. (2007). Bias in occupational epidemiology studies [Review]. *Occup Environ Med.* 64: 562-568. <http://dx.doi.org/10.1136/oem.2006.026690>.
- Pearson, CR; Mcconnell, G. (1975). Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc Biol Sci.* 189: 305-332.
- Pecher, K; Kusel, K; Fischer, U; Herrmann, R. (1995). REDUCTIVE DEHALOGENATION OF CHLORINATED HYDROCARBONS DURING ANAEROBIC STABILIZATION OF MUNICIPAL WASTES. *Acta Hydrochim Hydrobiol.* 23: 271-279.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environ Sci Technol.* 31: 2791-2796.
- Pedrozo, MF; Siqueira, M. (1996). [Spectrophotometric and gas chromatographic analysis of trichloroacetic acid in urine]. *Rev Saude Publica.* 30: 261-266. <http://dx.doi.org/10.1590/S0034-89101996000300009>.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST.* 21: 707-720.
- Pelech, R; Lewandowski, G; Milchert, E. (2006). Recovering organochlorine compounds from industrial wastewaters. *Przemysł Chemiczny.* 85: 641-643.
- Pelech, R; Milchert, E; Bartkowiak, M. (2006). Fixed-bed adsorption of chlorinated hydrocarbons from multicomponent aqueous solution onto activated carbon: equilibrium column model. *J Colloid Interface Sci.* 296: 458-464. <http://dx.doi.org/10.1016/j.jcis.2005.09.020>.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater.* 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Pelekis, M; Poulin, P; Krishnan, K. (1995). An approach for incorporating tissue composition data into physiologically based pharmacokinetic models. *Toxicol Ind Health.* 11: 511-522.

## Exposure Literature Search Results

### Off Topic

- Pelkonen, O; Kaltiala, EH; Larmi, TK; Karki, NT. (1973). Comparison of activities of drug-metabolizing enzymes in human fetal and adult livers. *Clin Pharmacol Ther.* 14: 840-846.
- Pellizzari, ED. (1975). Development of analytical techniques for measuring ambient atmospheric carcinogenic vapors. Pellizzari, ED.
- Pellizzari, ED. (1977). The measurement of carcinogenic vapors in ambient atmospheres. (EPA-600/7-77-055). Research Triangle Park, NC: Environmental Protection Agency, Environmental Sciences Research Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB269582>.
- Pellizzari, ED. (1978). Measurement of carcinogenic vapors in ambient atmospheres: final report. Research Triangle Park, NC: Research Triangle Institute. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB283023>.
- Pellizzari, ED. (1979). Information on the characteristics of ambient organic vapors in areas of high chemical production. Research Triangle Park, NC: Research Triangle Institute.
- Pellizzari, ED; Bunch, JE. (1979). Ambient air carcinogenic vapors: improved sampling and analytical techniques and field studies. (EPA-600/2-79-081 & NTIS PB-297932). Research Triangle Park, NC: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20006DVU.txt>.
- Pellizzari, ED; Bunch, JE; Berkley, RE; Mcrae, J. (1976). Collection and analysis of trace organic vapor pollutants in ambient atmospheres The performance of a Tenax GC cartridge sampler for hazardous vapors. *Anal Lett.* 9: 45-63.
- Pellizzari, ED; Erickson, MD; Zweidinger, RA. (1979). Formulation of a preliminary assessment of halogenated organic compounds in man and environmental media [EPA Report]. (EPA-560/13-79-006). Research Triangle Park, NC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80112170>.
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol.* 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pellizzari, EE. (1974). Development of method for carcinogenic vapor analysis in ambient atmospheres. Pellizzari, EE.
- Peng, J. (1998). Distribution of volatile organic contaminants between water and air. *Can J Civ Eng.* 25: 1091-1095.
- Peng, J; Bewtra, JK; Biswas, N. (1994). VOLATILIZATION OF SELECTED ORGANIC-COMPOUNDS FROM QUIESCENT WATER. *J Environ Eng.* 120: 662-669.
- Peng, J; Wan, A. (1997). Measurement of Henry's constants of high-volatility organic compounds using a headspace autosampler. *Environ Sci Technol.* 31: 2998-3003.
- Peng, J; Wan, A. (1998). Effect of ionic strength on Henry's constants of volatile organic compounds. *Chemosphere.* 36: 2731-2740.
- Peng, P; Xie, HQ; Lu, LZ. (2005). Coupling leaching of sphalerite concentrate. *Miner Eng.* 18: 553-555. <http://dx.doi.org/10.1016/j.mineng.2004.08.012>.
- Peng, Q; Choong, WS; Vu, C; Huber, JS; Janecek, M; Wilson, D; Huesman, RH; Qi, J; Zhou, J; Moses, WW. (2015). Performance of the Tachyon Time-of-Flight PET Camera. *IEEE Trans Nucl Sci.* 62: 111-119. <http://dx.doi.org/10.1109/TNS.2014.2375176>.
- Pennell, KD; Adinolfi, AM; Abriola, LM; Diallo, MS. (1997). Solubilization of dodecane, tetrachloroethylene, and 1,2-dichlorobenzene in micellar solutions of ethoxylated nonionic surfactants. *Environ Sci Technol.* 31: 1382-1389.
- Pennell, KD; Jin, MQ; Abriola, LM; Pope, GA. (1994). SURFACTANT ENHANCED REMEDIATION OF SOIL COLUMNS CONTAMINATED BY RESIDUAL TETRACHLOROETHYLENE. *J Contam Hydrol.* 16: 35-53.
- Pennell, KD; Karagunduz, A; Young, MH. (2004). Impacts of surfactant adjuvants on pesticide availability and transport in soils. *ACS Symp Ser Am Chem Soc.* 863: 231-245.
- Pennell, KD; Pope, GA; Abriola, LM. (1996). Influence of viscous and buoyancy forces on the mobilization of residual tetrachloroethylene during surfactant flushing. *Environ Sci Technol.* 30: 1328-1335.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environ Sci Technol.* 42: 7764-7771. <http://dx.doi.org/10.1021/es801101c>.
- Peppe, A; Stanzione, P; Pierantozzi, M; Semprini, R; Bassi, A; Santilli, AM; Formisano, R; Piccolino, M; Bernardi, G. (1998). Does pattern electroretinogram spatial tuning alteration in Parkinson's disease depend on motor disturbances or retinal dopaminergic loss? *Electroencephalography and Clinical Neurophysiology.* 106: 374-382.
- Pereira, MA; Tao, L; Wang, W; Li, Y; Umar, A; Steele, VE; Lubet, RA. (2004). Modulation by celecoxib and difluoromethylornithine of the methylation of DNA and the estrogen receptor-alpha gene in rat colon tumors. *Carcinogenesis.* 25: 1917-1923.
- Pereira, MA; Wang, W; Kramer, PM; Tao, L. (2004). Prevention by methionine of dichloroacetic acid-induced liver cancer and DNA hypomethylation in mice. *Toxicol Sci.* 77: 243-248. <http://dx.doi.org/10.1093/toxsci/kfh031>.
- Pérez-De-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of chlorinated ethenes in fractured bedrock and associated changes in dechlorinating and nondechlorinating microbial populations. *Environ Sci Technol.* 48: 5770-5779. <http://dx.doi.org/10.1021/es404122y>.
- Perkins, AE; Muehlhner, G; Surti, S; Karp, JS. (2003). Performance measurements of a pixelated NaI(Tl) PET scanner. *IEEE Trans Nucl Sci.* 50: 373-377. <http://dx.doi.org/10.1109/TNS.2003.812439>.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen. *Environ Sci Technol.* 30: 3408-3417.
- Perrone, CE; Shao, L; Williams, GM. (1998). Effect of rodent hepatocarcinogenic peroxisome proliferators on fatty acyl-CoA oxidase, DNA synthesis, and apoptosis in cultured human and rat hepatocytes. *Toxicol Appl Pharmacol.* 150: 277-286.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest.* 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.

## Exposure Literature Search Results

### Off Topic

- Persoff, P; Apps, J; Moridis, G; Whang, JM. (1999). Effect of dilution and contaminants on sand grouted with colloidal silica. *Journal of Geotechnical and Geoenvironmental Engineering*. 125: 461-469.
- Persson, M; Berndtsson, R. (2002). Measuring nonaqueous phase liquid saturation in soil using time domain reflectometry. *Water Resour Res*. 38: 1064-1064. <http://dx.doi.org/10.1029/2001WR000523>.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis*. 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Peters, JM; Cheung, C; Gonzalez, FJ. (2005). Peroxisome proliferator-activated receptor-alpha and liver cancer: where do we stand [Review]. *J Mol Med*. 83: 774-785. <http://dx.doi.org/10.1007/s00109-005-0678-9>.
- Peters, JM; Hennuyer, N; Staels, B; Fruchart, JC; Fievet, C; Gonzalez, FJ; Auwerx, J. (1997). Alterations in lipoprotein metabolism in peroxisome proliferator-activated receptor alpha-deficient mice. *J Biol Chem*. 272: 27307-27312.
- Peters, JM; Rusyn, I; Rose, ML; Gonzalez, FJ; Thurman, RG. (2000). Peroxisome proliferator-activated receptor alpha is restricted to hepatic parenchymal cells, not Kupffer cells: implications for the mechanism of action of peroxisome proliferators in hepatocarcinogenesis. *Carcinogenesis*. 21: 823-826.
- Peters, JM; Vanden Heuvel, JP. (2002). Peroxisome, peroxisome proliferators and peroxisome-proliferator activated receptors (PPARs). In JP Vanden Heuvel; GH Perdew; WB Mattes; WF Greenlee (Eds.), (pp. 133-158). Amsterdam: Elsevier Science.
- Peters, S; Vermeulen, R; Cassidy, A; Mannetje, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med*. 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Petit, N; Bouzaza, A; Wolbert, D; Petit, P; Dussaud, J. (2007). Photocatalytic degradation of gaseous perchloroethylene in continuous flow reactors: Rate enhancement by chlorine radicals. *Catalysis Today*. 124: 266-272. <http://dx.doi.org/10.1016/j.cattod.2007.03.050>.
- Petreas, MX; Woodlee, J; Becker, CE; Rappaport, SM. (1995). Retention of styrene following controlled exposure to constant and fluctuating air concentrations. *Int Arch Occup Environ Health*. 67: 27-34.
- Petrov, RV; Zirka, AA; Reshetnikov, SI. (2013). Determination of parameters of a mathematical model for regeneration of a chromium-aluminum catalyst for gas-phase perchloroethylene hydrofluorination into pentafluoroethane (Freon 125). *Kinet Catal*. 54: 644-647. <http://dx.doi.org/10.1134/S0023158413050133>.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Manag Res*. 33: 339-344. <http://dx.doi.org/10.1177/0734242X14567505>.
- Peyton, GR; Huang, FY; Bureson, JL; Glaze, WH. (1982). DESTRUCTION OF POLLUTANTS IN WATER WITH OZONE IN COMBINATION WITH ULTRAVIOLET-RADIATION .1. GENERAL-PRINCIPLES AND OXIDATION OF TETRACHLOROETHYLENE. *Environ Sci Technol*. 16: 448-453.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res*. 39: 4521-4527. <http://dx.doi.org/10.1016/j.watres.2005.09.016>.
- Phares, D; Verma, M; Horvath, B; Rodgers, N. (2013). Comparing International Standards to North American Standards for Large Adjustable-Speed Drives. *I E E E Transactions on Industry Applications*. 49. <http://dx.doi.org/10.1109/TIA.2013.2260811>.
- Phelan, TJ; Abriola, LM; Gibson, JL; Smits, KM; Christ, JA. (2015). Development and application of a screening model for evaluating bioenhanced dissolution in DNAPL source zones. *J Contam Hydrol*. 183: 1-15. <http://dx.doi.org/10.1016/j.jconhyd.2015.10.001>.
- Phelps, TJ; Niedzielski, JJ; Malachowsky, KJ; Schram, RM; Herbes, SE; White, DC. (1991). BIODEGRADATION OF MIXED-ORGANIC WASTES BY MICROBIAL CONSORTIA IN CONTINUOUS-RECYCLE EXPANDED-BED BIOREACTORS. *Environ Sci Technol*. 25: 1461-1465.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res*. 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. *Environ Sci Technol*. 47: 1510-1517. <http://dx.doi.org/10.1021/es303390q>.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. *J Contam Hydrol*. 147: 25-33. <http://dx.doi.org/10.1016/j.jconhyd.2013.02.002>.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. *J Contam Hydrol*. 170: 28-38. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.010>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere*. 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. *Chemosphere*. 91: 7-13. <http://dx.doi.org/10.1016/j.chemosphere.2012.11.016>.
- Phillips, RD; Moran, EJ; Dodd, DE; Fowler, EH; Kary, CD; O'Donoghue, J. (1987). A 14-week vapor inhalation toxicity study of methyl isobutyl ketone. *Fundam Appl Toxicol*. 9: 380-388.
- Pignatello, JJ. (1991). DESORPTION OF TETRACHLOROETHENE AND 1,2-DIBROMO-3-CHLOROPROPANE FROM AQUIFER SEDIMENTS. *Environ Toxicol Chem*. 10: 1399-1404.
- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted fenton reaction. *Environ Sci Technol*. 33: 1832-1839.
- Pike, MC; Casagrande, J; Smith, PG. (1975). Statistical analysis of individually matched case-control studies in epidemiology: Factor under study a discrete variable taking multiple values. *Br J Prev Soc Med*. 29: 196-201.

## Exposure Literature Search Results

### Off Topic

- Pillay, P; Hofmann, P; Manyage, M. (2002). Derating of induction motors operating with a combination of unbalanced voltages and over or undervoltages. *IEEE Transactions on Energy Conversion*. 17: 485-491. <http://dx.doi.org/10.1109/TEC.2002.805228>.
- Pinisakul, A; Kritayakornupong, C; Ruangpornvisuti, V. (2008). Molecular modeling of nitrosamines adsorbed on H-ZSM-5 zeolite: an ONIOM study. *J Mol Model*. 14: 1035-1041. <http://dx.doi.org/10.1007/s00894-008-0346-4>.
- Pipino, AC; Woodward, JT; Meuse, CW; Silin, V. (2004). Surface-plasmon-resonance-enhanced cavity ring-down detection. *J Chem Phys*. 120: 1585-1593. <http://dx.doi.org/10.1063/1.1629279>.
- Pirsaraei, SRA; Khavanin, A, Ii; Asilian, H; Soleimanian, A. (2009). Occupational Exposure to Perchloroethylene in Dry-cleaning Shops in Tehran, Iran. *Ind Health*. 47: 155-159.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol*. 190: 29-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.03.005>.
- Pitkaaho, S; Matejova, L; Jiratova, K; Ojala, S; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V2O5 catalysts supported on Al2O3, Al2O3-TiO2 and Al2O3-CeO2. Part 2. *Appl Catal B-Environ*. 126: 215-224. <http://dx.doi.org/10.1016/j.apcatb.2012.07.025>.
- Pitkaaho, S; Matejova, L; Ojala, S; Gaalova, J; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V2O5 catalysts supported on Al2O3, Al2O3-TiO2 and Al2O3-CeO2. *Appl Catal B-Environ*. 113: 150-159. <http://dx.doi.org/10.1016/j.apcatb.2011.11.032>.
- Pitkaaho, S; Nevanpera, T; Matejova, L; Ojala, S; Keiski, RL. (2013). Oxidation of dichloromethane over Pt, Pd, Rh, and V(2)O(5) catalysts supported on Al(2)O(3), Al(2)O(3)-TiO(2) and Al(2)O(3)-CeO(2). *Appl Catal B-Environ*. 138-139 (Jul 17): 33-42. <http://dx.doi.org/10.1016/j.apcatb.2013.01.058>.
- Pitkaaho, S; Ojala, S; Kinnunen, T; Silvonen, R; Keiski, RL. (2011). Catalytic Oxidation of Dichloromethane and Perchloroethylene: Laboratory and Industrial Scale Studies. *Top Catal*. 54: 1257-1265. <http://dx.doi.org/10.1007/s11244-011-9748-0>.
- Pitkaaho, S; Ojala, S; Maunula, T; Savimaki, A; Kinnunen, T; Keiski, RL. (2011). Oxidation of dichloromethane and perchloroethylene as single compounds and in mixtures. *Appl Catal B-Environ*. 102: 395-403. <http://dx.doi.org/10.1016/j.apcatb.2010.12.011>.
- Pittman, CU; He, J. (2002). Dechlorination of PCBs, CAHs, herbicides and pesticides neat and in soils at 25 degrees C using Na/NH3. *J Hazard Mater*. 92: 51-62.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol*. 49: 684-695. <http://dx.doi.org/10.1007/s00254-005-0106-z>.
- Platteborzestienlet, K; Zeegershuyskens, T. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct*. 378: 29-34.
- Plattner, T. (2005). Modelling public risk evaluation of natural hazards: a conceptual approach. *Natural Hazards and Earth System Sciences*. 5: 357-366.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull*. 13: 1151-1157.
- Plevova, J; Frantik, E; Chladkova, D. (1975). A contribution to the problem of interaction between drugs and some air pollutants. *Proceedings of the European Soc Toxicola*. 16: 303-306.
- Plotnikov, VA; Petrov, AP. (1976). Combined effect of trichloroacetic acid and dimethyl sulfate on arabidopsis with respect to the role of histones in mutation process. *Cytology and Genetics*. 10: 33-36.
- Pocklington, WD. (1992). Determination of tetrachloroethylene: Results of a collaborative study and the standardized method. *J Am Oil Chem Soc*. 69: 789-793. <http://dx.doi.org/10.1007/BF02635916>.
- Pogribny, IP; Tryndyak, VP; Woods, CG; Witt, SE; Rusyn, I. (2007). Epigenetic effects of the continuous exposure to peroxisome proliferator WY-14,643 in mouse liver are dependent upon peroxisome proliferator activated receptor alpha. *Mutat Res-Fundam Mol Mech Mutagen*. 625: 62-71. <http://dx.doi.org/10.1016/j.mrfmmm.2007.05.004>.
- Pohl, HR; Roney, N; Wilbur, S; Hansen, H; De Rosa, CT. (2003). Six interaction profiles for simple mixtures. *Chemosphere*. 53: 183-197. [http://dx.doi.org/10.1016/S0045-6535\(03\)00436-3](http://dx.doi.org/10.1016/S0045-6535(03)00436-3).
- Pohlbeln, H; Boffetta, P; Ahrens, W; Merletti, F; Agudo, A; Benhamou, E; Benhamou, S; Bruske-Hohlfeld, I; Ferro, G; Fortes, C; Kreuzer, M; Mendes, A; Nyberg, F; Pershagen, G; Saracci, R; Schmid, G; Siemiatycki, J; Simonato, L; Whitley, E; Wichmann, HE; Winck, C; Zambon, P; Jockel, KH. (2000). Occupational risks for lung cancer among nonsmokers. *Epidemiology*. 11: 532-538.
- Pohlbeln, H; Jöckel, KH; Bolm-Audorff, U. (1999). Non-occupational risk factors for cancer of the lower urinary tract in Germany. *Eur J Epidemiol*. 15: 411-419. <http://dx.doi.org/10.1023/A:1007595809278>.
- Pokorska, Z; Piszczewska, E; Andrysiak, A; Krueger, A; Wesek, W. (1987). PROCESS OF TETRACHLOROMETHANE AND TETRACHLOROETHYLENE SOLVENTS PRODUCTION. *Przemysl Chemiczny*. 66: 88-91.
- Polak, J; Murakami, S; Lam, VT; Benson, GC. (1970). EXCESS ENTHALPY, VOLUME, AND GIBBS FREE ENERGY OF CYCLOPENTANE-TETRACHLOROETHYLENE MIXTURES AT 25 DEGREES C. *Journal of Chemical and Engineering Data*. 15: 323-&.
- Poli, D; Manini, P; Andreoli, R; Franchini, I; Mutti, A. (2005). Determination of dichloromethane, trichloroethylene and perchloroethylene in urine samples by headspace solid phase microextraction gas chromatography-mass spectrometry. *Journal of Chromatography B*. 820: 95-102. <http://dx.doi.org/10.1016/j.jchromb.2005.03.00>.
- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol*. 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).

## Exposure Literature Search Results

### Off Topic

- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environ Sci Technol.* 37: 3181-3188. <http://dx.doi.org/10.1021/es026352i>.
- Ponangi, R; Pintauro, PN. (1998). Measurement and interpretation of equilibrium organic vapor sorption in polyurethane membranes. *J Memb Sci.* 144: 25-35.
- Ponangi, R; Pintauro, PN; De Kee, D. (2000). Free volume analysis of organic vapor diffusion in polyurethane membranes. *J Memb Sci.* 178: 151-164.
- Ponangi, RP; Pintauro, PN. (1996). Separation of volatile organic compounds from dry and humidified nitrogen using polyurethane membranes. *Ind Eng Chem Res.* 35: 2756-2765.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 549-559. <http://dx.doi.org/10.1080/10934521003595233>.
- Poon, JK; Dahlbom, ML; Casey, ME; Qi, J; Cherry, SR; Badawi, RD. (2015). Validation of the SimSET simulation package for modeling the Siemens Biograph mCT PET scanner. *Phys Med Biol.* 60: N35-N45. <http://dx.doi.org/10.1088/0031-9155/60/3/N35>.
- Poon, JK; Dahlbom, ML; Moses, WW; Balakrishnan, K; Wang, W; Cherry, SR; Badawi, RD. (2012). Optimal whole-body PET scanner configurations for different volumes of LSO scintillator: a simulation study. *Phys Med Biol.* 57: 4077-4094. <http://dx.doi.org/10.1088/0031-9155/57/13/4077>.
- Popat, SC; Deshusses, MA. (2009). Reductive dehalogenation of trichloroethene vapors in an anaerobic biotrickling filter. *Environ Sci Technol.* 43: 7856-7861. <http://dx.doi.org/10.1021/es901305x>.
- Popat, SC; Zhao, K; Deshusses, MA. (2012). Bioaugmentation of an anaerobic biotrickling filter for enhanced conversion of trichloroethene to ethene. *Chem Eng J.* 183: 98-103. <http://dx.doi.org/10.1016/j.cej.2011.12.026>.
- Popota, FD; Aguiar, P; España, S; Lois, C; Udias, JM; Ros, D; Pavia, J; Gispert, JD. (2015). Monte Carlo simulations versus experimental measurements in a small animal PET system. A comparison in the NEMA NU 4-2008 framework. *Phys Med Biol.* 60: 151-162. <http://dx.doi.org/10.1088/0031-9155/60/1/151>.
- Popota, FD; Aguiar, P; Raul Herance, J; Pareto, D; Rojas, S; Ros, D; Pavia, J; Domingo Gispert, J. (2012). Comparison of the Performance Evaluation of the MicroPET R4 Scanner According to NEMA Standards NU 4-2008 and NU 2-2001. *IEEE Trans Nucl Sci.* 59: 1879-1886. <http://dx.doi.org/10.1109/TNS.2012.2208760>.
- Popp, JA. (1984). *Mouse liver neoplasia*. Washington, DC: Hemisphere.
- Porru, S; Aulenti, V; Donato, F; Boffetta, P; Fazioli, R; Cosciani Cunico, S; Alessio, L. (1996). Bladder cancer and occupation: A case-control study in northern Italy. *Occup Environ Med.* 53: 6-10.
- Portier, CJ. (1988). Species correlation of chemical carcinogens. *Risk Anal.* 8: 551-553. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01196.x>.
- Potyrailo, RA; May, RJ; Sivavec, TM. (2004). Recognition and quantification of perchloroethylene, trichloroethylene, vinyl chloride, and three isomers of dichloroethylene using acoustic wave sensor array. *Sensor Letters.* 2: 31-36. <http://dx.doi.org/10.1166/sl.2004.019>.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem.* 76: 7023-7027. <http://dx.doi.org/10.1021/ac049481l>.
- Poulson, SR; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environ Sci Technol.* 36: 3270-3274. <http://dx.doi.org/10.1021/es0205380>.
- Poulson, SR; Naraoka, H. (2006). Carbon isotope fractionation during degradation of benzene, trichloroethene, and tetrachloroethene under ultraviolet light. *Geochemical Journal.* 40: 291-296.
- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands.* 31: 45-52. <http://dx.doi.org/10.1007/s13157-010-0134-7>.
- Powell, JF. (1945). Trichloroethylene: Absorption, elimination and metabolism. *Br J Ind Med.* 2: 142-145.
- Prade, K; Schmax, S. (1998). Rapid headspace-GC determination of the soil-water partition ratio of volatile hydrocarbons. *Z Pflanzenernaehr Bodenkd.* 161: 647-651.
- Prado, C; Marin, P; Periago, JF. (2003). Application of solid-phase microextraction and gas chromatography-mass spectrometry to the determination of volatile organic compounds in end-exhaled breath samples. *J Chromatogr A.* 1011: 125-134. [http://dx.doi.org/10.1016/S0021-9673\(03\)01103-8](http://dx.doi.org/10.1016/S0021-9673(03)01103-8).
- Prager, L; Dowideit, P; Langguth, H; Schuchmann, HP; von Sonntag, C. (2001). Hydrolytic removal of the chlorinated products from the oxidative free-radical-induced degradation of chloroethylenes: acid chlorides and chlorinated acetic acids. 1641-1647. <http://dx.doi.org/10.1039/b101687n>.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng.* 126: 622-628.
- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol.* 72: 47-54.
- Prasad, R; Ratib, O; Zaidi, H. (2011). NEMA NU-04-based performance characteristics of the LabPET-8™ small animal PET scanner. *Phys Med Biol.* 56: 6649-6664. <http://dx.doi.org/10.1088/0031-9155/56/20/009>.
- Prasad, TEV; Banerjee, S; Babu, JK; Prasad, DHL. (2004). Boiling temperature measurements on the binary mixtures formed by dimethyl carbonate with some chloroethanes and chloroethylenes at 95.8 kPa. *Fluid Phase Equilibria.* 218: 291-293. <http://dx.doi.org/10.1016/j.fluid.2004.01.027>.
- Prasad, TEV; Harish, G; Krupavaram, N; Prasad, S; Jaiswal, A; Prasad, DHL. (2005). Bubble points of some binary mixtures formed by o-cresol at 95.75 kPa. *Fluid Phase Equilibria.* 238: 45-51. <http://dx.doi.org/10.1016/j.fluid.2005.09.012>.
- Prasad, TEV; Kumar, AS; Prasad, DHL. (2002). Boiling temperature measurements on the binary mixtures formed by acetonitrile with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria.* 201: 47-55.

## Exposure Literature Search Results

### Off Topic

- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Densities and viscosities of the binary mixtures of chloroethylenes with some aliphatic alcohols. *Journal of Chemical and Engineering Data*. 47: 68-71. <http://dx.doi.org/10.1021/je010141w>.
- Prasad, TEV; Mythili, R; Nirmala, GS; Prasad, DHL. (2002). Vapor-liquid equilibria in trichloroethylene plus ethanol, plus isopropanol, and plus isobutanol and in tetrachloroethylene plus methanol at 95 kPa. *Journal of Chemical and Engineering Data*. 47: 816-817. <http://dx.doi.org/10.1021/je010248j>.
- Prasad, TEV; Patanjali, V; Sudhakar, TA; Radhika, BS; Arvind, VM; Prasad, DHL. (2004). Bubble temperature measurements on the binary mixtures of n-heptane or nitrobenzene or chlorobenzene with some chloroethanes and chloroethylenes at (94.6 to 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 199-201. <http://dx.doi.org/10.1021/je030185>.
- Prasad, TEV; Phanibhushan, A; Prasad, DHL. (1998). Bubble temperature measurements on m-cresol with some chlorohydrocarbons. *Fluid Phase Equilibria*. 153: 81-85.
- Prasad, TEV; Prasad, DHL; Babu, JK; Banarjee, S. (2004). Bubble temperature measurements on the binary mixtures formed by 1,2-dimethylbenzene with some chloroethanes and chloroethylenes at 95.8 KPA. *Chemical Engineering Communications*. 191: 1323-1328. <http://dx.doi.org/10.1080/00986440490464246>.
- Prasad, TEV; Prasad, DHL; Krishna, VB. (2005). Bubble temperature measurements on the binary mixtures of sec-butanol with chloroethanes and chloroethylenes at 94.6 kPa. *Chemical Engineering Communications*. 192: 168-173. <http://dx.doi.org/10.1080/00986440590473371>.
- Prasad, TEV; Prasad, DHL; Patanjali, V. (2005). Bubble temperature measurements on seven binary mixtures containing 1-4-dimethylbenzene at 95.8 kPa. *Chemical Engineering Communications*. 192: 18-22. <http://dx.doi.org/10.1080/00986440590473164>.
- Prasad, TEV; Raj, EDA; Maheedhar, G; Reddy, MS; Kumar, VS; Garapati, S; Patanjali, V; Prasad, DHL. (2004). Bubble-temperature measurements on some binary mixtures formed by tetrahydrofuran or amyl alcohol with hydrocarbons, chlorohydrocarbons, or butanols at (94.6 or 95.8) kPa. *Journal of Chemical and Engineering Data*. 49: 746-749. <http://dx.doi.org/10.1021/je030141r>.
- Prasad, TEV; Sankar, B; Kumar, RP; Prasad, DHL. (2003). Boiling temperature measurements on the binary mixtures formed by tert-butanol with some chloroethanes and chloroethylenes at 94.6 kPa. *Fluid Phase Equilibria*. 213: 147-152. [http://dx.doi.org/10.1016/S0378-3812\(03\)00287-5](http://dx.doi.org/10.1016/S0378-3812(03)00287-5).
- Prasad, TEV; Sravani, Y; Ranjita, VS, ri; Prasada, DHL. (2006). Excess Gibbs' energies of selected binary mixtures formed by N,N-dimethyl formamide at 95.5 kPa. *Fluid Phase Equilibria*. 249: 49-54. <http://dx.doi.org/10.1016/j.fluid.2006.08.018>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of dehydroepiandrosterone (DHEA) on the metabolism of 7,12-dimethylbenz[a]anthracene (DMBA) in rats. *Carcinogenesis*. 10: 953-955. <http://dx.doi.org/10.1093/carcin/10.5.953>.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H2O2/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag*. 16: 327-333.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research*. 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, RG; Taylor, SA; Chivers, I; Arce-Tomas, M; Crutcher, E; Franchini, I; Slinovi, R; Cavazzini, S; Bergamaschi, E; Mutti, A; Vettori, MV; Lauwerys, R; Bernard, A; Kabanda, A; Roels, H; Thielemans, N; Hotz, P; De Broe, ME; Elseviers, MM; Nuyts, GD; Gelpi, E; Hotter, G; Rosello, J; Ramis, I; Stolte, H; Fels, LM; Eisenberger, U. (1996). Development and validation of new screening tests for nephrotoxic effects [Review]. *Hum Exp Toxicol*. 15: S10-S19.
- Provoost, J; Reijnders, L; Swartjes, F; Bronders, J, an; Seuntjens, P; Lijzen, J. (2009). Accuracy of seven vapour intrusion algorithms for VOC in groundwater. *Journal of Soils and Sediments*. 9: 62-73. <http://dx.doi.org/10.1007/s11368-008-0036-y>.
- Przetakiewicz, J. (2015). The Viability of Winter Sporangia of *Synchytrium endobioticum* (Schilb.) Perc. from Poland. *American Journal of Potato Research*. 92: 704-708. <http://dx.doi.org/10.1007/s12230-015-9480-6>.
- Ptacek, B; Dalard, F; Rameau, JJ. (1996). Iron phosphating in a trichloroethylene solution. *Surf Coating Tech*. 82: 277-283.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol*. 10: 119-158. [http://dx.doi.org/10.1016/0169-7722\(92\)90026-B](http://dx.doi.org/10.1016/0169-7722(92)90026-B).
- Pu, Z; Mi, J, ie; Kang, J; Zhang, S. (2015). Kinetics and activation energy of solvent swelling of coal altered by an ultrasonication-enhanced process. *Korean J Chem Eng*. 32: 74-78. <http://dx.doi.org/10.1007/s11814-014-0189-x>.
- Puigserver, D; Herrero, J; Torres, M; Cortés, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int*. 23: 18724-18741. <http://dx.doi.org/10.1007/s11356-016-7068-4>.
- Pukkala, E; Malila, N; Hakama, M. (2010). Socioeconomic differences in incidence of cervical cancer in Finland by cell type. *Acta Oncol*. 49: 180-184. <http://dx.doi.org/10.3109/02841860903386390>.
- Pukkala, E; Martinsen, J; Lynge, E; Gunnarsdottir, H; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kjaerheim, K. (2009). Occupation and cancer - follow-up of 15 million people in five Nordic countries. *Acta Oncol*. 48: 646-790. <http://dx.doi.org/10.1080/02841860902913546>.
- Puma, GL, i; Salvado-Estivill, I; Obee, TN; Hay, SO. (2009). Kinetics rate model of the photocatalytic oxidation of trichloroethylene in air over TiO2 thin films. *Separation and Purification Technology*. 67: 226-232. <http://dx.doi.org/10.1016/j.seppur.2009.03.011>.
- Putnam, ML; Sindermann, AB. (1994). ERADICATION OF POTATO WART DISEASE FROM MARYLAND. *Am Potato J*. 71: 743-747.
- Putthividhya, A; Rodphai, S. (2013). Use of geostatistical models in DNAPL source zone architecture and dissolution profiles assessment in spatially variable aquifer. *Environ Earth Sci*. 70: 1983-1991. <http://dx.doi.org/10.1007/s12665-013-2713-4>.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *J Environ Eng*. 131: 196-205. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(196\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(196)).

## Exposure Literature Search Results

### Off Topic

- Pyle, JA; Ashfold, MJ; Harris, NRP; Robinson, AD; Warwick, NJ; Carver, GD; Gostlow, B; O'Brien, LM; Manning, AJ; Phang, SM; Yong, SE; Leong, KP; Ung, EH; Ong, S. (2011). Bromoform in the tropical boundary layer of the Maritime Continent during OP3. *Atmos Chem Phys*. 11: 529-542. <http://dx.doi.org/10.5194/acp-11-529-2011>.
- Qian, L; Ren, Y, u; Liu, T; Pan, D; Wang, H; Chen, G. (2012). Influence of KIT-6's pore structure on its surface properties evaluated by inverse gas chromatography. *Chem Eng J*. 213: 186-194. <http://dx.doi.org/10.1016/j.cej.2012.09.110>.
- Qiao, Q, i; Lu, H; Ge, J; Xi, X, i; Chen, R; Yang, J; Zhu, J; Shi, Z; Chu, J. (2014). 18.5% efficient AlOx/SiNy rear passivated industrial multicrystalline silicon solar cells. *Appl Surf Sci*. 305: 439-444. <http://dx.doi.org/10.1016/j.apsusc.2014.03.108>.
- Qin, H, u; Brookes, PC; Xu, J; Feng, Y. (2014). Bacterial degradation of Aroclor 1242 in the mycorrhizosphere soils of zucchini (*Cucurbita pepo* L.) inoculated with arbuscular mycorrhizal fungi. *Environ Sci Pollut Res Int*. 21: 12790-12799. <http://dx.doi.org/10.1007/s11356-014-3231-y>.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ*. 381: 17-37. <http://dx.doi.org/10.1016/j.scitotenv.2007.04.011>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A*. 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Qiu, Z; Yang, W; He, L; Zhao, Z; Lu, S; Sui, Q. (2016). Characteristics and influencing factors of tetrachloroethylene sorption-desorption on soil and its components. *Chemosphere*. 144: 895-901. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.047>.
- Quadri, G; Chen, X; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased surfactant-like molecules from organic wastes: The effect of waste composition and composting process on surfactant properties and on the ability to solubilize tetrachloroethene (PCE). *Environ Sci Technol*. 42: 2618-2623. <http://dx.doi.org/10.1021/es702144t>.
- Quadri, G; Chen, X; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased Surfactant-Like Molecules from Organic Wastes: The Effect of Waste Composition and Composting Process on Surfactant Properties and on the Ability to Solubilize Tetrachloroethene (PCE) (vol 42, pg 2618, 2008). *Environ Sci Technol*. 42: 8613-8613.
- Quan, ZJ, un; Ren, RG, uo; Da, Y, uXia; Zhang, Z; Wang, X, iCun. (2011). Alkylation of SH-Heterocycles with Diethyl Phosphite Using Tetrachloroethylene as an Efficient Solvent. *Heteroatom Chemistry*. 22: 653-658. <http://dx.doi.org/10.1002/hc.20729>.
- Qui, W; Zhou, YB; Shao, CH; Sun, YD; Zhang, QY; Chen, CY; Jia, JH. (2009). *Helicobacter pylori* Proteins Response to Nitric Oxide Stress. *J Microbiol*. 47: 486-493. <http://dx.doi.org/10.1007/s12275-008-0266-0>.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol*. 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Rabbani, GH; Gilman, RH; Kabir, I; Mondel, G. (1985). The treatment of Fasciolopsis buski infection in children: a comparison of thiabendazole, mebendazole, levamisole, pyrantel pamoate, hexylresorcinol and tetrachloroethylene. *Trans Roy Soc Trop Med Hyg*. 79: 513-515.
- Rachootin, P; Olsen, J. (1983). The risk of infertility and delayed conception associated with exposures in the Danish workplace. *J Occup Med*. 25: 394-402.
- Radhamma, M; Hsieh, CT; Venkatesu, P; Rao, MVP; Lee, MJ, er; Lin, H, omu. (2008). Isobaric vapor-liquid equilibrium for dimethylsulfoxide with chloroethanes and chloroethenes. *Journal of Chemical and Engineering Data*. 53: 374-377. <http://dx.doi.org/10.1021/je700408x>.
- Radhamma, M; Sivakumar, K; Rao, MVP. (2004). Molecular interactions in binary liquid mixtures of dimethylsulphoxide with chloroethanes and chloroethenes. *Indian J Chem Tech*. 11: 710-713.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med*. 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Rae, I, anD. (2016). Substance Abuse: Carbon Tetrachloride and the Ozone Layer. *Australian Journal of Chemistry*. 69: 1375-1379. <http://dx.doi.org/10.1071/CH16451>.
- Raghavan, AS; Palmer, TA; Kragh-Buetow, KC; Domask, AC; Reutzler, EW; Mohney, SE; Debroy, T. (2015). Employing microsecond pulses to form laser-fired contacts in photovoltaic devices. *Progress in Photovoltaics*. 23: 1025-1036. <http://dx.doi.org/10.1002/pip.2523>.
- Rahm, BG; Richardson, RE. (2008). Correlation of respiratory gene expression levels and pseudo-steady-state PCE respiration rates in *Dehalococcoides ethenogenes*. *Environ Sci Technol*. 42: 416-421. <http://dx.doi.org/10.1021/es071455s>.
- Rahm, BG; Richardson, RE. (2008). *Dehalococcoides*' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environ Sci Technol*. 42: 5099-5105. <http://dx.doi.org/10.1021/es7D2912t>.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod*. 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Raisanen, J; Niemela, R; Rosenberg, C. (2001). Tetrachloroethylene emissions and exposure in dry cleaning. *Journal of the Air and Waste Management Association*. 51: 1671-1675.
- Rajagopal, VK; Burris, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem*. 18: 1779-1782.
- Rajamanikandan, S; Sindhu, T; Durgapriya, D; Sophia, D; Ragavendran, P; Gopalakrishnan, VK. (2012). Protective effect of *Mollugo nudicaulis* Lam. on acute liver injury induced by perchloroethylene in experimental rats. *Asian Pacific Journal of Tropical Medicine*. 5: 862-867. [http://dx.doi.org/10.1016/S1995-7645\(12\)60161-8](http://dx.doi.org/10.1016/S1995-7645(12)60161-8).
- Rall, DP. (1977). Species differences in carcinogenesis testing. NY: 1383-1390.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect*. 113: 55-61.
- Ramlow, J; Bloemen, L. (1995). DRINKING-WATER AND LEUKEMIA. *Environ Health Perspect*. 103: 538-540.



## Exposure Literature Search Results

### Off Topic

- Ramlow, JM. (1995). [Comments on Aschengrau et al study on relationship of PCE and human leukemia] [letter] [Letter]. *Arch Environ Health*. 50: 170-171.
- Ramlow, JM. (1995). CRITIQUE OF REVIEW OF CHLORINATED SOLVENTS EPIDEMIOLOGY. *Am J Ind Med*. 27: 313-316.
- Ramos-Dorta, CV; Pino, V; Afonso, A. (2013). Monitoring polycyclic aromatic hydrocarbons in seawaters and wastewaters using a dispersive liquid-liquid microextraction method. *Environ Technol*. 34: 607-616. <http://dx.doi.org/10.1080/09593330.2012.710255>.
- Ramsburg, CA; Abriola, LM; Pennell, KD; Löffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environ Sci Technol*. 38: 5902-5914. <http://dx.doi.org/10.1021/es049675i>.
- Ramsburg, CA; Christ, JA; Douglas, S. R.; Boroumand, A, li. (2011). Analytical modeling of degradation product partitioning kinetics in source zones containing entrapped DNAPL. *Water Resour Res*. 47: 3507-3507. <http://dx.doi.org/10.1029/2010WR009958>.
- Ramsburg, CA; Pennell, KD. (2001). Experimental and economic assessment of two surfactant formulations for source zone remediation at a former dry cleaning facility. *Ground Water Monitoring and Remediation*. 21: 68-82.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for dense nonaqueous-phase liquid source-zone remediation: Density conversion using a partitioning alcohol. *Environ Sci Technol*. 36: 2082-2087. <http://dx.doi.org/10.1021/es0113571>.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environ Sci Technol*. 36: 3176-3187. <http://dx.doi.org/10.1021/es011403h>.
- Ramsburg, CA; Pennell, KD; Abriola, LM; Daniels, G; Drummond, CD; Gamache, M; Hsu, HL; Petrovskis, EA; Rathfelder, KM; Ryder, JL; Yavaraski, TP. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 2. System operation and evaluation. *Environ Sci Technol*. 39: 1791-1801. <http://dx.doi.org/10.1021/es049563r>.
- Ramsburg, CA; Pennell, KD; Kibbey, TC; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol*. 74: 105-131. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.008>.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environ Sci Technol*. 37: 4246-4253. <http://dx.doi.org/10.1021/es0210291>.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation product partitioning in source zones containing chlorinated ethene dense non-aqueous-phase liquid. *Environ Sci Technol*. 44: 9105-9111. <http://dx.doi.org/10.1021/es102536f>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol*. 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ran, Y; Xing, BS; Rao, PSC; Sheng, GY; Fu, JM. (2005). Sorption kinetics of organic contaminants by sandy aquifer and its kerogen isolate. *Environ Sci Technol*. 39: 1649-1657. <http://dx.doi.org/10.1021/es049114r>.
- Ranjan, RS; Karthigesu, T. (1996). A capillary flow meter for measuring the hydraulic conductivity of clay under low gradients. *Canadian Geotechnical Journal*. 33: 504-509.
- Rao, KV; Prasad, AR. (1984). MEASUREMENT, CORRELATION AND PREDICTION OF BINARY VAPOR LIQUID EQUILIBRIA FOR ALCOHOL TETRACHLOROETHENE SYSTEMS. *Can J Chem Eng*. 62: 142-148.
- Rao, KV; Raviprasad, A; Chiranjivi, C. (1980). VAPOR-LIQUID-EQUILIBRIA OF SOME NORMAL-ALCOHOL-TETRACHLOROETHENE SYSTEMS. *Fluid Phase Equilibria*. 4: 293-302.
- Rao, MS; Reddy, JK. (1991). An overview of peroxisome proliferator-induced hepatocarcinogenesis. *Environ Health Perspect*. 93: 205-209.
- Rappaport, SM. (1993). Biological considerations in assessing exposures to genotoxic and carcinogenic agents. *Int Arch Occup Environ Health*. 65: S29-S35.
- Rapson, WH; Nazar, MA; Butsky, VV. (1980). Mutagenicity produced by aqueous chlorination of organic compounds. *Bull Environ Contam Toxicol*. 24: 590-596. <http://dx.doi.org/10.1007/BF01608160>.
- Rashid, M, dM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air Soil Pollut*. 216: 429-440. <http://dx.doi.org/10.1007/s11270-010-0542-6>.
- Rashid, M, dM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *J Environ Eng*. 138: 1179-1185. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000590](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000590).
- Rasile, DA; Donovick, PJ; Burright, RG. (1988). Cumulative and residual effects of low level lead exposure on development and behavioral activity in three generations of mice. 14: 326.
- Rastkari, N; Ahmadkhaniha, R; Yunesian, M. (2012). Simultaneous determination of trichloroethylene, perchloroethylene and trichloroacetic acid in human urine using solid-phase microextraction fibre coated with single-walled carbon nanotubes. *Int J Environ Anal Chem*. 92: 1650-1665. <http://dx.doi.org/10.1080/03067319.2011.581367>.
- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol*. 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Rathfelder, KM; Abriola, LM; Singletary, MA; Pennell, KD. (2003). Influence of surfactant-facilitated interfacial tension reduction on chlorinated solvent migration in porous media: observations and numerical simulation. *J Contam Hydrol*. 64: 227-252. [http://dx.doi.org/10.1016/S0169-7722\(02\)00205-X](http://dx.doi.org/10.1016/S0169-7722(02)00205-X).
- Rathfelder, KM; Abriola, LM; Taylor, TP; Pennell, KD. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 2. Numerical simulation. *J Contam Hydrol*. 48: 351-374. [http://dx.doi.org/10.1016/S0169-7722\(00\)00186-8](http://dx.doi.org/10.1016/S0169-7722(00)00186-8).
- Raucy, JL. (1995). Risk assessment: Toxicity from chemical exposure resulting from enhanced expression of CYP2E1. *Toxicology*. 105: 217-224. [http://dx.doi.org/10.1016/0300-483X\(95\)03216-3](http://dx.doi.org/10.1016/0300-483X(95)03216-3).

## Exposure Literature Search Results

### Off Topic

- Raul, SK; Panda, SN. (2013). Simulation-Optimization Modeling for Conjunctive Use Management under Hydrological Uncertainty. *Water Resources Management*. 27: 1323-1350. <http://dx.doi.org/10.1007/s11269-012-0240-9>.
- Raunio, H; Husgafvel-Pursiainen, K; Anttila, S; Hietanen, E; Hirvonen, A; Pelkonen, O. (1995). Diagnosis of polymorphisms in carcinogen-activating and inactivating enzymes and cancer susceptibility--a review [Review]. *Gene*. 159: 113-121.
- Raviprasad, A; Rao, KV; Chiranjivi, C. (1981). BINARY VAPOR-LIQUID-EQUILIBRIA OF ISO ALCOHOL-TETRACHLOROETHENE SYSTEMS. *Journal of Chemical and Engineering Data*. 26: 211-213.
- Raylman, RR; Stolin, AV; Martone, PF; Smith, MF. (2016). TandemPET- A High Resolution, Small Animal, Virtual Pinhole-Based PET Scanner: Initial Design Study. *IEEE Trans Nucl Sci*. 63: 75-83. <http://dx.doi.org/10.1109/TNS.2015.2482459>.
- Rea, WJ; Ross, GH; Johnson, AR; Smiley, RE; Fenyes, EJ. (1991). Chemical sensitivity in physicians [Review]. *Bol Asoc Med P R*. 83: 383-388.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO<sub>2</sub> pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination*. 5: 187-202.
- Rebelakos, A; Trichopoulos, D; Tzonou, A; Zavitsanos, X; Velonakis, E; Trichopoulos, A. (1985). Tobacco smoking, coffee drinking, and occupation as risk factors for bladder cancer in Greece. *J Natl Cancer Inst*. 75: 455-461.
- Rectanus, HV; Widdowson, MA; Chapelle, FH; Kelly, CA; Novak, JT. (2007). Investigation of reductive dechlorination supported by natural organic carbon. *Ground Water Monitoring and Remediation*. 27: 53-62.
- Reddy, AVB; Madhavi, V; Reddy, KG; Madhavi, G. (2013). Remediation of Chlorpyrifos-Contaminated Soils by Laboratory-Synthesized Zero-Valent Nano Iron Particles: Effect of pH and Aluminum Salts. *J Chem*. <http://dx.doi.org/10.1155/2013/521045>.
- Reddy, JK; Azarnoff, DL. (1980). Hypolipidaemic hepatic peroxisome proliferators form a novel class of chemical carcinogens. *Nature*. 283: 397-398.
- Reddy, JK; Lalwani, ND; Qureshi, SA; Reddy, MK; Moehle, CM. (1984). Induction of hepatic peroxisome proliferation in nonrodent species, including primates. *Am J Pathol*. 114: 171-183.
- Reddy, JK; Rao, MS. (1986). Peroxisome proliferators and cancer: mechanisms and implications. *Trends Pharmacol Sci*. 7: 438-443.
- Reddy, JK; Reddy, MK; Usman, MI; Lalwani, ND; Rao, MS. (1986). Comparison of hepatic peroxisome proliferative effect and its implication for hepatocarcinogenicity of phthalate esters, di(2-ethylhexyl) phthalate, and di(2-ethylhexyl) adipate with a hypolipidemic drug. *Environ Health Perspect*. 65: 317-327.
- Regan, D. (1989). *Human brain electrophysiology*. New York: Elsevier Science.
- Regan, F; Walsh, F; Walsh, J. (2003). Development of plasticised PVC sensing films for the determination of BTEX compounds in aqueous samples. *Int J Environ Anal Chem*. 83: 621-631. <http://dx.doi.org/10.1080/0306731021000049635>.
- Reichard-Brown, JL; Spinner, H; McBride, K. (2009). Sea urchin embryos exposed to thalidomide during early cleavage exhibit abnormal morphogenesis later in development. *Birth Defects Res B Dev Reprod Toxicol*. 86: 496-505. <http://dx.doi.org/10.1002/bdrb.20215>.
- Reichert, D; Neudecker, T; Spengler, U; Henschler, D. (1983). Mutagenicity of dichloroacetylene and its degradation products trichloroacetyl chloride, trichloroacryloyl chloride and hexachlorobutadiene. *Mutat Res Genet Toxicol Environ Mutagen*. 117: 21-29. [http://dx.doi.org/10.1016/0165-1218\(83\)90149-0](http://dx.doi.org/10.1016/0165-1218(83)90149-0).
- Reichert, D; Spengler, U; Romen, W; Henschler, D. (1980). Nephrotoxic, mutagenic and carcinogenic potentials of dichloroacetylene and its decomposition products. *Naunyn Schmiedebergs Arch Pharmacol*. 311: R25.
- Reichert, D; Werner, HW; Metzler, M; Henschler, D. (1979). Molecular mechanism of 1,1-dichloroethylene toxicity: excreted metabolites reveal different pathways of reactive intermediates. *Arch Toxicol*. 42: 159-169.
- Reif, J. (1989). Passive household smoking and canine lung cancer. *J Am Vet Med Assoc*. 194: 1787.
- Reif, J; Pearce, N; Kawachi, I; Fraser, J. (1989). Soft-tissue sarcoma, non-Hodgkin's lymphoma and other cancers in New Zealand forestry workers. *Int J Cancer*. 43: 49-54.
- Reif, JS; Dunn, K; Ogilvie, GK; Harris, CK. (1992). Passive smoking and canine lung cancer risk. *Am J Epidemiol*. 135: 234-239.
- Reitsma, S; Dai, QL. (2001). Reaction-enhanced mass transfer and transport from non-aqueous phase liquid source zones. *J Contam Hydrol*. 49: 49-66.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol*. 136: 289-306. <http://dx.doi.org/10.1006/taap.1996.0036>.
- Reitz, RH; Mendrala, AL; Guengerich, FP. (1989). In vitro metabolism of methylene chloride in human and animal tissues: Use in physiologically based pharmacokinetic models. *Toxicol Appl Pharmacol*. 97: 230-246. [http://dx.doi.org/10.1016/0041-008X\(89\)90328-1](http://dx.doi.org/10.1016/0041-008X(89)90328-1).
- Remiezowicz, E; Pajak, M; Skrzypinski, W. (2003). Intermediates in photodegradation of chlorinated organic compounds. *Inzynieria Chemiczna i Procesowa*. 24: 643-650.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol*. 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol*. 49: 4293-4301. <http://dx.doi.org/10.1021/es506108j>.
- Renwick, AG. (1998). Toxicokinetics in infants and children in relation to the ADI and TDI. *Food Addit Contam*. 15: 17-35. <http://dx.doi.org/10.1080/02652039809374612>.
- Reshetnikov, SI; Zirka, AA; Petrov, RV; Ivanov, EA. (2011). Kinetics study of the perchloroethylene hydrofluorination into pentafluoroethane (Freon 125) over chromium-based catalyst. *Chem Eng J*. 176: 22-25. <http://dx.doi.org/10.1016/j.cej.2011.05.109>.

## Exposure Literature Search Results

### Off Topic

- Reulen, R; Kellen, E; Buntinx, F; Zeegers, M. (2007). Bladder cancer and occupation: A report from the Belgian case-control study on bladder cancer risk. *Am J Ind Med.* 50: 449-454. <http://dx.doi.org/10.1002/ajim.20469>.
- Reulen, RC; Kellen, E; Buntinx, F; Brinkman, M; Zeegers, MP. (2008). A meta-analysis on the association between bladder cancer and occupation [Review]. *Scand J Urol Nephrol Suppl*64-78. <http://dx.doi.org/10.1080/03008880802325192>.
- Révész, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and <sup>2</sup>HH<sub>2</sub>O tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol.* 156: 62-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.10.004>.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E, va; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *Int Biodeterior Biodegradation.* 58: 239-247. <http://dx.doi.org/10.1016/j.ibiod.2006.06.018>.
- Reya, T; Morrison, SJ; Clarke, MF; Weissman, IL. (2001). Stem cells, cancer, and cancer stem cells [Review]. *Nature.* 414: 105-111. <http://dx.doi.org/10.1038/35102167>.
- Reyes Sanchez-Herrera, M; Salmeron-Revuelta, P; Perez-Litran, S; Perez-Valles, A. (2012). ASSESSMENT OF VOLTAGE UNBALANCE DEFINITIONS IN POWER SYSTEMS. *Dyna.* 87: 198-203. <http://dx.doi.org/10.6036/4375>.
- Reynolds, WD. (2016). A unified Perc Test-Well Permeameter methodology for absorption field investigations. *Geoderma.* 264: 160-170. <http://dx.doi.org/10.1016/j.geoderma.2015.10.015>.
- Rhomberg, L. (2008). Hypothesis-based weight of evidence and uncertainty characterization in a MoA framework [Paper]. California Mode of Action Workshop.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect.* 108: 343-358.
- Rhomberg, LR. (2007). Hypothesis-based weight of evidence: An approach to hazard identification and to uncertainty analysis for quantitative risk assessment. Arlington, VA: Aerospace Industries Association of America, Inc. <http://www.sra-ne.org/seminars/NAS%20Weight%20of%20Evidence%20Paper%20-%20Rhomborg.pdf>.
- Ribeiro, DS; Abraham, RJ. (2002). Conformational analysis: Part 37. A C-13 and H-1 NMR and theoretical investigation of the conformational equilibrium of 2-methylcyclohexanone oxime and of its O-methyl ether. *Magn Reson Chem.* 40: 49-56. <http://dx.doi.org/10.1002/mrc.950>.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environ Sci Technol.* 36: 2652-2662. <http://dx.doi.org/10.1021/es0157797>.
- Richiardi, L; Boffetta, P; Simonato, L; Forastiere, F; Zambon, P; Fortes, C; Gaborieau, V; Merletti, F. (2004). Occupational risk factors for lung cancer in men and women: A population-based case-control study in Italy. *Cancer Causes Control.* 15: 285-294. <http://dx.doi.org/10.1023/B:CACO.0000024223.91059.ed>.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol.* 65: 101-120. [http://dx.doi.org/10.1016/S0169-7722\(02\)00233-4](http://dx.doi.org/10.1016/S0169-7722(02)00233-4).
- Richnow, HH; Meckenstock, RU; Ask reitzel, L; Baun, A; Ledin, A; Christensen, TH. (2003). In situ biodegradation determined by carbon isotope fractionation of aromatic hydrocarbons in an anaerobic landfill leachate plume (Vejen, Denmark). *J Contam Hydrol.* 64: 59-72. [http://dx.doi.org/10.1016/s0169-7722\(02\)00104-3](http://dx.doi.org/10.1016/s0169-7722(02)00104-3).
- Richter, LP; Fischer, G; Sylla, L; Hentsche, M; Steckemetz, S; Mueller, M; Cobb, CL; Solberg, SE; Rao, R; Elrod, S; Palinginis, P; Schneiderloechner, E; Neuhaus, DH. (2015). Progress in fine-line metallization by co-extrusion printing on cast monosilicon PERC solar cells. *Solar Energy Materials and Solar Cells.* 142: 18-23. <http://dx.doi.org/10.1016/j.solmat.2015.05.023>.
- Rickert, J; Weiss, T; Gopel, W. (1996). Self-assembled monolayers for chemical sensors: Molecular recognition by immobilized supramolecular structures. *Sens Actuators B.* 31: 45-50.
- Rieker, J. (1977). OPTIMUM EXPULSION OF PERCHLORETHYLENE FROM DISTILLATION RESIDUES - ESSENTIAL CONDITION FOR ECONOMICAL SOLVENT RECOVERY IN TEXTILE SOLVENT TECHNIQUES. 58: 502-510.
- Rieker, J. (1981). PROCESS TECHNICAL FUNDAMENTALS IN THE REMOVAL OF WATER FROM TEXTILE MATERIALS USING PERCHLOROETHYLENE. *Textilveredlung.* 16: 237-246.
- Rieker, J; Braun, W. (1978). CHARACTERIZATION AND TESTING OF COLLOIDAL CHEMICAL PROPERTIES OF TEXTILE AUXILIARIES FOR USE IN DRY CLEANING PROCESSES INVOLVING PERCHLOROETHYLENE. *Textilveredlung.* 13: 70-73.
- Rieker, J; Braun, W. (1981). CONTINUOUS CLEANING WITH PERCHLOROETHYLENE OF POLYESTER-COTTON FABRICS DYED WITH DISPERSE AND REACTIVE DYES. 62: 496-501.
- Rieker, J; Gerlinger, D. (1980). THE PROBLEM OF PERCHLOROETHYLENE RETENTION BY POLYESTER FIBERS AND ITS SOLUTION BY THE USE OF STEAM. 61: 884-889.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlader, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruse, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2005](http://seer.cancer.gov/csr/1975_2005).
- Rijhsinghani, KS; Abrahams, C; Swerdlow, MA; Rao, KV; Ghose, T. (1986). Induction of neoplastic lesions in the livers of C57BL x C3HF1 mice by chloral hydrate. *Cancer Detect Prev.* 9: 279-288.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Methionine S-oxidation in human and rabbit liver microsomes: evidence for a high-affinity methionine S-oxidase activity that is distinct from flavin-containing monooxygenase 3. *Arch Biochem Biophys.* 367: 322-332. <http://dx.doi.org/10.1006/abbi.1999.1247>.

## Exposure Literature Search Results

### Off Topic

- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos.* 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol.* 51: 507-515.
- Rippelova, V; Janku, J; Kubal, M. (2009). Modelling Sorption of Volatile Organic Contaminants on Clay Soils Containing Organic Carbon. *Chem Listy.* 103: 569-574.
- Ris, H. (1949). The anaphase movement of chromosomes in the spermatocytes of the grasshopper. *Biol Bull.* 96: 90-106.
- Ritzi, RW, Jr; Huang, L; Ramanathan, R; Allen-King, RM. (2013). Horizontal spatial correlation of hydraulic and reactive transport parameters as related to hierarchical sedimentary architecture at the Borden research site. *Water Resour Res.* 49: 1901-1913. <http://dx.doi.org/10.1002/wrcr.20165>.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol.* 66: 117-146. [http://dx.doi.org/10.1016/S0169-7722\(03\)00006-8](http://dx.doi.org/10.1016/S0169-7722(03)00006-8).
- Rivett, MO; Chapman, SW; Allen-King, RM; Feenstra, S; Cherry, JA. (2006). Pump-and-treat remediation of chlorinated solvent contamination at a controlled field-experiment site. *Environ Sci Technol.* 40: 6770-6781. <http://dx.doi.org/10.1021/es0602748>.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environ Sci Technol.* 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (1994). TRANSPORT OF A DISSOLVED-PHASE PLUME FROM A RESIDUAL SOLVENT SOURCE IN A SAND AQUIFER. *J Hydrol.* 159: 27-41.
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol.* 49: 111-149. [http://dx.doi.org/10.1016/S0169-7722\(00\)00191-1](http://dx.doi.org/10.1016/S0169-7722(00)00191-1).
- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics.* 7: 313-323. <http://dx.doi.org/10.1080/15275920600996180>.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol.* 86: 3-31. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.013>.
- Roberts, AL; Gschwend, PM. (1991). MECHANISM OF PENTACHLOROETHANE DEHYDROCHLORINATION TO TETRACHLOROETHYLENE. *Environ Sci Technol.* 25: 76-86.
- Roberts, AL; Gschwend, PM. (1994). Interaction of abiotic and microbial processes in hexachloroethane reduction in groundwater. *J Contam Hydrol.* 16: 157-174. [http://dx.doi.org/10.1016/0169-7722\(94\)90050-7](http://dx.doi.org/10.1016/0169-7722(94)90050-7).
- Roberts, AL; Totten, LA; Arnold, WA; Burris, DR; Campbell, TJ. (1996). REDUCTIVE ELIMINATION OF CHLORINATED ETHYLENES BY ZERO-VALENT METALS. *Environ Sci Technol.* 30: 2654-2659.
- Roberts, RA; James, NH; Hasmall, SC; Holden, PR; Lambe, K; Macdonald, N; West, D; Woodyatt, NJ; Whitcome, D. (2000). Apoptosis and proliferation in nongenotoxic carcinogenesis: Species differences and role of PPARalpha [Review]. *Toxicol Lett.* 112-113: 49-57. [http://dx.doi.org/10.1016/S0378-4274\(99\)00243-X](http://dx.doi.org/10.1016/S0378-4274(99)00243-X).
- Roberts, RA; Soames, AR; Gill, JH; James, NH; Wheeldon, EB. (1995). Non-genotoxic hepatocarcinogens stimulate DNA synthesis and their withdrawal induces apoptosis, but in different hepatocyte populations. *Carcinogenesis.* 16: 1693-1698.
- Robertson, WD; Murphy, AM; Cherry, JA. (1995). LOW-COST ON-SITE TREATMENT OF LANDFILL LEACHATE USING INFILTRATION BEDS - PRELIMINARY FIELD TRIAL. *Ground Water Monitoring and Remediation.* 15: 107-115.
- Robinson, C; Barry, DA. (2009). Design tool for estimation of buffer requirement for enhanced reductive dechlorination of chlorinated solvents in groundwater. *Environ Modell Softw.* 24: 1332-1338. <http://dx.doi.org/10.1016/j.envsoft.2009.03.012>.
- Robinson, C; Barry, DA; Mccarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ.* 407: 4560-4573. <http://dx.doi.org/10.1016/j.scitotenv.2009.03.029>.
- Robinson, S; Julyan, PJ; Hastings, DL; Zweit, J. (2004). Performance of a block detector PET scanner in imaging non-pure positron emitters - modelling and experimental validation with I-124. *Phys Med Biol.* 49: 5505-5528. <http://dx.doi.org/10.1088/0031-9155/49/24/008>.
- Robinson-Lora, M; Brennan, RA. (2009). The use of crab-shell chitin for biological denitrification: Batch and column tests. *Bioresour Technol.* 100: 534-541. <http://dx.doi.org/10.1016/j.biortech.2008.06.052>.
- Robra, BP; Seidler, A. (1994). A job-exposure matrix for exposure to solvents and other industry-related agents [Personal Communication].
- Rodilla, V; Banzie, AA; Veitch, JM; Murray, GI; Rowe, JD; Hawksworth, GM. (1998). Glutathione S-transferases in human renal cortex and neoplastic tissue: enzymatic activity, isoenzyme profile and immunohistochemical localization. *Xenobiotica.* 28: 443-456. <http://dx.doi.org/10.1080/004982598239371>.
- Rodriguez, C; Linge, K; Blair, P; Busetti, F; Devine, B; Van Buynder, P; Weinstein, P; Cook, A. (2012). Recycled water: potential health risks from volatile organic compounds and use of 1,4-dichlorobenzene as treatment performance indicator. *Water Res.* 46: 93-106. <http://dx.doi.org/10.1016/j.watres.2011.10.032>.
- Rodriguez, E; Mcguinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol.* 45: 623-632. <http://dx.doi.org/10.1007/s00254-003-0920-0>.
- Rodriguez-Kabana, R; Gazaway, WS; Weaver, DW; King, PS; Weaver, CF. (1998). Host suitability of selected tropical legumes and other crops for the reniform nematode, *Rotylenchulus reniformis* Linford & Oliveira, 1940. *Nematropica.* 28: 195-203.
- Roeder, E; Falta, RW; Lee, CM; Coates, JT. (2001). DNAPL to LNAPL transitions during horizontal cosolvent flooding. *Ground Water Monitoring and Remediation.* 21: 77-88.
- Rogers, B; Logan, BE. (2000). Bacterial transport in NAPL-contaminated porous media. *J Environ Eng.* 126: 657-666.

## Exposure Literature Search Results

### Off Topic

- Rogers, L. (1992). HISTORY MATCHING TO DETERMINE THE RETARDATION OF PCE IN GROUND-WATER. *Ground Water*. 30: 50-60.
- Rohleder, K; Wieczorek, H; Haeseler, E. (1984). PERCHLORETHYLENE IN TISSUES OF FATTENING PIGS .1. ANALYSIS AND DECONTAMINATION EXPERIMENTS. *Landwirtsch Forsch*. 37: 30-35.
- Roldán-Arjona, T; García-Pedrajas, MD; Luque-Romero, FL; Hera, C; Pueyo, C. (1991). An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis*. 6: 199-205. <http://dx.doi.org/10.1093/mutage/6.3.199>.
- Rombaldoni, F; Demichelis, R; Mazzuchetti, G; Ferri, A, da; Banchemo, M; Dotti, F. (2009). Effect of Carbon Dioxide Dry Cleaning on Low-stress Mechanical Properties, Air Permeability and Crease Pressing Performance of Men's Suit Fabrics. *Text Res J*. 79: 1168-1177. <http://dx.doi.org/10.1177/0040517509102397>.
- Rong, Y; Wu, G; Chen, HZ; Wang, M. (2005). Preparation of electrophoretic ink microcapsules and electrophoretic display prototype. *Chem J Chin Univ-Chin*. 26: 982-984.
- Rose, MG; Berliner, N. (2004). T-cell large granular lymphocyte leukemia and related disorders [Review]. *Oncologist*. 9: 247-258.
- Rose, ML; Rivera, CA; Bradford, BU; Graves, LM; Cattley, RC; Schoonhoven, R; Swenberg, JA; Thurman, RG. (1999). Kupffer cell oxidant production is central to the mechanism of peroxisome proliferators. *Carcinogenesis*. 20: 27-33. <http://dx.doi.org/10.1093/carcin/20.1.27>.
- Rosenberg, C; Nylund, L; Aalto, T; Kontsas, H; Norppa, H; Jappinen, P; Vainio, H. (1991). VOLATILE ORGANOHALOGEN COMPOUNDS FROM THE BLEACHING OF PULP OCCURRENCE AND GENOTOXIC POTENTIAL IN THE WORK ENVIRONMENT (pp. 10-14). (ISSN 0045-6535; EISSN 1879-1298; BIOSIS/92/10857). Committee for Compounds Toxic to Reproduction.
- Rosenberg, E; Krska, R; Kellner, R. (1994). THEORETICAL AND PRACTICAL RESPONSE EVALUATION OF A FIBER OPTIC SENSOR FOR CHLORINATED HYDROCARBONS IN WATER. *Fresenius J Anal Chem*. 348: 560-562.
- Rosenkranz, HS; Klopman, G. (1990). 'Cryptic' mutagens and carcinogenicity [Review]. *Mutagenesis*. 5: 199-202. <http://dx.doi.org/10.1093/mutage/5.2.199>.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of Fe0 enhanced by a mixed culture containing two Dehalococcoides strains. *Chemosphere*. 55: 661-669. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.053>.
- Ross, JA. Dichloroacetic acid is mutagenic in big blue transgenic b6c3f1 mouse liver au - leavitt sa.
- Rossabi, J; Riha, BD; Eddy-Dilek, CA; Looney, BB; Hyde, WK. (2003). Recent advances in characterization of vadose zone dense non-aqueous phase liquids (DNAPL) in heterogeneous media. *Environmental and Engineering Geoscience*. 9: 25-36.
- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environ Sci Technol*. 39: 6845-6850. <http://dx.doi.org/10.1021/es0500052>.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res*. 40: 450-458.
- Rouze, NC; Hutchins, GD. (2003). Design and characterization of IndyPET-II: A high-resolution, high-sensitivity dedicated research scanner. *IEEE Trans Nucl Sci*. 50: 1491-1497. <http://dx.doi.org/10.1109/TNS.2003.817378>.
- Rowe, AR; Mansfeldt, CB; Heavner, GL; Richardson, RE. (2013). Methanospirillum respiratory mRNA biomarkers correlate with hydrogenotrophic methanogenesis rate during growth and competition for hydrogen in an organochlorine-respiring mixed culture. *Environ Sci Technol*. 47: 372-381. <http://dx.doi.org/10.1021/es303061y>.
- Rowell, FJ; Fletcher, A; Packham, C. (1997). Recovery of some common solvents from an adhesive commercial skin adsorption pad by thermal desorption-gas chromatography. *Analyst*. 122: 793-796.
- Roy, AK; McMinn, DM; Biswas, NM. (1975). Estrogenic inhibition of the hepatic synthesis of alpha2u globulin in the rat. *Endocrinology*. 97: 1501-1508.
- Roy, G; Mielczarski, JA. (2002). Infrared detection of chlorinated hydrocarbons in water at ppb levels of concentrations. *Water Res*. 36: 1902-1908.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol*. 59: 163-186.
- Roy, JW; Smith, JE; Gillham, RW. (2004). Laboratory evidence of natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol*. 74: 145-161. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.009>.
- Roy, JW; Smith, JE; Gillham, RW. (2007). Capillary effects on natural remobilization of pools of dense non-aqueous phase liquid mixtures in porous media. *Soil Sediment Contam*. 16: 253-268. <http://dx.doi.org/10.1080/15320380701285659>.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *Int Biodeterior Biodegradation*. 51: 61-66.
- Rubin, H; Rathfelder, K; Spiller, M; Kongeter, J. (2006). Enhancement of remediation of NAPL contaminated fractured permeable formations - Modeling study. *J Environ Eng*. 132: 58-67. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(58\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(58)).
- Rubins, HB; Robins, SJ; Collins, D; Fye, CL; Anderson, JW; Elam, MB; Faas, FH; Linares, E; Schaefer, EJ; Schectman, G; Wilt, TJ; Wittes, J. (1999). Gemfibrozil for the secondary prevention of coronary heart disease in men with low levels of high-density lipoprotein cholesterol. Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial Study Group. *N Engl J Med*. 341: 410-418. <http://dx.doi.org/10.1056/NEJM199908053410604>.
- Rubins, HB; Robins, SJ; Iwane, MK; Boden, WE; Elam, MB; Fye, CL; Gordon, DJ; Schaefer, EJ; Schectman, G; Wittes, JT. (1993). Rationale and design of the Department of Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial (HIT) for secondary prevention of coronary artery disease in men with low high-density lipoprotein cholesterol and desirable low-density lipoprotein cholesterol. *Am J Cardiol*. 71: 45-52.

## Exposure Literature Search Results

### Off Topic

- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci.* 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Ward, EM; Brown, DP. (1994). Cancer mortality in female and male dry-cleaning workers. *J Occup Med.* 36: 867-874.
- Ruder, AM; Ward, EM; Brown, DP. (2001). Mortality in dry-cleaning workers: An update. *Am J Ind Med.* 39: 121-132. [http://dx.doi.org/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H](http://dx.doi.org/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H); [http://onlinelibrary.wiley.com/doi/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract](http://onlinelibrary.wiley.com/doi/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract).
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med.* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem.* 22: 67-80.
- Rudolph, J; Koppmann, R; Plassdulmer, C. (1996). The budgets of ethane and tetrachloroethene: Is there evidence for an impact of reactions with chlorine atoms in the troposphere? *Atmos Environ.* 30: 1887-1894.
- Rudolph, J; Ramacher, B; Plass-Dulmer, C; Muller, KP; Koppmann, R. (1997). The indirect determination of chlorine atom concentration in the troposphere from changes in the patterns of non-methane hydrocarbons. *Tellus B Chem Phys Meteorol.* 49: 592-601. <http://dx.doi.org/10.1034/j.1600-0889.49.issue5.13.x>.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res.* 35: 1231-1246.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit.* 11: 1028-1036. <http://dx.doi.org/10.1039/b818487a>.
- Ruiz-Haas, P; Ingle, JD, Jr. (2007). Monitoring redox conditions with flow-based and fiber optic sensors based on redox indicators: Application to reductive dehalogenation in a bioaugmented soil column. *Geomicrobiology Journal.* 24: 365-378. <http://dx.doi.org/10.1080/01490450701459226>.
- Ruppe, S; Neumann, A; Braekevelt, E; Tomy, GT; Stern, GA; Maruya, KA; Vetter, W. (2004). Anaerobic transformation of compounds of technical toxaphene. 2. Fate of compounds lacking geminal chlorine atoms. *Environ Toxicol Chem.* 23: 591-598. <http://dx.doi.org/10.1897/03-221>.
- Ruppe, S; Neumann, A; Diekert, G; Vetter, W. (2004). Abiotic transformation of toxaphene by superreduced vitamin B12 and dicyanocobinamide. *Environ Sci Technol.* 38: 3063-3067. <http://dx.doi.org/10.1021/es034994f>.
- Ruppe, S; Neumann, A; Vetter, W. (2003). Anaerobic transformation of compounds of technical toxaphene. I. Regiospecific reaction of chlorobornanes with geminal chlorine atoms. *Environ Toxicol Chem.* 22: 2614-2621.
- Russell, JW; Shadoff, LA. (1977). The sampling and determination of halocarbons in ambient air using concentration on porous polymer. *J Chromatogr A.* 134: 375-384.
- Russell, LB; Matter, BE. (1980). Whole-mammal mutagenicity tests: evaluation of five methods. *DNA Repair.* 75: 279-302.
- Russell, PE; Stark, TJ; Griffis, DP; Phillips, JR; Jarausch, KF. (1998). Chemically and geometrically enhanced focused ion beam micromachining. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 16: 2494-2498.
- Russo, A; Levis, AG. (1992). Detection of aneuploidy in male germ cells of mice by means of a meiotic micronucleus assay. *Mutat Res.* 281: 187-191. [http://dx.doi.org/10.1016/0165-7992\(92\)90007-5](http://dx.doi.org/10.1016/0165-7992(92)90007-5).
- Russo, A; Levis, AG. (1992). Further evidence for the aneuploidogenic properties of chelating agents: Induction of micronuclei in mouse male germ cells by EDTA. *Environ Mol Mutagen.* 19: 125-131.
- Russo, A; Pacchierotti, F; Metallì, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen.* 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, A; Stocco, A; Majone, F. (1992). Identification of kinetochore-containing (CREST+) micronuclei in mouse bone marrow erythrocytes. *Mutagenesis.* 7: 195-197. <http://dx.doi.org/10.1093/mutage/7.3.195>.
- Russo, AV; Toriggia, LF; Jacobo, SE. (2014). Natural clinoptilolite-zeolite loaded with iron for aromatic hydrocarbons removal from aqueous solutions. *Journal of Materials Science.* 49: 614-620. <http://dx.doi.org/10.1007/s10853-013-7741-7>.
- Rust, CM; Aelion, CM; Flora, JR. (2002). Laboratory sand column study of encapsulated buffer release for potential in situ pH control. *J Contam Hydrol.* 54: 81-98.
- Rusyn, I; Denissenko, MF; Wong, VA; Butterworth, BE; Cunningham, ML; Upton, PB; Thurman, RG; Swenberg, JA. (2000). Expression of base excision repair enzymes in rat and mouse liver is induced by peroxisome proliferators and is dependent upon carcinogenic potency. *Carcinogenesis.* 21: 2141-2145. <http://dx.doi.org/10.1093/carcin/21.12.2141>.
- Rusyn, I; Kadiiska, MB; Dikalova, A; Kono, H; Yin, M; Tsuchiya, K; Mason, RP; Peters, JM; Gonzalez, FJ; Segal, BH; Holland, SM; Thurman, RG. (2001). Phthalates rapidly increase production of reactive oxygen species in vivo: Role of Kupffer cells. *Mol Pharmacol.* 59: 744-750.
- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol.* 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.
- Rusyn, I; Rose, ML; Bojes, HK; Thurman, RG. (2000). Novel role of oxidants in the molecular mechanism of action of peroxisome proliferators [Review]. *Antioxid Redox Signal.* 2: 607-621. <http://dx.doi.org/10.1089/15230860050192350>.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health.* 49: 126-132.

## Exposure Literature Search Results

### Off Topic

- Rutkiewicz, I; Kujawski, W; Namiesnik, J. (2010). Pervaporation of volatile organohalogen compounds through polydimethylsiloxane membrane. *Desalination*. 264: 160-164. <http://dx.doi.org/10.1016/j.desal.2010.07.020>.
- Rutkiewicz, I; Kujawski, W; Namiesnik, J. (2011). A procedure for the determination of dichloromethane and tetrachloroethene in water using pervaporation and gas chromatography. *Chem Paper Chem Zvesti*. 65: 578-583. <http://dx.doi.org/10.2478/s11696-011-0065-7>.
- Rychlicki, G; Terzyk, AP. (1998). Thermodynamic verification of the theory of volume filling of micropores for adsorption on activated carbons. *AST*. 16: 641-653.
- Rydberg, T. (1994). ALTERNATIVES TO PERCHLORETHYLENE AS A DRY-CLEANING SOLVENT. *J Text Inst*. 85: 402-405.
- Ryder, JL; Demond, AH. (2008). Wettability hysteresis and its implications for DNAPL source zone distribution. *J Contam Hydrol*. 102: 39-48. <http://dx.doi.org/10.1016/j.jconhyd.2008.07.010>.
- Sachsenroder, H; Brunner, E; Koch, M; Pfeifer, H; Staudte, B. (1996). Low-temperature H-1 MAS NMR and FTIR investigations on the interaction of tetrachloroethylene with surface hydroxyl groups in H-zeolites. 6: 341-347.
- Saenton, S; Illangasekare, TH; Soga, K; Saba, TA. (2002). Effects of source zone heterogeneity on surfactant-enhanced NAPL dissolution and resulting remediation end-points. *J Contam Hydrol*. 59: 27-44.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Gonzalez-Garcia, J. (2010). Electrochemical Degradation of Perchloroethylene in Aqueous Media: Influence of the Electrochemical Operational Variables in the Viability of the Process. *Ind Eng Chem Res*. 49: 4123-4131. <http://dx.doi.org/10.1021/ie100134t>.
- Saez, V; Deseada Esclapez, M; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20 kHz sonoelectrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater*. 183: 648-654. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.074>.
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems*. 11: 287-295.
- Saez, V; Tudela, I; Deseada Esclapez, M; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonoelectrochemical degradation of perchloroethylene in water: Enhancement of the process by the absence of background electrolyte. *Chem Eng J*. 168: 649-655. <http://dx.doi.org/10.1016/j.cej.2011.01.052>.
- Sahl, JW; Munakata-Marr, J; Crimi, ML; Siegrist, RL. (2007). Coupling permanganate oxidation with microbial dechlorination of tetrachloroethene. *Water Environ Res*. 79: 5-12. <http://dx.doi.org/10.2175/106143006X136720>.
- Sakaguchi-Söder, K; Jager, J; Grund, H; Matthäus, F; Schüth, C. (2007). Monitoring and evaluation of dechlorination processes using compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom*. 21: 3077-3084. <http://dx.doi.org/10.1002/rcm.3170>.
- Sakamoto, N. (1976). [Metabolism of tetrachloroethylene in guinea pigs (author's transl)]. *Sangyo Igaku*. 18: 11-16.
- Sale, TC; Mcwhorter, DB. (2001). Steady state mass transfer from single-component dense nonaqueous phase liquids in uniform flow fields. *Water Resour Res*. 37: 393-404.
- Saleh, N; Sirk, K; Liu, Y; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci*. 24: 45-57.
- Salkinoja-Salonen, M; Uotila, J; Jokela, J; Laine, M; Sasaki, E. (1995). ORGANIC HALOGENS IN THE ENVIRONMENTAL STUDIES OF ENVIRONMENTAL BIODEGRADABILITY AND HUMAN EXPOSURE. *Environ Health Perspect*. 103: 63-69.
- Sallmen, M; Lindbohm, ML; Kyyronen, P; Nykyri, E; Anttila, A; Taskinen, H; Hemminki, K. (1995). Reduced fertility among women exposed to organic solvents. *Am J Ind Med*. 27: 699-713. <http://dx.doi.org/10.1002/ajim.4700270506>.
- Salmon, AG; Kizer, KW; Zeise, L; Jackson, RJ; Smith, MT. Potential carcinogenicity of chloral hydrate--a review [Review]. *J Toxicol Clin Toxicol*. 2: 115-121.
- Sana, B; Ghosh, D; Saha, M; Mukherjee, J. (2006). Purification and characterization of a salt, solvent, detergent and bleach tolerant protease from a new gamma-Proteobacterium isolated from the marine environment of the Sundarbans. *Process Biochemistry*. 41: 208-215. <http://dx.doi.org/10.1016/j.procbio.2005.09.010>.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology*. 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).
- Sánchez, MJS; Peña, GS; Lorente, VC; Gallego, TM; Albert, JC. (2001). La contaminación atmosférica en los bosques: Guía para la identificación de daños visibles causados por Ozono. Madrid, Spain: Ministerio de Medio Ambiente. [http://www.ceam.es/VentaLibros/guia\\_O3/index.htm](http://www.ceam.es/VentaLibros/guia_O3/index.htm).
- Sandoval, TE; Garate, MP; Scavia, J; Florusse, LJ; Peters, C, orJ. (2013). Effect of the ethoxy groups distribution on the phase behaviour of the binary systems carbon dioxide CO2 with industrial non-ionic surfactants (CiEOj). *The Journal of Chemical Thermodynamics*. 57: 224-229. <http://dx.doi.org/10.1016/j.jct.2012.09.001>.
- Sandoval, TE; Pilar Garate, M. (2012). Measurement of the phase behaviour of the binary systems {carbon dioxide (CO2) + non-ionic surfactants (CiEOj)}. *The Journal of Chemical Thermodynamics*. 45: 109-113. <http://dx.doi.org/10.1016/j.jct.2011.09.018>.
- Sanjuán-Herráez, D; Liso, I; Pastor, A; de la Guardia, M. (2012). Green determination of the presence of volatile organic compounds in vehicle repair shops through passive sampling. *Talanta*. 98: 40-48. <http://dx.doi.org/10.1016/j.talanta.2012.06.034>.
- Sanner, T; Dybing, E. (2005). Comparison of carcinogen hazard characterisation based on animal studies and epidemiology. *Basic Clin Pharmacol Toxicol*. 96: 66-70. <http://dx.doi.org/10.1111/j.1742-7843.2005.pto960110.x>.
- Sapone, A; Peters, JM; Sakai, S; Tomita, S; Papiha, SS; Dai, R; Friedman, FK; Gonzalez, FJ. (2000). The human peroxisome proliferator-activated receptor alpha gene: identification and functional characterization of two natural allelic variants. *Pharmacogenetics*. 10: 321-333.
- Saquin, JM; Mitchell, LA; Wu, B; Wagner, TB; Knappe, DR; Barlaz, MA. (2010). Factors controlling alkylbenzene and tetrachloroethene desorption from municipal solid waste components. *Environ Sci Technol*. 44: 1123-1129. <http://dx.doi.org/10.1021/es9030672>.

## Exposure Literature Search Results

### Off Topic

- Sarafraz-Yazdi, A; Ii; Mosadegh, M; Amiri, A. (2011). Determination of volatile organic compounds in environmental water samples using three solid-phase microextraction fibers based on sol-gel technique with gas chromatography-flame ionization detector. *Analytical Methods*. 3: 1877-1886. <http://dx.doi.org/10.1039/c1ay05181d>.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health*. 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sarkany-Kiss, A; Herczeg, I; Palombi, B; Grigorszky, I; Antal, L; Bacsi, I; Mozsar, A; Kalmar, AF; Nagy, SA. (2012). Toxicity tests of chlorinated hydrocarbons on the river mussel, *Unio crassus* (Bivalvia, Unionidae). *North - Western Journal of Zoology*. 8: 358-361.
- Sassi, G; Ruggeri, B. (2008). Uncertainty evaluation of human risk analysis (HRA) of chemicals by multiple exposure routes. *Risk Anal*. 28: 1343-1356. <http://dx.doi.org/10.1111/j.1539-6924.2008.01097.x>.
- Sata, F; Sapone, A; Elizondo, G; Stocker, P; Miller, VP; Zheng, W; Raunio, H; Crespi, CL; Gonzalez, FJ. (2000). CYP3A4 allelic variants with amino acid substitutions in exons 7 and 12: Evidence for an allelic variant with altered catalytic activity. *Clin Pharmacol Ther*. 67: 48-56. <http://dx.doi.org/10.1067/mcp.2000.104391>.
- Sathiakumar, C; Som, S; Eberl, S; Lin, P. (2010). NEMA NU 2-2001 performance testing of a Philips Gemini GXL PET/CT scanner. *Australas Phys Eng Sci Med*. 33: 199-209. <http://dx.doi.org/10.1007/s13246-010-0016-6>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg*. 35: 525-541.
- Sato, A; Nakajima, T. (1979). Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. *Br J Ind Med*. 36: 231-234. <http://dx.doi.org/10.1136/oem.36.3.231>.
- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *J Environ Eng*. 129: 136-146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:2\(136\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2003)129:2(136)).
- Sato, C; Yao, J. (2006). Simultaneous and sequential photolysis of TCE and PCE. *J Environ Eng*. 132: 32-41. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:1\(32\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:1(32)).
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photolysis of TCA, TCE, and PCE in flow-through reactor system. *J Environ Eng*. 127: 620-629.
- Sato, K; Shidahara, M; Watabe, H; Watanuki, S; Ishikawa, Y; Arakawa, Y; Nai, YH; Furumoto, S; Tashiro, M; Shoji, T; Yanai, K; Gonda, K. (2016). Performance evaluation of the small-animal PET scanner ClairvivoPET using NEMA NU 4-2008 Standards. *Phys Med Biol*. 61: 696-711. <http://dx.doi.org/10.1088/0031-9155/61/2/696>.
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances. *Sci Total Environ*. 46: 229-241. [http://dx.doi.org/10.1016/0048-9697\(85\)90296-7](http://dx.doi.org/10.1016/0048-9697(85)90296-7).
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances 360. *Sci Total Environ*. 46.
- Satsuma, K; Masuda, M. (2012). Reductive dechlorination of methoxychlor by bacterial species of environmental origin: evidence for primary biodegradation of methoxychlor in submerged environments. *J Agric Food Chem*. 60: 2018-2023. <http://dx.doi.org/10.1021/jf2048614>.
- Sausen, PJ; Elfarra, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem*. 265: 6139-6145.
- Savolainen, H; Pfäffli, P; Tengén, M; Vainio, H. (1977). Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol*. 38: 229-237. <http://dx.doi.org/10.1007/BF00293657>.
- Sawant, SY; Somani, RS; Bajaj, HC; Sharma, SS. (2012). A dechlorination pathway for synthesis of horn shaped carbon nanotubes and its adsorption properties for CO<sub>2</sub>, CH<sub>4</sub>, CO and N<sub>2</sub>. *J Hazard Mater*. 227: 317-326. <http://dx.doi.org/10.1016/j.jhazmat.2012.05.062>.
- Sawyers, CL; Denny, CT; Witte, ON. (1991). Leukemia and the disruption of normal hematopoiesis. *Cell*. 64: 337-350.
- Sax, NI; Lewis, RJ, Sr. (1987). Hazardous chemicals desk reference. New York, NY: Van Nostrand Reinhold.
- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res*. 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr*. 44: 703-707.
- Scatena, R; Bottoni, P; Vincenzoni, F; Messina, I; Martorana, G; Nocca, G; De Sole, P; Maggiano, N; Castagnola, M; Giardina, B. (2003). Bezaifibrate induces a mitochondrial derangement in human cell lines: a PPAR-independent mechanism for a peroxisome proliferator. *Chem Res Toxicol*. 16: 1440-1447. <http://dx.doi.org/10.1021/tx0341052>.
- Schaefer, CE; Callaghan, A, myV; King, JD; Mccray, JE. (2009). Dense Nonaqueous Phase Liquid Architecture and Dissolution in Discretely Fractured Sandstone Blocks. *Environ Sci Technol*. 43: 1877-1883. <http://dx.doi.org/10.1021/es8011172>.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: comparison between batch and column experiments. *Chemosphere*. 75: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.041>.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environ Sci Technol*. 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res*. 79: 57-62. <http://dx.doi.org/10.2175/106143006X136784>.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, H. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere*. 119: 744-749. <http://dx.doi.org/10.1016/j.chemosphere.2014.08.005>.
- Schaefer, CE; Towne, RM; Root, D; Mccray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *J Environ Eng*. 138: 1-7. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000466](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000466).



## Exposure Literature Search Results

### Off Topic

- Schaefer, CE; Towne, RM; Vainberg, S; Mccray, JE; Steffan, RJ. (2010). Bioaugmentation for treatment of dense non-aqueous phase liquid in fractured sandstone blocks. *Environ Sci Technol.* 44: 4958-4964. <http://dx.doi.org/10.1021/es1002428>.
- Schaefer, CE; White, EB; Lavorgna, GM; Annable, MD. (2016). Dense Nonaqueous-Phase Liquid Architecture in Fractured Bedrock: Implications for Treatment and Plume Longevity. *Environ Sci Technol.* 50: 207-213. <http://dx.doi.org/10.1021/acs.est.5b04150>.
- Schaefer, D. (2012). Determinability of NAPL mass by measuring concentrations downstream of a contaminant source. *Environ Earth Sci.* 67: 2459-2467. <http://dx.doi.org/10.1007/s12665-012-1696-x>.
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol.* 71: 283-306. <http://dx.doi.org/10.1016/j.jconhyd.2003.10.003>.
- Schaerlaekens, J; Vanderborght, J; Merckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol.* 46: 1-16.
- Schäfer, D; Köber, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron-experimental results and numerical simulation. *J Contam Hydrol.* 65: 183-202. [http://dx.doi.org/10.1016/S0169-7722\(02\)00239-5](http://dx.doi.org/10.1016/S0169-7722(02)00239-5).
- Schaller, KH; Angerer, J; Lehnert, G. (1993). 1ST RESULTS OF 2 EXTERNAL INTERCOMPARISON PROGRAMS FOR THE DETERMINATION OF ORGANOCHLORINE COMPOUNDS IN BLOOD SPECIMENS RELEVANT IN ENVIRONMENTAL AND OCCUPATIONAL-MEDICINE. *Fresenius J Anal Chem.* 346: 830-832.
- Scharre, JE; Cotter, SA; Block, SS; Kelly, SA. (1990). Normative contrast sensitivity data for young children. *Optometry and Vision Science.* 67: 826-832.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol.* 75: 9-20.
- Schattenberg, JM; Galle, PR; Schuchmann, M. (2006). Apoptosis in liver disease. *Liver Int.* 26: 904-911.
- Scheele, GF; Clark, DB. (1980). THE EFFECT OF IMPACT VELOCITY ON THE COALESCENCE OF TETRACHLOROETHYLENE DROPS AT A PLANAR TETRACHLOROETHYLENE WATER INTERFACE. *Chemical Engineering Communications.* 5: 23-35.
- Scheid, C; Koul, H; Hill, WA; Luber-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells. *J Urol.* 155: 1112-1116. [http://dx.doi.org/10.1016/S0022-5347\(01\)66402-4](http://dx.doi.org/10.1016/S0022-5347(01)66402-4).
- Scheid, C; Koul, H; Hill, WA; Luber-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells 62. *J Urol.* 155.
- Schellin, M; Popp, P. (2006). Miniaturized membrane-assisted solvent extraction combined with gas chromatography/electron-capture detection applied to the analysis of volatile organic compounds. *J Chromatogr A.* 1103: 211-218. <http://dx.doi.org/10.1016/j.chroma.2005.11.01>.
- Schenk, M; Purdue, MP; Colt, JS; Hartge, P; Blair, A; Stewart, P; Cerhan, JR; De Roos, AJ; Cozen, W; Severson, RK. (2009). Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. *Occup Environ Med.* 66: 23-31. <http://dx.doi.org/10.1136/oem.2007.036723>.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environ Sci Technol.* 32: 3026-3033.
- Scherr, PA; Hutchison, GB; Neiman, RS. (1992). Non-Hodgkin's lymphoma and occupational exposures. *Cancer Res.* 52: 5503s-5509s.
- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jørgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent ethene generation and growth of Dehalococcoides containing vinyl chloride reductive dehalogenase genes during an enhanced reductive dechlorination field demonstration. *Environ Sci Technol.* 42: 9302-9309. <http://dx.doi.org/10.1021/es800764t>.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Schiebaum, KD; Gerlach, A; Gopel, W; Muller, WM; Vogtle, F; Dominik, A; Roth, HJ. (1994). SURFACE AND BULK INTERACTIONS OF ORGANIC-MOLECULES WITH CALIXARENE LAYERS. *Fresenius J Anal Chem.* 349: 372-379.
- Schierbaum, KD; Hierlemann, A; Gopel, W. (1994). MODIFIED POLYMERS FOR RELIABLE DETECTION OF ORGANIC-SOLVENTS - THERMODYNAMICALLY CONTROLLED SELECTIVITIES AND SENSITIVITIES. *Sens Actuators B.* 19: 448-452.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation.* 19: 115-124.
- Schiwy, A; Maes, HM; Koske, D; Flecken, M; Schmidt, KR; Schell, H; Tiehm, A; Kamptner, A; Thümmler, S; Stanjek, H; Heggen, M; Dunin-Borkowski, RE; Braun, J; Schäffer, A; Hollert, H. (2016). The ecotoxic potential of a new zero-valent iron nanomaterial, designed for the elimination of halogenated pollutants, and its effect on reductive dechlorinating microbial communities. *Environ Pollut.* 216: 419-427. <http://dx.doi.org/10.1016/j.envpol.2016.05.051>.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol.* 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schlichting, LM; Wright, PF; Stacey, NH. (1992). Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicol Ind Health.* 8: 255-266.

## Exposure Literature Search Results

### Off Topic

- Schmidt, J; Merkle, A; Brendel, R; Hoex, B; van De Sanden, MCM; Kessels, WMM. (2008). Surface passivation of high-efficiency silicon solar cells by atomic-layer-deposited Al<sub>2</sub>O<sub>3</sub>. *Progress in Photovoltaics*. 16: 461-466. <http://dx.doi.org/10.1002/pip.823>.
- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Sci Technol*. 58: 1137-1145. <http://dx.doi.org/10.2166/wst.2008.729>.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two Dehalococcoides strains. *Water Res*. 52: 146-154. <http://dx.doi.org/10.1016/j.watres.2013.12.042>.
- Schmidt, R; Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2002). Removal of NAPLs from the unsaturated zone using steam: prevention of downward migration by injecting mixtures of steam and air. *J Contam Hydrol*. 55: 233-260.
- Schmidt, R; Shafii, F; Hild, M. (1999). The mechanism of the solvent perturbation of the a(1)Delta(g)-> X-3 Sigma(-)(g) radiative transition of O-2. *J Phys Chem A*. 103: 2599-2605.
- Schmidt, TC; Zwank, L; Elsner, M; Berg, M; Meckenstock, RU; Haderlein, SB. (2004). Compound-specific stable isotope analysis of organic contaminants in natural environments: a critical review of the state of the art, prospects, and future challenges [Review]. *Anal Bioanal Chem*. 378: 283-300. <http://dx.doi.org/10.1007/s00216-003-2350-y>.
- Schmitz, RPH; Wolf, J; Habel, A; Neumann, A; Ploss, K; Svatos, A; Boland, W; Diekert, G. (2007). Evidence for a radical mechanism of the dechlorination of chlorinated propenes mediated by the tetrachloroethene reductive dehalogenase of *Sulfurospirillum multivorans*. *Environ Sci Technol*. 41: 7370-7375. <http://dx.doi.org/10.1021/es071026u>.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale configuration of organic immiscible liquid in multiphase systems with synchrotron X-ray microtomography. *Vadose Zone Journal*. 5: 641-648. <http://dx.doi.org/10.2136/vzj2005.0063>.
- Schnabel, WE; Dietz, AC; Burken, JG; Schnoor, JL; Alvarez, PJ. (1997). Uptake and transformation of trichloroethylene by edible garden plants. *Water Res*. 31: 816-824.
- Schnable, JG; Capangpangan, MB; Suffet, IH. (1991). CONTINUOUS AUTOMATIC MONITORING OF VOLATILE ORGANIC-COMPOUNDS IN AQUEOUS STREAMS BY A MODIFIED PURGE-AND-TRAP SYSTEM. *J Chromatogr A*. 549: 335-344.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol*. 29: 205-224.
- Schneiderman, MA; Decoufle, P; Brown, CC. (1979). Thresholds for environmental cancer: Biologic and statistical considerations. *Ann N Y Acad Sci*. 329: 92-130. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15339.x>.
- Schoenberg, JB; Stemhagen, A; Mogielnicki, AP; Altman, R; Abe, T; Mason, TJ. (1984). Case-control study of bladder cancer in New Jersey. I. Occupational exposures in white males. *J Natl Cancer Inst*. 72: 973-981.
- Schoknecht, W; Wodarz, R; Fritzsche, I; Weichardt, H. (1983). SIMPLE GAS-CHROMATOGRAPHIC DETERMINATION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE AS WELL AS OF THEIR METABOLITES IN BIOLOGICAL SAMPLES IN A SINGLE OPERATION. *Staub, Reinhaltung der Luft*. 43: 186-188.
- Scholer, HF; Keppler, F; Fahimi, IJ; Niedan, VW. (2003). Fluxes of trichloroacetic acid between atmosphere, biota, soil, and groundwater. *Chemosphere*. 52: 339-354. [http://dx.doi.org/10.1016/S0045-6535\(03\)00214-5](http://dx.doi.org/10.1016/S0045-6535(03)00214-5).
- Schollhorn, A; Savary, C; Stucki, G; Hanselmann, KW. (1997). Comparison of different substrates for the fast reductive dechlorination of trichloroethene under groundwater conditions. *Water Res*. 31: 1275-1282.
- Schon, T; Seebacher, W; Kreuzig, R; Bahadir, M. (1999). On the degradability of tetrachloroethene in biologically treated wastes. *Chemosphere*. 39: 603-609.
- Schrader, PS; Hess, TF. (2004). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT) in soil slurry. *J Environ Qual*. 33: 1202-1209.
- Schreiber, JS. (1993). Predicted infant exposure to tetrachloroethene in human breastmilk [Review]. *Risk Anal*. 13: 515-524. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00010.x>.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere*. 29: 1743-1753.
- Schreier, CG; Reinhard, M. (1995). CATALYTIC DEHYDROHALOGENATION AND HYDROGENATION USING H<sub>2</sub> AND PALLADIUM AS A METHOD FOR THE REMOVAL OF TETRACHLOROETHYLENE FROM WATER. *Abstracts of Papers - American Chemical Society*. 209: 227-ENVR.
- Schreier, CG; Reinhard, M. (1995). CATALYTIC HYDRODEHALOGENATION OF CHLORINATED ETHYLENES USING PALLADIUM AND HYDROGEN FOR THE TREATMENT OF CONTAMINATED WATER. *Chemosphere*. 31: 3475-3487.
- Schubauer-Berigan, MK; Couch, JR; Petersen, MR; Carreón, T; Jin, Y; Deddens, JA. (2011). Cohort mortality study of workers at seven beryllium processing plants: update and associations with cumulative and maximum exposure. *Occup Environ Med*. 68: 345-353. <http://dx.doi.org/10.1136/oem.2010.056481>.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med*. 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.
- Schueller, MJ; Mulnix, TL; Christian, BT; Jensen, M; Holm, S; Oakes, TR; Roberts, AD; Dick, DW; Martin, CC; Nickles, RJ. (2003). Addressing the third gamma problem in PET. *IEEE Trans Nucl Sci*. 50: 50-52. <http://dx.doi.org/10.1109/TNS.2002.807868>.
- Schug, D; Lerche, C; Weissler, B; Gebhardt, P; Goldschmidt, B; Wehner, J; Dueppenbecker, PM; Salomon, A; Hallen, P; Kiessling, F; Schulz, V. (2016). Initial PET performance evaluation of a preclinical insert for PET/MRI with digital SiPM technology. *Phys Med Biol*. 61: 2851-2878. <http://dx.doi.org/10.1088/0031-9155/61/7/2851>.
- Schultz, R; Yan, W; Toppari, J; Volkl, A; Gustafsson, JA; Pelto-Huikko, M. (1999). Expression of peroxisome proliferator-activated receptor alpha messenger ribonucleic acid and protein in human and rat testis. *Endocrinology*. 140: 2968-2975. <http://dx.doi.org/10.1210/en.140.7.2968>.

## Exposure Literature Search Results

### Off Topic

- Schultze, MO; Klubes, P; Perman, V; Mizuno, NS; Bates, FW; Sautter, JH. (1959). Blood dyscrasia in calves induced by S-(dichlorovinyl)-L-cysteine. *Blood*. 14: 1015-1025.
- Schwarz, BCE; Deviny, JS; Tsotsis, TT. (1999). Degradation of PCE in an anaerobic waste gas by biofiltration. *Chem Eng Sci*. 54: 3187-3195.
- Scott, CS; Richards, SJ; Sivakumaran, M. (1994). Disorders of large granular lymphocytes and natural killer-associated cells [Letter]. *Blood*. 83: 301-303.
- Scott, WJ, Jr; Collins, MD; Nau, H. (1994). Pharmacokinetic determinants of embryotoxicity in rats associated with organic acids. *Environ Health Perspect*. 102: 97-101.
- Seagren, EA; Becker, JG. (2015). Predictions of bioenhancement of nonaqueous phase liquid ganglia dissolution using first- and zero-order biokinetic models. *J Contam Hydrol*. 182: 210-220. <http://dx.doi.org/10.1016/j.jconhyd.2015.08.004>.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res*. 303: 163-169.
- Seglen, PO. (1973). Preparation of rat liver cells. 3. Enzymatic requirements for tissue dispersion. *Exp Cell Res*. 82: 391-398. [http://dx.doi.org/10.1016/0014-4827\(73\)90357-1](http://dx.doi.org/10.1016/0014-4827(73)90357-1).
- Seiber, JN. (1996). Toxic air contaminants in urban atmospheres: Experience in California. *Atmos Environ*. 30: 751-756.
- Seigies, A, nNT; Pritts, M. (2006). Cover crop rotations alter soil microbiology and reduce replant disorders in strawberry. *HortScience*. 41: 1303-1308.
- Seip, H; Alstad, J; Carlberg, G; Martinsen, K; Skaane, R. (1986). Measurement of mobility of organic compounds in soils. *Sci Total Environ*. 50: 87-101. [http://dx.doi.org/10.1016/0048-9697\(86\)90353-0](http://dx.doi.org/10.1016/0048-9697(86)90353-0).
- Sekhar, GC; Venkatesu, P; Rao, MVP. (2001). Excess molar volumes and speeds of sound of N,N-dimethylacetamide with chloroethanes and chloroethenes at 303.15 K. *Journal of Chemical and Engineering Data*. 46: 377-380.
- Seldén, AI; Ahlborg, G. (2011). Cancer morbidity in Swedish dry-cleaners and laundry workers: Historically prospective cohort study. *Int Arch Occup Environ Health*. 84: 435-443. <http://dx.doi.org/10.1007/s00420-010-0582-7>.
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A*. 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.
- Seliger, B. (2005). Strategies of tumor immune evasion. *BioDrugs*. 19: 347-354.
- Sellaoui, L; Knani, S; Erto, A; Hachicha, MA; Ben Lamine, A. (2016). Equilibrium isotherm simulation of tetrachlorethylene on activated carbon using the double layer model with two energies: Steric and energetic interpretations. *Fluid Phase Equilibria*. 408: 259-264. <http://dx.doi.org/10.1016/j.fluid.2015.09.022>.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther*. 13: 37-49.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO<sub>2</sub>-photocatalyzed degradation of tetrachloroethene in water. *Water Res*. 33: 1827-1836.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation*. 31: 68-78. <http://dx.doi.org/10.1111/j.1745-6592.2010.01321.x>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect*. 103: 101-105.
- Semprini, L; Kitanidis, PK; Kampbell, DH; Wilson, JT. (1995). ANAEROBIC TRANSFORMATION OF CHLORINATED ALIPHATIC-HYDROCARBONS IN A SAND AQUIFER BASED ON SPATIAL CHEMICAL-DISTRIBUTIONS. *Water Resour Res*. 31: 1051-1062.
- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Augmentation of antigen-stimulated allergic responses by a small amount of trichloroethylene ingestion from drinking water. *Regul Toxicol Pharmacol*. 52: 140-146. <http://dx.doi.org/10.1016/j.yrtph.2008.07.006>.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation*. 21: 124-132.
- Seppäläinen, AM; Antti-Poika, M. (1983). Time course of electrophysiological findings for patients with solvent poisoning. A descriptive study. *Scand J Work Environ Health*. 9: 15-24.
- Sereshti, H; Bakhtiari, S; Khojeh, V. (2011). Simultaneous determination of aluminum, copper, iron and zinc in *Oscillatoria*, *Juncus littoralis* tissues and wetland water samples by ultrasound-assisted emulsification-microextraction combined with ICP-OES. *Analytical Methods*. 3: 2936-2942. <http://dx.doi.org/10.1039/c1ay05456b>.
- Sereshti, H; Bakhtiari, S; Toghyani, R; Samadi, S; Besharati-Seidani, T; Mahmoodi, NO. (2014). An Investigation on Heavy Metals Bio-Sorption by *Azolla filiculoides* in the International Anzali Wetland. *International Journal of Environmental Research*. 8: 377-386.
- Sereshti, H; Far, AR; Samadi, S. (2012). OPTIMIZED ULTRASOUND-ASSISTED EMULSIFICATION-MICROEXTRACTION FOLLOWED BY ICP-OES FOR SIMULTANEOUS DETERMINATION OF LANTHANUM AND CERIUM IN URINE AND WATER SAMPLES. *Anal Lett*. 45: 1426-1439. <http://dx.doi.org/10.1080/00032719.2012.675490>.
- Sereshti, H; Khojeh, V; Karimi, M; Samadi, S. (2012). Ligandless-ultrasound-assisted emulsification-microextraction combined with inductively coupled plasma-optical emission spectrometry for simultaneous determination of heavy metals in water samples. *Analytical Methods*. 4: 236-241. <http://dx.doi.org/10.1039/c1ay05354j>.
- Serra, C; Bonfill, X; Sunyer, J; Urrutia, G; Turuguet, D; Bastús, R; Roqué, M; 't Mannetje, A; Kogevinas, M; Occidental, WGotSoBCitCoV. (2000). Bladder cancer in the textile industry. *Scand J Work Environ Health*. 26: 476-481.
- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A study of mixtures of organic solvents and triglycerides of linseed oil or the free fatty acids .2. Application to the viscosity of the Andrade, Krone, McAllister and Hildebrand equations. *Grasas y Aceites*. 46: 289-294.

## Exposure Literature Search Results

### Off Topic

- Serrano, CM; Cueto, MJM; Vallejo, MG; Rodriguez, MR. (1995). A STUDY OF MIXTURES OF ORGANIC-SOLVENTS AND TRIGLYCERIDES OF LINSEED OIL OR THE FREE FATTY-ACIDS .1. MOLAR VOLUME, MOLAR REFRACTION AND DYNAMIC VISCOSITY. *Grasas y Aceites*. 46: 183-195.
- Sertznig, P; Seifert, M; Tilgen, W; Reichrath, J. (2007). Present concepts and future outlook: Function of peroxisome proliferator-activated receptors (PPARs) for pathogenesis, progression, and therapy of cancer [Review]. *J Cell Physiol*. 212: 1-12. <http://dx.doi.org/10.1002/jcp.20998>.
- Services, NHDoE. (2012). Letter Health Consultation: Evaluation of Indoor Air and Soil Gas Data, Former Circle Tri Cleaners (CTC), Plymouth, New Hampshire, December 7, 2012 (pp. 7).
- Sewell, GW; Gibson, SA. (1991). Stimulation of the Reductive Dechlorination of Tetrachloroethene in Anaerobic Aquifer Microcosms by the Addition of Toluene (pp. 982-984). (ISSN 0013-936X; EISSN 1520-5851; NTIS/02976854\_a). Sewell, GW; Gibson, SA.
- Seyedabbasi, M, irA; Farthing, MW; Imhoff, PT; Miller, CT. (2008). The influence of wettability on NAPL dissolution fingering. *Advances in Water Resources*. 31: 1687-1696. <http://dx.doi.org/10.1016/j.advwatres.2008.08.003>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol*. 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shadley, J. R.; Wilson, BL; Dorney, MS. (1992). UNSTABLE SELF-EXCITATION OF TORSIONAL VIBRATION IN AC-INDUCTION MOTOR DRIVEN ROTATIONAL SYSTEMS. *Journal of Vibration and Acoustics*. 114: 226-231.
- Shah, CD; Jain, DK. (1985). SOLVENT (PERCHLOROETHYLENE) DYEING OF DISPERSE DYES ON POLYESTER. *Text Res J*. 55: 23-27.
- Shahin, MM. (1975). Genetic activity of niridazole in yeast. *DNA Repair*. 30: 191-198.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos*. 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Sharmin, R; Ioannidis, MA; Legge, RL. (2006). Effect of nonionic surfactant partitioning on the dissolution kinetics of residual perchloroethylene in a model porous medium. *J Contam Hydrol*. 82: 145-164. <http://dx.doi.org/10.1016/j.jconhyd.2005.10.001>.
- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ*. 140: 1309-1318.
- Shaw, A. (1994). PREDICTION OF TEMPERATURE RISE IN LAYERED MEDIA FROM MEASURED ULTRASONIC INTENSITY DATA. *Phys Med Biol*. 39: 1203-1218.
- Shawn, SH; Robins, JM. (1986). Comment. *J Am Stat Assoc*. 84: 604-609.
- She, HY; Sleep, BE. (1998). The effect of temperature on capillary pressure-saturation relationships for air-water and perchloroethylene-water systems. *Water Resour Res*. 34: 2587-2597.
- She, HY; Sleep, BE. (1999). Removal of perchloroethylene from a layered soil system by steam flushing. *Ground Water Monitoring and Remediation*. 19: 70-77.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem*. 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Shelby, MD; Tice, RR; DeMarini, DM; Yang, RS. (1990). Toxicity and mutagenicity of a mixture of 25 chemicals found in contaminated groundwater. In H Vainio; M Sorsa; AJ McMichael (Eds.), (pp. 314-332). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=104>.
- Shen, H; Sewell, GW. (2005). Reductive biotransformation of tetrachloroethene to ethene during anaerobic degradation of toluene: experimental evidence and kinetics. *Environ Sci Technol*. 39: 9286-9294. <http://dx.doi.org/10.1021/es05030v>.
- Shen, H, ai; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environ Sci Technol*. 41: 4077-4083. <http://dx.doi.org/10.1021/es.0626180>.
- Shen, JM; Huang, Z; Li, JY; Gao, LS; Zhou, HY; Qian, YT. (2005). Synthesis of multi-walled carbon nanotubes at low temperature through anhydrous AlCl<sub>3</sub>-assisted ethylene tetrachloride dechlorination: A new dechlorination pathway. *Carbon*. 43: 2823-2826. <http://dx.doi.org/10.1016/j.carbon.2005.05.030>.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O-3 process. *Water Res*. 32: 2669-2679.
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry*. 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere*. 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, YT; Chen, SC; Chien, CC; Chen, CC; Kao, CM. (2015). Application of a long-lasting colloidal substrate with pH and hydrogen sulfide control capabilities to remediate TCE-contaminated groundwater. *J Hazard Mater*. 284: 222-232. <http://dx.doi.org/10.1016/j.jhazmat.2014.11.023>.
- Sheu, YT; Lien, PJ; Chen, KF; Ou, JH; Kao, CM. (2016). Application of NZVI-contained emulsified substrate to bioremediate PCE-contaminated groundwater - A pilot-scale study. *Chem Eng J*. 304: 714-727. <http://dx.doi.org/10.1016/j.cej.2016.06.126>.
- Shevchenko, VV; Grinikh, LI; Alekseenok, AY. (1985). Clastogenic effect of oxalic acid and its specificity. *Sov Genet*. 21: 606-610.
- Shi, T; Yang, X; Christakos, G; Wang, J; Liu, L, i. (2015). Spatiotemporal Interpolation of Rainfall by Combining BME Theory and Satellite Rainfall Estimates. *Atmosphere (Basel)*. 6: 1307-1326. <http://dx.doi.org/10.3390/atmos6091307>.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (2000). Chlorinated solvent removal using food grade surfactants: Column studies. *J Environ Eng*. 126: 611-621.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environ Sci Technol*. 30: 97-103.

## Exposure Literature Search Results

### Off Topic

- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther.* 270: 414-423.
- Shimada, Y. (1988). Studies on monochlorobenzene poisoning. Part III. Distribution of monochlorobenzene in the organs of pregnant mice and transfer to the fetus through the placenta: comparison with trichloroethylene and 1,1,1-trichloroethane. *Okayama Igakkai Zasshi.* 100: 147-153.
- Shimizu, Y; Usui, K; Araki, K; Kurosaki, N; Takanobu, H; Takanishi, A. (2005). Study of finite element modeling from CT images. *Dent Mater J.* 24: 447-455.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual.* 34: 1435-1438. <http://dx.doi.org/10.2134/jeq2004.0265>.
- Shimotori, T; Arnold, WA. (2002). Henry's law constants of chlorinated ethylenes in aqueous alcohol solutions: Measurement, estimation, and thermodynamic analysis. *Journal of Chemical and Engineering Data.* 47: 183-190. <http://dx.doi.org/10.1021/je010132n>.
- Shimotori, T; Arnold, WA. (2003). Measurement and estimation of Henry's law constants of chlorinated ethylenes in aqueous surfactant solutions. *Journal of Chemical and Engineering Data.* 48: 253-261. <http://dx.doi.org/10.1021/je025553z>.
- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut.* 119: 227-236.
- Shin, M, inC; Choi, HD, oc; Kim, D, oH; Baek, K. (2008). Effect of surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Desalination.* 223: 299-307. <http://dx.doi.org/10.1016/j.desal.2007.01.223>.
- Shin, M, inC; Yang, JS; Park, GY; Baek, K. (2011). Influence of mixed-surfactant on reductive dechlorination of trichloroethylene by zero-valent iron. *Korean J Chem Eng.* 28: 1047-1053. <http://dx.doi.org/10.1007/s11814-010-0473-3>.
- Shipman, AJ; Whim, BP. (1980). Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the UK. *Ann Occup Hyg.* 23: 197-204. <http://dx.doi.org/10.1093/annhyg/23.2.197>.
- Shippey, K; Gorgens, A; Terblanche, D; Luger, M. (2004). Environmental challenges to operational isation of South African rainfall enhancement. *Water SA.* 30: 636-640.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res.* 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res.* 35: 1941-1950.
- Shirin, S; Buncel, E; Vanloon, GW. (2003). The use of beta-cyclodextrins to enhance the aqueous solubility of trichloroethylene and perchloroethylene and their removal from soil organic matter: Effect of substituents. *Can J Chem.* 81: 45-52. <http://dx.doi.org/10.1139/V02-205>.
- Shirin, S; Buncel, E; Vanloon, GW. (2008). The use of beta-cyclodextrins to enhance the aqueous solubility of trichloroethylene and perchloroethylene and their removal from soil organic matter - Effect of substituents (vol 81, pg 45, 2003). *Can J Chem.* 86: 79-79. <http://dx.doi.org/10.1139/V07-144>.
- Shook, GM; Pope, GA; Kostarelos, K. (1998). Prediction and minimization of vertical migration of DNAPLS using surfactant enhanced aquifer remediation at neutral buoyancy. *J Contam Hydrol.* 34: 363-382.
- Short, BG. (1993). Cell proliferation and renal carcinogenesis [Review]. *Environ Health Perspect.* 101: 115-120.
- Shouakar-Stash, O; Drimmie, RJ; Zhang, M; Frape, SK. (2006). Compound-specific chlorine isotope ratios of TCE, PCE and DCE isomers by direct injection using CF-IRMS. *Appl Geochem.* 21: 766-781. <http://dx.doi.org/10.1016/j.apgeochem.2006.02.006>.
- Shouakar-Stash, O; Frape, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol.* 60: 211-228. [http://dx.doi.org/10.1016/S0169-7722\(02\)00085-2](http://dx.doi.org/10.1016/S0169-7722(02)00085-2).
- Showers, J. (1998). NEMA to release breakthrough language for electronic commerce. *I E E E Electrical Insulation Magazine.* 14: 49-49.
- Shrivastav, BB; Narahashi, T; Kitz, RJ; Roberts, JD. (1976). Mode of action of trichloroethylene on squid axon membranes. *J Pharmacol Exp Ther.* 199: 179-188.
- Shu, Y; Liu, P; Zhang, Q; Wei, D. (2013). Competitive sorption between 1,2,4-trichlorobenzene/tetrachloroethene and 1,2,4,5-tetrachlorobenzene by soils/sediments from South China. *Sci Total Environ.* 463-464: 258-263. <http://dx.doi.org/10.1016/j.scitotenv.2013.06.028>.
- Shugart, LR. (1990). DNA damage as an indicator of pollutant-induced genotoxicity. In WG Landis; WHvd Schalie (Eds.), (pp. 348-355). Philadelphia, PA: American Society for Testing and Materials.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol.* 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Shvedchikov, AP; Belousova, EV; Ponizovskii, AZ; Ponizovskii, LZ. (1998). Removal of perchloroethylene and trichloroethylene impurities from the atmospheric air by combined action of a pulsed corona discharge and UV irradiation. *High Energy Chemistry.* 32: 411-415.
- Sidhu, KS; Chadzynski, L. (1994). RISK COMMUNICATION - HEALTH RISKS ASSOCIATED WITH ENVIRONMENTALLY CONTAMINATED PRIVATE WELLS VERSUS CHLOROFORM IN A PUBLIC WATER-SUPPLY. *J Environ Health.* 56: 13-16.
- Sieber, H. (1982). CLEANSING AND MILLING OF WOOL YARNS IN PERCHLOROETHYLENE - REVIEW MOTIVATIONS PROSPECTS. 63: 219-224.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation.* 26: 114-124.
- Siemiatycki, J, . (1991). Risk factors for cancer in the workplace. In J Siemiatycki (Ed.). Boca Raton, FL: CRC Press.

## Exposure Literature Search Results

### Off Topic

- Siemiatycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health*. 13: 486-492.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res*. 45: 2452-2462. <http://dx.doi.org/10.1016/j.watres.2011.01.030>.
- Silbergeld, E. (1988). Epidemiology versus risk assessment: Resolving some old controversies. *Risk Anal*. 8: 555-557. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01197.x>.
- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low f(oc) geomechanics. *Environ Sci Technol*. 36: 1613-1619. <http://dx.doi.org/10.1021/es010812a>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med*. 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverman, DT; Levin, LI; Hoover, RN. (1989). Occupational risks of bladder cancer in the United States: II. Nonwhite men. *J Natl Cancer Inst*. 81: 1480-1483. <http://dx.doi.org/10.1093/jnci/81.19.1480>.
- Simmonds, PG; Kerrin, SL; Lovelock, JE; Shair, FH. (1974). Distribution of atmospheric halocarbons in the air over the Los Angeles basin. *Atmos Environ*. 8: 209-216.
- Simmons, JE; Boyes, WK; Bushnell, PJ; Raymer, JH; Limsakun, T; McDonald, A; Sey, YM; Evans, MV. (2002). A physiologically based pharmacokinetic model for trichloroethylene in the male Long-Evans rat. *Toxicol Sci*. 69: 3-15. <http://dx.doi.org/10.1093/toxsci/69.1.3>.
- Simon, R; Vano, E; Prieto, C; Fernandez, JM; Ordiales, JM; Martinez, D. (2008). Criteria to optimise a dynamic flat detector system used for interventional radiology. *Radiat Prot Dosimetry*. 129: 261-264. <http://dx.doi.org/10.1093/rpd/ncn027>.
- Simonova, LG; Zirka, AA; Reshetnikov, SI; Larina, TV; Litvak, GS; Pinaeva, LG; Isupova, LA. (2011). Influence of heat treatment conditions on the physicochemical and catalytic properties of a chromium-containing catalyst for tetrachloroethylene hydrofluorination to pentafluoroethane. *Kinet Catal*. 52: 418-426. <http://dx.doi.org/10.1134/S0023158411030189>.
- Simpson, AE; Brammar, WJ; Pratten, MK; Cockcroft, N; Elcombe, CR. (1996). Placental transfer of the hypolipidemic drug, clofibrate, induces CYP4A expression in 18.5-day fetal rats. *Drug Metab Dispos*. 24: 547-554.
- Simpson, AEC, M; Brammar, WJ; Pratten, MK; Elcombe, CR. (1995). Translactational induction of CYP4A expression in 10.5-day neonatal rats by the hypolipidemic drug clofibrate. *Biochem Pharmacol*. 50: 2021-2032. [http://dx.doi.org/10.1016/0006-2952\(95\)02103-5](http://dx.doi.org/10.1016/0006-2952(95)02103-5).
- Simpson, DG; Carroll, RJ; Xie, M; Guth, DJ. (1996). Weighted logistic regression and robust analysis of diverse toxicology data. *Communications in Statistics: Theory and Methods*. 25: 2615-2632.
- Simpson, IJ; Blake, NJ; Barletta, B; Diskin, GS; Fuelberg, HE; Gorham, K; Huey, LG; Meinardi, S; Rowland, FS; Vay, SA; Weinheimer, AJ; Yang, M; Blake, DR. (2010). Characterization of trace gases measured over Alberta oil sands mining operations: 76 speciated C-2-C-10 volatile organic compounds (VOCs), CO<sub>2</sub>, CH<sub>4</sub>, CO, NO, NO<sub>2</sub>, NO<sub>y</sub>, O-3 and SO<sub>2</sub>. *Atmos Chem Phys*. 10: 11931-11954. <http://dx.doi.org/10.5194/acp-10-11931-2010>.
- Singh, HB. (1978). [Personal communication] [Personal Communication].
- Singh, HB; Gregory, GL; Anderson, B; Browell, E; Sachse, GW; Davis, DD; Crawford, J; Bradshaw, JD; Talbot, R; Blake, DR; Thornton, D; Newell, R; Merrill, J. (1996). Low ozone in the marine boundary layer of the tropical Pacific Ocean: Photochemical loss, chlorine atoms, and entrainment. *J Geophys Res Atmos*. 101: 1907-1917.
- Singh, HB; Herlth, D; Kolyer, R; Salas, L; Bradshaw, JD; Sandholm, ST; Davis, DD; Crawford, J; Kondo, Y; Koike, M; Talbot, R; Gregory, GL; Sachse, GW; Browell, E; Blake, DR; Rowland, FS; Newell, R; Merrill, J; Heikes, B; Liu, SC; Crutzen, PJ; Kanakidou, M. (1996). Reactive nitrogen and ozone over the western Pacific: distribution, partitioning, and sources. *J Geophys Res*. 101: 1793-1808. <http://dx.doi.org/10.1029/95JD01029>.
- Singh, HB; Lillian, D; Appleby, A. (1975). Absolute determination of phosgene: pulsed flow coulometry. *Anal Chem*. 47: 860-864.
- Singh, HB; Lillian, D; Appleby, A; Lobban, L. (1975). Atmospheric formation of carbon tetrachloride from tetrachloroethylene. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 10: 253-256. <http://dx.doi.org/10.1080/00139307509435827>.
- Singh, HB; Ohara, D; Herlth, D; Sachse, W; Blake, DR; Bradshaw, JD; Kanakidou, M; Crutzen, PJ. (1994). ACETONE IN THE ATMOSPHERE - DISTRIBUTION, SOURCES, AND SINKS. *J Geophys Res Atmos*. 99: 1805-1819.
- Singh, HB; Salas, L; Lillian, D; Arnts, RR; Appleby, A. (1977). Generation of accurate halocarbon primary standards with permeation tubes. *Environ Sci Technol*. 11: 511-513. <http://dx.doi.org/10.1021/es60128a009>.
- Singh, HB; Salas, L; Shigeishi, H; Crawford, A. (1977). Urban-nonurban relationships of halocarbons, SF<sub>6</sub>, N<sub>2</sub>O, and other atmospheric trace constituents. *Atmos Environ*. 11: 819-828.
- Singh, HB; Salas, LJ; Shigeishi, H; Smith, AH. (1978). Fate of halogenated compounds in the atmosphere Interim report-1977. Singh, HB; Salas, LJ; Shigeishi, H; Smith, AH.
- Singh, HB; Salas, LJ; Shigeishi, H; Scribner, E. (1978). Global distribution of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O Phase II interim report. NC: 803020.
- Singh, HB; Salas, LJ; Shigeishi, H; Smith, AJ; Scribner, E; Cavanagh, LA. (1979). Atmospheric distributions, sources and sinks of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O. (PB80-142706; EPA600/379107). Menlo Park, CA: SRI International. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80142706>.
- Singh, HB; Salas, LJ; Stiles, R; Shigeishi, H. (1983). Measurements of hazardous organic chemicals in the ambient atmosphere. (EPA-600/3-83-002; PB83-156935). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB83156935>.

## Exposure Literature Search Results

### Off Topic

- Singh, HB; Viezee, W; Chen, Y; Thakur, AN; Kondo, Y; Talbot, RW; Gregory, GL; Sachse, GW; Blake, DR; Bradshaw, JD; Wang, Y; Jacob, DJ. (1998). Latitudinal distribution of reactive nitrogen in the free troposphere over the Pacific Ocean in late winter early spring. *J Geophys Res Atmos.* 103: 28237-28246.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia.* 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet.* 14: 1-4.
- Singh, R; Singh, J. (1996). Irrigation planning in cotton through simulation modeling. *Irrigation Science.* 17: 31-36.
- Singh, R; Singh, J. (1997). Irrigation planning in wheat (*Triticum aestivum*) under deep water table conditions through simulation modelling. *Agricultural Water Management.* 33: 19-29.
- Sinsheimer, P; Gottlieb, R; Farrar, C. (2002). Integrating pollution prevention technology into public policy: The case of professional wet cleaning. *Environ Sci Technol.* 36: 1649-1655. <http://dx.doi.org/10.1021/es010584k>.
- Sinsheimer, P; Grout, C; Namkoong, A; Gottlieb, R; Latif, A. (2007). The viability of professional wet cleaning as a pollution prevention alternative to perchloroethylene dry cleaning. *J Air Waste Manag Assoc.* 57: 172-178.
- Sizirici, B; Tansel, B. (2010). Projection of landfill stabilization period by time series analysis of leachate quality and transformation trends of VOCs. *Waste Manag.* 30: 82-91. <http://dx.doi.org/10.1016/j.wasman.2009.09.006>.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health.* 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Skold, ME; Thyne, GD; Drexler, JW; Macalady, DL; Mccray, JE. (2008). Enhanced solubilization of a metal-organic contaminant mixture (Pb, Sr, Zn, and perchloroethylene) by cyclodextrin. *Environ Sci Technol.* 42: 8930-8934. <http://dx.doi.org/10.1021/es801835x>.
- Skowron, J; Miranowicz-Dzierzawska, K; Zapor, L; Golofit-Szymczak, M; Starek, A. (2001). Interactions of some organic solvents: Hydrocarbons and chloroalkene. *Int J Occup Saf Ergon.* 7: 35-47.
- Skowronski, GA; Abdelrahman, MS. (1997). Interspecies comparison of kinetic data of chlorinated chemicals of potential relevance to risk assessment. *Hum Ecol Risk Assess.* 3: 635-653.
- Skramstad, JD; Hurst, CJ; Novak, PJ. (2003). Survival of indicator organisms during enrichment on tetrachloroethene. *Water Environ Res.* 75: 368-376.
- Skupinova, S; Vejil, P; Sedlak, P; Bardova, M; Srbek, L; Klapste, P; Zouhar, M; Tesarova, B. (2004). Using DNA markers for characterisation of tomato resistance against root nematode *Meloidogyne incognita*. *Plant Soil Environ.* 50: 59-64.
- Slaten, BL. (1977). USE OF PERCHLOROETHYLENE IN SOLVENT FINISHING - RETENTION AND REMOVAL FROM POLYESTER FABRICS. *Abstracts of Papers - American Chemical Society.* 173: 13-13.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation.* 23: 59-67.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environ Sci Technol.* 35: 901-907. <http://dx.doi.org/10.1021/es001583f>.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachloroethene degradation sustained by endogenous cell decay. *J Environ Eng Sci.* 4: 11-17. <http://dx.doi.org/10.1139/S04-038>.
- Sleep, BE; Ma, YF. (1997). Thermal variation of organic fluid properties and impact on thermal remediation feasibility. *Journal of Soil Contamination.* 6: 281-306.
- Sleep, BE; McClure, PD. (2001). The effect of temperature on adsorption of organic compounds to soils. *Canadian Geotechnical Journal.* 38: 46-52.
- Sleep, BE; Seepersad, DJ; Mo, K; Heidorn, CM; Hrapovic, L; Morrill, PL; McMaster, ML; Hood, ED; Lebron, C; Lollar, BS; Major, DW; Edwards, EA. (2006). Biological enhancement of tetrachloroethene dissolution and associated microbial community changes. *Environ Sci Technol.* 40: 3623-3633. <http://dx.doi.org/10.1021/es051493g>.
- Small, MJ. (2008). Methods for assessing uncertainty in fundamental assumptions and associated models for cancer risk assessment. *Risk Anal.* 28: 1289 - 1308. <http://dx.doi.org/10.1111/j.1539-6924.2008.01134.x>.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1996). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture. *Environ Sci Technol.* 30: 2850-2858.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1997). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture (vol 30, pg 2850, 1996). *Environ Sci Technol.* 31: 1252-1252.
- Smatlak, CR; Gossett, JM; Zinder, SH. (1997). Response to Comment on "Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture". *Environ Sci Technol.* 31: 1251-1251.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H2O2 Propagations. *J Environ Eng.* 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, DM; Ortiz, LW; Archuleta, RF. (1984). Long-term exposure of Syrian hamsters and Osborne-Mendel rats to aerosolized 045 um mean diameter fibrous glass. *Denmark: R.*
- Smith, JE; Zhang, ZF. (2001). Determining effective interfacial tension and predicting finger spacing for DNAPL penetration into water-saturated porous media. *J Contam Hydrol.* 48: 167-183.
- Smith, JH; Bomberger, DC, Jr; Haynes, DL. (1980). Prediction of the volatilization rates of high-volatility chemicals from natural water bodies. *Environ Sci Technol.* 14: 1332-1337.
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1989). Teratogenic activity of trichloroacetic acid in the rat. *Teratology.* 40: 445-451. <http://dx.doi.org/10.1002/tera.1420400506>.

## Exposure Literature Search Results

### Off Topic

- Smith, MM; Silva, JAK; Munakata-Marr, J; Mccray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environ Sci Technol.* 42: 9296-9301. <http://dx.doi.org/10.1021/es800757g>.
- Smits, TH; Assal, A; Hunkeler, D; Holliger, C. (2011). Anaerobic degradation of vinyl chloride in aquifer microcosms. *J Environ Qual.* 40: 915-922. <http://dx.doi.org/10.2134/jeq2010.0403>.
- Soares, BM; Pereira, ER; Maciel, JV; Vieira, AA; Duarte, FA. (2013). Assessment of dispersive liquid-liquid microextraction for the simultaneous extraction, preconcentration, and derivatization of Hg<sup>2+</sup> and CH<sub>3</sub>Hg<sup>+</sup> for further determination by GC-MS. *J Sep Sci.* 36: 3411-3418. <http://dx.doi.org/10.1002/jssc.201300599>.
- Sobhi, HR; Kashtiaray, A; Farahani, H; Abrahimpour, F; Esrafil, A, li. (2010). Quantitation of valproic acid in pharmaceutical preparations using dispersive liquid-liquid microextraction followed by gas chromatography-flame ionization detection without prior derivatization. *Drug Testing and Analysis.* 2: 362-366. <http://dx.doi.org/10.1002/dta.131>.
- Sofuni, T; Hayashi, M; Matsuoka, A; Sawada, M; Hatanaka, M; Jr, IM. (1985). [Mutagenicity tests on organic chemical contaminants in city water and related compounds. II. Chromosome aberration tests in cultured mammalian cells]. *Kokuritsu Iyakuhiin Shokuhin Eisei Kenkyusho Hokoku.* 103: 64-75.
- Sohlenius-Sternbeck, AK. (2006). Determination of the hepatocellularity number for human, dog, rabbit, rat and mouse livers from protein concentration measurements. *Toxicol In Vitro.* 20: 1582-1586. <http://dx.doi.org/10.1016/j.tiv.2006.06.003>.
- Sokol, L; Loughran, TP, Jr. (2006). Large granular lymphocyte leukemia. *Oncologist.* 11: 263-273. <http://dx.doi.org/10.1634/theoncologist.11-3-263>.
- Solet, D; Robins, TG. (1991). Renal function in dry cleaning workers exposed to perchloroethylene. *Am J Ind Med.* 20: 601-614.
- Solet, D; Robins, TG; Sampaio, C. (1990). Perchloroethylene exposure assessment among dry cleaning workers. *AIHA J.* 51: 566-574.
- Soljacic, I; Pusic, T. (2005). Ecology in finishing processes and textile care. *Tekstil.* 54: 390-401.
- Soljacic, I, vo; Pusic, T. (2009). Dry cleaning solvents. *Tekstil.* 58: 493-506.
- Soljacic, I, vo; Pusic, T. (2011). Solvent care in dry cleaning. *Tekstil.* 60: 219-225.
- Solleveld, HA; Haseman, JK; McConnell, EE. (1984). Natural history of body weight gain, survival, and neoplasia in the F344 rat. *J Natl Cancer Inst.* 72: 929-940.
- Soltanian, MR; Ritz, RW; Huang, CC; Dai, Z. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 1. Time-dependent effective retardation factor. *Water Resour Res.* 51: 1586-1600. <http://dx.doi.org/10.1002/2014WR016353>.
- Soltanian, MR; Ritz, RW; Huang, CC; Dai, Z. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 2. Particle displacement variance. *Water Resour Res.* 51: 1601-1618. <http://dx.doi.org/10.1002/2014WR016354>.
- Sommer, R; Pribil, W; Pflieger, S; Haider, T; Werderitsch, M; Gehringer, P. (2004). Microbicidal efficacy of an advanced oxidation process using ozone/hydrogen peroxide in water treatment. *Water Sci Technol.* 50: 159-164.
- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (2008). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Talanta.* 74: 1265-1270. <http://dx.doi.org/10.1016/j.talanta.2007.08.04>.
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environ Sci Technol.* 36: 2262-2268. <http://dx.doi.org/10.1021/es011162d>.
- Song, H; Carraway, ER. (2008). Catalytic hydrodechlorination of chlorinated ethenes by nanoscale zero-valent iron. *Appl Catal B-Environ.* 78: 53-60. <http://dx.doi.org/10.1016/j.apcatb.2007.07.034>.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere.* 73: 1420-1427. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.006>.
- Sonoyama, N; Ezaki, K; Sakata, T. (2001). Continuous electrochemical decomposition of dichloromethane in aqueous solution using various column electrodes. *Adv Environ Res.* 6: 1-8.
- Sonoyama, N; Sakata, T. (1999). Electrochemical Continuous Decomposition of Chloroform and Other Volatile Chlorinated Hydrocarbons in Water Using a Column Type Metal Impregnated Carbon Fiber Electrode. *Environ Sci Technol.* 33: 3438-3442. <http://dx.doi.org/10.1021/es980903g>.
- Sora, S; Agostini Carbone, ML. Chloral Hydrate, Methylmercury Hydroxide and Ethidium Bromide Affect Chromosomal Segregation during Meiosis of *Saccharomyces Cerevisiae*. *Mutat Res.* 190: 13-17.
- Sora, S; Agostini Carbone, ML. (1987). Chloral hydrate, methylmercury hydroxide and ethidium bromide affect chromosomal segregation during meiosis of *Saccharomyces cerevisiae*. *Mutat Res Lett.* 190: 13-17. [http://dx.doi.org/10.1016/0165-7992\(87\)90075-3](http://dx.doi.org/10.1016/0165-7992(87)90075-3).
- Sorbo, NW; Chang, DPY. (1992). OBSERVATIONS OF CHLORINATED-HYDROCARBON DROPLET GASIFICATION. *Combust Sci Tech.* 85: 419-435.
- Sorel, D; Cherry, JA; Lesage, S. (1998). In situ vertical circulation column: Containment system for small-scale DNAPL field experiments. *Ground Water Monitoring and Remediation.* 18: 114-125.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Sorenson, KS. (2003). Enhanced bioremediation for treatment of chlorinated solvent residual source areas. *ACS Symp Ser Am Chem Soc.* 837: 119-131.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive Adsorption of VOCs and BOM: Oxic and Anoxic Environments (pp. 1907-1919). (ISSN 0043-1354; EISSN 1879-2448; NTIS/02997963\_a). Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF.



## Exposure Literature Search Results

### Off Topic

- Sossi, V; Morin, O; Celler, A; Rempel, TD; Belzberg, A; Carhart, C. (2003). PET and SPECT performance of the siemens HD3 E.Cam(duet)(R): A <sup>118</sup>Na(I) hybrid camera. *IEEE Trans Nucl Sci.* 50: 1504-1509. <http://dx.doi.org/10.1109/TNS.2003.817323>.
- Sossi, V; Pointon, B; Boudoux, C; Cohen, P; Hudkins, K; Jivan, S; Nitzek, K; Derosario, J; Stevens, C; Ruth, TJ. (2001). NEMA NU 2-2000+performance measurements on an ADAC MCD camera. *IEEE Trans Nucl Sci.* 48: 1518-1523.
- Soulodre, GA; Lavoie, MC; Norcross, SG. (2003). Objective measures of listener envelopment in multichannel surround systems. 51: 826-840.
- Soutter, D; Mcbean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation.* 27: 129-132.
- Spaeth, K; Gauglitz, G. (1998). Characterisation of the optical properties of thin polymer films for their application in detection of volatile organic compounds. *Mater Sci Eng C.* 5: 187-191.
- Spaeth, K; Kraus, G; Gauglitz, G. (1997). In-situ characterization of thin polymer films for applications in chemical sensing of volatile organic compounds by spectroscopic ellipsometry. *Fresenius J Anal Chem.* 357: 292-296.
- Spanel, P; Cocker, J; Rajan, B; Smith, D. (1997). Validation of the SIFT Technique for Trace Gas Analysis of Breath Using the Syringe Injection Technique. *Ann Occup Hyg.* 41: 373-382.
- Speerschneider, P; Dekant, W. (1995). Renal tumorigenicity of 1,1-dichloroethene in mice: the role of male-specific expression of cytochrome P450 2E1 in the renal bioactivation of 1,1-dichloroethene. *Toxicol Appl Pharmacol.* 130: 48-56. <http://dx.doi.org/10.1006/taap.1995.1007>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2002). Effects of tetrachloroethylene on the viability and development of embryos of the Japanese medaka, *Oryzias latipes*. *Arch Environ Contam Toxicol.* 42: 463-469. <http://dx.doi.org/10.1007/s00244-001-0050-1>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol.* 27: 1-5.
- Spinatonda, G; Colombo, R; Capodaglio, EM; Imbriani, M; Pasetti, C; Minuco, G; Pinelli, P. (1997). Processes of speech production: Application in a group of subjects chronically exposed to organic solvents (II). *G Ital Med Lav Ergon.* 19: 85-88.
- Spinks, TJ; Karia, D; Leach, MO; Flux, G. (2014). Quantitative PET and SPECT performance characteristics of the Albira Trimodal pre-clinical tomograph. *Phys Med Biol.* 59: 715-731. <http://dx.doi.org/10.1088/0031-9155/59/3/715>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 213-236.
- Sponza, DT. (2003). Enhancement of granule formation and sludge retainment for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res.* 7: 453-462.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *Int Biodeterior Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82. <http://dx.doi.org/10.1016/j.procbio.2003.11.046>.
- Stacpoole, PW; Henderson, GN; Yan, Z; James, MO. (1998). Clinical pharmacology and toxicology of dichloroacetate. *Environ Health Perspect.* 106: 989-994.
- Stacpoole, PW; Wright, EC; Baumgartner, TG; Bersin, RM; Buchalter, S; Curry, SH; Duncan, CA; Harman, EM; Henderson, GN; Jenkinson, S; Lachin, JM; Lorenz, A; Schneider, SH; Siegel, JH; Summer, WR; Thompson, D; Wolfe, CL; Zorovich, B; Group, D-LAS. (1992). A controlled clinical trial of dichloroacetate for treatment of lactic acidosis in adults. *N Engl J Med.* 327: 1564-1569. <http://dx.doi.org/10.1056/NEJM199211263272204>.
- Staff, CE. (2002). NEMA's 3Q02 control indices show uneven recovery. *Control Engineering Online.* 49: 13-13.
- Staff, CE. (2003). NEMA'S control indices for 3Q03 are flat despite economic growth. *Control Engineering Online.* 50: 24-24.
- Staff, CE. (2004). NEMA's industrial control business index up 14% from 2003. *Control Engineering Online.* 51: 12-12.
- Staff, CE. (2005). NEMA reports industrial control indices surge in 2005. *Control Engineering Online.* 52: 24-24.
- Staff, CE. (2007). Standards: NEMA reaffirms several for industrial control systems. *Control Engineering Online.* 54: 43-43.
- Staff, CE. (2008). NEMA offers free download of interactive standards and products guide. *Control Engineering Online.* 55: 27-27.
- Stanescu, G; Trutia, A, th. (2006). Optical spectra of the CoCl<sub>2</sub>/PEG systems. *Optical Materials.* 29: 332-336. <http://dx.doi.org/10.1016/j.optmat.2005.08.040>.
- Stankiewicz, Z; Schreiner, H. (1993). TEMPERATURE-VACUUM PROCESS FOR THE DESORPTION OF ACTIVATED-CHARCOAL. *Process Saf Environ Protect.* 71: 134-140.
- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F1 and C57BL/10J mouse liver tumours. *Carcinogenesis.* 15: 1125-1131.
- Stapf, A; Honeit, F; Gondek, C; Kroke, E. (2017). Texturing of monocrystalline silicon wafers by HF-HCl-H<sub>2</sub>O<sub>2</sub> mixtures: Generation of random inverted pyramids and simulation of light trapping in PERC solar cells. *Solar Energy Materials and Solar Cells.* 159: 112-120. <http://dx.doi.org/10.1016/j.solmat.2016.08.034>.
- Stauber, AJ; Bull, RJ. (1997). Differences in phenotype and cell replicative behavior of hepatic tumors induced by dichloroacetate (DCA) and trichloroacetate (TCA). *Toxicol Appl Pharmacol.* 144: 235-246. <http://dx.doi.org/10.1006/taap.1997.8159>.
- Steiman, R; Seiglemurandi, F; Guiraud, P; Benoitguyod, JL. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual.* 10: 283-285.

## Exposure Literature Search Results

### Off Topic

- Steineck, G; Plato, N; Gerhardsson, M; Norell, SE; Hogstedt, C. (1990). Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. *Int J Cancer*. 45: 1012-1017. <http://dx.doi.org/10.1002/ijc.2910450605>.
- Steinmoeller, S; Bandte, M; Buettner, C; Mueller, P. (2012). Effects of sanitation processes on survival of *Synchytrium endobioticum* and *Globodera rostochiensis*. *European Journal of Plant Pathology*. 133: 753-763. <http://dx.doi.org/10.1007/s10658-012-9955-y>.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med*. 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Steitz, W. (1979). PRE-CLEANING OF POLYESTER MATERIAL AND CLEANING OF FIXED POLYESTER PRINTS IN PERCHLOROETHYLENE. *Textilveredlung*. 14: 440-442.
- Stelzer, N; Imfeld, G; Thullner, M; Lehmann, J; Poser, A; Richnow, H-H; Nijenhuis, I. (2009). Integrative approach to delineate natural attenuation of chlorinated benzenes in anoxic aquifers. *Environ Pollut*. 157: 1800-1806. <http://dx.doi.org/10.1016/j.envpol.2009.01.029>.
- Stemhagen, A; Slade, J; Altman, R; Bill, J. (1983). Occupational risk factors and liver cancer: A retrospective case-control study of primary liver cancer in New Jersey. *Am J Epidemiol*. 117: 443-454.
- Stenner, RD; Merdink, JL; Fisher, JW; Bull, RJ. (1998). Physiologically-based pharmacokinetic model for trichloroethylene considering enterohepatic recirculation of major metabolites. *Risk Anal*. 18: 261-269.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics*. 4: 185-192.
- Sterchele, PF; Sun, H; Peterson, RE; Vanden Heuvel, JP. (1996). Regulation of peroxisome proliferator-activated receptor-alpha mRNA in rat liver. *Arch Biochem Biophys*. 326: 281-289.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol*. 23: 761-765.
- Stevens, JL. (1985). Isolation and characterization of a rat liver enzyme with both cysteine conjugate beta-lyase and kynureninase activity. *J Biol Chem*. 260: 7945-7950.
- Stevenson, DE; McClain, RM; Popp, JA; Slaga, TJ; Ward, JM; Pitot, HC. (1990). *Mouse liver carcinogenesis: mechanisms and species comparisons*. New York, NY: Wiley-Liss.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med*. 48: 531-537.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health*. 20: 64-71.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. *J Occup Environ Med*. 3: 586-590.
- Stewart, RD; Hake, CL; Forster, AJ; Lubrun, AJ; Peterson, JE; Wu, A. (1974). Tetrachloroethylene: Development of a biologic standard for the industrial worker by breath analysis. Atlanta, GA: National Institute of Occupational Safety and Health. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82152166>.
- Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A. (1981). Tetrachloroethylene: development of a biologic standard for the industrial worker by breath analysis. Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A.
- Stiteler, WM; Knauf, LA; Hertzberg, RC; Schoeny, RS. (1993). A statistical test of compatibility of data sets to a common dose-response model. *Regul Toxicol Pharmacol*. 18: 392-402. <http://dx.doi.org/10.1006/rtph.1993.1065>.
- Stoebener, K; Klein, P; Horsch, M; Kuefer, K; Hasse, H. (2016). Parametrization of two-center Lennard-Jones plus point-quadrupole force field models by multicriteria optimization. *Fluid Phase Equilibria*. 411: 33-42. <http://dx.doi.org/10.1016/j.fluid.2015.11.028>.
- Stonard, MD; Phillips, PGN; Foster, JR; Simpson, MG; Lock, EA. (1986). alpha2u-Globulin: Measurement in rat kidney and relationship to hyaline droplets. *Clin Chim Acta*. 160: 197-203. [http://dx.doi.org/10.1016/0009-8981\(86\)90142-7](http://dx.doi.org/10.1016/0009-8981(86)90142-7).
- Storer, RD; Mckelvey, TW; Kraynak, AR; Elia, MC; Barnum, JE; Harmon, LS; Nichols, WW; Deluca, JG. (1996). Revalidation of the in vitro alkaline elution/rat hepatocyte assay for DNA damage: Improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res Genet Toxicol Environ Mutagen*. 368: 59-101. [http://dx.doi.org/10.1016/0165-1218\(95\)00070-4](http://dx.doi.org/10.1016/0165-1218(95)00070-4).
- Storey, RF; Baugh, DW. (1999). Plasticization of poly(styrene-*b*-isobutylene-*b*-styrene) ionomers by acid salts of 2-ethylhexyl-*p*-dimethylaminobenzoate. *Polymer Engineering and Science*. 39: 1328-1334.
- Storm. (2011). Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene (vol 66, pg 166, 2011). *Arch Environ Occup Health*. 66: 250-250. <http://dx.doi.org/10.1080/19338244.2011.623084>.
- Storm, J, anE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2012). Response to "Comment on 'Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene' by Storm et al". *Arch Environ Occup Health*. 67: 53-55. <http://dx.doi.org/10.1080/19338244.2012.645396>.
- Storm, JE; Mazor, KA. (2004). Update of residential tetrachloroethylene exposure and decreases in visual contrast sensitivity [Letter]. *Environ Health Perspect*. 112: A862-A864.
- Stott, WT. (1988). Chemically induced proliferation of peroxisomes: implications for risk assessment. *Regul Toxicol Pharmacol*. 8: 125-159.
- Stott, WT; Quast, JF; Watanabe, PG. (1982). The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol*. 62: 137-151.
- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol*. 71: 155-192. <http://dx.doi.org/10.1016/j.jconhyd.2003.09.010>.
- Strachan, D. (1999). NEMA releases premiere next-level cable standard. *I E E Electrical Insulation Magazine*. 15: 50-+.
- Strating, SJ; Juarez, TJ; Stevens, ME; White, DW; Smith, PA. (2013). Short duration needle trap sampling with gas chromatography analysis to determine nearly instantaneous concentrations of selected organic vapor contaminants. *J Occup Environ Hyg*. 10: 674-684. <http://dx.doi.org/10.1080/15459624.2013.831982>.

## Exposure Literature Search Results

### Off Topic

- Strickland, JA; Guth, DJ. (2002). Quantitative exposure-response assessment approaches to evaluate acute inhalation toxicity of phosgene. *Hum Ecol Risk Assess.* 8: 511-536.
- Stromberg, PC. (1985). Large granular lymphocyte leukemia in F344 rats: Model for human T gamma lymphoma, malignant histiocytosis, and T-cell chronic lymphocytic leukemia. *Am J Pathol.* 119: 517-519.
- Stromberg, PC; Rojko, JL; Vogtsberger, LM; Cheney, C; Berman, R. (1983). Immunologic, biochemical, and ultrastructural characterization of the leukemia cell in F344 rats. *J Natl Cancer Inst.* 71: 173-181.
- Stroo, HF; Unger, M; Ward, CH; Kavanaugh, MC; Vogel, C; Leeson, A; Marqusee, J; Smith, BP. (2003). Remediating chlorinated solvent source zones. *Environ Sci Technol.* 37: 224A-230A.
- Strub, MP; Lepot, B; Morin, A. (2009). Metrological aspects of collaborative field trials, including coping with unexpected events. *Trends Analyt Chem.* 28: 245-261. <http://dx.doi.org/10.1016/j.trac.2008.12.003>.
- Struckhoff, GC; Burken, JG; Schumacher, JG. (2005). Vapor-phase exchange of perchloroethene between soil and plants. *Environ Sci Technol.* 39: 1563-1568. <http://dx.doi.org/10.1021/es049411w>.
- Stubin, AI; Brosnan, TM; Porter, KD; Jimenez, L; Lochan, H. (1996). Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res.* 68: 1037-1044.
- Sturaro, A; Parvoli, G; Doretti, L; Bancomina, C; Neonato, C. (1994). GAS-CHROMATOGRAPHIC MASS-SPECTROMETRIC DETERMINATION OF VINYL-ACETATE LEVELS IN AIR. 29: 575-577.
- Sturm, J. (2012). GLOBAL LIGHTING ASSOCIATION: THE GLOBAL VOICE OF THE LIGHTING INDUSTRY. 20: 16-18.
- Styles, JA; Mackay, JM; Randall, V; Jones, K; Fox, DA; Howard, CA; Ashby, J. (1992). Trichloroacetic acid: Investigation of chromosomal damage in vitro and in vivo. Abstract of the twenty-third meeting of the Environmental Mutagen Society. *Environ Mol Mutagen.* 19: 62. <http://dx.doi.org/10.1002/em.2850190503>.
- Styles, JA; Wyatt, I; Coutts, C. (1991). Trichloroacetic acid: Studies on uptake and effects on hepatic DNA and liver growth in mouse. *Carcinogenesis.* 12: 1715-1719. <http://dx.doi.org/10.1093/carcin/12.9.1715>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2013). Travel distance and transformation of injected emulsified zerovalent iron nanoparticles in the subsurface during two and half years. *Water Res.* 47: 4095-4106. <http://dx.doi.org/10.1016/j.watres.2012.12.042>.
- Su, CM; Evans, LJ. (1996). Soil solution chemistry and alfalfa response to CaCO<sub>3</sub> and MgCO<sub>3</sub> on an acidic Gleysol. *Can J Soil Sci.* 76: 41-47.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environ Sci Technol.* 33: 163-168.
- Suarez, L; Weiss, NS; Martin, J. (1989). Primary liver cancer death and occupation in Texas. *Am J Ind Med.* 15: 167-175.
- Suárez sánchez, A; Krzemień, A; Riesgo fernández, P; Iglesias rodríguez, FJ; Sánchez lasheras, F; De Cos juez, FJ. (2015). Investment in new tungsten mining projects. *Resources Policy.* 46: 177-190.
- Subramoniam, A; Goel, SK; Pandya, KP; Seth, PK. (1989). Influence of trichloroethylene treatment on phosphoinositides in rat brain. *Toxicol Lett.* 49: 55-60. [http://dx.doi.org/10.1016/0378-4274\(89\)90101-X](http://dx.doi.org/10.1016/0378-4274(89)90101-X).
- Suchomel, EJ; Pennell, KD. (2006). Reductions in contaminant mass discharge following partial mass removal from DNAPL source zones. *Environ Sci Technol.* 40: 6110-6116. <http://dx.doi.org/10.1021/es060298e>.
- Suda, Y. (1977). DYEING OF NYLON-6 WITH DISPERSE DYES IN MIXED-SOLVENTS OF TETRACHLOROETHYLENE AND N,N-DIMETHYLACETAMIDE. 1530-1535.
- Suffet, IH; Brenner, L; Radziul, JV. (1976). GC/MS identification of trace organic compounds in Philadelphia waters, chap 23. 375-397.
- Sun, YW; Lu, XJ; Petersen, JN; Buscheck, TA. (2004). An analytical solution of tetrachloroethylene transport and biodegradation. *Transport in Porous Media.* 55: 301-308.
- Sunder, M; D-C, H. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res.* 31: 33-40.
- Sundlov, SP; Manahan, JM; Potter, RC, Jr; Cary, SM; Holub, RA. (2013). Facing Today's Installation Challenges of Adjustable-Speed Drives for Controlling Motors in Hazardous Location Areas. *I E E E Transactions on Industry Applications.* 49. <http://dx.doi.org/10.1109/TIA.2013.2262256>.
- Sung, MM; Kim, HJ; Kim, EK; Kwak, JY; Yoo, JK; Yoo, HS. (2002). Clinical evaluation of JPEG2000 compression for digital mammography. *IEEE Trans Nucl Sci.* 49: 827-832.
- Sung, TI; Chen, PC; Lee, LJH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health.* 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Sung, TI; Wang, JD; Chen, PC. (2008). Increased risk of cancer in the offspring of female electronics workers. *Reprod Toxicol.* 25: 115-119. <http://dx.doi.org/10.1016/j.reprotox.2007.08.004>.
- Sung, TI; Wang, JD; Chen, PC. (2009). Increased risks of infant mortality and of deaths due to congenital malformation in the offspring of male electronics workers. *Birth Defects Res A Clin Mol Teratol.* 85: 119-124. <http://dx.doi.org/10.1002/bdra.20496>.
- Sunkara, B; Su, Y; Zhan, J; He, J; Mcpherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. 9: 939-947. <http://dx.doi.org/10.1007/s11783-015-0807-9>.
- Suri, RP; Liu, J; Crittenden, JC; Hand, DW. (1999). Removal and Destruction of Organic Contaminants in Water Using Adsorption, Steam Regeneration, and Photocatalytic Oxidation: A Pilot-Scale Study. *J Air Waste Manag Assoc.* 49: 951-958. <http://dx.doi.org/10.1080/10473289.1999.10463861>.

## Exposure Literature Search Results

### Off Topic

- Suri, RPS; Crittanden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *J Environ Eng.* 125: 897-905.
- Surti, S; Karp, JS. (2005). A count-rate model for PET scanners using pixelated Anger-logic detectors with different scintillators. *Phys Med Biol.* 50: 5697-5715. <http://dx.doi.org/10.1088/0031-9155/50/23/020>.
- Surti, S; Karp, JS; Muehlelehner, G; Raby, PS. (2003). IEEE NUCLEAR SCIENCE SYMPOSIUM - CONFERENCE RECORD Investigation of Lanthanum scintillators for 3-D PET. <http://dx.doi.org/10.1109/TNS.2003.812450>.
- Surti, S; Karp, JS; Popescu, LM; Daube-Witherspoon, ME; Werner, M. (2006). Investigation of time-of-flight benefit for fully 3-D PET. *IEEE Trans Med Imaging.* 25: 529-538. <http://dx.doi.org/10.1109/TMI.2006.871419>.
- Sutanto, S; van Roosmalen, MJE; Witkamp, GJ. (2013). Redeposition in CO<sub>2</sub> textile dry cleaning. *Journal of Supercritical Fluids.* 81: 183-192. <http://dx.doi.org/10.1016/j.supflu.2013.05.013>.
- Sutanto, S; van Roosmalen, MJE; Witkamp, GJ. (2014). Mechanical action in CO<sub>2</sub> dry cleaning. *Journal of Supercritical Fluids.* 93: 138-143. <http://dx.doi.org/10.1016/j.supflu.2013.09.019>.
- Sutherland, IW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2011). Chlorination and dehydrochlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene Part 1. Reaction pathways. *Appl Catal A-Gen.* 399: 1-11. <http://dx.doi.org/10.1016/j.apcata.2011.02.035>.
- Sutherland, K, inW; Hamilton, NG; Dudman, CC; Jones, P; Lennon, D; Winfield, JM. (2014). Chlorination reactions relevant to the manufacture of trichloroethene and tetrachloroethene, Part 2: Effects of chlorine supply. *Appl Catal A-Gen.* 471: 149-156. <http://dx.doi.org/10.1016/j.apcata.2013.11.030>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water.* 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.
- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol.* 171C: 32-41. <http://dx.doi.org/10.1016/j.jconhyd.2014.10.010>.
- Suuronen, K; Henriks-Eckerman, ML; Riala, R; Tuomi, T. (2008). Respiratory exposure to components of water-miscible metalworking fluids. *Ann Occup Hyg.* 52: 607-614. <http://dx.doi.org/10.1093/annhyg/men048>.
- Suxiang, Z; Qi, Q; Song, Z; Jingjia, J; Zhengrong, S; Guohua, L. (2014). Rear passivation of commercial multi-crystalline PERC solar cell by PECVD Al<sub>2</sub>O<sub>3</sub>. *Appl Surf Sci.* 290: 66-70. <http://dx.doi.org/10.1016/j.apsusc.2013.10.190>.
- Suzuki, T; Kawai, K; Moribe, M; Niinae, M. (2014). Recovery of Cr as Cr(III) from Cr(VI)-contaminated kaolinite clay by electrokinetics coupled with a permeable reactive barrier. *J Hazard Mater.* 278: 297-303. <http://dx.doi.org/10.1016/j.jhazmat.2014.05.086>.
- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EloRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther.* 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere.* 24: 1845-1853.
- Swanson, GM; Burns, PB. (1995). Cancer incidence among women in the workplace: A study of the association between occupation and industry and 11 cancer sites. *J Occup Environ Med.* 37: 282-287.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg.* 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Swenberg, JA; Lehman-McKeeman, LD. (1999). alpha 2-Urinary globulin-associated nephropathy as a mechanism of renal tubule cell carcinogenesis in male rats. In CC Capen; E Dybing; JM Rice; JD Wilbourn (Eds.), *IARC Sci Publ* (pp. 95-118). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=147>.
- Swenberg, JA; Short, B; Borghoff, S; Strasser, J; Charbonneau, M. (1989). The comparative pathobiology of alpha<sub>2</sub>-globulin nephropathy. *Toxicol Appl Pharmacol.* 97: 35-46.
- Swerdlow, SH; Campo, E; Harris, NL; Jaffe, ES; Pileri, SA; Stein, H; Thiele, J; Vardiman, JW. (2008). WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues. In th (Ed.). Geneva, Switzerland: WHO Press. <http://apps.who.int/bookorders/anglais/detart1.jsp?codlan=1&codcol=70&codcch=4002>.
- Swinker, M; Burke, WA. (2002). Visual contrast sensitivity as a diagnostic tool [Letter]. *Environ Health Perspect.* 110: A120-A123. <http://dx.doi.org/10.1289/ehp.110-a120>.
- Syeda, AB; Koula, AJ; Boodida, S; Nallani, S. (2010). Excess Molar Volumes and Sound Speed in (Phenylacetoneitrile+1,2-Dichloroethane), (Phenylacetoneitrile+1,1,2-Trichloroethane), (Phenylacetoneitrile+1,1,2,2-Tetrachloroethane), (Phenylacetoneitrile plus Trichloroethene), and (Phenylacetoneitrile plus Tetrachloroethene) at Temperatures of (303.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data.* 55: 1405-1410. <http://dx.doi.org/10.1021/je900570e>.
- Szydłowski, J; Milewska, A. (1999). Deuterium isotope effect on miscibility of some binary mixtures containing acetonitrile or nitromethane. *Fluid Phase Equilibria.* 162: 181-191.
- 't Mannelte, A; Dryson, E; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). High risk occupations for non-Hodgkin's lymphoma in New Zealand: Case-control study. *Occup Environ Med.* 65: 354-363. <http://dx.doi.org/10.1136/oem.2007.035014>.
- Tabacova, S. (1986). Maternal exposure to environmental chemicals [Review]. *Neurotoxicology.* 7: 421-440.
- Tabernacka, A. (2014). Biological Treatment of Groundwaters Polluted with Chlorinated Ethene. 36: 9-13.
- Tabernacka, A; Zborowska, E, wa; Lebkowska, M. (2012). Removal of Chlorinated Ethenes (TCE and PCE) from the Air by Using Integrated Bioreactors with Immobilized Biomass. 34: 11-18.

## Exposure Literature Search Results

### Off Topic

- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater.* 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Taechangam, P; Scamehorn, JF; Osuwan, S; Rirksomboon, T. (2008). Continuous Cloud Point Extraction of Volatile Organic Contaminants from Wastewater in a Multi-Stage Rotating Disc Contactor: Effect of Structure and Concentration of Solutes. *Separation Science and Technology.* 43: 3601-3623. <http://dx.doi.org/10.1080/01496390802282339>.
- Taghavy, A; Costanza, J, ed; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol.* 118: 128-142. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.001>.
- Tahara, M; Mabuchi, N; Takagishi, T. (2003). Shrink proofing of wool fabrics by pulse corona discharge and enzymes. *Sen'i Gakkaishi.* 59: 153-157.
- Tai, ES; Collins, D; Robins, SJ; O'Connor, JJ; Bloomfield, HE; Ordovas, JM; Schaefer, EJ; Brousseau, ME. (2006). The L162V polymorphism at the peroxisome proliferator activated receptor alpha locus modulates the risk of cardiovascular events associated with insulin resistance and diabetes mellitus: The Veterans Affairs HDL Intervention Trial (VA-HIT). *Atherosclerosis.* 187: 153-160. <http://dx.doi.org/10.1016/j.atherosclerosis.2005.08.034>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health.* 50: 169-180.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY APPLYING RETICULATED IRON AS REDUCING AGENT. *Kagaku Kogaku Ronbunshu.* 21: 22-31.
- Takemura, Y; Mukai, T; Senoo, K; Suzuki, M. (1995). DECOMPOSITION OF ORGANIC CHLORINE COMPOUNDS BY FENTONS REACTION ON RETICULATED IRON. *Kagaku Kogaku Ronbunshu.* 21: 32-40.
- Takemura, Y; Senoo, K; Mukai, T; Suzuki, M. (1994). DECOMPOSING ORGANIC CHLORINE COMPOUNDS IN DRY-CLEANING WASTE-WATER BY FENTONS REACTION ON RETICULATED IRON. *Water Sci Technol.* 30: 129-137.
- Takeuchi, Y; Hisanaga, N; Koike, Y; Mabuchi, C. (1978). 2 CASES PRESUMABLY POISONED BY PERCHLOROETHYLENE IN JAPANESE-STYLE SILK CLOTHES CLEANING. *Sangyo Igaku.* 20: 146-155.
- Takigawa, T; Ogawa, H; Tamura, K; Murakami, S. (1997). Excess enthalpies of binary mixtures {x-dioxane isomer plus (1-x)non-polar liquid} at 298.15 K. *Fluid Phase Equilibria.* 136: 257-267.
- Takigawa, T; Tamura, K. (2000). Thermodynamic properties of (1,3-dioxane, or 1,4-dioxane plus a non-polar liquid) at T=298.15 K; speed of sound, excess isentropic and isothermal compressibilities and excess isochoric heat capacity. *The Journal of Chemical Thermodynamics.* 32: 1045-1055.
- Talawat, J; Sabatini, DA; Tongcumpou, C. (2013). Behavior of DNAPL mixture of organometallic and chlorinated solvent in the presence of surfactants and alcohols as density modifying agents. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48: 1619-1627. <http://dx.doi.org/10.1080/10934529.2013.815093>.
- Talbot, R; Dibb, J; Scheuer, E; Seid, G; Russo, R; Sandholm, S; Tan, D; Singh, H; Blake, D; Blake, N; Atlas, E; Sachse, G; Jordan, C; Avery, M. (2003). Reactive nitrogen in Asian continental outflow over the western Pacific: Results from the NASA Transport and Chemical Evolution over the Pacific (TRACE-P) airborne mission. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003129>.
- Talbot, RW; Dibb, JE; Lefer, BL; Bradshaw, JD; Sandholm, ST; Blake, DR; Blake, NJ; Sachse, GW; Collins, JE; Heikes, BG; Merrill, JT; Gregory, GL; Anderson, BE; Singh, HB; Thornton, DC; Bandy, AR; Poeschel, RF. (1997). Chemical characteristics of continental outflow from Asia to the troposphere over the western Pacific Ocean during February-March 1994: Results from PEM-West B. *J Geophys Res Atmos.* 102: 28255-28274.
- Taleb, D; Bahri, MA, li; Warnock, G; Salmon, E; Luxen, A; Plenevaux, A; Anizan, N; Seret, A. (2012). Performance Measurements of the MicroPET FOCUS 120 for Iodine-124 Imaging. *IEEE Trans Nucl Sci.* 59: 1868-1878. <http://dx.doi.org/10.1109/TNS.2012.2205402>.
- Talguen, V; Turzo, A; Bizais, Y; Visvikis, D. (2004). Evaluation of attenuation correction methodology in the allegro PET system. *IEEE Trans Nucl Sci.* 51: 2688-2692. <http://dx.doi.org/10.1109/TNS.2004.835741>.
- Tan, LK; Liem, AJ. (1998). Effect of hydrochloric acid on sampling and analysis of semivolatle organic compounds in incineration flue gas. 4. Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans. *Environ Sci Technol.* 32: 157-162.
- Tan, T; Wang, S; Bian, S; Li, X. (2009). Polymer-induced generation and characterization of electrophoretic properties of hollow TiO(X) nanospheres for electronic paper. *Synthetic Metals.* 159: 1739-1743. <http://dx.doi.org/10.1016/j.synthmet.2009.05.015>.
- Tan, T; Wang, S; Li, X; Wang, C; An, Y. (2009). Facile preparation and characterization of hollow poly(St-co-MMA-co-BA-co-MAA) core-double shell latex nanoparticles for electrophoretic displays. *Curr Appl Phys.* 9: 989-992. <http://dx.doi.org/10.1016/j.cap.2008.10.008>.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydeloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol.* 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanaka, S; Ikeda, M. (1968). A method for determination of trichloroethanol and trichloroacetic acid in urine. *Occup Environ Med.* 25: 214-219.
- Tanaka, T; Ordovas, JM; Delgado-Lista, J; Perez-Jimenez, F; Marin, C; Perez-Martinez, P; Gomez, P; Lopez-Miranda, J. (2007). Peroxisome proliferator-activated receptor alpha polymorphisms and postprandial lipemia in healthy men. *J Lipid Res.* 48: 1402-1408. <http://dx.doi.org/10.1194/jlr.M700066-JLR200>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol.* 28: 973-979.
- Tang, ML; Kemp, AS; Thorburn, J; Hill, DJ. (1994). Reduced interferon-gamma secretion in neonates and subsequent atopy. *Lancet.* 344: 983-985. [http://dx.doi.org/10.1016/S0140-6736\(94\)91641-1](http://dx.doi.org/10.1016/S0140-6736(94)91641-1).

## Exposure Literature Search Results

### Off Topic

- Tang, Q; Bo, Y; Zhu, Y. (2016). Spatiotemporal fusion of multiple-satellite aerosol optical depth (AOD) products using Bayesian maximum entropy method. *J Geophys Res Atmos.* 121: 4034-4048. <http://dx.doi.org/10.1002/2015JD024571>.
- Tang, Y; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Sci Technol.* 68: 1158-1163. <http://dx.doi.org/10.2166/wst.2013.362>.
- Tang, YF; Kline, JA. (1996). Modeling and design optimization of switched reluctance machine by boundary element analysis and simulation. *IEEE Transactions on Energy Conversion.* 11: 673-680.
- Tanimura, T; Yoshida, A; Yamazaki, S. (2005). Reduced formation of undesirable by-products from photocatalytic degradation of trichloroethylene. *Appl Catal B-Environ.* 61: 346-351. <http://dx.doi.org/10.1016/j.apcatb.2005.05.015>.
- Tao, L; Ge, R; Xie, M; Kramer, PM; Pereira, MA. (1999). Effect of trichloroethylene on DNA methylation and expression of early-intermediate protooncogenes in the liver of B6C3F1 mice. *J Biochem Mol Toxicol.* 13: 231-237.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci.* 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci.* 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. (1996). Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261. [http://dx.doi.org/10.1016/S0304-3835\(96\)04451-5](http://dx.doi.org/10.1016/S0304-3835(96)04451-5).
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci.* 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Effect of trichloroethylene and its metabolites, dichloroacetic acid and trichloroacetic acid, on the methylation and expression of c-jun and c-myc protooncogenes in mouse liver: Prevention by methionine. *Toxicol Sci.* 54: 399-407. <http://dx.doi.org/10.1093/toxsci/54.2.399>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Hypomethylation and overexpression of c-jun and c-myc protooncogenes and increased DNA methyltransferase activity in dichloroacetic and trichloroacetic acid-promoted mouse liver tumors. *Cancer Lett.* 158: 185-193. [http://dx.doi.org/10.1016/S0304-3835\(00\)00518-8](http://dx.doi.org/10.1016/S0304-3835(00)00518-8).
- Tao, X; Wang, X; Li, Z; Zhou, S. (2015). Ultralow temperature synthesis and improved adsorption performance of graphene oxide nanosheets. *Appl Surf Sci.* 324: 363-368. <http://dx.doi.org/10.1016/j.apsusc.2014.10.153>.
- Tardif, R; Laparé, S; Charest-Tardif, G; Brodeur, J; Krishnan, K. (1995). Physiologically-based pharmacokinetic modeling of a mixture of toluene and xylene in humans. *Risk Anal.* 15: 335-342.
- Tartakovsky, B; Manuel, ME; Guiot, SR. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J.* 26: 72-81. <http://dx.doi.org/10.1016/j.bej.2005.06.007>.
- Tartakovsky, B; Manuel, MF; Guiot, SR. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environ Sci Technol.* 37: 5823-5828.
- Tas, DO; Pavlostathis, SG. (2008). Effect of nitrate reduction on the microbial reductive transformation of pentachloronitrobenzene. *Environ Sci Technol.* 42: 3234-3240. <http://dx.doi.org/10.1021/es702261w>.
- Taskinen, HK. (1993). EPIDEMIOLOGIC STUDIES IN MONITORING REPRODUCTIVE EFFECTS. *Environ Health Perspect.* 101: 279-283.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem.* 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci.* 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech.* 101: 135-152.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation.* 10: 455-471. <http://dx.doi.org/10.1080/15226510802100655>.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame.* 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame.* 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of hexachloropropene: Kinetic analysis of pathways to formation of perchloro-arylbenzenes. *Combust Flame.* 105: 486-498.
- Taylor, PH; Tirey, DA; Rubey, WA; Dellinger, B. (1994). DETAILED MODELING OF THE PYROLYSIS OF TRICHLOROETHENE - FORMATION OF CHLORINATED AROMATIC SPECIES. *Combust Sci Tech.* 101: 75-102.
- Taylor, TP; Pennell, KD; Abriola, LM; Dane, JH. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 1. Experimental studies. *J Contam Hydrol.* 48: 325-350.
- Taylor, TP; Rathfelder, KM; Pennell, KD; Abriola, LM. (2004). Effects of ethanol addition on micellar solubilization and plume migration during surfactant enhanced recovery of tetrachloroethene. *J Contam Hydrol.* 69: 73-99. [http://dx.doi.org/10.1016/S0169-7722\(03\)00151-7](http://dx.doi.org/10.1016/S0169-7722(03)00151-7).
- Teel, AL; Cutler, LM; Watts, RJ. (2009). Effect of sorption on contaminant oxidation in activated persulfate systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 44: 1098-1103. <http://dx.doi.org/10.1080/10934520903005095>.

## Exposure Literature Search Results

### Off Topic

- Teliba, B; Sibari, A; Silvestre, F; Gaset, A. (1993). VEGETABLE TANNING IN APOLAR SOLVENT MEDIA. *Journal of the Society of Leather Technologists and Chemists*. 77: 174-178.
- Templin, MV; Parker, JC; Bull, RJ. (1993). Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice. *Toxicol Appl Pharmacol*. 123: 1-8. <http://dx.doi.org/10.1006/taap.1993.1214>.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health*. 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Tenhunen, M; Pyykkonen, J; Tenhunenkeskinen, M; Jaatinen, K; Kuikka, JT. (1996). Components of the flood-field uniformity index in a gamma camera. *Phys Med Biol*. 41: 1209-1216.
- Tenkanen, L; Mänttari, M; Kovanen, PT; Virkkunen, H; Manninen, V. (2006). Gemfibrozil in the treatment of dyslipidemia: an 18-year mortality follow-up of the Helsinki Heart Study. *Arch Intern Med*. 166: 743-748. <http://dx.doi.org/10.1001/archinte.166.7.743>.
- Terrier, P; Townsend, AJ; Coindre, JM; Triche, TJ; Cowan, KH. (1990). An immunohistochemical study of pi class glutathione S-transferase expression in normal human tissue. *Am J Pathol*. 137: 845-853.
- Terzyk, AP; Rychlicki, G. (1999). Calorimetric investigations of molecular interactions in the adsorbate/microporous activated carbon system. Towards the mechanism of adsorption in micropores? *AST*. 17: 323-373.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Surveillance of nasal and bladder cancer to locate sources of exposure to occupational carcinogens. *Occup Environ Med*. 54: 443-451.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol*. 26: 171-177.
- Thai, SF; Allen, JW; Deangelo, AB; George, MH; Fuscoe, JC. (2003). Altered gene expression in mouse livers after dichloroacetic acid exposure. *Mutat Res Rev Mutat Res*. 543: 167-180. [http://dx.doi.org/10.1016/S1383-5742\(03\)00014-0](http://dx.doi.org/10.1016/S1383-5742(03)00014-0).
- Thaidigsmann, B; Drews, A; Fellmeth, T; Saint-Cast, P; Wolf, A; Clement, F; Preu, R; Biro, D. (2012). Synergistic Effects of Rear-Surface Passivation and the Metal Wrap Through Concept. 2: 109-113. <http://dx.doi.org/10.1109/JPHOTOV.2012.2183577>.
- Thaidigsmann, B; Greulich, J; Lohmueller, E; Schmeisser, S; Clement, F; Wolf, A; Biro, D; Preu, R. (2012). Loss analysis and efficiency potential of p-type MWT-PERC solar cells. *Solar Energy Materials and Solar Cells*. 106: 89-94. <http://dx.doi.org/10.1016/j.solmat.2012.04.045>.
- Thaidigsmann, B; Kick, C; Drews, A; Clement, F; Wolf, A; Biro, D. (2013). Fire-through contacts-a new approach to contact the rear side of passivated silicon solar cells. *Solar Energy Materials and Solar Cells*. 108: 164-169. <http://dx.doi.org/10.1016/j.solmat.2012.09.029>.
- Thangada, S; Alvares, K; Mangino, M; Usman, MI; Rao, MS; Reddy, JK. (1989). An in vitro demonstration of peroxisome proliferation and increase in peroxisomal beta-oxidation system mRNAs in cultured rat hepatocytes treated with ciprofibrate. *FEBS Lett*. 250: 205-210.
- Thatoi, H; Das, S; Mishra, J; Rath, BP; Das, N. (2014). Bacterial chromate reductase, a potential enzyme for bioremediation of hexavalent chromium: a review [Review]. *J Environ Manage*. 146: 383-399. <http://dx.doi.org/10.1016/j.jenvman.2014.07.014>.
- Thaus, DM; Stark, TJ; Griffis, DP; Russell, PE. (1996). Development of focused ion-beam machining techniques for Permalloy structures. 14: 3928-3932.
- Theiss, JC; Stoner, GD; Shimkin, MB; Weisburger, EK. (1977). Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. *Cancer Res*. 37: 2717-2720.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol*. 26: 1159-1164.
- Thomas, J; Haseman, JK; Goodman, JI; Ward, JM; Loughran, TP, Jr; Spencer, PJ. (2007). A review of large granular lymphocytic leukemia in Fischer 344 rats as an initial step toward evaluating the Implication of the endpoint to human cancer risk assessment [Review]. *Toxicol Sci*. 99: 3-19. <http://dx.doi.org/10.1093/toxsci/kfm098>.
- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *J Environ Eng*. 139: 54-60. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000597](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000597).
- Thompson, K; Zhang, J; Zhang, C. (2011). Use of fugacity model to analyze temperature-dependent removal of micro-contaminants in sewage treatment plants. *Chemosphere*. 84: 1066-1071. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.063>.
- Thompson, KM; Evans, JS. (1997). The Value of Improved National Exposure Information for Perchloroethylene (Perc): A Case Study for Dry Cleaners. *Risk Anal*. 17: 253-271.
- Thomson, J; Webb, G; Winfield, J; Bonniface, D; Shortman, C; Winterton, N. (1993). AMBIENT-TEMPERATURE CATALYTIC FLUORINATION OF C-1 CHLOROHYDROCARBONS TO C-3 CHLOROHYDROCARBONS AND RELATED-COMPOUNDS USING OXIDE-SUPPORTED ORGANIC LAYER CATALYSTS. *Appl Catal A-Gen*. 97: 67-76.
- Thomson, NR; Flynn, DJ. (2000). Soil vacuum extraction of perchloroethylene from the borden aquifer. *Ground Water*. 38: 673-688.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation*. 27: 74-85.
- Thullner, M; Kampara, M; Richnow, HH; Harms, H; Wick, LY. (2008). Impact of bioavailability restrictions on microbially induced stable isotope fractionation. 1. Theoretical calculation. *Environ Sci Technol*. 42: 6544-6551. <http://dx.doi.org/10.1021/es702782c>.
- Tice, RR; Stack, HF; Waters, MD. (1996). Human exposures to mutagens: An analysis using the genetic activity profile database. *Environ Health Perspect*. 104: 585-589.
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere*. 42: 571-577.
- Tichenor, LAB; Lozada-Ruiz, AJ; Yamada, T; El-Sinawi, A; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2000). Reaction of hydroxyl radicals with trichloroethylene: Evidence for chlorine elimination channels at elevated temperatures. *Proc Combust Inst*. 28: 1495-1502.

## Exposure Literature Search Results

### Off Topic

- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2636-7>.
- Tick, GR; Lourenso, F; Wood, AL; Brusseau, ML. (2003). Pilot-scale demonstration of cyclodextrin as a solubility-enhancement agent for remediation of a tetrachloroethene-contaminated aquifer. *Environ Sci Technol.* 37: 5829-5834. <http://dx.doi.org/10.1021/es030417f>.
- Ticknor, JL; Elsayed-Ali, O; Kim, W, onS; Trotz, MA; Cunningham, JA. (2013). Simplified Analysis of Chlorinated Ethenes in Water Samples by Gas Chromatography with Flame Ionization Detection. *Environ Eng Sci.* 30: 30-37. <http://dx.doi.org/10.1089/ees.2012.0101>.
- Tiehm, A; Krassnitzer, S; Koltypin, Y; Gedanken, A. (2009). Chloroethene dehalogenation with ultrasonically produced air-stable nano iron. *Ultrason Sonochem.* 16: 617-621. <http://dx.doi.org/10.1016/j.ultsonch.2009.01.005>.
- Till, C; Koren, G; Rovet, JF. (2001). Prenatal exposure to organic solvents and child neurobehavioral performance. *Neurotoxicol Teratol.* 23: 235-245. [http://dx.doi.org/10.1016/S0892-0362\(01\)00141-6](http://dx.doi.org/10.1016/S0892-0362(01)00141-6).
- Till, C; Westall, CA; Rovet, JF; Koren, G. (2001). Effects of maternal occupational exposure to organic solvents on offspring visual functioning: A prospective controlled study. *Teratology.* 64: 134-141. <http://dx.doi.org/10.1002/tera.1056>.
- Tirey, DA; Taylor, PH; Kasner, J; Dellinger, B. (1990). GAS-PHASE FORMATION OF CHLORINATED AROMATIC-COMPOUNDS FROM THE PYROLYSIS OF TETRACHLOROETHYLENE. *Combust Sci Tech.* 74: 137-157.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone: Science and Engineering.* 38: 302-311. <http://dx.doi.org/10.1080/01919512.2016.1141671>.
- Tobiszewski, M; Bigus, P; Namiesnik, J. (2014). Determination of parent and methylated polycyclic aromatic hydrocarbons in water samples by dispersive liquid-liquid microextraction-two dimensional gas chromatography-time-of-flight mass spectrometry. *Analytical Methods.* 6: 6678-6687. <http://dx.doi.org/10.1039/c4ay00887a>.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol.* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol.* 60: 88-95.
- Toledo, LC; Silva, AC; Augusti, R; Lago, RM. (2003). Application of Fenton's reagent to regenerate activated carbon saturated with organochloro compounds. *Chemosphere.* 50: 1049-1054.
- Tominaga, T; Park, T; Rettich, TR; Battino, R; Wilhelm, E. (1988). BINARY GASEOUS-DIFFUSION COEFFICIENTS .7. TETRACHLOROETHENE AND 1,1,1-TRICHLOROETHANE WITH METHANE AND TETRAFLUOROMETHANE AT 100-KPA AND 283-343-K. *Journal of Chemical and Engineering Data.* 33: 479-481.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Tong, M; Yuan, S; Long, H; Zheng, M; Wang, L; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol.* 122: 16-25. <http://dx.doi.org/10.1016/j.jconhyd.2010.10.003>.
- Tong, S; Alessio, AM; Kinahan, PE. (2010). Noise and signal properties in PSF-based fully 3D PET image reconstruction: an experimental evaluation. *Phys Med Biol.* 55: 1453-1473. <http://dx.doi.org/10.1088/0031-9155/55/5/013>.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta-catalyzed biotransformation of dichloroacetic acid and other alpha-haloacids. *Chem Res Toxicol.* 11: 1332-1338. <http://dx.doi.org/10.1021/tx980144f>.
- Tontonoz, P; Hu, E; Spiegelman, BM. (1994). Stimulation of adipogenesis in fibroblasts by PPAR gamma 2, a lipid-activated transcription factor. *Cell.* 79: 1147-1156.
- Topping, MD; Forster, HW; Dolman, C; Luczynska, CM; Bernard, AM. (1986). Measurement of urinary retinol-binding protein by enzyme-linked immunosorbent assay, and its application to detection of tubular proteinuria. *Clin Chem.* 32: 1863-1866.
- Topudurti, K; Keefe, M; Wooliever, P; Lewis, N. (1994). FIELD-EVALUATION OF PEROX-PURE(TM) CHEMICAL OXIDATION TECHNOLOGY. *Water Sci Technol.* 30: 95-104.
- Torlapati, J; Clement, TP; Schaefer, CE; Lee, KK, un. (2012). Modeling Dehalococoides sp Augmented Bioremediation in a Single Fracture System. *Ground Water Monitoring and Remediation.* 32: 75-83. <http://dx.doi.org/10.1111/j.1745-6592.2011.01392.x>.
- Totten, CT; Annable, MD; Jawitz, JW; Delfino, JJ. (2007). Fluid and porous media property effects on dense nonaqueous phase liquid migration and contaminant mass flux. *Environ Sci Technol.* 41: 1622-1627. <http://dx.doi.org/10.1021/es061639r>.
- Towara, J; Hiller, B; Hutzinger, O; Kurz, J; Klein, P. (1992). PCDD/F IN DISTILLATION RESIDUES FROM DRY CLEANERS. *Chemosphere.* 25: 1509-1516.
- Trantham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol.* 36: 377-400.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travier, N; Gridley, G; De Roos, AJ; Plato, N; Moradi, T; Boffetta, P. (2002). Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. *Scand J Work Environ Health.* 28: 341-348.



## Exposure Literature Search Results

### Off Topic

- Travis, CC. (2011). On the Definition of Internal Dose Metrics. *Hum Ecol Risk Assess.* 17: 467-477. <http://dx.doi.org/10.1080/10807039.2011.552399>.
- Treigieni, R; Musnickas, J. (2003). Solvent pre-treated wool fabric permanent set and physical properties. 11: 37-40.
- Trevisan, A; Cristofori, P; Fanelli, G. (1999). Glutamine synthetase activity in rat urine as sensitive marker to detect S3 segment-specific injury of proximal tubule induced by xenobiotics. *Arch Toxicol.* 73: 255-262. <http://dx.doi.org/10.1007/s002040050614>.
- Tripathy, SC; Lakervi, E. (2000). Evaluation of transformer loading above nameplate rating. 28: 971-981.
- Troia, A; Ripa, DM. (2011). The role of vapour pressure in multibubble sonoluminescence from organic solvents. *Ultrason Sonochem.* 18: 1180-1184. <http://dx.doi.org/10.1016/j.ultsonch.2011.01.002>.
- Troynikov, O; Watson, C; Jadhav, A; Nawaz, N; Kettlewell, R. (2016). Towards sustainable and safe apparel cleaning methods: A review [Review]. *J Environ Manage.* 182: 252-264. <http://dx.doi.org/10.1016/j.jenvman.2016.07.078>.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of combined zero-valent iron and electrical resistance heating for in situ trichloroethene remediation. *Environ Sci Technol.* 45: 5346-5351. <http://dx.doi.org/10.1021/es104266a>.
- Tsai, TT; Kao, CM; Hong, A. (2009). Treatment of tetrachloroethylene-contaminated groundwater by surfactant-enhanced persulfate/BOF slag oxidation-A laboratory feasibility study. *J Hazard Mater.* 171: 571-576. <http://dx.doi.org/10.1016/j.jhazmat.2009.06.036>.
- Tsai, TT; Kao, CM; Yeh, TY; Liang, SH; Chien, HY. (2009). Application of surfactant enhanced permanganate oxidation and biodegradation of trichloroethylene in groundwater. *J Hazard Mater.* 161: 111-119. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.061>.
- Tschopp, C; Safran, AB; Viviani, P; Bullinger, A; Reicherts, M; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part I: Experimental validation of a testing procedure. *Vision Res.* 38: 2203-2210.
- Tschopp, C; Safran, AB; Viviani, P; Reicherts, M; Bullinger, A; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part II: Normative values. *Vision Res.* 38: 2211-2218.
- Tseng, T, zuT; Uan, J, unYen; Tseng, WJ. (2011). Synthesis, microstructure, and photocatalysis of In<sub>2</sub>O<sub>3</sub> hollow particles. *Ceramics International.* 37: 1775-1780. <http://dx.doi.org/10.1016/j.ceramint.2011.01.046>.
- Tseng, WJ; Guo, SF, u. (2012). Synthesis of Nanoporous Al<sub>2</sub>O<sub>3</sub> Membranes from Polybutyl Methacrylate Functionalized SiO<sub>2</sub> Particles as a Sacrificial Template. *J Nanosci Nanotechnol.* 12: 7909-7914. <http://dx.doi.org/10.1166/jnn.2012.6621>.
- Tseng, WJ; Tseng, T, zuT; Wu, HM, ao; Her, YC; Yang, TJ, en. (2013). Facile Synthesis of Monodispersed In<sub>2</sub>O<sub>3</sub> Hollow Spheres and Application in Photocatalysis and Gas Sensing. *Journal of the American Ceramic Society.* 96: 719-725. <http://dx.doi.org/10.1111/jace.12166>.
- Tsuda, S. (1970). TRICHLOROETHYLENE AND PERCHLOROETHYLENE MADE VIA SIMPLE NEW ROUTE. *Chem Eng.* 77: 74-&.
- Tsui, L, o; Fan, C; Chung, Y; Lin, S. (2011). Reductive dechlorination of tetrachloroethene by two compost samples with different maturity. *Bioresour Technol.* 102: 10498-10504. <http://dx.doi.org/10.1016/j.biortech.2011.08.083>.
- Tsuno, H; Kawamura, M; Oya, T. (2006). Application of biological activated carbon anaerobic reactor for treatment of hazardous chemicals. *Water Sci Technol.* 53: 251-260. <http://dx.doi.org/10.2166/wst.2006.360>.
- Tsunogai, U; Yoshida, N; Gamo, T. (1999). Carbon isotopic compositions of C-2-C-5 hydrocarbons and methyl chloride in urban, coastal, and maritime atmospheres over the western North Pacific. *J Geophys Res Atmos.* 104: 16033-16039.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology.* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tuck, DM. (1999). "DNAPL migration through a fractured perching layer" by Daniel B. Stephens, James A. Kelsey, Mark A. Prieksat, Mel G. Piepho, Chao Shan, and Mark D. Ankeny, July-August 1998 issue, v. 36, no. 4 : 605-610. Discussion. *Ground Water.* 37: 485-486.
- Tuck, DM; Bierck, BR; Jaffe, PR. (1998). Synchrotron radiation measurement of multiphase fluid saturations in porous media: Experimental technique and error analysis. *J Contam Hydrol.* 31: 231-256.
- Tuck, DM; Iversen, GM; Pirkle, WA. (2003). Organic dye effects on dense nonaqueous phase liquids (DNAPL) entry pressure in water saturated porous media. *Water Resour Res.* 39: 1207-1207. <http://dx.doi.org/10.1029/2001WR001000>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci.* 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Tugwood, JD; Issemann, I; Anderson, RG; Bundell, KR; McPheat, WL; Green, S. (1992). The mouse peroxisome proliferator activated receptor recognizes a response element in the 5' flanking sequence of the rat acyl CoA oxidase gene. *EMBO J.* 11: 433-439.
- Tukey, JW. (1991). Use of many covariates in clinical trials. *International Statistical Review.* 59: 123-137.
- Tunncliffe, BS; Thomson, NR. (2004). Mass removal of chlorinated ethenes from rough-walled fractures using permanganate. *J Contam Hydrol.* 75: 91-114. <http://dx.doi.org/10.1016/j.jconhyd.2004.04.006>.
- Turnbull, JC; Miller, JB; Lehman, SJ; Hurst, D; Peters, W; Tans, PP; Southon, J; Montzka, SA; Elkins, JW; Mondee, DJ; Romashkin, PA; Elansky, N; Skorokhod, A. (2009). Spatial distribution of  $\delta^{14}\text{C}$  across Eurasia: measurements from the TROICA-8 expedition. *Atmos Chem Phys.* 9: 175-187.
- Tyczkowski, A; Dzieniecki, P. (1980). INVESTIGATIONS ON THE APPLICATION OF THE ACTIVATED CARBON OF TYPE-N FOR REMOVAL OF PERCHLOROETHYLENE FROM AIR. *Przemysł Chemiczny.* 59: 33-35.
- Tzeng, HF; Blackburn, AC; Board, PG; Anders, MW. (2000). Polymorphism- and species-dependent inactivation of glutathione transferase zeta by dichloroacetate. *Chem Res Toxicol.* 13: 231-236. <http://dx.doi.org/10.1021/tx990175q>.
- U.S. EPA. (1978). In-depth studies on health and environmental impacts of selected water pollutants Task II Static acute bioassays and physical chemistry measurements [EPA Report]. Wareham, MA.

## Exposure Literature Search Results

### Off Topic

- U.S. EPA. (1980). Ambient water quality criteria for tetrachloroethylene [EPA Report]. (EPA/440/5-80/073). Office of Water. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000M4GG.txt>.
- U.S. EPA. (1980). Tetrachloroethylene: ambient water quality criteria [EPA Report]. Washington, DC.
- U.S. EPA. (1981). Environmental risk assessment of tetrachloroethylene, draft report [EPA Report].
- U.S. EPA. (1984). Proposed guidelines for carcinogen risk assessment. Fed Reg. 49: 46293-46301.
- U.S. EPA. (1985). Drinking water criteria document for tetrachloroethylene [EPA Report]. (PB86-118114). National Technical Information Service.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1987). Evaluation of the carcinogenicity of unleaded gasoline [EPA Report]. (EPA/600/8-87/001). Office of Health and Environmental Assessment, Office of Research and Development. <http://www.p2pays.org/ref/18/17565.pdf>.
- U.S. EPA. (1987). Technical analysis of new methods and data regarding dichloromethane hazard assessments [EPA Report]. (EPA/600/8-87/029A). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001GAN.txt>.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>.
- U.S. EPA. (1989). Risk assessment guidance for superfund: Volume 1: Human health evaluation manual (part A): Interim final [EPA Report]. (EPA/540/1-89/002). Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. <http://www.epa.gov/oswer/riskassessment/ragsa/index.htm>.
- U.S. EPA. (1991). Alpha-2u-globulin: Association with chemically induced renal toxicity and neoplasia in the male rat (pp. 1-136). (EPA/625/3-91/019F). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB92143668>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>.
- U.S. EPA. (1991). Response to issues and the data submissions on the carcinogenicity of tetrachloroethylene (perchloroethylene) [EPA Report]. (EPA/600/6-91/002F). Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=35421>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg3/4/day [EPA Report] (pp. 24152-24161). Washington, DC.
- U.S. EPA. (1992). Draft report: A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg(3/4)/day. Fed Reg. 57: 24151-24173.
- U.S. EPA. (1993). Reference Dose (RfD): description and use in health risk assessments background document 1A, March 15, 1993. Washington, DC: U.S. Environmental Protection Agency, Integrated Risk Information System. <http://www.epa.gov/ncea/iris/rfd.htm>.
- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recorddisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). Integrated Risk Information System (IRIS). IRIS summary of dichloromethane (CASRN 75-09-2) [EPA Report]. Office of Research and Development, National Center for Environmental Assessment. <http://www.epa.gov/iris/subst/0070.htm>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1998). Dichloroacetic acid: carcinogenicity identification characterization summary [EPA Report]. (EPA 815-B-98-010). Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB99111387>.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727).
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of chloral hydrate [EPA Report]. (EPA/635/R-00/006). National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/toxreviews/0304tr.pdf>.
- U.S. EPA. (2001). Trichloroethylene health risk assessment: synthesis and characterization [external review draft] [EPA Report]. (EPA/600/P-01/002A). Washington, DC. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4580](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=4580).
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.

## Exposure Literature Search Results

### Off Topic

- U.S. EPA. (2003). IRIS summary of toxicological effects of dichloroacetic acid [EPA Report]. National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/subst/1001.htm>.
- U.S. EPA. (2003). Neurotoxicity of tetrachloroethylene (perchloroethylene): Discussion paper [EPA Report]. (EPA/600/P-03/005A). Washington, DC. [http://cfpub.epa.gov/ncea/iris\\_drafts/recordisplay.cfm?deid=75193](http://cfpub.epa.gov/ncea/iris_drafts/recordisplay.cfm?deid=75193).
- U.S. EPA. (2003). Proposed OPPTS Science Policy: PPAR $\alpha$ -mediated hepatocarcinogenesis in rodents and relevance to human health risk assessments [EPA Report]. Washington, DC. <http://www.epa.gov/scipoly/sap/meetings/2003/december9/peroxisomeproliferatorssciencepolicypaper.pdf>.
- U.S. EPA. (2004). Summary report of the peer review workshop on the neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper [EPA Report]. (EPA/600/R-04/041). National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=84351>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). Human testing; proposed plan and description of review process [Review]. 70: 6661-6667.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).
- U.S. EPA. (2005). Trichloroethylene issue paper 3: Role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [EPA Report]. (EPA/600/R-05/024). Washington, DC. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=438646](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=438646).
- U.S. EPA. (2006). Aging and toxic response: issues relevant to risk assessment. (EPA/600/P-03/004A). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=156648>.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=199243>.
- U.S. EPA. (2009). Benchmark dose software (BMDS) [Website]: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmnds>
- U.S. EPA. (2009). Toxicological review of Trichloroacetic Acid (TCA) (External Review Draft) [EPA Report]. (EPA/635/R-09/003A). Washington, DC.
- U.S. EPA. (2009). Toxicological review of Trichloroethylene (CASRN 79-01-6) [External Review Draft] [EPA Report]. (EPA/635/R-09/011A). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=201006>.
- U.S. EPA. (2010). Benchmark dose software (BMDS) (Version 2.1.2 (Final Release)) [Computer Program]. RTP, NC: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmnds/new.html>
- U.S. EPA. (2011). Final PBPK model simulation files [Database]. Washington, DC.
- Uchiyama, H; Acosta, E; Tran, S; Sabatini, DA; Harwell, JH. (2000). Supersolubilization in chlorinated hydrocarbon microemulsions: Solubilization enhancement by lipophilic and hydrophilic linkers. *Ind Eng Chem Res.* 39: 2704-2708.
- Ueno, Y; Morimoto, Y; Tsuchiya, K; Yanagita, N; Kojima, S; Ishitsu, T; Kitaguchi, H; Kubo, N; Zhao, S; Tamaki, N; Amemiya, K. (2009). Basic Performance Test of a Prototype PET Scanner Using CdTe Semiconductor Detectors. *IEEE Trans Nucl Sci.* 56: 24-28. <http://dx.doi.org/10.1109/TNS.2008.2004804>.
- Utrecht, J; Zahid, N; Rubin, R. (1988). Metabolism of procainamide to a hydroxylamine by human neutrophils and mononuclear leukocytes. *Chem Res Toxicol.* 1: 74-78.
- Uhlenhuth, P; Remy, E. (1936). Versuche zur Keimabtötung tuberkulösen Auswurfes mittels Casonex, Lavasteril, Thermo-Weidnerit, Weidnerit-Lösung, Trioform-Standard und Alkalysol [Attempts to kill tuberculosis genes with Casonex, Lavasteril, Thermo-Weidnerit, Wiednerit-solution, Trioform-standard and Alkalysol]. *Int J Hyg Environ Health.* 116: 131-138.
- Ulm, K; Henschler, D; Vamvakas, S. (1996). Occupational exposure to perchloroethylene. *Cancer Causes Control.* 7: 284-286.
- Ulrich, MM; Muller, S. R.; Singer, HP; Imboden, DM; Schwarzenbach, RP. (1994). INPUT AND DYNAMIC BEHAVIOR OF THE ORGANIC POLLUTANTS TETRACHLOROETHENE, ATRAZINE, AND NTA IN A LAKE - A STUDY COMBINING MATHEMATICAL-MODELING AND FIELD-MEASUREMENTS. *Environ Sci Technol.* 28: 1674-1685.
- Upton, AC; Clayson, DB; Jansen, JD; Rosenkranz, HS; Williams, GM. (1984). Report of ICPEMC Task Group 5 on the differentiation between genotoxic and non-genotoxic carcinogens [Review]. *Mutat Res.* 133: 1-49. [http://dx.doi.org/10.1016/0165-1110\(84\)90002-2](http://dx.doi.org/10.1016/0165-1110(84)90002-2).
- Upton, AC; Clayton, DB; Jansen, JD; Rosenkranz, HS; William, GM. (1985). Report of the international commission for protection against environmental mutagens and carcinogens task group on the differentiation between genotoxic and non-genotoxic carcinogens. 104.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.

## Exposure Literature Search Results

### Off Topic

- Uribe, J; Baghaei, H; Li, HD; Yokoyama, S; Zhang, N; Wang, JM; Dobbs, FR; Wong, WH. (1999). Basic imaging performance characteristics of a variable field of view PET camera using quadrant sharing detector design. *IEEE Trans Nucl Sci.* 46: 491-497.
- Urynowicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil Sediment Contam.* 17: 53-62. <http://dx.doi.org/10.1080/15320380701741412>.
- Urynowicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106. <http://dx.doi.org/10.1016/j.jconhyd.2005.05.002>.
- USITC. (1983). Synthetic organic chemicals: United States production and sales, 1982.
- Uttamsingh, V; Keller, DA; Anders, MW. (1998). Acylase I-catalyzed deacetylation of N-acetyl-L-cysteine and S-alkyl-N-acetyl-L-cysteines. *Chem Res Toxicol.* 11: 800-809. <http://dx.doi.org/10.1021/tx980018b>.
- Utzinger, R; Schlatter, C. (1977). REVIEW ON TOXICITY OF TRACE AMOUNTS OF TETRACHLOROETHYLENE IN WATER. *Chemosphere.* 6: 517-524.
- Vagnarelli, P; De Sario, A; De Carli, L. (1990). Aneuploidy induced by chloral hydrate detected in human lymphocytes with the Y97 probe. *Mutagenesis.* 5: 591-592. <http://dx.doi.org/10.1093/mutage/5.6.591>.
- Vahdat, N. (1987). PERMEATION OF PROTECTIVE CLOTHING MATERIALS BY METHYLENE-CHLORIDE AND PERCHLOROETHYLENE. *Am Ind Hyg Assoc J.* 48: 646-651.
- Vainio, H; Parkki, MG; Marniemi, J. (1976). Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vivo. *Xenobiotica.* 6: 599-604. <http://dx.doi.org/10.3109/00498257609151673>.
- Vajifdar, KJ; Chen, DH; Gossage, JL; Li, K; Ye, X; Gadiyar, G; Ardoin, B. (2007). Photocatalytic oxidation of PCE and butyraldehyde over Titania modified with perovskite optical crystal BaTiO<sub>3</sub>. *Chem Eng Tech.* 30: 474-480. <http://dx.doi.org/10.1002/ceat.200600194>.
- Valentin, G. (1848). *Lehrbuch der Physiologie des Menschen 22 [Textbook of human physiology 22]*. Braunschweig, Germany: Friedrich Bieweg und Sohn.
- Valles, EG; Laughter, AR; Dunn, CS; Cannelle, S; Swanson, CL; Cattley, RC; Corton, JC. (2003). Role of the peroxisome proliferator-activated receptor alpha in responses to diisononyl phthalate. *Toxicology.* 191: 211-225. [http://dx.doi.org/10.1016/S0300-483X\(03\)00260-9](http://dx.doi.org/10.1016/S0300-483X(03)00260-9).
- Vamvakas, S; Dekant, W; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1987). Enzymatic transformation of mercapturic acids derived from halogenated alkenes to reactive and mutagenic intermediates. *Biochem Pharmacol.* 36: 2741-2748. [http://dx.doi.org/10.1016/0006-2952\(87\)90258-9](http://dx.doi.org/10.1016/0006-2952(87)90258-9).
- Vamvakas, S; Dekant, W; Henschler, D. (1989). Assessment of unscheduled DNA synthesis in a cultured line of renal epithelial cells exposed to cysteine S-conjugates of haloalkenes and haloalkanes. *Mutat Res.* 222: 329-335. [http://dx.doi.org/10.1016/0165-1218\(89\)90108-0](http://dx.doi.org/10.1016/0165-1218(89)90108-0).
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Eekert, MH; Schröder, TJ; van Rhee, A; Stams, AJ; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol.* 77: 163-170.
- van Gils, CA; Beijst, C; van Rooij, R; de Jong, HW. (2016). Impact of reconstruction parameters on quantitative I-131 SPECT. *Phys Med Biol.* 61: 5166-5182. <http://dx.doi.org/10.1088/0031-9155/61/14/5166>.
- Van Hummelen, P; Kirsch-Volders, M. (1992). Analysis of eight known or suspected aenogens by the in vitro human lymphocyte micronucleus test. *Mutagenesis.* 7: 447-455. <http://dx.doi.org/10.1093/mutage/7.6.447>.
- van Lieshout, EM; Peters, WH. (1998). Age and gender dependent levels of glutathione and glutathione S-transferases in human lymphocytes. *Carcinogenesis.* 19: 1873-1875.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci.* 27: 287-292. <http://dx.doi.org/10.1089/ees.2009.0271>.
- van Roosmalen, MJE; van Diggelen, M; Woerlee, GF; Witkamp, GJ. (2003). Dry-cleaning with high-pressure carbon dioxide - the influence of mechanical action on washing-results. *Journal of Supercritical Fluids.* 27: 97-108.
- van Roosmalen, MJE; Woerlee, GF; Witkamp, GJ. (2004). Amino acid based surfactants for dry-cleaning with high-pressure carbon dioxide. *Journal of Supercritical Fluids.* 32: 243-254. <http://dx.doi.org/10.1016/j.supflu.2004.01.005>.
- van Roosmalen, MJE; Woerlee, WF; Witkamp, GJ. (2004). Surfactants for particulate soil removal in dry-cleaning with high-pressure carbon dioxide. *Journal of Supercritical Fluids.* 30: 97-109. [http://dx.doi.org/10.1016/S0896-8446\(03\)00155-3](http://dx.doi.org/10.1016/S0896-8446(03)00155-3).
- Van Valkenburg, ME; Annable, MD. (2002). Mobilization and entry of DNAPL pools into finer sand media by cosolvents: two-dimensional chamber studies. *J Contam Hydrol.* 59: 211-230.
- Vanantwerp, DJ; Falta, RW; Gierke, JS. (2008). Numerical simulation of field-scale contaminant mass transfer during air sparging. *Vadose Zone Journal.* 7: 294-304. <http://dx.doi.org/10.2136/vzj2006.0126>.
- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle J D, J. R.; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environ Sci Technol.* 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environ Sci Technol.* 33: 2040-2045.
- Vanden Heuvel, JP. (1999). Peroxisome proliferator-activated receptors (PPARS) and carcinogenesis [Review]. *Toxicol Sci.* 47: 1-8.
- Vandyke, NA. (1978). NATURAL SOILS PERC UP WASTEWATER. 15: 35-&.
- Vane, LM; Alvarez, FR. (2005). Vibrating pervaporation modules: Effect of module design on performance. *J Memb Sci.* 255: 213-224. <http://dx.doi.org/10.1016/j.memsci.2005.01.047>.
- Vane, LM; Giroux, EL. (2000). Henry's law constants and micellar partitioning of volatile organic compounds in surfactant solutions. *Journal of Chemical and Engineering Data.* 45: 38-47.

## Exposure Literature Search Results

### Off Topic

- Vane, LM; Hitchens, L; Alvarez, FR; Giroux, EL. (2001). Field demonstration of pervaporation for the separation of volatile organic compounds from a surfactant-based soil remediation fluid. *J Hazard Mater.* 81: 141-166.
- Vanstone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water.* 42: 268-276.
- Vanwarmerdam, EM; Frape, SK; Aravena, R; Drimmie, RJ; Flatt, H; Cherry, JA. (1995). Stable chlorine and carbon isotope measurements of selected chlorinated organic solvents. *Appl Geochem.* 10: 547-552.
- Varesano, A; Antognozzi, B; Tonin, C. (2010). Electrically conducting-adhesive coating on polyamide fabrics. *Synthetic Metals.* 160: 1683-1687. <http://dx.doi.org/10.1016/j.synthmet.2010.05.041>.
- Vasconcelos, MTS, D; Lopez-Ruiz, JL; Garcia, A; Leal, MFC; Fachini, A. (2004). Effect of zeolites on cultures of the marine micro-algae *Emiliania huxleyi*. *Aquacultural Engineering.* 31: 205-219. <http://dx.doi.org/10.1016/j.aquaeng.2004.04.001>.
- Vay, SA; Choi, Y; Vadrevu, KP; Blake, DR; Tyler, SC; Wisthaler, A; Hecobian, A; Kondo, Y; Diskin, GS; Sachse, GW; Woo, JH; Weinheimer, AJ; Burkhardt, JF; Stohl, A; Wennberg, PO. (2011). Patterns of CO<sub>2</sub> and radiocarbon across high northern latitudes during International Polar Year 2008. *J Geophys Res Atmos.* 116. <http://dx.doi.org/10.1029/2011JD015643>.
- Vay, SA; Woo, JH; Anderson, BE; Thornhill, KL; Blake, DR; Westberg, DJ; Kiley, CM; Avery, MA; Sachse, GW; Streets, DG; Tsutsumi, Y; Nolf, SR. (2003). Influence of regional-scale anthropogenic emissions on CO<sub>2</sub> distributions over the western North Pacific. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003094>.
- Veitch, JM; Murray, GI; Juronen, E; Kilty, CG; Doyle, S; Hawksworth, GM; Rodilla, V. (1997). Theta-class glutathione S-transferases in human kidney and renal tumours. *Biochem Soc Trans.* 25: S605.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can.* 36: 1040-1048. <http://dx.doi.org/10.1139/f79-146>.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish : Supplemental materials [Supplemental Data]. *J Fish Res Board Can.* 36: 1040-1048.
- Vela, NP; Heitkemper, DT. (2004). Total arsenic determination and speciation in infant food products by ion chromatography-inductively coupled plasma-mass spectrometry. *J AOAC Int.* 87: 244-252.
- Velthof, GL; Van Bruggen, C; Groenestein, CM; De Haan, BJ; Hoogeveen, MW; Huijsmans, JFM. (2012). A model for inventory of ammonia emissions from agriculture in the Netherlands. *Atmos Environ.* 46: 248-255. <http://dx.doi.org/10.1016/j.atmosenv.2011.09.075>.
- Venkatesulu, D; Rao, MVP. (1992). EXCESS VOLUMES OF 2-ALKOXYETHANOLS WITH TRICHLOROETHYLENE AND TETRACHLOROETHYLENE. *Journal of Chemical and Engineering Data.* 37: 479-481.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1996). Excess volumes and viscosities of tetrachloroethylene with branched alcohols at 303.15 K. *Journal of Chemical and Engineering Data.* 41: 819-820.
- Venkatesulu, D; Venkatesu, P; Rao, MVP. (1997). Excess enthalpies of ethyl acetate and butyl acetate with 2-alkoxyethanols at 298.15 K. *Fluid Phase Equilibria.* 136: 249-255.
- Veraldi, A; Seniore, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med.* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environ Sci Technol.* 36: 2171-2177. <http://dx.doi.org/10.1021/es011220v>.
- Verce, MF; Madrid, VM; Gregory, SD; Demir, Z; Singleton, MJ; Salazar, EP; Jackson, PJ; Halden, RU; Verce, A. (2015). A Long-Term Field Study of In Situ Bioremediation in a Fractured Conglomerate Trichloroethene Source Zone. *Bioremediat J.* 19: 18-31. <http://dx.doi.org/10.1080/10889868.2014.978836>.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere.* 136: 72-78. <http://dx.doi.org/10.1016/j.chemosphere.2015.03.092>.
- Vermang, B; Fjallstrom, V; Gao, X; Edoff, M. (2014). Improved Rear Surface Passivation of Cu(In,Ga)Se-2 Solar Cells: A Combination of an Al<sub>2</sub>O<sub>3</sub> Rear Surface Passivation Layer and Nanosized Local Rear Point Contacts. 4: 486-492. <http://dx.doi.org/10.1109/JPHOTOV.2013.2287769>.
- Vermang, B; Goverde, H; Tous, L; Lorenz, A; Choulat, P; Horzel, J; John, J; Poortmans, J, ef; Mertens, R. (2012). Approach for Al<sub>2</sub>O<sub>3</sub> rear surface passivation of industrial p-type Si PERC above 19%. *Progress in Photovoltaics.* 20: 269-273. <http://dx.doi.org/10.1002/pip.2196>.
- Vermang, B; Goverde, H; Uruena, A; Lorenz, A; Cornagliotti, E; Rothschild, A; John, J; Poortmans, J; Mertens, R. (2012). Blistering in ALD Al<sub>2</sub>O<sub>3</sub> passivation layers as rear contacting for local Al BSF Si solar cells. *Solar Energy Materials and Solar Cells.* 101: 204-209. <http://dx.doi.org/10.1016/j.solmat.2012.01.032>.
- Vermang, B; Wätjen, JT; Fjällström, V; Rostvall, F; Edoff, M; Kotipalli, R; Henry, F; Flandre, D. (2014). Employing Si solar cell technology to increase efficiency of ultra-thin Cu(In,Ga)Se<sub>2</sub> solar cells. *Progress in Photovoltaics.* 22: 1023-1029. <http://dx.doi.org/10.1002/pip.2527>.
- Vermang, B; Watjen, JT; Frisk, C; Fjallstrom, V; Rostvall, F; Edoff, M; Salome, P; Borne, J; Nicoara, N; Sadewasser, S. (2014). Introduction of Si PERC Rear Contacting Design to Boost Efficiency of Cu(In,Ga)Se-2 Solar Cells. 4: 1644-1649. <http://dx.doi.org/10.1109/JPHOTOV.2014.2350696>.
- Verreydt, G; Annable, MD; Kaskassian, S; Van Keer, I; Bronders, J; Diels, L; Vanderauwera, P. (2013). Field demonstration and evaluation of the Passive Flux Meter on a CAH groundwater plume. *Environ Sci Pollut Res Int.* 20: 4621-4634. <http://dx.doi.org/10.1007/s11356-012-1417-8>.
- Vidal, CB; Raulino, GS; Barros, AL; Lima, AC; Ribeiro, JP; Pires, MJ; Nascimento, RF. (2012). BTEX removal from aqueous solutions by HDTMA-modified Y zeolite. *J Environ Manage.* 112: 178-185. <http://dx.doi.org/10.1016/j.jenvman.2012.07.026>.

## Exposure Literature Search Results

### Off Topic

- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem.* 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vieira, V; Webster, T; Weinberg, J; Aschengrau, A; Ozonoff, D. (2005). Spatial analysis of lung, colorectal, and breast cancer on Cape Cod: An application of generalized additive models to case-control data. *Environ Health.* 4: 11. <http://dx.doi.org/10.1186/1476-069X-4-11>.
- Vieth, A; Müller, J; Strauch, G; Kästner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud.* 39: 113-124. <http://dx.doi.org/10.1080/1025601031000108688>.
- Vigneron, PY; Cadiou, B; Henon, G; Levacq, M; Saintjalmes, Y. (1995). Dosing methods applied to oil/water emulsions. 2: 471-481.
- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J.* 144: 21-27. <http://dx.doi.org/10.1016/j.cej.2008.01.004>.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO(2) to CH(4) via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol.* 101: 3085-3090. <http://dx.doi.org/10.1016/j.biortech.2009.12.077>.
- Villano, M; De Bonis, L; Rossetti, S; Aulenta, F; Majone, M. (2011). Bioelectrochemical hydrogen production with hydrogenophilic dechlorinating bacteria as electrocatalytic agents. *Bioresour Technol.* 102: 3193-3199. <http://dx.doi.org/10.1016/j.biortech.2010.10.146>.
- Vineis, P; Magnani, C. (1985). Occupation and bladder cancer in males: A case-control study. *Int J Cancer.* 35: 599-606. <http://dx.doi.org/10.1002/ijc.2910350506>.
- Vingrys, AJ; King-Smith, PE. (1988). A quantitative scoring technique for panel tests of color vision. *Invest Ophthalmol Vis Sci.* 29: 50-63.
- Visez, N; Sawerysyn, JP. (2007). Thermal degradation of 2-chlorophenol promoted by CuCl<sub>2</sub> or CuCl: formation and destruction of PCDD/Fs. *Chemosphere.* 67: S144-149. <http://dx.doi.org/10.1016/j.chemosphere.2006.05.09>.
- Vivian, TA. (1984). APPLICATION OF PERCHLOROETHYLENE MEDIUM IN COAL CLEANING. *Min Eng.* 36: 22-22.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sørensen, P; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med.* 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lyng, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect.* 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res.* 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vo, E; Berardinelli, SP; Hall, RC. (1999). Recovery of some common solvents from protective clothing breakthrough indicator pads by microwave-solvent extraction and gas chromatography. *Analyst.* 124: 941-944.
- Vohl, MC; Lepage, P; Gaudet, D; Brewer, CG; Bétard, C; Perron, P; Houde, G; Cellier, C; Faith, JM; Després, JP; Morgan, K; Hudson, TJ. (2000). Molecular scanning of the human PPAR $\alpha$  gene: Association of the L162v mutation with hyperapobetalipoproteinemia. *J Lipid Res.* 41: 945-952.
- Volkel, W; Pahler, A; Dekant, W. (1999). Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins. *J Chromatogr A.* 847: 35-46. [http://dx.doi.org/10.1016/S0021-9673\(99\)00022-9](http://dx.doi.org/10.1016/S0021-9673(99)00022-9).
- Volkov, VA; Shchukina, EL; Amarlui, A; Ageev, AA; Kukleva, KK; Eleev, AF. (2008). Molecular stratification nanotechnology in antiadhesive modification of fabric fibres. *Fibre Chemistry.* 40: 127-135.
- Volpe, A; Del Moro, G; Rossetti, S; Tandoi, V; Lopez, A. (2007). Remediation of PCE-contaminated groundwater from an industrial site in southern Italy: A laboratory-scale study. *Process Biochemistry.* 42: 1498-1505. <http://dx.doi.org/10.1016/j.procbio.2007.07.017>.
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (trallate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586. <http://dx.doi.org/10.1016/j.chemosphere.2004.06.040>.
- von Berlepsch, H; Kirstein, S; Bottcher, C. (2002). Effect of alcohols on J-aggregation of a carbocyanine dye. *Langmuir.* 18: 7699-7705. <http://dx.doi.org/10.1021/la0203640>.
- von der Hude, W; Behm, C; Gürtler, R; Basler, A. (1988). Evaluation of the SOS chromotest. *Mutat Res.* 203: 81-94. [http://dx.doi.org/10.1016/0165-1161\(88\)90023-4](http://dx.doi.org/10.1016/0165-1161(88)90023-4).
- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbühler, K. (2002). Occupational exposure to perchloroethylene and trichloroethylene in metal degreasing over the last 30 years - Influences of technology innovation and legislation. *Epidemiology.* 13: S119-S119.
- von Grote, J; Hurlimann, C; Scheringer, M; Hungerbühler, K. (2006). Assessing occupational exposure to perchloroethylene in dry cleaning. *J Occup Environ Hyg.* 3: 606-619. <http://dx.doi.org/10.1080/15459620600912173>.
- Von Grote, J; Hurlimann, JC; Scheringer, M; Hungerbühler, K. (2003). Reduction of Occupational Exposure to Perchloroethylene and Trichloroethylene in Metal Degreasing over the Last 30 years: Influence of Technology Innovation and Legislation. *J Expo Anal Environ Epidemiol.* 13: 325-340. <http://dx.doi.org/10.1038/sj.jea.7500288>.
- Von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere.* 39: 2479-2488.
- Von Tungeln, LS; Yi, P; Bucci, TJ; Samokyszyn, VM; Chou, MW; Kadlubar, FF; Fu, PP. (2002). Tumorigenicity of chloral hydrate, trichloroacetic acid, trichloroethanol, malondialdehyde, 4-hydroxy-2-nonenal, crotonaldehyde, and acrolein in the B6C3F1 neonatal mouse. *Cancer Lett.* 185: 13-19. [http://dx.doi.org/10.1016/S0304-3835\(02\)00231-8](http://dx.doi.org/10.1016/S0304-3835(02)00231-8).

## Exposure Literature Search Results

### Off Topic

- Voss, JU; Roller, M; Brinkmann, E; Mangelsdorf, I. (2005). Nephrotoxicity of organic solvents: biomarkers for early detection. *Int Arch Occup Environ Health*. 78: 475-485. <http://dx.doi.org/10.1007/s00420-005-0611-0>.
- Vouk, AO. (2003). Performance under design and test of the 20 500 HP TEAAC synchronous motors for the Shaybah project in the Rub-Al-Khali Desert, Saudi Arabia. *IEEE Transactions on Industry Applications*. 39: 1177-1180. <http://dx.doi.org/10.1109/TIA.2003.813741>.
- Vroblesky, DA; Chapelle, FH; Bradley, PM. (2007). A simple pore water hydrogen diffusion syringe sampler. *Ground Water*. 45: 798-802. <http://dx.doi.org/10.1111/j.1745-6584.2007.00362.x>.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol*. 18: 149-154.
- Wadley, SL; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: laboratory and field tests. *Ground Water*. 43: 9-18.
- Wägli, P; Chang, YC; Hans, K; Homsy, A; Hvozdar, L; Herzig, HP; Sigrist, M; de Rooij, NF. (2013). Microfluidic droplet-based liquid-liquid extraction and on-chip IR spectroscopy detection of cocaine in human saliva. *Anal Chem*. 85: 7558-7565. <http://dx.doi.org/10.1021/ac401606p>.
- Wagner, A; Cooper, M; Ferdi, S; Seifert, J; Adrian, L. (2012). Growth of *Dehalococcoides mccartyi* strain CBDB1 by reductive dehalogenation of brominated benzenes to benzene. *Environ Sci Technol*. 46: 8960-8968. <http://dx.doi.org/10.1021/es3003519>.
- Wagner, L; Kalli, C; Fridjonsson, EO; May, EF; Stanwix, PL; Graham, BF; Carroll, MRJ; Johns, ML. (2016). Quantitative produced water analysis using mobile H-1 NMR. *Meas Sci Technol*. 27. <http://dx.doi.org/10.1088/0957-0233/27/10/105501>.
- Waksberg, J. (1978). Sampling methods for random digit dialing. *J Am Stat Assoc*. 73: 40-46.
- Wald, S; Glocker, B; Weiss, E; Pokryvailo, A; Labrune, P; Kempenaers, P; Handte, J. (2001). Treating hazardous wastes with pulsed-plasma technology. *J O M*. 53: 28-31.
- Waldemer, RH; Tratnyek, PG. (2006). Kinetics of contaminant degradation by permanganate. *Environ Sci Technol*. 40: 1055-1061. <http://dx.doi.org/10.1021/es051330s>.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). The effect of the trichloroethylene metabolites trichloroacetate and dichloroacetate on peroxisome proliferation and DNA synthesis in cultured human hepatocytes. *Cell Biol Toxicol*. 16: 257-273. <http://dx.doi.org/10.1023/A:1007638227821>.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). Expression of PPAR(alpha) in human hepatocytes and activation by trichloroacetate and dichloroacetate. *Res Commun Mol Pathol Pharmacol*. 108: 116-132.
- Walgren, JL; Jollow, DJ; McMillan, JM. (2004). Induction of peroxisome proliferation in cultured hepatocytes by a series of halogenated acetates. *Toxicology*. 197: 189-197. <http://dx.doi.org/10.1016/j.tox.2004.01.007>.
- Walgren, JL; Kurtz, DT; McMillan, JM. (2005). Lack of direct mitogenic activity of dichloroacetate and trichloroacetate in cultured rat hepatocytes. *Toxicology*. 211: 220-230. <http://dx.doi.org/10.1016/j.tox.2005.03.009>.
- Walker, GE; Morey, BG. (1999). Effects of chemicals and microbial antagonists on nematodes and fungal pathogens of citrus roots. *Aust J Exp Agr*. 39: 629-637.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a nominally two-dimensional, saturated, stratified porous medium. *J Contam Hydrol*. 34: 17-30.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a partially saturated, stratified porous medium. *J Contam Hydrol*. 34: 31-46.
- Wallace, L; Pellizzari, E; Gordon, S. (1993). A linear-model relating breath concentrations to environmental exposures: application to a chamber study of 4 volunteers exposed to volatile organic chemicals. *J Expo Anal Environ Epidemiol*. 3: 75-102.
- Walter, DC; Lim, B; Schmidt, J, an. (2016). Realistic efficiency potential of next-generation industrial Czochralski-grown silicon solar cells after deactivation of the boron-oxygen-related defect center. *Progress in Photovoltaics*. 24: 920-928. <http://dx.doi.org/10.1002/pip.2731>.
- Wan, J; Li, Z; Lu, X; Yuan, S. (2010). Remediation of a hexachlorobenzene-contaminated soil by surfactant-enhanced electrokinetics coupled with microscale Pd/Fe PRB. *J Hazard Mater*. 184: 184-190. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.022>.
- Wander, JGN; van Den Berg, W; van Den Boogert, PHJ, F; Lamers, JG; van Leeuwen, GCM; Hendrickx, G; Bonants, P. (2007). A novel technique using the Hendrickx centrifuge for extracting winter sporangia of *Synchytrium endobioticum* from soil. *European Journal of Plant Pathology*. 119: 165-174. <http://dx.doi.org/10.1007/s10658-007-9156-2>.
- Wang, C; Wang, Y; Zhang, Y; Zhao, Q; Wang, R. (2010). Reclamation of elemental sulfur from flue gas biodesulfurization waste sludge. *Journal of the Air and Waste Management Association*. 60: 603-610. <http://dx.doi.org/10.3155/1047-3289.60.5.603>.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul*. 26: 37-45. <http://dx.doi.org/10.1080/02652040802127806>.
- Wang, F; Annable, MD; Jawitz, JW. (2013). Field-scale prediction of enhanced DNAPL dissolution based on partitioning tracers. *J Contam Hydrol*. 152: 147-158. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.001>.
- Wang, F; Kuo, M; Shun, C; Ma, Y; Wang, J; Ueng, T. (2002). Chronic toxicity of a mixture of chlorinated alkanes and alkenes in ICR mice. *J Toxicol Environ Health A*. 65: 279-291. <http://dx.doi.org/10.1080/15287390252800864>.
- Wang, G; Allen-King, RM; Choung, S; Feenstra, S; Watson, R; Kominek, M. (2013). A Practical Measurement Strategy to Estimate Nonlinear Chlorinated Solvent Sorption in Low foc Sediments. *Ground Water Monitoring and Remediation*. 33: 87-96. <http://dx.doi.org/10.1111/j.1745-6592.2012.01413.x>.
- Wang, G, inC; Li, X; Niu, X; Du, H; Balakrishnan, K; Ye, H; Burr, K. (2016). PET Timing Performance Measurement Method Using NEMA NEC Phantom. *IEEE Trans Nucl Sci*. 63: 1335-1342. <http://dx.doi.org/10.1109/TNS.2016.2522766>.

## Exposure Literature Search Results

### Off Topic

- Wang, H; Chen, X; Jawitz, JW. (2008). Locally-calibrated light transmission visualization methods to quantify nonaqueous phase liquid mass in porous media. *J Contam Hydrol.* 102: 29-38. <http://dx.doi.org/10.1016/j.jconhyd.2008.05.003>.
- Wang, H; Li, D; Wu, Y, an; Li, J, ie; Li, G. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics.* 67: 547-553. <http://dx.doi.org/10.1016/j.elstat.2008.11.004>.
- Wang, HL; Zhu, ZQ; Zhang, SH; Pei, LS; Chen, Y. (2005). Time-resolved kinetic studies on quenching of C-2 (d(3)Pi g 3) by alkanes and substituted methane molecules. *Chem Phys Lett.* 407: 217-221. <http://dx.doi.org/10.1016/j.cplett.2005.02.127>.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 40: 1569-1584. <http://dx.doi.org/10.1081/ESE-200060640>.
- Wang, J; Wei, L, i; Peng, F, ei; Li, Y, an. (2012). Facile preparation of Carbon nanotubes and graphene sheets by a catalyst-free refluxing approach. *Nano Research.* 5: 640-645. <http://dx.doi.org/10.1007/s12274-012-0249-7>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir.* 20: 10845-10850. <http://dx.doi.org/10.1021/la0490902>.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2008). Preparation and response behavior of blue electronic ink microcapsules. *Optical Materials.* 30: 1268-1272. <http://dx.doi.org/10.1016/j.optmat.2007.05.057>.
- Wang, KS; Chiang, KY; Lin, SM; Tsai, CC; Sun, CJ. (1999). Effects of chlorides on emissions of hydrogen chloride formation in waste incineration. *Chemosphere.* 38: 1571-1582.
- Wang, L; Zhu, J; Liang, X; Niu, M; Wu, X; Kao, CM; Kim, H; Xie, Q. (2015). Performance evaluation of the Trans-PET® BioCaliburn® LH system: a large FOV small-animal PET system. *Phys Med Biol.* 60: 137-150. <http://dx.doi.org/10.1088/0031-9155/60/1/137>.
- Wang, M; Jia, T; Wang, J; Hu, Y; Liu, F; Wang, H, ui; Chang, L. (2016). Changes of sulfur forms in coal after tetrachloroethylene extraction and theirs transformations during pyrolysis. *Fuel.* 186: 726-733. <http://dx.doi.org/10.1016/j.fuel.2016.09.007>.
- Wang, Q; Cissoko, N; Zhou, M, i; Xu, X. (2011). Effects and mechanism of humic acid on chromium(VI) removal by zero-valent iron (Fe-0) nanoparticles. *Phys Chem Earth.* 36: 442-446. <http://dx.doi.org/10.1016/j.pce.2010.03.020>.
- Wang, S; Chng, KR; Chen, C; Bedard, DL; He, J. (2015). Genomic Characterization of Dehalococcoides mccartyi Strain JNA That Reductively Dechlorinates Tetrachloroethene and Polychlorinated Biphenyls. *Environ Sci Technol.* 49: 14319-14325. <http://dx.doi.org/10.1021/acs.est.5b01979>.
- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing Dehalococcoides and Dehalobacter. *Environ Sci Technol.* 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol.* 100: 111-117. <http://dx.doi.org/10.1016/j.biortech.2008.05.033>.
- Wang, T; Cheung, TF; Li, YS; Yu, XM; Blake, DR. (2002). Emission characteristics of CO, NOx, SO2 and indications of biomass burning observed at a rural site in eastern China. *J Geophys Res.* 107: 4157. <http://dx.doi.org/10.1029/2001JD000724>.
- Wang, T; Ding, AJ; Blake, DR; Zahorowski, W; Poon, CN; Li, YS. (2003). Chemical characterization of the boundary layer outflow of air pollution to Hong Kong during February-April 2001. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003272>.
- Wang, WC; Shigeto, S. (2011). Infrared electroabsorption spectroscopy of N,N-dimethyl-p-nitroaniline in acetonitrile/C2Cl4: solvation of the solute and self-association of acetonitrile. *J Phys Chem A.* 115: 4448-4456. <http://dx.doi.org/10.1021/jp110539k>.
- Wang, XJ; Brusseau, ML. (1998). Effect of pyrophosphate on the dechlorination of tetrachloroethene by the Fenton reaction. *Environ Toxicol Chem.* 17: 1689-1694.
- Wang, XJ; Lu, J; Gou, PP; Xie, Y. (2002). A "chemical-scissors-assemble" route to titanium carbide nanorods. *Chem Lett* 820-821.
- Wang, XL; Harada, S; Watanabe, M; Koshikawa, H; Sato, K; Kimura, T. (1996). Determination of bioconcentration potential of tetrachloroethylene in marine algae by C-13. *Chemosphere.* 33: 865-877.
- Wang, Y; Huang, YS. (2003). Hydrogen isotopic fractionation of petroleum hydrocarbons during vaporization: implications for assessing artificial and natural remediation of petroleum contamination. *Appl Geochem.* 18: 1641-1651. [http://dx.doi.org/10.1016/S0883-2927\(03\)00076-3](http://dx.doi.org/10.1016/S0883-2927(03)00076-3).
- Wang, Y, aFen; Peng, CF; Chao, HP. (2015). Sorption of Volatile Organic Compounds on Organic Substance-Modified Titanate Nanotubes. *Aerosol Air Qual Res.* 15: 2688-2699. <http://dx.doi.org/10.4209/aaqr.2015.10.0592>.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul.* 23: 762-768. <http://dx.doi.org/10.1080/02652040600788197>.
- Wang, Z; Han, P; Lu, H; Qian, H; Chen, L; Meng, Q; Tang, N; Gao, F; Jiang, Y; Wu, J; Wu, W; Zhu, H; Ji, J; Shi, Z; Sugianto, A; Mai, L, y; Hallam, B; Wenham, S. (2012). Advanced PERC and PERL production cells with 20.3% record efficiency for standard commercial p-type silicon wafers. *Progress in Photovoltaics.* 20: 260-268. <http://dx.doi.org/10.1002/ppp.2178>.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environ Sci Technol.* 50: 5622-5630. <http://dx.doi.org/10.1021/acs.est.5b06330>.
- Ward, JM; Griesemer, RA; Weisburger, EK. (1979). The mouse liver tumor as an endpoint in carcinogenesis tests. *Toxicol Appl Pharmacol.* 51: 389-397.
- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol.* 26: 240-246.
- Ward, JM; Rehm, S; Reynolds, CW. (1990). Tumours of the haematopoietic system. In VS Turusov; U Mohr (Eds.), *IARC Scientific Publication No 99* (2nd ed., pp. 625-657). Lyon, France: International Agency for Research on Cancer.



## Exposure Literature Search Results

### Off Topic

- Ward, JM; Reynolds, CW. (1983). Large granular lymphocyte leukemia: A heterogeneous lymphocytic leukemia in F344 rats. *Am J Pathol.* 111: 1-10.
- Warner, JA; Miles, EA; Jones, AC; Quint, DJ; Colwell, BM; Warner, JO. (1994). Is deficiency of interferon gamma production by allergen triggered cord blood cells a predictor of atopic eczema? *Clin Exp Allergy.* 24: 423-430. <http://dx.doi.org/10.1111/j.1365-2222.1994.tb00930.x>.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).
- Warren, DA; Reigle, TG; Muralidhara, S; Dallas, CE. (1996). Schedule-controlled operant behavior of rats following oral administration of perchloroethylene: Time course and relationship to blood and brain solvent levels. *J Toxicol Environ Health.* 47: 345-362. <http://dx.doi.org/10.1080/009841096161690>.
- Warta, W; Glunz, SW; Dicker, J; Knobloch, J. (2000). Highly efficient 115-nm-thick solar cells on industrial Czochralski silicon. *Progress in Photovoltaics.* 8: 465-471.
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect.* 108: 161-176.
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem.* 20: 1909-1915.
- Waskell, L. (1978). A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res-Fundam Mol Mech Mutagen.* 57: 141-153. [http://dx.doi.org/10.1016/0027-5107\(78\)90261-0](http://dx.doi.org/10.1016/0027-5107(78)90261-0).
- Watanabe, K; Fujii, H; Takahashi, T; Kodama, M; Aizawa, Y; Ohta, Y; Ono, T; Hasegawa, G; Naito, M; Nakajima, T; Kamijo, Y; Gonzalez, FJ; Aoyama, T. (2000). Constitutive regulation of cardiac fatty acid metabolism through peroxisome proliferator-activated receptor alpha associated with age-dependent cardiac toxicity. *J Biol Chem.* 275: 22293-22299. <http://dx.doi.org/10.1074/jbc.M000248200>.
- Watanabe, K; Satamoto, K; Sasaki, T. (1998). Comparisons on chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. *Mutat Res.* 412: 17-31. [http://dx.doi.org/10.1016/S1383-5718\(97\)00155-1](http://dx.doi.org/10.1016/S1383-5718(97)00155-1).
- Watanabe, M; Shimizu, K; Omura, T; Sato, N; Takahashi, M; Kosugi, T; Ote, K; Katabe, A; Yamada, R; Yamashita, T; Tanaka, E. (2004). A high-throughput whole-body PET scanner using flat panel PS-PMTs. *IEEE Trans Nucl Sci.* 51: 796-800. <http://dx.doi.org/10.1109/TNS.2004.829787>.
- Waters, EM; Gerstner, HB; Huff, JE. (1977). Trichloroethylene I An overview [Review]. *J Toxicol Environ Health.* 2: 671-707. <http://dx.doi.org/10.1080/15287397709529469>.
- Watson, DB; Doll, WE; Gamey, TJ; Sheehan, JR; Jardine, PM. (2005). Plume and lithologic profiling with surface resistivity and seismic tomography. *Ground Water.* 43: 169-177. <http://dx.doi.org/10.1111/j.1745-6584.2005.0017.x>.
- Wawer, A; Szydłowski, J. (1996). Hydrogen isotope fractionation between methanol and diphenylphosphine or dimethylphosphine in the gas phase and in aprotic solvents. *Can J Chem.* 74: 1465-1469.
- Wawer, A; Wawer, I. (1990). KINETIC ISOTOPE EFFECT IN HYDROGEN ISOTOPE EXCHANGE BETWEEN DIPHENYLPHOSPHINE AND METHANOL OR 2-METHYLPROPANE-2-THIOL IN APROTIC-SOLVENTS. *J Chem Soc Perkin Trans* 22045-2050.
- Weast, RC. (1976). *Handbook of chemistry and physics* (57th ed.). Cleveland, OH: CRC Press.
- Weber, G; Bertrand, O; Fromont, E; Bourg, S; Bouvier, F; Bissinger, D; Simonotgrange, MH. (1996). TCE adsorption on hydrophobic Y and MFI zeolites. Possibilities of using such materials for solvent recovery. *J Chim Phys Phys Chim Biol.* 93: 1412-1425.
- Weber, G; Lea, MA. (1966). The molecular correlation concept of neoplasia. *Adv Enzyme Regul.* 4: 115-145.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere.* 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Weeks, LD; Zhu, L, inL; Pellon, M; Haines, DR; Arumainayagam, CR. (2007). Low-energy electron-induced oligomerization of condensed carbon tetrachloride. *J Phys Chem C.* 111: 4815-4822. <http://dx.doi.org/10.1021/jp068562d>.
- Wei, J; Schaeffer, N; Pileni, MP. (2016). Solvent-Mediated Crystallization of Nanocrystal 3D Assemblies of Silver Nanocrystals: Unexpected Super lattice Ripening. *Chem Mater.* 28: 293-302. <http://dx.doi.org/10.1021/acs.chemmater.5b04120>.
- Wei, J; Xu, X; Liu, Y; Wang, D. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: reaction pathway and some experimental parameters. *Water Res.* 40: 348-354. <http://dx.doi.org/10.1016/j.watres.2005.10.017>.
- Wei, MJ; Fang, DC; Liu, RZ. (2002). Theoretical studies on cycloaddition reactions between 1-aza-2-azoniaallene cation and olefins. *J Org Chem.* 67: 7432-7438. <http://dx.doi.org/10.1021/jo0258709>.
- Wei, N, a; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environ Sci Technol.* 45: 7422-7430. <http://dx.doi.org/10.1021/es201501a>.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater.* 181: 147-153. <http://dx.doi.org/10.1016/j.jhazmat.2010.04.109>.
- Weichardt, H; Lindner, J. (1975). Gesundheitsgefahren durch Perchlorathylene in Chemisch-Reinigungsbetrieben arbeitsmedizinisch-toxikologischer Sicht. *Gefahrst Reinhalt Luft.* 35: 416-420.
- Weinberg, RA. (2008). Mechanisms of malignant progression. *Carcinogenesis.* 29: 1092-1095. <http://dx.doi.org/10.1093/carcin/bgn104>.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res.* 52: 5456s-5462s.
- Weiss, A. (1996). Sources of airborne CCl<sub>4</sub>: Critical remarks (pp. 112-114). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/96/31124). Weiss, A.

## Exposure Literature Search Results

### Off Topic

- Weiss, NS. (1995). Cancer in relation to occupational exposure to perchloroethylene [Review]. *Cancer Causes Control*. 6: 257-266. <http://dx.doi.org/10.1007/BF00051797>.
- Weiss, NS. (1996). Occupational exposure to perchloroethylene - Reply. *Cancer Causes Control*. 7: 285-286.
- Weiss, T; Schierbaum, KD; Vanvelzen, UT; Reinhoudt, DN; Gopel, W. (1995). SELF-ASSEMBLED MONOLAYERS OF SUPRAMOLECULAR COMPOUNDS FOR CHEMICAL SENSORS. *Sens Actuators B*. 26: 203-207.
- Weissflog, L; Kruger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, KU; Nuchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones--measurements on several continents. *Chemosphere*. 52: 443-449. [http://dx.doi.org/10.1016/S0045-6535\(03\)00209-1](http://dx.doi.org/10.1016/S0045-6535(03)00209-1).
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres--Part I Its formation, uptake and geographical distribution. *Atmos Environ*. 35: 4511-4521.
- Weiyang, H; Fei, L; Anhuai, L; Ximing, L. (2012). Decomposition of hydrogen peroxide in the remediation of trichloroethylene contaminated groundwater by Fenton oxidation technology. *Disaster Advances*. 5: 1179-1182.
- Wellert, S; Altmann, HJ; Richardt, A; Lapp, A; Falus, P; Farago, B; Hellweg, T. (2010). Dynamics of the interfacial film in bicontinuous microemulsions based on a partly ionic surfactant mixture: A neutron spin-echo study. *Eur Phys J E Soft Matter*. 33: 243-250. <http://dx.doi.org/10.1140/epje/i2010-10668-1>.
- Wellert, S; Imhof, H; Dolle, M; Altmann, HJ; Richardt, A; Hellweg, T. (2008). Decontamination of chemical warfare agents using perchloroethylene-Marlowet IHF-H<sub>2</sub>O-based microemulsions: wetting and extraction properties on realistic surfaces. *Colloid and Polymer Science*. 286: 417-426. <http://dx.doi.org/10.1007/s00396-007-1788-4>.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, Y; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int*. 22: 19039-19047. <http://dx.doi.org/10.1007/s11356-015-5117-z>.
- Wentz, M; Cates, DM. (1978). SORPTION OF SOLUBILIZED WATER BY CELLULOSE FROM PERCHLOROETHYLENE. *Text Res J*. 48: 166-172.
- Wenzel, DG; Gibson, RD. (1951). A study of the toxicity and anthelmintic activity of n-butylidene chloride. *J Pharmacokinetic Pharmacodyn*. 3: 169-176.
- Wesseldyke, ES; Becker, JG; Seagren, EA; Mayer, AS; Zhang, C. (2015). Numerical modeling analysis of hydrodynamic and microbial controls on DNAPL pool dissolution and detoxification: Dehalorespirers in co-culture. *Advances in Water Resources*. 78: 112-125. <http://dx.doi.org/10.1016/j.advwatres.2015.01.009>.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources*. 44: 126-139. <http://dx.doi.org/10.1016/j.advwatres.2012.05.001>.
- Westlind, A; Lofberg, L; Tindberg, N; Andersson, TB; Ingelman-Sundberg, M. (1999). Interindividual differences in hepatic expression of CYP3A4: relationship to genetic polymorphism in the 5'-upstream regulatory region. *Biochem Biophys Res Commun*. 259: 201-205.
- Westphal, GA. (2007). Authors reply to the correspondence of Hannu Norppa concerning "Emmert et al., *Toxicology* 228, 66-76" [Letter]. *Toxicology*. 230: 268-269. <http://dx.doi.org/10.1016/j.tox.2006.11.003>.
- Wheeler, M; Kono, H; Yin, M; Nakagami, M; Uesugi, T; Arteel, G; Gäbele, E; Rusyn, I; Yamashina, S; Froh, M; Adachi, Y; Iimuro, Y; Bradford, B; Smutney, O; Connor, H; Mason, R; Goyert, S; Peters, J; Gonzalez, F; Samulski, R; Thurman, R. (2001). The role of Kupffer cell oxidant production in early ethanol-induced liver disease [Review]. *Free Radic Biol Med*. 31: 1544-1549.
- White, CM; Collins, LW; Veloski, GA; Irdi, GA; Rothenberger, KS; Gray, RJ; Lacount, RB; Kasrai, M; Bancroft, GM; Brown, J. R.; Huggins, FE; Shah, N; Huffman, GP. (1994). A STUDY OF MEQUINENZA LIGNITE. *Energy Fuels*. 8: 155-171.
- White, MA. (1976). MILLING OF WOOL GARMENTS IN PERCHLOROETHYLENE - REVIEW OF PROCESSING PROCEDURES AND PRACTICE. *J Soc Dyers Colour*. 92: 187-190.
- White, MD; Oostrom, M. (1998). Modeling surfactant-enhanced nonaqueous-phase liquid remediation of porous media. *Soil Sci*. 163: 931-940.
- Whittaker, SG; Johanson, CA. (2013). A health and environmental profile of the dry cleaning industry in King County, Washington. *J Environ Health*. 75: 14-22.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon"; Dry Cleaning in King County, Washington. *J Environ Health*. 78: 8-13.
- Whittemore, AS. (1983). Estimating attributable risk from case-control studies. *Am J Epidemiol*. 117: 76-85.
- WHO. (1978). A co-operative trial in the primary prevention of ischaemic heart disease using clofibrate. Report from the Committee of Principal Investigators. *British Heart Journal*. 40: 1069-1118.
- WHO. (1980). W.H.O. cooperative trial on primary prevention of ischaemic heart disease using clofibrate to lower serum cholesterol: mortality follow-up. Report of the Committee of Principal Investigators. *Lancet*. 2: 379-385.
- WHO. (1984). WHO cooperative trial on primary prevention of ischaemic heart disease with clofibrate to lower serum cholesterol: final mortality follow-up. Report of the Committee of Principal Investigators. *Lancet*. 2: 600-604.
- Wick, MJ; Mihic, SJ; Ueno, S; Mascia, MP; Trudell, JR; Brozowski, SJ; Ye, Q; Harrison, NL; Harris, RA. (1998). Mutations of gamma-aminobutyric acid and glycine receptors change alcohol cutoff: evidence for an alcohol receptor? *Proc Natl Acad Sci USA*. 95: 6504-6509.
- Wieczorek, H; Thon, A; Dey, T; Khanin, V; Rodnyi, P. (2016). Analytical model of coincidence resolving time in TOF-PET. *Phys Med Biol*. 61: 4699-4710. <http://dx.doi.org/10.1088/0031-9155/61/12/4699>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčková, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol*. 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.

## Exposure Literature Search Results

### Off Topic

- Wilcox, AJ; Horney, LF. (1984). Accuracy of spontaneous abortion recall. *Am J Epidemiol.* 120: 727-733.
- Wilkins, MD; Abriola, LM; Pennell, KD. (1995). AN EXPERIMENTAL INVESTIGATION OF RATE-LIMITED NONAQUEOUS PHASE LIQUID VOLATILIZATION IN UNSATURATED POROUS-MEDIA - STEADY-STATE MASS-TRANSFER. *Water Resour Res.* 31: 2159-2172.
- Williams, D., PR. (2011). MTBE in California's Public Drinking Water Wells: Have Past Predictions Come True? *Environ Forensics.* 12: 270-289. <http://dx.doi.org/10.1080/15275922.2011.595053>.
- Williams, GM. (1997). Chemicals with carcinogenic activity in the rodent liver; mechanistic evaluation of human risk [Review]. *Cancer Lett.* 117: 175-188. [http://dx.doi.org/10.1016/S0304-3835\(97\)00229-2](http://dx.doi.org/10.1016/S0304-3835(97)00229-2).
- Williams, MB; Williams, MB; Goode, AR; Galbis-Reig, V; Majewski, S; Weisenberger, AG; Wojcik, R. (2000). Performance of a PSPMT based detector for scintimammography. *Phys Med Biol.* 45: 781-800.
- Williams, RL; Creasy, RK; Cunningham, GC; Hawes, WE; Norris, FD; Tashiro, M. (1982). Fetal growth and perinatal viability in California. *Obstet Gynecol.* 59: 624-632.
- Williamson, DG; Cvetanovic, RJ. (1968). Rates of reactions of ozone with chlorinated and conjugated olefins. *J Am Chem Soc.* 90: 4248-4252.
- Willinger, M; Rupp, E; Barbaris, B; Gao, S; Arnold, R; Betterton, E; Sáez, AE. (2009). Thermocatalytic destruction of gas-phase perchloroethylene using propane as a hydrogen source. *J Hazard Mater.* 167: 770-776. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.059>.
- Wilson, BH; Wilson, JT; Kampbell, DH; Bledsoe, BE; Armstrong, JM. (1990). BIOTRANSFORMATION OF MONOAROMATIC AND CHLORINATED HYDROCARBONS AT AN AVIATION GASOLINE SPILL SITE. *Geomicrobiology Journal.* 8: 225-240.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med.* 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol.* 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Wiltgen, M; Gell, G; Schneider, GH. (1991). Some software requirements for a PACS: lessons from experiences in clinical routine. *Int J Bio Med Comput.* 28: 61-70.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect.* 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.
- Wingenter, OW; Kubo, MK; Blake, NJ; Smith, TW; Blake, DR; Rowland, FS. (1996). Hydrocarbon and halocarbon measurements as photochemical and dynamical indicators of atmospheric hydroxyl, atomic chlorine, and vertical mixing obtained during Lagrangian flights. *J Geophys Res.* 101: 4331. <http://dx.doi.org/10.1029/95JD02457>.
- Witekowa, S; Ignaczak, W; Kaminski, W. (1978). INDICATOR TUBES FOR DETECTION OF TETRACHLOROETHYLENE IN AIR. *Przemysł Chemiczny.* 57: 195-197.
- Withey, RJ; Hall, JW. (1975). The joint toxic action of perchloroethylene with benzene or toluene in rats. *Toxicology.* 4: 5-15.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol.* 57: 61-80.
- Witteck, R; Hinken, D; Schulte-Huxel, H; Vogt, MR; Mueller, J; Blankemeyer, S; Koentges, M; Bothe, K; Brendel, R. (2016). Optimized Interconnection of Passivated Emitter and Rear Cells by Experimentally Verified Modeling. *6: 432-439.* <http://dx.doi.org/10.1109/JPHOTOV.2016.2514706>.
- Wo, JJ; Zhang, Z; Xu, X, inhua. (2009). Dechlorination mechanism of 2,4-dichlorophenol by Ni/Fe nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 10: 121-126. <http://dx.doi.org/10.1631/jzus.A0820277>.
- Wofsy, SC; Fan, SM; Blake, DR; Bradshaw, JD; Sandholm, ST; Singh, HB; Sachse, GW; Harriss, RC. (1994). FACTORS INFLUENCING ATMOSPHERIC COMPOSITION OVER SUB-ARCTIC NORTH-AMERICA DURING SUMMER. *J Geophys Res Atmos.* 99: 1887-1897.
- Wolf, CJ; Takacs, ML; Schmid, JE; Lau, C; Abbott, BD. (2008). Activation of mouse and human peroxisome proliferator-activated receptor alpha by perfluoroalkyl acids of different functional groups and chain lengths. *Toxicol Sci.* 106: 162-171. <http://dx.doi.org/10.1093/toxsci/kfn166>.
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namieśnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere.* 37: 2645-2651.
- Wolski, T; Glowinski, K; Doraczynskaszopa, A. (1991). TETRACHLOROETHYLENE AS A COMPONENT OF THE BINARY AND TEMARY ELUENTS FOR SEPARATION OF COUMARINS BY THIN-LAYER CHROMATOGRAPHY. *Chemia analityczna.* 36: 299-304.
- Won, D; Corsi, RL; Rynes, M. (2001). Sorptive interactions between VOCs and indoor materials. *Indoor Air.* 11: 246-256.
- Won, YS, oo. (2009). Thermal decomposition of tetrachloroethylene with excess hydrogen. *J Ind Eng Chem.* 15: 510-515. <http://dx.doi.org/10.1016/j.jiec.2009.01.007>.
- Won, YS, oo. (2012). Comparison for thermal decomposition and product distribution of chloroform under each argon and hydrogen reaction atmosphere. *Korean J Chem Eng.* 29: 1745-1751. <http://dx.doi.org/10.1007/s11814-012-0086-0>.
- Won, YS; Bozzelli, JW. (1992). CHLOROFORM PYROLYSIS - EXPERIMENT AND DETAILED REACTION MODEL. *Combust Sci Tech.* 85: 345-373.
- Wong, J; Sridharan, R; Shanmugam, V. (2015). Quantifying Edge and Peripheral Recombination Losses in Industrial Silicon Solar Cells. *I E E E Transactions on Electron Devices.* 62: 3750-3755. <http://dx.doi.org/10.1109/TED.2015.2480089>.
- Wong, W, aiHoi; Li, H; Zhang, Y; Ramirez, R; An, S; Wang, C; Liu, S; Dong, Y, un; Baghaei, H. (2015). A High-Resolution Time-of-Flight Clinical PET Detection System Using a Gapless PMT-Quadrant-Sharing Method. *IEEE Trans Nucl Sci.* 62: 2067-2074. <http://dx.doi.org/10.1109/TNS.2015.2455511>.
- Woo, JH; Streets, DG; Carmichael, GR; Tang, YH; Yoo, B; Lee, WC; Thongboonchoo, N; Pinnock, S; Kurata, G; Uno, I; Fu, QY; Vay, S; Sachse, GW; Blake, DR; Fried, A; Thornton, DC. (2003). Contribution of biomass and biofuel emissions to trace gas distributions in Asia during the TRACE-P experiment. *J Geophys Res Atmos.* 108. <http://dx.doi.org/10.1029/2002JD003200>.

## Exposure Literature Search Results

### Off Topic

- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. *Environ Technol.* 30: 1337-1342. <http://dx.doi.org/10.1080/09593330902840342>.
- Wood, PR; Parsons, FZ; DeMarco, J; Harween, HJ; Lang, RF; Payan, IL; Ruiz, MC. (1981). Introductory study of the biodegradation of the chlorinated methane, ethane and ethene compounds. (40-8024098). Midland, MI: Dow Chemical Company. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0509177>.
- Woods, CG; Burns, AM; Maki, A; Bradford, BU; Cunningham, ML; Connor, HD; Kadiiska, MB; Mason, RP; Peters, JM; Rusyn, I. (2007). Sustained formation of alpha-(4-pyridyl-1-oxide)-N-tert-butyl nitron radical adducts in mouse liver by peroxisome proliferators is dependent upon peroxisome proliferator-activated receptor-alpha, but not NADPH oxidase. *Free Radic Biol Med.* 42: 335-342. <http://dx.doi.org/10.1016/j.freeradbiomed.2006.10.053>.
- Wormuth, M; Demou, E; Scheringer, M; Hungerbuehler, K. (2007). Assessments of direct human exposure - the approach of EU risk assessments compared to scenario-based risk assessment. *Risk Anal.* 27: 979-990. <http://dx.doi.org/10.1111/j.1539-6924.2007.00936.x>.
- Wozniak, AJ; Glisson, BS; Hande, KR; Ross, WE. (1984). Inhibition of etoposide-induced DNA damage and cytotoxicity in L1210 cells by dehydrogenase inhibitors and other agents 73. *Cancer Res.* 44: 626-632.
- Wright, DJ; Birak, PS; Pedit, JA; Miller, CT. (2010). Effectiveness of Source-Zone Remediation of DNAPL-Contaminated Subsurface Systems. *J Environ Eng.* 136: 452-465. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000165](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000165).
- Wu, CC; Wu, H; Tai, YC; Lin, KP; Liu, R, enS. (2010). Evaluation of Scatter Fraction and Noise Equivalent Count Rate Performance of the microPET F-220 Scanner Integrated with the Micro Insert Device. *Journal of Medical and Biological Engineering.* 30: 261-266.
- Wu, G; Dai, R, unY; Li, W, eiG; Yin, P, eiPei; Chen, HZ; Wang, M. (2011). Preparation of stable gelatin/sodium carboxymethylcellulose/sodium lauryl sulfonate microcapsules with ultra-thin capsule wall for electrophoretic displays. *Curr Appl Phys.* 11: 321-326. <http://dx.doi.org/10.1016/j.cap.2010.07.027>.
- Wu, J; Liu, Y; Wang, X; Zhang, L. (2014). Application of ion Implantation Emitter in PERC Solar Cells. 4: 52-57. <http://dx.doi.org/10.1109/JPHOTOV.2013.2282893>.
- Wu, JW; Chen, HC; Ding, WH. (2013). Ultrasound-assisted dispersive liquid-liquid microextraction plus simultaneous silylation for rapid determination of salicylate and benzophenone-type ultraviolet filters in aqueous samples. *J Chromatogr A.* 1302: 20-27. <http://dx.doi.org/10.1016/j.chroma.2013.06.017>.
- Wu, MZ; Reynolds, DA; Fourie, A; Prommer, H; Thomas, DG. (2012). Electrokinetic in situ oxidation remediation: assessment of parameter sensitivities and the influence of aquifer heterogeneity on remediation efficiency. *J Contam Hydrol.* 136-137: 72-85. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.005>.
- Wu, MZ, hi; Reynolds, DA; Fourie, A; Thomas, DG. (2013). Optimal Field Approaches for Electrokinetic In Situ Oxidation Remediation. *Ground Water Monitoring and Remediation.* 33: 62-74. <http://dx.doi.org/10.1111/j.1745-6592.2012.01410.x>.
- Wu, Q; Cournede, PH. (2014). A comprehensive methodology of global sensitivity analysis for complex mechanistic models with an application to plant growth. *Ecological Complexity.* 20: 219-232. <http://dx.doi.org/10.1016/j.ecocom.2013.12.005>.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation.* 20: 78-86.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res.* 32: 1445-1454.
- Wu, X; Alshawabkeh, AN; Gent, DB; Larson, SL; Davis, JL. (2007). Lactate transport in soil by DC fields. *Journal of Geotechnical and Geoenvironmental Engineering.* 133: 1587-1596. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2007\)133:12\(1587\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2007)133:12(1587)).
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol.* 91: 1280-1289. <http://dx.doi.org/10.1002/jctb.4718>.
- Wu, Y; Ma, C. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut.* 45: 176-185.
- Wu, YPG; Lin, YF. (2002). High temperature oxidation of C2Cl4/CH4 mixtures. *J Hazard Mater.* 91: 239-256.
- Wu, YPG; Lin, YF; Huang, CL. (2004). Kinetic study of the pyrolysis of tetrachloroethylene in a hydrogen rich environment. *Fuel.* 83: 2237-2248. <http://dx.doi.org/10.1016/j.fuel.2004.06.012>.
- Wu, Z; Lifka, J; Ondruschka, B. (2005). Sonochemical reaction of selected cyclic C6Hx hydrocarbons in organic solvents. *Ultrason Sonochem.* 12: 127-131. <http://dx.doi.org/10.1016/j.ultsonch.2004.05.014>.
- Wu, Z, hiLin; Ondruschka, B; Braeutigam, P. (2007). Degradation of chlorocarbons driven by hydrodynamic cavitation. *Chem Eng Tech.* 30: 642-648. <http://dx.doi.org/10.1002/ceat.200600288>.
- Wuebbles, DJ; Patten, KO; Wang, D; Youn, D; Martinez-Aviles, M; Francisco, JS. (2011). Three-dimensional model evaluation of the Ozone Depletion Potentials for n-propyl bromide, trichloroethylene and perchloroethylene. *Atmos Chem Phys.* 11: 2371-2380. <http://dx.doi.org/10.5194/acp-11-2371-2011>.
- Xiao, S; Xu, S. (2014). High-Efficiency Silicon Solar Cells-Materials and Devices Physics. *Crit Rev Solid State Mater Sci.* 39: 277-317. <http://dx.doi.org/10.1080/10408436.2013.834245>.
- Xiao, YK; Zhang, L; Shan, XM; Ren, Y; Ma, ZX. (2004). Neighbor-medium-aware MAC protocol with fairness for wireless ad hoc networks. *I E I C E Transactions on Communications.* E87B: 2738-2746.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering.* 12: 716-718.
- Xieqi, M; Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH AND FUEL-LEAN FLAMES OF CCL4/CH4 MIXTURES. *Combust Flame.* 94: 131-145.

## Exposure Literature Search Results

### Off Topic

- Xin, J; Han, J; Zheng, X; Shao, H; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage.* 150: 420-426. <http://dx.doi.org/10.1016/j.jenvman.2014.12.022>.
- Xing, WL; Ou, GR; Jiang, ZH; Ma, LRR; Chao, FH. (2000). Detection of multiple herbicide residues using a planar array evanescent field immunosensor. *Anal Lett.* 33: 1071-1078.
- Xiong, G; Chen, Y; Pawliszyn, J. (2003). On-site calibration method based on stepwise solid-phase microextraction. *J Chromatogr A.* 999: 43-50. [http://dx.doi.org/10.1016/S0021-9673\(03\)00602-2](http://dx.doi.org/10.1016/S0021-9673(03)00602-2).
- Xu, N; Vandegrift, S; Fine, DD; Sewell, GW. (1997). Ion-exclusion chromatographic determination of carboxylic acids used to support the microbially mediated reductive dechlorination of tetrachloroethene. *Environ Toxicol Chem.* 16: 2242-2248.
- Xu, N; Vandegrift, S; Sewell, GW. (1996). Determination of chloroethenes in environmental biological samples using gas chromatography coupled with solid phase micro extraction. *Chromatographia.* 42: 313-317.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis.* 5: 371-374.
- Xu, Z; Wu, Y; Yu, F, ei. (2012). A Three-Dimensional Flow and Transport Modeling of an Aquifer Contaminated by Perchloroethylene Subject to Multi-PRB Remediation. *Transport in Porous Media.* 91: 319-337. <http://dx.doi.org/10.1007/s11242-011-9847-1>.
- Xue, L; Wang, T; Simpson, IJ; Ding, A; Gao, J; Blake, DR; Wang, X; Wang, W; Lei, H; Jin, D. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ.* 45: 6501-6509. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.072>.
- Xue, P; Lu, GZ; Guo, Y; Guo, YL; Wang, YS. (2003). Influence of preparation methods of copolymer supports containing oxirane groups on activity of immobilized penicillin acylase. *Chinese journal of catalysis.* 24: 733-738.
- Yager, RM; Bilotta, SE; Mann, CL; Madsen, EL. (1997). Metabolic adaptation and in situ attenuation of chlorinated ethenes by naturally occurring microorganisms in a fractured dolomite aquifer near Niagara Falls, New York. *Environ Sci Technol.* 31: 3138-3147.
- Yagi, O; Uchiyama, H; Iwasaki, K. (1992). BIODEGRADATION RATE OF CHLOROETHYLENE IN SOIL ENVIRONMENT. *Water Sci Technol.* 25: 419-424.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). BIOLOGICAL AND CHEMICAL CHARACTERIZATION OF THE TETRACHLOROETHYLENE-DEGRADING BACTERIUM, STRAIN-T. *JTTHE.* 40: 178-184.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). TETRACHLOROETHYLENE DEGRADATION BY CULTURE SUPERNATANT OF THE ANAEROBIC BACTERIUM, STRAIN-T. *JTTHE.* 40: 252-258.
- Ya-Li, W; Li-Qin, Y; Yu-Wen, M; Jian-Ping, L; Li-Jun, H. (2016). Benzyl Functionalized Ionic Liquid as New Extraction Solvent of Dispersive Liquid-liquid Microextraction for Enrichment of Organophosphorus Pesticides and Aromatic Compounds. *Chin J Anal Chem.* 44: 942-948. [http://dx.doi.org/10.1016/S1872-2040\(16\)60937-4](http://dx.doi.org/10.1016/S1872-2040(16)60937-4).
- Yamakawa-Kobayashi, K; Ishiguro, H; Arinami, T; Miyazaki, R; Hamaguchi, H. (2002). A Val227Ala polymorphism in the peroxisome proliferator activated receptor- $\alpha$  (PPAR- $\alpha$ ) gene is associated with variations in serum lipid levels. *J Med Genet.* 39: 189-191.
- Yamakura, T; Mihic, SJ; Harris, RA. (1999). Amino acid volume and hydropathy of a transmembrane site determine glycine and anesthetic sensitivity of glycine receptors. *J Biol Chem.* 274: 23006-23012.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol.* 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-independent identification of candidate dehalorespiring bacteria in tetrachloroethylene degradation. *Environ Sci Technol.* 46: 7709-7716. <http://dx.doi.org/10.1021/es301288y>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, H; Yamaguchi, T; Yamauchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere.* 25: 665-673. [http://dx.doi.org/10.1016/0045-6535\(92\)90429-U](http://dx.doi.org/10.1016/0045-6535(92)90429-U).
- Yamazaki, S; Fujinaga, N; Araki, K. (2001). Effect of sulfate ions for sol-gel synthesis of titania photocatalyst. *Appl Catal A-Gen.* 210: 97-102.
- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO<sub>2</sub> pellets. *Water Res.* 35: 1022-1028.
- Yamazaki, S; Tsukamoto, H; Araki, K; Tanimura, T; Tejedor-Tejedor, I; Anderson, MA. (2001). Photocatalytic degradation of gaseous tetrachloroethylene on porous TiO<sub>2</sub> pellets. *Appl Catal B-Environ.* 33: 109-117.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 3-4.
- Yang, C; Yang, C. (2014). Preparation of TiO<sub>2</sub> particles and surface silanization modification for electronic ink. *Journal of Materials Science: Materials in Electronics.* 25: 3285-3289. <http://dx.doi.org/10.1007/s10854-014-2015-y>.
- Yang, JS; Baek, K; Kwon, T, aeS; Yang, J, iWon. (2009). Adsorption of chlorinated solvents in nonionic surfactant solutions with activated carbon in a fixed bed. *J Ind Eng Chem.* 15: 777-779. <http://dx.doi.org/10.1016/j.jiec.2009.09.027>.
- Yang, JS; Baek, K; Kwon, TS; Yang, JW. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.020>.
- Yang, P; Shi, Z; Tao, F, ei; Yang, S; Zhou, R. (2015). Synergistic performance between oxidizability and acidity/texture properties for 1,2-dichloroethane oxidation over (Ce,Cr)(x)O-2/zeolite catalysts. *Chem Eng Sci.* 134: 340-347. <http://dx.doi.org/10.1016/j.ces.2015.05.024>.
- Yang, P; Shi, Z; Yang, S; Zhou, R. (2015). High catalytic performances of CeO<sub>2</sub>-CrOx catalysts for chlorinated VOCs elimination. *Chem Eng Sci.* 126: 361-369. <http://dx.doi.org/10.1016/j.ces.2014.12.051>.

## Exposure Literature Search Results

### Off Topic

- Yang, P; Zuo, S; Shi, Z; Tao, F, ei; Zhou, R. (2016). Elimination of 1,2-dichloroethane over (Ce,Cr)(x)O-2/MOy catalysts (M =Ti, V, Nb, Mo, W and La). *Appl Catal B-Environ.* 191: 53-61. <http://dx.doi.org/10.1016/j.apcatb.2016.03.017>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis.* 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, Q; Nagano, T; Shah, Y; Cheung, C; Ito, S; Gonzalez, FJ. (2008). The PPAR alpha-humanized mouse: a model to investigate species differences in liver toxicity mediated by PPAR alpha. *Toxicol Sci.* 101: 132-139. <http://dx.doi.org/10.1093/toxsci/kfm206>.
- Yang, Q; Shang, HT; Li, HD; Xi, HB; Wang, JL. (2008). Biodegradation of tetrachloroethylene using methanol as co-metabolic substrate. *Biomed Environ Sci.* 21: 98-102. [http://dx.doi.org/10.1016/S0895-3988\(08\)60013-6](http://dx.doi.org/10.1016/S0895-3988(08)60013-6).
- Yang, Q; Shang, HT; Wang, XL; Li, HD; Wang, JL. (2006). Anaerobic degradation of tetrachloroethylene using different co-substrates as electron donors. *Biomed Environ Sci.* 19: 73-76.
- Yang, W; Qiu, Z; Zhao, Z; Lu, S; Sui, Q; Gu, X. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol.* 38: 34-41. <http://dx.doi.org/10.1080/09593330.2016.1184320>.
- Yang, Y; Mccarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environ Sci Technol.* 32: 3591-3597.
- Yang, Y; Pesaro, M; Sigler, W; Zeyer, J. (2005). Identification of microorganisms involved in reductive dehalogenation of chlorinated ethenes in an anaerobic microbial community. *Water Res.* 39: 3954-3966. <http://dx.doi.org/10.1016/j.watres.2005.07.010>.
- Yang, YR; Mccarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environ Sci Technol.* 34: 2979-2984.
- Yang, YR; Mccarty, PL. (2002). Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution. *Environ Sci Technol.* 36: 3400-3404. <http://dx.doi.org/10.1021/es011408e>.
- Yang, YR; Mccarty, PL. (2003). Response to comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environ Sci Technol.* 37: 2620-2621. <http://dx.doi.org/10.1021/es030395x>.
- Yasugi, T; Kawai, T; Mizunuma, K; Kishi, R; Harabuchi, I; Yuasa, J; Eguchi, T; Sugimoto, R; Seiji, K; Ikeda, M. (1994). Exposure monitoring and health effect studies of workers occupationally exposed to cyclohexane vapor. *Int Arch Occup Environ Health.* 65: 343-350. <http://dx.doi.org/10.1007/BF00405700>.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere.* 26: 1507-1512.
- Ye, C, uip; Ding, XX; Li, W, enY; Wu, TT; Fan, MM; Feng, J, ie. (2016). Highly Efficient Solvent Screening for Separating Carbazole from Crude Anthracene. *Energy Fuels.* 30: 3529-3534. <http://dx.doi.org/10.1021/acs.energyfuels.5b02800>.
- Ye, S; Sleep, BE; Chien, C. (2009). The impact of methanogenesis on flow and transport in coarse sand. *J Contam Hydrol.* 103: 48-57. <http://dx.doi.org/10.1016/j.jconhyd.2008.09.004>.
- Ye, X; Chen, D; Li, K; Shah, V. (2007). Photocatalytic oxidation of aldehydes/PCE using porous anatase titania and visible-light-responsive brookite titania. *Chemical Engineering Communications.* 194: 368-381. <http://dx.doi.org/10.1080/00986440600899948>.
- Yeh, CKJ; Peng, SL; Hsu, IY. (2002). Co-surfactant of ethoxylated sorbitan ester and sorbitan monooleate for enhanced flushing of tetrachloroethylene. *Chemosphere.* 49: 421-430.
- Yeh, HC; Kastenber, WE. (1991). Health risk assessment of biodegradable volatile organic chemicals: a case study of PCE, TCE, DCE and VC. *J Hazard Mater.* 27: 111-126.
- Yeh, KJ; Chen, TC; Young, W. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci.* 30: 47-52. <http://dx.doi.org/10.1089/ees.2012.0001>.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater.* 81: 253-263.
- Yim, SD; Chang, KH; Koh, DJ; Nam, IS; Kim, YG. (2000). Catalytic removal of perchloroethylene (PCE) over supported chromium oxide catalysts. *Catalysis Today.* 63: 215-222.
- Yim, SD; Chang, KH; Nam, IS. (2001). Deactivation of chromium oxide catalyst for the removal of perchloroethylene (PCE). *Stud Surf Sci Catal.* 139: 173-180.
- Yim, SD; Koh, DJ; Nam, IS. (2002). A pilot plant study for catalytic decomposition of PCDDs/PCDFs over supported chromium oxide catalysts. *Catalysis Today.* 75: 269-276.
- Yim, SD; Koh, DJ; Nam, IS; Kim, YG. (2000). Effect of the catalyst supports on the removal of perchloroethylene (PCE) over chromium oxide catalysts. *Catalysis Letters.* 64: 201-207.
- Yim, SD; Nam, IS. (2004). Characteristics of chromium oxides supported on TiO2 and Al2O3 for the decomposition of perchloroethylene. *J Catal.* 221: 601-611. <http://dx.doi.org/10.1016/j.jcat.2003.09.026>.
- Yin, P, eiPei; Wu, G; Chen, HZ; Wang, M. (2011). Preparation and characterization of carbon black/acrylic copolymer hybrid particles for dual particle electrophoretic display. *Synthetic Metals.* 161: 1456-1462. <http://dx.doi.org/10.1016/j.synthmet.2011.03.029>.
- Yin, P; Wu, G; Qin, W; Chen, X; Wang, M; Chen, H. (2013). CYM and RGB colored electronic inks based on silica-coated organic pigments for full-color electrophoretic displays. 1: 843-849. <http://dx.doi.org/10.1039/c2tc00344a>.
- Yin, Y; Chen, X; Li, C; Wu, H; Komarov, S; Guo, Q; Krawczynski, H; Meng, LJ; Tai, YC. (2014). Evaluation of PET Imaging Resolution Using 350 mu m Pixelated CZT as a VP-PET Insert Detector. *IEEE Trans Nucl Sci.* 61: 154-161. <http://dx.doi.org/10.1109/TNS.2013.2294011>.
- Ying, WC; Bonk, RR; Hannam, SC; Li, QD. (1994). FINAL DISPOSAL OF VOCS FROM INDUSTRIAL WASTEWATERS. *Environmental Progress.* 13: 192-201.
- Yokley, KA; Evans, MV. (2007). An example of model structure differences using sensitivity analyses in physiologically based pharmacokinetic models of trichloroethylene in humans. *Bull Math Biol.* 69: 2591-2625. <http://dx.doi.org/10.1007/s11538-007-9233-x>.

## Exposure Literature Search Results

### Off Topic

- Yoo, JS; Guengerich, FP; Yang, CS. (1988). Metabolism of N-nitrosodialkylamines by human liver microsomes. *Cancer Res.* 48: 1499-1504.
- Yoon, JS; Mason, JM; Valencia, R; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. IV. Results of 45 coded compounds tested for the National Toxicology Program. *Environ Mutagen.* 7: 349-367. <http://dx.doi.org/10.1002/em.2860070310>.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *J Toxicol Environ Health A.* 54: 145-158.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut.* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol.* 15: 1096-1105. <http://dx.doi.org/10.1021/tx020028j>.
- You, L; Dallas, CE. (2000). Effects of inhaled 1,1,1-trichloroethane on the regional brain cyclic GMP levels in mice and rats. *J Toxicol Environ Health A.* 60: 331-341.
- You, YW; Zhao, HT; Vance, GF. (2002). Hybrid organic-inorganic derivatives of layered double hydroxides and dodecylbenzenesulfonate: Preparation and adsorption characteristics. *J Mater Chem.* 12: 907-912. <http://dx.doi.org/10.1039/b106811c>.
- Young, DF; Ball, WP. (1994). A-PRIORI SIMULATION OF TETRACHLOROETHENE TRANSPORT THROUGH AQUIFER MATERIAL USING AN INTRAPARTICLE DIFFUSION-MODEL. *Environmental Progress.* 13: 9-20.
- Young, DF; Ball, WP. (1998). Estimating diffusion coefficients in low-permeability porous media using a macropore column. *Environ Sci Technol.* 32: 2578-2584.
- Yount, EA; Felten, SY; O'Connor, BL; Peterson, RG; Powell, RS; Yum, MN; Harris, RA. (1982). Comparison of the metabolic and toxic effects of 2-chloropropionate and dichloroacetate. *J Pharmacol Exp Ther.* 222: 501-508.
- Youssef, J; Badr, M. (1998). Extraperoxisomal targets of peroxisome proliferators: Mitochondrial, microsomal, and cytosolic effects: Implications for health and disease [Review]. *Crit Rev Toxicol.* 28: 1-33. <http://dx.doi.org/10.1080/10408449891344182>.
- Youssef, J; Badr, M. (1999). Biology of senescent liver peroxisomes: role in hepatocellular aging and disease [Review]. *Environ Health Perspect.* 107: 791-797.
- Yu, AR, am; Kim, J, inSu; Kim, KM, in; Kim, H, eeJ. (2013). Comparison of Normalization Methods for I-124 PET on Siemens Inveon PET Scanner. *IEEE Trans Nucl Sci.* 60: 817-819. <http://dx.doi.org/10.1109/TNS.2013.2243843>.
- Yu, AR, am; Kim, J, inSu; Moon, J; Kim, H, eeJ; Lim, SM, oo; Kim, KM, in. (2013). The Effect of Attenuation and Scatter Correction in Rat Brain PET. *IEEE Trans Nucl Sci.* 60: 751-757. <http://dx.doi.org/10.1109/TNS.2012.2230338>.
- Yu, KO; Barton, HA; Mahle, DA; Frazier, JM. (2000). In vivo kinetics of trichloroacetate in male Fischer 344 rats. *Toxicol Sci.* 54: 302-311.
- Yu, S; Cao, WQ; Kashireddy, P; Meyer, K; Jia, Y; Hughes, DE; Tan, Y; Feng, J; Yeldandi, AV; Rao, MS; Costa, RH; Gonzalez, FJ; Reddy, JK. (2001). Human peroxisome proliferator-activated receptor alpha (PPAR $\alpha$ ) supports the induction of peroxisome proliferation in PPAR $\alpha$ -deficient mouse liver. *J Biol Chem.* 276: 42485-42491. <http://dx.doi.org/10.1074/jbc.M106480200>.
- Yu, S; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environ Sci Technol.* 39: 195-205. <http://dx.doi.org/10.1021/es0496773>.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater.* 167: 97-104. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.087>.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res.* 36: 4985-4996.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C-1- and C-2-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem.* 19: 2212-2217.
- Yuan, B; Chen, Y; Fu, M. (2012). Degradation efficiencies and mechanisms of trichloroethylene (TCE) by controlled-release permanganate (CRP) oxidation. *Chem Eng J.* 192: 276-283. <http://dx.doi.org/10.1016/j.cej.2012.03.049>.
- Yuan, C. (2006). The effect of Fe(0) on electrokinetic remediation of clay contaminated with perchloroethylene. *Water Sci Technol.* 53: 91-98. <http://dx.doi.org/10.2166/wst.2006.176>.
- Yuan, S; Wen, H; Wu, X; Chen, J; Wang, L. (2010). Effect of nonionic and cationic surfactants on the dechlorination kinetics and products distribution of various polychlorinated benzenes by Cu/Fe particles. *Separation and Purification Technology.* 74: 130-137. <http://dx.doi.org/10.1016/j.seppur.2010.05.015>.
- Yun, JY; Ha, SA, n; Kim, DK; Wang, J, eiPil. (2016). Synthesis of Nanosized Zirconium Carbide Powder by Magnesiothermic Reduction. 8: 2167-2171. <http://dx.doi.org/10.1166/sam.2016.2868>.
- Yunqiang, W; Ming'an, S. (2009). Infiltration characteristics of non-aqueous phase liquids in undisturbed loessal soil cores. *J Environ Sci.* 21: 1424-1431. [http://dx.doi.org/10.1016/S1001-0742\(08\)62435-3](http://dx.doi.org/10.1016/S1001-0742(08)62435-3).
- Zaa, CLY; Mclean, JE; Dupont, R; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation.* 30: 46-57. <http://dx.doi.org/10.1111/j1745-6592.2009.001268.x>.
- Zahlten, RN; Stratman, FW. (1974). The isolation of hormone-sensitive rat hepatocytes by a modified enzymatic technique. *Arch Biochem Biophys.* 163: 600-608. [http://dx.doi.org/10.1016/0003-9861\(74\)90519-0](http://dx.doi.org/10.1016/0003-9861(74)90519-0).
- Zaidi, H; Ojha, N; Morich, M; Griesmer, J; Hu, Z; Maniowski, P; Ratib, O; Izquierdo-Garcia, D; Fayad, ZA; Shao, L. (2011). Design and performance evaluation of a whole-body Ingenuity TF PET-MRI system. *Phys Med Biol.* 56: 3091-3106. <http://dx.doi.org/10.1088/0031-9155/56/10/013>.
- Zanelli, U; Puccini, P; Acerbi, D; Ventura, P; Gervasi, PG. (1996). Induction of peroxisomal beta-oxidation and P-450 4A-dependent activities by pivalic and trichloroacetic acid in rat liver and kidney. *Arch Toxicol.* 70: 145-149. <http://dx.doi.org/10.1007/s002040050253>.

## Exposure Literature Search Results

### Off Topic

- Zanetti, MC; Fiore, S. (2005). Evaluation of mutual connections between zero-valent iron reactivity and groundwater composition in trichloroethylene degradation. *Ann Chim.* 95: 779-789.
- Zanuccoli, M; De Rose, R; Magnone, P; Sangiorgi, E; Fiegna, C. (2012). Performance Analysis of Rear Point Contact Solar Cells by Three-Dimensional Numerical Simulation. *I E E E Transactions on Electron Devices.* 59: 1311-1319. <http://dx.doi.org/10.1109/TED.2012.2187297>.
- Zarabadi-Poor, P; Badiei, A; Yousefi, AA. (2013). Synthesis of novel carbon nanostructures through the solvothermal route. *Scientia Iranica.* 20: 2382-2385.
- Zarate-Segura, P; Rios-Leal, E; Esparza-Garcia, F; Garcia-Mena, J; Sanz, JL; Zaiat, M; Poggi-Varaldo, HM. (2004). Perchloroethylene removal in two anaerobic continuous systems. *Interciencia.* 29: 562-+.
- Zarczynski, A; Kazmierczak, M; Gorzka, Z; Misiak, M. (2003). Destruction of organo-chlorine, -sulfur and -nitrogen compounds by thermocatalytic oxidation. *Przemysł Chemiczny.* 82: 1075-1077.
- Zare Sakhvidi, MJ; Bahrami, AR; Ghiasvand, A; Mahjub, H; Tuduri, L. (2013). SPME-based air sampling method for inhalation exposure assessment studies: case study on perchlorethylene exposure in dry cleaning. *Environ Monit Assess.* 185: 4933-4941. <http://dx.doi.org/10.1007/s10661-012-2914-4>.
- Zastrow, U; Houben, L; Meertens, D; Grohe, A; Brammer, T; Schneiderloechner, E. (2006). Characterization of laser-fired contacts in PERC solar cells: SIMS and TEM analysis applying advanced preparation techniques. *Appl Surf Sci.* 252: 7082-7085. <http://dx.doi.org/10.1016/j.apsusc.2006.02.114>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect.* 73: 259-306.
- Zeka, A; Sullivan, JR; Vokonas, PS; Sparrow, D; Schwartz, J. (2006). Inflammatory markers and particulate air pollution: Characterizing the pathway to disease [Commentary]. *Int J Epidemiol.* 35: 1347-1356.
- Zeka, A; Zanobetti, A; Schwartz, J. (2006). Individual-level modifiers of the effects of particulate matter on daily mortality. *Am J Epidemiol.* 163: 849-859. <http://dx.doi.org/10.1093/aje/kwj116>.
- Zeng, Y; Zeng, Z; Ju, T; Zhang, F, an. (2015). Adsorption performance and mechanism of perchloroethylene on a novel nano composite beta-FeOOH-AC. *Microporous and Mesoporous Materials.* 210: 60-68. <http://dx.doi.org/10.1016/j.micromeso.2015.02.021>.
- Zhai, X; Hua, I; Rao, PS; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol.* 82: 61-74. <http://dx.doi.org/10.1016/j.jconhyd.2005.08.007>.
- Zhang, B; Marcus, SL; Miyata, KS; Subramani, S; Capone, JP; Rachubinski, RA. (1993). Characterization of protein-DNA interactions within the peroxisome proliferator-responsive element of the rat hydratase-dehydrogenase gene. *J Biol Chem.* 268: 12939-12945.
- Zhang, B; Marcus, SL; Sajjadi, FG; Alvares, K; Reddy, JK; Subramani, S; Rachubinski, RA; Capone, JP. (1992). Identification of a peroxisome proliferator-responsive element upstream of the gene encoding rat peroxisomal enoyl-CoA hydratase/3-hydroxyacyl-CoA dehydrogenase. *Proc Natl Acad Sci USA.* 89: 7541-7545.
- Zhang, C; Werth, CJ; Webb, AG. (2008). Investigation of surfactant-enhanced mass removal and flux reduction in 3D correlated permeability fields using magnetic resonance imaging. *J Contam Hydrol.* 100: 116-126. <http://dx.doi.org/10.1016/j.jconhyd.2008.06.002>.
- Zhang, D; Park, CS; Koh, CS. (2012). A New Optimal Design Method of Rotor Slot of Three-Phase Squirrel Cage Induction Motor for NEMA Class D Speed-Torque Characteristic Using Multi-Objective Optimization Algorithm. *I E E E Transactions on Magnetics.* 48: 879-882. <http://dx.doi.org/10.1109/TMAG.2011.2174040>.
- Zhang, D; Ren, Z; Koh, CS. (2014). Multi-Objective Optimal Design of a NEMA Design D Three-phase Induction Machine Utilizing Gaussian-MOPSO Algorithm. *Journal of Electrical Engineering & Technology.* 9: 184-189. <http://dx.doi.org/10.5370/JEET.2014.9.1.184>.
- Zhang, H; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of dechlorination and sulfate reduction on the microbial community structure in denitrifying membrane-biofilm reactors. *Environ Sci Technol.* 44: 5159-5164. <http://dx.doi.org/10.1021/es100695n>.
- Zhang, J; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environ Sci Technol.* 40: 1830-1836. <http://dx.doi.org/10.1021/es051829m>.
- Zhang, JZ; Colon-Mercado, HR; Goodwin, JG, Jr. (2011). The effect of low concentrations of tetrachloroethylene on H-2 adsorption and activation on Pt in a fuel cell catalyst. *J Power Sources.* 196: 8391-8397. <http://dx.doi.org/10.1016/j.jpowsour.2011.06.081>.
- Zhang, L; Zhang, Y; Kershaw, SV; Zhao, Y; Wang, Y; Jiang, Y; Zhang, T; Yu, WW; Gu, P; Wang, Y; Zhang, H; Rogach, AL. (2014). Colloidal PbSe quantum dot-solution-filled liquid-core optical fiber for 1.55  $\mu\text{m}$  telecommunication wavelengths. *Nanotechnology.* 25: 105704. <http://dx.doi.org/10.1088/0957-4484/25/10/105704>.
- Zhang, LF; Kanki, T; Sano, N; Toyoda, A. (2003). Development of TiO<sub>2</sub> photocatalyst reaction for water purification. *Separation and Purification Technology.* 31: 105-110.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, PF; Simunek, J; Bowman, RS. (2004). Nonideal transport of solute and colloidal tracers through reactive zeolite/iron pellets. *Water Resour Res.* 40. <http://dx.doi.org/10.1029/2003WR002445>.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environ Sci Technol.* 36: 3597-3603. <http://dx.doi.org/10.1021/es015816u>.
- Zhang, Q; Liang, T; Guan, L. (2013). Ultrasound-assisted dispersive liquid-liquid microextraction combined with gas chromatography-mass spectrometry in negative chemical ionization mode for the determination of polybrominated diphenyl ethers in water. *J Sep Sci.* 36: 1263-1269. <http://dx.doi.org/10.1002/jssc.201201049>.
- Zhang, S, hu; Pan, X; Jiao, H; Deng, W; Xu, J; Chen, Y; Altermatt, PP; Feng, Z; Verlinden, PJ. (2016). 335-W World-Record p-Type Monocrystalline Module With 20.6% Efficient PERC Solar Cells. 6: 145-152. <http://dx.doi.org/10.1109/JPHOTOV.2015.2498039>.



## Exposure Literature Search Results

### Off Topic

- Zhang, T; Chen, X; Li, Y; Liang, P, ei. (2006). Application of headspace liquid-phase microextraction to the analysis of volatile halocarbons in water. *Chromatographia*. 63: 633-637. <http://dx.doi.org/10.1365/s10337-006-0823-9>.
- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol*. 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng*. 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W, ei; Li, L, i; Lin, K; Xiong, B; Li, B; Lu, S; Guo, M; Cui, X. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Sci Technol*. 65: 2258-2264. <http://dx.doi.org/10.2166/wst.2012.146>.
- Zhang, WX; Wang, CB; Lien, HL. (1998). Treatment of chlorinated organic contaminants with nanoscale bimetallic particles. *Catalysis Today*. 40: 387-395.
- Zhang, X; Qian, L; Xu, P; He, H; Du, Q. (2008). Study of H-beta-zeolite supported Rh catalyst by inverse gas chromatography. *Chem Eng J*. 137: 579-586. <http://dx.doi.org/10.1016/j.cej.2007.05.020>.
- Zhang, X; Stortz, G; Sossi, V; Thompson, CJ; Retière, F; Kozłowski, P; Thiessen, JD; Goertzen, AL. (2013). Development and evaluation of a LOR-based image reconstruction with 3D system response modeling for a PET insert with dual-layer offset crystal design. *Phys Med Biol*. 58: 8379-8399. <http://dx.doi.org/10.1088/0031-9155/58/23/8379>.
- Zhang, XH; Sewell, GW; Cui, SY. (2001). An improved method of hydrogen production as electron donor for anaerobic bioremediation. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 1661-1670.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energy Eng*. 118: 123-129.
- Zhang, Y; Hu, M; Jiang, Z; Liu, Y. (2011). Effect of anthraquinone-2,6-disulfonate on the trichloroethene degradation by Dehalococcoides-containing consortium. *J Hazard Mater*. 192: 1896-1899. <http://dx.doi.org/10.1016/j.jhazmat.2011.06.087>.
- Zhang, Y; Lee, HK. (2012). Determination of ultraviolet filters in water samples by vortex-assisted dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. *J Chromatogr A*. 1249: 25-31. <http://dx.doi.org/10.1016/j.chroma.2012.06.019>.
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Sci Technol*. 69: 120-127. <http://dx.doi.org/10.2166/wst.2013.564>.
- Zhang, YL; Guo, H; Wang, XM; Simpson, IJ; Barletta, B; Blake, DR; Meinardi, S; Rowland, FS; Cheng, HR; Saunders, SM; Lam, SHM. (2010). Emission patterns and spatiotemporal variations of halocarbons in the Pearl River Delta region, southern China. *J Geophys Res Atmos*. 115. <http://dx.doi.org/10.1029/2009JD013726>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A*. 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, Z; Zhang, Y; Wang, X; Lu, S; Huang, Z; Huang, X; Yang, W; Wang, Y; Zhang, Q. (2016). Spatiotemporal patterns and source implications of aromatic hydrocarbons at six rural sites across China's developed coastal regions. *J Geophys Res Atmos*. 121: 6669-6687. <http://dx.doi.org/10.1002/2016JD025115>.
- Zhang, ZF; Smith, JE. (2001). The velocity of DNAPL fingering in water-saturated porous media: laboratory experiments and a mobile-immobile-zone model. *J Contam Hydrol*. 49: 335-353.
- Zhang, ZF; Smith, JE. (2002). Visualization of DNAPL fingering processes and mechanisms in water-saturated porous media. *Transport in Porous Media*. 48: 41-59.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol*. 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-di-chloroethene biodegradation by other chloroethenes. *Water Res*. 44: 2276-2282. <http://dx.doi.org/10.1016/j.watres.2009.12.023>.
- Zhao, HT; Nagy, KL; Waples, JS; Vance, GF. (2000). Surfactant-templated mesoporous silicate materials as sorbents for organic pollutants in water. *Environ Sci Technol*. 34: 4822-4827. <http://dx.doi.org/10.1021/es000990o>.
- Zhao, S, hiX; Zhang, L, ij; Wang, Y, uXin. (2013). Enhanced performance of a Nafion membrane through ionomer self-organization in the casting solution. *J Power Sources*. 233: 309-312. <http://dx.doi.org/10.1016/j.jpowsour.2013.01.052>.
- Zhao, W; Ioannidis, MA. (2003). Pore network simulation of the dissolution of a single-component wetting nonaqueous phase liquid. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001861>.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol*. 78: 327-342. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.002>.
- Zhao, Z; Fang, Y, uLun; Alvarez, PJJ; Wong, MS. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ*. 140: 468-477. <http://dx.doi.org/10.1016/j.apcatb.2013.04.032>.
- Zhen, H; Du, S; Rodenburg, LA; Mainelis, G; Fennell, DE. (2014). Reductive dechlorination of 1,2,3,7,8-pentachlorodibenzo-p-dioxin and Aroclor 1260, 1254 and 1242 by a mixed culture containing Dehalococcoides mccartyi strain 195. *Water Res*. 52: 51-62. <http://dx.doi.org/10.1016/j.watres.2013.12.038>.
- Zheng, F, ei; Gao, B, in; Sun, Y; Shi, X; Xu, H; Wu, J; Gao, Y. (2016). Removal of tetrachloroethylene from homogeneous and heterogeneous porous media: Combined effects of surfactant solubilization and oxidant degradation. *Chem Eng J*. 283: 595-603. <http://dx.doi.org/10.1016/j.cej.2015.08.004>.

## Exposure Literature Search Results

### Off Topic

- Zheng, T; Cantor, KP; Zhang, Y; Lynch, CF. (2002). Occupation and bladder cancer: A population-based, case-control study in Iowa. *J Occup Environ Med.* 44: 685-691.
- Zhi-Jie, L; Xiang-Gao, L; Shi-Rong, W. (2012). Preparation of TiO<sub>2</sub> Nano-particles with Controllable Surface Charges for Electrophoretic Display. *Wuji Cailiao Xuebao.* 27: 649-654. <http://dx.doi.org/10.3724/SP.J.1077.2012.00649>.
- Zhou, H; Gong, Y; Zhou, M. (2007). Infrared spectra of chlorinated ethylene cations: C<sub>2</sub>Cl<sub>4</sub><sup>+</sup>, C<sub>2</sub>HCl<sub>3</sub><sup>+</sup>, 1,1-C<sub>2</sub>H<sub>2</sub>Cl<sub>2</sub><sup>+</sup>, and trans-C<sub>2</sub>H<sub>2</sub>Cl<sub>2</sub><sup>+</sup> in solid argon. *The Journal of Physical Chemistry Part A: Molecules, Spectroscopy, Kinetics, Environment and General Theory.* 111: 603-609. <http://dx.doi.org/10.1021/jp066618y>.
- Zhou, S; Wallace, K. (1999). The effect of peroxisome proliferators on mitochondrial bioenergetics. *Toxicol Sci.* 48: 82-89.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect.* 106 Suppl 4: 983-988.
- Zhou, ZN; Dai, YK; Tian, WJ; Wu, S. R.; Jing, FY; Feng, ZL. (1992). SEQUENCE STRUCTURE OF ETHYLENE-VINYL SUBSTITUTED COPOLYMER WITH C-13 NMR .4. *Sci China Ser B-Chem.* 35: 769-775.
- Zhu, B, aoWei; Lim, TT; Feng, J. (2008). Influences of amphiphiles on dechlorination of a trichlorobenzene by nanoscale Pd/Fe: Adsorption, reaction kinetics, and interfacial interactions. *Environ Sci Technol.* 42: 4513-4519. <http://dx.doi.org/10.1021/es800227r>.
- Zhu, L; Bozzelli, JW; Lay, TH. (1998). Comparison of AM1 and PM3 in MOPAC6 with literature for the thermodynamic parameters of C-1 and C-2 chlorocarbons. *Ind Eng Chem Res.* 37: 3497-3507.
- Zhu, WM; Ford, WT. (1991). OXIDATION OF ALKENES WITH AQUEOUS POTASSIUM PEROXYMONOSULFATE AND NO ORGANIC-SOLVENT. *J Org Chem.* 56: 7022-7026.
- Zhu, Y; Fiedler, K; Rudiger, S; Kemnitz, E. (2003). Aliovalent-substituted chromium-based catalysts for the hydrofluorination of tetrachloroethylene. *J Catal.* 219: 8-16. [http://dx.doi.org/10.1016/S0021-9517\(03\)00183-0](http://dx.doi.org/10.1016/S0021-9517(03)00183-0).
- Zhuang, P; Pavlostathis, SG. (1994). EFFECT OF CHLORINATED ALKENES ON THE REDUCTIVE DECHLORINATION AND METHANE PRODUCTION PROCESSES. *Water Sci Technol.* 30: 85-94.
- Zhuang, P; Pavlostathis, SG. (1995). EFFECT OF TEMPERATURE, PH AND ELECTRON-DONOR ON THE MICROBIAL REDUCTIVE DECHLORINATION OF CHLOROALKENES. *Chemosphere.* 31: 3537-3548.
- Zielhuis, GA; Gijzen, R; van der Gulden, JWJ. (1989). Menstrual disorders among dry-cleaning workers [Letter]. *Scand J Work Environ Health.* 15: 238.
- Zielke, D; Sylla, D; Neubert, T; Brendel, R; Schmidt, J, an. (2013). Direct Laser Texturing for High-Efficiency Silicon Solar Cells. 3: 656-661. <http://dx.doi.org/10.1109/JPHOTOV.2012.2228302>.
- Ziémons, E; Goffin, E; Lejeune, R; Angenot, L; Thunus, L. (2004). FT-IR measurement of tagitinin C after solvent extraction from *Tithonia diversifolia*. *Talanta.* 62: 383-387. <http://dx.doi.org/10.1016/j.talanta.2003.08.007>.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium [Review]. *Environ Health Perspect.* 103: 5-7.
- Zingg, JM; Jones, PA. (1997). Genetic and epigenetic aspects of DNA methylation on genome expression, evolution, mutation and carcinogenesis. *Carcinogenesis.* 18: 869-882.
- Zitomer, DH; Owens, D; Speece, RE. (2000). Methanethiol production as an indicator of toxicity in anaerobic treatment. *Water Sci Technol.* 42: 231-235.
- Ziv-El, M; Kalinowski, T; Krajmalnik-Brown, R; Halden, RU. (2014). Simultaneous determination of chlorinated ethenes and ethene in groundwater using headspace solid-phase microextraction with gas chromatography. *J Chromatogr Sci.* 52: 137-142. <http://dx.doi.org/10.1093/chromsci/bms258>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem.* 63: 91-98.
- Zordan, M; Osti, M; Pesce, M; Costa, R. (1994). Chloral hydrate is recombinogenic in the wing spot test in *Drosophila melanogaster*. *Mutat Res.* 322: 111-116. [http://dx.doi.org/10.1016/0165-1218\(94\)00017-4](http://dx.doi.org/10.1016/0165-1218(94)00017-4).
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO<sub>2</sub>-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis.* 22: 198-202.
- Zuurbier, M; Lundqvist, C; Salines, G; Stansfeld, S; Hanke, W; Babisch, W; Bistrup, ML; Van Den Hazel, P; Moshammer, H. (2007). The environmental health of children: Priorities in Europe [Review]. *Int J Occup Med Environ Health.* 20: 291-308. <http://dx.doi.org/10.2478/v10001-007-0022-4>.
- Zwank, L; Berg, M; Schmidt, TC; Haderlein, SB. (2003). Compound-specific carbon isotope analysis of volatile organic compounds in the low-microgram per liter range. *Anal Chem.* 75: 5575-5583. <http://dx.doi.org/10.1021/ac034230i>.
- Zytner, R; Biswas, N; Bewtra, JK. (1989). Adsorption and desorption of perchloroethylene in soils, peat moss, and granular activated carbon. *Can J Civ Eng.* 16: 798-806. <http://dx.doi.org/10.1139/l89-123>.

## Environmental Hazard Literature Search Results

### On Topic

- Ahmad, N; Benoit, D; Brooke, L; Call, D; Carlson, A; Defoe, D; Huot, J; Moriarity, A; Richter, J; Shubat, P; Veith, G; Wallbridge, C. (1984). Aquatic Toxicity Tests to Characterize the Hazard of Volatile Organic Chemicals in Water: A Toxicity Data Summary--Parts I and II. EPA 600/3-84-009, USEPA, Duluth, MN103 p.

## Environmental Hazard Literature Search Results

### On Topic

- Alexander, HC; McCarty, WM; Bartlett, EA. (1978). Toxicity of Perchloroethylene, Trichloroethylene, 1,1,1-Trichloroethane, and Methylene Chloride to Fathead Minnows. *Bull Environ Contam Toxicol* 20: 344-352 (OECDG Data File).
- Altmann, L; Wiegand, H; Bottger, A. (1992). Neurobehavioral and Neurophysiological Outcomes of Acute Repeated Perchloroethylene Exposure. *Appl Psychol* 41: 269-279.
- Anon. (1987). Chemical and Biological Sampling Program on Scippo Creek. 17 p. (OTS0517121).
- Ashby, J; Tennant, RW. (1991). Definitive Relationships Among Chemical Structure, Carcinogenicity and Mutagenicity for 301 Chemicals Tested by the U.S. NTP. *Mutat Res* 257: 229-306.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology* 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Bacsi, I; Toeroek, T; B-Beres, V; Toeroek, P; Tothmeresz, B; Nagy, AS; Vasas, G. (2013). Laboratory and microcosm experiments testing the toxicity of chlorinated hydrocarbons on a cyanobacterium strain (*Synechococcus* PCC 6301) and on natural phytoplankton assemblages. *Hydrobiologia* 710: 189-203. <http://dx.doi.org/10.1007/s10750-012-1364-x>.
- Barrows, ME; Petrocelli, SR; Macek, KJ; Carroll, JJ. (1978). Bioconcentration and Elimination of Selected Water Pollutants by Bluegill Sunfish (*Lepomis macrochirus*). 176: 379-392.
- Bazin, C; Chambon, P; Bonnefille, M; Larbaigt, G. (1987). Compared Sensitivity of Luminescent Marine Bacteria (*Photobacterium phosphoreum*) and *Daphnia* Bioassays (Comparaison des Sensibilites du Test de Luminescence Bacterienne (*Photobacterium phosphoreum*) et du Test *Daphnie* (*Daphnia magna*) pour 14 Substances a Risque Toxique Eleve). 6: 403-413(FRE) (ENG ABS).
- Berger, T; Horner, CM. (2003). In vivo exposure of female rats to toxicants may affect oocyte quality. *Reprod Toxicol* 17: 273-281. [http://dx.doi.org/10.1016/S0890-6238\(03\)00009-1](http://dx.doi.org/10.1016/S0890-6238(03)00009-1); <http://www.sciencedirect.com/science/article/pii/S0890623803000091>.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernard, AM; de Russis, R; Normand, JC; Lauwerys, RR. (1989). Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague-Dawley rat. *Toxicol Lett* 45: 271-280.
- Blum, DJ; Speece, RE. (1990). Determining Chemical Toxicity to Aquatic Species. *Environ Sci Technol* 24: 284-293.
- Blum, DJ; Speece, RE. (1991). A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. 63: 198-207.
- Bois, FY; Gelman, A; Jiang, J; Maszle, DR; Zeise, L; Alexeef, G. (1996). Population toxicokinetics of tetrachloroethylene. *Arch Toxicol* 70: 347-355. <http://dx.doi.org/10.1007/s002040050284>; <http://link.springer.com/article/10.1007%2Fs002040050284>.
- Botsford, JL. (1998). A simple assay for toxic chemicals using a bacterial indicator. *World J Microbiol Biotechnol* 14: 369-376.
- Botsford, JL; Rivera, J; Navarez, J; Riley, R; Wright, T; Baker, R. (1997). Assay for Toxic Chemicals Using Bacteria. *Bull Environ Contam Toxicol* 59: 1000-1009.
- Brack, W; Frank, H. (1998). Chlorophyll a fluorescence: A tool for the investigation of toxic effects in the photosynthetic apparatus. *Ecotoxicol Environ Saf* 40: 34-41.
- Brack, W; Rottler, H. (1994). Toxicity testing of highly volatile chemicals with green algae: A new assay. 1: 223-228.
- Bringmann, G; Kuehn, R. (1982). Results of Toxic Action of Water Pollutants on *Daphnia magna* Straus Tested by an Improved Standardized Procedure. 15: 1-6(GER) (ENG ABS) (OECDG Data File).
- Briving, C; Jacobson, I; Hamberger, A; Kjellstrand, P; Haglid, KG; Rosengren, LE. (1986). Chronic effects of perchloroethylene and trichloroethylene on the gerbil brain amino acids and glutathione. *Neurotoxicology* 7: 101-108.
- Broderius, S; Kahl, M. (1985). Acute toxicity of organic chemical mixtures to the fathead minnow. *Aquat Toxicol* 6: 307-322.
- Brooke, L. (1987). Report of the Flow-Through and Static Acute Test Comparisons with Fathead Minnows and Acute Tests with an Amphipod and a Cladoceran. 24 p.
- Buccafusco, RJ; Ells, SJ; Leblanc, GA. (1981). Acute toxicity of priority pollutants to bluegill (*Lepomis macrochirus*). *Bull Environ Contam Toxicol* 26: 446-452. <http://dx.doi.org/10.1007/BF01622118>.
- Burger, J; Kannan, K; Giesy, JP; Grue, C; Gochfeld, M. (2002). Effects of Environmental Pollutants on Avian Behaviour. 337-375.
- Bysshe, SE. (1990). Bioconcentration Factor in Aquatic Organisms. 5: 5.1 - 5.30.
- Call, DJ; Brooke, LT; Ahmad, N. (1979). Toxicity, Bioconcentration and Metabolism of Selected Chemicals in Aquatic Organisms. 38 p.
- Call, DJ; Brooke, LT; Ahmad, N. (1980). Toxicity, Bioconcentration, and Metabolism of Selected Chemicals in Aquatic Organisms. 80 p.
- Call, DJ; Brooke, LT; Ahmad, N; Richter, JE. (1983). Toxicity and Metabolism Studies with EPA (Environmental Protection Agency) Priority Pollutants and Related Chemicals in Freshwater Organisms. 120 p. (NTIS/PB183-263665)(Publ in part as Ecoref 210695,210448,264433,215981,153322).
- Call, DJ; Brooke, LT; Kent, RJ. (1983). Toxicity, Bioconcentration, and Metabolism of Five Herbicides in Freshwater Fish. 99 p. (Publ As 15275, 10635, 12612) (PB15283-15299 p. (Publ As 15275, 10635, 12612263681).
- Call, DJ; Brooke, LT; Kent, RJ; Ahmad, N; Richter, JE. (1982). Toxicological Studies with Herbicides, Selected EPA Priority Pollutants and Related Chemicals in Aquatic Organisms. 8 p.
- Callahan, CA; Shirazi, MA; Neuhauser, EF. (1994). Comparative toxicity of chemicals to earthworms. *Environ Toxicol Chem* 13: 291-298. <http://dx.doi.org/10.1002/etc.5620130213>.
- Chaudri, AMM, S. P. Knight, B. P. Johnson, D. L. Jones, K. C. (1996). Toxicity of organic compounds to the indigenous population of *Rhizobium leguminosarum* biovar *trifolii* in soil. *Soil Biol Biochem* 28: 1483-1487.

## Environmental Hazard Literature Search Results

### On Topic

- Chemical, D. (1987). Toxicological Properties and Industrial Handling Hazards of Perchloroethylene Containing Epichlorohydrin, Thymol and N-Methyl Pyrrole. 6 p. (NTIS/OTS 0515972).
- Clewell, HJ; Gentry, PR; Kester, JE; Andersen, ME. (2006). Evaluation of Physiologically Based Pharmacokinetic Models in Risk Assessment: An Example with Perchloroethylene. 35: 413-433.
- Co, DC. (1987). Guinea Pig Skin Sensitization Studies Conducted on Inhibited Perchloroethylene Dow PER, Dow PER CS, and Dow PER CS with 300 Hexachlorophene Added. 1 p. (OTS0515830).
- Connell, DW. (1990). Evaluation of the Bioconcentration Factor, Biomagnification Factor, and Related Physicochemical Properties of Organic Compounds. 9-45.
- Connell, DW; Schueuermann, G. (1988). EVALUATION OF VARIOUS MOLECULAR PARAMETERS AS PREDICTORS OF BIOCONCENTRATION IN FISH. *Ecotoxicol Environ Saf* 15: 324-335.
- Corp., S. R. (1978). Results of Continuous Exposure of Fathead Minnow Embryo to 21 Priority Pollutants. 46 p. (NTIS/OTS0511060)(Publ in Part as 0515175, 0515184, 0515590, 0519607, 0519953, 0510366, 0510427, 0120941).
- Crebelli, R; Andreoli, C; Carere, A; Conti, L; Crochi, B; Cotta-Ramusino, M; Benigni, R. (1995). Toxicology of halogenated aliphatic hydrocarbons: Structural and molecular determinants for the disturbance of chromosome segregation and the induction of lipid peroxidation. *Chem Biol Interact* 98: 113-129. [http://dx.doi.org/10.1016/0009-2797\(95\)03639-3](http://dx.doi.org/10.1016/0009-2797(95)03639-3).
- Davies, RP; Dobbs, AJ. (1984). The Prediction of Bioconcentration in Fish. 18: 1253-1262.
- Dawood, IK; Dazo, BC. (1966). Field Tests on Two New Molluscicides (Molucid and WL 8008) in the Egypt-49 Project Area. 35: 913-920.
- De Foe, DL. (1980). Tetrachloroethylene Bioassay Results. 4 p.
- De Rooij, C; Boutonnet, JC; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Tetrachloroethylene. *Environ Monit Assess* 53: 489-508.
- Deneer, JW; Sinnige, TL; Seinen, W; Hermens, JL. (1988). The Joint Acute Toxicity to Daphnia-Magna of Industrial Organic Chemicals at Low Concentrations. *Aquat Toxicol* 12: 33-38.
- Devillers, J; Zakarya, D; Chastrette, M. (1988). A predictive correlation for the acute toxicity of organic pollutants to *Pimephales promelas*. *Chemosphere* 17: 1531-1537. [http://dx.doi.org/10.1016/0045-6535\(88\)90205-6](http://dx.doi.org/10.1016/0045-6535(88)90205-6).
- Dybing, F; Dybing, O. (1946). The toxic effect of tetrachlormethane and tetrachlorethylene in oily solution. *Acta Pharmacol Toxicol* 2: 223-226. <http://dx.doi.org/10.1111/j.1600-0773.1946.tb02612.x>.
- E.G; Bionomics, G. (1977). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. 12 p.
- Eckhardt, DA; Reddy, JE; Shaw, SB. (2009). Groundwater quality in central New York, 2007 (pp. 48 p.). (Open-File Report 2009-1257). Troy, NY: U.S. Department of the Interior, U.S. Geological Survey, New York Water Science Center. <http://pubs.usgs.gov/of/2009/1257/>.
- Ellis, DD; Jone, CM; Larson, RA; Schaeffer, DJ. (1982). Organic Constituents of Mutagenic Secondary Effluents from Wastewater Treatment Plants. 11: 373-382.
- Elovaara, E; Hemminki, K; Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology* 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- Emmert, B; Bünger, J; Keuch, K; Müller, M; Emmert, S; Hallier, E; Westphal, GA. (2006). Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent *S. typhimurium* strain YG7108pin3ERb5. *Toxicology* 228: 66-76. <http://dx.doi.org/10.1016/j.tox.2006.08.013>.
- Ennever, FK; Rosenkranz, HS. (1989). APPLICATION OF THE CARCINOGENICITY PREDICTION AND BATTERY SELECTION METHOD TO RECENT NATIONAL TOXICOLOGY PROGRAM SHORT-TERM TEST DATA. *Environ Mol Mutagen* 13: 332-338.
- Epa/Ots. (1991). Initial Submission: Perchloroethylene Solvent Formulation: Acute Toxicological Properties & Industrial Handling Hazards, with Cover Letter Dated 102591 (Sanitized). (NTIS/OTS0574294).
- Erickson, SJ; Freeman, AE. (1978). Toxicity Screening of Fifteen Chlorinated and Brominated Compounds Using Four Species of Marine Phytoplankton. 2: 307-310.
- Erickson, SJ; Hawkins, CE. (1980). Effects of Halogenated Organic Compounds on Photosynthesis in Estuarine Phytoplankton. 24: 910-915.
- Fabricant, JD; Chalmers, JH, Jr. (1980). Evidence of the mutagenicity of ethylene dichloride and structurally related compounds. In B Ames; P Infante; R Reitz (Eds.), (pp. 309-329). Cold Spring Harbor, NY: Cold Spring Harbor Laboratory. <http://www.cshlpress.com/default.tpl?cart=128025549521437&action=full&--eqskudatarq=288>.
- Faria-Júnior, NBL, L. E. Guerreiro-Tanomaru, J. M. Berbert, F. L. Tanomaru-Filho, M. (2011). Effectiveness of three solvents and two associations of solvents on gutta-percha and resilon. *Braz Dent J* 22: 41-44.
- Feng, L; Han, S; Zhao, Y; Wang, L; Chen, J. (1996). Toxicity of organic chemicals to fathead minnow: A united quantitative structure. Activity relationship model and its application. *Chem Res Toxicol* 9: 610-613. <http://dx.doi.org/10.1021/tx950166r>.
- Fentem, JHA, G. E. Balls, M. Botham, P. A. Curren, R. D. Earl, L. K. Esdaile, D. J. Holzhuetter, H. G. Liebsch, M. (1998). The ECVAM International Validation Study on in vitro tests for skin corrosivity. 2. Results and evaluation by the management team. *Toxicol In Vitro* 12: 483-524.
- Ferrario, JB; Lawler, GC; Deleon, IR; Laseter, JL. (1985). Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam Toxicol* 34: 246-255. <http://dx.doi.org/10.1007/BF01609730>.
- Fisher, DJ; Burton, DT; Paulson, RL. (1990). Acute toxicity of a complex mixture of synthetic hexachloroethane (HC) smoke combustion products: II. Determination of component toxicity. *Environ Toxicol Chem* 9: 755-760.
- Frantz, SW; Watanabe, PG. (1983). Tetrachloroethylene: Balance and tissue distribution in male Sprague-Dawley rats by drinking-water administration. *Toxicol Appl Pharmacol* 69: 66-72. [http://dx.doi.org/10.1016/0041-008X\(83\)90120-5](http://dx.doi.org/10.1016/0041-008X(83)90120-5).
- Fredriksson, A; Danielsson, BRG; Eriksson, P. (1993). Altered Behavior in Adult Mice Orally Exposed to Tri- and Tetrachloroethylene as Neonates. 66: 13-19.

## Environmental Hazard Literature Search Results

### On Topic

- Fung, VA; Huff, J; Weisburger, EK; Hoel, DG. (1993). Predictive Strategies for Selecting 379 NCI/NTP Chemicals Evaluated for Carcinogenic Potential: Scientific and Public Health Impact. 20: 413-436.
- Gehring, PJ. (1968). Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. *Toxicol Appl Pharmacol* 13: 287-298.
- Geiger, DL; Northcott, CE; Call, DJ; Brooke, LTe. (1985). Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*): volume II (pp. 326 p.). AQUA.
- Genoni, GP. (1997). Influence of the energy relationships of organic compounds on their specificity toward aquatic organisms. *Ecotoxicol Environ Saf* 36: 99-108. <http://dx.doi.org/10.1006/eesa.1996.1490>.
- Giesy, JP; Graney, RL. (1989). Recent Developments in and Intercomparisons of Acute and Chronic Bioassays and Bioindicators. 188/189: 21-60.
- Gill, AC; Robinson, JA; Redmond, JE; Bradley, MW. (2008). Assessment of Water-Quality Conditions in Fivemile Creek in the Vicinity of the Fivemile Creek Greenway, Jefferson County, Alabama, 2003-2005. 114 p.
- Gold, LS; Slone, TH; Stern, BR; Bernstein, L. (1993). Comparison of target organs of carcinogenicity for mutagenic and non-mutagenic chemicals [Review]. *Mutat Res-Fundam Mol Mech Mutagen* 286: 75-100. [http://dx.doi.org/10.1016/0027-5107\(93\)90004-Y](http://dx.doi.org/10.1016/0027-5107(93)90004-Y).
- Goldsworthy, TL; Lyght, O; Burnett, VL; Popp, JA. (1988). Potential Role of alpha-2mu-Globulin, Protein Droplet Accumulation, and Cell Replication in the Renal Carcinogenicity of Rats Exposed to Trichlorethylene, Perchloroethylene, and Pentachloroethane. 96: 367-379.
- Hahn, J; Hansen, HP; Rotard, W; Pattard, M; Bock, R; Pluta, W. (1989). 1,2-Dichloroethane. (OECDG Data File).
- Hamada, N; Peterson, RE. (1977). Effect of chlorinated aliphatic hydrocarbons on excretion of protein and electrolytes by rat pancreas. *Toxicol Appl Pharmacol* 39: 185-194.
- Hamada, TT, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut* 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health* 7: 66-75.
- Haseman, JK. (1988). Lack of cage effects on liver tumor incidence in B6C3F1 mice. *Fundam Appl Toxicol* 10: 179-187. [http://dx.doi.org/10.1016/0272-0590\(88\)90262-X](http://dx.doi.org/10.1016/0272-0590(88)90262-X).
- Haseman, JK; Clark, AM. (1990). Carcinogenicity results for 114 laboratory animal studies used to assess the predictivity of four in vitro genetic toxicity assays for rodent carcinogenicity. *Environ Mol Mutagen* 16: 15-31. <http://dx.doi.org/10.1002/em.2850160503>.
- Haseman, JK; Huff, JE; Zeiger, E; McConnell, EE. (1987). Comparative Results of 327 Chemical Carcinogenicity Studies. 74: 229-235.
- Hawker, DW; Connell, DW. (1985). Relationships Between Partition Coefficient, Uptake Rate Constant, Clearance Rate Constant and Time to Equilibrium for Bioaccumulation. 14: 1205-1219.
- Hawkins, WE; Fournie, JW; Ishikawa, T; Walker, WW. (1996). Germ Cell Neoplasms in Japanese Medaka. 8: 120-129.
- Hayes, JR; Condie, LW, Jr. ; Borzelleca, JF. (1986). The subchronic toxicity of tetrachloroethylene (perchloroethylene) administered in the drinking water of rats. *Fundam Appl Toxicol* 7: 119-125.
- Heitmuller, PT; Hollister, TA; Parrish, PR. (1981). Acute toxicity of 54 industrial chemicals to sheepshead minnows (*Cyprinodon variegatus*). *Bull Environ Contam Toxicol* 27: 596-604. <http://dx.doi.org/10.1007/BF01611069>.
- Hendriks, AJ; Stouten, MD. (1993). Monitoring the response of microcontaminants by dynamic *Daphnia magna* and *Leuciscus idus* assays in the Rhine delta: Biological early warning as a useful supplement. *Ecotoxicol Environ Saf* 26: 265-279.
- Hiatt, MH. (1983). Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography-mass spectrometry. *Anal Chem* 55: 506-516.
- Hoigne, J. (1997). Inter-Calibration of OH Radical Sources and Water Quality Parameters. 35: 1-8.
- Holcombe, G; Phipps, G. (1980). Acute Testing Series for Chlorinated Aliphatic Hydrocarbons and Pesticides Completed. 5-6.
- Holcombe, GW. (1979). Additional Data for Criteria Documents. 4 p.
- Hollister, TA; Parker, AH, Jr. ; Parrish, PR. (1968). Acute and Chronic Toxicity of Five Chemicals to Mysid Shrimp (*Mysidopsis bahia*). 15 p. (Publ in Part As 4809, 5184, 5590, 9607, 10366, 83162, 83925).
- Horne, JD; Swirsky, MA; Hollister, TA; Oblad, BR; Kennedy, JH. (1983). Aquatic Toxicity Studies of Five Priority Pollutants. 196 p.
- Hulzebos, EM; Adema, DM; Dirven-Van Breemen, EM; Henzen, L; Van Dis, WA; Herbold, HA; Hoekstra, JA; Baerselman, R; Van Gestel, CA. (1993). Phytotoxicity studies with *Lactuca sativa* in soil and nutrient solution. *Environ Toxicol Chem* 12: 1079-1094.
- Hulzebos, EM; Dirven-Van Breemen, EM; Van Dis, WA; Van Gestel, CAN. (1989). Toxiciteit van het RIVM-Aandeel in Het Proj. Fytotoxiciteit 2. (Report 718710002)(OECDG Data Files).
- Isnard, P; Lambert, S. (1988). Estimating Bioconcentration Factors from Octanol-Water Partition Coefficient and Aqueous Solubility. 17: 21-34.
- Kahl, MD; Villeneuve, DL; Stevens, K; Schroeder, A; Makynen, EA; Lalone, CA; Jensen, KM; Hughes, M; Holmen, BA; Eid, E; Durhan, EJ; Cavallin, JE; Berninger, J; Ankley, GT. (2014). An Inexpensive, Temporally Integrated System for Monitoring Occurrence and Biological Effects of Aquatic Contaminants in the Field. 33: 1584-1595 (Supplemental Journal Materials).
- Kefalas, V; Stacey, NH. (1991). Potentiating effects of chlorinated hydrocarbons on carbon tetrachloride toxicity in isolated rat hepatocytes and plasma membranes. *Toxicol Appl Pharmacol* 109: 171-179.
- Kenaga, EE. (1975). Partitioning and Uptake of Pesticides in Biological Systems. 6: 217-273.
- Kerster, HW; Schaeffer, DJ. (1983). Brine shrimp (*Artemia salina*) nauplii as a teratogen test system. *Ecotoxicol Environ Saf* 7: 342-349.
- Klaassen, CD; Plaa, GL. (1966). Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol* 9: 139-151.

## Environmental Hazard Literature Search Results

### On Topic

- Klaassen, CD; Plaa, GL. (1967). Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol* 10: 119-131.
- Kluwe, WM; Abdo, KM; Huff, J. (1984). CHRONIC KIDNEY DISEASE AND ORGANIC CHEMICAL EXPOSURES EVALUATIONS OF CAUSAL RELATIONSHIPS IN HUMANS AND EXPERIMENTAL ANIMALS. *Fundam Appl Toxicol* 4: 899-901.
- Kluwe, WM; Herrmann, CL; Hook, JB. (1979). Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. *J Toxicol Environ Health* 5: 605-615. <http://dx.doi.org/10.1080/15287397909529773>.
- Knie, J; Halke, A; Juhnke, I; Schiller, W. (1983). Results of Studies on Chemical Substances with Four Biotests (Ergebnisse der Untersuchungen von Chemischen Stoffen mit vier Biotests). 27: 77-79(GER) (ENG ABS) (OECDG Data File).
- Koch, R. (1982). Chemical Structure Parameters as Criteria for the Classification of Environmental Pollutants (Strukturchemische Parameter als Kriterien zur Klassifizierung von Umweltschadstoffen). 11: 511-520(GER).
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1990). Long-term exposure of rats to perchloroethylene, with and without a post-exposure solvent-free recovery period: Effects on brain lipids. *Toxicol Lett* 52: 279-285. [http://dx.doi.org/10.1016/0378-4274\(90\)90037-M](http://dx.doi.org/10.1016/0378-4274(90)90037-M).
- Laboratory, ER. (2000). Pre-Publication Copy of Study Entitled "Acute Toxicity of Nonspecific Organic Chemical Mixture to the Fathead Minnow" with Cover Letter Dated 030585. (NTIS/OTS0519541).
- Labra, M; Mattia, F; Bernasconi, M; Bertacchi, D; Grassi, F; Bruni, I; Citterio, S. (2010). The Combined Toxic and Genotoxic Effects of Chromium and Volatile Organic Contaminants to *Pseudokirchneriella subcapitata*. *Water Air Soil Pollut* 213: 57-70. <http://dx.doi.org/10.1007/s11270-010-0367-3>.
- Lammer, E; Carr, GJ; Wendler, K; Rawlings, JM; Belanger, SE; Braunbeck, T. (2009). Is the Fish Embryo Toxicity Test (FET) with the Zebrafish (*Danio rerio*) a Potential Alternative for the Fish Acute Toxicity Test? 149: 196-209.
- Lash, LH; Putt, DA; Huang, P; Hueni, SE; Parker, JC. (2007). Modulation of hepatic and renal metabolism and toxicity of trichloroethylene and perchloroethylene by alterations in status of cytochrome P450 and glutathione. *Toxicology* 235: 11-26. <http://dx.doi.org/10.1016/j.tox.2007.03.001>.
- Leblanc, GA. (1980). Acute toxicity of priority pollutants to water flea (*Daphnia magna*). *Bull Environ Contam Toxicol* 24: 684-691. <http://dx.doi.org/10.1007/BF01608174>.
- Leblanc, GA. (1984). Interspecies relationships in acute toxicity of chemicals to aquatic organisms. *Environ Toxicol Chem* 3: 47-60.
- Lehman-McKeeman, LD. (1993). MALE RAT-SPECIFIC LIGHT HYDROCARBON NEPHROPATHY (pp. TOXICOLOGY OF THE KIDNEY). (BIOSIS/93/07925). Lehman-McKeeman, LD.
- Lochner, F. (1978). Perchloroethylene in the Environment (Perchloräthylen in der Umwelt). 227-233(GER).
- Lock, EAS, Y. Moore, R. B. Finkelstein, M. B. Anders, M. W. Seawright, A. A. (1996). Bone marrow and renal injury associated with haloalkene cysteine conjugates in calves. *Arch Toxicol* 70: 607-619. <http://dx.doi.org/10.1007/s002040050319>.
- Loekle, DM; Schechter, AJ; Christian, JJ. (1983). Effects of Chloroform, Tetrachloroethylene, and Trichloroethylene on Survival, Growth, and Liver of *Poecilia sphenops*. 30: 199-205.
- Mackay, D. (1982). Correlation of Bioconcentration Factors. 16: 274-278.
- Mackenzie, CL, Jr. ; Shearer, LW. (1959). Chemical Control of *Polydora websteri* and Other Annelids Inhabiting Oyster Shells. 50: 105-111.
- Magee, PS. (1991). COMPLEX FACTORS IN HYDROCARBON-WATER SOIL-WATER AND FISH-WATER PARTITIONING (pp. AMSTERDAM). (BIOSIS/92/22527). Magee, PS.
- Marsalek, J. (1986). Municipal Sources of Selected Trace Organics in Sarnia. 21: 422-432.
- McConnell, G; Ferguson, DM; Pearson, CR. (1975). Chlorinated hydrocarbons and the environment. *Endeavour* 34: 13-18.
- Mcdaniel, TV; Martin, PA; Ross, N; Brown, S; Lesage, S; Pauli, BD. (2004). Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol* 47: 101-109. <http://dx.doi.org/10.1007/s00244-004-3015-3>.
- Mcgregor, DB; Brown, A; Cattanaach, P; Edwards, I; McBride, D; Riach, C; Caspary, WJ. (1988). Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. *Environ Mol Mutagen* 12: 85-154. <http://dx.doi.org/10.1002/em.2860120111>.
- Mendelsohn, ML; Moore DH, II; Lohman, PHM. (1992). A method for comparing and combining short-term genotoxicity test data: results and interpretation. *DNA Repair* 266: 43-60.
- Mishima, NH, S. Hill, E. G. Krug, E. L. (2006). Chick embryos exposed to trichloroethylene in an ex ovo culture model show selective defects in early endocardial cushion tissue formation. *Birth Defects Res A Clin Mol Teratol* 76: 517-527. <http://dx.doi.org/10.1002/bdra.20283>.
- Miyagawa, M; Takasawa, H; Sugiyama, A; Inoue, Y; Murata, T; Uno, Y; Yoshikawa, K. (1995). The in vivo-in vitro replicative DNA synthesis (RDS) test with hepatocytes prepared from male B6C3F1 mice as an early prediction assay for putative nongenotoxic (Ames-negative) mouse hepatocarcinogens. *Mutat Res Genet Toxicol* 343: 157-183.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A MULTIDISCIPLINARY APPROACH TO TOXICOLOGICAL SCREENING .3. NEUROBEHAVIORAL TOXICITY. *J Toxicol Environ Health* 45: 173-210.
- Moslen, MT; Reynolds, ES; Szabo, S. (1977). Enhancement of the metabolism and hepatotoxicity of trichloroethylene and perchloroethylene. *Biochem Pharmacol* 26: 369-375. [http://dx.doi.org/10.1016/0006-2952\(77\)90193-9](http://dx.doi.org/10.1016/0006-2952(77)90193-9).
- Muller, JFH, D. W. Connell, D. W. (1994). CALCULATION OF BIOCONCENTRATION FACTORS OF PERSISTENT HYDROPHOBIC COMPOUNDS IN THE AIR/VEGETATION SYSTEM. *Chemosphere* 29: 623-640.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Neely, WB; Branson, DR; Blau, GE. (1974). Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environ Sci Technol* 8: 1113-1115. <http://dx.doi.org/10.1021/es60098a008>.

## Environmental Hazard Literature Search Results

### On Topic

- Nelson, BK; Taylor, BJ; Setzer, JV. (1980). Behavioral Teratology of Perchloroethylene in Rats. 3: 233-250.
- Niederlehner, B; Cairns, J; Smith, E. (1998). Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf* 39: 136-146. <http://dx.doi.org/10.1006/eesa.1997.1621>.
- Nirmalakhandan, N; Arulgnanendran, V; Mohsin, M; Sun, B; Cadena, F. (1994). Toxicity of mixtures of organic chemicals to microorganisms. *Water Res* 28: 543-551.
- Nishiuchi, Y. (1974). Testing Methods for the Toxicity of Agricultural Chemicals to Aquatic Organisms. 19: 15-19.
- NTP (National Toxicology Program). (1986). Toxicology and Carcinogenesis Studies of Tetrachloroethylene (Perchloroethylene) (CAS No. 127-18-4) in F344/N Rats and B6C3F1 Mice (Inhalation Studies). In NTP TechRepSerNo311 (pp. 197 p.).
- Nystrom, EA. (2009). Groundwater Quality in the Upper Hudson River Basin, New York, 2007. 1240: 48 p.
- Nystrom, EA. (2010). Open-File Rep. (U. S. Geol. Surv.) Groundwater quality in the Lower Hudson River Basin, New York, 2008: U.S. Geological Survey.
- Ostrowski, SR; Wilbur, S; Chou, CH; Pohl, HR; Stevens, YW; Allred, PM; Roney, N; Fay, M; Tylenda, CA. (1999). Agency for Toxic Substances and Disease Registry's 1997 priority list of hazardous substances. Latent effects--carcinogenesis, neurotoxicology, and developmental deficits in humans and animals [Review]. *Toxicol Ind Health* 15: 602-644. <http://dx.doi.org/10.1177/074823379901500702>.
- Pearson, CR; Mcconnell, G. (1975). Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc Biol Sci* 189: 305-332.
- Pegg, DG; Zempel, JA; Braun, WH; Watanabe, PG. (1979). Disposition of tetrachloro(14C)ethylene following oral and inhalation exposure in rats. *Toxicol Appl Pharmacol* 51: 465-474.
- Peijnenburg, W; T'Hart, MJ; Den Hollander, HA; Van De Meent, D; Verboom, HH; Wolfe, NL. (1991). QSARs for Predicting Biotic and Abiotic Reductive Transformation Rate Constants of Halogenated Hydrocarbons in Anoxic Sediment Systems. 283-300.
- Philip, BK; Mumtaz, MM; Latendresse, JR; Mehendale, HM. (2007). Impact of repeated exposure on toxicity of perchloroethylene in Swiss Webster mice. *Toxicology* 232: 1-14. <http://dx.doi.org/10.1016/j.tox.2006.12.018>; <http://www.sciencedirect.com/science/article/pii/S0300483X06007384>.
- Protic, M; Sabljic, A. (1989). Quantitative structure-activity relationships of acute toxicity of commercial chemicals on fathead minnows: effect of molecular size. *Aquat Toxicol* 14: 47-64.
- Richter, JE; Peterson, SF; Kleiner, CF. (1983). Acute and Chronic Toxicity of some Chlorinated Benzenes, Chlorinated Ethanes, and Tetrachloroethylene to *Daphnia magna*. 12: 679-684 (OECDG Data File).
- Roark, RC; Cotton, RT. (1929). Tests of Various Aliphatic Compounds as Fumigants. 52 p.
- Robinson, PW. (1999). The Toxicity of Pesticides and Organics to Mysid Shrimps can be Predicted from *Daphnia* spp. *Toxicity Data*. 33: 1545-1549.
- Roderer, G. (1990). *Testung Wassergefahrdender Stoffe als Grundlage fur Wasserqualitätsstandards*. Testbericht: Wassergefahrdende Stoffe. (GER) (OECDG Data File).
- Rodricks, JV; Swenberg, JA; Borzelleca, JF; Maronpot, RR; Shipp, AM. (2010). Triclosan: A critical review of the experimental data and development of margins of safety for consumer products. *Crit Rev Toxicol* 40: 422-484. <http://dx.doi.org/10.3109/10408441003667514>.
- Rombke, J; Bauer, C; Brodesser, J; Brodsky, J; Dannenberg, G; Heimann, D; Renner, I; Schallnass, HJ. (1995). Basis for the Assessment of the Ecotoxicological Potential of "Old Chemicals" in the Terrestrial Environment - Development of a Testing Strategy (Grundlagen fur die Beurteilung des Okotoxikologischen Gefahrdungspotentials von Altstoffen im Medium Boden - Entwicklung einer Teststrategie). 369 p.(GER) (ENG ABS).
- Rosengren, LE; Kjellstrand, P; Haglid, KG. (1986). Tetrachloroethylene: Levels of DNA and S-100 in the gerbil CNS after chronic exposure. *Neurobehav Toxicol Teratol* 8: 201-206.
- Rosenkranz, HS; Klopman, G. (1990). 'Cryptic' mutagens and carcinogenicity [Review]. *Mutagenesis* 5: 199-202. <http://dx.doi.org/10.1093/mutage/5.2.199>.
- Rosenkranz, HS; Klopman, G. (1996). A study of the structural basis of the ability of chlorinated alkanes and alkenes to induce aneuploidy and toxicity in the mold *Aspergillus nidulans*. *Mutat Res* 354: 183-193.
- Russom.C.L; Broderius, SJ. (1991). A Chronic Aquatic Toxicity Database for Development of Predictive Toxicology Models for Industrial Organic Chemicals. 75 p.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Sample, BE; Arenal, CA. (1999). Allometric models for interspecies extrapolation of wildlife toxicity data. *Bull Environ Contam Toxicol* 62: 653-663.
- Sanchez-Fortun, S; Sanz, F; Santa-Maria, A; Ros, JM; De Vicente, ML; Encinas, MT; Vinagre, E; Barahona, MV. (1997). Acute sensitivity of three age classes of *Artemia salina* larvae to seven chlorinated solvents. *Bull Environ Contam Toxicol* 59: 445-451. <http://dx.doi.org/10.1007/s001289900498>.
- Savolainen, H; Pfaffli, P; Tengén, M; Vainio, H. (1977). Biochemical and behavioural effects of inhalation exposure to tetrachlorethylene and dichlormethane. *J Neuropathol Exp Neurol* 36: 941-949.
- Schell, JDJ. (1987). Interactions of Halogenated Hydrocarbon Mixtures in the Embryo of the Japanese Medaka (*Oryzias latipes*). 179 p.
- Schubert, U; Wisanowsky, L; Kull, U. (1995). Determination of Phytotoxicity of Several Volatile Organic Compounds by Investigating the Germination Pattern of Tobacco Pollen. 145: 514-518 (OECDG Data File).
- Schuermann, G; Klein, W. (1988). Advances in Bioconcentration Prediction. 17: 1551-1574.

## Environmental Hazard Literature Search Results

### On Topic

- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Seo, M; Ikeda, K; Okamura, T; Kida, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Enhancing effect of chlorinated organic solvents on histamine release and inflammatory mediator production. *Toxicology* 243: 75-83. <http://dx.doi.org/10.1016/j.tox.2007.09.024>; <http://www.sciencedirect.com/science/article/pii/S0300483X07006737>.
- Shubat, PJ; Poirier, SH; Knuth, ML; Brooke, LT. (1982). Acute Toxicity of Tetrachloroethylene and Tetrachloroethylene with Dimethylformamide to Rainbow Trout (*Salmo gairdneri*). 28: 7-10.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health* 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Singhal, KCC, O. Saxena, P. N. (1972). An in vivo method for the screening of antifilarial agents using *Setaria cervi* as test organism. *Jpn J Pharmacol* 22: 175-179.
- Smith, AD; Bharath, A; Mallard, C; Orr, D; Smith, K; Sutton, JA; Vukmanich, J; McCarty, LS; Ozburn, GW. (1991). The acute and chronic toxicity of ten chlorinated organic compounds to the American flagfish (*Jordanella floridae*). *Arch Environ Contam Toxicol* 20: 94-102. <http://dx.doi.org/10.1007/BF01065334>.
- Snow, DH. (1973). The effects of pyrantel pamoate and tetrachlorethylene on several blood enzyme levels in the greyhound. *Aust Vet J* 49: 269-272.
- Specht, WL; Klaine, SJ; Hook, DD. (1996). Rapid bioassessment methods for assessing vegetation toxicity at the Savannah River Site - germination tests and root elongation trials (pp. 167 p. (NTIS #DE97060221)). (NTIS/03000616). SOIL,ENV.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2002). Effects of tetrachloroethylene on the viability and development of embryos of the Japanese medaka, *Oryzias latipes*. *Arch Environ Contam Toxicol* 42: 463-469. <http://dx.doi.org/10.1007/s00244-001-0050-1>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol* 27: 1-5.
- Spring, SE; Miles, AK; Anderson, MJ. (2004). Effects of trichloroethylene and perchloroethylene on wild rodents at Edwards Air Force Base, California, USA. *Environ Toxicol Chem* 23: 2162-2169.
- Steiman, R; Seiglemurandi, F; Guiraud, P; Benoitguyod, JL. (1995). TESTING OF CHLORINATED SOLVENTS ON MICROFUNGI. *Environ Toxicol Water Qual* 10: 283-285.
- Steward, JS. (1948). The Reduced Anthelmintic Effect of Tetrachlorethylene in Oily Solutions. 4: 127-129.
- Stoner, GD. (1991). Lung tumors in strain A mice as a bioassay for carcinogenicity of environmental chemicals. *Exp Lung Res* 17: 405-423. <http://dx.doi.org/10.3109/01902149109064428>.
- Strusi, AS, N. (1980). The Effects of Chlorinated Hydrocarbons on the Embryonic Development of the Sea Urchin *Paracentrotus lividus*. 6: 81-94.
- Suter li, GW; Rosen, AE; Linder, E; Parkhurst, DF. (1987). Endpoints for Responses of Fish to Chronic Toxic Exposures. 6: 793-809.
- Sweeney, LM; Kirman, CR; Gargas, ML; Dugard, PH. (2009). Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology* 260: 77-83. <http://dx.doi.org/10.1016/j.tox.2009.03.008>.
- Tampal, N; Myers, S; Pereg, D; Robertson, LW. (2001). Interaction of 4-Chlorobiphenyl and 3,3',4,4'-Tetrachlorobiphenyl with Hemoglobin. 391-393.
- Toraason, M; Clark, J; Dankovic, D; Mathias, P; Skaggs, S; Walker, C; Werren, D. (1999). Oxidative stress and DNA damage in Fischer rats following acute exposure to trichloroethylene or perchloroethylene. *Toxicology* 138: 43-53. [http://dx.doi.org/10.1016/S0300-483X\(99\)00083-9](http://dx.doi.org/10.1016/S0300-483X(99)00083-9); <http://www.sciencedirect.com/science/article/pii/S0300483X99000839>.
- Travis, CC; White, RK; Arms, AD. (1989). A Physiologically Based Pharmacokinetic Approach for Assessing the Cancer Risk of Tetrachloroethylene. 794-796.
- Trenel, J; Kuhn, R. (1982). Bewertung Wassergefährdender Stoffe im Hinblick auf Lagerung, Umschlag und Transport. (GER) (OECDG Data File).
- Tsai, KP; Chen, CY. (2007). An Algal Toxicity Database of Organic Toxicants Derived by a Closed-System Technique. 26: 1931-1939.
- Twerdok, LE; Burton, DT; Gardner, HS; Shedd, TR; Wolfe, MJ. (1997). The use of nontraditional assays in an integrated environmental assessment of contaminated ground water. *Environ Toxicol Chem* 16: 1816-1820. <http://dx.doi.org/10.1002/etc.5620160908>.
- U.S. EPA. (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. 9 p. (PUBL IN PART AS 5175, 5184, 5590, 9953, 10366, 20456, 83925, 120941).
- U.S. EPA. (1980). Ambient water quality criteria for tetrachloroethylene [EPA Report]. (EPA/440/5-80/073). Office of Water. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000M4GG.txt>.
- U.S. EPA. (1980). Water Quality Criteria Documents. 45: 79318-79379(ABS).
- U.S. EPA. (1980). Water Quality Criteria Documents; Availability. 45: 79319-79377.
- U.S. EPA. (1995). Final Water Quality Guidance for the Great Lakes System. 60: 15366-15422.
- Ueberschaer, KH. (1983). Determination of Tetrachloroethylene (PER) Residues in the Tissues of Broilers and Laying Hens, who Received PER Contaminated Feed. 36: 242-247.
- Umezue, T; Yonemoto, J; Soma, Y; Miura, T. (1997). Behavioral effects of trichloroethylene and tetrachloroethylene in mice. *Pharmacol Biochem Behav* 58: 665-671. [http://dx.doi.org/10.1016/S0091-3057\(97\)00046-4](http://dx.doi.org/10.1016/S0091-3057(97)00046-4); <http://www.sciencedirect.com/science/article/pii/S0091305797000464>.
- Uttinger, R; Schlatter, C. (1977). A Review on the Toxicity of Trace Amounts of Tetrachloroethylene in Water. 9: 517-524.



## Environmental Hazard Literature Search Results

### On Topic

- Valencia, R; Mason, JM; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. III. Results of 48 coded compounds tested for the National Toxicology Program. *Environ Mutagen* 7: 325-348. <http://dx.doi.org/10.1002/em.2860070309>.
- Van den Berg, KJ; van Raaij, JA; Bragt, PC; Notten, WR. (1991). Interactions of halogenated industrial chemicals with transthyretin and effects on thyroid hormone levels in vivo. *Arch Toxicol* 65: 15-19. <http://dx.doi.org/10.1007/BF01973497>.
- Veith, GD; Call, DJ; Brooke, LT. (1983). Structure-toxicity relationships for the fathead minnow, *Pimephales promelas*: Narcotic industrial chemicals. *Can J Fish Aquat Sci* 40: 743-748.
- Veith, GD; Macek, KJ; Petrocelli, SR; Carroll, J. (1980). An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. pp: 116-129.
- Vogel, EW; Graf, U; Frei, HJ; Nivard, MM. (1999). The results of assays in *Drosophila* as indicators of exposure to carcinogens [Review]. *IARC Sci Publ* 146: 427-470.
- Vogel, EW; Nivard, MJ. (1993). Performance of 181 chemicals in a *Drosophila* assay predominantly monitoring interchromosomal mitotic recombination. *Mutagenesis* 8: 57-81. <http://dx.doi.org/10.1093/mutage/8.1.57>.
- Wang, GYZ, Q. X. Hu, X. M. Wang, G. Q. Li, F. (2007). Joint Toxicity of Perchloroethylene and 1,4-Dichlorobenze on *Ctenopharyngodon idettus*. 27: 387-390.
- Weisburger, EK. (1977). Carcinogenicity studies on halogenated hydrocarbons. *Environ Health Perspect* 21: 7-16.
- Yoshikawa, K. (1996). Anomalous nonidentity between *Salmonella* genotoxins and rodent carcinogens and genotoxic noncarcinogens [Review]. *Environ Health Perspect* 104: 40-46. <http://dx.doi.org/10.2307/3432758>.
- Yoshioka, Y; Mizuno, T; Ose, Y; Sato, T. (1986). THE ESTIMATION FOR TOXICITY OF CHEMICALS ON FISH BY PHYSICO-CHEMICAL PROPERTIES. *Chemosphere* 15: 195-204.
- Yoshioka, Y; Ose, Y; Sato, T. (1985). Testing for the toxicity of chemicals with *Tetrahymena pyriformis*. *Sci Total Environ* 43: 149-157.
- Yoshioka, Y; Ose, Y; Sato, T. (1986). Correlation of the Five Test Methods to Assess Chemical Toxicity and Relation to Physical Properties. 12: 15-21.
- Young, DR; Gossett, RW; Baird, RB; Brown, DA; Taylor, PA; Miille, MJ. (1983). Wastewater Inputs and Marine Bioaccumulation of Priority Pollutant Organics Off Southern California. 871-884.
- Zhao, YH; Wang, LS; Gao, H; Zhang, Z. (1993). Quantitative structure--activity relationships: Relationship between toxicity of organic chemicals to fish and to photobacterium phosphoreum. *Chemosphere* 26: 1971-1979. <http://dx.doi.org/10.1007/s001289900182>.

## Environmental Hazard Literature Search Results

### Off Topic

- Abdul, AS; Gibson, TL; Rai, DN. (1990). Laboratory studies of the flow of some organic solvents and their aqueous solutions through bentonite and kaolin clays. *Ground Water*. 28: 524-533.
- Abe, Y; Aravena, R; Zopfi, J; Parker, B; Hunkeler, D. (2009). Evaluating the fate of chlorinated ethenes in streambed sediments by combining stable isotope, geochemical and microbial methods. *J Contam Hydrol*. 107: 10-21.
- Abrahamsson, K; Ekdahl, A. (1996). Volatile halogenated compounds and chlorophenols in the Skagerrak. *Journal Of Sea Research*. 35: 73-79.
- Abramovitch, RA; Huang, BZ; Abramovitch, DA; Song, JG. (1999). In situ decomposition of PAHs in soil and desorption of organic solvents using microwave energy. *Chemosphere*. 39: 81-87.
- Abriola, LM. (2005). Contaminant source zones: Remediation or perpetual stewardship? *Environ Health Perspect*. 113: A438-A439.
- Abriola, LM; Bradford, SA. (1998). Experimental investigations of the entrapment and persistence of organic liquid contaminants in the subsurface environment. *Environ Health Perspect*. 106: 1083-1095.
- Abriola, LM; Bradford, SA; Lang, J; Gaither, CL. (2004). Volatilization of binary nonaqueous phase liquid mixtures in unsaturated porous media. *Vadose Zone Journal*. 3: 645-655.
- Abriola, LM; Condit, WE; Cowell, MA. (2000). Influence of soil texture on rate-limited micellar solubilization. *Journal of Environmental Engineering-Asce*. 126: 39-46.
- Abriola, LM; Drummond, CD; Hahn, EJ; Hayes, KF; Kibbey, TCG; Lemke, LD; Pennell, KD; Petrovskis, EA; Ramsburg, CA; Rathfelder, KM. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 1. Site characterization and test design. *Environmental Science & Technology*. 39: 1778-1790.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1998). ATR-FTIR sensor for monitoring aliphatic chlorinated hydrocarbons continuously on-line in a fixed bed bioreactor. *Mededelingen Faculteit Landbouwkundige En Toegepaste Biologische Wetenschappen Universiteit Gent*. 63: 1795-1801.
- Acosta, E; Tran, S; Uchiyama, H; Sabatini, DA; Harwell, JH. (2002). Formulating chlorinated hydrocarbon microemulsions using linker molecules. *Environmental Science & Technology*. 36: 4618-4624.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem*. 49: 1309-1314.
- Adachi, A; Sakurai, H; Okano, T. (2007). Effect of spherosome on degradation of tetrachloroethylene in soil. *J Agric Food Chem*. 55: 9149-9151.
- Adams, JQ; Clark, RM. (1991). Evaluating the costs of packed-tower aeration and GAC for controlling selected organics. *Am Water Works Assoc J*. 83: 49-57.
- Adamson, DT; Lyon, DY; Hughes, JB. (2004). Flux and product distribution during biological treatment of tetrachloroethene dense non-aqueous-phase liquid. *Environmental Science & Technology*. 38: 2021-2028.

## Environmental Hazard Literature Search Results

### Off Topic

- Adamson, DT; McDade, JM; Hughes, JB. (2003). Inoculation of DNAPL source zone to initiate reductive dechlorination of PCE. *Environmental Science & Technology*. 37: 2525-2533.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res*. 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetrahaloroethene-dechlorinating enrichment culture. *Environmental Science & Technology*. 34: 1959-1965.
- Adamson, DT; Parkin, GF. (2001). Product distribution during transformation of multiple contaminants by a high-rate, tetrachloroethene-dechlorinating enrichment culture. *Biodegradation*. 12: 337-348.
- Adani, F; Tambone, F; Davoli, E; Scaglia, B. (2010). Surfactant properties and tetrachloroethene (PCE) solubilisation ability of humic acid-like substances extracted from maize plant and from organic wastes: A comparative study. *Chemosphere*. 78: 1017-1022.
- Addison, RF; Paterson, S; Mackay, D. (1983). The predicted environmental distribution of some PCB replacements. *Chemosphere*. 12: 827-834.
- Adrian, L; Szewzyk, U; Gorisch, H. (2000). Bacterial growth based on reductive dechlorination of trichlorobenzenes. *Biodegradation*. 11: 73-81.
- Aeppli, C; Berg, M; Cirpka, OA; Holliger, C; Schwarzenbach, RP; Hofstetter, TB. (2009). Influence of Mass-Transfer Limitations on Carbon Isotope Fractionation during Microbial Dechlorination of Trichloroethene. *Environmental Science & Technology*. 43: 8813-8820.
- Aeppli, C; Hofstetter, TB; Amaral, HIF; Kipfer, R; Schwarzenbach, RP; Berg, M. (2010). Quantifying In Situ Transformation Rates of Chlorinated Ethenes by Combining Compound-Specific Stable Isotope Analysis, Groundwater Dating, And Carbon Isotope Mass Balances. *Environmental Science & Technology*. 44: 3705-3711.
- Aheam, DG; Crow, SA; Simmons, RB; Price, DL; Noble, JA; Mishra, SK; Pierson, DL. (1996). Fungal colonization of fiberglass insulation in the air distribution system of a multi-story office building: VOC production and possible relationship to a sick building syndrome. *Journal Of Industrial Microbiology*. 16: 280-285.
- ahinkaya, E; Laib, RJ. (2014). Specific covalent binding and toxicity of aliphatic halogenated xenobiotics. *Water Res*. 58: 21-28.
- Ahmed, AA; Chen, DY. (2010). Desorption kinetics of trichloroethylene and perchloroethylene from aged dense nonaqueous phase liquid-contaminated soil. *Water Environ J*. 24: 159-164.
- Ahn, YB; Rhee, SK; Fennell, DE; Kerkhof, LJ; Hentschel, U; Haggblom, MM. (2003). Reductive dehalogenation of brominated phenolic compounds by microorganisms associated with the marine sponge *Aplysina aerophoba*. *Appl Environ Microbiol*. 69: 4159-4166.
- Aitio, A; Pekari, K; Jaerisalo, J. (1984). Skin absorption as a source of error in biological monitoring. *Scandinavian Journal of Work, Environment & Health*. 10: 317-320.
- Akita, Y; Carter, G; Serre, ML. (2007). Spatiotemporal nonattainment assessment of surface water tetrachloroethylene in New Jersey. *J Environ Qual*. 36: 508-520.
- Akob, DM; Cozzarelli, IM; Dunlap, DS; Rowan, EL; Lorah, MM. (2015). Organic and inorganic composition and microbiology of produced waters from Pennsylvania shale gas wells. *Appl Geochem*. 60: 116-125.
- Aksoy, A; Culver, TB. Effect of sorption assumptions on aquifer remediation designs. *Ground Water*. Mar/Apr 2000. v. 38 (2): 200-208.
- Aktas, O; Schmidt, KR; Mungenast, S; Stoll, C; Tiehm, A. (2012). Effect of chloroethene concentrations and granular activated carbon on reductive dechlorination rates and growth of *Dehalococcoides* spp. *Bioresour Technol*. 103: 286-292.
- Al, TA; Banks, V; Loomer, D; Parker, BL; Mayer, KU. (2006). Metal mobility during in situ chemical oxidation of TCE by  $KMnO_4$ . *J Contam Hydrol*. 88: 137-152.
- Ala, NK; Domenico, PA. (1992). Inverse analytical techniques applied to coincident contaminant distributions at Otis Air Force Base, Massachusetts. *Ground Water*. 30: 212-218.
- Alani, MD. (1972). Studies on the induction of allergic photodermatitis in newborn guinea pigs. *Acta allergologica*. 27: 50-54.
- Albergaria, JT; Alvim-Ferraz, MDM; Delerue-Matos, C. (2008). Soil vapor extraction in sandy soils: Influence of airflow rate. *Chemosphere*. 73: 1557-1561.
- Albergaria, JT; Alvim-Ferraz, MDM; Delerue-Matos, C. (2012). Remediation of sandy soils contaminated with hydrocarbons and halogenated hydrocarbons by soil vapour extraction. *J Environ Manage*. 104: 195-201.
- Albergaria, JT; Alvim-Ferraz, MDM; Delerue-Matos, MCF. (2010). Estimation of pollutant partition in sandy soils with different water contents. *Environ Monit Assess*. 171: 171-180.
- Albergaria, JT; Martins, FG; Alvim-Ferraz, MCM; Delerue-Matos, C. (2014). Multiple Linear Regression and Artificial Neural Networks to Predict Time and Efficiency of Soil Vapor Extraction. *Water Air and Soil Pollution*. 225: 2058-2058.
- Albers, CN; Hansen, PE; Jacobsen, OS. (2010). Trichloromethyl compounds – Natural background concentrations and fates within and below coniferous forests. *Sci Total Environ*. 408: 6223-6234.
- Alberti, L; Lombi, S; Zanini, A. (2011). Identifying sources of chlorinated aliphatic hydrocarbons in a residential area in Italy using the integral pumping test method. *Hydrogeology Journal*. 19: 1253-1267.
- Albino, JD; Nambi, IM. (2009). Effect of biosurfactants on the aqueous solubility of PCE and TCE. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 44: 1565-1573.
- Alessi, DS; Li, ZH. (2001). Synergistic effect of cationic surfactants on perchloroethylene degradation by zero-valent iron. *Environmental Science & Technology*. 35: 3713-3717.
- Algreen, M; Trapp, S; Jensen, PR; Broholm, MM. (2015). Tree Coring as a Complement to Soil Gas Screening to Locate PCE and TCE Source Zones and Hot Spots. *Ground Water Monitoring and Remediation*. 35: 57-66.
- Allard, AS; Neilson, AH. (1997). Bioremediation of organic waste sites: A critical review of microbiological aspects. *International Biodeterioration & Biodegradation*. 39: 253-285.

## Environmental Hazard Literature Search Results

### Off Topic

- Allen-King, RM; Divine, DP; Robin, MJL; Alldredge, J; Gaylord, DR. (2006). Spatial distributions of perchloroethylene reactive transport parameters in the Borden Aquifer. *Water Resour Res.* 42: 1413-1413.
- Allen-King, RM; Groenevelt, H; James Warren, C; Mackay, DM. (1996). Non-linear chlorinated-solvent sorption in four aquitards. *J Contam Hydrol.* 22: 203-221.
- Allen-King, RM; Halket, RM; Gaylord, DR; Robin, MJL. (1998). Characterizing the heterogeneity and correlation of perchloroethene sorption and hydraulic conductivity using a facies-based approach. *Water Resour Res.* 34: 385-396.
- Allen-King, RM; Kalinovich, I; Dominic, DF; Wang, GH; Polmanteer, R; Divine, D. (2015). Hydrophobic organic contaminant transport property heterogeneity in the Borden Aquifer. *Water Resour Res.* 51: 1723-1743.
- Altham, W. (2007). Benchmarking to trigger cleaner production in small businesses: drycleaning case study. *J Clean Prod.* 15: 798-813.
- Altissimo, L; Andreoli, E; Giacometti, A; Marcomini, A. (2002). Time trends of 1,1,1-trichloroethane, trichloroethylene, and perchloroethylene in confined and unconfined aquifers of a groundwater system in northern Italy. *Ann Chim.* 92: 61-71.
- Altmann, L; Neuhaan, HF; Kramer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and Neurophysiological Outcome of Chronic Low-Level Tetrachloroethene Exposure Measured in Neighborhoods of Dry Cleaning Shops. *Environ Res.* 69: 83-89.
- Amadasi, A; Mastroluca, L; Marasciuolo, L; Caligara, M; Sironi, L; Gentile, G; Zoja, R. (2015). Death due to acute tetrachloroethylene intoxication in a chronic abuser. *Int J Legal Med.* 129: 487-493.
- Amaral, HIF; Aeppli, C; Kipfer, R; Berg, M. (2011). Assessing the transformation of chlorinated ethenes in aquifers with limited potential for natural attenuation: Added values of compound-specific carbon isotope analysis and groundwater dating. *Chemosphere.* 85: 774-781.
- Amaral, HIF; Berg, M; Brennwald, MS; Hofer, M; Kipfer, R. (2010). (13)C/(12)C Analysis of Ultra-Trace Amounts of Volatile Organic Contaminants in Groundwater by Vacuum Extraction. *Environmental Science & Technology.* 44: 1023-1029.
- Amaral, HIF; Fernandes, J; Berg, M; Schwarzenbach, RP; Kipfer, R. (2009). Assessing TNT and DNT groundwater contamination by compound-specific isotope analysis and (3)H-(3)He groundwater dating: A case study in Portugal. *Chemosphere.* 77: 805-812.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res.* 30: 1876-1884.
- Ames, BN; Gold, LS. (1997). Environmental pollution, pesticides, and the prevention of cancer: Misconceptions. *FASEB J.* 11: 1041-1052.
- Aminabhavi, TM; Phayde, HTS; Ortego, JD. (1996). Resistivity and dimensional stability of high-performance engineering thermoplastic blend of ethylene-propylene random copolymer and isotactic polypropylene membrane in the presence of hazardous haloalkanes. *J Hazard Mater.* 46: 71-88.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B<sub>6</sub>. *Chem Eng J.* 170: 492-497.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater.* 235-236: 359-366.
- Amon, JP; Agrawal, A; Shelley, ML; Opperman, BC; Enright, MP; Clemmer, ND; Slusser, T; Lach, J; Sobolewski, T; Gruner, W; Entingh, AC. (2007). Development of a wetland constructed for the treatment of groundwater contaminated by chlorinated ethenes. *Ecol Eng.* 30: 51-66.
- Amos, BK; Christ, JA; Abriola, LM; Pennell, KD; Loffler, FE. (2007). Experimental evaluation and mathematical modeling of microbially enhanced tetrachloroethene (PCE) dissolution. *Environmental Science & Technology.* 41: 963-970.
- Amos, BK; Daprato, RC; Hughes, JB; Pennell, KD; Loffler, FE. (2007). Effects of the nonionic surfactant tween 80 on microbial reductive dechlorination of chlorinated ethenes. *Environmental Science & Technology.* 41: 1710-1716.
- Amos, BK; Ritalahti, KM; Cruz-Garcia, C; Padilla-Crespo, E; Loffler, FE. (2008). Oxygen effect on Dehalococcoides viability and biomarker quantification. *Environmental Science & Technology.* 42: 5718-5726.
- Amos, BK; Suchomel, EJ; Pennell, KD; Loffler, FE. (2008). Microbial activity and distribution during enhanced contaminant dissolution from a NAPL source zone. *Water Res.* 42: 2963-2974.
- Amos, BK; Suchomel, EJ; Pennell, KD; Loffler, FE. (2009). Spatial and Temporal Distributions of Geobacter lovleyi and Dehalococcoides spp. during Bioenhanced PCE-NAPL Dissolution. *Environmental Science & Technology.* 43: 1977-1985.
- Amos, BK; Sung, Y; Fletcher, KE; Gentry, TJ; Wu, WM; Criddle, CS; Zhou, J; Loffler, FE. (2007). Detection and quantification of Geobacter lovleyi strain SZ: Implications for Bioremediation at tetrachloroethene- and uranium-impacted sites. *Appl Environ Microbiol.* 73: 6898-6904.
- Anbhzahagan, S; Winkins, SS. (2008). A biochemical study on variability of Superoxide dismutase, Catalase and Glutathione peroxidase in dry cleaners. *Indian journal of clinical biochemistry : IJCB.* 23: 198-199.
- Andelman, JB. (1985). Inhalation exposure in the home to volatile organic contaminants of drinking water. *The Science of the total environment.* 47: 443-460.
- Anderson, BE; Zeiger, E; Shelby, MD; Resnick, MA; Gulati, DK; Ivett, JL; Loveday, KS. (1990). Chromosome aberration and sister chromatid exchange test results with 42 chemicals. *Environ Mol Mutagen Suppl.* 0: 55-137.
- Anderson, MR; Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into ground water: 1. Dissolution from a well-defined residual source. *Ground Water.* 30: 250-256.
- Anderson, MR; Johnson, RL; Pankow, JF. (1992). Dissolution of dense chlorinated solvents into groundwater: 3. Modeling contaminant plumes from fingers and pools of solvent. *Environ Sci Technol.* 26: 901-908.
- Anderson, RM; Schad, GA. (1985). Hookworm burdens and faecal egg counts: an analysis of the biological basis of variation. *Trans Roy Soc Trop Med Hyg.* 79: 812-825.
- Anhoury, ML; Crooy, P; De Neys, R; Laridant, A. (1976). Rapid determination of dimethyl polysiloxane by proton magnetic resonance spectroscopy. *J Pharm Sci.* 65: 590-592.

## Environmental Hazard Literature Search Results

### Off Topic

- Anhuai, L; Yanjun, G; Juan, L; Fei, L; Changqiu, W; Ning, L; Qiaorong, L. (2004). Photocatalytic effect of nature and modified V-bearing rutile. Chinese science bulletin Kexue tongbao. 49: 2284-2287.
- Anna, CH; Maronpot, RR; Pereira, MA; Foley, JF; Malarkey, DE; Anderson, MW. (1994). Ras proto-oncogene activation in dichloroacetic acid-, trichloroethylene- and tetrachloroethylene-induced liver tumors in B6C3F1 mice. Carcinogenesis. 15: 2255-2261.
- Anonymous. (1999). This meeting contains abstracts of 42 papers, written in English, covering chemical studies of toxic substances and experimental studies in animals and tissue culture, including enzymology. J Health Sci. 45: 42.
- Anten, JF; Zuidema, PJ. (1964). Hookworm infection in Dutch servicemen returning from West New Guinea. Tropical and geographical medicine. 16: 216-224.
- Anthony Ryan, T; Kavanagh, DMC; Mile, B. (1992). Kinetic isotope effects in the reactions of chloroethenes with hydrogen fluoride or deuterium fluoride and the elucidation of reaction pathways. Journal of Fluorine Chemistry. 58: 183.
- Antonelli, R; Dal Pra, A. Problems of contamination and protection of underground waters in the Veneto alluvial plain (northern Italy). Pollution, protection and control of groundwater : proceedings of the IAWPRC International Seminar, held in Porto Alegre, Brazil, 20-21 September 1990 /63-70.
- Aoki, A; Suzuki, H; Kawabata, Y; Nomura, Y. (1994). Effect of perchloroethylene inhalation on nasal mucosa in mice. European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery. 251: 361-365.
- Apfalter, S; Krska, R; Linsinger, T; Oberhauser, A; Kandler, W; Grasserbauer, M. (1999). Interlaboratory comparison study for the determination of halogenated hydrocarbons in water. Fresenius J Anal Chem. 364: 660-665.
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. Fundam Appl Toxicol. 6: 713-720.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Gonzalez-Velasco, JR; Gonzalez-Marcos, JA. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). J Chem Tech Biotechnol. 91: 318-326.
- Archfield, SA; LeBlanc, DR. (2005). Comparison of diffusion- and pumped-sampling methods to monitor volatile organic compounds in ground water, Massachusetts Military Reservation, Cape Cod, Massachusetts, July 1999-December 2002. Scientific Investigations Report US Geological Survey.
- Arguello, JE; Costentin, C; Griveau, S; Saveant, JM. (2005). Role of protonation and of axial ligands in the reductive dechlorination of alkyl chlorides by vitamin B(12) complexes. Reductive cleavage of chloroacetonitrile by Co(I) cobalamins and cobinamides. J Am Chem Soc. 127: 5049-5055.
- Arildskov, NP; Devlin, JF. (2000). Field and laboratory evaluation of a diffusive emitter for semipassive release of PCE to an aquifer. Ground Water. 38: 129-138.
- Armstrong, JC; Chane, T. (1975). Identification of hookworm species in Ethiopia. Ethiopian medical journal. 13: 13-18.
- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. J Contam Hydrol. 40: 183-200.
- Arnold, WA; Roberts, AL. (1998). Pathways of chlorinated ethylene and chlorinated acetylene reaction with Zn(0). Environmental Science & Technology. 32: 3017-3025.
- Arnold, WA; Roberts, AL. (2000). Pathways and kinetics of chlorinated ethylene and chlorinated acetylene reaction with Fe(O) particles. Environmental Science & Technology. 34: 1794-1805.
- Artimo, A. (2002). Application of flow and transport models to the polluted Honkala aquifer, Sakyla, Finland. Boreal Environment Research. 7: 161-172.
- Arulgnanendran, VRJ; Nirmalakhandan, N. (1998). Microbial toxicity in soil medium. Ecotoxicol Environ Saf. 39: 48-56.
- Arulmozhiraja, S; Ehara, M; Nakatsujii, H. (2008). Electronic transitions in cis- and trans-dichloroethylenes and tetrachloroethylene. The Journal of chemical physics. 129: 174506.
- Aschengrau, A; Ozonoff, D; Paulu, C; Coogan, P; Vezina, R; Heeren, T; Zhang, Y. (1993). Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. Arch Environ Health. 48: 284-292.
- Ashley, DL; Bonin, MA; Cardinali, FL; McCraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. Clin Chem. 40: 1401-1404.
- Atashgahi, S; Maphosa, F; De Vrieze, J; Haest, PJ; Boon, N; Smidt, H; Springael, D; Dejonghe, W. (2014). Evaluation of solid polymeric organic materials for use in bioreactive sediment capping to stimulate the degradation of chlorinated aliphatic hydrocarbons. Appl Microbiol Biotechnol. 98: 2255-2266.
- Atashgahi, S; Maphosa, F; Dogan, E; Smidt, H; Springael, D; Dejonghe, W. (2013). Small-scale oxygen distribution determines the vinyl chloride biodegradation pathway in surficial sediments of riverbed hyporheic zones. FEMS Microbiol Ecol. 84: 133-142.
- Atasoy, E; Dogeroglu, T; Kara, S. (2004). The estimation of NMVOC emissions from an urban-scale wastewater treatment plant. Water Res. 38: 3265-3274.
- Atri. (1985). Chlorinated hydrocarbons in the environment -- occurrence in water. Acta Hydrochim Hydrobiol. 18: 243.
- Atwater, JW; Jasper, SE; Parkinson, PD; Mavinic, DS. (1987). Organic contaminants in Canadian coal wastewaters and associated sediments. Wat Pollut Res J Can. 25: 187-200.
- Aud  Mir  3, C; Cretnik, S; Torrent  3, C; Rosell, Mn; Shouakar-Stash, O; Otero, N; Palau, J; Elsner, M; Soler, A. (2015). C, Cl and H compound-specific isotope analysis to assess natural versus Fe(0) barrier-induced degradation of chlorinated ethenes at a contaminated site. J Hazard Mater. 299: 747-754.

## Environmental Hazard Literature Search Results

### Off Topic

- Aulenta, F; Beccari, M; Majone, M; Papini, MP; Tandoi, V. (2008). Competition for H<sub>2</sub> between sulfate reduction and dechlorination in butyrate-fed anaerobic cultures. *Process Biochemistry*. 43: 161-168.
- Aulenta, F; Bianchi, A; Majone, M; Papini, MP; Potalivo, M; Tandoi, V. (2005). Assessment of natural or enhanced in situ bioremediation at a chlorinated solvent-contaminated aquifer in Italy: a microcosm study. *Environ Int*. 31: 185-190.
- Aulenta, F; Canosa, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2008). Trichloroethene dechlorination and H<sub>2</sub> evolution are alternative biological pathways of electric charge utilization by a dechlorinating culture in a bioelectrochemical system. *Environmental Science & Technology*. 42: 6185-6190.
- Aulenta, F; Catervi, A; Majone, M; Panero, S; Reale, P; Rossetti, S. (2007). Electron transfer from a solid-state electrode assisted by methyl viologen sustains efficient microbial reductive dechlorination of TCE. *Environmental Science & Technology*. 41: 2554-2559.
- Aulenta, F; Di Tomassi, C; Cupo, C; Papini, MP; Majone, M. (2006). Influence of hydrogen on the reductive dechlorination of tetrachloroethene (PCE) to ethene in a methanogenic biofilm reactor: role of mass transport phenomena. *J Chem Tech Biotechnol*. 81: 1520-1529.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry*. 49: 2235-2240.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments. *Water Science and Technology*. 52: 357-362.
- Aulenta, F; Fina, A; Potalivo, M; Papini, MP; Rossetti, S; Majone, M. (2005). Anaerobic transformation of tetrachloroethane, perchloroethylene, and their mixtures by mixed-cultures enriched from contaminated soils and sediments (vol 52, pg 357, 2005). *Water Science and Technology*. 52: 297-297.
- Aulenta, F; Fuoco, M; Canosa, A; Papini, MP; Majone, M. (2008). Use of poly-beta-hydroxy-butyrate as a slow-release electron donor for the microbial reductive dechlorination of TCE. *Water Science and Technology*. 57: 921-925.
- Aulenta, F; Gossett, JM; Papini, MP; Rossetti, S; Majone, M. (2005). Comparative study of methanol, butyrate, and hydrogen as electron donors for long-term dechlorination of tetrachloroethene in mixed anaerobic cultures. *Biotechnol Bioeng*. 91: 743-753.
- Aulenta, F; Majone, M; Verbo, P; Tandoi, V. (2002). Complete dechlorination of tetrachloroethene to ethene in presence of methanogenesis and acetogenesis by an anaerobic sediment microcosm. *Biodegradation*. 13: 411-424.
- Aulenta, F; Pera, A; Rossetti, S; Papini, MP; Majone, M. (2007). Relevance of side reactions in anaerobic reductive dechlorination microcosms amended with different electron donors. *Water Res*. 41: 27-38.
- Aulenta, F; Potalivo, M; Majone, M; Papini, MP; Tandoi, V. (2006). Anaerobic bioremediation of groundwater containing a mixture of 1,1,2,2-tetrachloroethane and chloroethenes. *Biodegradation*. 17: 193-206.
- Aulenta, F; Reale, P; Canosa, A; Rossetti, S; Panero, S; Majone, M. (2010). Characterization of an electro-active biocathode capable of dechlorinating trichloroethene and cis-dichloroethene to ethene. *Biosensors & Bioelectronics*. 25: 1796-1802.
- Aulenta, F; Rossetti, S; Majone, M; Tandoi, V. (2004). Detection and quantitative estimation of *Dehalococcoides* spp. in a dechlorinating bioreactor by a combination of fluorescent in situ hybridisation (FISH) and kinetic analysis. *Appl Microbiol Biotechnol*. 64: 206-212.
- Aulenta, F; Tocca, L; Verdini, R; Reale, P; Majone, M. (2011). Dechlorination of Trichloroethene in a Continuous-Flow Bioelectrochemical Reactor: Effect of Cathode Potential on Rate, Selectivity, and Electron Transfer Mechanisms. *Environmental Science & Technology*. 45: 8444-8451.
- Aurand, K; Friesel, P; Milde, G; Neumayr, V. (1981). Behaviour of Organic Solvents in the Environment. *Studies in Environmental Science* 481-488.
- Austin, EW; Okita, JR; Okita, RT; Larson, JL; Bull, RJ. (1995). Modification of lipoperoxidative effects of dichloroacetate and trichloroacetate is associated with peroxisome proliferation. *Toxicology*. 97: 59-69.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air & Waste Management Association*. 53: 889-896.
- Axelsson, O. (1986). Epidemiological studies of workers with exposure to tri- and tetrachloroethylenes. *Developments in toxicology and environmental science*. 12: 223-230.
- Ayral, D; Otero, M; Goltz, MN; Demond, AH. (2014). Impact of DNAPL contact on the structure of smectitic clay materials. *Chemosphere*. 95: 182-187.
- Ayral-Cinar, D; Otero-Diaz, M; Demond, AH. (2016). A mechanism of basal spacing reduction in sodium smectitic clay materials in contact with DNAPL wastes. *Chemosphere*. 159: 577-583.
- Ayyildiz, O; Peters, RW. (2004). Synergy of combined sonication and vapor stripping treatment in the removal of PCE from water. *Fresen Environ Bull*. 13: 1515-1517.
- Azizian, MF; Behrens, S; Sabalowsky, A; Dolan, ME; Spormann, AM; Semprini, L. (2008). Continuous-flow column study of reductive dehalogenation of PCE upon bioaugmentation with the Evanite enrichment culture. *J Contam Hydrol*. 100: 11-21.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol*. 190: 58-68.
- BÃ©ranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of chlorinated ethenes: modeling and parameter estimation methods. *Advances in Water Resources*. 28: 87-98.
- BÃ©ranger, SC; Sleep, BE; Sherwood-Lollar, B. (2004). Parameter estimation for modeling reductive dechlorination with isotopic fractionation. *Developments in Water Science* 1285-1295.
- Bachir, S; Ambrosio, M; Federici, V; Barnier, H. (1998). Hydrothermal oxidation of organochlorines. *Analisis*. 26: 237-244.
- Bacocchi, R; D'Aprile, L; Innocenti, I; Massetti, F; Verginelli, J. (2014). Development of technical guidelines for the application of in-situ chemical oxidation to groundwater remediation. *J Clean Prod*. 77: 47-55.

## Environmental Hazard Literature Search Results

### Off Topic

- Badea, SL; Vogt, C; Weber, S; Danet, AF; Richnow, HH. (2009). Stable Isotope Fractionation of gamma-Hexachlorocyclohexane (Lindane) during Reductive Dechlorination by Two Strains of Sulfate-Reducing Bacteria. *Environmental Science & Technology*. 43: 3155-3161.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol*. 192: 1-19.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple Dual C-Cl Isotope Patterns Associated with Reductive Dechlorination of Tetrachloroethene. *Environmental Science & Technology*. 48: 9179-9186.
- Badin, A; Schirmer, M; Wermeille, C; Hunkeler, D. (2015). Perchloroethene source delineation using carbon-chlorine isotopic analysis: field investigations of isotopic signature variability. *Grundwasser*. 20: 263-270.
- Baduru, KK; Trapp, S; Burken, JG. (2008). Direct measurement of VOC diffusivities in tree tissues: Impacts on tree-based phytoremediation and plant contamination. *Environmental Science & Technology*. 42: 1268-1275.
- Bae, HS; Moe, WM; Yan, J; Tiago, I; da Costa, MS; Rainey, FA. (2006). *Propionicicella superfundia* gen. nov., sp nov., a chlorosolvent-tolerant propionate-forming, facultative anaerobic bacterium isolated from contaminated groundwater. *Syst Appl Microbiol*. 29: 404-413.
- Bae, W; Odencrantz, JE; Rittmann, BE; Valocchi, AJ. (1990). Transformation kinetics of trace-level halogenated organic contaminants in a biologically active zone (BAZ) induced by nitrate injection. *J Contam Hydrol*. 6: 53-68.
- Baehr, AL; Stackelberg, PE; Baker, RJ. (1999). Evaluation of the atmosphere as a source of volatile organic compounds in shallow groundwater. *Water Resour Res*. 35: 127-136.
- Baeseman, JL; Novak, PJ. (2001). Effects of various environmental conditions on the transformation of chlorinated solvents by *Methanosarcina thermophila* cell exudates. *Biotechnol Bioeng*. 75: 634-641.
- Bagley, DM. (1998). Systematic approach for modeling tetrachloroethene biodegradation. *Journal of Environmental Engineering-Asce*. 124: 1076-1086.
- Bagley, DM; Brodkorb, TS. (1999). Modeling microbial kinetics in an anaerobic sequencing batch reactor - Model development and experimental validation. *Water Environ Res*. 71: 1320-1332.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res*. 34: 171-178.
- Bai, GY; Brusseau, ML; Miller, RM. (1998). Influence of cation type, ionic strength, and pH on solubilization and mobilization of residual hydrocarbon by a biosurfactant. *J Contam Hydrol*. 30: 265-279.
- Bajracharya, K; Barry, DA. (1994). Note on common mixing cell models. *J Hydrol*. 153: 189-214.
- Bakale, G; McCreary, RD. (1990). Response of the ke test to NCI-screened chemicals: I. Nongenotoxic carcinogens and genotoxic non-carcinogens. *Carcinogenesis*. 11: 1811-1818.
- Baker, JR; Mihelcic, JR; Luehrs, DC; Hickey, JP. (1997). Evaluation of estimation methods for organic carbon normalized sorption coefficients. *Water Environ Res*. 69: 136-145.
- Baker, RS; Nielsen, SG; Heron, G; Ploug, N. (2016). How Effective Is Thermal Remediation of DNAPL Source Zones in Reducing Groundwater Concentrations? *Ground Water Monitoring and Remediation*. 36: 38-53.
- Baldasano, JM; Delgado, R; Calbo, J. (1998). Applying receptor models to analyze urban/suburban VOCs air quality in Martorell (Spain). *Environmental Science & Technology*. 32: 405-412.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (1997). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. *Water Resour Res*. 33: 2741-2757.
- Ball, WP; Liu, CX; Xia, GS; Young, DF. (2001). A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard" by W. P. Ball et al. (vol 33, pg 2741, 1997). *Water Resour Res*. 37: 189-189.
- Ball, WP; Roberts, PV. (1991). Long-term sorption of halogenated organic chemicals by aquifer material: 2. Intraparticle diffusion. *Environ Sci Technol*. 25: 1237-1249.
- Ballerstedt, H; Hantke, J; Bunge, M; Werner, B; Gerritse, J; Andreesen, J; Lechner, U. (2004). Properties of a trichlorodibenzo-p-dioxin-dechlorinating mixed culture with a *Dehalococcoides* as putative dechlorinating species. *FEMS Microbiol Ecol*. 47: 223-234.
- Balsiger, C; Holliger, C; Hohener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere*. 61: 361-373.
- Banaee, J; Larson, RA. (1993). Effects of additives on the formation of organochlorine compounds during the combustion of a chlorine-containing polymer. *Waste Manage*. 13: 77-82.
- Bandisode, MS; Gaitonde, BB. (1973). Study of vermifuge action of thiabendazole. *The Journal of the Association of Physicians of India*. 21: 829-832.
- Banerjee, R; Ragsdale, SW. (2003). The many faces of vitamin B(12): Catalysis by cobalamin-dependent enzymes. *Annual Review of Biochemistry*. 72: 209-247.
- Banerjee, S; Sutanto, S; Kleijn, JM; van, RMJ; Witkamp, GJ; Stuart, MA. (2012). Colloidal interactions in liquid CO<sub>2</sub>--a dry-cleaning perspective. *Adv Colloid Interface Sci*. 175: 11-24.
- Banerjee, S; Sutanto, S; Kleijn, JM; van Roosmalen, MJE; Witkamp, G-J; Stuart, MAC. (2012). Colloidal interactions in liquid CO<sub>2</sub>, " A dry-cleaning perspective. *Adv Colloid Interface Sci*. 175: 11-24.
- Banville, RR; McNeil, E. (1966). Microbiology of drycleaning. *Applied microbiology*. 14: 1-7.
- Baran, JRJR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I Illior with alkyl glucamide surfactants. *Environmental Science & Technology*. 30: 2143-2147.

## Environmental Hazard Literature Search Results

### Off Topic

- Barbaro, JR; Neupane, PP. (2006). Use of plume mapping data to estimate chlorinated solvent mass loss. *Ground Water Monitoring and Remediation*. 26: 115-127.
- Barber, LB; Keefe, SH; Leblanc, DR; Bradley, PM; Chapelle, FH; Meyer, MT; Loftin, KA; Kolpin, DW; Rubio, F. (2009). Fate of Sulfamethoxazole, 4-Nonylphenol, and 17 beta-Estradiol in Groundwater Contaminated by Wastewater Treatment Plant Effluent. *Environmental Science & Technology*. 43: 4843-4850.
- Barber, LB; Keefe, SH; Leblanc, DR; Bradley, PM; Chapelle, FH; Meyer, MT; Loftin, KA; Kolpin, DW; Rubio, F. (2009). Fate of Sulfamethoxazole, 4-Nonylphenol, and 17\* $\beta$ -Estradiol in Groundwater Contaminated by Wastewater Treatment Plant Effluent. *Environmental Science & Technology*. 43: 4843-4850.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere*. 82: 592-596.
- Barnier, C; Palmier, C; Atteia, O. (2013). Field Evidence of Dissolution and Degradation Rates Enhancement During ISCR and ENA Treatments of Chlorinated Solvents. *Remediation*. 23: 123-137.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol*. 34: 1542-1553.
- Barratt, MD; Brantom, PG; Fentem, JH; Gerner, I; Walker, AP; Worth, AP. (1998). The ECVAM International Validation Study on in vitro tests for skin corrosivity. 1. Selection and distribution of the test chemicals. *Toxicol In Vitro*. 12: 471-482.
- Barth, JAC; Slater, G; Schuth, C; Bill, M; Downey, A; Larkin, M; Kalin, RM. (2002). Carbon isotope fractionation during aerobic biodegradation of trichloroethene by *Burkholderia cepacia* G4: a tool to map degradation mechanisms. *Appl Environ Microbiol*. 68: 1728-1734.
- Barul, C; Fayos, A; StÅ¼cker, I; Luce, D. (2015). Exposition professionnelle aux solvants chlorés et risque de cancer des voies aérodigestives supérieures. *Arch Mal Prof Environ*. 76: 394.
- Basheer, IA; Najjar, YM; Hajmeer, MN. (1996). Neuronet modeling of VOC adsorption by GAC. *Environ Technol*. 17: 795-806.
- Basu, D; Asolekar, SR. (2012). Effect of carbon sources on the removal of 1,1,2-Trichloroethane and 1,1,2,2-Tetrachloroethane in UASB reactor. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 47: 638-644.
- Basu, D; Asolekar, SR. (2012). Evaluation of substrate removal kinetics for UASB reactors treating chlorinated ethanes. *Environ Sci Pollut Res Int*. 19: 2419-2427.
- Bates, CJ; Wilcox, MH; Smith, TL; Spencer, RC. (1990). The efficacy of a hospital dry cleaning cycle in disinfecting material contaminated with bacteria and viruses. *Toxicol Appl Pharmacol*. 23: 255-262.
- Bates, PA; Gray, MJ; Hartshorn, MP; Ing, HT; Richards, KE; Robinson, WT. (1981). The rearrangement of some 2-substituted-4-bromo-2,5-dinitro-6-hydroxy-3,6-dimethylcyclohex-3-en-1-ones. *Tetrahedron Lett*. 22: 1279-1280.
- Bauer, P; Attinger, S; Kinzelbach, W. (2001). Transport of a decay chain in homogenous porous media: analytical solutions. *J Contam Hydrol*. 49: 217-239.
- Bauer, S; Werner, N; Wolff, I; Damme, B; Oemus, K; Hoffmann, P. (1992). Toxicological investigations in the semiconductor industry: II. Studies on the subacute inhalation toxicity and genotoxicity of gaseous waste products from the aluminium plasma etching process. *Toxicol Ind Health*. 8: 431-444.
- Bauer, S; Wolff, I; Werner, N; Hoffmann, P; Herzsich, R; Oemus, K; Rath, FW; Voigt, R. (1992). Toxicological investigations in the semiconductor industry: I. Studies on the acute oral toxicity of a complex mixture of waste products from the aluminium plasma etching process. *Toxicol Ind Health*. 8: 141-156.
- Bauer, S; Wolff, I; Werner, N; Schmidt, R; Blume, R; Pelzing, M. (1995). Toxicological investigations in the semiconductor industry: IV: Studies of the subchronic oral toxicity and genotoxicity of vacuum pump oils contaminated by waste products from aluminum plasma etching processes. *Toxicol Ind Health*. 11: 523-541.
- Baum, G; Oppenlander, T. Vacuum-UV-oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere*. May 1995. v. 30 (9): 1781-1790.
- Bawa, YS; Chopra, JS; Sharma, TD. (1965). Comparative study of buphenium hydroxynaphthoate and tetrachlorethylene in hook worm disease. *Indian journal of medical sciences*. 19: 605-608.
- Bayer, P; Finkel, M. (2005). Modelling of sequential groundwater treatment with zero valent iron and granular activated carbon. *J Contam Hydrol*. 78: 129-146.
- Bayne, CK; Schmoyer, DD; Jenkins, RA. (1994). Practical reporting times for environmental samples. *Environmental Science & Technology*. 28: 1430-1436.
- Becker, JG. (2006). A modeling study and implications of competition between Dehalococoides ethenogenes and other tetrachloroethene-respiring bacteria. *Environmental Science & Technology*. 40: 4473-4480.
- Becker, JG; Berardesco, G; Rittmann, BE; Stahl, DA. (2005). The role of syntrophic associations in sustaining anaerobic mineralization of chlorinated organic compounds. *Environ Health Perspect*. 113: 310-316.
- Becker, JG; Seagren, EA. (2009). Modeling the Effects of Microbial Competition and Hydrodynamics on the Dissolution and Detoxification of Dense Nonaqueous Phase Liquid Contaminants. *Environmental Science & Technology*. 43: 870-877.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol*. 57: 147-159.
- Beeman, RE; Bleckmann, CA. (2002). Sequential anaerobic-aerobic treatment of an aquifer contaminated by halogenated organics: field results. *J Contam Hydrol*. 57: 147-159.

## Environmental Hazard Literature Search Results

### Off Topic

- Behrens, S; Azizian, MF; McMurdie, PJ; Sabalowsky, A; Dolan, ME; Semprini, L; Spormann, AM. (2008). Monitoring abundance and expression of "Dehalococcoides" species chloroethene-reductive dehalogenases in a tetrachloroethene-dechlorinating flow column. *Appl Environ Microbiol.* 74: 5695-5703.
- Belhadj, Z; Zergoun, D; Kandouci, C; Kandouci, AB. (2014). Exposition professionnelle au perchloroéthylène dans l'ouest algérien. *Arch Mal Prof Environ.* 75: S41.
- Bell, J; Melcer, H; Monteith, H; Osinga, I; Steel, P. (1993). Stripping of volatile organic compounds at full-scale municipal wastewater treatment plants. *Water Environ Res.* 65: 708-716.
- Benane, SG; Blackman, CF; House, DE. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health.* 48: 427-437.
- Benfenati, E; Facchini, G; Pierucci, P; Fanelli, R. (1996). Identification of organic contaminants in leachates from industrial waste landfills. *Trends Analyt Chem.* 15: 305-310.
- Bennedsen, LR; Muff, J; Sogaard, EG. (2012). Influence of chloride and carbonates on the reactivity of activated persulfate. *Chemosphere.* 86: 1092-1097.
- Beranger, SC; Sleep, BE; Lollar, BS; Brown, AJ. (2006). Isotopic fractionation of tetrachloroethene undergoing biodegradation supported by endogenous decay. *Journal of Environmental Engineering-Asce.* 132: 725-735.
- Beranger, SC; Sleep, BE; Lollar, BS; Monteagudo, FP. (2005). Transport, biodegradation and isotopic fractionation of the chlorinated ethenes: modeling and parameter estimation methods. *Advances in Water Resources.* 28, issue 1: 87-98.
- Bereded-Samuel, Y; Petersen, JN; Skeen, RS. (1996). Effect of perchloroethylene (PCE) on methane and acetate production by a methanogenic consortium. *Appl Biochem Biotechnol.* 58: 915-922.
- Bergamaschi, E; Mutti, A; Bocchi, MC; Alinovi, R; Olivetti, G; Ghiggeri, GM; Franchini, I. (1992). Rat model of perchloroethylene-induced renal dysfunctions. *Environ Res.* 59: 427-439.
- Berggren, DRV; Marshall, IPG; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environmental Science & Technology.* 47: 1879-1886.
- Berisford, YC; Bush, PB; Blake, JI; Bayer, CL. (2003). Use of mini-sprinklers to strip trichloroethylene and tetrachloroethylene from contaminated ground water. *J Environ Qual.* 32: 801-815.
- Berke, R; Wagshol, LE; Sullivan, G. (1972). Incidence of intestinal parasites in Vietnam veterans. *Eosinophilia a guide to diagnosis. The American journal of gastroenterology.* 57: 63-67.
- Berman, LM; Wolf, PJ. (1998). Laser-induced breakdown spectroscopy of liquids: Aqueous solutions of nickel and chlorinated hydrocarbons. *Appl Spectrosc.* 52: 438-443.
- Bernstein, A; Ronen, Z; Gelman, F. (2013). Insight on RDX Degradation Mechanism by Rhodococcus Strains Using C-13 and N-15 Kinetic Isotope Effects. *Environmental Science & Technology.* 47: 479-484.
- Berry, M. (1998). Cancer Incidence in Three Communities Near the Maywood Area Superfund Sites (Bergen County), New Jersey. *A Site Specific Follow-Up Health Study.*
- Berthel, M. (2012). Pressing et perchloroéthylène, le solvant froisse de plus en plus. *Actualités Pharmaceutiques.* 51: 6.
- Berton, P; Vera-Candioti, L; Goicoechea, HC; Wuilloud, RG. (2013). A microextraction procedure based on an ionic liquid as an ion-pairing agent optimized using a design of experiments for chromium species separation and determination in water samples. *Analytical Methods.* 5: 5065-5073.
- Bevan, MAJ; Proctor, CJ; Baker-Rogers, J; Warren, ND. (1991). Exposure to carbon monoxide, respirable suspended particulates, and volatile organic compounds while commuting by bicycle. *Environ Sci Technol.* 25: 788-791.
- Bezbarua, BK; Reckhow, DA. (2004). Modification of the standard neutral ozone decomposition model. *Ozone-Science & Engineering.* 26: 345-357.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated C1 and C2 volatile organic compounds in dilute aqueous solution. *Environmental Science & Technology.* 28: 1481-1486.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RVR; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res.* 68: 260-269.
- Bhowmick, M; Semmens, MJ. (1994). Batch studies on a closed loop air stripping process. *Water Res.* 28: 2011-2019.
- Bhowmik, A; Asahino, A; Shiraki, T; Nakamura, K; Takamizawa, K. (2009). In situ study of tetrachloroethylene bioremediation with different microbial community shifting. *Environ Technol.* 30: 1607-1614.
- Bianchi, AP; Varney, MS. (1998). Volatile organic compounds in the surface waters of a British estuary: Part 1. Occurrence, distribution and variation. *Water Res.* 32: 352-370.
- Bianchi, AP; Varney, MS. (1998). Volatile organic compounds in the surface waters of a British estuary: Part 2. Fate processes. *Water Res.* 32: 371-379.
- Bielefeldt, AR; Stensel, HD; Strand, SE. (1995). Cometabolic degradation of TCE and DCE without intermediate toxicity. *J Environ Eng.* 121: 791-797.
- Biernacki, M; Lovett-Doust, J; Lovett-Doust, L. (1996). *Vallisneria americana* as a biomonitor of aquatic ecosystems: Leaf-to-root surface area ratios and organic contamination in the Huron-Erie corridor. *J Great Lakes Res.* 22: 289-303.
- Binger, CA; Martin, JP; Allen-King, RM; Fowler, M. (1999). Variability of chlorinated-solvent sorption associated with oxidative weathering of kerogen. *J Contam Hydrol.* 40: 137-158.



## Environmental Hazard Literature Search Results

### Off Topic

- Binnie, J; Cape, JN; Mackie, N; Leith, ID. (2002). Exchange of organic solvents between the atmosphere and grass "the use of open top chambers. *Sci Total Environ.* 285: 53-67.
- Bintein, S; Devillers, J. (1994). QSAR for organic chemical sorption in soils and sediments. *Chemosphere.* 28: 1171-1188.
- Birk, MB. (1998). Trial burn activities for a mixed waste incinerator. *Waste Manag.* 18: 467-471.
- Birner, G; Bernauer, U; Werner, M; Dekant, W. (1997). Biotransformation, excretion and nephrotoxicity of haloalkene-derived cysteine S-conjugates. *Arch Toxicol.* 72: 1-8.
- Birner, G; Richling, C; Henschler, D; Anders, MW; Dekant, W. (1994). Metabolism of tetrachloroethene in rats: identification of N super(epsilon)-(dichloroacetyl)-L-lysine and N super(epsilon)-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol.* 7: 724-732.
- Birnstingl, J. (2014). Bioremediation of PCE DNAPL. *Pollution Engineering.* 46: 26.
- Biswas, N; Zytner, RG; Bewtra, JK. (1992). Model for predicting PCE desorption from contaminated soils. *Water Environ Res.* 64: 170-178.
- Biswas, N; Zytner, RG; McCorquodale, JA; Bewtra, JK. (1991). Prediction of the Movement of Perchloroethylene in Soil Columns. *Water, Air and Soil Pollution WAPLAC, Vol 60, No 3/4, p 361-380, December 1991 6 fig, 6 tab, 27 ref.*
- Bizzigotti, GO; Reynolds, DA; Kueper, BH. Enhanced solubilization and destruction of tetrachloroethylene by hydroxypropyl-beta-cyclodextrin and iron. *Environmental science & technology.* Feb 1997. v. 31 (2): 472-478.
- Bjerg, PL; Ruge, K; Cortsen, J; Nielsen, PH; Christensen, TH. (1999). Degradation of aromatic and chlorinated aliphatic hydrocarbons in the anaerobic part of the Grindsted Landfill Leachate Plume: In situ microcosm and laboratory batch experiments. *Ground Water.* 37: 113-121.
- Black, H. (1996). A cleaner bill of health. *Environ Health Perspect.* 104: 488-490.
- Blair, A; Stewart, PA; Tolbert, PE; Grauman, D; Moran, FX; Vaught, J; Rayner, J. (1990). Cancer and other causes of death among a cohort of dry cleaners. *Br J Ind Med.* 47: 162-168.
- Blair, DS; Bando, J. (1998). Quantitative monitoring of volatile organic compounds in water using an evanescent fiber optic chemical sensor. *Environmental Science & Technology.* 32: 294-298.
- Blancato, JN. (1991). Physiologically-based pharmacokinetic models in risk and exposure assessment. *Annali dell'Istituto superiore di sanita* 27: 601-608.
- Blanch, A; Bianchi, AC. (1999). Volatile organic compounds in an urban airborne environment adjacent to a municipal incinerator, waste collection centre and sewage treatment plant. *AU - LEACH J. Atmos Environ.* 33: 4309-4325.
- Bland, WJ; Burgess, J; Kemmitt, RDW. (1968). The mechanism of isomerisation of (tetrachloroethylene)bis(triphenylphosphine)platinum(0) to chloro(trichlorovinyl)bis(triphenylphosphine)platinum(II). *J Organomet Chem.* 14: 201-204.
- Bland, WJ; Burgess, J; Kemmitt, RDW. (1968). Solvent effects on the kinetics of isomerisation of (tetrachloroethylene)bis(triphenylphosphine)platinum(0) to chloro(trichlorovinyl)bis(triphenylphosphine)platinum(II). *J Organomet Chem.* 15: 217-223.
- Bleckmann, P; Wiegeler, W. (1977). Calculation of raman intensities by a modified cnd0/2/indo method. *J Mol Struct.* 42: 227-234.
- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of Multiple Chlorinated Ethene Sources in an Industrialized Area-A Forensic Field Study Using. *Environmental Science & Technology.* 43: 2701-2707.
- Blessing, M; Schmidt, TC; Dinkel, R; Haderlein, SB. (2009). Delineation of Multiple Chlorinated Ethene Sources in an Industrialized Area-A Forensic Field Study Using Compound-Specific Isotope Analysis. *Environmental Science & Technology.* 43: 2701-2707.
- Bloom, Y; Aravena, R; Hunkeler, D; Edwards, E; Frape, SK. (2000). Carbon isotope fractionation during microbial dechlorination of trichloroethene, cis-1,2-dichloroethene, and vinyl chloride: Implications for assessment of natural attenuation. *Environmental Science & Technology.* 34: 2768-2772.
- Bodenhofer, K; Hierlemann, A; Noetzel, G; Weimar, U; Gopel, W. (1996). Performances of mass-sensitive devices for gas sensing: Thickness shear mode and surface acoustic wave transducers. *Anal Chem.* 68: 2210-2218.
- Bogen, KT; McKone, TE. (1988). Linking indoor air and pharmacokinetic models to assess tetrachloroethylene risk. *Risk Anal.* 8: 509-520.
- Bohlke, JK; Revesz, K; Busenberg, E; Deak, J; Deseo, E; Stute, J. (1997). Groundwater record of halocarbon transport by the Danube River. *Environmental Science & Technology.* 31: 3293-3299.
- Bohy, M; Dridi, L; Schafer, G; Razakarisoa, O. (2006). Transport of a mixture of chlorinated solvent vapors in the vadose zone of a sandy aquifer: Experimental study and numerical modeling. *Vadose Zone Journal.* 5: 539-553.
- Bois, FY. (1999). Analysis of PBPK models for risk characterization. *Ann N Y Acad Sci.* 895: 317-337.
- Bolesch, DG; Nielsen, RB; Keasling, JD. (1997). Complete reductive dechlorination of trichloroethene by a groundwater microbial consortium. *Ann N Y Acad Sci.* 829: 97-102.
- Bolt, HM. (1987). Pharmacokinetic factors and their implication in the induction of mouse liver tumors by halogenated hydrocarbons. *Archives of toxicology Supplement = Archiv fu Toxikologie Supplement.* 10: 190-203.
- Bolt, HM; Borlak, JrT. (1999). Chapter 26 - Halogenated Hydrocarbons A2 - Marquardt, Hans. *Toxicology San Diego* 645-657.
- Bommer, M; Kunze, C; Fessler, J; Schubert, T; Diekert, G; Dobbek, H. (2014). Structural basis for organohalide respiration. *Science.* 346: 455-458.
- Bonnevie, NL; Wenning, RJ. (1995). Sources of pollution and sediment contamination in Newark Bay, New Jersey. *AU - CRAWFORD DW. Ecotoxicol Environ Saf.* 30: 85-100.
- Bonse, G; Urban, T; Reichert, D; Henschler, D. (1975). Chemical reactivity, metabolic oxirane formation and biological reactivity of chlorinated ethylenes in the isolated perfused rat liver preparation. *Biochem Pharmacol.* 24: 1829-1834.

## Environmental Hazard Literature Search Results

### Off Topic

- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environmental Science & Technology*. 33: 1051-1055.
- Booker, RS; Pavlostathis, SG. (2000). Microbial reductive dechlorination of hexachloro-1,3-butadiene in a methanogenic enrichment culture. *Water Res*. 34: 4437-4445.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Gron, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere*. 51: 143-152.
- Borden, RC. (2007). Concurrent bioremediation of perchlorate and 1,1,1-trichloroethane in an emulsified oil barrier. *J Contam Hydrol*. 94: 13-33.
- Bortone, I; Di Nardo, A; Di Natale, M; Erto, A; Musmarra, D; Santonastaso, GF. (2013). Remediation of an aquifer polluted with dissolved tetrachloroethylene by an array of wells filled with activated carbon. *J Hazard Mater*. 260: 914-920.
- Bose, SL; Pradhan, MM. (1969). Response of hookworm anaemia to different types of iron therapy. *The Journal of the Association of Physicians of India*. 17: 523-527.
- Bosma, TN; Ballemans, EMW; Hoekstra, NK; Te, WELSCHERRAG; Smeenk, JGMM; Schraa, G; Zehnder, AJB. (1996). Biotransformation of organics in soil columns and an infiltration area. *Ground Water*. 34: 49-56.
- Botero, D; Castaño, A. (1973). Comparative study of pyrantel pamoate, bephenium hydroxynaphthoate, and tetrachloroethylene in the treatment of *Necator americanus* infections. *Am J Trop Med Hyg*. 22: 45-52.
- Botsford, JL. (2000). Role of EDTA in a simple method for determining toxicity using a bacterial indicator organism. *World Journal of Microbiology & Biotechnology*. 16: 353-359.
- Bottero, S; Hassanizadeh, SM; Kleingeld, PJ; Heimovaara, TJ. (2011). Nonequilibrium capillarity effects in two-phase flow through porous media at different scales. *Water Resour Res*. 47: 10505-10505.
- Boucquey, JB; Renard, P; Amerlyncq, P; Modesto, FILHOP; Agathos, SN; Naveau, H; Nyns, EJ. (1995). High-rate continuous biodegradation of concentrated chlorinated aliphatics by a durable enrichment of methanogenic origin under carrier-dependent conditions. *Biotechnol Bioeng*. 47: 298-307.
- Bouhamra, WS; Elkilani, AS. (1999). Investigation and modeling of surface sorption/desorption behavior of volatile organic compounds for indoor air quality analysis. *Environ Technol*. 20: 531-545.
- Bourg, ACM; Degranges, P; Mouvet, C; Sauty, JP. (1993). Migration of chlorinated hydrocarbon solvents through Coventry sandstone rock columns. *J Hydrol*. 149: 183-207.
- Boutonnet, JC; De, ROOIJ; Garny, V; Lecloux, A; Papp, R; Thompson, RS; Van, WIJKD. (1998). Euro chlor risk assessment for the marine environment osparcom region: North Sea - trichloroethylene. *Environ Monit Assess*. 53: 467-487.
- Bouwer, EJ; McCarty, PL. (1983). Transformations of 1- and 2-carbon halogenated aliphatic organic compounds under methanogenic conditions. *Appl Environ Microbiol*. 45: 1286-1294.
- Bouwer, EJ; Wright, JP. (1988). Transformations of trace halogenated aliphatics in anoxic biofilm columns. *J Contam Hydrol*. 2: 155-169.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol*. 141: 850-862.
- Boving, TB; Wang, XJ; Brusseau, ML. (1999). Cyclodextrin-enhanced solubilization and removal of residual-phase chlorinated solvents from porous media. *Environmental Science & Technology*. 33: 764-770.
- Bowman, JP; Jimenez, L; Rosario, I; Hazen, TC; Saylor, GS. (1993). Characterization of the methanotrophic bacterial community present in a trichloroethylene-contaminated subsurface groundwater site. *Appl Environ Microbiol*. 59: 2380-2387.
- Bowman, KS; Rainey, FA; Moe, WM. (2009). Production of hydrogen by *Clostridium* species in the presence of chlorinated solvents. *FEMS Microbiol Lett*. 290: 188-194.
- Bowman, RS; Haggerty, GM; Huddleston, RG; Neel, D; Flynn, MM. Sorption of nonpolar organic compounds, inorganic cations, and inorganic oxyanions by surfactant-modified zeolites. *ACS Symp Ser Am Chem Soc*. 1995. (594): 54-64.
- Boyd, GR; Li, MH; Husserl, J; Ocampo-Gomez, AM. (2006). Dip-angle influence on areal DNAPL recovery by co-solvent flooding with and without pre-flooding. *J Contam Hydrol*. 82: 319-337.
- Boyd, GR; Ocampo-Gomez, AM; Li, MH; Husserl, J. (2006). Effects of initial saturation on properties modification and displacement of tetrachloroethene with aqueous isobutanol. *J Contam Hydrol*. 88: 69-91.
- Boyer, A; Page-Belanger, R; Saucier, M; Villemur, R; Lepine, F; Juteau, P; Beaudet, R. (2003). Purification, cloning and sequencing of an enzyme mediating the reductive dechlorination of 2,4,6-trichlorophenol from *Desulfotobacterium frappieri* PCP-1. *Biochem J*. 373: 297-303.
- Boyle, AW; Phelps, CD; Young, LY. (1999). Isolation from estuarine sediments of a *Desulfovibrio* strain which can grow on lactate coupled to the reductive dehalogenation of 2,4,6-tribromophenol. *Appl Environ Microbiol*. 65: 1133-1140.
- Bräggemann, R; Trapp, S. (1988). Release and fate modelling of highly volatile solvents in the river Main. *Chemosphere*. 17: 2029-2041.
- Brack, W; Frank, H. (1997). A bioassay-directed method for the separation of volatile compounds from landfill leachates. *Chemosphere*. 34: 849-854.
- Brack, W; Rottler, H; Frank, H. (1998). Volatile fractions of landfill leachates and their effect on *Chlamydomonas reinhardtii*: In vivo chlorophyll a fluorescence. *Environ Toxicol Chem*. 17: 1982-1991.
- Bradford, SA; Abriola, LM. (2001). Dissolution of residual tetrachloroethylene in fractional wettability porous media: Incorporation of interfacial area estimates. *Water Resour Res*. 37: 1183-1195.
- Bradford, SA; Abriola, LM; Rathfelder, KM. Flow and entrapment of dense nonaqueous phase liquids in physically and chemically heterogeneous aquifer formations. *Advances in Water Resources*. Oct 22, 1998. v. 22 (2): 117-132.
- Bradford, SA; Phelan, TJ; Abriola, LM. (2000). Dissolution of residual tetrachloroethylene in fractional wettability porous media: correlation development and application. *J Contam Hydrol*. 45: 35-61.

## Environmental Hazard Literature Search Results

### Off Topic

- Bradford, SA; Rathfelder, KM; Lang, J; Abriola, LM. (2003). Entrapment and dissolution of DNAPLs in heterogeneous porous media. *J Contam Hydrol.* 67: 133-157.
- Bradford, SA; Vendliniski, RA; Abriola, LM. (1999). The entrapment and long-term dissolution of tetrachloroethylene in fractional wettability porous media. *Water Resour Res.* 35: 2955-2964.
- Bradley, PM. (2011). Reinterpreting the Importance of Oxygen-Based Biodegradation in Chloroethene-Contaminated Groundwater. *Ground Water Monitoring and Remediation.* 31: 50-55.
- Bradley, PM; Chapelle, FH. (1998). Effect of contaminant concentration on aerobic microbial mineralization of DCE and VC in stream-bed sediments. *Environmental Science & Technology.* 32: 553-557.
- Bradley, PM; Chapelle, FH. (1998). Microbial mineralization of VC and DCE under different terminal electron accepting conditions. *Anaerobe.* 4: 81-87.
- Bradley, PM; Chapelle, FH. (1999). Methane as a product of chloroethene biodegradation under methanogenic conditions. *Environmental Science & Technology.* 33: 653-656.
- Bradley, PM; Chapelle, FH. (1999). Role for acetotrophic methanogens in methanogenic biodegradation of vinyl chloride. *Environmental Science & Technology.* 33: 3473-3476.
- Bradley, PM; Chapelle, FH. (2000). Acetogenic microbial degradation of vinyl chloride. *Environmental Science & Technology.* 34: 2761-2763.
- Bradley, PM; Chapelle, FH; Lovley, DR. (1998). Humic acids as electron acceptors for anaerobic microbial oxidation of vinyl chloride and dichloroethene. *Appl Environ Microbiol.* 64: 3102-3105.
- Bradley, PM; Chapelle, FH; Wilson, JT. (1998). Field and laboratory evidence for intrinsic biodegradation of vinyl chloride contamination in a Fe(III)-reducing aquifer. *J Contam Hydrol.* 31: 111-127.
- Bradley, PM; Lacombe, PJ; Imbrigiotta, TE; Chapelle, FH; Goode, DJ. (2009). Flowpath Independent Monitoring of Reductive Dechlorination Potential in a Fractured Rock Aquifer. *Ground Water Monitoring and Remediation.* 29: 46-55.
- Braeckevelt, M; Kaestner, M; Kusch, P. (2011). Removal of monochlorobenzene and perchloroethene in wetland rhizosphere model systems. *Engineering in Life Sciences.* 11: 298-308.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kusch, P; Kaestner, M. (2011). ADAPTATION OF A CONSTRUCTED WETLAND TO SIMULTANEOUS TREATMENT OF MONOCHLOROBENZENE AND PERCHLOROETHENE. *Int J Phytoremediation.* 13: 998-1013.
- Brahma, PP; Harmon, TC. (2003). The effect of multicomponent diffusion on NAPL dissolution from spherical ternary mixtures. *J Contam Hydrol.* 67: 43-60.
- Brandes, D; Farley, KJ. (1993). Importance of phase behavior on the removal of residual DNAPLs from porous media by alcohol flooding. *Water Environ Res.* 65: 869-878.
- Branson; Neely, WB; Blau, GE. (1975). Predicting a Bioconcentration Potential of Organic Chemicals in Fish from Partition Coefficients. *International Joint Commission Symposium on ' Structure-Activity Correlations in Studies of Toxicity and Bioconcentration with Aquatic Organisms ' March 11-13, 1975, Canada Center for Inland Waters, Burlington, Ontario, p 99-118 2 fig, 5 tab, 13 ref.*
- Braun, R; Huettner, E; Merten, H; Raabe, F. (1993). Genotoxicity studies in semiconductor industry: 1. In vitro mutagenicity and genotoxicity studies of waste samples resulting from plasma etching. *J Toxicol Environ Health.* 39: 309-322.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753.
- Breitenstein, A; Saano, A; Salkinoja-Salonen, M; Andreesen, JR; Lechner, U. (2001). Analysis of a 2,4,6-trichlorophenol-dehalogenating enrichment culture and isolation of the dehalogenating member *Desulfitobacterium frappieri* strain TCP-A. *Archives of Microbiology.* 175: 133-142.
- Brennan, RA; Sanford, RA. (2002). Continuous steady-state method using tenax for delivering tetrachloroethene to chloro-respiring bacteria. *Appl Environ Microbiol.* 68: 1464-1467.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Biodegradation of tetrachloroethene by chitin fermentation products in a continuous flow column system. *Journal of Environmental Engineering-Asce.* 132: 664-673.
- Brennan, RA; Sanford, RA; Werth, CJ. (2006). Chitin and corncobs as electron donor sources for the reductive dechlorination of tetrachloroethene. *Water Res.* 40: 2125-2134.
- Breton-Deval, L; Moreno-Medina, CU; Fava, F; Rios-Leal, E; Poggi-Valardo, HM. (2010). Effect of Tween 80 on Solubilization of Perchloroethylene. *J Biotechnol.* 150, Supplement: 559.
- Breton-Deval, L; Rossetti, S; Rios-Leal, E; Maturro, B; Poggi-Valardo, HM. (2016). Effect of Coupling Zero-Valent Iron Side Filters on the Performance of Bioreactors Fed with a High Concentration of Perchloroethylene. *J Environ Eng.* 142: 16051-16051.
- Brewster, ML; Annan, AP; Greenhouse, JP; Kueper, BH; Olhoeft, GR; Redman, JD; Sander, KA. Observed migration of a controlled DNAPL release by geophysical methods. *Ground Water.* Nov/Dec 1995. v. 33 (6): 977-987.
- Brinkman, DW; Dickson, JR. (1995). Contaminants in Used Lubricating Oils and Their fate during Distillation/hydrotreatment Re-Refining. *Environmental Science & Technology.* 29: 81-86.
- Brisson, VL; West, KA; Lee, PKH; Tringe, SG; Brodie, EL; Alvarez-Cohen, L. (2012). Metagenomic analysis of a stable trichloroethene-degrading microbial community. *Isme Journal.* 6: 1702-1714.
- Brodin, CA; Daniell, W; Echeverria, D; Redlich, C; Checkoway, H. (1999). Concerns and assumptions of labor and management in the dry-cleaning industry. *Am J Ind Med.* 36: 482-483.
- Brodsky, J; Brodessor, J; Bauer, C; Rombke, J. The environmental fate of six existing chemicals in laboratory tests. *Chemosphere.* Feb 1997. v. 34 (3): 515-538.
- Broholm, K. (2007). Solvent release into a sandy aquifer 3: Enhanced dissolution by methanol injection. *Environ Technol.* 28: 11-18.

## Environmental Hazard Literature Search Results

### Off Topic

- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Broholm, K; Feenstra, S; Cherry, JA. (1999). Solvent release into a sandy aquifer. 1. Overview of source distribution and dissolution behavior. *Environmental Science & Technology.* 33: 681-690.
- Broholm, K; Feenstra, S; Cherry, JA. (2005). Solvent release into a sandy aquifer. 2. Estimation of DNAPL mass based on a multiple-component dissolution model. *Environmental science & technology.* 39: 317-324.
- Bronzetti, G; Bauer, C; Corsi, C; Del Carratore, R; Galli, A; Nieri, R; Paolini, M. (1983). Genetic and biochemical studies on perchloroethylene "in vitro" and "in vivo". *Mutat Res.* 116: 323-331.
- Bronzetti, G; Bauer, C; Corsi, C; Leporini, C; Nieri, R; Del Carratore, R. (1981). Genetic effects of 1,1-dichloroethylene (1,1-DCE) and tetrachloroethylene (PCE) on yeast. *Mutation Research/Environmental Mutagenesis and Related Subjects.* 85: 231-232.
- Brooks, MC; Annable, MD; Rao, PSC; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2002). Controlled release, blind tests of DNAPL characterization using partitioning tracers. *J Contam Hydrol.* 59: 187-210.
- Brooks, MC; Annable, MD; Rao, PSC; Hatfield, K; Jawitz, JW; Wise, WR; Wood, AL; Enfield, CG. (2004). Controlled release, blind test of DNAPL remediation by ethanol flushing. *J Contam Hydrol.* 69: 281-297.
- Brown, HW. (1969). Anthelmintics, new and old. *Clin Pharmacol Ther.* 10: 5-21.
- Brown, MJ; Burris, DR. Enhanced organic contaminant sorption on soil treated with cationic surfactants. *Ground Water.* July/Aug 1996. v. 34 (4): 734-744.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere.* 36: 1799-1810.
- Brugnone, F; Perbellini, L; Giuliari, C; Cerpelloni, M; Soave, M. (1994). Blood and urine concentrations of chemical pollutants in the general population. *Med Lav.* 85: 370-389.
- Bruno, P; Caselli, M; de Gennaro, G; Solito, M; Tutino, M. (2007). Monitoring of odor compounds produced by solid waste treatment plants with diffusive samplers. *Waste Manag.* 27: 539-544.
- Brusseau, ML. (1991). Cooperative sorption of organic chemicals in systems composed of low organic carbon aquifer materials. *Environ Sci Technol.* 25: 1747-1752.
- Brusseau, ML. (1992). Nonequilibrium transport of organic chemicals: The impact of pore-water velocity. *J Contam Hydrol.* 9: 353-368.
- Brusseau, ML. (1993). Using QSAR to evaluate phenomenological models for sorption of organic compounds by soil. *Environ Toxicol Chem.* 12: 1835-1846.
- Brusseau, ML; Narter, M. (2013). Assessing the impact of chlorinated-solvent sites on metropolitan groundwater resources. *Ground Water.* 51: 828-832.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere.* 89: 1302-1306.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol.* 28: 115-155.
- Buben, JA; O'Flaherty, EJ. (1985). Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. *Toxicol Appl Pharmacol.* 78: 105-122.
- Buben, JA; O'Flaherty, EJ. (1985). Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. *Toxicol Appl Pharmacol.* 78: 105-122.
- Buchner, D; Behrens, S; Laskov, C; Haderlein, SB. (2015). Resiliency of Stable Isotope Fractionation ( $\delta C-13$  and  $\delta Cl-37$ ) of Trichloroethene to Bacterial Growth Physiology and Expression of Key Enzymes. *Environmental Science & Technology.* 49: 13230-13237.
- Buhamra, SS. (1998). The analysis of VOCs survey data from residences in Kuwait. *Environmetrics.* 9: 245-253.
- Bukowski, JA. (2012). Response to letter from J.E. Storm and colleagues concerning the paper "Review of the epidemiologic literature on residential exposure to perchloroethylene". *Crit Rev Toxicol.* 42: 318-321.
- Bull, RJ. (1985). Carcinogenic and mutagenic properties of chemicals in drinking water. *Sci Total Environ.* 47: 385-413.
- Bundschuh, I; Herbort, C; Fels, LM; Jung, K; Graubaus, HJ; Stolte, H. (1993). Renal fibronectin excretion as a marker for renal environmental toxins. Contributions to nephrology. 101: 177-184.
- Bunge, M; Kleikemper, J; Miniaci, C; Duc, L; Muusse, MG; Hause, G; Zeyer, J. (2007). Benzoate-driven dehalogenation of chlorinated ethenes in microbial cultures from a contaminated aquifer. *Appl Microbiol Biotechnol.* 76: 1447-1456.
- Burg, JR; Gist, GL. (1999). Health effects of environmental contaminant exposure: An intrafile comparison of the Trichloroethylene Subregistry. *Arch Environ Health.* 54: 231-241.
- Burge, S; May, J. (2005). Automated ground water sampling and analysis of trichloroethene using a "universal" sampling/analytical system. *Ground Water Monitoring and Remediation.* 25: 113-122.
- Burghardt, JM; Kueper, BH. (2008). Laboratory Study Evaluating Heating of Tetrachloroethylene Impacted Soil. *Ground Water Monitoring and Remediation.* 28: 95-106.
- Burkl, G; Hagenguth, H; Schläffer, T; Scholz, A. (1987). Survey of the condition of underground water in the Munich area, with special reference to the content of volatile halogenated hydrocarbons. *Vom Wasser Weinheim.* 68: 43-52.
- Burris, DR; Allen-King, RM; Manoranjan, VS; Campbell, TJ; Loraine, GA; Deng, BL. (1998). Chlorinated ethene reduction by cast iron: Sorption and mass transfer. *Journal of Environmental Engineering-Asce.* 124: 1012-1019.
- Burris, DR; Antworth, CP. (1992). In situ modification of an aquifer material by a cationic surfactant to enhance retardation of organic contaminants. *J Contam Hydrol.* 10: 325-337.

## Environmental Hazard Literature Search Results

### Off Topic

- Burris, DR; Campbell, TJ; Manoranjan, VS. (1995). Sorption of trichloroethylene and tetrachloroethylene in a batch reactive metallic iron-water system. *Environmental Science & Technology*. 29: 2850-2855.
- Burris, DR; Delcomyn, CA; Deng, BL; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene reductive dechlorination catalyzed by vitamin B(12). *Environ Toxicol Chem*. 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environmental Science & Technology*. 30: 3047-3052.
- Burt, TA; Li, ZH; Bowman, RS. (2005). Evaluation of granular surfactant-modified/zeolite zero valent iron pellets as a reactive material for perchloroethylene reduction. *Journal of Environmental Engineering-Asce*. 131: 934-942.
- Burton, DT; DiLorenzo, JL; Shedd, TR; Wrobel, JG. (2002). Aquatic hazard assessment of a contaminated surficial aquifer discharge into the Bush River, Maryland (USA). *Water Air and Soil Pollution*. 139: 159-182.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Klinger, R. (2007). The role of physical activity and feeding schedule on the kinetics of inhaled and oral toluene in rats. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 70: 1806-1814.
- Butcher, JB. (1997). Toxics zoning for reservoir source water protection. *Lake And Reservoir Management*. 13: 281-291.
- Butler, EC; Chen, LX; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation*. 33: 52-60.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environmental Science & Technology*. 32: 1276-1284.
- Butler, EC; Hayes, KF. (1999). Kinetics of the transformation of trichloroethylene and tetrachloroethylene by iron sulfide. *Environmental Science & Technology*. 33: 2021-2027.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environmental Science & Technology*. 35: 3884-3891.
- Buttet, GF; Holliger, C; Maillard, J. (2013). Functional Genotyping of Sulfurospirillum spp. in Mixed Cultures Allowed the Identification of a New Tetrachloroethene Reductive Dehalogenase. *Appl Environ Microbiol*. 79: 6941-6947.
- Buyuksonmez, F; Hess, TF; Crawford, RL; Paszczynski, A; Watts, RJ. (1999). Optimization of simultaneous chemical and biological mineralization of perchloroethylene. *Appl Environ Microbiol*. 65: 2784-2788.
- Byeon, SH; Oh, SM; Kim, WS; Lee, CH. (1997). Evaluation of an activated carbon felt passive sampler in monitoring organic vapors. *Ind Health*. 35: 404-414.
- Căpiro, NL; Löffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE-DNAPL source zone. *J Contam Hydrol*. 182: 78-90.
- Cabirol, N; Jacob, F; Perrier, J; Fouillet, B; Chambon, P. (1998). Complete degradation of high concentrations of tetrachloroethylene by a methanogenic consortium in a fixed-bed reactor. *J Biotechnol*. 62: 133-141.
- Cabirol, N; Jacob, F; Perrier, J; Fouillet, B; Chambon, P. (1998). Interaction between methanogenic and sulfate-reducing microorganisms during dechlorination of a high concentration of tetrachloroethylene. *J Gen Appl Microbiol*. 44: 297-301.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1998). Isolation of a methanogenic bacterium, *Methanosarcina* sp. strain FR, for its ability to degrade high concentration of perchloroethylene. *Can J Microbiol* 1990. 44: 1142-1147.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). Role of methanogenic and sulfate-reducing bacteria in the reductive dechlorination of tetrachloroethylene in mixed culture. *Bull Environ Contam Toxicol*. 56: 817-824.
- Cabirol, N; Villemur, R; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1998). Isolation of a methanogenic bacterium, *Methanosarcina* sp. strain FR, for its ability to degrade high concentrations of perchloroethylene. *Can J Microbiol*. 44: 1142-1147.
- Cai, S-X; Huang, M-Y; Chen, Z; Liu, Y-T; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health*. 29: 111-121.
- Cai, ZS; Wilson, RD; Lerner, DN. (2012). Assessing TCE Source Bioremediation by Geostatistical Analysis of a Flux Fence. *Ground Water*. 50: 908-917.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutation Research/Genetic Toxicology*. 77: 55-63.
- Cannon, FS; Dusenbury, JS; Paulsen, PD; Singh, J; Mazyck, DW; Maurer, DJ. (1996). Advanced oxidant regeneration of granular activated carbon for controlling air-phase VOCs. *Ozone Science & Engineering*. 18: 417-441.
- Cantelli-Forti, G; Bronzetti, G. (1988). Mutagenesis and carcinogenesis of halogenated ethylenes. *Ann N Y Acad Sci*. 534: 679-693.
- Capiro, NL; Granbery, EK; Lebron, CA; Major, DW; McMaster, ML; Pound, MJ; Löffler, FE; Pennell, KD. (2011). Liquid-Liquid Mass Transfer of Partitioning Electron Donors in Chlorinated Solvent Source Zones. *Environmental Science & Technology*. 45: 1547-1554.
- Capiro, NL; Löffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE-DNAPL source zone. *J Contam Hydrol*. 182: 78-90.
- Capiro, NL; Wang, YG; Hatt, JK; Lebron, CA; Pennell, KD; Löffler, FE. (2014). Distribution of Organohalide-Respiring Bacteria between Solid and Aqueous Phases. *Environmental Science & Technology*. 48: 10878-10887.
- Carlson, GP. (1983). Epinephrine-induced cardiac arrhythmias in rabbits exposed to tetrachloroethylene. *Toxicol Lett*. 19: 113-117.
- Carmichael, LM; Smith, TG; Pardieck, DL. (1999). Site-specific sorption values for mixtures of volatile and semivolatile organic compounds in sandy soils. *J Environ Qual*. 28: 888-897.
- Carney, EW; Thorsrud, BA; Dugard, PH; Zablotny, CL. (2006). Developmental toxicity studies in CrI : CD (SD) rats following inhalation exposure to trichloroethylene and perchloroethylene. *Birth Defects Research Part B-Developmental and Reproductive Toxicology*. 77: 405-412.

## Environmental Hazard Literature Search Results

### Off Topic

- Carr, CS; Garg, S; Hughes, JB. (2000). Effect of dechlorinating bacteria on the longevity and composition of PCE-containing nonaqueous phase liquids under equilibrium dissolution conditions. *Environmental Science & Technology*. 34: 1088-1094.
- Carr, CS; Hughes, JB. (1998). Enrichment of high-rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity. *Environmental Science & Technology*. 32: 1817-1824.
- Carr, HP; Sarda, ME; Nunez, NA. (1954). Anthelmintic treatment of uncinariasis. *The American journal of tropical medicine and hygiene*. 3: 495-503.
- Carreon-Diazconti, C; Santamaria, J; Berkompas, J; Field, JA; Brusseau, ML. (2009). Assessment of in Situ Reductive Dechlorination Using Compound-Specific Stable Isotopes, Functional Gene PCR, and Geochemical Data. *Environmental Science & Technology*. 43: 4301-4307.
- Carroll, AB; Fennell, DE; Gossett, JM; Zinder, SH. (1999). The molecular detection of "Dehalococcoides ethenogenes" in PCE- and TCE-contaminated sites by PCR amplification of 16S rDNA. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 539.
- Carroll, KC; Taylor, R; Gray, E; Brusseau, ML. (2009). The impact of composition on the physical properties and evaporative mass transfer of a PCE-diesel immiscible liquid. *J Hazard Mater*. 164: 1074-1081.
- Carter, JM; Lapham, WW; Zogorski, JS. (2008). Occurrence of volatile organic compounds in aquifers of the United States. *J Am Water Resour Assoc*. 44: 399-416.
- Carter, SR; Jewell, WJ. (1993). Biotransformation of tetrachloroethylene by anaerobic attached-films at low temperatures. *Water Res*. 27: 607-615.
- Cavalleri, A; Gobba, F; Paltrinieri, M; Fantuzzi, G; Righi, E; Aggazzotti, G. (1994). Perchloroethylene exposure can induce colour vision loss. *Neurosci Lett*. 179: 162-166.
- Cave, L; Hartog, N; Al, T; Parker, B; Mayer, KU; Cogswell, S. (2007). Electrical monitoring of in situ chemical oxidation by permanganate. *Ground Water Monitoring and Remediation*. 27: 77-84.
- Cave, MC; Clair, HB; Hardesty, JE; Falkner, KC; Feng, W; Clark, BJ; Sidey, J; Shi, H; Aqel, BA; McClain, CJ; Prough, RA. (2016). Nuclear receptors and nonalcoholic fatty liver disease. *Biochimica et Biophysica Acta (BBA) - Gene Regulatory Mechanisms*. 1859: 1083-1099.
- Cederberg, H; Henriksson, J; Binderup, ML. (2010). DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. *Mutagenesis*. 25: 133-138.
- Cengiz-Callioglu, F; Jirsak, O; Dayik, M. (2013). The influence of non-solvent addition on the independent and dependent parameters in roller electrospinning of polyurethane. *J Nanosci Nanotech* 2013, Jul. 13: 4727-4735.
- Centers, fDC. (1983). Worker exposure to perchloroethylene in commercial dry-cleaning operations--United States. *MMWR Morbidity and mortality weekly report*. 32: 269-271.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect*. 124: A141-A146.
- Cervantes, FJ; Vu-Thi-Thu, L; Lettinga, G; Field, JA. (2004). Quinone-respiration improves dechlorination of carbon tetrachloride by anaerobic sludge. *Appl Microbiol Biotechnol*. 64: 702-711.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem*. 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem*. 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environmental Science & Technology*. 35: 805-809.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2002). Dechlorination of pentachloroethane by commercial Fe and ferruginous smectite. *Chemosphere*. 47: 971-976.
- Cervini-Silva, J; Wu, J; Stucki, JW; Larson, RA. (2000). Adsorption kinetics of pentachloroethane by iron-bearing smectites. *Clays and Clay Minerals*. 48: 132-138.
- Cervoni, WA; Oliver-González, J; Slomka, MB. (1969). Dichlorvos as a single-dose intestinal anthelmintic therapy for man. *The American journal of tropical medicine and hygiene*. 18: 912-919.
- Cha, KY; Borden, RC. (2012). Impact of injection system design on ISCO performance with permanganate - mathematical modeling results. *J Contam Hydrol*. 128: 33-46.
- Chai, JC; Miura, N. (2004). Field vapor extraction test and long-term monitoring at a PCE contaminated site. *J Hazard Mater*. 110: 85-92.
- Chambon, JC; Bjerg, PL; Scheutz, C; Baelum, J; Jakobsen, R; Binning, PJ. (2013). Review of reactive kinetic models describing reductive dechlorination of chlorinated ethenes in soil and groundwater. *Biotechnol Bioeng*. 110: 1-23.
- Chan, CY; Chan, LY; Wang, XM; Liu, YM; Lee, SC; Zou, SC; Sheng, GY; Fu, JM. (2002). Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. *Atmos Environ*. 36: 2039-2047.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ*. 40: 7331-7345.
- Chan, WWM; Grostern, A; Löffler, FE; Edwards, EA. (2011). Quantifying the Effects of 1,1,1-Trichloroethane and 1,1-Dichloroethane on Chlorinated Ethene Reductive Dehalogenases. *Environmental Science & Technology*. 45: 9693-9702.
- Chanco, PP, Jr.; Paguio, A. (1965). Single dose treatment of round worm infestation with piperazine-tetrachlorethylene combination. *Journal of the Philippine Medical Association*. 41: 357-360.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal Protocol. *Environmental Science & Technology*. 35: 3273-3279.

## Environmental Hazard Literature Search Results

### Off Topic

- Chang, C-H; Yang, H-Y; Hung, J-M; Lu, C-J; Liu, M-H. (2017). Simulation of combined anaerobic/aerobic bioremediation of tetrachloroethylene in groundwater by a column system. *International Biodeterioration & Biodegradation*. 117: 150-157.
- Chang, EE; Wang, WC; Zeng, LX; Chiang, HL. (2010). Health risk assessment of exposure to selected volatile organic compounds emitted from an integrated iron and steel plant. *Inhal Toxicol*. 22: 117-125.
- Chang, HL; Alvarez-Cohen, L. Transformation capacities of chlorinated organics by mixed cultures enriched on methane, propane, toluene, or phenol. *Biotechnol Bioeng*. Mar 5, 1995. v. 45 (5): 440-449.
- Chang, HL; Alvarez-Cohen, L. (1996). Biodegradation of individual and multiple chlorinated aliphatic hydrocarbons by methane-oxidizing cultures. *Appl Environ Microbiol*. 62: 3371-3377.
- Chang, J-H; Cheng, S-F. (2006). The remediation performance of a specific electrokinetics integrated with zero-valent metals for perchloroethylene contaminated soils. *J Hazard Mater*. 131: 153-162.
- Chang, W; Korenaga, T. (2006). Application of a monolithic silica capillary adsorbent for the preconcentration of airborne trichloroethylene and tetrachloroethylene. *Anal Bioanal Chem*. 385: 1149-1152.
- Chang, YC; Choi, D; Takamizawa, K; Kikuchi, S. (2013). Effect of blast furnace dust on the degradation of chlorinated organic and endocrine disrupting compounds. *Process Biochemistry*. 48: 694-702.
- Chang, YC; Hatsu, M; Jung, K; Yoo, YS; Takamizawa, K. (1998). Degradation of a variety of halogenated aliphatic compounds by an anaerobic mixed culture. *Journal of Fermentation and Bioengineering*. 86: 410-412.
- Chang, YC; Hatsu, M; Jung, K; Yoo, YS; Takamizawa, K. (2000). Isolation and characterization of a tetrachloroethylene dechlorinating bacterium, *Clostridium bifermentans* DPH-1. *J Biosci Bioeng*. 89: 489-491.
- Chang, YC; Ikeutsu, K; Toyama, T; Choi, D; Kikuchi, S. (2011). Isolation and characterization of tetrachloroethylene- and cis-1,2-dichloroethylene-dechlorinating propionibacteria. *Journal of Industrial Microbiology & Biotechnology*. 38: 1667-1677.
- Chang, YC; Kikuchi, S; Kawauchi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol*. 29: 381-391.
- Chang, YC; Okeke, BC; Hatsu, M; Takamizawa, K. (2001). In vitro dehalogenation of tetrachloroethylene (PCE) by cell-free extracts of *Clostridium bifermentans* DPH-1. *Bioresour Technol*. 78: 141-147.
- Chang, YC; Waegli, P; Paeder, V; Homsy, A; Hvozدارa, L; van der Wal, P; Di Francesco, J; de Rooij, NF; Herzig, HP. (2012). Cocaine detection by a mid-infrared waveguide integrated with a microfluidic chip. *Lab on a Chip*. 12: 3020-3023.
- Chao, CYH; Tung, TCW; Niu, JL; Pang, SW; Lee, RYM. (1998). Indoor perchloroethylene accumulation from dry cleaned clothing on residential premises. *Build Environ*. 34: 319-328.
- Chapelle, FH; Bradley, PM; Casey, CC. (2005). Behavior of a chlorinated ethene plume following source-area treatment with Fenton's reagent. *Ground Water Monitoring and Remediation*. 25: 131-141.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Groundwater*. 52: 76-89.
- Chapelle, FH; Singletary, MA. (2010). Combining source-area treatment with MNA: a tale of two sites. *Ground Water*. 48: 803-805.
- Chapin, RE; Phelps, JL; Schwetz, BA; Yang, RSH. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: III. Male reproduction study in B6C3F1 mice. *Fundam Appl Toxicol*. 13: 388-398.
- Charbonneau, M; Greselin, E; Brodeur, J; Plaa, GL. (1991). Influence of acetone on the severity of the liver injury induced by haloalkane mixtures. *Can J Physiol Pharmacol*. 69: 1901-1907.
- Chartrand, MMG; Waller, A; Mattes, TE; Elsner, M; Lacrampe-Couloume, G; Gossett, JM; Edwards, EA; Lollar, BS. (2005). Carbon isotopic fractionation during aerobic vinyl chloride degradation. *Environmental Science & Technology*. 39: 1064-1070.
- Chaudhuri, RN; Mukerji, AK. (1947). Death following administration of tetrachloroethylene. *Indian medical gazette*. 82: 115.
- Cheah, EPS; Reible, DD; Valsaraj, KT; Constant, WD; Walsh, BW; Thibodeaux, LJ. (1998). Simulation of soil washing with surfactants. *J Hazard Mater*. 59: 107-122.
- Chen, DW; Carsel, RF; Moeti, L; Vona, B. (1999). Assessment and prediction of contaminant transport and migration at a Florida Superfund site. *Environ Monit Assess*. 57: 291-299.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere*. 86: 156-165.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere*. 86: 156-165.
- Chen, G. (2004). Reductive dehalogenation of tetrachloroethylene by microorganisms: current knowledge and application strategies. *Appl Microbiol Biotechnol*. 63: 373-377.
- Chen, HH; Chan, MH; Fu, SH. (2002). Behavioural effects of tetrachloroethylene exposure in rats: acute and subchronic studies. *Toxicology*. 170: 201-209.
- Chen, HH; Lin, YR; Peng, QG; Chan, MH. (2005). Effects of trichloroethylene and perchloroethylene on muscle contractile responses and epithelial prostaglandin release and acetylcholinesterase activity in swine trachea. *Toxicol Sci*. 83: 149-154.
- Chen, J; Bowman, KS; Rainey, FA; Moe, WM. (2014). Reassessment of PCR primers targeting 16S rRNA genes of the organohalide-respiring genus *Dehalogenimonas*. *Biodegradation*. 25: 747-756.
- Chen, JL; Ortiz, R; Steele, TWJ; Stuckey, DC. (2014). Toxicants inhibiting anaerobic digestion: A review. *Biotechnol Adv*. 32: 1523-1534.
- Chen, JP; Kiaei, D; Hoffman, AS. (1993). Activity of horseradish peroxidase adsorbed on radio frequency glow discharge-treated polymers. *Journal of biomaterials science Polymer edition*. 5: 167-181.

## Environmental Hazard Literature Search Results

### Off Topic

- Chen, JS; Wu, CC; Kao, DY. (2004). New approach to IR study of monomer-dimer self-association: 2,2-dimethyl-3-ethyl-3-pentanol in tetrachloroethylene as an example. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy*. 60: 2287-2293.
- Chen, K; Huang, LL; Xu, CF; Liu, XM; He, J; Zinder, SH; Li, SP; Jiang, JD. (2013). Molecular characterization of the enzymes involved in the degradation of a brominated aromatic herbicide. *Mol Microbiol*. 89: 1121-1139.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2011). Air Pollutants Formed in Thermal Decomposition of Folpet Fungicide under Oxidative Conditions. *Environmental Science & Technology*. 45: 554-560.
- Chen, MJ; Abriola, LM; Amos, BK; Suchomel, EJ; Pennell, KD; Loeffler, FE; Christ, JA. (2013). Microbially enhanced dissolution and reductive dechlorination of PCE by a mixed culture: Model validation and sensitivity analysis. *J Contam Hydrol*. 151: 117-130.
- Chen, SHIFU; Cheng, XUELI. (1998). Photocatalytic degradation of organochlorine compounds using TiO<sub>2</sub> supported on fiberglass cloth. *J Environ Sci*. 10: 433-436.
- Chen, SS; Huang, YC; Kuo, TY. (2010). The Remediation of Perchloroethylene Contaminated Groundwater by Nanoscale Iron Reactive Barrier Integrated with Surfactant and Electrokinetics. *Ground Water Monitoring and Remediation*. 30: 90-98.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: The effects of aeration and sludge addition. *Chemosphere*. 103: 92-98.
- Chen, YC; Lan, HX; Zhan, HY; Fu, SY. (2005). Simultaneous anaerobic-aerobic biodegradation of halogenated phenolic compound under oxygen-limited conditions. *J Environ Sci*. 17: 873-875.
- Chen, YT; Lu, CJ. (2014). Effects of tetrachloroethene on the measurement of radon in water with liquid scintillation counting method. *J Environ Radioact*. 127: 26-33.
- Chen, ZB; Kuschik, P; Paschke, H; Kastner, M; Muller, JA; Koser, H. (2014). Treatment of a sulfate-rich groundwater contaminated with perchloroethene in a hydroponic plant root mat filter and a horizontal subsurface flow constructed wetland at pilot-scale. *Chemosphere*. 117: 178-184.
- Chen, ZB; Wu, SB; Braechevelt, M; Paschke, H; Kastner, M; Moser, H; Kuschik, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere*. 89: 724-731.
- Cheng, D; Chow, WL; He, JZ. (2010). A Dehalococcoides-containing co-culture that dechlorinates tetrachloroethene to trans-1,2-dichloroethene. *Isme Journal*. 4: 88-97.
- Cheng, D; He, JZ. (2009). Isolation and Characterization of "Dehalococcoides" sp Strain MB, Which Dechlorinates Tetrachloroethene to trans-1,2-Dichloroethene. *Appl Environ Microbiol*. 75: 5910-5918.
- Cheng, H; Hu, Y; Luo, J; Sabatini, DA. (2009). Multipass membrane air-stripping (MAS) for removing volatile organic compounds (VOCs) from surfactant micellar solutions. *J Hazard Mater*. 170: 1070-1078.
- Cheng, H; Reinhard, M. (2006). Measuring hydrophobic micropore volumes in geosorbents from trichloroethylene desorption data. *Environmental science & technology*. 40: 3595-3602.
- Cheng, Y-X; Fan, J-L; Xie, Z-Y; Lu, J-Q; Luo, M-F. (2013). Effects of M-promoter (M = Y, Co, La, Zn) on Cr<sub>2</sub>O<sub>3</sub> catalysts for fluorination of perchloroethylene. *Journal of Fluorine Chemistry*. 156: 66-72.
- Cheng, Z; Gao, B; Xu, HX; Sun, YY; Shi, XQ; Wu, JC. (2016). Effects of surface active agents on DNAPL migration and distribution in saturated porous media. *Sci Total Environ*. 571: 1147-1154.
- Cherry, J. (1992). Chlorinated solvents in groundwater: Field experimental studies of behaviour and remediation. *J Hazard Mater*. 32: 275-278.
- Chessells, M; Hawker, DW; Connell, DW. (1992). Influence of solubility in lipid on bioconcentration of hydrophobic compounds. *Ecotoxicol Environ Saf*. 23: 260-273.
- Chevalier, LR; Morris, T; Allen, C; Lazarowitz, V; Fektenberg, L. (2000). Comparison of primary and secondary surfactant flushing to enhance LNAPL recovery. *Soil & Sediment Contamination*. 9: 425-448.
- Chevalier, LR; Petersen, J. (1999). Literature review of 2-D laboratory experiments in NAPL flow, transport, and remediation. *Journal of Soil Contamination*. 8: 149-167.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Science and Technology*. 38: 287-294.
- Chiappini, L; Delery, L; Leoz, E; Brouard, B; Fagault, Y. (2009). A first French assessment of population exposure to tetrachloroethylene from small dry-cleaning facilities. *Indoor Air*. 19: 226-233.
- Chiemchaisri, W; Chiemchaisri, C; Khananthal, U; Kumar, S; Bharti, A; Fan, MH. (2010). Role of final cover soil in regulating volatile organic compounds: emissions from solid waste disposal sites in developing countries. *Int J Environ Pollut*. 43: 3-15.
- Chiemchaisri, W; Visvanathan, C; Wu, JS. (2001). Effects of trace volatile organic compounds on methane oxidation. *Brazilian Archives of Biology and Technology*. 44: 135-140.
- Chieruttini, ME; Franklin, CS. (1976). The toxicology of the tetrachloroethanes [proceedings]. *Br J Pharmacol*. 57: 421P.
- Chiriach, R; Carre, J; Perrodin, Y; Fine, L; Letoffe, J-M. (2007). Characterisation of VOCs emitted by open cells receiving municipal solid waste. *J Hazard Mater*. 149: 249-263.
- Chiriach, R; Carre, J; Perrodin, Y; Vaillant, H; Gasso, S; Miele, P. (2009). Study of the dispersion of VOCs emitted by a municipal solid waste landfill. *Atmos Environ*. 43: 1926-1931.
- Chiu, WA; Bois, FY. (2006). Revisiting the population toxicokinetics of tetrachloroethylene (vol 80, pg 305, 2006). *Arch Toxicol*. 80: 386-386.
- Chiu, WA; Bois, RY. (2006). Revisiting the population toxicokinetics of tetrachloroethylene. *Arch Toxicol*. 80: 382-385.
- Cho, C; Corapcioglu, MY; Park, S; Sung, K. (2008). Effects of grasses on the fate of VOCs in contaminated soil and air. *Water Air and Soil Pollution*. 187: 243-250.



## Environmental Hazard Literature Search Results

### Off Topic

- Cho, C; Park, S; Sung, K. (2013). Subsurface and Plant Contamination During Natural Attenuation and Phytoremediation of Silt Loam Contaminated with Chlorinated Organic Compounds. *Vadose Zone Journal*. 12: NIL\_318-NIL\_328.
- Cho, CW; Sung, K; Coapcioglu, MY; Drew, M. (2005). Influence of water content and plants on the dissipation of chlorinated volatile organic compounds in soil. *Water Air and Soil Pollution*. 167: 259-271.
- Cho, HH; Park, JW. (2006). Sorption and reduction of tetrachloroethylene with zero valent iron and amphiphilic molecules. *Chemosphere*. 64: 1047-1052.
- Cho, J; Annable, MD. (2005). Characterization of pore scale NAPL morphology in homogeneous sands as a function of grain size and NAPL dissolution. *Chemosphere*. 61: 899-908.
- Cho, J; Annable, MD; Rao, PS. (2005). Measured mass transfer coefficients in porous media using specific interfacial area. *Environmental science & technology*. 39: 7883-7888.
- Cho, JH; Annable, MD; Suresh, P; Rao, C. (2004). Influence of residual surfactants on DNAPL characterization using partitioning tracers. *J Contam Hydrol*. 72: 67-83.
- Cho, Y; Choi, SI. (2010). Degradation of PCE, TCE and 1,1,1-TCA by nanosized FePd bimetallic particles under various experimental conditions. *Chemosphere*. 81: 940-945.
- Chodola, GR; Biswas, N; Bewtra, JK; St, PIERRECC; Zytner, RG. (1990). Fate of selected volatile organic substances in aqueous environment. *Toxicol Lett*. 52: 279-285.
- Choi, HA; Lee, SS. (2012). *Sphingobacterium kyonggiense* sp nov., isolated from chloroethene-contaminated soil, and emended descriptions of *Sphingobacterium daejeonense* and *Sphingobacterium mizutaii*. *Int J Syst Evol Microbiol*. 62: 2559-2564.
- Choi, J; Batchelor, B; Won, C; Chung, J. (2012). Nitrate reduction by green rusts modified with trace metals. *Chemosphere*. 86: 860-865.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environmental Science & Technology*. 42: 3356-3362.
- Choi, JY; Batchelor, B; Chung, JW. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air and Soil Pollution*. 121: 407-417.
- Chomsurin, C; Kajorntraidej, J; Luangmuang, K. (2008). Bioremediation of trichloroethylene contaminated groundwater using anaerobic process. *Water Science and Technology*. 58: 2127-2132.
- Choudhary, PK; Duret, A; Rohrbach-Brandt, E; Holliger, C; Sigel, RKO; Maillard, J. (2013). Diversity of Cobalamin Riboswitches in the Corrinoid-Producing Organohalide Respirer *Desulfitobacterium hafniense*. *J Bacteriol*. 195: 5186-5195.
- Choudhary, RNP; Pati, B; Das, PR; Dash, RR; Swain, S. (2014). Development of electronic materials from industrial waste red mud. *Journal of Materials Science-Materials in Electronics*. 25: 202-216.
- Chow, WL; Cheng, D; Wang, SQ; He, JZ. (2010). Identification and transcriptional analysis of trans-DCE-producing reductive dehalogenases in *Dehalococcoides* species. *Isme Journal*. 4: 1020-1030.
- Chown, JC; Kueper, BH; McWhorter, DB. The use of upward hydraulic gradients to arrest downward DNAPL migration in rock fractures. *Ground Water*. May/June 1997. v. 35 (3): 483-491.
- Christ, JA; Lemke, LD; Abriola, LM. (2005). Comparison of two-dimensional and three-dimensional simulations of dense nonaqueous phase liquids (DNAPLs): Migration and entrapment in a nonuniform permeability field. *Water Resour Res*. 41: 1007-1007.
- Christ, JA; Lemke, LD; Abriola, LM. (2009). The influence of dimensionality on simulations of mass recovery from nonuniform dense non-aqueous phase liquid (DNAPL) source zones. *Advances in Water Resources*. 32: 401-412.
- Christ, JA; Ramsburg, CA; Pennell, KD; Abriola, LM. (2006). Estimating mass discharge from dense nonaqueous phase liquid source zones using upscaled mass transfer coefficients: An evaluation using multiphase numerical simulations. *Water Resour Res*. 42: 11420-11420.
- Christensen, KE; Altman, PW; Schaefer, C; McCray, JE. (2015). Steady State DNAPL Dissolution in Three-Dimensional Fractured Sandstone Network Experiments. *J Environ Eng*. 141: 14047-14047.
- Christiansen, N; Ahring, BK; Wohlfarth, G; Diekert, G. (1998). Purification and characterization of the 3-chloro-4-hydroxy-phenylacetate reductive dehalogenase of *Desulfitobacterium hafniense*. *FEBS Lett*. 436: 159-162.
- Christiansen, N; Christensen, SR; Arvin, E; Ahring, BK. (1997). Transformation of tetrachloroethene in an upflow anaerobic sludge blanket reactor. *Appl Microbiol Biotechnol*. 47: 91-94.
- Christof, O; Seifert, R; Michaelis, W. (2002). Volatile halogenated organic compounds in European estuaries. *Biogeochemistry*. 59: 143-160.
- Chrysikopoulos, CV; Hildemann, LM; Roberts, PV. (1989). Modeling the emission and dispersion of volatile organics from surface aeration wastewater treatment facilities. *Water Res*. 26: 1045-1052.
- Chrysikopoulos, CV; Vogler, ET. (2004). Acoustically enhanced multicomponent NAPL ganglia dissolution in water saturated packed columns. *Environmental science & technology*. 38: 2940-2945.
- Chu, KC; Milman, HA. (1981). Review of experimental carcinogenesis by compounds related to vinyl chloride. *Environ Health Perspect*. 41: 211-220.
- Chu, M; Kitanidis, PK; McCarty, PL. (2003). Effects of biomass accumulation on microbially enhanced dissolution of a PCE pool: a numerical simulation. *J Contam Hydrol*. 65: 79-100.
- Chu, M; Kitanidis, PK; McCarty, PL. (2004). Possible factors controlling the effectiveness of bioenhanced dissolution of non-aqueous phase tetrachloroethene. *Advances in Water Resources*. 27, issue 6: 601-615.
- Chu, M; Kitanidis, PK; McCarty, PL. (2005). Modeling microbial reactions at the plume fringe subject to transverse mixing in porous media: When can the rates of microbial reaction be assumed to be instantaneous? *Water Resour Res*. 41: 6002-6002.
- Chu, W; Jia, J. (2009). The Photodegradation and Modeling of a Typical NAPL, Trichloroethene, by Monochromatic UV Irradiations. *Environmental Science & Technology*. 43: 1455-1459.

## Environmental Hazard Literature Search Results

### Off Topic

- Chung, CB; Kwon, JH; Shim, SC; Hoshino, M. (1993). Photochemistry of conjugated polyacetylenes: (2 plus 2) photocycloaddition of 1-phenyl-1,3,5-hexatriynes with some olefins. *Photochem Photobiol.* 58: 159-163.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 1. Description and characterization of exposure chamber system. *Environmental Science & Technology.* 33: 3661-3665.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environmental Science & Technology.* 33: 3666-3671.
- Chung, HH; Choi, SW; Ok, YS; Jung, J. (2004). EPR characterization of the catalytic activity of clays for PCE removal by gamma-radiation induced by acid and thermal treatments. *Chemosphere.* 57: 1383-1387.
- Chung, HH; Jung, J; Yoon, JH; Lee, MJ. (2002). Effect of dissolved metal ions on PCE decomposition by gamma-rays. *Chemosphere.* 47: 977-980.
- Chung, J; Rittmann, BE. (2008). Simultaneous bio-reduction of trichloroethene, trichloroethane, and chloroform using a hydrogen-based membrane biofilm reactor. *Water Science and Technology.* 58: 495-501.
- Chung, Y; Shin, D; Park, S; Lim, Y; Choi, Y; Cho, S; Yang, J; Hwang, M; Park, Y; Lee, H. (1997). Risk assessment and management of drinking water pollutants in Korea. *Water Science And Technology.* 36: 309-323.
- Cichocka, D; Imfeld, G; Richnow, HH; Nijenhuis, I. (2008). Variability in microbial carbon isotope fractionation of tetra- and trichloroethene upon reductive dechlorination. *Chemosphere.* 71: 639-648.
- Cichocka, D; Nikolausz, M; Haest, PJ; Nijenhuis, I. (2010). Tetrachloroethene conversion to ethene by a Dehalococcoides-containing enrichment culture from Bitterfeld. *FEMS Microbiol Ecol.* 72: 297-310.
- Cichocka, D; Siegert, M; Imfeld, G; Andert, J; Beck, K; Diekert, G; Richnow, HH; Nijenhuis, I. (2007). Factors controlling the carbon isotope fractionation of tetra- and trichloroethene during reductive dechlorination by *Sulfurospirillum* ssp and *Desulfitobacterium* sp strain PCE-S. *FEMS Microbiol Ecol.* 62: 98-107.
- Ciptadjaya, CGE; Guo, W; Angeli, JM; Obare, SO. (2009). Controlling the Reactivity of Chlorinated Ethylenes with Flavin Mononucleotide Hydroquinone. *Environmental Science & Technology.* 43: 1591-1597.
- Cirpka, OA; Windfuhr, C; Bisch, G; Granzow, S; Scholz-Muramatsu, H; Kobus, H. (1999). Microbial reductive dechlorination in large-scale sandbox model. *Journal of Environmental Engineering-Asce.* 125: 861-870.
- Clapp, LW; Semmens, MJ; Novak, PJ; Hozalski, RM. (2004). Model for in situ perchloroethene dechlorination via membrane-delivered hydrogen. *Journal of Environmental Engineering-Asce.* 130: 1367-1381.
- Clark, CJ; Annable, MD; Rao, PSC. (2000). Evaluation of sonochemical destruction of PCE in in situ flushing waste fluids. *Journal of Environmental Engineering-Asce.* 126: 1033-1038.
- Clark II, CJ; Rao, PSC; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater.* 96: 65-78.
- Clement, TP; Johnson, CD; Sun, YW; Klecka, GM; Bartlett, C. (2000). Natural attenuation of chlorinated ethene compounds: model development and field-scale application at the Dover site. *J Contam Hydrol.* 42: 113-140.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teeguarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicological sciences : an official journal of the Society of Toxicology.* 79: 381-393.
- Clifford, JS; Ioannidis, MA; Legge, RL. (1997). Enhanced aqueous solubilization of tetrachloroethylene by a rhamnolipid biosurfactant. *Cent Eur J Public Health.* 5: 136-142.
- Cline, BL. (1982). Current drug regimens for the treatment of intestinal helminth infections. *The Medical clinics of North America.* 66: 721-742.
- Cline, PV; Viste, DR. (1985). Migration and Degradation Patterns of Volatile Organic Compounds. *Waste Management & Research.* 3: 351-360.
- Clode, D. (1978). Coming out in the wash. *Health and social service journal.* 88: 866-867.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074.
- Cocchioni, M; Pellegrini, MG; Grappasonni, I. (1996). [Organo-halogenated compounds in commercial bottled mineral water. I.]. *Igiene Moderna.* 106: 275-285.
- Coffin, RR; Witherell, LE; Novick, LF; Stone, KM. (1987). Establishment of an exposure level to tetrachloroethylene in ambient air in Vermont. *Public health reports (Washington, DC : 1974).* 102: 681-686.
- Cohen, MA; Ryan, PB; Spengler, JD; Ozkaynak, H; Hayes, C. (1991). Source-receptor study of volatile organic compounds and particulate matter in the Kanawha Valley, (West Virginia, USA): I. Methods and descriptive statistics. *Atmos Environ Part B Urban Atmos.* 25: 79-94.
- Cohen, S; Svrjcek, A; Durborow, T; Barnes, NL. (1999). Water quality impacts by golf courses. *J Environ Qual.* 28: 798-809.
- Cohen, Y; Tsai, W; Chetty, SL; Mayer, GJ. (1990). Dynamic partitioning of organic chemicals in regional environments: A multimedia screening-level modeling approach. *Environ Sci Technol.* 24: 1549-1558.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environmental health perspectives : EHP.* June/July 1994. v. 102 (6/7): 556-561.
- Cole, JR; Fathepure, BZ; Tiedje, JM. Tetrachloroethene and 3-chlorobenzoate dechlorination activities are co-induced in *Desulfomonile tiedjei* DCB-1. *Biodegradation.* June 1995. v. 6 (2): 167-172.
- Coleman, NV; Mattes, TE; Gossett, JM; Spain, JC. (2002). Biodegradation of cis-dichloroethene as the sole carbon source by a beta-proteobacterium. *Appl Environ Microbiol.* 68: 2726-2730.
- Coleman, NV; Mattes, TE; Gossett, JM; Spain, JC. (2002). Phylogenetic and kinetic diversity of aerobic vinyl chloride-assimilating bacteria from contaminated sites. *Appl Environ Microbiol.* 68: 6162-6171.

## Environmental Hazard Literature Search Results

### Off Topic

- Collot-Fertey, D; Lazarus, B. (2012). Exposition au perchloroéthylène dans les pressings des Yvelines : surveillance biomécanotrologique (perchloromies), profils d'exposition (PID), mesures de prévention. Arch Mal Prof Environ. 73: 465.
- Comba, ME; Palabrica, VS; Kaiser, KLE. (1994). Volatile halocarbons as tracers of pulp mill effluent plumes. Environ Toxicol Chem. 13: 1065-1074.
- Conant, B; Cherry, JA; Gillham, RW. (2004). A PCE groundwater plume discharging to a river: influence of the streambed and near-river zone on contaminant distributions. J Contam Hydrol. 73: 249-279.
- Concibido, NC; Okuda, T; Nakano, Y; Nishijima, W; Okada, M. (2005). Enhancement of the catalytic hydrodechlorination of tetrachloroethylene in methanol at mild conditions by water addition. Tetrahedron Lett. 46: 3613-3617.
- Condie, LW. (1985). Target organ toxicology of halocarbons commonly found contaminating drinking water. Sci Total Environ. 47: 433-442.
- Conner, JR. (1995). Recent findings on immobilization of organics as measured by total constituent analysis. Waste Manag. 15: 359-369.
- Conrad, SH; Glass, RJ; Peplinski, WJ. (2002). Bench-scale visualization of DNAPL remediation processes in analog heterogeneous aquifers: surfactant floods and in situ oxidation using permanganate. J Contam Hydrol. 58: 13-49.
- Cooper, AJL; Bruschi, SA; Anders, MW. (2002). Toxic, halogenated cysteine S-conjugates and targeting of mitochondrial enzymes of energy metabolism. Biochem Pharmacol. 64: 553-564.
- Cooper, M; Wagner, A; Wondrousch, D; Sonntag, F; Sonnabend, A; Brehm, M; Schuurmann, G; Adrian, L. (2015). Anaerobic Microbial Transformation of Halogenated Aromatics and Fate Prediction Using Electron Density Modeling. Environmental Science & Technology. 49: 6018-6028.
- Cope, N; Hughes, JB. (2001). Biologically-enhanced removal of PCE from NAPL source zones. Environmental Science & Technology. 35: 2014-2021.
- Copley, SD. (1998). Microbial dehalogenases: enzymes recruited to convert xenobiotic substrates. Curr Opin Chem Biol. 2: 613-617.
- Copper, WJ; Meacham, DE; Nickelsen, MG; Lin, K; Ford, DB; Kurucz, CN; Waite, TD. (1993). The removal of tri-(TCE) and tetrachloroethylene (PCE) from aqueous solution using high energy electrons. Air & Waste. 43: 1358-1366.
- Corbet, S; Green, J; Betney, E. (1973). A STUDY OF A SMALL TROPICAL LAKE TREATED WITH THE MOLLUSCICIDE FRESCON. Environ Pollut. 4: 193-206.
- Cord-Ruwisch, R; James, DL; Charles, W. (2009). The use of redox potential to monitor biochemical HCBd dechlorination. J Biotechnol. 142: 151-156.
- Cornish, HH; Ling, BP; Barth, ML. (1973). Phenobarbital and organic solvent toxicity. Am Ind Hyg Assoc J. 34: 487-492.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in Western Europe in air and water. Atmos Environ (1967). 11: 1113-1116.
- Corton, JC. (2008). Evaluation of the Role of Peroxisome Proliferator-Activated Receptor (PPAR) in Mouse Liver Tumor Induction by Trichloroethylene and Metabolites. Crit Rev Toxicol. 38: 857-875.
- Coss, PM; Cha, CY. (2000). Microwave regeneration of activated carbon used for removal of solvents from vented air. Journal of the Air & Waste Management Association. 50: 529-535.
- Costa, AK; Ivanetich, KM. (1980). Tetrachloroethylene metabolism by the hepatic microsomal cytochrome P-450 system. Biochem Pharmacol. 29: 2863-2869.
- Costa, AK; Ivanetich, KM. (1984). Chlorinated ethylenes: Their metabolism and effect on DNA repair in rat hepatocytes. Carcinogenesis. 5: 1629-1636.
- Costa, FC; De, MEIRALV; Pinto, AR; Viana, JP. (1956). Effects of tetrachloroethylene without a purge, followed by ferrous sulfate in ancylostomiasis. The American journal of tropical medicine and hygiene. 5: 739-741.
- Costanza, J; Otaño, G; Callaghan, J; Pennell, KD. (2010). PCE oxidation by sodium persulfate in the presence of solids. Environmental science & technology. 44: 9445-9450.
- Costanza, J; Pennell, KD. (2007). Distribution and abiotic degradation of chlorinated solvents in heated field samples. Environmental Science & Technology. 41: 1729-1734.
- Costanza, J; Pennell, KD. (2008). Comparison of PCE and TCE disappearance in heated volatile organic analysis vials and flame-sealed ampules. Chemosphere. 70: 2060-2067.
- Cotelle, S; Masfaraud, JF; Ferard, JF. (1999). Assessment of the genotoxicity of contaminated soil with the Allium-Vicia-micronucleus and the Tradescantia-micronucleus assays. Mutat Res. 426: 167-171.
- Cothorn, CR. (1989). Some scientific judgments in the assessment of the risk of environmental contaminants. Toxicol Ind Health. 5: 479-491.
- Cothorn, CR; Coniglio, WA; Marcus, WL. (1984). Techniques for the assessment of the carcinogenic risk to the U.S. population due to exposure from selected volatile organic compounds from drinking water via the ingestions, inhalation and dermal routes. NTIS, SPRINGFIELD, VA (USA) 1984.
- Couffin, N; Cabassud, C; Lahoussine-Turcaud, V. (1998). A new process to remove halogenated VOCs for drinking water production: vacuum membrane distillation. Desalination. 117: 233-245.
- Coulbaly, KM; Borden, RC. (2004). Impact of edible oil injection on the permeability of aquifer sands. J Contam Hydrol. 71: 219-237.
- Coulson, DR; Manzer, LE; M. Rao, VN. (1991). Perclene-based routes to HFC-134a (CF3CH2F): an environmentally friendly replacement for CFC-12. Journal of Fluorine Chemistry. 54: 224.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. J Contam Hydrol. 126: 315-329.

## Environmental Hazard Literature Search Results

### Off Topic

- Cretnik, S; Thoreson, KA; Bernstein, A; Ebert, K; Buchner, D; Laskov, C; Haderlein, S; Shouakar-Stash, O; Kliegman, S; McNeill, K; Elsner, M. (2013). Reductive Dechlorination of TCE by Chemical Model Systems in Comparison to Dehalogenating Bacteria: Insights from Dual Element Isotope Analysis (C-13/C-12, Cl-37/Cl-35). *Environmental Science & Technology*. 47: 6855-6863.
- Criddle, CS; McCarty, PL; Claire Elliott, M; Barker, JF. (1986). Reduction of hexachloroethane to tetrachloroethylene in groundwater. *J Contam Hydrol*. 1: 133-142.
- Crimi, ML; Siegrist, RL. (2005). Factors affecting effectiveness and efficiency of DNAPL destruction using potassium permanganate and catalyzed hydrogen peroxide. *Journal of Environmental Engineering-Asce*. 131: 1724-1732.
- Crittenden, JC; Luft, P; Hand, DW; Oravitz, JL; Loper, SW; Ari, M. (1985). Prediction of multicomponent adsorption equilibria using ideal adsorbed solution theory. *Environmental Science & Technology*. 19: 1037-1043.
- Crittenden, JC; Sanongraj, S; Bulloch, JL; Hand, DW; Rogers, TN; Speth, TF; Ulmer, M. (1999). Correlation of aqueous-phase adsorption isotherms. *Environmental Science & Technology*. 33: 2926-2933.
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res*. 31: 411-418.
- Cronin, MTD. (1996). Quantitative structure-activity relationship (QSAR) analysis of the acute sublethal neurotoxicity of solvents. *Toxicol In Vitro*. 10: 103-110.
- Csanady, GA; Laib, RJ; Filser, JG. (1995). Metabolic transformation of halogenated and other alkenes – a theoretical approach. Estimation of metabolic reactivities for in vivo conditions. *Toxicol Lett*. 75: 217-223.
- Cuckler, AC; Mezey, KC. (1966). The therapeutic efficacy of thiabendazole for helminthic infections in man; a literature review. *Arzneimittelforschung*. 16: 411-428.
- Cudahy, JJ. (1998). Low waste feed concentrations and destruction removal efficiency. *Waste Manag*. 18: 453-459.
- Cunningham, JJ; Kinner, NE; Lewis, M. (2009). Protistan Predation Affects Trichloroethene Biodegradation in a Bedrock Aquifer. *Appl Environ Microbiol*. 75: 7588-7593.
- Cunningham, JL; Bolas, A. (1995). Out damn spot!--a study of the removal of dental material stains from cloth. *Journal of the Irish Dental Association*. 41: 36-37.
- Cupples, AM; Spormann, AM; McCarty, PL. (2003). Growth of a Dehalococcoides-like microorganism on vinyl chloride and cis-dichloroethene as electron acceptors as determined by competitive PCR. *Appl Environ Microbiol*. 69: 953-959.
- Cupples, AM; Spormann, AM; McCarty, PL. (2004). Comparative evaluation of chloroethene dechlorination to ethene by Dehalococcoides-like microorganisms. *Environmental Science & Technology*. 38: 4768-4774.
- Cupples, AM; Spormann, AM; McCarty, PL. (2004). Vinyl chloride and cis-dichloroethene dechlorination kinetics and microorganism growth under substrate limiting conditions. *Environmental Science & Technology*. 38: 1102-1107.
- Cushey, MA; Rubin, Y. (1997). Field-scale transport of nonpolar organic solutes in 3-D heterogeneous aquifers. *Environmental Science & Technology*. 31: 1259-1268.
- Czuczwa, J; Leuenberger, C; Giger, W. (1988). Seasonal and temporal changes of organic compounds in rain and snow. *Atmos Environ* (1967). 22: 907-916.
- Da Silva, MLB; Daprato, RC; Gomez, DE; Hughes, JB; Ward, CH; Alvarez, PJJ. (2006). Comparison of bioaugmentation and biostimulation for the enhancement of dense nonaqueous phase liquid source zone bioremediation. *Water Environ Res*. 78: 2456-2465.
- Daft, JL. Fumigant contamination during large-scale food sampling for analysis. *Arch Environ Contam Toxicol*. Mar 1988. v. 17 (2): 177-181.
- Dahlstroem-King, L; Couture, J; Lamoureux, C; Vaillancourt, T; Plaa, GL. (1990). Dose-dependent cytotoxicity of chlorinated hydrocarbons in isolated rat hepatocytes. *Fundam Appl Toxicol*. 14: 833-841.
- Dahmke, A; Bosco, MG; Figà€-Talamanca, I; Salerno, S. (2006). Health and reproductive status of female workers in dry cleaning shops. *Environmental science & technology*. 40(5): 2004-2010.
- Dai, R; Wu, G; Chen, H. (2011). Stable titanium dioxide grafted with poly [N-(p-vinyl benzyl) phthalimide] composite particles in suspension for electrophoretic displays. *Colloid & polymer science*. 289: 401-407.
- Damborsky, J. (1999). Tetrachloroethene-dehalogenating bacteria. *Folia Microbiologica*. 44: 247-262.
- Damgaard, I; Bjerg, PL; Baelum, J; Scheutz, C; Hunkeler, D; Jacobsen, CS; Tuxen, N; Broholm, MM. (2013). Identification of chlorinated solvents degradation zones in clay till by high resolution chemical, microbial and compound specific isotope analysis. *J Contam Hydrol*. 146: 37-50.
- Damgaard, I; Bjerg, PL; Jacobsen, CS; Tsitonaki, A; Kernn-Jespersen, H; Broholm, MM. (2013). Performance of Full-Scale Enhanced Reductive Dechlorination in Clay Till. *Ground Water Monitoring and Remediation*. 33: 48-61.
- Damrongsiri, S; Tongcumpou, C; Sabatini, DA. (2013). Partition behavior of surfactants, butanol, and salt during application of density-modified displacement of dense non-aqueous phase liquids. *J Hazard Mater*. 248-249: 261-267.
- Dane, JH; Hofstee, C; Corey, AT. (1998). Simultaneous measurement of capillary pressure, saturation, and effective permeability of immiscible liquids in porous media. *Water Resour Res*. 34: 3687-3692.
- Daniel, JW. (1963). The metabolism of <sup>36</sup>Cl-labelled trichloroethylene and tetrachloroethylene in the rat. *Biochem Pharmacol*. 12: 795-802.
- Danielson, JW; Oxborrow, GS; Placencia, AM. (1984). Quantitative determination of chemicals leached from rubber stoppers into parenteral solutions. *Journal of parenteral science and technology : a publication of the Parenteral Drug Association*. 38: 90-93.
- Daprato, RC; Loffler, FE; Hughes, JB. (2007). Comparative analysis of three tetrachloroethene to ethene halo-respiring consortia suggests functional redundancy. *Environmental Science & Technology*. 41: 2261-2269.
- Datskos, PG; Rajic, S; Sepaniak, MJ; Lavrik, N; Tipple, CA; Senesac, LR; Datskou, I. (2001). Chemical detection based on adsorption-induced and photoinduced stresses in microelectromechanical systems devices. *Journal of Vacuum Science & Technology B*. 19: 1173-1179.

## Environmental Hazard Literature Search Results

### Off Topic

- David, MM; Cecillon, S; Warne, BM; Prestat, E; Jansson, JK; Vogel, TM. (2015). Microbial ecology of chlorinated solvent biodegradation. *Environ Microbiol.* 17: 4835-4850.
- Davies, JKW. (1989). The application of box models in the analysis of toxic hazards by using the probit dose-response relationship. *J Hazard Mater.* 22: 319-330.
- Davis, BM; Istok, JD; Semprini, L. (2002). Push-pull partitioning tracer tests using radon-222 to quantify non-aqueous phase liquid contamination. *J Contam Hydrol.* 58: 129-146.
- Davis, JW; Odom, JM; DeWeerd, KA; Stahl, DA; Fishbain, SS; West, RJ; Klecka, GM; DeCarolis, JG. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: characterization of microbial community structure. *J Contam Hydrol.* 57: 41-59.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of volatile organic compounds at UK national monitoring plan stations. *Mar Pollut Bull.* 28: 291-298.
- Dawson, HE; McAlary, T. (2009). A Compilation of Statistics for VOCs from Post-1990 Indoor Air Concentration Studies in North American Residences Unaffected by Subsurface Vapor Intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69.
- Dawson, HE; Roberts, PV. Influence of viscous, gravitational, and capillary forces on DNAPL saturation. *Ground Water.* Mar/Apr 1997. v. 35 (2): 261-269.
- Dayal, H; Gupta, S; Trieff, N; Maierson, D; Reich, D. (1995). Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Arch Environ Health.* 50: 108-111.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335.
- De Ceaurriz, I; Desiles, JP; Bonnet, P; Marniac, B; Muller, J; Guenier, JP. (1983). Concentration-dependent behavioral changes in mice following short-term inhalation exposure to various industrial solvents. *Toxicol Appl Pharmacol.* 67: 383-389.
- De, PERCINPR. (1991). Demonstration of in situ steam and hot-air stripping technology. *J Air Waste Manage Assoc.* 41: 873-877.
- De, PERCINPR; Sawyer, S. (1991). Long-term monitoring of the HAZCON stabilization process at the Douglassville, Pennsylvania (USA) Superfund site. *J Air Waste Manage Assoc.* 41: 88-91.
- De Rooij, C; Defourny, C; Thompson, RS; Garny, V; Lecloux, A; Van Wijk, D. (2004). 1,1,1-Trichloroethane marine risk assessment with special reference to the OSPARCOM region: North Sea. *Environ Monit Assess.* 97: 39-56.
- De, VML; Encinas, MT; Vinagre, E; Barahona, MV; Wang, WC; Shigeto, S. (1997). Infrared electroabsorption spectroscopy of N,N-dimethyl-p-nitroaniline in acetonitrile/C2Cl4: solvation of the solute and self-association of acetonitrile. *Bull Environ Contam Toxicol.* 59: 445-451.
- de Weert, JPA; Keijzer, TJS; van Gaans, PFM. (2014). Lowering temperature to increase chemical oxidation efficiency: The effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere.* 117: 94-103.
- De Wildeman, S; Diekert, G; Van Langenhove, H; Verstraete, W. (2003). Stereoselective microbial dehalorespiration with vicinal dichlorinated alkanes. *Appl Environ Microbiol.* 69: 5643-5647.
- De Wildeman, S; Linthout, G; Van Langenhove, H; Verstraete, W. (2004). Complete lab-scale detoxification of groundwater containing 1,2-dichloroethane. *Appl Microbiol Biotechnol.* 63: 609-612.
- De Wildeman, S; Neumann, A; Diekert, G; Verstraete, W. (2003). Growth-substrate dependent dechlorination of 1,2-dichloroethane by a homoacetogenic bacterium. *Biodegradation.* 14: 241-247.
- De Wildeman, S; Nollet, H; Van Langenhove, H; Diekert, G; Verstraete, W. (2002). Reductive biodegradation of 1,2-dichloroethane by methanogenic granular sludge: perspectives for in situ remediation. *Water Science and Technology.* 45: 43-48.
- De Wildeman, S; Verstraete, W. (2003). The quest for microbial reductive dechlorination of C(2) to C(4) chloroalkanes is warranted. *Appl Microbiol Biotechnol.* 61: 94-102.
- Deipser, A. (1998). Biodegradation of volatile CFCs, H-CFCs and VC in compost and marl. *Waste Management & Research.* 16: 330-341.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environmental science and pollution research international.* 4: 209-216.
- DeJournett, TD; Fritsch, JM; McNeill, K; Arnold, WA. (2005). Preparation of (14)C(2)-cis-1,2-dichloroethylene from (14)C(2)-trichloroethylene using a cobalt porphyrin catalyst. *Journal of Labelled Compounds & Radiopharmaceuticals.* 48: 353-357.
- Dekant, W. (1986). Metabolic conversion of tri- and tetrachloroethylene: formation and deactivation of genotoxic intermediates. *Developments in toxicology and environmental science.* 12: 211-221.
- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial beta -lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45.
- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial  $\beta$ -lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45.
- Dekker, TJ; Abriola, LM. (2000). The influence of field-scale heterogeneity on the surfactant-enhanced remediation of entrapped nonaqueous phase liquids. *J Contam Hydrol.* 42: 219-251.
- Dela Barre, BK; Harmon, TC; Chrysikopoulos, CV. (2002). Measuring and modeling the dissolution of nonideally shaped dense nonaqueous phase liquid pools in saturated porous media. *Water Resour Res.* 38: 1133-1133.
- Delgado, AG; Fajardo-Williams, D; Popat, SC; Torres, CI; Krajmalnik-Brown, R. (2014). Successful operation of continuous reactors at short retention times results in high-density, fast-rate *Dehalococcoides* dechlorinating cultures. *Appl Microbiol Biotechnol.* 98: 2729-2737.

## Environmental Hazard Literature Search Results

### Off Topic

- Dellinger, B; Taylor, PH; Lee, CC. (1993). Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking. *Air & Waste*. 43: 203-207.
- Demarest, LR. (2014). Soil composition at the aquifer level, groundwater quality and the presence of Dehalococcoides ethenogenes at Dover AFB. *Environ Earth Sci*. 71: 4157-4164.
- DeMarini, DM; Perry, E; Shelton, ML. (1994). Dichloroacetic acid and related compounds: Induction of prophage in E. coli and mutagenicity and mutation spectra in Salmonella TA100. *Mutagenesis*. 9: 429-437.
- Demirgian, JC; Erickson, MD. (1990). The potential of continuous emission monitoring of hazardous waste incinerators using Fourier transform infrared spectroscopy. *Waste Manag*. 10: 227-231.
- Demirgian, JC; Erickson, MD. (1990). The potential of continuous emission monitoring of hazardous waste incinerators using Fourier transform IR spectroscopy. *Waste Manage*. 10: 227-232.
- Deng, BL; Burris, DR; Campbell, TJ. (1999). Reduction of vinyl chloride in metallic iron-water systems. *Environmental Science & Technology*. 33: 2651-2656.
- Dennie, D; Gladu, I; Lepine, F; Villemur, R; Bisaillon, JG; Beaudet, R. (1998). Spectrum of the reductive dehalogenation activity of Desulfotobacterium frappieri PCP-1. *Appl Environ Microbiol*. 64: 4603-4606.
- Dennis, PC; Sleep, BE; Fulthorpe, RR; Liss, SN. (2003). Phylogenetic analysis of bacterial populations in an anaerobic microbial consortium capable of degrading saturation concentrations of tetrachloroethylene. *Can J Microbiol*. 49: 15-27.
- Denton, GRW; Sian-Denton, CM. (2010). Groundwater Monitoring on Guam: Management Responses to Recent Water Quality Violations. *Ground Water Monitoring and Remediation*. 30: 127-133.
- Derwent, RG; Jenkin, ME; Saunders, SM. (1996). Photochemical ozone creation potentials for a large number of reactive hydrocarbons under European conditions. *Atmos Environ*. 30: 181-199.
- Derwent, RG; Pearson, JK. (1997). Improving air quality in the United Kingdom: The solvents contribution. *Environ Technol*. 18: 1029-1036.
- Deshmukh, NS; Lapsiya, KL; Savant, DV; Chiplonkar, SA; Yeole, TY; Dhakephalkar, PK; Ranade, DR. (2009). Upflow anaerobic filter for the degradation of adsorbable organic halides (AOX) from bleach composite wastewater of pulp and paper industry. *Chemosphere*. 75: 1179-1185.
- DeSimone, JM. (2002). Practical approaches to green solvents. *Science (New York, NY)*. 297: 799-803.
- Devasena, M; Nambi, IM. (2010). Migration and entrapment of mercury in porous media. *J Contam Hydrol*. 117: 60-70.
- Devinny, JS; Webster, TS; Torres, E; Basrai, S. (1995). Biofiltration for removal of PCE and TCE vapors from contaminated air. *Hazardous Waste & Hazardous Materials*. 12: 283-293.
- Devlin, JF; Barbaro, J. (2001). A method of estimating multicomponent nonaqueous-phase liquid mass in porous media using aqueous concentration ratios. *Environ Toxicol Chem*. 20: 2443-2449.
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol*. 69: 233-261.
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res*. 38: 1002-1002.
- Dewulf, J; Dewettinck, T; De, VISSCHERA; Van, LANGENHOVEH. (1996). Sorption of chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons on sea sediment. *Water Res*. 30: 3130-3138.
- Dewulf, J; Van, LANGENHOVEH. (1997). Analytical techniques for the determination and measurement data of 7 chlorinated C1- and C2-hydrocarbons and 6 monocyclic aromatic hydrocarbons in remote air masses: An overview. *Atmos Environ*. 31: 3291-3307.
- Dewulf, J; Van, LANGENHOVEH. (1997). Chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Res*. 31: 1825-1838.
- Dewulf, J; Van Langenhove, H; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res*. 32: 2941-2950.
- Dewulf, J; Van Langenhove, M; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res*. 32: 2941-2950.
- Dewulf, J; Van, LANGENHOVEH; Heireman, B. (1998). The air/water exchange of volatile organic compounds from waters in the transient and turbulent regime. *Water Res*. 32: 2106-2112.
- Dewulf, JP; Van Langenhove, HR; Van der Auwera, LF. (1998). Air/water exchange dynamics of 13 volatile chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in the southern North Sea and the Scheldt Estuary. *Environmental Science & Technology*. 32: 903-911.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DMP; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ*. 538: 712-723.
- Di Loreto, H; Czarnowski, J. (1995). The thermal addition of trifluoromethyl hypofluorite, CF<sub>3</sub>OF, to tetrachloroethene. *Journal of Fluorine Chemistry*. 74: 199-201.
- Diamadopoulos, E; Sakellariadis, D; Koukouraki, E. (1998). The effect of humic acid on the transport of volatile chlorinated hydrocarbons in soil. *Water Res*. 32: 3325-3330.
- Diekert, G; Gugova, D; Limoges, B; Robert, M; Saveant, JM. (2005). Electroenzymatic reactions. Investigation of a reductive dehalogenase by means of electrogenerated redox cosubstrates. *J Am Chem Soc*. 127: 13583-13588.
- Dieter, HH; Kerndorff, H. (1993). Presence and importance of organochlorine solvents and other compounds in Germany's groundwater and drinking water. *Annali dell'Istituto superiore di sanita*. 29: 263-277.
- Dietz, AC; Schnoor, JL. (2001). Phytotoxicity of chlorinated aliphatics to hybrid poplar (Populus deltoides x nigra DN34). *Environ Toxicol Chem*. 20: 389-393.

## Environmental Hazard Literature Search Results

### Off Topic

- Digues, LATOUCHEM. (1962). Bephenium compared with tetrachlorethylene in mass treatment of hookworm. *The Journal of tropical medicine and hygiene*. 65: 107-111.
- Dillehay, JL; Bowman, KS; Yan, J; Rainey, FA; Moe, WM. (2014). Substrate interactions in dehalogenation of 1,2-dichloroethane, 1,2-dichloropropane, and 1,1,2-trichloroethane mixtures by *Dehalogenimonas* spp. *Biodegradation*. 25: 301-312.
- Dilling, WL; Tefertiller, NB; Kallos, GJ. Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Sept 1975*, 9 (9): 833-838.
- Dimitrov, PL; Kambourova, MS; Mandeva, RD; Emanuilova, EI. (1997). Isolation and characterization of xylan-degrading alkali-tolerant thermophiles. *FEMS Microbiol Lett*. 157: 27-30.
- Ding, C; Zhao, SY; He, JZ. (2014). A *Desulfitobacterium* sp strain PR reductively dechlorinates both 1,1,1-trichloroethane and chloroform. *Environ Microbiol*. 16: 3387-3397.
- DiPaolo, JA; Doniger, J. (1982). Neoplastic transformation of Syrian hamster cells by putative epoxide metabolites of commercially utilized chloroalkenes. *J Natl Cancer Inst*. 69: 531-534.
- Disdier, J; Pichat, P; Mas, D. (2005). Measuring the effect of photocatalytic purifiers on indoor air hydrocarbons and carbonyl pollutants. *Journal of the Air & Waste Management Association*. 55: 88-96.
- Distefano, TD. (1999). The effect of tetrachloroethene on biological dechlorination of vinyl chloride: Potential implication for natural bioattenuation. *Water Res*. 33: 1688-1694.
- DiStefano, TD; Gossett, JM; Zinder, SH. (1991). Reductive dechlorination of high concentrations of tetrachloroethene to ethene by an anaerobic enrichment culture in the absence of methanogenesis. *Appl Environ Microbiol*. 57: 2287-2292.
- Distefano, TD; Gossett, JM; Zinder, SH. (1992). Hydrogen as an electron donor for dechlorination of tetrachloroethene by an anaerobic mixed culture. *Appl Environ Microbiol*. 58: 3622-3629.
- Divine, CE; Sanford, WE; McCray, JE. (2003). Helium and neon groundwater tracers to measure residual DNAPL: laboratory investigation. *Vadose zone journal* VZJ. 2.
- Djebbar, Y; Narbaitz, RM. (1998). Improved Onda correlations for mass transfer in packed towers. *Water Science And Technology*. 38: 295-302.
- Do, SH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ*. 430: 82-87.
- Dobbs, GT; Balu, B; Young, C; Kranz, C; Hess, DW; Mizaikoff, B. (2007). Mid-infrared chemical sensors utilizing plasma-deposited fluorocarbon membranes. *Anal Chem*. 79: 9566-9571.
- Dobson, DJ; Saini, S. (1997). Porphyrin-modified electrodes as biomimetic sensors for the determination of organohalide pollutants in aqueous samples. *Anal Chem*. 69: 3532-3538.
- Doherty, FG; Evans, DW; Neuhauser, EF. (1993). An assessment of total and leachable contaminants in zebra mussels (*Dreissena polymorpha*) from Lake Erie. *Ecotoxicol Environ Saf*. 25: 328-340.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1 - Historical background; Carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81.
- Doherty, RE. (2000). A History of the Production and Use of Carbon Tetrachloride, Tetrachloroethylene, Trichloroethylene and 1,1,1-Trichloroethane in the United States: Part 1 "Historical Background; Carbon Tetrachloride and Tetrachloroethylene. *Environ Forensics*. 1: 69-81.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26.
- Dolfing, J. (1999). Comment on "Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture". *Environmental Science & Technology*. 33: 2127-2127.
- Dolfing, J. (2000). Energetics of anaerobic degradation pathways of chlorinated aliphatic compounds. *Microb Ecol*. 40: 2-7.
- Dolfing, J; Janssen, DB. (1994). Estimates of Gibbs free energies of formation of chlorinated aliphatic compounds. *Biodegradation*. 5: 21-28.
- Dolfing, J; Van, DENWIJNGAARDAJ; Janssen, DB. (1993). Microbiological aspects of the removal of chlorinated hydrocarbons from air. *Biodegradation*. 4: 1993-1994.
- Dong, YR; Butler, EC; Philp, RP; Krumholz, LR. (2011). Impacts of microbial community composition on isotope fractionation during reductive dechlorination of tetrachloroethylene. *Biodegradation*. 22: 431-444.
- Dong, YR; Liang, XM; Krumholz, LR; Philp, RP; Butler, EC. (2009). The Relative Contributions of Abiotic and Microbial Processes to the Transformation of Tetrachloroethylene and Trichloroethylene in Anaerobic Microcosms. *Environmental Science & Technology*. 43: 690-697.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environmental Science & Technology*. 37: 2575-2581.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environmental Science & Technology*. 39: 7460-7468.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res*. 39: 2309-2318.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere*. 64: 371-378.

## Environmental Hazard Literature Search Results

### Off Topic

- Doong, RA; Wu, SC. Substrate effects on the enhanced biotransformation of polychlorinated hydrocarbons under anaerobic condition. *Chemosphere*. Apr 1995. v. 30 (8): 1499-1511.
- Doong, R-A; Wu, S-C. (1992). Reductive dechlorination of chlorinated hydrocarbons in aqueous solutions containing ferrous and sulfide ions. *Chemosphere*. 24: 1063-1075.
- Doong, R-a; Wu, S-c; Chen, T-f. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere*. 32: 377-390.
- Dorgerloh, U; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit*. 14: 217-223.
- Dou, W; Omran, K; Grimberg, SJ; Denham, M; Powers, SE. (2008). Characterization of DNAPL from the U.S. DOE Savannah River Site. *J Contam Hydrol*. 97: 75-86.
- Dovantzis, K; Thomsen, KO; Chaudhry, MA; Riesing, RR. Groundwater and soil remediation by treating and recycling groundwater. Proceedings of the Industrial Waste Conference, Purdue University. 1991. (45th): 1-12.
- Dowideit, P; Von, SONNTAGC. (1998). Reaction of ozone with ethene and its methyl- and chlorine-substituted derivatives in aqueous solution. *Environmental Science & Technology*. 32: 1112-1119.
- Dragojevic, D. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. AU - VEDRINA-DRAGOJEVIC I. *Sci Total Environ*. 203: 253-259.
- Drain, KF; Murphy, WR; Otterburn, MS. (1983). Solvents for polypropylene: their selection for a recycling process. *Conservation & Recycling*. 6: 107-122.
- Drew, RT; Patel, JM; Lin, F-N. (1978). Changes in serum enzymes in rats after inhalation of organic solvents singly and in combination. *Toxicol Appl Pharmacol*. 45: 809-819.
- Drexler, HJ; Osterkamp, G. (1977). Head-space analysis for the quantitative determination of trichloroethylene and tetrachloroethylene in oils and liquid paraffin. *Journal of clinical chemistry and clinical biochemistry Zeitschrift für klinische Chemie und klinische Biochemie*. 15: 431-432.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2001). Removal of mixed chlorinated ethenes and heavy metals in zero valent iron systems. *Mededelingen (Rijksuniversiteit te Gent Fakulteit van de Landbouwkundige en Toegepaste Biologische Wetenschappen)*. 66: 179-183.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environmental Science & Technology*. 38: 2879-2884.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2005). Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems. *Environmental Science & Technology*. 39: 8460-8465.
- Driver, EM; Roberts, J; Dollar, P; Charles, M; Hurst, P; Halden, RU. (2017). Comparative meta-analysis and experimental kinetic investigation of column and batch bottle microcosm treatability studies informing in situ groundwater remedial design. *J Hazard Mater*. 323, Part A: 377-385.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environmental Science & Technology*. 39: 1283-1290.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem*. 22: 525-533.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. (vol 22, pg 525, 2003). *Environ Toxicol Chem*. 22: 2215-2215.
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere*. 57: 1505-1514.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem*. 23: 252-257.
- Drzyzga, O; El Mamouni, R; Agathos, SN; Gottschal, JC. (2002). Dehalogenation of chlorinated ethenes and immobilization of nickel in anaerobic sediment columns under sulfidogenic conditions. *Environmental Science & Technology*. 36: 2630-2635.
- Drzyzga, O; Gerritse, J; Dijk, JA; Elissen, H; Gottschal, JC. (2001). Coexistence of a sulphate-reducing *Desulfovibrio* species and the dehalorespiring *Desulfotobacterium frappieri* TCE1 in defined chemostat cultures grown with various combinations of sulphate and tetrachloroethene. *Environ Microbiol*. 3: 92-99.
- Drzyzga, O; Gottschal, JC. (2002). Tetrachloroethene dehalorespiration and growth of *Desulfotobacterium frappieri* TCE1 in strict dependence on the activity of *Desulfovibrio fructosivorans*. *Appl Environ Microbiol*. 68: 642-649.
- Du, JK; Bao, JG; Tong, M; Yuan, SH. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci*. 30: 350-356.
- Duan, TH; Adrian, L. (2013). Enrichment of hexachlorobenzene and 1,3,5-trichlorobenzene transforming bacteria from sediments in Germany and Vietnam. *Biodegradation*. 24: 513-520.
- Ducommun, P; Boutsiadou, X; Hunkeler, D. (2013). Direct-push multilevel sampling system for unconsolidated aquifers Syst<sup>™</sup> me d<sup>®</sup>chantillonage multiports install<sup>®</sup> par m<sup>®</sup>thode de pouss<sup>®</sup>e directe Sistema de muestreo multinivel de empuje directo para acu<sup>®</sup>-feros no consolidados æ ¼æ•£å «æ°•±,çš„â¤šç°ššç½ ì½å“ ç'æž¥æž"é€ ç³»ç»Ÿ Amostragem multin<sup>®</sup>-vel de penetra<sup>®</sup>šå£o direta para sistemas aqu<sup>®</sup>-feros n<sup>®</sup>o-consolidados. *Hydrogeology Journal*. 21: 1901-1908.
- Duhamel, M; Edwards, EA. (2006). Microbial composition of chlorinated ethene-degrading cultures dominated by Dehalococcoides. *FEMS Microbiol Ecol*. 58: 538-549.



## Environmental Hazard Literature Search Results

### Off Topic

- Duhamel, M; Edwards, EA. (2007). Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1,2-dichloroethane. *Environmental Science & Technology*. 41: 2303-2310.
- Duhamel, M; Mo, K; Edwards, EA. (2004). Characterization of a highly enriched Dehalococcoides-containing culture that grows on vinyl chloride and trichloroethene. *Appl Environ Microbiol*. 70: 5538-5545.
- Duhamel, M; Wehr, SD; Yu, L; Rizvi, H; Seepersad, D; Dworatzek, S; Cox, EE; Edwards, EA. (2002). Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, cis-dichloroethene and vinyl chloride. *Water Res*. 36: 4193-4202.
- Duke, LD; Rong, Y; Harmon, TC. (1998). Parameter-induced uncertainty in modeling vadose zone transport of VOCs. *Journal of Environmental Engineering-Asce*. 124: 441-448.
- Dunn, WJ, III; Emery, SL; Glen, WG; Scott, DR. (1992). Preprocessing, variable selection, and classification rules in the application of SIMCA pattern recognition to mass spectral data. *Environ Sci Technol*. 23: 1499-1505.
- Duret, A; Holliger, C; Maillard, J. (2012). The Physiological Opportunism of *Desulfotobacterium hafniense* Strain TCE1 towards Organohalide Respiration with Tetrachloroethene. *Appl Environ Microbiol*. 78: 6121-6127.
- Dutta, JK. (1970). Treatment of ankylostomiasis with combined therapy of bephenium hydroxynaphthoate and tetrachlorethylene. *Journal of the Indian Medical Association*. 54: 150-152.
- Dwarakanath, V; Jackson, RE; Pope, GA. (2002). Influence of wettability on the recovery of NAPLs from alluvium. *Environmental Science & Technology*. 36: 227-231.
- Dwarakanath, V; Kostarelos, K; Pope, GA; Shotts, D; Wade, WH. (1999). Anionic surfactant remediation of soil columns contaminated by nonaqueous phase liquids. *J Contam Hydrol*. 38: 465-488.
- Dybing, F; Dybing, O. (1946). The Toxic Effect of Tetrachlormethane and Tetrachlorethylene in Oily Solution. *Acta Pharmacol Toxicol*. 2: 223-226.
- Dyrssen, D; Fogelqvist, E; Krysell, M; Sturm, R. (1990). Release of halocarbons from an industrial estuary. *Tellus Ser B Chem Phys Meteorol*. 42: 162-169.
- Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide. *AU - KUTSUNA S. Atmos Environ Part A Gen Top*. 27: 599-604.
- Ebrahim, AS; Babakrishnan, K; Sakthisekaran, D. (1996). Perchloroethylene-induced alterations in glucose metabolism and their prevention by 2-deoxy-D-glucose and vitamin E in mice. *J Appl Toxicol*. 16: 339-348.
- Ebrahim, AS; Babu, E; Thirunavukkarasu, C; Sakthisekaran, D. (2001). Protective role of vitamin E, 2-deoxy-D-glucose, and taurine on perchloroethylene induced alterations in ATPases. *Drug Chem Toxicol*. 24: 429-437.
- Ebrahim, AS; Gopalakrishnan, R; Murugesan, A; Sakthisekaran, D. In vivo effect of vitamin E on serum and tissue glycoprotein levels in perchloroethylene induced cytotoxicity. *Mol Cell Biochem*. Mar 9, 1995. v. 144 (1): 13-18.
- Ebrahim, AS; Sakthisekaran, D. Effect of vitamin E and taurine treatment on lipid peroxidation and antioxidant defense in perchloroethylene-induced cytotoxicity in mice. *Journal of nutritional biochemistry*. May 1997. v. 8 (5): 270-274.
- Edstrom, JA; Semmens, MJ; Hozalski, RM; Clapp, LW; Novak, PJ. (2005). Stimulation of dechlorination by membrane-delivered hydrogen: Small field demonstration. *Environ Eng Sci*. 22: 281-293.
- Edwards, EA. (2014). Breathing the unbreathable. *Science*. 346: 424-425.
- Edwards, FG; Egemen, E; Brennan, R; Nirmalakhandan, N. (1999). Ranking of Toxics Release Inventory chemicals using a Level III fugacity model and toxicity. *Water Science And Technology*. 39: 83-90.
- Egli, C; Scholtz, R; Cook, AM; Leisinger, T. (1987). Anaerobic dechlorination of tetrachloromethane and 1,2-dichloroethane to degradable products by pure cultures of *Desulfobacterium* sp. and *Methanobacterium* sp. *FEMS Microbiol Lett*. 43: 257-261.
- Ehlers, GA; D Rose, P. (2006). The potential for reductive dehalogenation of chlorinated phenol in a sulphidogenic environment in situ enhanced biodegradation. *Water SA*. 32: 243-248.
- Ehlers, GA; Rose, PD. (2006). An integrated anaerobic/aerobic bioprocess for the remediation of chlorinated phenol-contaminated soil and groundwater. *Water Environ Res*. 78: 701-709.
- Ehlke, TA; Imbrigiotta, TE; Dale, JM. (2004). Laboratory comparison of polyethylene and dialysis membrane diffusion samplers. *Ground Water Monitoring and Remediation*. 24: 53-59.
- Eisele, AP; Mukerjee, S; Smith, LA; Thoma, ED; Whitaker, DA; Oliver, KD; Wu, T; Colon, M; Alston, L; Cousett, TA; Miller, MC; Smith, DM; Stallings, C. (2016). Volatile organic compounds at two oil and natural gas production well pads in Colorado and Texas using passive samplers. *Journal of the Air & Waste Management Association*. 66: 412-419.
- Eisenbeis, M; Bauer-Kreisel, P; Scholz-Muramatsu, H. (1997). Studies on the dechlorination of tetrachloroethene to cis-1,2-dichloroethene by *Dehalospirillum multivorans* in biofilms. *Water Science and Technology*. 36: 191-198.
- Ejlertsson, J; Johansson, E; Karlsson, A; Meyerson, U; Svensson, BH. (1996). Anaerobic degradation of xenobiotics by organisms from municipal solid waste under landfilling conditions. *Antonie Van Leeuwenhoek*. 69: 67-74.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *Journal of the Air & Waste Management Association*. 57: 753-760.
- Ekre, R; Johnson, PC; Rittmann, BE; Krajmalnik-Brown, R. (2014). Method for Assessing Source Zone Natural Depletion at Chlorinated Aliphatic Spill Sites. *Ground Water Monitoring and Remediation*. 34: 61-71.
- El Mamouni, R; Jacquet, R; Gerin, P; Agathos, SN. (2002). Influence of electron donors and acceptors on the bioremediation of soil contaminated with trichloroethene and nickel: laboratory- and pilot-scale study. *Water Science and Technology*. 45: 49-54.
- Elango, VK; Ligenstoffer, AS; Fathepure, BZ. (2006). Biodegradation of vinyl chloride and cis-dichloroethene by a *Ralstonia* sp strain TRW-1. *Appl Microbiol Biotechnol*. 72: 1270-1275.

## Environmental Hazard Literature Search Results

### Off Topic

- Elberson, MA; Ebersole, RC; Young, RM; Tabinowski, JA; Perry, MP; Fahnestock, S; Hendrickson, ER. (1999). Detection of dechlorinating bacteria in groundwater and soils from waste sites contaminated with PCE and TCE. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 539.
- Elfarra, AA; Krause, RJ. (2007). S-(1,2,2-trichlorovinyl)-L-cysteine sulfoxide, a reactive metabolite of S-(1,2,2-trichlorovinyl)-L-cysteine formed in rat liver and kidney microsomes, is a potent nephrotoxicant. *J Pharmacol Exp Ther.* 321: 1095-1101.
- Elimelech, E; Ayalon, O; Flicstein, B. (2011). Hazardous waste management and weight-based indicators—The case of Haifa Metropolis. *J Hazard Mater.* 185: 626-633.
- Ellenbecker, MJ. (1996). Engineering controls as an intervention to reduce worker exposure. *Am J Ind Med.* 29: 303-307.
- Ellenson, WD; Mukerjee, S; Stevens, RK; Willis, RD; Shadwick, DS; Somerville, MC; Lewis, RG. (1997). An environmental scoping study in the Lower Rio Grande Valley of Texas: II. Assessment of transboundary pollution transport and other activities by air quality monitoring. *Environ Int.* 23: 643-655.
- Elsner, M; Couloume, GL; Lollar, BS. (2006). Freezing to preserve groundwater samples and improve headspace quantification limits of water-soluble organic contaminants for carbon isotope analysis. *Anal Chem.* 78: 7528-7534.
- Elsner, M; Hunkeler, D. (2008). Evaluating chlorine isotope effects from isotope ratios and mass spectra of polychlorinated molecules. *Anal Chem.* 80: 4731-4740.
- Emara, AM; El-Noor, MMA; Hassan, NA; Wagih, AA. (2010). Immunotoxicity and hematotoxicity induced by tetrachloroethylene in Egyptian dry cleaning workers. *Inhal Toxicol.* 22: 117-124.
- Emerson, CW. (1999). Laboratory and field screening strategies for measuring volatile organic compounds in landfill gas. *J Environ Manage.* 57: 155-164.
- Endres, AL; Greenhouse, JP. Detection and monitoring of chlorinated solvent contamination by thermal neutron logging. *Ground Water.* Mar/Apr 1996. v. 34 (2): 283-292.
- Ensign, SA; Hyman, MR; Arp, DJ. Cometabolic degradation of chlorinated alkenes by alkene monooxygenase in a propylene-grown *Xanthobacter* strain. *Appl Environ Microbiol.* Sept 1992. v. 58 (9): 3038-3046.
- Enzien, MV; Picardal, F; Hazen, TC; Arnold, RG; Fliermans, CB. Reductive dechlorination of trichloroethylene and tetrachloroethylene under aerobic conditions in a sediment column. *Appl Environ Microbiol.* June 1994. v. 60 (6): 2200-2204.
- Ergas, SJ; Schroeder, ED; Chang, DPY; Morton, RL. (1995). Control of volatile organic compound emissions using a compost biofilter. *Water Environ Res.* 67: 816-821.
- Erickson, MD; Swanson, SE; Sack, TM; Heggem, DT. (1986). Products of thermal degradation of dielectric fluids. *Chemosphere.* 15: 1261-1264.
- Eriksson, L; Jonsson, J; Sjostrom, M; Wold, S. (1989). A strategy for ranking environmentally occurring chemicals: Part II. An illustration with two data sets of chlorinated aliphatics and aliphatic alcohols. *Chemometrics Intelligent Lab Syst.* 7: 131-142.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1996). Determination of the  $^{13}\text{C}/^{12}\text{C}$  isotope ratio of organic compounds for the biological degradation of tetrachloroethene (PCE) and trichloroethene (TCE). *Acta Hydrochim Hydrobiol.* 24: 16-21.
- Ertl, S; Seibel, F; Eichinger, L; Frimmel, FH; Kettrup, A. (1998). The  $(^{13}\text{C}/^{12}\text{C})$  and  $(^2\text{H}/^1\text{H})$  ratios of trichloroethene, tetrachloroethene and their metabolites. *Isotopes Environ Health Stud.* 34: 245-253.
- Ertl, S; Spitz, A. (2004). Low-temperature sealed tube combustion of gaseous, liquid and solid organic compounds for  $(^{13}\text{C}/^{12}\text{C})$  and  $(^{14}\text{C})$  analysis. *Isotopes Environ Health Stud.* 40: 163-170.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage.* 92: 23-30.
- Esclapez, MD; Diez-Garcia, MI; Saez, V; Bonete, P; Gonzalez-Garcia, J. (2013). Electrochemical degradation of trichloroacetic acid in aqueous media: influence of the electrode material. *Environ Technol.* 34: 383-393.
- Espadaler, I; Caixach, J; Om, J; Ventura, F; Cortina, M; Paune, F; Rivera, J. (1997). Identification of organic pollutants in Ter river and its system of reservoirs supplying water to Barcelona (Catalonia, Spain): A study by GC and FAB/MS./METHODS. *Water Res.* 31: 1996-2004.
- Espósito, SJ; Thomson, NR. (1999). Two-phase flow and transport in a single fracture-porous medium system. *J Contam Hydrol.* 37: 319-341.
- Evangelista, DEDUFFARDAM; Duffard, R. (1996). Behavioral toxicology, risk assessment, and chlorinated hydrocarbons. *Environ Health Perspect.* 104: 353-360.
- Evans, GM. (1991). U.S. EPA SITE demonstration of AWD technologies' AquaDetox system. *J Air Waste Manage Assoc.* 41: 1519-1523.
- Evans, JS; Thompson, KM; Hattis, D. (2000). Exposure efficiency: Concept and application to perchloroethylene exposure from dry cleaners. *Journal of the Air & Waste Management Association.* 50: 1700-1703.
- Evans, PJ; Nguyen, D; Chappell, RW; Whiting, K; Gillette, J; Bodour, A; Wilson, JT. (2014). Factors Controlling In Situ Biogeochemical Transformation of Trichloroethene: Column Study. *Ground Water Monitoring and Remediation.* 34: 65-78.
- Ewald, EM; Wagner, A; Nijenhuis, I; Richnow, HH; Lechner, U. (2007). Microbial dehalogenation of trichlorinated dibenzo-p-dioxins by a Dehalococcoides-containing mixed culture is coupled to carbon isotope Fractionation. *Environmental Science & Technology.* 41: 7744-7751.
- Ezem, BU; Fleming, AF; Werbli, ska, B. (1977). Treatment of severe iron-deficiency anaemia of hookworm infestation with Ferastral, a new intramuscular iron preparation. *Scandinavian journal of haematology Supplementum.* 32: 326-345.
- Fachini, A; Vasconcelos, M. (2006). Effects of zeolites on cultures of marine micro-algae - A brief review. *Environ Sci Pollut Res Int.* 13: 414-417.
- Fagerlund, F; Illangasekare, TH; Niemi, A. (2007). Nonaqueous-phase liquid infiltration and immobilization in heterogeneous media: 2. Application to stochastically heterogeneous formations. *Vadose Zone Journal.* 6: 483-495.

## Environmental Hazard Literature Search Results

### Off Topic

- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol.* 131: 9-28.
- Fagerlund, F; Niemi, A; Illangasekare, TH. (2008). Modeling of nonaqueous phase liquid (NAPL) migration in heterogeneous saturated media: Effects of hysteresis and fluid immobility in constitutive relations. *Water Resour Res.* 44: 3409-3409.
- Fagervold, SK; Watts, JEM; May, HD; Sowers, KR. (2005). Sequential reductive dechlorination of meta-chlorinated polychlorinated biphenyl congeners in sediment microcosms by two different Chloroflexi phylotypes. *Appl Environ Microbiol.* 71: 8085-8090.
- Fan, C; Wang, GS; Chen, YC; Ko, CH. (2009). Risk assessment of exposure to volatile organic compounds in groundwater in Taiwan. *Sci Total Environ.* 407: 2165-2174.
- Fan, CH; Tsai, MZ; Tsui, L. (2014). Structural characterization of bagasse-derived composts with different maturities and their solubility enhancing effect on PCE and toluene. *Chemosphere.* 105: 95-99.
- Fang, Y; Clapp, LW; Hozalski, RM; Novak, PJ; Semmens, MJ. (2004). Membrane gas transfer under conditions of creeping flow: modeling gas composition effects. *Water Res.* 38: 2489-2498.
- Fang, Y; Hozalski, RM; Clapp, LW; Novak, PJ; Semmens, MJ. (2002). Passive dissolution of hydrogen gas into groundwater using hollow-fiber membranes. *Water Res.* 36: 3533-3542.
- Fantuzzi, G; Aggazzotti, G; Right, E; Cavazzuti, L; Predieri, G; Franceschelli, A. (1996). Indoor air quality in the university libraries of Modena (Italy). *Sci Total Environ.* 193: 49-56.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub> composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674.
- Farmaki, E; Kaloudis, T; Dimitrou, K; Thanasoulas, N; Kousouris, L; Tzoumerkas, F. (2007). Validation of a FT-IR method for the determination of oils and grease in water using tetrachloroethylene as the extraction solvent. *Desalination.* 210: 52-60.
- Farrell, J; Grassian, D; Jones, M. (1999). Investigation of mechanisms contributing to slow desorption of hydrophobic organic compounds from mineral solids. *Environmental Science & Technology.* 33: 1237-1243.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environmental Science & Technology.* 34: 514-521.
- Farrell, J; Melitas, N; Kason, M; Li, T. (2000). Electrochemical and column investigation of iron-mediated reductive dechlorination of trichloroethylene and perchloroethylene. *Environmental Science & Technology.* 34: 2549-2556.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 1. Isotherms. *Environmental Science & Technology.* 28: 53-62.
- Farrell, J; Reinhard, M. (1994). Desorption of halogenated organics from model solids, sediments, and soil under unsaturated conditions: 2. Kinetics. *Environmental Science & Technology.* 28: 63-72.
- Fasano, WJ; Sweeney, LM; Mawn, MP; Nabb, DL; Szostek, B; Buck, RC; Gargas, ML. (2009). Kinetics of 8-2 fluorotelomer alcohol and its metabolites, and liver glutathione status following daily oral dosing for 45 days in male and female rats. *Chem Biol Interact.* 180: 281-295.
- Fathpure, BZ; Boyd, SA. Dependence of tetrachloroethylene dechlorination on methanogenic substrate consumption by *Methanosarcina* sp. strain DCM. *Appl Environ Microbiol.* Dec 1988. v. 54 (12): 2976-2980 ill.
- Fathpure, BZ; Boyd, SA. (1988). Reductive dechlorination of perchloroethylene and the role of methanogens. *FEMS Microbiol Lett.* 49: 149-156.
- Fathpure, BZ; Elango, VK; Singh, H; Bruner, MA. (2005). Bioaugmentation potential of a vinyl chloride-assimilating *Mycobacterium* sp., isolated from a chloroethene-contaminated aquifer. *FEMS Microbiol Lett.* 248: 227-234.
- Fathpure, BZ; Nengu, JP; Boyd, SA. Anaerobic bacteria that dechlorinate perchloroethene. *Appl Environ Microbiol.* Nov 1987. v. 53 (11): 2671-2674.
- Fathpure, BZ; Tiedje, JM. (1994). Reductive dechlorination of tetrachloroethylene by a chlorobenzoate-enriched biofilm reactor. *Environmental Science & Technology.* 28: 746-752.
- Fausto, R; Cacula, C; Duarte, ML. (2000). Vibrational analysis and structural implications of H-bonding in isolated and aggregated 2-amino-1-propanol: a study by MI-IR and Raman spectroscopy and molecular orbital calculations. *J Mol Struct.* 550-551: 365-388.
- Fazi, S; Aulenta, F; Majone, M; Rossetti, S. (2008). Improved quantification of *Dehalococcoides* species by fluorescence in situ hybridization and catalyzed reporter deposition. *Syst Appl Microbiol.* 31: 62-67.
- Feenstra, S. (2005). Soil sampling in NAPL source zones: Challenges to representativeness. *Environ Forensics.* 6: 57-63.
- Feiring, AE. (1979). Chemistry in hydrogen fluoride V. Catalysts for reaction of HF with halogenated olefins. *Journal of Fluorine Chemistry.* 14: 7-18.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: Effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere.* 73: 1817-1823.
- Fennell, DE; Carroll, AB; Gossett, JM; Zinder, SH. (2001). Assessment of indigenous reductive dechlorinating potential at a TCE-contaminated site using microcosms, polymerase chain reaction analysis, and site data. *Environmental Science & Technology.* 35: 1830-1839.
- Fennell, DE; Gossett, JM. (1998). Modeling the production of and competition for hydrogen in a dechlorinating culture. *Environmental Science & Technology.* 32: 2450-2460.
- Fennell, DE; Gossett, JM. (1999). Comment on "Enrichment of high rate PCE dechlorination and comparative study of lactate, methanol, and hydrogen as electron donors to sustain activity". *Environmental Science & Technology.* 33: 2681-2682.
- Fennell, DE; Gossett, JM; Zinder, SH. (1997). Comparison of butyric acid, ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environmental Science & Technology.* 31: 918-926.

## Environmental Hazard Literature Search Results

### Off Topic

- Fennell, DE; Nelson, YM; Underhill, SE; White, TE; Jewell, WJ. (1993). TCE degradation in a methanotrophic attached-film bioreactor. *Biotechnol Bioeng.* 42: 859-872.
- Fennell, DE; Nijenhuis, I; Wilson, SF; Zinder, SH; Haggblom, MM. (2004). Dehalococcoides ethenogenes strain 195 reductively dechlorinates diverse chlorinated aromatic pollutants. *Environmental Science & Technology.* 38: 2075-2081.
- Fenner-Crisp, PA. (1996). Regulatory implications: U.S. Environmental Protection Agency. *Ann N Y Acad Sci.* 804: 636-640.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Fernandez-Ibanez, P; Blanco, J; Malato, S; de las Nieves, FJ. (2003). Application of the colloidal stability of TiO<sub>2</sub> particles for recovery and reuse in solar photocatalysis. *Water Res.* 37: 3180-3188.
- Fernando, PV. (1961). Treatment of hookworm with chlorbetamide, bephenium and tetrachlorethylene. *The Journal of tropical medicine and hygiene.* 64: 180-183.
- Feron, VJ; Groten, JP; Jonker, D; Cassee, FR; Van, BLADERENPJ. (1995). Toxicology of chemical mixtures: Challenges for today and the future. *Toxicology.* 105: 415-427.
- Ferrand, LA; Milly, PCD; Pinder, GF. (1989). Experimental determination of three-fluid saturation profiles in porous media. *J Contam Hydrol.* 4: 373-395.
- Ferrand, LA; Milly, PCD; Pinder, GF; Turrin, RP. (1990). A comparison of capillary pressure-saturation relations for drainage in two- and three-fluid porous media. *Advances in Water Resources.* 13: 54-63.
- Ferrey, ML; Wilkin, RT; Ford, RG; Wilson, JT. (2004). Nonbiological removal of cis-dichloroethylene and 1,1-dichloroethylene in aquifer sediment containing magnetite. *Environmental Science & Technology.* 38: 1746-1752.
- Fetzner, S. (1998). Bacterial dehalogenation. *Appl Microbiol Biotechnol.* 50: 633-657.
- Field, JA; Istok, JD; Schroth, MH; Sawyer, TE; Humphrey, MD. (1999). Laboratory investigation of surfactant-enhanced trichloroethene solubilization using single-well, "push-pull" tests. *Ground Water.* 37: 581-588.
- Field, JA; Reed, RL; Istok, JD; Semprini, L; Bennett, P; Buscheck, TE. (2005). Trichlorofluoroethene: A reactive tracer for evaluating reductive dechlorination in large-diameter permeable columns. *Ground Water Monitoring and Remediation.* 25: 68-77.
- Field, JA; Sawyer, TE; Schroth, MH; Humphrey, MD; Istok, JD. (2000). Effect of cation exchange on surfactant-enhanced solubilization of trichloroethene. *J Contam Hydrol.* 46: 131-149.
- Field, RA; Phillips, JL; Goldstone, ME; Lester, JN; Perry, R. (1992). Indoor/outdoor interactions during an air pollution event in central London. *Environ Technol.* 13: 391-408.
- Fields, MW; Bagwell, CE; Carroll, SL; Yan, T; Liu, X; Watson, DB; Jardine, PM; Criddle, CS; Hazen, TC; Zhou, J. (2006). Phylogenetic and functional biomarkers as indicators of bacterial community responses to mixed-waste contamination. *Environmental science & technology.* 40: 2601-2607.
- Fietzek, C; Mack, HG. (2007). Influence of different transition metals in phthalocyanines on their interaction energies with volatile organic compounds: an experimental and computational study. *J Mol Model.* 13: 11-17.
- Filser, JG; Bolt, HM. (1980). Characteristics of haloethylene-induced acetone in rats. *Arch Toxicol.* 45: 109-116.
- Filser, JG; Bolt, HM; Kimmich, K; Bencsıth, FA. (1978). Exhalation of acetone by rats on exposure to trans-1,2-dichloroethylene and related compounds. *Toxicol Lett.* 2: 247-252.
- Filser, JG; Jung, P; Bolt, HM. (1982). Increased acetone exhalation induced by metabolites of halogenated C1 and C2 compounds. *Arch Toxicol.* 49: 107-116.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)<sub>2</sub>(4-picoline)<sub>4</sub> for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem.* 70: 1268-1276.
- Fiorucci, L; Monti, A; Testai, E; Ade, P; Vittozzi, L. (1988). In vitro effects of polyhalogenated hydrocarbons on liver mitochondria respiration and microsomal cytochrome P-450. *Drug Chem Toxicol.* 11: 387-403.
- Fischer, AJ; Rowan, EA; Spalding, RF. (1987). VOCs in ground water influenced by large scale withdrawals. *Ground Water.* 25: 407-414.
- Fischer, U; Hinz, C; Schulin, R; Stauffer, F. (1998). Assessment of nonequilibrium in gas-water mass transfer during advective gas-phase transport in soils. *J Contam Hydrol.* 33: 133-148.
- Fischhoff, B; Riley, D; Kovacs, DC; Small, M. (1998). What information belongs in a warning? *Psychology & Marketing.* 15: 663-686.
- Fishbein, L. (1976). Industrial mutagens and potential mutagens I. Halogenated aliphatic derivatives. *Mutation Research/Reviews in Genetic Toxicology.* 32: 267-307.
- Fishbein, L. (1979). Potential halogenated industrial carcinogenic and mutagenic chemicals I. Halogenated unsaturated hydrocarbons. *Sci Total Environ.* 11: 111-161.
- Fishbein, L. (1979). Potential halogenated industrial carcinogenic and mutagenic chemicals. II. Halogenated saturated hydrocarbons. *The Science of the total environment.* 11: 163-195.
- Fishbein, L; Flamm, WG. (1972). Potential environmental chemical hazards. 3. Industrial and miscellaneous agents. *The Science of the total environment.* 1: 117-140.
- Fisher, DJ; Burton, DT; Paulson, RL. (1987). Toxicity of DEGDN, Synthetic-HC Smoke Combustion Products, Solvent Yellow 33 and Solvent Green 3 to Freshwater Aquatic Organisms. Available from the National Technical Information Service, Springfield VA 22161, as AD-A188 766 Price codes: A04 in paper copy, A01 in microfiche Final Report for Phase II, January 1987 75p, 8 fig, 16 tab, 42 ref, 2 append Navy Contract N00039-87-C-5301 and Army MIPR85MM5505.
- Fisher, DJ; Burton, DT; Paulson, RL. (1990). Acute toxicity of a complex mixture of synthetic hexachloroethane (HC) smoke combustion products: I. Comparative toxicity to freshwater aquatic organisms. *Environ Toxicol Chem.* 9: 745-754.

## Environmental Hazard Literature Search Results

### Off Topic

- Fisher, DJ; Burton, DT; Paulson, RL. (1990). Acute toxicity of a complex mixture of synthetic hexachloroethane (HC) smoke combustion products: II. Determination of component toxicity. *Environ Toxicol Chem.* 9: 755-760.
- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol.* 140: 56-66.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of Elevated Temperature on Dehalococoides Dechlorination Performance and DNA and RNA Biomarker Abundance. *Environmental Science & Technology.* 45: 712-718.
- Fletcher, KE; Costanza, J; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res.* 45: 6625-6636.
- Fletcher, KE; Löffler, FE; Richnow, HH; Nijenhuis, I. (2009). Stable Carbon Isotope Fractionation of 1,2-Dichloropropane during Dichloroelimination by Dehalococoides Populations. *Environmental Science & Technology.* 43: 6915-6919.
- Fletcher, KE; Nijenhuis, I; Richnow, HH; Löffler, FE. (2011). Stable Carbon Isotope Enrichment Factors for cis-1,2-Dichloroethene and Vinyl Chloride Reductive Dechlorination by Dehalococoides. *Environmental Science & Technology.* 45: 2951-2957.
- Fletcher, KE; Ritalahti, KM; Pennell, KD; Takamizawa, K; Löffler, FE. (2008). Resolution of culture Clostridium bifermentans DPH-1 into two populations, a Clostridium sp and tetrachloroethene-dechlorinating Desulfitobacterium hafniense strain JH1. *Appl Environ Microbiol.* 74: 6141-6143.
- Flynn, SJ; Löffler, FE; Tiedje, JM. (2000). Microbial community changes associated with a shift from reductive dechlorination of PCE to reductive dechlorination of cis-DCE and VC. *Environmental Science & Technology.* 34: 1056-1061.
- Fogel, MM; Taddeo, AR; Fogel, S. (1986). Biodegradation of chlorinated ethenes by a methane-utilizing mixed culture. *Appl Environ Microbiol.* 51: 720-724.
- Fogelqvist, E; Krysell, M. (1986). The anthropogenic and biogenic origin of low molecular weight halocarbons in a polluted fjord, the Idefjorden. *Mar Pollut Bull.* 17: 378-382.
- Follett, AD; McNeill, K. (2005). Reduction of trichloroethylene by outer-sphere electron-transfer agents. *J Am Chem Soc.* 127: 844-845.
- Forczek, ST; Laturnus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ.* 61: 103-108.
- Forczek, ST; Schroder, P; Weissflog, L; Kruger, G; Rohlenova, J; Matucha, M. (2008). Trichloroacetic acid of different origin in Norway spruce needles and chloroplasts. *Biologia Plantarum.* 52: 177-180.
- Foresman, TW. (1985). MAPPING MONITORING AND MODELLING OF HAZARDOUS WASTE SITES. International Conference On Man'S Role In Changing The Global Environment, Part B, Venice, Italy, October. 56: 255-263.
- Forrester, SB; Han, JI; Dybas, MJ; Semrau, JD; Lastoskie, CM. (2005). Characterization of a mixed methanotrophic culture capable of chloroethylene degradation. *Environ Eng Sci.* 22: 177-186.
- Fountain, JC. The role of field trials in development and feasibility assessment of surfactant-enhanced aquifer remediation. *Water environment research : a research publication of the Water Environment Federation.* Mar/Apr 1997. v. 69 (2): 188-195.
- Fountain, JC; Klimek, A; Beikirch, MG; Middleton, TM. (1991). The use of surfactants for in situ extraction of organic pollutants from a contaminated aquifer. *J Hazard Mater.* 28: 295-311.
- Fountain, JC; Starr, RC; Middleton, T; Beikirch, M; Taylor, C; Hodge, D. A controlled field test of surfactant-enhanced aquifer remediation. *Ground Water.* Sept/Oct 1996. v. 34 (5): 910-916.
- Fowler, JSL. (1970). Chlorinated hydrocarbon toxicity in the fowl and duck. *Journal of Comparative Pathology.* 80: 465-471.
- Fowler, T; Dockter, C. (2010). Optimizing remediation strategies for a former dry-cleaner site. *Remediation.* 20: 83-104.
- Fowles, JR; Alexeeff, GV; Dodge, D. (1999). The use of benchmark dose methodology with acute inhalation lethality data. *Regul Toxicol Pharmacol.* 29: 262-278.
- Fox, BG; Borneman, JG; Wackett, LP; Lipscomb, JD. (1990). Haloalkene oxidation by the soluble methane monooxygenase from Methylosinus trichosporium OB3b: mechanistic and environmental implications. *Biochemistry.* 29: 6419-6427.
- Francisca, FM; Montoro, MA. (2015). Influence of Particle Size Distribution and Wettability on the Displacement of LNAPL in Saturated Sandy Soils. *J Environ Eng.* 141: 14091-14091.
- Frank, H; Frank, W. (1986). Photochemical activation of chloroethenes leading to destruction of photosynthetic pigments. *Experientia Basel.* 42: 1267-1269.
- Frank, H; Frank, W; Neves, HJC. (1991). Airborne C1- and C2-halocarbons at four representative sites in Europe. *Atmospheric Environment Part A General Topics.* 25: 257-261.
- Frank, H; Scholl, H; Renschen, D; Rether, B; Laouedj, A; Norokorpi, Y. (1994). Haloacetic acids, phytotoxic secondary air pollutants. *Environmental Science And Pollution Research International.* 1: 4-14.
- Frank, W; Frank, H. (1990). Concentrations of airborne C1- and C2-halocarbons in forest areas in west germany: results of three campaigns in 1986, 1987 and 1988. *Atmospheric Environment Part A General Topics.* 24: 1735-1739.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol.* 128: 479-486.
- Frayha, GJ. (1972). The mode of action of certain drugs against helminth parasites of man. *Le Journal medical libanais The Lebanese medical journal.* 25: 507-520.
- Fredriksson, A; Danielsson, BRG; Eriksson, P. (1993). Altered behaviour in adult mice orally exposed to tri- and tetrachloroethylene as neonates. *Toxicol Lett.* 66: 13-19.

## Environmental Hazard Literature Search Results

### Off Topic

- Freeborn, RA; West, KA; Bhupathiraju, VK; Chauhan, S; Rahm, BG; Richardson, RE; Alvarez-Cohen, L. (2005). Phylogenetic analysis of TCE-dechlorinating consortia enriched on a variety of electron donors. *Environmental Science & Technology*. 39: 8358-8368.
- Freedman, DL; Gossett, JM. (1989). Biological reductive dechlorination of tetrachloroethylene and trichloroethylene to ethylene under methanogenic conditions. *Appl Environ Microbiol*. 55: 2144-2151.
- Freeze, GA; Fountain, JC; Pope, GA; Jackson, RE. Modeling the surfactant-enhanced remediation of perchloroethylene at the Borden test site using the UTCHEM compositional simulator. *ACS Symp Ser Am Chem Soc*. 1995. (594): 191-200.
- Freitas, JG; Barker, JF. (2013). Denatured ethanol, release into gasoline residuals, Part 1: Source behaviour. *J Contam Hydrol*. 148: 67-78.
- Friberg, L; Kylin, B; Nystrom, A. (1953). Toxicities of trichloroethylene and tetrachloroethylene and Fujiwara's pyridine-alkali reaction. *Acta Pharmacol Toxicol*. 9: 303-312.
- FriborskÅ , A. (1969). The phosphatases of peripheral white blood cells in workers exposed to trichloroethylene and perchloroethylene. *Br J Ind Med*. 26: 159-161.
- Friis, AK; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2006). The need for bioaugmentation after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *J Contam Hydrol*. 88: 235-248.
- Friis, AK; Albrechtsen, HJ; Heron, G; Bjerg, PL. (2005). Redox processes and release of organic matter after thermal treatment of a TCE-contaminated aquifer. *Environmental Science & Technology*. 39: 5787-5795.
- Friis, AK; Edwards, EA; Albrechtsen, HJ; Udell, KS; Duhamel, M; Bjerg, PL. (2007). Dechlorination after thermal treatment of a TCE-contaminated aquifer: Laboratory experiments. *Chemosphere*. 67: 816-825.
- Friis, AK; Heimann, AC; Jakobsen, R; Albrechtsen, HJ; Cox, E; Bjerg, PL. (2007). Temperature dependence of anaerobic TCE-dechlorination in a highly enriched Dehalococcoides-containing culture. *Water Res*. 41: 355-364.
- Friis, AK; Heron, G; Albrechtsen, HJ; Udell, KS; Bjerg, PL. (2006). Anaerobic dechlorination and redox activities after full-scale Electrical Resistance Heating (ERH) of a TCE-contaminated aquifer. *J Contam Hydrol*. 88: 219-234.
- Friis, AK; Kofoed, JLL; Heron, G; Albrechtsen, HJ; Bjerg, PL. (2007). Microcosm evaluation of bioaugmentation after field-scale thermal treatment of a TCE-contaminated aquifer. *Biodegradation*. 18: 661-674.
- Froese, KL; Hutzinger, O. (1996). Polychlorinated benzene and polychlorinated phenol in heterogeneous combustion reactions of ethylene and ethane. *Environmental Science & Technology*. 30: 1009-1013.
- Fu, X; Imhoff, PT. (2002). Mobilization of small DNAPL pools formed by capillary entrapment. *J Contam Hydrol*. 56: 137-158.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere*. 42: 345-350.
- Fullerton, H; Crawford, M; Bakenne, A; Freedman, DL; Zinder, SH. (2013). Anaerobic Oxidation of Ethene Coupled to Sulfate Reduction in Microcosms and Enrichment Cultures. *Environmental Science & Technology*. 47: 12374-12381.
- Fung, JM; Morris, RM; Adrian, L; Zinder, SH. (2007). Expression of reductive dehalogenase genes in Dehalococcoides ethenogenes strain 195 growing on tetrachloroethene, trichloroethene, or 2,3-dichlorophenol. *Appl Environ Microbiol*. 73: 4439-4445.
- Fung, JM; Weisenstein, BP; Mack, EE; Vidumsky, JE; Ei, TA; Zinder, SH. (2009). Reductive Dehalogenation of Dichlorobenzenes and Monochlorobenzene to Benzene in Microcosms. *Environmental Science & Technology*. 43: 2302-2307.
- Fure, AD; Jawitz, JW; Annable, MD. (2006). DNAPL source depletion: Linking architecture and flux response. *J Contam Hydrol*. 85: 118-140.
- Furukawa, K. (2003). 'Super bugs' for bioremediation. *Trends in Biotechnology*. 21: 187-190.
- Furukawa, K. (2006). Oxygenases and dehalogenases: Molecular approaches to efficient degradation of chlorinated environmental pollutants. *Bioscience Biotechnology and Biochemistry*. 70: 2335-2348.
- Furukawa, K; Suyama, A; Tsuboi, Y; Futagami, T; Goto, M. (2005). Biochemical and molecular characterization of a tetrachloroethene dechlorinating Desulfitobacterium sp strain Y51: a review. *Journal of Industrial Microbiology & Biotechnology*. 32: 534-541.
- Futagami, T; Morono, Y; Terada, T; Kaksonen, AH; Inagaki, F. (2013). Distribution of dehalogenation activity in subseafloor sediments of the Nankai Trough subduction zone. *Philosophical Transactions of the Royal Society B-Biological Sciences*. 368: 20249-20249.
- Futagami, T; Okamoto, F; Hashimoto, H; Fukuzawa, K; Higashi, K; Nazir, K; Wada, E; Suyama, A; Takegawa, K; Goto, M; Nakamura, K; Furukawa, K. (2011). Enrichment and Characterization of a Trichloroethene-Dechlorinating Consortium Containing Multiple "Dehalococcoides" Strains. *Bioscience Biotechnology and Biochemistry*. 75: 1268-1274.
- Futagami, T; Tsuboi, Y; Suyama, A; Goto, M; Furukawa, K. (2006). Emergence of two types of nondechlorinating variants in the tetrachloroethene-halorespiring Desulfitobacterium sp strain Y51. *Appl Microbiol Biotechnol*. 70: 720-728.
- Futagami, T; Yamaguchi, T; Nakayama, SI; Goto, M; Furukawa, K. (2006). Effects of chloromethanes on growth of and deletion of the pce gene cluster in dehalorespiring Desulfitobacterium hafniense strain Y51. *Appl Environ Microbiol*. 72: 5998-6003.
- Futamata, H; Yoshida, N; Kurogi, T; Kaiya, S; Hiraishi, A. (2007). Reductive dechlorination of chloroethenes by Dehalococcoides-containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. *Isme Journal*. 1: 471-479.
- GÃ¶nÃ¼llÃ¼, MT. (1996). Modelling dissolution of an organic mixture in the subsurface. *Water Res*. 30: 649-653.
- GÃ¼rtler, R; MÃ¼ller, U; Sommer, S; MÃ¼ller, H; Kleinermanns, K. (1994). Photooxidation of exhaust pollutants: III. Photooxidation of the chloroethenes: Degradation efficiencies, quantum yields and products. *Chemosphere*. 29: 1671-1682.
- Gachegov, YN; Gordeev, AD; Soifer, GB. (1982). <sup>35</sup>Cl NQR and molecular reorientations in perchloroethane and perchloroethylene crystals. *J Mol Struct*. 83: 109-112.
- Gade, B; Layh, M; Westermann, H; Amsoneit, N. (1996). Determination of organic parameters in waste and leachates from the hazardous waste landfill of raindorf; Germany. *Waste Management & Research*. 14: 553-569.
- Gallegos, P; Lutz, J; Markwiese, J; Ryt, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem*. 26: 1299-1303.

## Environmental Hazard Literature Search Results

### Off Topic

- Gan, YQ; Yu, TT; Zhou, AG; Liu, YD; Yu, K; Han, L. (2014). Variability in the carbon isotope fractionation of trichloroethene on its reductive dechlorination by vitamin B-12. *Environmental Science-Processes & Impacts*. 16: 1882-1888.
- Ganguli, B. (1967). Treatment of hookworm anaemias in tea gardens. *Indian medical journal*. 61: 83.
- Ganssen, G. (1981). Isotopic analysis of foraminifera shells: Interference from chemical treatment. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 33: 271-276.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environmental Science & Technology*. 25: 715-722.
- Gao, H; Blanford, WJ; Birdwell, JE. (2009). The Pseudophase Approach to Assessing Chemical Partitioning in Air-Water-Cyclodextrin Systems. *Environmental Science & Technology*. 43: 2943-2949.
- Gao, J; Skeen, RS; Hooker, BS; Quesenberry, RD. (1997). Effects of several electron donors on tetrachloroethylene dechlorination in anaerobic soil microcosms. *Water Res*. 31: 2479-2486.
- Garant, H; Lynd, L. (1998). Applicability of competitive and noncompetitive kinetics to the reductive dechlorination of chlorinated ethenes. *Biotechnol Bioeng*. 57: 751-755.
- Garant, H; Lynd, LR. (1996). Perchloroethylene utilization by methanogenic fed-batch cultures: Acclimation and degradation. *Appl Biochem Biotechnol*. 58: 895-904.
- Garcia, JP; Beyne-Masclat, S; Mouvier, G; Masclat, P. (1992). Emissions of volatile organic compounds by coal-fired power stations. *Atmos Environ Part A Gen Top*. 26: 1589-1597.
- Garcia-Moreno, I; Troitiño, D; Hernanz, A. (1986). Profile analysis of infrared absorption of Ni—<sub>2</sub>H stretching band. *J Mol Struct*. 142: 259-262.
- Garcia-Solares, SM; Ordaz, A; Monroy-Hermosillo, O; Guerrero-Barajas, C. (2013). Trichloroethylene (TCE) biodegradation and its effect on sulfate reducing activity in enriched sulfidogenic cultures prevented from a UASB maintained at 20 degrees C. *International Biodeterioration & Biodegradation*. 83: 92-96.
- Garcia-Villanova, RJ; Garcia, C; Alfonso, GOMEZJ; Paz, GARCIA M; Ardanuy, R. (1997). Formation, evolution and modeling of trihalomethanes in the drinking water of a town: I. At the municipal treatment utilities. *Water Res*. 31: 1299-1308.
- Garcia-Villanova, RJ; Garcia, C; Gomez, JA; Paz, GARCIA M; Ardanuy, R. (1997). Formation, evolution and modeling of trihalomethanes in the drinking water of a town: II. In the distribution system. *Water Res*. 31: 1405-1413.
- Gardner, KH; Arias, MS. (2000). Clay swelling and formation permeability reductions induced by a nonionic surfactant. *Environmental Science & Technology*. 34: 160-166.
- Gardner, M. (1998). Stability of trace organic substances in water: Data obtained from interlaboratory tests. *Analytical Communications*. 35: 373-375.
- Gardner, MJ; Dobson, JE; Griffiths, AH; Jessep, MA; Ravenscroft, JE. (1997). An overview of the UK National Marine Analytical Quality Control (NMAQC) scheme and its links with QUASIMEME. *Mar Pollut Bull*. 35: 125-132.
- Garnier, R. (2008). Remplacement du perchloroéthylène par le caméthylcyclopentasiloxane dans les pressings. *Arch Mal Prof Environ*. 69: 749-750.
- Garnier, R; Bedouin, J; Pepin, G; Gaillard, Y. (1996). Coin-operated dry cleaning machines may be responsible for acute tetrachloroethylene poisoning: Report of 26 cases including one death. *Journal Of Toxicology Clinical Toxicology*. 34: 191-197.
- Garny, V; Lecloux, A; Papp, R. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Principles and purposes. *Environ Monit Assess*. 53: 395-399.
- Gates-Anderson, DD; Siegrist, RL; Cline, S. (2001). Comparison of potassium permanganate and hydrogen peroxide as chemical oxidants for organically contaminated soils. *Journal of Environmental Engineering-Asce*. 127: 337-347.
- Gauthier, A; Beaudet, R; Lepine, F; Juteau, P; Villemur, R. (2006). Occurrence and expression of *crdA* and *cprA5* encoding chloroaromatic reductive dehalogenases in *Desulfitobacterium* strains. *Can J Microbiol*. 52: 47-55.
- Gavaskar, AR. (1999). Design and construction techniques for permeable reactive barriers. *J Hazard Mater*. 68: 41-71.
- Gavino, VC; Dillard, CJ; Tappel, AL. (1984). Release of ethane and pentane from rat tissue slices: Effect of vitamin E, halogenated hydrocarbons and iron overload. *Arch Biochem Biophys*. 233: 741-747.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; Clewell Iii, HJ. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett*. 68: 131-144.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone-Science & Engineering*. 21: 523-538.
- Gehring, P; Matschiner, H. (1998). Radiation induced pollutant decomposition in water. *Water Science and Technology*. 37: 195-201.
- Gehring, P; Proksch, E; Eschweiler, H; Szinovatz, W. (1992). Remediation of groundwater polluted with chlorinated ethylenes by ozone-electron beam irradiation treatment. *International journal of radiation applications and instrumentation Part A, Applied radiation and isotopes*. 43: 1107-1115.
- Gehring, P; Proksch, E; Szinovatz, W. (1985). Radiation-induced degradation of trichloroethylene and tetrachloroethylene in drinking water. *The International journal of applied radiation and isotopes*. 36: 313-314.
- Gehring, P; Proksch, E; Szinovatz, W; Eschweiler, H. (1988). Decomposition of trichloroethylene and tetrachloroethylene in drinking water by a combined radiation/ozone treatment. *Water Res*. 22: 645-646.
- Gennari, P; Naldi, M; Motta, R; Nucci, MC; Giacomini, C; Violante, FS; Raffi, GB. (1992). Gamma-glutamyltransferase isoenzyme pattern in workers exposed to tetrachloroethylene. *Am J Ind Med*. 21: 661-671.

## Environmental Hazard Literature Search Results

### Off Topic

- Gerhard, JI; Pang, T; Kueper, BH. (2007). Time scales of DNAPL migration in sandy aquifers examined via numerical simulation. *Ground Water*. 45: 147-157.
- Germolec, DR; Yang, RSH; Ackermann, MF; Rosenthal, GJ; Boorman, GA; Blair, P; Luster, MI. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: II. Immunosuppression in B6C3F1 mice. *Fundam Appl Toxicol*. 13: 377-387.
- Gerritse, J; Drzyzga, O; Kloetstra, G; Keijmel, M; Wiersum, LP; Hutson, R; Collins, MD; Gottschal, JC. (1999). Influence of different electron donors and acceptors on dehalorespiration of tetrachloroethene by *Desulfotobacterium frappieri* TCE1. *Appl Environ Microbiol*. 65: 5212-5221.
- Gerritse, J; Kloetstra, G; Borger, A; Dalstra, G; Alphenaar, A; Gottschal, JC. (1997). Complete degradation of tetrachloroethene in coupled anoxic and oxic chemostats. *Appl Microbiol Biotechnol*. 48: 553-562.
- Gerritse, J; Renard, V; Pedro, GTM; Lawson, PA; Collins, MD; Gottschal, JC. (1996). *Desulfotobacterium* sp. strain PCE1, an anaerobic bacterium that can grow by reductive dechlorination of tetrachloroethene or ortho-chlorinated phenols. *J Epidemiol Community Health*. 165: 132-140.
- Gerritse, J; Renard, V; Visser, J; Gottschal, JC. (1995). Complete degradation of tetrachloroethene by combining anaerobic dechlorinating and aerobic methanotrophic enrichment cultures. *Appl Microbiol Biotechnol*. 43: 920-928.
- Ghanem, A; Soerens, TS; Adel, MM; Thoma, GJ. (2003). Investigation of fluorescent dyes as partitioning tracers for subsurface nonaqueous phase liquid (NAPL) characterization. *Journal of Environmental Engineering-Asce*. 129: 740-744.
- Ghantous, H. (1987). Distribution of halothane, some organic solvents, and their metabolites in rodents: Uptake in the fetus and amniotic fluid, and in the respiratory tract. *ACTA PHARM SUEC*. 24: 206-207.
- Gharaibeh, SH; Moore, SV; Buck, A. (1998). Effluent treatment of industrial wastewater using processed solid residue of olive mill products and commercial activated carbon. *J Chem Tech Biotechnol*. 71: 291-298.
- Gholami, M; Kebria, DY; Mahmudi, M. (2014). Electrokinetic remediation of perchloroethylene-contaminated soil. *Int J Environ Sci Tech*. 11: 1433.
- Ghosh, J; Tick, GR. (2013). A pore scale investigation of crude oil distribution and removal from homogeneous porous media during surfactant-induced remediation. *J Contam Hydrol*. 155: 20-30.
- Gianturco, F; Vianelli, L; Tatti, L; Rota, F; Bruzzi, P; Rivas, L; Bellobono, IR; Bianchi, M; Muntau, H. (1996). Pilot-plant photomineralization of dichloromethane and tetrachloroethene in aqueous solution, by photocatalytic membranes immobilizing titanium dioxide and photopromoters. *Chemosphere*. 33: 1531-1542.
- Gibson, SA; Roberson, DS; Russell, HH; Sewell, GW. (1994). Effects of three concentrations of mixed fatty acids on dechlorination of tetrachloroethene in aquifer microcosms. *Environ Toxicol Chem*. 13: 453-460.
- Gibson, SA; Sewell, GW. (1992). Stimulation of reductive dechlorination of tetrachloroethene in anaerobic aquifer microcosms by addition of short-chain organic acids or alcohols. *Appl Environ Microbiol*. 58: 1392-1393.
- Giddings, CGS; Liu, F; Gossett, JM. (2010). Microcosm Assessment of *Polaromonas* sp JS666 as a Bioaugmentation Agent for Degradation of cis-1,2-dichloroethene in Aerobic, Subsurface Environments. *Ground Water Monitoring and Remediation*. 30: 106-113.
- Giger, W; Molnar-Kubica, E. Tetrachloroethylene in contaminated ground and drinking waters. *Bull Environ Contam Toxicol*. Apr 1978, 19 (4): 475-480.
- Giger, W; Molnar-Kubica, E; Wakeham, S. (1978). Volatile Chlorinated Hydrocarbons in Ground and Lake Waters. *Aquatic Pollutants* 101-123.
- Gilles, HM. (1969). Advances in helminthology. *The Practitioner*. 203: 518-524.
- Gimmi, T; Fluhler, H; Studer, B; Rasmuson, A. (1993). Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut*. 68: 291-305.
- Gioia, F; Alfani, G; Andreutti, S; Murena, F. (2003). Oil mobility in a saturated water-wetted bed of glass beads. *J Hazard Mater*. 97: 315-327.
- Gioia, F; Urciuolo, M. (2006). Combined effect of Bond and capillary numbers on hydrocarbon mobility in water saturated porous media. *J Hazard Mater*. 133: 218-225.
- Gkementzoglou, C; Kotrotsiou, O; Koronaoui, M; Kiparissides, C. (2016). Development of a sandwich-type filtration unit packed with MIP nanoparticles for removal of atrazine from water sources. *Chem Eng J*. 287: 233-240.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ*. 290: 231-237.
- Glaze, WH; Kenneke, JF; Ferry, JL. (1993). Chlorinated byproducts from the titanium dioxide-mediated photodegradation of trichloroethylene and tetrachloroethylene in water. *Environ Sci Technol*. 27: 177-184.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environmental Science & Technology*. 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environmental Science & Technology*. 31: 3154-3160.
- Glover, KC; Munakata-Marr, J; Illangasekare, TH. (2007). Biologically enhanced mass transfer of tetrachloroethene from DNAPL in source zones: Experimental evaluation and influence of pool morphology. *Environmental Science & Technology*. 41: 1384-1389.
- Gobba, F; Righi, E; Fantuzzi, G; Predieri, G; Cavazzuti, L; Aggazzotti, G. (1998). Two-year evolution of perchloroethylene-induced color-vision loss. *Arch Environ Health*. 53: 196-198.
- Goetz, R; Bauer, OH; Friesel, P; Roch, K. (1998). Organic trace compounds in the water of the River Elbe near Hamburg: Part I. *Chemosphere*. 36: 2085-2101.
- Gold, JH. (1969). Chronic perchlorethylene poisoning. *Can Psychiatr Assoc J*. 14: 627-630.



## Environmental Hazard Literature Search Results

### Off Topic

- Goldsmith, RS. (1978). Chronic diarrhea in returning travelers: intestinal parasitic infection with the fluke *Metagonimus yokogawai*. *South Med J.* 71: 1513-1515, 1518.
- Goldstein, L; Prasher, SO; Ghoshal, S. (2007). Three-dimensional visualization and quantification of non-aqueous phase liquid volumes in natural porous media using a medical X-ray Computed Tomography scanner. *J Contam Hydrol.* 93: 96-110.
- Goldsworthy, TL; Lyght, O; Burnett, VL; Popp, JA. (1988). Potential role of  $\beta_2$ -microglobulin, protein droplet accumulation, and cell replication in the renal carcinogenicity of rats exposed to trichloroethylene, perchloroethylene, and pentachloroethane. *Toxicol Appl Pharmacol.* 96: 367-379.
- Goldsworthy, TL; Popp, JA. (1987). Chlorinated hydrocarbon-induced peroxisomal enzyme activity in relation to species and organ carcinogenicity. *Toxicol Appl Pharmacol.* 88: 225-233.
- Goleman, WL; Urquidí, LJ; Anderson, TA; Smith, EE; Kendall, RJ; Carr, JA. (2002). Environmentally relevant concentrations of ammonium perchlorate inhibit development and metamorphosis in *Xenopus laevis*. *Environmental toxicology and chemistry / SETAC.* 21: 424-430.
- Gonsoulin, ME; Wilson, BH; Wilson, JT. (2004). Biodegradation of PCE and TCE in landfill leachate predicted from concentrations of molecular hydrogen: a case study. *Biodegradation.* 15: 475-485.
- Goody, DC; Bloomfield, JP; Harrold, G; Leharne, SA. (2002). Towards a better understanding of tetrachloroethene entry pressure in the matrix of Permo-Triassic sandstones. *J Contam Hydrol.* 59: 247-265.
- Goorissen, HP; Boschker, HTS; Stams, AJM; Hansen, TA. (2003). Isolation of thermophilic *Desulfotomaculum* strains with methanol and sulfite from solfataric mud pools, and characterization of *Desulfotomaculum solfataricum* sp nov. *Int J Syst Evol Microbiol.* 53: 1223-1229.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Gordon, S; Mackay, D; Gagnon, D; DADDOESUOWOCsgac; Cherry, CJA; Pawliszyn, J. (2002). A laboratory technique for investigation of diffusion and transformation of volatile organic compounds in low permeability media. *J Contam Hydrol.* 57: 223-240.
- Goris, T; Schubert, T; Gadkari, J; Wubet, T; Tarkka, M; Buscot, F; Adrian, L; Diekert, G. (2014). Insights into organohalide respiration and the versatile catabolism of *Sulfurospirillum multivorans* gained from comparative genomics and physiological studies. *Environ Microbiol.* 16: 3562-3580.
- Goss, KU. (1997). Conceptual model for the adsorption of organic compounds from the gas phase to liquid and solid surfaces. *Environmental Science & Technology.* 31: 3600-3605.
- Gossett, JM. (2002). Fishing for microbes. *Science.* 298: 974-975.
- Gossett, JM; Bagley, DM. (1990). Tetrachloroethene Transformation to Trichloroethene and cis-1,2-Dichloroethene by Sulfate-Reducing Enrichment Cultures. *Applied and Environmental Microbiology AEMIDF, Vol 56, No 8, p 2511-2516, August 1990 3 fig, 3 tab, 27 ref US EPA Grant R-814380-.*
- Grandel, S; Dahmke, A. (2004). Monitored natural attenuation of chlorinated solvents: assessment of potential and limitations. *Biodegradation.* 15: 371-386.
- Grant, CL; Jenkins, TF; Mudambi, AR. (1997). Comparison of environmental chemical results for split samples analyzed in different laboratories. *J AOAC Int.* 80: 1129-1138.
- Grant, WB; Kagann, RH; McClenny, WA. (1992). Optical remote measurement of toxic gases. *J Air Waste Manage Assoc.* 42: 18-30.
- Grathwohl, P. (1990). Influence of organic matter from soils and sediments from various origins on the sorption of some chlorinated aliphatic hydrocarbons: Implications of KOC correlations. *Environ Sci Technol.* 24: 1687-1693.
- Gray, GM; Cohen, JT. (2012). Policy: Rethink chemical risk assessments. *Nature.* 489: 27-28.
- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GAS. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 63: 145-157.
- Green, T. (1991). Species differences in carcinogenicity: the role of metabolism and pharmacokinetics in risk assessment. *Annali dell'Istituto superiore di sanita* 27: 595-599.
- Green, T; Odum, J. (1985). Structure/activity studies of the nephrotoxic and mutagenic action of cysteine conjugates of chlgro and fluoroalkenes. *Chem Biol Interact.* 54: 15-31.
- Greer, JE. (1984). Adolescent abuse of typewriter correction fluid. *South Med J.* 77: 297-298, 301.
- Gregory, KB; Mason, MG; Picken, HD; Weathers, LJ; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci.* 17: 169-181.
- Gribble, GW. (1992). Naturally occurring organohalogen compounds: A survey. *J Nat Prod.* 55: 1353-1395.
- Griffin, BM; Tiedje, JM; Löffler, FE. (2004). Anaerobic microbial reductive dechlorination of tetrachloroethene to predominately trans-1,2-dichloroethene. *Environmental Science & Technology.* 38: 4300-4303.
- Griffin, GD; Khalaf, W; Hayden, KE; Miller, EJ; Dowray, VR; Creekmore, AL; Carruthers, CW; Williams, MW; Gailey, PC. (2000). Power frequency magnetic field exposure and gap junctional communication in Clone 9 cells. *Bioelectrochemistry.* 51: 117-123.
- Gros, V; Gaimoz, C; Herrmann, F; Custer, T; Williams, J; Bonsang, B; Sauvage, S; Locoge, N; d'Argouges, O; Sarda-Estève, R; Sciare, J. (2011). Volatile organic compounds sources in Paris in spring 2007. Part I: qualitative analysis. *Environ Chem.* 8: 74-90.
- Grosjean, D; Williams, EL, II. (1992). Photochemical pollution at two southern California smog receptor sites. *J Air Waste Manage Assoc.* 42: 805-809.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1998). Ambient levels of gas phase pollutants in Porto Alegre, Brazil. *Atmos Environ.* 32: 3371-3379.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1999). Toxic air contaminants in Porto Alegre, Brazil. *Environmental Science & Technology.* 33: 1970-1978.

## Environmental Hazard Literature Search Results

### Off Topic

- Grosterm, A; Chan, WWM; Edwards, EA. (2009). 1,1,1-Trichloroethane and 1,1-Dichloroethane Reductive Dechlorination Kinetics and Co-Contaminant Effects in a Dehalobacter-Containing Mixed Culture. *Environmental Science & Technology*. 43: 6799-6807.
- Grosterm, A; Edwards, EA. (2006). Growth of Dehalobacter and Dehalococcoides spp. during degradation of chlorinated ethanes. *Appl Environ Microbiol*. 72: 428-436.
- Groves, WA; Zellers, ET. (1996). Investigation of organic vapor losses to condensed water vapor in Tedlar bags used for exhaled-breath sampling. *Am Ind Hyg Assoc J*. 57: 257-263.
- Groves, WA; Zellers, ET. (1996). Prototype instrument employing a microsensor array for the analysis of organic vapors in exhaled breath. *Am Ind Hyg Assoc J*. 57: 1103-1108.
- Gu, AZ; Hedlund, BP; Staley, JT; Strand, SE; Stensel, HD. (2004). Analysis and comparison of the microbial community structures of two enrichment cultures capable of reductively dechlorinating TCE and cis-DCE. *Environ Microbiol*. 6: 45-54.
- Gu, AZ; Stensel, HD; Pietari, JMH; Strand, SE. (2003). Vinyl bromide as a surrogate for determining vinyl chloride reductive dechlorination potential. *Environmental Science & Technology*. 37: 4410-4416.
- Gu, X; Lu, S; Qiu, Z; Sui, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J*. 215-216: 29-35.
- Guan, J; Gao, K; Wang, C; Yang, X; Lin, C-H; Lu, C; Gao, P. (2014). Measurements of volatile organic compounds in aircraft cabins. Part I: Methodology and detected VOC species in 107 commercial flights. *Build Environ*. 72: 154-161.
- Guariglia, SR; Jenkins, EC; Chadman, KK; Wen, GY. (2011). Chlorination byproducts induce gender specific autistic-like behaviors in CD-1 mice. *Neurotoxicology*. 32: 545-553.
- Guberan, E; Fernandez, J. (1974). Control of industrial exposure to tetrachloroethylene by measuring alveolar concentrations: theoretical approach using a mathematical model. *Br J Ind Med*. 31: 159-167.
- Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2004). Remediation of NAPL below the water table by steam-induced heat conduction. *J Contam Hydrol*. 72: 207-225.
- Guengerich, FP. (2005). Principles of covalent binding of reactive metabolites and examples of activation of bis-electrophiles by conjugation. *Arch Biochem Biophys*. 433: 369-378.
- Guerard, M; Marchand, C; Plappert-Helbig, U. (2014). Influence of Experimental Conditions on Data Variability in the Liver Comet Assay. *Environ Mol Mutagen*. 55: 114-121.
- Guerrero-Barajas, C; Garcia-Pena, EI. (2010). Evaluation of enrichments of sulfate reducing bacteria from pristine hydrothermal vents sediments as potential inoculum for reducing trichloroethylene. *World Journal of Microbiology & Biotechnology*. 26: 21-32.
- Guha, N; Loomis, D; Grosse, Y; Lauby-Secretan, B; El, GF; Bouvard, V; Benbrahim-Tallaa, L; Baan, R; Mattock, H; Straif, K; International, AfRoCMWG. (2012). Carcinogenicity of trichloroethylene, tetrachloroethylene, some other chlorinated solvents, and their metabolites. *The Lancet Oncology*. 13: 1192-1193.
- Guidotti, M; Onorati, B; Lucarelli, E; Blasi, G; Ravaioli, G. (2001). Determination of chlorinated solvents in exhaled air, urine, and blood of subjects exposed in the workplace using SPME and GC-MS. *American clinical laboratory*. 20: 23-26.
- Guigard, SE; Stiver, WH; Zytner, RG. Retention capacities of immiscible chemicals in unsaturated soils. *Water Air Soil Pollut*. June 1996. v. 89 (3/4): 277-289.
- Guilbeault, MA; Parker, BL; Cherry, JA. (2005). Mass and flux distributions from DNAPL zones in sandy aquifers. *Ground Water*. 43: 70-86.
- Guiot, SR. (1997). Process coupling of anaerobic and aerobic biofilms for treatment of contaminated waste liquids. *Studies in Environmental Science* 591-602.
- Guiot, SR; Cimpioia, R; Kuhn, R; Alaplantive, A. (2008). Electrolytic methanogenic - Methanotrophic coupling for tetrachloroethylene bioremediation: Proof of concept. *Environmental Science & Technology*. 42: 3011-3017.
- Guittonneau, S; Glaze, WH; Duguet, JP; Wable, O; Mallevalle, J. (1992). Characterization of natural water for potential to oxidize organic pollutants with ozone. *Ozone Sci Eng*. 14: 185-196.
- Gunatilleka, AD; Poole, CF. (1999). Models for estimating the non-specific aquatic toxicity of organic compounds. *Analytical Communications*. 36: 235-242.
- Guo, GL; Wang, SJ; Shi, LY; Li, HY; Han, CM; Gu, QB; Cao, YZ; Li, FS. (2010). Health Risk Analysis of VOC/SVOC Contaminated Soil in an Abandoned Chemical Plant. *Environmental Science*. 31: 397-402.
- Guo, H; Lee, SC; Louie, PKK; Ho, KF. (2004). Characterization of hydrocarbons, halocarbons and carbonyls in the atmosphere of Hong Kong. *Chemosphere*. 57: 1363-1372.
- Guo, HL; Zhao, XP. (2008). Preparation of microcapsules with narrow-size distribution by complex coacervation: Effect of sodium dodecyl sulphate concentration and agitation rate. *J Microencapsul*. 25: 221-227.
- Guo, HL; Zhao, XP; Wang, JP. (2005). The relation between narrow-dispersed microcapsules and surfactants. *J Microencapsul*. 22: 853-862.
- Guo, Z; Tichenor, BA; Mason, MA; Plunket, CM. (1990). The temperature dependence of the emission of perchloroethylene from dry cleaned fabrics. *Environ Res*. 52: 107-115.
- Gupta, DK; Mohanty, KK. (2001). A laboratory study of surfactant flushing of DNAPL in the presence of macroemulsion. *Environmental Science & Technology*. 35: 2836-2843.
- Gupta, H; Tanaka, S. (1995). Photocatalytic mineralisation of perchloroethylene using titanium dioxide. *Water Science and Technology*. 31: 47-54.
- Gupta, KC; Vaidya, AB; Krandikar, PV; Shah, MJ; Sheth, UK. (1967). Iodothymol and tetrachlorethylene in ankylostomiasis. A preliminary clinical trial. *Indian journal of medical sciences*. 21: 637-640.

## Environmental Hazard Literature Search Results

### Off Topic

- Gupta, S; Seagren, EA. (2005). Comparison of bioenhancement of nonaqueous phase liquid pool dissolution with first- and zero-order biokinetics. *Journal of Environmental Engineering-Asce*. 131: 165-169.
- Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *Journal of Environmental Engineering-Asce*. 126: 622-628.
- Ha, JH; Seagren, EA; Song, X. (2014). Oxygen Transport across the Capillary Fringe in LNAPL Pool-Source Zones. *J Environ Eng*. 140: 14040-14040.
- HÄntzsch, S; Nietruch, F. (1971). Modelluntersuchungen zur bestimmung von IÄlungsmitteldÄmpfen in luft. *Atmos Environ* (1967). 5: 265-274.
- Haas, BS; Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *Water Science and Technology*. 34: 557-564.
- Haas, BS; Herrmann, R. (1998). Tracing volatile organic compounds in sewers. *Water Science And Technology*. 37: 295-301.
- Haas, JE; Trego, DA. (2001). A field application of Hydrogen-Releasing Compound (HRC (TM)) for the enhanced bioremediation of Methyl Tertiary Butyl Ether (MTBE). *Soil & Sediment Contamination*. 10: 555-575.
- Hacker, MJ; Littlecott, GW; Kemmitt, RDW. (1973). Reactions of fluoro-olefins, chloro-olefins and related molecules with carbonatobis(triphenylarsine)platinum(II) in ethanol. *J Organomet Chem*. 47: 189-193.
- Haddad, S; Charest-Tardif, G; Krishnan, K. (2000). Physiologically based modeling of the maximal effect of metabolic interactions on the kinetics of components of complex chemical mixtures. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 61: 209-223.
- Haest, PJ; Philips, J; Springael, D; Smolders, E. (2011). The reactive transport of trichloroethene is influenced by residence time and microbial numbers. *J Contam Hydrol*. 119: 89-98.
- Haest, PJ; Ruymen, S; Springael, D; Smolders, E. (2006). Reductive dechlorination at high aqueous TCE concentrations. *Commun Agric Appl Biol Sci*. 71: 165-169.
- Haest, PJ; Springael, D; Seuntjens, P; Smolders, E. (2012). Self-inhibition can limit biologically enhanced TCE dissolution from a TCE DNAPL. *Chemosphere*. 89: 1369-1375.
- Haest, PJ; Springael, D; Smolders, E. (2010). Dechlorination kinetics of TCE at toxic TCE concentrations: Assessment of different models. *Water Res*. 44: 331-339.
- Hag, HKG; Huang, H; Key, JB; Salahudeen, AK. (1988). Mechanism of dry cleaning agent perchloroethylene-induced renal toxicity. *Scandinavian journal of work, environment & health*. 14: 91-94.
- Hage, JC; Kiestra, FDG; Hartmans, S. (2001). Co-metabolic degradation of chlorinated hydrocarbons by *Pseudomonas* sp strain DCA1. *Appl Microbiol Biotechnol*. 57: 548-554.
- Hageman, KJ; Field, JA; Istok, JD; Semprini, L. (2004). Quantifying the effects of fumarate on in situ reductive dechlorination rates. *J Contam Hydrol*. 75: 281-296.
- Hager, S; Bauer, R; Kudielka, G. (2000). Photocatalytic oxidation of gaseous chlorinated organics over titanium dioxide. *Chemosphere*. 41: 1219-1225.
- Halfon, E; Simons, TJ; Schertzer, WM. (1990). Modeling the Spatial Distribution of Seven Halocarbons in Lake St. Clair in June 1984 Using the Toxfate Model. *J Great Lakes Res*. 16: 90-112.
- Hallett, DJ; Norstrom, RJ; Onuska, FI; Comba, ME. (1982). Incidence of Chlorinated Benzenes and Chlorinated Ethylenes in Lake Ontario Herring Gulls. *Chemosphere*. 11: 277-285.
- Halonen, I; Tarhanen, J; RuokojÄrvi, P; Tuppurainen, K; Ruuskanen, J. (1995). Effect of catalysts and chlorine source on the formation of organic chlorinated compounds. *Chemosphere*. 30: 1261-1273.
- Hamed, MM; Bedient, PB. On the performance of computational methods for the assessment of risk from ground-water contamination. *Ground Water*. July/Aug 1997. v. 35 (4): 638-646.
- Hampton, T. (2007). Tainted drinking water. *Jama-Journal of the American Medical Association*. 298: 394-394.
- Han, KE; Catalano, PJ; Senchaudhuri, P; Mehta, C. (2004). Exact analysis of dose response for multiple correlated binary outcomes. *Biometrics*. 60: 216-224.
- Han, YL; Yan, WL. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environmental Science & Technology*. 50: 12992-13001.
- Hand, DW; Crittenden, JC; Hokanson, DR; Bulloch, JL. (1997). Predicting the performance of fixed-bed granular activated carbon adsorbers. *Water Science And Technology*. 35: 235-241.
- Hanioka, N; Jinno, H; Takahashi, A; Nakano, K; Yoda, R; Nishimura, T; Ando, M. (1995). Interaction of tetrachloroethylene with rat hepatic microsomal P450-dependent monooxygenases. *Xenobiotica; the fate of foreign compounds in biological systems*. 25: 151-165.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol*. 28: 273-280.
- HÄnniD, IADIoE; amp; Resources, TUoDBDKKLD; Broholm, MM; Bjerg, PL. (2007). Role of diffusion in chemical oxidation of PCE in a dual permeability system. *Environmental science & technology*. 41: 8426-8432.
- Harbec, D; Meunier, JL. (2011). Growth of carbon nanotubes above the peritectic temperature of tungsten metal catalyst. *Carbon*. 49: 2206-2215.
- Harbottle, MJ; Al-Tabbaa, A. (2008). Degradation of 2-chlorobenzoic acid in stabilised/solidified soil systems. *International Biodeterioration & Biodegradation*. 61: 173-181.
- Hard, GC. (1998). Mechanisms of chemically induced renal carcinogenesis in the laboratory rodent. *Toxicol Pathol*. 26: 104-112.
- Harding, KC; Lee, PKH; Bill, M; Buscheck, TE; Conrad, ME; Alvarez-Cohen, L. (2013). Effects of Varying Growth Conditions on Stable Carbon Isotope Fractionation of Trichloroethene (TCE) by tceA-containing *Dehalococcoides mccartyi* strains. *Environmental Science & Technology*. 47: 12342-12350.

## Environmental Hazard Literature Search Results

### Off Topic

- Harendra, S; Vipulanandan, C. (2011). Solubilization and degradation of perchloroethylene (PCE) in cationic and nonionic surfactant solutions. *J Environ Sci.* 23: 1240-1248.
- Harendra, S; Vipulanandan, C. (2013). Sorption and transport studies of cetyl trimethylammonium bromide (CTAB) and Triton X-100 in clayey soil. *J Environ Sci.* 25: 576-584.
- Haridy, SA; Persson, M; Berndtsson, R. (2004). Estimation of LNAPL saturation in fine sand using time-domain reflectometry. *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques.* 49: 987-1000.
- Harkness, M; Fisher, A. (2013). Use of emulsified vegetable oil to support bioremediation of TCE DNAPL in soil columns. *J Contam Hydrol.* 151: 16-33.
- Harkness, M; Fisher, A; Lee, MD; Mack, EE; Payne, JA; Dworatzek, S; Roberts, J; Acheson, C; Herrmann, R; Possolo, A. (2012). Use of statistical tools to evaluate the reductive dechlorination of high levels of TCE in microcosm studies. *J Contam Hydrol.* 131: 100-118.
- Harkness, MR; Bracco, AA; Brennan, MJ; Deweerd, KA; Spivack, JL. (1999). Use of bioaugmentation to stimulate complete reductive dechlorination of trichloroethene in dover soil columns. *Environmental Science & Technology.* 33: 1100-1109.
- Harley, RA; Cass, GR. (1994). Modeling the concentrations of gas-phase toxic organic air pollutants: Direct emissions and atmospheric formation. *Environmental Science & Technology.* 28: 88-98.
- Harms, MS; Peterson, RE; Fujimoto, JM; Erwin, CP. (1976). Increased bile duct-pancreatic fluid flow in chlorinated hydrocarbon-treated rats. *Toxicol Appl Pharmacol.* 35: 41-49.
- Harper, M; Purnell, CJ. (1989). Alkylammonium montmorillonites as adsorbents for organic vapors from air. *Environ Sci Technol.* 24: 55-62.
- Harrold, G; Gooddy, DC; Reid, S; Lerner, DN; Leharne, SA. (2003). Changes in interfacial tension of chlorinated solvents following flow through UK soils and shallow aquifer material. *Environmental Science & Technology.* 37: 1919-1925.
- Harte, PT. (2002). Comparison of temporal trends in VOCs as measured with PDB samplers and low-flow sampling methods. *Ground Water Monitoring and Remediation.* 22: 45-47.
- Harte, PT; Flanagan, SM. (2011). Application of a New Vertical Profiling Tool (ESASS) for Sampling Groundwater Quality During Hollow-Stem Auger Drilling. *Ground Water Monitoring and Remediation.* 31: 86-98.
- Harte, PT; Konikow, LF; Hornberger, GZ. (2006). Simulation of solute transport across low-permeability barrier walls. *J Contam Hydrol.* 85: 247-270.
- Harte, PT; Smith, TE; Williams, JH; Degnan, JR. (2012). Time series geophysical monitoring of permanganate injections and in situ chemical oxidation of PCE, OU1 area, Savage Superfund Site, Milford, NH, USA. *J Contam Hydrol.* 132: 58-74.
- Hartenstein, HU. (1994). Fixed bed activated coke filters for the control of toxic metals and organics from waste incinerators- the second generation. *Chemosphere.* 29: 2071-2081.
- Hartwell, TD; Pellizzari, ED; Perritt, RL; Whitmore, RW; Zelon, HS; Sheldon, LS; Sparacino, CM; Wallace, L. (1987). Results from the Total Exposure Assessment Methodology (TEAM) study in selected communities in Northern and Southern California. *Atmos Environ* (1967). 21: 1995-2004.
- Hartz, MJ; Overcamp, TJ. The geometry of nonwetting liquids in the unsaturated zone. *Ground Water.* Sept/Oct 1996. v. 34 (5): 837-841.
- Harvey, RW; Barber, LB, II. (1992). Associations of free-living bacteria and dissolved organic compounds in a plume of contaminated groundwater. *J Contam Hydrol.* 9: 91-103.
- Haselmann, KF; Laturnus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air and Soil Pollution.* 139: 35-41.
- Haseman, JK; Lockhart, A. (1994). The relationship between use of the maximum tolerated dose and study sensitivity for detecting rodent carcinogenicity. *Fundam Appl Toxicol.* 22: 382-391.
- Hashisho, Z; Rood, M; Botich, L. (2005). Microwave-swing adsorption to capture and recover vapors from air streams with activated carbon fiber cloth. *Environmental science & technology.* 39: 6851-6859.
- Hashsham, SA; Freedman, DL. (2003). Adsorption of vitamin B(12) to alumina, kaolinite, sand and sandy soil. *Water Res.* 37: 3189-3193.
- Hassan, SM. (2000). Reduction of halogenated hydrocarbons in aqueous media: I. Involvement of sulfur in iron catalysis. *Chemosphere.* 40: 1357-1363.
- Haston, ZC; McCarty, PL. (1999). Chlorinated ethene half-velocity coefficients (K(s)) for reductive dehalogenation. *Environmental Science & Technology.* 33: 223-226.
- Hata, J; Miyata, N; Kim, ES; Takamizawa, K; Iwahori, K. (2004). Anaerobic degradation of cis-1,2-dichloroethylene and vinyl chloride by *Clostridium* sp strain DC1 isolated from landfill leachate sediment. *J Biosci Bioeng.* 97: 196-201.
- Hata, J; Takamizawa, K; Miyata, N; Iwahori, K. (2003). Biodegradation of cis-1,2-dichloroethylene and vinyl chloride in anaerobic cultures enriched from landfill leachate sediment under Fe(III)-reducing conditions. *Biodegradation.* 14: 275-283.
- Hatt, JK; Ritalahti, KM; Ogles, DM; Lebron, CA; Loffler, FE. (2013). Design and Application of an Internal Amplification Control to Improve Dehalococcoides mccartyi 165 rRNA Gene Enumeration by qPCR. *Environmental Science & Technology.* 47: 11131-11138.
- Hauswirth, SC; Miller, CT. (2014). A comparison of physicochemical methods for the remediation of porous medium systems contaminated with tar. *J Contam Hydrol.* 167: 44-60.
- Hawker, D. (1990). Description of fish bioconcentration factors in terms of solvatochromic parameters. *Chemosphere.* 20: 467-478.
- Hawthorne, SB; Hegvik, KM; Yang, Y; Miller, DJ. (1994). Determination of heavy hydrocarbon contamination using supercritical fluid extraction with infrared detection. *Fuel.* 73: 1876-1879.
- Hayashi, JI; Ikeda, J; Kusakabe, K; Morooka, S. (1993). Decomposition rate of volatile organochlorines by ozone and utilization efficiency of ozone with ultraviolet radiation in a bubble-column contactor. *Water Res.* 27: 1091-1097.

## Environmental Hazard Literature Search Results

### Off Topic

- Hayden, N; Diebold, J; Farrell, C; Laible, J; Stacey, R. (2006). Characterization and removal of DNAPL from sand and clay layered media. *J Contam Hydrol.* 86: 53-71.
- Hayden, NJ; Brooks, MC; Annable, MD; Zhou, HX. (2001). Activated carbon for removing tetrachloroethylene from alcohol solutions. *Journal of Environmental Engineering-Asce.* 127: 1116-1123.
- Hazen, TC; Fliermans, CB. (1993). Rapid screening for bacteria capable of degrading toxic organic compounds. AU - GORDEN RW. *J Microbiol Methods.* 18: 339-347.
- He, F; Zhao, DY; Paul, C. (2010). Field assessment of carboxymethyl cellulose stabilized iron nanoparticles for in situ destruction of chlorinated solvents in source zones. *Water Res.* 44: 2360-2370.
- He, J; Sung, Y; Krajmalnik-Brown, R; Ritalahti, KM; Loffler, FE. (2005). Isolation and characterization of Dehalococcoides sp strain FL2, a trichloroethylene (TCE)- and 1,2-dichloroethene-respiring anaerobe. *Environ Microbiol.* 7: 1442-1450.
- He, JZ; Holmes, VF; Lee, PKH; Alvarez-Cohen, L. (2007). Influence of vitamin B(12) and cocultures on the growth of Dehalococcoides isolates in defined medium. *Appl Environ Microbiol.* 73: 2847-2853.
- He, JZ; Ritalahti, KM; Yang, KL; Koenigsberg, SS; Loffler, FE. (2003). Detoxification of vinyl chloride to ethene coupled to growth of an anaerobic bacterium. *Nature.* 424: 62-65.
- He, JZ; Sung, Y; Dollhopf, ME; Fathepure, BZ; Tiedje, JM; Loffler, FE. (2002). Acetate versus hydrogen as direct electron donors to stimulate the microbial reductive dechlorination process at chloroethene-contaminated sites. *Environmental Science & Technology.* 36: 3945-3952.
- He, L; Huang, GH; Lu, HW; Shen, J. (2013). Degradation kinetics of dense nonaqueous phase liquids in the environment under impacts of mixed white and colored noises. *Stoch Environ Res Risk Assess.* 27: 1947-1955.
- He, Q; Sanford, RA. (2004). The generation of high biomass from chlororespiring bacteria using a continuous fed-batch bioreactor. *Appl Microbiol Biotechnol.* 65: 377-382.
- He, Z; Yang, GP; Lu, XL; Zhang, HH. (2013). Distributions and sea-to-air fluxes of chloroform, trichloroethylene, tetrachloroethylene, chlorodibromomethane and bromoform in the Yellow Sea and the East China Sea during spring. *Environ Pollut.* 177: 28-37.
- Heavner, GLW; Rowe, AR; Mansfeldt, CB; Pan, JK; Gossett, JM; Richardson, RE. (2013). Molecular Biomarker-Based Biokinetic Modeling of a PCE-Dechlorinating and Methanogenic Mixed Culture. *Environmental Science & Technology.* 47: 3724-3733.
- Heida, H; Van, DENBERGM; Olie, K. (1995). Risk assessment approach to evaluating potential remedial actions at the Diemerzeedijk Hazardous Waste Site. *Hazardous Waste & Hazardous Materials.* 12: 1-14.
- Heidari, M; Attari, SG; Rafieiemam, M. (2016). Application of solid phase microextraction and needle trap device with silica composite of carbon nanotubes for determination of perchloroethylene in laboratory and field. *Anal Chim Acta.* 918: 43-49.
- Heiderscheidt, JL; Crimi, M; Siegrist, RL; Singletary, MA. (2008). Optimization of Full-Scale Permanganate ISCO System Operation: Laboratory and Numerical Studies. *Ground Water Monitoring and Remediation.* 28: 72-84.
- Heimann, AC; Friis, AK; Jakobsen, R. (2005). Effects of sulfate on anaerobic chloroethene degradation by an enriched culture under transient and steady-state hydrogen supply. *Water Res.* 39: 3579-3586.
- Heimann, AC; Friis, AK; Scheutz, C; Jakobsen, R. (2007). Dynamics of reductive TCE dechlorination in two distinct H<sub>2</sub> supply scenarios and at various temperatures. *Biodegradation.* 18: 167-179.
- Heindel, JJ; Chapin, RE; George, J; Gulati, DK; Fail, PA; Barnes, LH; Yang, RSH. (1995). Assessment of the reproductive toxicity of a complex mixture of 25 groundwater contaminants in mice and rats. *Fundam Appl Toxicol.* 25: 9-19.
- Heindl, A; Hutzinger, O. (1987). Search for industrial sources of PCDD/PCDF III. Short-chain chlorinated hydrocarbons. *Chemosphere.* 16: 1949-1957.
- Hellerich, LA; Nikolaidis, NP. (2005). Sorption studies of mixed chromium and chlorinated ethenes at the field and laboratory scales. *J Environ Manage.* 75: 77-88.
- Helma, C; Eckl, P; Gottmann, E; Kassie, F; Rodinger, W; Steinkellner, H; Windpassinger, C; Schulte-Hermann, R; Knasmuller, S. (1998). Genotoxic and ecotoxic effects of groundwaters and their relation to routinely measured chemical parameters. *Environmental Science & Technology.* 32: 1799-1805.
- Helmig, D; Arey, J. (1992). Organic chemicals in the air at Whitaker's forest ierra Nevada Mountains, California. *Sci Total Environ.* 112: 233-250.
- Hendrickson, ER; Payne, JA; Young, RM; Starr, MG; Perry, MP; Fahnestock, S; Ellis, DE; Ebersole, RC. (2002). Molecular analysis of Dehalococcoides 16S ribosomal DNA from chloroethene-contaminated sites throughout north America and Europe. *Appl Environ Microbiol.* 68: 485-495.
- Henri, CV; Fernandez-Garcia, D. (2015). A random walk solution for modeling solute transport with network reactions and multi-rate mass transfer in heterogeneous systems: Impact of biofilms. *Advances in Water Resources.* 86, Part A: 119-132.
- Henry, SM; Grbic-Galic, D. (1991). Influence of endogenous and exogenous electron donors and trichloroethylene oxidation toxicity on trichloroethylene oxidation by methanotrophic cultures from a groundwater aquifer. *Appl Environ Microbiol.* 57: 236-244.
- Henschler, D. (1977). Metabolism of chlorinated alkenes and alkanes as related to toxicity. *J Environ Pathol Toxicol.* 1: 125-133.
- Henschler, D; Bonse, G; Dekant, W. (1992). Mechanisms of formation and reactions of electrophilic intermediates of halogenated olefins. *Progress in clinical and biological research.* 132B: 175-183.
- Henschler, D; Bonse, G; Greim, H. (1976). Carcinogenic potential of chlorinated ethylenes tentative molecular rules. *IARC Sci Publ.* 13: 171-175.
- Henschler, D; Hoos, R. (1981). Metabolic activation and deactivation mechanisms of di-, tri-, and tetrachloroethylenes. *Adv Exp Med Biol.* 136 Pt A: 659-666.
- Hepple, NV. (1968). Sniffing of a shoe-cleaner. *Br Med J.* 4: 387.
- Heron, G; Bierschenk, J; Swift, R; Watson, R; Kominek, M. (2016). Thermal DNAPL Source Zone Treatment Impact on a CVOC Plume. *Ground Water Monitoring and Remediation.* 36: 26-37.

## Environmental Hazard Literature Search Results

### Off Topic

- Heron, G; Gierke, JS; Faulkner, B; Mravik, S; Wood, L; Enfield, CG. (2002). Pulsed air sparging in aquifers contaminated with dense nonaqueous phase liquids. *Ground Water Monitoring and Remediation*. 22: 73-82.
- Heron, G; Lachance, J; Baker, R. (2013). Removal of PCE DNAPL from Tight Clays Using In Situ Thermal Desorption. *Ground Water Monitoring and Remediation*. 33: 31-43.
- Herrera-Lopez, D; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2007). A generalization of the series and parallel-series reaction model for complete mix reactors. *Interciencia*. 32: 324-327.
- Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. AU - HAAS BS. *Water Science And Technology*. 34: 557-564.
- Hess, TF; Crawford, RL; Paszczynski, A; Watts, RJ; Boverhof, DR; Krieger, SM; Hotchkiss, JA; Stebbins, KE; Thomas, J; Woolhiser, MR. (1999). Assessment of the immunotoxic potential of trichloroethylene and perchloroethylene in rats following inhalation exposure. *Appl Environ Microbiol*. 65: 2784-2788.
- Hess, TF; Schrader, PS. (2002). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT). *J Environ Qual*. 31: 736-744.
- Hetrick, DM; Pandey, A. (1999). A methodology for establishing cleanup objectives in the unsaturated soil zone using sensitivity and uncertainty analysis for chemical fate and transport. *Journal of Soil Contamination*. 8: 559-576.
- Hewitt, AD. (1997). Chemical preservation of volatile organic compounds in soil. *Environmental Science & Technology*. 31: 67-70.
- Hewitt, AD. (1998). Comparison of sample preparation methods for the analysis of volatile organic compounds in soil samples: Solvent extraction vs vapor partitioning. *Environmental Science & Technology*. 32: 143-149.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol*. June 1996. v. 27 (4): 335-346.
- Hill, EH; Moutier, M; Alfaro, J; Miller, CT. (2001). Remediation of DNAPL pools using dense brine barrier strategies. *Environmental Science & Technology*. 35: 3031-3039.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2007). Natural attenuation processes during in situ capping. *Environmental science & technology*. 41: 5306-5313.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2011). Evaluation of a laboratory-scale bioreactive in situ sediment cap for the treatment of organic contaminants. *Water Res*. 45: 5365-5374.
- Hiortdahl, KM; Borden, RC. (2014). Enhanced Reductive Dechlorination of Tetrachloroethene Dense Nonaqueous Phase Liquid with EVO and Mg(OH) sub (2). *Environmental Science & Technology*. 48: 624.
- Hiortdahl, KM; Borden, RC. (2014). Enhanced Reductive Dechlorination of Tetrachloroethene Dense Nonaqueous Phase Liquid with EVO and Mg(OH)(2). *Environmental Science & Technology*. 48: 624-631.
- Hirata, T; Egusa, N; Nakasugi, O; Ishizaka, S; Murakami, M. (1998). Cost efficiency of subsurface remediation using soil vapor extraction and groundwater extraction. *Water Science and Technology*. 37: 161-168.
- Hirata, T; Nakasugi, O; Yoshioka, M; Sumi, K. Groundwater pollution by volatile organochlorines in Japan and related phenomena in the subsurface environment. *Water science and technology : a journal of the International Association on Water Pollution Research*. 1992. v. 25 (11): 9-16.
- Hirl, PJ; Irvine, RL. (1997). Reductive dechlorination of perchloroethylene using anaerobic sequencing batch biofilm reactors (AnSBBR). *Water Science and Technology*. 35: 49-56.
- Hirvonen, A; Tuhkanen, T; Ettala, M; Korhonen, S; Kalliokoski, P. (1998). Evaluation of a field-scale UV/H(2)O(2)-oxidation system for the purification of groundwater contaminated with PCE. *Environ Technol*. 19: 821-828.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. Formation of chlorinated acetic acids during UV/H2O2-oxidation of ground water contaminated with chlorinated ethylenes. *Chemosphere*. Mar 1996. v. 32 (6): 1091-1102.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. Treatment of TCE- and PCE-contaminated groundwater using UV/H2O2 and O3/H2O2 oxidation processes. Hazard assessment and control of environmental contaminants in water : selected proceedings of the 2nd IAWQC International Specialized Conference on Hazard Assessment and Control of Environmental Contaminants in Water held in Lyngby, Denmark, 29-30 June 1995 /. 1996: 67-73.
- Hirvonen, A; Tuhkanen, T; Kalliokoski, P. (1996). Removal of chlorinated ethylenes in contaminated ground water by hydrogen peroxide mediated oxidation processes. *Environ Technol*. 17: 263-272.
- Hisham, MWM; Grosjean, D. (1991). Air pollution in southern California (USA) museums: Indoor and outdoor levels of nitrogen dioxide, peroxyacetyl nitrate, nitric acid, and chlorinated hydrocarbons. *Environ Sci Technol*. 25: 857-862.
- Hisham, MWM; Grosjean, D. (1991). Sulfur dioxide, hydrogen sulfide, total reduced sulfur, chlorinated hydrocarbons and photochemical oxidants in southern California museums. *Atmospheric Environment Part A General Topics*. 25: 1497-1505.
- Ho, KE; Lee, SC; Guo, H; Tsai, W. (2004). Seasonal and diurnal variations of volatile organic compounds (VOCs) in the atmosphere of Hong Kong. *Sci Total Environ*. 322: 155-166.
- Ho, SV; Athmer, C; Sheridan, PW; Hughes, BM; Orth, R; McKenzie, D; Brodsky, PH; Shapiro, AM; Sivavec, TM; Salvo, J; Schultz, D; Landis, R; Griffith, R; Shoemaker, S. (1999). The Lasagna technology for in situ soil remediation. 2. Large field test. *Environmental Science & Technology*. 33: 1092-1099.
- Hobara, T; Kobayashi, H; Higashihara, E; Kawamoto, T; Sakai, T. (1983). Experimental studies of uptake, elimination and metabolism of tetrachloroethylene in dogs by exposure to it. *Japanese Journal of Industrial Health*. 25: 367-374.
- Hobson, ST; Cemalovic, S; Patel, SV. (2012). Preconcentration and detection of chlorinated organic compounds and benzene. *Analyst*. 137: 1284-1289.
- Hoekstra, EJ; de Leer, EWB; Brinkman, UAT. (1999). Mass balance of trichloroacetic acid in the soil top layer. *Chemosphere*. 38: 551-563.

## Environmental Hazard Literature Search Results

### Off Topic

- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform " concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoelen, TP; Cunningham, JA; Hopkins, GD; Lebron, CA; Reinhard, M. (2006). Bioremediation of cis-DCE at a sulfidogenic site by amendment with propionate. *Ground Water Monitoring and Remediation.* 26: 82-91.
- Hoelen, TP; Reinhard, M. (2004). Complete biological dehalogenation of chlorinated ethylenes in sulfate containing groundwater. *Biodegradation.* 15: 395-403.
- Hoff, JT; Mackay, D; Gillham, R; Shiu, WY. (1993). Partitioning of organic chemicals at the air-water interface in environmental systems. *Environ Sci Technol.* 27: 2174-2180.
- Hoffman, AS; Kiaei, D; Safranji, A; Chen, JP; Johnstona, A; Horbett, TA; Zavala, F; Deelder, AM; Castelino, JB; Markovic, V. (1992). Adsorption, retention and biologic activity of proteins adsorbed on gas discharge treated surfaces. *Clinical Materials.* 11: 93-98.
- Hoffman, FG. (1951). Hookworm infection; report of four cases. *Medical bulletin United States Army European Command Medical Division.* 8: 486-492.
- Hoffmann, P; Heinroth, K; Richards, D; Plews, P; Toraason, M. (1994). Depression of Calcium Dynamics in Cardiac Myocytes-a Common Mechanism of Halogenated Hydrocarbon Anesthetics and Solvents. *J Mol Cell Cardiol.* 26: 579-589.
- Hofstee, C; Dane, JH; Hill, WE. Three-fluid retention in porous media involving water, PCE and air. *J Contam Hydrol.* Mar 1997. v. 25 (3/4): 235-247.
- Hofstee, C; Oostrom, M; Dane, JH; Walker, RC. Infiltration and redistribution of perchloroethylene in partially saturated, stratified porous media. *J Contam Hydrol.* Nov 15, 1998. v. 34 (4): 293-313.
- Hofstee, C; Oostrom, M; Dane, JH; Walker, RC. (1998). Infiltration and redistribution of perchloroethylene in partially saturated, stratified porous media. *J Contam Hydrol.* 34: 293-313.
- Hofstee, C; Walker, RC; Dane, JH. Infiltration and redistribution of perchloroethylene in stratified water-saturated porous media. *Soil Sci Soc Am J.* Jan/Feb 1998. v. 62 (1): 13-22.
- Hofstee, C; Walker, RC; Dane, JH. (1998). Infiltration and redistribution of perchloroethylene in stratified water-saturated porous media. *Soil Sci Soc Am J.* 62: 13-22.
- Hofstee, C; Ziegler, CG; Trotschler, O; Braun, J. (2003). Removal of DNAPL contamination from the saturated zone by the combined effect of vertical upward flushing and density reduction. *J Contam Hydrol.* 67: 61-78.
- Hoggan, JL; Bae, K; Kibbey, TCG. (2007). Non-steady state partitioning of dry cleaning surfactants between tetrachloroethylene (PCE) and water in porous media. *J Contam Hydrol.* 93: 149-160.
- Hoggan, JL; Bae, K; Kibbey, TCG. (2007). Non-steady state partitioning of tetrachloroethylene (PCE) dry cleaning surfactants between and water in porous media. *J Contam Hydrol.* 93: 149-160.
- Hohener, P; Elsner, M; Eisenmann, H; Atteia, O. (2015). Improved constraints on in situ rates and on quantification of complete chloroethene degradation from stable carbon isotope mass balances in groundwater plumes. *J Contam Hydrol.* 182: 173-182.
- Hohnstock-Ashe, AM; Plummer, SM; Yager, RM; Baveye, P; Madsen, EL. (2001). Further biogeochemical characterization of a trichloroethene-contaminated fractured dolomite aquifer: Electron source and microbial communities involved in reductive dechlorination. *Environmental Science & Technology.* 35: 4449-4456.
- Hollander, M; Tabingo, R; Stankewick, WR. (1973). Successful treatment of massive intestinal hemorrhage due to hookworm infection in a neonate. *The Journal of pediatrics.* 82: 332-334.
- Holliger, C. (1995). The anaerobic microbiology and biotreatment of chlorinated ethenes. *Curr Opin Biotechnol.* 6: 347-351.
- Holliger, C; Hahn, D; Harmsen, H; Ludwig, W; Schumacher, W; Tindall, B; Vazquez, F; Weiss, N; Zehnder, AJB. (1998). *Dehalobacter restrictus* gen. nov. and sp. nov., a strictly anaerobic bacterium that reductively dechlorinates tetra- and trichloroethene in an anaerobic respiration. *Archives of Microbiology.* 169: 313-321.
- Holliger, C; Wohlfarth, G; Diekert, G. (1998). Reductive dechlorination in the energy metabolism of anaerobic bacteria. *Fems Microbiology Reviews.* 22: 383-398.
- Holmes, VF; He, JZ; Lee, PKH; Alvarez-Cohen, L. (2006). Discrimination of multiple Dehalococcoides strains in a trichloroethene enrichment by quantification of their reductive dehalogenase genes. *Appl Environ Microbiol.* 72: 5877-5883.
- Holmes, WM; De Panfilis, C; Packer, KJ. (2001). Diffusion in thin films on the surface of a porous solid. *Magnetic Resonance Imaging.* 19: 525-526.
- Holoman, TRP; Elberson, MA; Cutter, LA; May, HD; Sowers, KR. (1998). Characterization of a defined 2,3,5,6-tetrachlorobiphenyl-ortho-dechlorinating microbial community by comparative sequence analysis of genes coding for 16S rRNA. *Appl Environ Microbiol.* 64: 3359-3367.
- Holscher, T; Gorisch, H; Adrian, L. (2003). Reductive dehalogenation of chlorobenzene congeners in cell extracts of *Dehalococcoides* sp strain CBDB1. *Appl Environ Microbiol.* 69: 2999-3001.
- Holscher, T; Krajmalnik-Brown, R; Ritalahti, KM; von Wintzingerode, F; Gorisch, H; Löffler, FE; Adrian, L. (2004). Multiple nonidentical reductive-dehalogenase-homologous genes are common in *Dehalococcoides*. *Appl Environ Microbiol.* 70: 5290-5297.
- Holscher, T; Lisec, J; Baani, M; Dunn, TH; Adrian, L. (2010). Bacterial Cultures Preferentially Removing Singly Flanked Chlorine Substituents from Chlorobenzenes. *Environmental Science & Technology.* 44: 8936-8942.
- Holt, LA. (1984). Sorption of perchloroethylene and toluene by wool and other textiles: Influence of co-solvents. *Text Res J.* 54: 226-230.

## Environmental Hazard Literature Search Results

### Off Topic

- Hong, HHL; Devereux, TR; Roycroft, JH; Boorman, GA; Sills, RC. (1998). Frequency of ras mutations in liver neoplasms from B6C3F(1) mice exposed to tetrafluoroethylene for two years. *Toxicol Pathol.* 26: 646-650.
- Hong, HL; Yang, RSH; Boorman, GA. (1991). Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. *Toxicol Lett.* 57: 101-112.
- Hong, HL; Yang, RSH; Boorman, GA. (1993). Enhancement of myelotoxicity induced by repeated irradiation in mice exposed to a mixture of groundwater contaminants. *Arch Toxicol.* 67: 358-364.
- Honma, M; Hayashi, M; Shimada, H; Tanaka, N; Wakuri, S; Awogi, T; Yamamoto, KI; Kodani, NU; Nishi, Y; Nakadate, M; Sofuni, T. (1999). Evaluation of the mouse lymphoma tk assay (microwell method) as an alternative to the in vitro chromosomal aberration test. *Mutagenesis.* 14: 5-22.
- Honma, T; Hasegawa, H; Sato, M; Sudo, A. (1980). Changes of free amino acid content in rat brain after exposure to trichloroethylene and tetrachloroethylene. *Ind Health.* 18: 1-7.
- Honning, J; Broholm, MM; Bjerg, PL. (2007). Quantification of potassium permanganate consumption and PCE oxidation in subsurface materials. *J Contam Hydrol.* 90: 221-239.
- Hood, ED; Major, DW; Quinn, JW; Yoon, WS; Gavaskar, A; Edwards, EA. (2008). Demonstration of enhanced bioremediation in a TCE source area at Launch Complex 34, Cape Canaveral Air Force Station. *Ground Water Monitoring and Remediation.* 28: 98-107.
- Hood, ED; Thomson, NR; Grossi, D; Farquhar, GJ. (2000). Experimental determination of the kinetic rate law for the oxidation of perchloroethylene by potassium permanganate. *Chemosphere.* 40: 1383-1388.
- Horber, C; Christensen, N; Arvin, E; Ahring, BK. (1999). Tetrachloroethene dechlorination kinetics by *Dehalospirillum multivorans* immobilized in upflow anaerobic sludge blanket reactors. *Appl Microbiol Biotechnol.* 51: 694-699.
- Horber, C; Christiansen, N; Arvin, E; Ahring, BK. (1998). Improved dechlorinating performance of upflow anaerobic sludge blanket reactors by incorporation of *Dehalospirillum multivorans* into granular sludge. *Appl Environ Microbiol.* 64: 1860-1863.
- Horvt, FFKE. (1973). To the relative sensitivity of nervous functions and behaviour to nonspecific effects of foreign substances. *Activitas nervosa superior.* 15: 25-27.
- Hossain, SMG; McLaughlan, RG. (2012). Oxidation of Chlorophenols in Aqueous Solution by Excess Potassium Permanganate. *Water Air and Soil Pollution.* 223: 1429-1435.
- Hou, YK; Chu, WH; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci.* 24: 1204-1209.
- Howsawkung, J; Watts, RJ; Washington, DL; Teel, AL; Hess, TF; Crawford, RL. (2001). Evidence for simultaneous abiotic - Biotic oxidations in a microbial-Fenton's system. *Environmental Science & Technology.* 35: 2961-2966.
- Hrapovic, L; Sleep, BE; Major, DJ; Hood, ED. (2005). Laboratory study of treatment of trichloroethene by chemical oxidation followed by bioremediation. *Environmental Science & Technology.* 39: 2888-2897.
- Hrubec, J; Luijten, JA; Luijten, WCM; Piet, GJ. (1986). A pilot plant study on water quality changes during groundwater recharge. *Water Res.* 20: 1119-1127.
- Hsieh, HC; Kuo, M; Chow, LP; Cheng, CS; Chen, CY; Chang, CR. (1961). A combined dose of bephenium hydroxynaphthoate and tetrachlorethylene against mixed infections of *A. duodenale* and *N. americanus*. *Taiwan yi xue hui za zhi Journal of the Formosan Medical Association.* 60: 926-937.
- Hsu, CS; Lu, MC; Anotai, J; Huang, YY. (2006). Chemical oxidation of TCE-contaminated groundwater by permanganate. *Fresen Environ Bull.* 15: 125-128.
- Hsu, HL; Demond, AH. (2007). Influence of organic acid and organic base interactions on interfacial properties in NAPL-water systems. *Environmental Science & Technology.* 41: 897-902.
- Hsu, HL; Demond, AH. (2010). Impact of Multi-Interface Surfactant Adsorption on Wettability in Dense Nonaqueous Phase Liquid Systems. *Environ Eng Sci.* 27: 95-101.
- Hu, M; Zhang, Y; Liu, Y; Wang, X; Wong, PK. (2013). Effect of different nutrients on the anaerobic degradation of trichloroethene at optimal temperature. *International Biodeterioration & Biodegradation.* 85: 103-107.
- Hu, Q; Wang, X; Brusseau, ML. (1995). Quantitative structure-activity relationships for evaluating the influence of sorbate structure on sorption of organic compounds by soil. *Environ Toxicol Chem.* 14: 1133-1140.
- Hu, YS; Kong, WH; Wang, ZX; Huang, XJ; Chen, LQ. (2005). Tetrachloroethylene as new film-forming additive to propylene carbonate-based electrolytes for lithium ion batteries with graphitic anode. *Solid State Ionics.* 176: 53-56.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl<sub>4</sub>: Intermediates and byproducts. *Environmental Science & Technology.* 30: 864-871.
- Huang, DY; Becker, JG. (2009). Determination of Intrinsic Monod Kinetic Parameters for Two Heterotrophic Tetrachloroethene (PCE)-Respiring Strains and Insight into Their Application. *Biotechnol Bioeng.* 104: 301-311.
- Huang, DY; Becker, JG. (2011). Dehalorespiration Model That Incorporates the Self-Inhibition and Biomass Inactivation Effects of High Tetrachloroethene Concentrations. *Environmental Science & Technology.* 45: 1093-1099.
- Huang, DY; Lai, YJ; Becker, JG. (2014). Impact of initial conditions on extant microbial kinetic parameter estimates: application to chlorinated ethene dehalorespiration. *Appl Microbiol Biotechnol.* 98: 2279-2288.
- Huang, H-C; Lee, J-F; Lee, C-K; Chen, J-C. (2006). The structural and sorptive characteristics of high-surface-area carbonaceous material (HSACM) in soils. *J Hazard Mater.* 138: 485-492.
- Huang, JC; Ganjidoost, H. Predictive models for VOC partitions in soils. *Proceedings of the Industrial Waste Conference, Purdue University.* 1990. (44th): 23-32.



## Environmental Hazard Literature Search Results

### Off Topic

- Huang, JQ; Christ, JA; Goltz, MN; Demond, AH. (2015). Modeling NAPL dissolution from pendular rings in idealized porous media. *Water Resour Res.* 51: 8182-8197.
- Huang, KC; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2002). Kinetics and mechanism of oxidation of tetrachloroethylene with permanganate. *Chemosphere.* 46: 815-825.
- Huang, K-C; Hoag, GE; Chheda, P; Woody, BA; Dobbs, GM. (2001). Oxidation of chlorinated ethenes by potassium permanganate: a kinetics study. *J Hazard Mater.* 87: 155-169.
- Huang, SK; Hsieh, LL; Chen, CC; Lee, PH; Hsieh, BT. (2009). A study on radiation technological degradation of organic chloride wastewater-- exemplified by TCE and PCE. *Applied radiation and isotopes : including data, instrumentation and methods for use in agriculture, industry and medicine.* 67: 1493-1498.
- Hudnell, HK; Schreiber, JS. (2004). Residential tetrachloroethylene exposure: Response. *Environ Health Perspect.* 112: A864-A865.
- Huffman, GP; Shah, N; Huggins, FE; Stock, LM; Chatterjee, K; Kilbane II, JJ; Chou, M-IM; Buchanan, DH. (1995). Sulfur speciation of desulfurized coals by XANES spectroscopy. *Fuel.* 74: 549-555.
- Hug, LA; Salehi, M; Nuin, P; Tillier, ER; Edwards, EA. (2011). Design and Verification of a Pangenome Microarray Oligonucleotide Probe Set for *Dehalococcoides* spp. *Appl Environ Microbiol.* 77: 5361-5369.
- Hughes, JP. (1954). Hazardous exposure to some so-called safe solvents. *Journal of the American Medical Association.* 156: 234-237.
- Huisman, SS; Astin, MS; Fleet, TM; Grasmick, DL. (1995). Cost effectively decommissioning an automotive parts facility. *Remediation.* 5: 49-60.
- Humayra, AS; Kimura, Y; Takamizawa, K; Sato, T. (2005). Transport of *Clostridium bifermentans* DPH-1 through the laboratory column can be explained by two-region model for bioremediation. *Environ Technol.* 26: 1151-1159.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO<sub>2</sub> films. *Environmental Science & Technology.* 31: 562-568.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-<sup>13</sup>C-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. *J Contam Hydrol.* 119: 69-79.
- Hunkeler, D; Aravena, R; Berry-Spark, K; Cox, E. (2005). Assessment of degradation pathways in an aquifer with mixed chlorinated hydrocarbon contamination using stable isotope analysis. *Environmental Science & Technology.* 39: 5975-5981.
- Hunkeler, D; Aravena, R; Butler, BJ. (1999). Monitoring microbial dechlorination of tetrachloroethene (PCE) in groundwater using compound-specific stable carbon isotope ratios: Microcosm and field studies. *Environmental Science & Technology.* 33: 2733-2738.
- Hunkeler, D; Aravena, R; Cox, E. (2002). Carbon isotopes as a tool to evaluate the origin and fate of vinyl chloride: Laboratory experiments and modeling of isotope evolution. *Environmental Science & Technology.* 36: 3378-3384.
- Hunkeler, D; Aravena, R; Shouakar-Stash, O; Weisbrod, N; Nasser, A; Netzer, L; Ronen, D. (2011). Carbon and Chlorine Isotope Ratios of Chlorinated Ethenes Migrating through a Thick Unsaturated Zone of a Sandy Aquifer. *Environmental Science & Technology.* 45: 8247-8253.
- Hunkeler, D; Chollet, N; Pittet, X; Aravena, R; Cherry, JA; Parker, BL. (2004). Effect of source variability and transport processes on carbon isotope ratios of TCE and PCE in two sandy aquifers. *J Contam Hydrol.* 74: 265-282.
- Hunkeler, D; Van Breukelen, BM; Elsner, M. (2009). Modeling Chlorine Isotope Trends during Sequential Transformation of Chlorinated Ethenes. *Environmental Science & Technology.* 43: 6750-6756.
- Hunt, J; Birch, G; Warne, MSJ. (2007). Deriving trigger values for, and assessing hazard posed by, volatile chlorinated hydrocarbons in a Sydney estuary. *Australasian Journal of Ecotoxicology.* 13: 33-42.
- Huo, YC; Li, WW; Chen, CB; Li, CX; Zeng, R; Lau, TC; Huang, TY. (2016). Biogenic FeS accelerates reductive dechlorination of carbon tetrachloride by *Shewanella putrefaciens* CN32. *Enzyme Microb Technol.* 95: 236-241.
- Hutton, PW; Somers, K. (1961). A comparison of bephenium hydroxynaphthoate with tetrachloroethylene in hookworm infestation. *Nature.* 55: 431-432.
- Hwang, I; Batchelor, B. (2000). Reductive dechlorination of tetrachloroethylene by Fe(II) in cement slurries. *Environmental Science & Technology.* 34: 5017-5022.
- Hwang, I; Batchelor, B. (2001). Reductive dechlorination of tetrachloroethylene in soils by Fe(II)-based degradative solidification/stabilization. *Environmental Science & Technology.* 35: 3792-3797.
- Hwang, I; Park, H-J; Kang, W-H; Park, J-Y. (2005). Reactivity of Fe(II)/cement systems in dechlorinating chlorinated ethylenes. *J Hazard Mater.* 118: 103-111.
- Hwang, YK; Endres, AL; Piggott, SD; Parker, BL. (2008). Long-term ground penetrating radar monitoring of a small volume DNAPL release in a natural groundwater flow field. *J Contam Hydrol.* 97: 1-12.
- Hwu, CS; Lu, CJ. (2006). Enhanced dechlorination of chloroethenes by granular sludge under microaerophilic conditions. *World Journal of Microbiology & Biotechnology.* 22: 841-844.
- Hwu, CS; Lu, CJ. (2008). Continuous dechlorination of tetrachloroethene in an upflow anaerobic sludge blanket reactor. *Biotechnol Lett.* 30: 1589-1593.
- Hyun, SP; Hayes, KF. (2009). Feasibility of Using In Situ FeS Precipitation for TCE Degradation. *Journal of Environmental Engineering-Asce.* 135: 1009-1014.

## Environmental Hazard Literature Search Results

### Off Topic

- Hyun, SP; Hayes, KF. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. *Environ Sci Pollut Res Int.* 22: 16463-16474.
- I, H; J, T; S, O; P, R; K, T; J, R. (1994). The effect of inorganic and organic chlorine on formation of highly chlorinated organic compounds during incineration: Laboratory pilot study. *Chemosphere.* 28: 2129-2137.
- Iannucci, JG. (1974). When GI hemorrhage may be a sign of hookworm disease. *Medical times.* 102: 43-49.
- Ikeda, M; Kumai, M. (1984). Application of carbon felt dosimetry to field studies distant from analytical laboratory. *Ind Health.* 22: 53-58.
- Ikeda, M; Otsuji, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med.* 29: 328-333.
- Im, J; Walshe-Langford, GE; Moon, JW; Loffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). *Environmental Science & Technology.* 48: 13181-13187.
- Imfeld, G; Nijenhuis, I; Nikolausz, M; Zeiger, S; Paschke, H; Drangmeister, J; Grossmann, J; Richnow, HH; Weber, S. (2008). Assessment of in situ degradation of chlorinated ethenes and bacterial community structure in a complex contaminated groundwater system. *Water Res.* 42: 871-882.
- Imfeld, G; Pieper, H; Shani, N; Rossi, P; Nikolausz, M; Nijenhuis, I; Paschke, H; Weiss, H; Richnow, HH. (2011). Characterization of Groundwater Microbial Communities, Dechlorinating Bacteria, and In Situ Biodegradation of Chloroethenes Along a Vertical Gradient. *Water Air and Soil Pollution.* 221: 107-122.
- Imhoff, PT; Mann, AS; Mercer, M; Fitzpatrick, M. (2003). Scaling DNAPL migration from the laboratory to the field. *J Contam Hydrol.* 64: 73-92.
- Imoberdorf, GE; Irazoqui, HA; Cassano, AE; Alfano, OM. (2007). Quantum efficiencies in a multi-annular photocatalytic reactor. *Water science and technology : a journal of the International Association on Water Pollution Research.* 55: 161-166.
- Inamori, Y; Matushige, K; Sudo, R; Kikuchi, H. (1989). Effect of Organochlorine Compounds on Existence and Growth of Soil Organisms. *Water Science and Technology WSTED4 Vol 21, No 12, p 1887-1890, 1989 1 fig, 1 tab, 6 ref.*
- Ince, N; Inel, Y. (1989). Volatilization of organic chemicals from water. *Water Air Soil Pollut.* 47: 71-80.
- Ince, N; Inel, Y. (1991). A semi-empirical approach to relate the volatilization rates of organic chemicals to their physical properties. *Water Res.* 25: 903-910.
- Ince, NH. (1998). Light-enhanced chemical oxidation for tertiary treatment of municipal landfill leachate. *Water Environ Res.* 70: 1161-1169.
- Ingebrigtsen, S; Bonifaci, N; Denat, A; Lesaint, O. (2008). Spectral analysis of the light emitted from streamers in chlorinated alkane and alkene liquids. *Journal of Physics D-Applied Physics.* 41: 35204-35204.
- Inouye, Y. (2002). Mode of Action of Chlorinated Ethylenes on the Expression of Rat Cytochrome P450 forms and Specificity in the Metabolic Activation of CEs by CYPs. *J Health Sci.* 48: 223-226.
- Irving, RM; Elfarra, AA. (2013). Mutagenicity of the cysteine S-conjugate sulfoxides of trichloroethylene and tetrachloroethylene in the Ames test. *Toxicology.* 306: 157-161.
- Isalou, M; Sleep, BE; Liss, SN. (1998). Biodegradation of high concentrations of tetrachloroethene in a continuous flow column system. *Environmental Science & Technology.* 32: 3579-3585.
- Ise, K; Suto, K; Inoue, C. (2011). Microbial Diversity and Changes in the Distribution of Dehalogenase Genes during Dechlorination with Different Concentrations of cis-DCE. *Environmental Science & Technology.* 45: 5339-5345.
- Ismail, ZZ; Pavlostathis, SG. (2010). Influence of sulfate reduction on the microbial dechlorination of pentachloroaniline in a mixed anaerobic culture. *Biodegradation.* 21: 43-57.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A product study of the OH radical initiated oxidation of perchloroethylene and trichloroethylene. *Chemosphere.* 28: 2029-2040.
- Iveson, SM; Galvin, KP. (2012). The effect of perchloroethylene on coking properties. *Fuel.* 95: 504-513.
- Jackson, RE; Dwarakanath, V. (1999). Chlorinated degreasing solvents: Physical-chemical properties affecting aquifer contamination and remediation. *Ground Water Monitoring and Remediation.* 19: 102-110.
- Jackson, RE; Mariner, PE. Estimating DNAPL composition and VOC dilution from extraction well data. *Ground Water.* May/June 1995. v. 33 (3): 407-414.
- Jacobs, AM; Amin, IE; Fisher, ON. (2007). Persistence of vinyl chloride in ground water at the Woodlawn landfill Superfund site, northeastern Maryland, USA. *Environ Geol.* 52: 1253-1260.
- Jacoff, FS; Scarberry, R; Rosa, D. (1986). Source assessment of hexachlorobenzene from the organic chemical manufacturing industry. *IARC Sci Publ.* 77: 31-37.
- Jain, RB. (2016). Levels of selected urinary metabolites of volatile organic compounds in a representative sample of US adolescents. *Toxicol Environ Chem.* 98: 977-990.
- Jain, V; Demond, AH. (1999). Impact of surfactants for aquifer remediation on physical properties of the aqueous phase. *J Contam Hydrol.* 40: 25-35.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 1. Emulsion transport. *Environmental Science & Technology.* 36: 5426-5433.
- Jain, V; Demond, AH. (2002). Conductivity reduction due to emulsification during surfactant enhanced-aquifer remediation. 2. Formation of emulsion in situ. *Environmental Science & Technology.* 36: 5434-5440.
- Jakobson, I; Holmberg, B; Ekner, A. (1986). Venous blood levels of inhaled trichloroethylene in female rats and changes induced by interacting agents. *Acta Pharmacol Toxicol.* 59: 135-143.
- Jakobson, I; Wahlberg, JE; Holmberg, B; Johansson, G. (1982). Uptake via the Blood and Elimination of 10 Organic Solvents Following Epicutaneous Exposure of Anesthetized Guinea Pigs. *Toxicol Appl Pharmacol.* 63: 181-187.

## Environmental Hazard Literature Search Results

### Off Topic

- Jalbert, M; Dane, JH; Bahaminyakamwe, L. (2003). Influence of porous medium and NAPL distribution heterogeneities on partitioning inter-well tracer tests: a laboratory investigation. *J Hydrol.* 272: 79-94.
- Jalihal, SS; Barlow, AM. (1984). Leukaemia in drycleaners. *Journal of the Royal Society of Health.* 104: 42.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut.* 157: 2564-2569.
- James, KJ; Stack, MA. (1997). The impact of leachate collection on air quality in landfills. *Chemosphere.* 34: 1713-1721.
- JamrÅ³z, ME; Dobrowolski, JC; Polaczek, J. (1990). Infrared and cryometric studies on hydrogen bonding of carbazole with selected tertiary amides. *J Mol Struct.* 219: 239-244.
- Janda, V; Vasek, P; Bizova, J; Belohlav, Z. (2004). Kinetic models for volatile chlorinated hydrocarbons removal by zero-valent iron. *Chemosphere.* 54: 917-925.
- Janulewicz, PA; White, RF; Martin, BM; Winter, MR; Weinberg, JM; Vieira, V; Aschengrau, A. (2012). Adult neuropsychological performance following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol.* 34: 350-359.
- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2007). Prenatal exposure to tetrachloroethylene(PCE)-contaminated drinking water and the risk of learning and attention disabilities. *Neurotoxicol Teratol.* 29: 406.
- Janz, DM. (2014). Hexachlorobutadiene A2 - Wexler, Philip. *Encyclopedia of Toxicology (Third Edition)* Oxford872-873.
- Jarmohamed, W; Mulder, P. (1994). Oxychlorination and combustion of propene on fly-ash. Formation of chlorinated benzenes, dibenzodioxines and mono- and dibenzofurans. *Chemosphere.* 29: 1911-1917.
- Jat, P; Serre, ML. (2016). Bayesian Maximum Entropy space/time estimation of surface water chloride in Maryland using river distances. *Environ Pollut.* 219: 1148-1155.
- Jawitz, JW; Sillan, RK; Annable, MD; Rao, PSC; Warner, K. (2000). In situ alcohol flushing of a DNAPL source zone at a dry cleaner site. *Environmental Science & Technology.* 34: 3722-3729.
- Jay, K; Stieglitz, L. (1995). Identification and quantification of volatile organic components in emissions of waste incineration plants. *Chemosphere.* 30: 1249-1260.
- Jayachandran, G; Gorisch, H; Adrian, L. (2004). Studies on hydrogenase activity and chlorobenzene respiration in *Dehalococcoides* sp strain CBDB1. *Archives of Microbiology.* 182: 498-504.
- Jayanti, S; Britton, LN; Dwarakanath, V; Pope, GA. (2002). Laboratory evaluation of custom-designed surfactants to remediate NAPL source zones. *Environmental Science & Technology.* 36: 5491-5497.
- Jayanty, RKM; Tompkins, SB; Von, LEHMDENDJ. (1990). Summary of POHC audit results using VOST and bag methods during RCRA trial burns. *J Air Waste Manage Assoc.* 40: 1505-1509.
- Jayaraj, J; Rockne, KJ; Makkar, RS. (2004). Reductive dechlorination of tetrachloroethene by a mixed bacterial culture growing on ethyl lactate. *Journal of Environmental Science and Health Part A-Toxic/Hazardous Substances & Environmental Engineering.* 39: 1399-1414.
- Jeannotat, S; Hunkeler, D. (2012). Chlorine and Carbon Isotopes Fractionation during Volatilization and Diffusive Transport of Trichloroethene in the Unsaturated Zone. *Environmental Science & Technology.* 46: 3169-3176.
- Jeannotat, S; Hunkeler, D. (2013). Can Soil Gas VOCs be Related to Groundwater Plumes Based on Their Isotope Signature? *Environmental Science & Technology.* 47: 12115-12122.
- Jeffers, PM; Coty, P; Luczak, S; Wolfe, NL. (1994). Halocarbon hydrolysis rates: A search for ionic strength and heterogenous effects. *Journal of Environmental Science And Health Part A Environmental Science And Engineering.* 29: 821-831.
- Jensen, A; Finster, K. (2005). Isolation and characterization of *Sulfurospirillum carboxydovorans* sp nov., a new microaerophilic carbon monoxide oxidizing epsilon Proteobacterium. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology.* 87: 339-353.
- Jensen, Sr; Rosenberg, R. (1975). Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res.* 9: 659-661.
- Jeong, HY; Anantharaman, K; Han, YS; Hayes, KF. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environmental Science & Technology.* 45: 5186-5194.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: Reaction rates. *Environmental Science & Technology.* 41: 6390-6396.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environmental Science & Technology.* 41: 7736-7743.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions. *J Hazard Mater.* 95: 125-135.
- Jeong, SW; Wood, AL; Lee, TR. (2002). Enhanced contact of cosolvent and DNAPL in porous media by concurrent injection of cosolvent and air. *Environmental Science & Technology.* 36: 5238-5244.
- Jeong, S-W; Lynn Wood, A; Lee, TR. (2003). Enhanced removal of DNAPL trapped in porous media using simultaneous injection of cosolvent with air: influencing factors and removal mechanisms. *J Hazard Mater.* 101: 109-122.
- Jepson, GW; Hoover, DK; Black, RK; McCafferty, JD; Mahle, DA; Gearhart, JM. (1994). A Partition Coefficient Determination Method for Nonvolatile Chemicals in Biological Tissues. *Fundam Appl Toxicol.* 22: 519-524.

## Environmental Hazard Literature Search Results

### Off Topic

- Jernigan, JD; Harbison, RD. (1982). Role of biotransformation in the potentiation of halocarbon hepatotoxicity by 2,5-hexanedione. *J Toxicol Environ Health*. 9: 761-781.
- Jesus, Jo; Frascari, D; Pozdniakova, T; Danko, AS. (2016). Kinetics of aerobic cometabolic biodegradation of chlorinated and brominated aliphatic hydrocarbons: A review. *J Hazard Mater*. 309: 37-52.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(III)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol*. 87: 1179-1186.
- Jho, EH; Shin, D; Turner, SJ; Singhal, N. (2014). Effect of Fenton reagent shock and recovery periods on anaerobic microbial community structure and degradation of chlorinated aliphatics. *Biodegradation*. 25: 253-264.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Science and Technology*. 58: 2211-2214.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater*. 184: 234-240.
- Jia, CR; D'Souza, J; Batterman, S. (2008). Distributions of personal VOC exposures: A population-based analysis. *Environ Int*. 34: 922-931.
- Jin, MQ; Hirasaki, GJ; Jackson, RE; Kostarelos, K; Pope, GA. (2007). Control of downward migration of dense nonaqueous phase liquid during surfactant flooding by design simulations. *Water Resour Res*. 43: 1412-1412.
- Jin, X; Mahinthakumar, G; Zechman, EM; Ranjithan, RS. (2009). A genetic algorithm-based procedure for 3D source identification at the Borden emplacement site. *J Hydroinform*. 11: 51-64.
- Jo, WK; Kim, SH. (2001). Worker exposure to aromatic volatile organic compounds in dry cleaning stores. *AIHAJ*. 62: 466-471.
- John, M; Rubick, R; Schmitz, RPH; Rakoczy, J; Schubert, T; Diekert, G. (2009). Retentive Memory of Bacteria: Long-Term Regulation of Dehalorespiration in *Sulfurospirillum multivorans*. *J Bacteriol*. 191: 1650-1655.
- John, M; Schmitz, RPH; Westermann, M; Richter, W; Diekert, G. (2006). Growth substrate dependent localization of tetrachloroethene reductive dehalogenase in *Sulfurospirillum multivorans*. *Archives of Microbiology*. 186: 99-106.
- John, WW; Bao, GB; Johnson, WP; Stauffer, TB. (2000). Sorption of nonionic surfactant oligomers to sediment and PCE DNAPL: Effects on PCE distribution between water and sediment. *Environmental Science & Technology*. 34: 672-679.
- Johnson, BL. (1999). A review of the effects of hazardous waste on reproductive health. *Am J Obstet Gynecol*. 181: S12-S16.
- Johnson, DN; Pedit, JA; Miller, CT. (2004). Efficient, near-complete removal of DNAPL from three-dimensional, heterogeneous porous media using a novel combination of treatment technologies. *Environmental Science & Technology*. 38: 5149-5156.
- Johnson, DR; Brodie, EL; Hubbard, AE; Andersen, GL; Zinder, SH; Alvarez-Cohen, L. (2008). Temporal transcriptomic microarray analysis of "Dehalococcoides ethenogenes" strain 195 during the transition into stationary phase. *Appl Environ Microbiol*. 74: 2864-2872.
- Johnson, DR; Lee, PKH; Holmes, VF; Alvarez-Cohen, L. (2005). An internal reference technique for accurately quantifying specific mRNAs by real-time PCR with an application to the *tceA* reductive dehalogenase gene. *Appl Environ Microbiol*. 71: 3866-3871.
- Johnson, DR; Lee, PKH; Holmes, VF; Fortin, AC; Alvarez-Cohen, L. (2005). Transcriptional expression of the *tceA* gene in a *Dehalococcoides*-containing microbial enrichment. *Appl Environ Microbiol*. 71: 7145-7151.
- Johnson, DR; Nemir, A; Andersen, GL; Zinder, SH; Alvarez-Cohen, L. (2009). Transcriptomic microarray analysis of corrinoid responsive genes in *Dehalococcoides ethenogenes* strain 195. *FEMS Microbiol Lett*. 294: 198-206.
- Johnson, JC; Sun, SB; Jaffe, PR. (1999). Surfactant enhanced perchloroethylene dissolution in porous media: The effect on mass transfer rate coefficients. *Environmental Science & Technology*. 33: 1286-1292.
- Johnson, RH; Poeter, EP. (2007). Insights into the use of time-lapse GPR data as observations for inverse multiphase flow simulations of DNAPL migration. *J Contam Hydrol*. 89: 136-155.
- Johnson, RL; Thoms, RB; Zogorski, JS. (2003). Effects of daily precipitation and evapotranspiration patterns on flow and VOC transport to groundwater along a watershed flow path. *Environmental science & technology*. 37: 4944-4954.
- Johnson, S. (1975). A comparative study of bitoscanate, bethovenium hydroxynaphthoate and tetrachlorethylene in hookworm infection. *Progress in drug research Fortschritte der Arzneimittelforschung Progre&#768;s des recherches pharmaceutiques*. 19: 70-74.
- Johnson, SC. (1971). A comparative study of bitoscanate (Jonit) bethovenium hydroxynaphthoate and tetrachlorethylene in hookworm infection. *The Journal of tropical medicine and hygiene*. 74: 133-136.
- Johnson, WP; Bao, GB; John, WW. (2002). Specific UV absorbance of Aldrich humic acid: Changes during transport in aquifer sediment. *Environmental Science & Technology*. 36: 608-616.
- Johnson, WP; John, WW. PCE solubilization and mobilization by commercial humic acid. *J Contam Hydrol*. Jan 15, 1999. v. 35 (4): 343-362.
- Johnston, JE; Gibson, JM. (2011). Probabilistic Approach to Estimating Indoor Air Concentrations of Chlorinated Volatile Organic Compounds from Contaminated Groundwater: A Case Study in San Antonio, Texas. *Environmental Science & Technology*. 45: 1007-1013.
- Johnston, JE; Gibson, JM. (2014). Spatiotemporal variability of tetrachloroethylene in residential indoor air due to vapor intrusion: a longitudinal, community-based study. *J Expo Sci Environ Epidemiol*. 24: 564-571.
- Jollet, V; Gissane, C; Schlaf, M. (2014). Optimization of the neutralization of Red Mud by pyrolysis bio-oil using a design of experiments approach. *Energy & Environmental Science*. 7: 1125-1133.
- Jones, CJ; McGugan, PJ. (1977). An investigation of the evaporation of some volatile solvents from domestic waste. *J Hazard Mater*. 2: 235-251.
- Jones, TD; Easterly, CE. (1996). A RASH analysis of national toxicology program data: Predictions for 30 compounds to be tested in rodent carcinogenesis experiments. *Environ Health Perspect*. 104: 1017-1030.
- Jonker, D; Woutersen, RA; Feron, VJ. (1996). Toxicity of mixtures of nephrotoxicants with similar or dissimilar mode of action. *Food Chem Toxicol*. 34: 1075-1082.
- Josefson, D. (2002). Californian authorities want ban on cleaning fluid to reduce smog. *BMJ (Clinical research ed)*. 325: 990.

## Environmental Hazard Literature Search Results

### Off Topic

- Joseph, JM; Luke, TL; Aravind, UK; Aravindakumar, CT. (2001). Photochemical production of hydroxyl radical from aqueous iron(III)-hydroxy complex: determination of its reaction rate constants with some substituted benzenes using deoxyribose-thiobarbituric acid assay. *Water environment research : a research publication of the Water Environment Federation*. 73: 243-247.
- Ju, XF; Zhao, LP; Sun, BL. (2007). Nitrogen fixation by reductively dechlorinating bacteria. *Environ Microbiol*. 9: 1078-1083.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater*. 152: 62-70.
- Jung, B; Batchelor, B. (2008). Dechlorination of trichloroethylene formed from 1,1,2,2-tetrachloroethane by dehydrochlorination in Portland cement slurry including Fe(II). *Chemosphere*. 71: 726-734.
- Jung, B; Shin, JW; Ghorpade, PA; Park, JY. (2013). Dechlorination of liquid wastes containing chlorinated hydrocarbons by a binder mixture of cement and slag with Fe(II). *Sci Total Environ*. 449: 443-450.
- Jung, J; Lee, MJ. (2002). EPR investigation on the efficiency of hydroxyl radical production of gamma-irradiated anatase and bentonite. *Water Res*. 36: 3359-3363.
- Jung, J; Yoon, JH; Chung, HH; Lee, MJ. (2003). Comparative study of H<sub>2</sub>O<sub>2</sub> and O<sub>3</sub> effects on radiation treatment of TCE and PCE. *Chemosphere*. 51: 881-885.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2015). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol*. 36: 1044-1049.
- Jung, RC; McCroan, JE. (1960). Efficacy of bephenium and tetrachloroethylene in mass treatment of hookworm infection. *The American journal of tropical medicine and hygiene*. 9: 492-495.
- Juttijudata, P; Guptavani, JP; Harinasuta, C. (1962). A comparison of the efficacy of anthelmintic drugs in the treatment of hook-worm infection. *Japanese journal of medical science & biology*. 15: 61-65.
- Juttner, F. (1999). Efficacy of bank filtration for the removal of fragrance compounds and aromatic hydrocarbons. *Water Science And Technology*. 40: 123-128.
- K&Eszstner, M. (1991). Reductive dechlorination of Tri- and tetrachloroethylenes depends on transition from aerobic to anaerobic conditions. *Appl Environ Microbiol*. 57: 2039-2046.
- Kageyama, C; Ohta, T; Hiraoka, K; Suzuki, M; Okamoto, T; Ohishi, K. (2005). Chlorinated aliphatic hydrocarbon-induced degradation of trichloroethylene in *Wautersia numadzuensis* sp nov. *Archives of Microbiology*. 183: 56-65.
- Kaiser, KLE; Comba, ME. (1986). Tracking river plumes with volatile halocarbon contaminants: The St. Clair River-Lake St. Clair example. *Environ Toxicol Chem*. 5: 965-976.
- Kaiser, KLE; Comba, ME; Huneault, H. (1983). Volatile halocarbon contaminants in the Niagara River and in Lake Ontario. *J Great Lakes Res*. 9: 212-223.
- Kaiser, KLE; McKinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem*. 14: 2107-2113.
- Kajiwara, Y; Ajimi, S; Hosokawa, A; Maekawa, K. (1997). Improvement of carcinogen detection in the BALB/3T3 cell transformation assay by using a rich basal medium supplemented with low concentration of serum and some growth factors. *Mutat Res*. 393: 81-90.
- Kalinovich, I; Allen-King, RM; Thomas, K. (2012). Distribution of carbonaceous matter in lithofacies: Impacts on HOC sorption nonlinearity. *J Contam Hydrol*. 133: 84-93.
- Kalinski, RJ; Kelly, WE; Bogardi, I; Ehrman, RL; Yamamoto, PD. (1994). The modality of the migration and over-wintering of small passerines in a forest in southern France. *Ground Water*. 32: 31-34.
- Kaluzny, P; Chazal, S; Jacob, V; Tripoli, F; Baussand, P; Foster, P. (2001). Characterisation of volatile organic compound emissions during the composting of household wastes. *Fresen Environ Bull*. 10: 520-526.
- Kampara, M; Thullner, M; Harms, H; Wick, LY. (2009). Impact of cell density on microbially induced stable isotope fractionation. *Appl Microbiol Biotechnol*. 81: 977-985.
- Kamps, R; Mueller, H; Schmitt, M; Sommer, S; Wang, Z; Kleinermanns, K. (1993). Photooxidation of exhaust pollutants: I. Degradation efficiencies, quantum yields and products of benzene photooxidation. *Chemosphere*. 27: 2127-2142.
- Kan, AT; Tomson, MB. (1996). UNIFAC prediction of aqueous and nonaqueous solubilities of chemicals with environmental interest. *Environmental Science & Technology*. 30: 1369-1376.
- Kanarek, AD; Tribe, GW. (1967). The preparation of viral vaccines containing purified extracted antigens. *Progress in immunobiological standardization*. 3: 165-169.
- Kanazawa, S; Filip, Z. Microorganisms and enzymatic activity in soil as affected by trichloroethylene, tetrachloroethylene and dichloromethane. A short communication. *FEMS symposium - Federation of European Microbiological Societies*. 1986. v. 33: 207-209.
- Kanazawa, S; Filip, Z. (1987). Effects of trichloroethylene, tetrachloroethylene and dichloromethane on soil biomass and microbial counts. *Zentralblatt für Bakteriologie, Mikrobiologie und Hygiene Serie B, Umwelthygiene, Krankenhaushygiene, Arbeitshygiene, präventive Medizin*. 184: 24-33.
- Kang, JW; Le, KH. (1997). A kinetic model of the hydrogen peroxide UV process for the treatment of hazardous waste chemicals. *Environ Eng Sci*. 14: 183-192.
- Kang, JW; Lee, KH. (1997). A kinetic model of the hydrogen peroxide process for the treatment of hazardous waste chemicals./METHODS. *Environ Eng Sci*. 14: 183-192.
- Kang, N; Hua, I; Rao, PSC. (2006). Enhanced Fenton's destruction of non-aqueous phase perchloroethylene in soil systems. *Chemosphere*. 63: 1685-1698.

## Environmental Hazard Literature Search Results

### Off Topic

- Kang, N; Hua, I; Rao, PSC. (2006). Enhanced Fenton's destruction of non-aqueous phase perchloroethylene in soil systems. *Chemosphere*. 63: 1685-1698.
- Kanters, J; Louw, R. (1996). Thermal and catalysed halogenation in combustion reactions. *Chemosphere*. 32: 89-97.
- Kao, CM; Chen, KF; Chen, YL; Chen, TY; Huang, WY. (2004). Biobarrier system for remediation of TCE-contaminated aquifers. *Bull Environ Contam Toxicol*. 72: 87-93.
- Kao, CM; Chen, SC; Liu, JK. (2001). Development of a biobarrier for the remediation of PCE-contaminated aquifer. *Chemosphere*. 43: 1071-1078.
- Kao, CM; Chen, SC; Su, MC. (2001). Laboratory column studies for evaluating a barrier system for providing oxygen and substrate for TCE biodegradation. *Chemosphere*. 44: 925-934.
- Kao, CM; Chen, SC; Wang, JY; Chen, YL; Lee, SZ. (2003). Remediation of PCE-contaminated aquifer by an in situ two-layer biobarrier: laboratory batch and column studies. *Water Res*. 37: 27-38.
- Kao, CM; Chen, YL; Chen, SC; Yeh, TY; Wu, WS. (2003). Enhanced PCE dechlorination by biobarrier systems under different redox conditions. *Water Res*. 37: 4885-4894.
- Kao, CM; Lei, SE. (2000). Using a peat biobarrier to remediate PCE/TCE contaminated aquifers. *Water Res*. 34: 835-845.
- Kaplan, SD. (1984). Biologic actions and interactions of tetrachloroethylene. *Mutat Res*. 134: 167-168.
- Kappler, A; Haderlein, SB. (2003). Natural organic matter as reductant for chlorinated aliphatic pollutants. *Environmental science & technology*. 37: 2714-2719.
- Karadagli, F; Rittmann, BE. (2005). Kinetic characterization of *Methanobacterium bryantii* M.o.H. *Environmental Science & Technology*. 39: 4900-4905.
- Karatas, S; Hasar, H; Taskan, E; Ozkaya, B; Sahinkaya, E. (2014). Bio-reduction of tetrachloroethene using a H<sub>2</sub>-based membrane biofilm reactor and community fingerprinting. *Water Res*. 58: 21-28.
- Karimi, AA; Redman, JA; Glaze, WH; Stolarik, GF. (1997). Evaluating an AOP for TCE and PCE removal. *American Water Works Association Journal*. 89: 41-53.
- Karlsson, N; F rnngmark, I; H ggqvist, I; Karlsson, B; Rittfeldt, L; Marchner, H. (1991). Mutagenicity testing of condensates of smoke from titanium dioxide/hexachloroethane and zinc/hexachloroethane pyrotechnic mixtures. *Mutation Research/Genetic Toxicology*. 260: 39-46.
- Karstensen, KH; Ringstad, O; Rustad, I; Kalevi, K; Jorgensen, K; Nylund, K; Alsberg, T; Olafsdottir, K; Heidenstam, O; Solberg, H. (1998). Methods for chemical analysis of contaminated soil samples-tests of their reproducibility between Nordic laboratories. *Talanta*. 46: 423-437.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res*. 34: 4161-4168.
- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol*. 55: 213-232.
- Kastanek, F; Kuncova, G; Demnerova, K; Pazlarova, J; Burkhard, J; Maletterova, Y. (1995). Laboratory and pilot-scale sorption and biodegradation of polychlorinated biphenyls from ground water. *International Biodeterioration & Biodegradation*. 35: 287-300.
- Kaster, AK; Mayer-Blackwell, K; Pasarelli, B; Spormann, AM. (2014). Single cell genomic study of Dehalococcoides species from deep-sea sediments of the Peruvian Margin. *Isme Journal*. 8: 1831-1842.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere*. 24: 343-349.
- Katz, M. (1975). Parasitic infections. *The Journal of pediatrics*. 87: 165-178.
- Kaufhold, T; Schmidt, M; Cichocka, D; Nikolausz, M; Nijenhuis, I. (2013). Dehalogenation of diverse halogenated substrates by a highly enriched Dehalococcoides-containing culture derived from the contaminated mega-site in Bitterfeld. *FEMS Microbiol Ecol*. 83: 176-188.
- Kavanagh, DMC; Ryan, TA; Mile, B. (1993). Deuterium isotope studies of the hydrofluorination of chloroethenes over chromia catalysts. *Journal of Fluorine Chemistry*. 64: 167-176.
- Kawakami, T; Takano, T; Araki, R. (1988). Synergistic interaction of tri- and tetra-chloroethylene, hypoxia, and ethanol on the atrioventricular conduction of the perfused rat heart. *Ind Health*. 26: 25-33.
- Kawauchi, T; Mishiya, K. Residual tetrachloroethylene in dry-cleaned clothes. *Environ Res*. Apr 1989. v. 48 (2): 296-301.
- Kaye, AJ; Cho, J; Basu, NB; Chen, XS; Annable, MD; Jawitz, JW. (2008). Laboratory investigation of flux reduction from dense non-aqueous phase liquid (DNAPL) partial source zone remediation by enhanced dissolution. *J Contam Hydrol*. 102: 17-28.
- Kebria, DY; Taghizadeh, M; Camacho, JV; Latifi, N. (2016). Remediation of PCE contaminated clay soil by coupling electrokinetics with zero-valent iron permeable reactive barrier. *Environ Earth Sci*. 75: 699-699.
- Keefe, SH; Barber, LB; Runkel, RL; Ryan, JN. (2004). Fate of volatile organic compounds in constructed wastewater treatment wetlands. *Environmental Science & Technology*. 38: 2209-2216.
- Keener, WK; Arp, DJ. (1993). Kinetic studies of ammonia monooxygenase inhibition in *Nitrosomonas europaea* by hydrocarbons and halogenated hydrocarbons in an optimized whole-cell assay. *Appl Environ Microbiol*. 59: 2501-2510.
- Keiser, G; Zug, K; Fehr, J. (1994). Myelodysplastic syndrome (MDS) and cranial nerve paralysis after perchlorethylene (PER) exposure. *Leuk Res*. 18, Supplement: 29.
- Keller, S; Ruetz, M; Kunze, C; Kr utler, B; Diekert, G; Schubert, T. (2014). Exogenous 5,6-dimethylbenzimidazole caused production of a non-functional tetrachloroethene reductive dehalogenase in *Sulfurospirillum multivorans*. *Environ Microbiol*. 16: 3361-3369.
- Keller, S; Ruetz, M; Kunze, C; Krautler, B; Diekert, G; Schubert, T. (2014). Exogenous 5,6-dimethylbenzimidazole caused production of a non-functional tetrachloroethene reductive dehalogenase in *Sulfurospirillum multivorans*. *Environ Microbiol*. 16: 3361-3369.

## Environmental Hazard Literature Search Results

### Off Topic

- Keller, S; Treder, A; von Reuss, SH; Escalante-Semerena, JC; Schubert, T. (2016). The SMUL\_1544 Gene Product Governs Norcobamide Biosynthesis in the Tetrachloroethene-Respiring Bacterium *Sulfurospirillum multivorans*. *J Bacteriol.* 198: 2236-2243.
- Kemmitt, RDW; Kimura, BY; Littlecott, GW; Moore, RD. (1972). Protonation of some fluoroolefin complexes of platinum(0). *J Organomet Chem.* 44: 403-409.
- Kempton, H; Davis, A; Olsen, R. Remediation of solvent-contaminated soils by aeration. *J Environ Qual.* Jan/Mar 1992. v. 21 (1): 121-128.
- Kendall, DS. (1991). THE APPLICATION OF IR SPECTROSCOPY TO HAZARDOUS WASTES. Simmons, M S. 0: 133-158.
- Kengen, SWM; Breidenbach, CG; Felske, A; Stams, AJM; Schraa, G; de Vos, WM. (1999). Reductive dechlorination of tetrachloroethene to cis-1,2-dichloroethene by a thermophilic anaerobic enrichment culture. *Appl Environ Microbiol.* 65: 2312-2316.
- Kennedy, CA; Lennox, WC. (1997). A pore-scale investigation of mass transport from dissolving DNAPL droplets. *J Contam Hydrol.* 24: 221-246.
- Kennedy, GLJR; Graepel, GJ. (2004). Acute toxicity in the rat following either oral or inhalation exposure. *J Contam Hydrol.* 75: 183-213.
- Kennedy, LG; Everett, JW; Becvar, E; DeFeo, D. (2006). Field-scale demonstration of induced biogeochemical reductive dechlorination at Dover Air Force Base, Dover, Delaware. *J Contam Hydrol.* 88, issue 1-2: 119-136.
- Kenneke, JF; McCutcheon, SC. (2003). Use of pretreatment zones and zero-valent iron for the remediation of chloroalkenes in an oxic aquifer. *Environmental science & technology.* 37: 2829-2835.
- Kenner, SJ; Bender, DA; Pankow, JF; Zogorski, JS. (2014). THE ATMOSPHERE CAN BE A SOURCE OF CERTAIN WATER SOLUBLE VOLATILE ORGANIC COMPOUNDS IN URBAN STREAMS. *J Am Water Resour Assoc.* 50: 1124-1137.
- Kennes, C; Thalasso, F. (1998). Waste gas biotreatment technology. *J Chem Tech Biotechnol.* 72: 303-319.
- Kennes, C; Veiga, MC; Bhatnagar, L. (1998). Methanogenic and perchloroethylene-dechlorinating activity of anaerobic granular sludge. *Appl Microbiol Biotechnol.* 50: 484-488.
- Kent, B; Mosquera, GCB. (2001). Remediation of NAPL-contaminated aquifers: Is the cure worth the cost? *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 36: 1559-1569.
- Keppler, F; Borchers, R; Hamilton, JTG; Kilian, G; Pracht, J; Scholer, HF. (2006). De novo formation of chloroethyne in soil. *Environmental Science & Technology.* 40: 130-134.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environmental Science & Technology.* 36: 2479-2483.
- Kessler, R. (2014). Prevention: Air of danger. *Nature.* 509: S62-63.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in *Salmonella* TA98 and TA100. *Zentralblatt Fur Hygiene Und Umweltmedizin.* 200: 531-541.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl<sub>4</sub> by high surface-area aluminum oxide. *Environmental Science & Technology.* 36: 1620-1624.
- Khalil, MAK; Rasmussen, RA. (1999). Atmospheric methyl chloride. *Atmos Environ.* 33: 1305-1321.
- Khan, AJ; Watts, RJ. Mineral-catalyzed peroxidation of tetrachloroethylene. *Water Air Soil Pollut.* Apr 1996. v. 88 (3/4): 247-260.
- Kibbey, TCG; Ramsburg, CA; Pennell, KD. (2002). Implications of alcohol partitioning behavior for in situ density modification of entrapped dense nonaqueous phase liquids. *Environmental Science & Technology.* 36: 104-111.
- Kido, K; Magara, Y; Furuichi, T; Ikeda, M. (1989). Statistical approach towards point sources of groundwater pollution with tetrachloroethylene: a field study. *The Tohoku journal of experimental medicine.* 157: 229-239.
- Kido, K; Shiratori, T; Watanabe, T; Nakatsuka, H; Ohashi, M; Ikeda, M. (1989). Correlation of tetrachloroethylene in blood and in drinking water: A case of well water pollution. *Bull Environ Contam Toxicol.* 43: 444-453.
- Kiecak, A; Kret, E; Cichostepska, M; Malina, G. (2013). Assessment of Intrinsic Biodegradation Potentials in an Aquifer Contaminated with Chlorinated Ethenes in the Vicinity of Nowa Deba. *Ecological Chemistry and Engineering; S; Chemia i Inynieria Ekologiczna.* 20: 265-278.
- Kilburn, KH. (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health.* 57: 113-120.
- Kim, BH; Baek, KH; Cho, DH; Sung, Y; Koh, SC; Ahn, CY; Oh, HM; Kim, HS. (2010). Complete reductive dechlorination of tetrachloroethene to ethene by anaerobic microbial enrichment culture developed from sediment. *Biotechnol Lett.* 32: 1829-1835.
- Kim, E-S; Lee, D-H; Yum, B-W; Chang, H-W. (2005). The effect of ionic strength and hardness of water on the non-ionic surfactant-enhanced remediation of perchloroethylene contamination. *J Hazard Mater.* 119: 195-203.
- Kim, E-S; Nomura, I; Hasegawa, Y; Takamizawa, K. (2006). Characterization of a newly isolated cis-1,2-dichloroethylene and aliphatic compound-degrading bacterium, *Clostridium* sp. strain KYT-1. *Biotechnology and bioprocess engineering.* 11: 553-556.
- Kim, H; Ahn, D; Annable, MD. (2016). Enhanced removal of VOCs from aquifers during air sparging using thickeners and surfactants: Bench-scale experiments. *J Contam Hydrol.* 184: 25-34.
- Kim, H; Annable, MD; Rao, PSC; Cho, J. (2009). Laboratory evaluation of surfactant-enhanced air sparging for perchloroethene source mass depletion from sand. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 44: 406-413.
- Kim, H; Kim, T; Shin, S; Annable, MD. (2012). Measurement of Air and VOC Vapor Fluxes during Gas-Driven Soil Remediation: Bench-Scale Experiments. *Environmental Science & Technology.* 46: 9533-9540.
- Kim, H; Lee, S; Moon, JW; Rao, PSC. (2005). Gas transport of volatile organic compounds in unsaturated soils: Quantitative analysis of retardation processes. *Soil Sci Soc Am J.* 69: 990-995.
- Kim, H; Rao, PSC; Annable, MD. (1999). Consistency of the interfacial tracer technique: experimental evaluation. *J Contam Hydrol.* 40: 79-94.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 49: 514-523.

## Environmental Hazard Literature Search Results

### Off Topic

- Kim, HE; Shitashiro, M; Kuroda, A; Takiguchi, N; Ohtake, H; Kato, J. (2006). Identification and characterization of the chemotactic transducer in *Pseudomonas aeruginosa* PAO1 for positive chemotaxis to trichloroethylene. *J Bacteriol.* 188: 6700-6702.
- Kim, H-J; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater.* 322, Part A: 136-144.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere.* 73: 813-819.
- Kim, JO. (1997). Gaseous TCE and PCE removal by an activated carbon biofilter. *Bioprocess Engineering.* 16: 331-337.
- Kim, JO; TerKonda, PK; Lee, SD. (1998). Gaseous CAH removal by biofiltration in presence and absence of a nonionic surfactant. *Bioprocess Engineering.* 19: 253-259.
- Kim, K; Gurol, MD. (2005). Reaction of nonaqueous phase TCE with permanganate. *Environmental Science & Technology.* 39: 9303-9308.
- Kim, K-S; Kwon, T-S; Yang, J-S; Yang, J-W. (2007). Simultaneous removal of chlorinated contaminants by pervaporation for the reuse of a surfactant. *Desalination.* 205: 87-96.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nanosized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385.
- Kim, YH; Carraway, ER. (2000). Dechlorination of pentachlorophenol by zero valent iron and modified zero valent irons. *Environmental Science & Technology.* 34: 2014-2017.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated ethenes and acetylenes by palladized iron. *Environ Technol.* 24: 809-819.
- Kimoto, H; Suye, S; Makishima, H; Arai, J; Yamaguchi, S; Fujii, Y; Yoshioka, T; Taketo, A. (2010). Cloning of a Novel Dehalogenase from Environmental DNA. *Bioscience Biotechnology and Biochemistry.* 74: 1290-1292.
- Kinder, MA; Meyer, L; Margaretha, P. (2001). Photocycloaddition of isocoumarins and isothiocoumarins to alkenes. *Helvetica Chimica Acta.* 84: 2373-2378.
- King, MD; Thompson, KC. (2003). Rate constants for the reaction of NO and HO<sub>2</sub> with peroxy radicals formed from the reaction of OH, Cl or NO<sub>3</sub> with alkenes, dienes and  $\alpha,\beta$ -unsaturated carbonyls. *Atmos Environ.* 37: 4517-4527.
- King, MD; Thompson, KC. (2003). Rate constants for the reaction of NO and HO(2) with peroxy radicals formed from the reaction of OH, Cl or NO(3) with alkenes, dienes and alpha, beta-unsaturated carbonyls. *Atmos Environ.* 37: 4517-4527.
- Kirkpatrick, A. A new approach to wool carbonizing. *Text Res J.* Jan 1986. v. 56 (1): 67-71 ill.
- Kistemann, T; Hundhausen, J; Herbst, S; Classen, T; Farber, H. (2008). Assessment of a groundwater contamination with vinyl chloride (VC) and precursor volatile organic compounds (VOC) by use of a geographical information system (GIS). *Int J Hyg Environ Health.* 211: 308-317.
- Kittelmann, S; Friedrich, MW. (2008). Identification of novel perchloroethene-respiring microorganisms in anoxic river sediment by RNA-based stable isotope probing. *Environ Microbiol.* 10: 31-46.
- Kittelmann, S; Friedrich, MW. (2008). Novel uncultured *Chloroflexi* dechlorinate perchloroethene to trans-dichloroethene in tidal flat sediments. *Environ Microbiol.* 10: 1557-1570.
- Kiurski, JS; Oros, IB; Kecic, VS; Kovacevic, IM; Aksentijevic, SM. (2016). The temporal variation of indoor pollutants in photocopying shop. *Stoch Environ Res Risk Assess.* 30: 1289-1300.
- Kiyota, H; Otsuka, S; Yokoyama, A; Matsumoto, S; Wada, H; Kanazawa, S. (2012). Effects of Highly Volatile Organochlorine Solvents on Soil Nitrogen Metabolism and Microbial Counts. *Soil and Water Research.* 7: 109-116.
- Kjeldsen, P. (1993). Groundwater pollution source characterization of an old landfill. *J Hydrol.* 142: 349-371.
- Kjellstrand, P; Helmquist, B; Kanje, M; Bjerkemo, M. Dose related effect of tri- and perchloroethylene inhalation in mice. *Toxicol Lett.* 18, Supplement 1: 41.
- Kjellstrand, P; Holmquist, B; Jonsson, I; Romare, S; Maansson, L. (1985). Effects of organic solvents on motor activity in mice. *Toxicology.* 35: 35-46.
- Kjellstrand, P; Holmquist, B; Kanje, M; Alm, P; Romare, S; Jonsson, I; Maansson, BUBM. (1984). Perchloroethylene: effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol.* 54: 414-424.
- Kjellstrand, P; Maansson, Ad, DDDoZuOLS; Holmquist, B; Jonsson, I. (1990). Tolerance during inhalation of organic solvents. *Pharmacology & toxicology.* 66: 409-414.
- Klag, P; Weltzin, M; Eisentrager, A; Dott, W; Ruden, H. (2001). Dechlorination of tetrachloroethene - Influence of tetrachloroethene and methane in batch cultivation under methanotrophic conditions in the presence of oxygen. *Acta Biotechnologica.* 21: 129-139.
- Kleijn, R; Van, DERVOETE; Udo, DEHAESHA. (1994). Controlling substance flows: The case of chlorine. *Environ Manage.* 18: 523-542.
- Klein, J; Brueggemann, R; Voigt, K; Steinberg, CEW. (1995). Advances In Comparative Analysis Of Adverse Effects In Aquatic Ecosystems With Emphasis On Studies With Humic Substances And On Progress In Mathematical Analysis Techniques. *Water Res.* 29: 2261-2268.
- Kleindienst, S; Higgins, SA; Tsementzi, D; Chen, G; Konstantinidis, KT; Mack, EE; Löffler, FE. *Candidatus Dichloromethanomonas elyunquensis* gen. nov., sp. nov., a dichloromethane-degrading anaerobe of the Peptococcaceae family. *Syst Appl Microbiol.*
- Kliegman, S; McNeill, K. (2009). Reconciling disparate models of the involvement of vinyl radicals in cobalamin-mediated dechlorination reactions. *Environmental science & technology.* 43: 8961-8967.
- Klier, NJ; West, RJ; Donberg, PA. (1999). Aerobic biodegradation of dichloroethylenes in surface and subsurface soils. *Chemosphere.* 38: 1175-1188.
- Kline, SA; McCoy, EC; Rosenkranz, HS; Van Duuren, BL. (1982). Mutagenicity of chloroalkene epoxides in bacterial systems. *Mutation Research/Genetic Toxicology.* 101: 115-125.



## Environmental Hazard Literature Search Results

### Off Topic

- Kloepffer, W. (1994). Environmental hazard: Assessment of chemicals and products: Part III: The limits to single compound assessment. *Environmental Science And Pollution Research International*. 1: 179-184.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis Metropolitan Area. *Arch Environ Health*. 52: 348-354.
- Kloos, H. (1997). Trichloroethylene, tetrachloroethylene, nitrates, and other chemicals in well water in the Fresno-Clovis metropolitan area (vol 52, pg 348, 1997). *Arch Environ Health*. 52: 486-486.
- Knight, R. (1968). The management of hookworm anaemia. *East African medical journal*. 45: 746-749.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air And Soil Pollution*. 88: 205-226.
- Knox, RC; Sabatini, DA; Harwell, JH; Brown, RE; West, CC; Blaha, F; Griffin, C. Surfactant remediation field demonstration using a vertical circulation well. *Ground Water*. Nov/Dec 1997. v. 35 (6): 948-953.
- Ko, JH; Musson, S; Townsend, T. (2010). Destruction of trichloroethylene during hydration of calcium oxide. *J Hazard Mater*. 174: 876-879.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environmental Science & Technology*. 41: 5824-5832.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage*. 108: 42-48.
- Ko, SO; Ji, SH. (2007). In situ push-pull tests for the determination of TCE degradation and permanganate consumption rates. *Environ Geol*. 53: 359-364.
- Kobayashi, S; Hutcheon, DE; Regan, J. (1982). Cardiopulmonary Toxicity of Tetrachloroethylene. *J Toxicol Environ Health*. 10: 23-30.
- Kober, R; Hollert, H; Hornbruch, G; Jekel, M; Kamptner, A; Klaas, N; Maes, H; Mangold, KM; Martac, E; Matheis, A; Paar, H; Schaffer, A; Schell, H; Schiwy, A; Schmidt, KR; Strutz, TJ; Thummler, S; Tiehm, A; Braun, J. (2014). Nanoscale zero-valent iron flakes for groundwater treatment. *Environ Earth Sci*. 72: 3339-3352.
- Koch, R; Schlegelmilch, R; Wolf, HU. (1988). Genetic effects of chlorinated ethylenes in the yeast *Saccharomyces cerevisiae*. *Mutation Research/Genetic Toxicology*. 206: 209-216.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater*. 219-220: 169-175.
- Koentjoro, OF; Zuber, P; Puschmann, H; Goeta, AE; Howard, JAK; Low, PJ. (2003). A simple synthesis of tetraethynylethenes and representative molecular structures of some dicobalt derivatives. *J Organomet Chem*. 670: 178-187.
- Koizumi, A; Kumai, M; Ikeda, M. (1983). Dose-dependent induction and suppression of liver mixed-function oxidase system in chlorinated hydrocarbon solvent metabolism. *J Appl Toxicol*. 3: 208-217.
- Komatsu, T; Shinmyo, J; Momonoi, K. (1997). Reductive transformation of tetrachloroethylene to ethylene and ethane by an anaerobic filter. *Water Science and Technology*. 36: 125-132.
- Kondo, T; Jinbo, T; Onishi, M; Omasa, K. (2005). Absorption of atmospheric trichloroethylene and tetrachloroethylene by oleander (*Nerium indicum*). *Phyton-Annales Rei Botanicae*. 45: 477-480.
- Kong, EJ; Digiano, FA. (1986). Competitive adsorption among volatile organic chemicals on activated carbon and carbonaceous resin. *Am Water Works Assoc J*. 78: 181-188.
- Kool, HJ; Van Kreyl, CF. (1988). Mutagenic activity in drinking water prepared from groundwater: A survey of ten cities in the Netherlands. *Sci Total Environ*. 77: 51-60.
- Kostarelos, K; Pope, GA; Rouse, BA; Shook, GM. (1998). A new concept: the use of neutrally-buoyant microemulsions for DNAPL remediation. *J Contam Hydrol*. 34: 383-397.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ*. 454: 517-527.
- Kovacs, DA; Kampbell, DH. (1999). Improved method for the storage of groundwater samples containing volatile organic analytes. *Arch Environ Contam Toxicol*. 36: 242-247.
- Kover, FD. (1975). Preliminary Study of Selected Potential Environmental Contaminants - Optical Brighteners, Methyl Chloroform, Tri-Chloroethylene, Tetrachloroethylene and ion Exchange Resins. Available from the National Technical Information Service, Springfield VA 22161 as PB-243 910, Price codes: A13 in paper copy, A01 in microfiche US Environmental Protection Agency, Office of Toxic Substances, Report EPA-560/2-75-002, 286 p, July 1975 30 fig, 33 tab, 1 app, 155 ref.
- Koziollek, P; Bryniok, D; Knackmuss, HJ. (1999). Ethene as an auxiliary substrate for the cooxidation of cis-1,2-dichloroethene and vinyl chloride. *Archives of Microbiology*. 172: 240-246.
- Krajmalnik-Brown, R; Holscher, T; Thomson, IN; Saunders, FM; Ritalahti, KM; Löffler, FE. (2004). Genetic identification of a putative vinyl chloride reductase in *Dehalococcoides* sp strain BAV1. *Appl Environ Microbiol*. 70: 6347-6351.
- Krajmalnik-Brown, R; Sung, Y; Ritalahti, KM; Saunders, FM; Löffler, FE. (2007). Environmental distribution of the trichloroethene reductive dehalogenase gene (*tceA*) suggests lateral gene transfer among *Dehalococcoides*. *FEMS Microbiol Ecol*. 59: 206-214.
- Kram, M. (1998). Use of SCAPS petroleum hydrocarbon sensor technology for real-time indirect DNAPL detection. *Journal of Soil Contamination*. 7: 73-86.
- Kram, ML; Keller, AA. (2004). Complex NAPL site characterization using fluorescence. 3. Detection capabilities for specific excitation sources. *Soil & sediment contamination*. 13, issue 2: 135-148.
- Kranzloch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of *Dehalococcoides* dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int*. 22: 3138-3148.

## Environmental Hazard Literature Search Results

### Off Topic

- Kranzioch, I; Stoll, C; Holbach, A; Chen, H; Wang, LJ; Zheng, BH; Norra, S; Bi, YH; Schramm, KW; Tiehm, A. (2013). Dechlorination and organohalide-respiring bacteria dynamics in sediment samples of the Yangtze Three Gorges Reservoir. *Environ Sci Pollut Res Int.* 20: 7046-7056.
- Kranzioch-Seipel, I; Beckert, U; Shen, CF; Yin, DQ; Tiehm, A. (2016). Microbial dechlorination of HCB, PCP, PCB180, HCH and PCE in a Yangtze Three Gorges Reservoir enrichment culture, China. *Environ Earth Sci.* 75: 928-928.
- Krasotkina, J; Walters, T; Maruya, KA; Ragsdale, SW. (2001). Characterization of the B(12)- and iron-sulfur-containing reductive dehalogenase from *Desulfitobacterium chlororespirans*. *J Biol Chem.* 276: 40991-40997.
- Krasteva, N; Fogel, Y; Bauer, RE; Mullen, K; Joseph, Y; Matsuzawa, N; Yasuda, A; Vossmeier, T. (2007). Vapor sorption and electrical response of Au-nanoparticle-dendrimer composites. *Adv Funct Mater.* 17: 881-888.
- Kret, E; Kiecak, A; Malina, G; Nijenhuis, I; Postawa, A. (2015). Identification of TCE and PCE sorption and biodegradation parameters in a sandy aquifer for fate and transport modelling: batch and column studies. *Environ Sci Pollut Res Int.* 22: 9877-9888.
- Krishnan, K; Johanson, G. (2005). Physiologically-based pharmacokinetic and toxicokinetic models in cancer risk assessment. *Journal of Environmental Science and Health Part C-Environmental Carcinogenesis & Ecotoxicology Reviews.* 23: 31-53.
- Kromann, A; Ludvigsen, L; Albrechtsen, HJ; Christensen, TH; Ejlertsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Management & Research.* 16: 54-62.
- Kropf, H; Ball, M. (1972). Organische peroxide: IX : Basen-katalysierte reaktion von hydroperoxiden und wasserstoffperoxid mit elektronenarmenolefinen. *Tetrahedron.* 28: 1391-1401.
- Kropf, H; Ball, M; Schröder, H; Witte, G. (1974). Organische peroxide: X : Basenkatalysierte addition von hydroperoxiden an oxirane. *Tetrahedron.* 30: 2943-2948.
- Krumholz, LR. (1997). *Desulfuromonas chloroethenica* sp. nov. uses tetrachloroethylene and trichloroethylene as electron acceptors. *International Journal Of Systematic Bacteriology.* 47: 1262-1263.
- Krumholz, LR; Sharp, R; Fishbain, SS. (1996). A freshwater anaerobe coupling acetate oxidation to tetrachloroethylene dehalogenation. *Appl Environ Microbiol.* 62: 4108-4113.
- Kruus, P; Beutel, L; Aranda, R; Penchuk, J; Otson, R. (1998). Formation of complex organochlorine species in water due to cavitation. *Chemosphere.* 36: 1811-1824.
- Kube, M; Beck, A; Zinder, SH; Kuhl, H; Reinhardt, R; Adrian, L. (2005). Genome sequence of the chlorinated compound respiring bacterium *Dehalococcoides* species strain CBDB1. *Nature Biotechnology.* 23: 1269-1273.
- Kublik, A; Deobald, D; Hartwig, S; Schifmann, CL; Andrades, A; von Bergen, M; Sawers, RG; Adrian, L. (2016). Identification of a multi-protein reductive dehalogenase complex in *Dehalococcoides mccartyi* strain CBDB1 suggests a protein-dependent respiratory electron transport chain obviating quinone involvement. *Environ Microbiol.* 18: 3044-3056.
- Kuder, T; van Breukelen, BM; Vanderford, M; Philp, P. (2013). 3D-CSIA: Carbon, Chlorine, and Hydrogen Isotope Fractionation in Transformation of ICE to Ethene by a *Dehalococcoides* Culture. *Environmental Science & Technology.* 47: 9668-9677.
- Kueper, BH; Abbott, W; Farquhar, G. (1989). Experimental observations of multiphase flow in heterogeneous porous media. *J Contam Hydrol.* 5: 83-95.
- Kueper, BH; Redman, D; Starr, RC; Reitsma, M; Mah, M. (2013). A field experiment to study the behavior of tetrachloroethylene below the water table: Spatial distribution of residual and pooled DNAPL. *J Contam Hydrol.* 31: 756-766.
- Kuhn, R; Levesque, MJ; Cimpoaia, R. (2007). Ultrastructure of a bio-electrolytic methanogenic/methanotrophic granular biofilm for the complete degradation of tetrachloroethylene in contaminated groundwater. *Water Science & Technology.* 55: 465-471.
- Kuhn, TK; Hamonts, K; Dijk, JA; Kalka, H; Stichler, W; Springael, D; Dejonghe, W; Meckenstock, RU. (2009). Assessment of the Intrinsic Bioremediation Capacity of an Eutrophic River Sediment Polluted by Discharging Chlorinated Aliphatic Hydrocarbons: A Compound-Specific Isotope Approach. *Environmental Science & Technology.* 43: 5263-5269.
- Kukongviriyapan, V; Kukongviriyapan, U; Stacey, NH. (1990). Interference with hepatocellular substrate uptake by 1,1,1-trichloroethane and tetrachloroethylene. *Toxicol Appl Pharmacol.* 102: 80-90.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54.
- Kume, K; Ohura, T; Amagai, T; Fusaya, M. (2008). Field monitoring of volatile organic compounds using passive air samplers in an industrial city in Japan. *Environ Pollut.* 153: 649-657.
- Kunishima, M; Friedman, JE; Rokita, SE. (1999). Transition-state stabilization by a mammalian reductive dehalogenase. *J Am Chem Soc.* 121: 4722-4723.
- Kuo, HW; Chiang, TF; Lo, II; Lai, JS; Chan, CC; Wang, JD. (1997). VOC concentration in Taiwan's household drinking water. *Sci Total Environ.* 208: 41-47.
- Kuo, HW; Lo, II; Chan, CC; Lai, JS; Wang, JD. (1996). Volatile organic compounds in water near petrochemical factories in Taiwan. *Chemosphere.* 33: 913-920.
- Kuriakose, ET. (1963). Moore's ulcer. Etiology and treatment. *American journal of ophthalmology.* 55: 1064-1069.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, JI; Morooka, S; Isomura, K. (1991). Destruction rate of volatile organochlorine compounds in water by ozonation with UV radiation. *Water Res.* 25: 1199-1204.
- Kusakabe, K; Aso, S; Wada, T; Hayashi, J-I; Morooka, S; Isomura, K. (1991). Destruction rate of volatile organochlorine compounds in water by ozonation with ultraviolet radiation. *Water Res.* 25: 1199-1203.
- Kuschik, P; Burris, DR; Antworth, CP; Stauffer, TB; Macintyre, WG. (2012). Humic acid-modified silica as a model aquifer material. *Chemosphere.* 89: 724-731.

## Environmental Hazard Literature Search Results

### Off Topic

- Kustov, LM; Finashina, ED; Shuvalova, EV; Tkachenko, OP; Kirichenko, OA. (2011). Pd-Fe nanoparticles stabilized by chitosan derivatives for perchloroethene dechlorination. *Environ Int.* 37: 1044-1052.
- Kustov, LM; Finashina, ED; Shuvalova, EV; Tkachenko, OP; Kirichenko, OA. (2011). Pd-Fe nanoparticles stabilized by chitosan derivatives for perchloroethene dechlorination. *Environ Int.* 37: 1044-1052.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide. *Atmospheric Environment Part A General Topics.* 27: 599-604.
- Kutsuna, S; Ibusuki, T; Takeuchi, K. (2000). Heterogeneous photoreaction of tetrachloroethene - Air mixture on halloysite particles. *Environmental Science & Technology.* 34: 2484-2489.
- Kuzma, MM; Winter, H; Storer, P; Oresnik, I; Atkins, CA; Layzell, DB. (1999). The site of oxygen limitation in soybean nodules. *Plant Physiology.* 119: 399-407.
- Kwon, S; Sullivan, EJ; Katz, LE; Bowman, RS; Kinney, KA. (2011). Laboratory and Field Evaluation of a Pretreatment System for Removing Organics from Produced Water. *Water Environ Res.* 83: 843-854.
- Kwon, T-S; Yang, J-S; Baek, K; Lee, J-Y; Yang, J-W. (2006). Silicone emulsion-enhanced recovery of chlorinated solvents: Batch and column studies. *J Hazard Mater.* 136: 610-617.
- Kylin, B; Reichard, H; Sumegi, I; Yllner, S. (1962). Hepatotoxic effect of tri- and tetrachloroethylene on mice. *Nature.* 193: 395.
- Kyrklund, T; Alling, C; Kjellstrand, P; Haglid, KG. (1984). Chronic effects of perchloroethylene on the composition of lipid and acyl groups in cerebral cortex and hippocampus of the gerbil. *Toxicol Lett.* 22: 343-349.
- Kyrklund, T; Haglid, K. (1989). Brain lipid composition in guinea pigs after intrauterine exposure to perchloroethylene. *Pharmacology & toxicology.* 68: 146-148.
- Kyrklund, T; Haglid, KG. (1990). Brain lipid changes after organic solvent exposure. *Upsala journal of medical sciences Supplement.*
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1986). Membrane lipid changes in organic solvent tolerant neural cells. *Archives of toxicology Supplement = Archiv fu&#776;r Toxikologie Supplement.* 9: 38-45.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid composition of rat cerebral cortex. *Scandinavian Journal of Work, Environment & Health.* 14: 91-94.
- Kyung, D; Sihn, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater.* 311: 1-10.
- LÃ , W; Kamiya, I. (2012). The influence of interlayer molecules in luminescence of self-assembled bilayer PbS quantum dot films. *J Nanosci Nanotechnol.* 12: 410-415.
- LÃpez, E; OrdÃez, S; Sastre, H; DÃaz, amp; x; ez, FV. (2003). Kinetic study of the gas-phase hydrogenation of aromatic and aliphatic organochlorinated compounds using a Pd/Al<sub>2</sub>O<sub>3</sub> catalyst. *J Hazard Mater.* 97: 281-294.
- LaBranche, DF; Collins, MR. Stripping volatile organic compounds and petroleum hydrocarbons from water. *Water environment research : a research publication of the Water Environment Federation.* May/June 1996. v. 68 (3): 348-358.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749.
- Lackey, LW; Phelps, TJ; Bienkowski, PR; White, DC. (1993). Biodegradation of chlorinated aliphatic hydrocarbon mixtures in a single-pass packed-bed reactor. *Appl Biochem Biotechnol.* 39-40: 701-713.
- Lackey, LW; Phelps, TJ; Korde, V; Nold, S; Ringelberg, D; Bienkowski, PR; White, DC. (1994). Feasibility testing for the on-site bioremediation of organic wastes by native microbial consortia. *International Biodeterioration & Biodegradation.* 33: 41-59.
- Lackore, LK; Perkins, HM. (1970). Accidental narcosis. Contamination of compressed air system. *JAMA.* 211: 1846.
- Lacroix, E; Brovelli, A; Barry, DA; Holliger, C. (2014). Use of Silicate Minerals for pH Control during Reductive Dechlorination of Chloroethenes in Batch Cultures of Different Microbial Consortia. *Appl Environ Microbiol.* 80: 3858-3867.
- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2012). Evaluation of Silicate Minerals for pH Control During Bioremediation: Application to Chlorinated Solvents. *Water Air and Soil Pollution.* 223: 2663-2684.
- Lacroix, E; Brovelli, A; Holliger, C; Barry, DA. (2014). Control of groundwater pH during bioremediation: Improvement and validation of a geochemical model to assess the buffering potential of ground silicate minerals. *J Contam Hydrol.* 160: 21-29.
- Lacroix, E; Brovelli, A; Maillard, J; Rohrbach-Brandt, E; Barry, DA; Holliger, C. (2014). Use of silicate minerals for long-term pH control during reductive dechlorination of high tetrachloroethene concentrations in continuous flow-through columns. *Sci Total Environ.* 482: 23-35.
- Ladaa, TI; Lee, CM; Coates, JT; Falta, RW. (2001). Cosolvent effects of alcohols on the Henry's law constant and aqueous solubility of tetrachloroethylene (PCE). *Chemosphere.* 44: 1137-1143.
- Lai, A; Verdini, R; Aulenta, F; Majone, M. (2015). Influence of nitrate and sulfate reduction in the bioelectrochemically assisted dechlorination of cis-DCE. *Chemosphere.* 125: 147-154.
- Lai, KCK; Lo, IMC. (2007). Effects of seepage velocity and temperature on the dechlorination of chlorinated aliphatic hydrocarbons. *Journal of Environmental Engineering-Asce.* 133: 859-868.
- Lai, YJ; Becker, JG. (2013). Compounded Effects of Chlorinated Ethene Inhibition on Ecological Interactions and Population Abundance in a Dehalococcoides - Dehalobacter Coculture. *Environmental Science & Technology.* 47: 1518-1525.
- Lam, RHF; Brown, JP; Fan, AM; Milea, A. (1994). Chemicals in California drinking water: source contaminants, risk assessment, risk management, and regulatory standards. *J Hazard Mater.* 39: 173-192.
- Lampron, KJ; Chiu, PC; Cha, DK. (2001). Reductive dehalogenation of chlorinated ethenes with elemental iron: The role of microorganisms. *Water Res.* 35: 3077-3084.

## Environmental Hazard Literature Search Results

### Off Topic

- Lan, Y; Madden, ASE; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environmental Science-Processes & Impacts*. 18: 1266-1273.
- Lange, CA; Weissflog, L; Strasser, RJ; KrÄ¼ger, GHJ; Pfennigsdorff, A; Musil, CF; van Staden, J. (2004). Phytotoxic effects of trichloroacetic acid on Scots pine and birch determined by chl a fluorescence and the JIP-test. *South African Journal of Botany*. 70: 683-694.
- Lanthier, M; Villemur, R; Lepine, F; Bisailon, JG; Beudet, R. (2001). Geographic distribution of *Desulfitobacterium frappieri* PCP-1 and *Desulfitobacterium* spp. in soils from the province of Quebec, Canada. *FEMS Microbiol Ecol*. 36: 185-191.
- Larsen, M; Burken, J; Machackova, J; Karlson, UG; Trapp, S. (2008). Using tree core samples to monitor natural attenuation and plume distribution after a PCE spill. *Environmental Science & Technology*. 42: 1711-1717.
- Larsen, T; Kjeldsen, P; Christensen, TH. (1992). Sorption of hydrophobic hydrocarbons on three aquifer materials in a flow through system. *Chemosphere*. 24: 439-451.
- Lash, LH; Qian, W; Putt, DA; Desai, K; Elfarra, AA; Sicuri, AR; Parker, JC. (1998). Glutathione conjugation of perchloroethylene in rats and mice in vitro: Sex-, and tissue-dependent differences. *Toxicol Appl Pharmacol*. 150: 49-57.
- Lash, LH; Qian, W; Putt, DA; Desai, K; Elfarra, AA; Sicuri, AR; Parker, JC. (1998). Glutathione conjugation of perchloroethylene in rats and mice in vitro: Sex-, species-, and tissue-dependent differences. *Toxicol Appl Pharmacol*. 150: 49-57.
- Lash, LH; Qian, W; Putt, DA; Hueni, SE; Elfarra, AA; Sicuri, AR; Parker, JC. (2002). Renal toxicity of perchloroethylene and S-(1,2,2-trichlorovinyl)glutathione in rats and mice: Sex- and species-dependent differences. *Toxicol Appl Pharmacol*. 179: 163-171.
- Laternus, F; Haselmann, KF; Borch, T; Gron, C. (2002). Terrestrial natural sources of trichloromethane (chloroform, CHCl(3)) - An overview. *Biogeochemistry*. 60: 121-139.
- Lawrence, AR; Chilton, PJ; Barron, RJ; Thomas, WM. (1990). A method for determining volatile organic solvents in Chalk pore waters (southern and eastern England (UK) and its relevance to the evaluation of groundwater contamination. *J Contam Hydrol*. 6: 377-386.
- Lawrence, AR; John Chilton, P; Barron, RJ; Thomas, WM. (1990). A method for determining volatile organic solvents in chalk pore waters (Southern and Eastern England) and its relevance to the evaluation of groundwater contamination. *J Contam Hydrol*. 6: 377-386.
- Lawrence, AR; Stuart, ME; Barker, JA; Tester, DJ. Contamination of Chalk groundwater by chlorinated solvents: a case study of deep penetration by non-aqueous phase liquids. *Water and environmental management : journal of the Institution of Water and Environmental Management*. Aug 1996. v. 10 (4): 263-272.
- Lawson, RB; Adams, CD. (1999). Enhanced VOC absorption using the ozone/hydrogen peroxide advanced oxidation process. *Journal of the Air & Waste Management Association*. 49: 1315-1323.
- Le Roux, M; Nicole, D; Delpuech, J-J. (1982). Performance indices for coal liquefaction solvents. *Fuel*. 61: 755-760.
- Leahy, JG; Shreve, GS. (2000). The effect of organic carbon on the sequential reductive dehalogenation of tetrachloroethylene in landfill leachates. *Water Res*. 34: 2390-2396.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environmental Science & Technology*. 42: 4752-4757.
- Lee, CC; Doong, RA. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Science and Technology*. 62: 28-35.
- Lee, CC; Doong, RA. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environmental Science & Technology*. 45: 2301-2307.
- Lee, CC; Huffman, GL. (1996). Research on the thermal destruction of wastes. *J Hazard Mater*. 49: 299-310.
- Lee, CL; Lin, C; Jou, CJG. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air & Waste Management Association*. 62: 1443-1448.
- Lee, HK; Do, SH; Batchelor, B; Jo, YH; Kong, SH. (2009). PCE DNAPL degradation using ferrous iron solid mixture (ISM). *Chemosphere*. 76: 1082-1087.
- Lee, IS; Bae, JH; McCarty, PL. (2007). Comparison between acetate and hydrogen as electron donors and implications for the reductive dehalogenation of PCE and TCE. *J Contam Hydrol*. 94: 76-85.
- Lee, IS; Bae, JH; Yang, YR; McCarty, PL. (2004). Simulated and experimental evaluation of factors affecting the rate and extent of reductive dehalogenation of chloroethenes with glucose. *J Contam Hydrol*. 74: 313-331.
- Lee, J; Lee, TK. (2016). Development and Characterization of PCE-to-Ethene Dechlorinating Microcosms with Contaminated River Sediment. *J Microbiol Biotechnol*. 26: 120-129.
- Lee, J; Lee, TK; Löffler, FE; Park, J. (2011). Characterization of microbial community structure and population dynamics of tetrachloroethene-dechlorinating tidal mudflat communities. *Biodegradation*. 22: 687-698.
- Lee, KC; Rittmann, BE; Shi, J; McAvoy, D. (1998). Advanced steady-state model for the fate of hydrophobic and volatile compounds in activated sludge. *Water Environ Res*. 70: 1118-1131.
- Lee, KY. (2002). Transport of dissolved contaminants originating from a rectangular prism-shaped, multicomponent nonaqueous-phase liquid source in saturated porous media. *Environ Geol*. 43: 132-137.
- Lee, KY; Chrysikopoulos, CV. (2006). Dissolution of a multicomponent DNAPL pool in an experimental aquifer. *J Hazard Mater*. 128: 218-226.
- Lee, KY; Lee, JY. (2005). Photochemical destruction of tetrachloroethylene and trichloroethylene from the exhaust of an air stripper. *Journal of Environmental Engineering-Asce*. 131: 1441-1446.
- Lee, KY; Lee, JY; Khinast, J; Stencel, J; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *Journal of Environmental Engineering-Asce*. 130: 100-103.
- Lee, KY; Lee, JY; Mellett, JJ. (2004). Transport of dissolved methoxy-nonafluorobutane through a saturated column. *Environ Geol*. 46: 883-889.

## Environmental Hazard Literature Search Results

### Off Topic

- Lee, M. (1998). The remediation of tetrachloroethylene by surfactant flushing in both the saturated and the unsaturated zone. *Environ Technol.* 19: 1073-1083.
- Lee, M. (2000). A numerical study of surfactant flushing to remediate NAPL (Non-aqueous phase liquid). *Water Air and Soil Pollution.* 121: 289-307.
- Lee, M; Fountain, JC. (1999). The effectiveness of surfactants for remediation of organic pollutants in the unsaturated zone. *Journal of Soil Contamination.* 8: 39-62.
- Lee, M; Kang, H; Do, W. (2005). Application of nonionic surfactant-enhanced in situ flushing to a diesel contaminated site. *Water Res.* 39: 139-146.
- Lee, MD; Odom, JM; Buchanan, RJ. (1998). New perspectives on microbial dehalogenation of chlorinated solvents: Insights from the field. *Annual Review of Microbiology.* 52: 423-452.
- Lee, MD; Quinton, GE; Beeman, RE; Biehle, AA; Liddle, RL; Ellis, DE; Buchanan, RJ, Jr. (1997). Scale-up issues for in situ anaerobic tetrachloroethene bioremediation. *Journal of industrial microbiology & biotechnology.* 18: 106-115.
- Lee, MD; Sehayek, L; Sleep, BE; Vandell, TD. (1999). Investigation and remediation of a 1,2-dichloroethane spill part II: Documentation of natural attenuation. *Ground Water Monitoring and Remediation.* 19: 82-88.
- Lee, MD; Swindoll, CM. (1993). Bioventing for in situ remediation. *Hydrol Sci J.* 38: 273-282.
- Lee, PKH; Cheng, D; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, JZ; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *Isme Journal.* 5: 1014-1024.
- Lee, PKH; Cheng, D; West, KA; Alvarez-Cohen, L; He, JZ. (2013). Isolation of two new Dehalococcoides mccartyi strains with dissimilar dechlorination functions and their characterization by comparative genomics via microarray analysis. *Environ Microbiol.* 15: 2293-2305.
- Lee, PKH; Conrad, ME; Alvarez-Cohen, L. (2007). Stable carbon isotope fractionation of chloroethenes by dehalorespiring isolates. *Environmental Science & Technology.* 41: 4277-4285.
- Lee, PKH; Dill, BD; Louie, TS; Shah, M; VerBerkmoes, NC; Andersen, GL; Zinder, SH; Alvarez-Cohen, L. (2012). Global Transcriptomic and Proteomic Responses of Dehalococcoides ethenogenes Strain 195 to Fixed Nitrogen Limitation. *Appl Environ Microbiol.* 78: 1424-1436.
- Lee, PKH; He, JZ; Zinder, SH; Alvarez-Cohen, L. (2009). Evidence for Nitrogen Fixation by "Dehalococcoides ethenogenes" Strain 195. *Appl Environ Microbiol.* 75: 7551-7555.
- Lee, PKH; Johnson, DR; Holmes, VF; He, JZ; Alvarez-Cohen, L. (2006). Reductive dehalogenase gene expression as a biomarker for physiological activity of Dehalococcoides spp. *Appl Environ Microbiol.* 72: 6161-6168.
- Lee, PKH; Macbeth, TW; Sorenson, KS; Deeb, RA; Alvarez-Cohen, L. (2008). Quantifying genes and transcripts to assess the in situ physiology of "Dehalococcoides" spp. in a trichloroethene-contaminated groundwater site. *Appl Environ Microbiol.* 74: 2728-2739.
- Lee, SS; Kaown, D; Lee, KK. (2015). Evaluation of the fate and transport of chlorinated ethenes in a complex groundwater system discharging to a stream in Wonju, Korea. *J Contam Hydrol.* 182: 231-243.
- Lee, T; Tokunaga, T; Suyama, A; Furukawa, K. (2001). Efficient dechlorination of tetrachloroethylene in soil slurry by combined use of an anaerobic Desulfitobacterium sp strain Y-51 and zero-valent iron. *J Biosci Bioeng.* 92: 453-458.
- Lee, TH; Ike, M; Fujita, M. (2002). A reactor system combining reductive dechlorination with cometabolic oxidation for complete degradation of tetrachloroethylene. *J Environ Sci.* 14: 445-450.
- Lee, TH; Yoshimi, M; Ike, M; Fujita, M. (1997). Characterization of an anaerobic soil enrichment capable of dechlorinating high concentrations of tetrachloroethylene. *Water Science and Technology.* 36: 117-124.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environmental Science & Technology.* 36: 5147-5154.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environmental Science & Technology.* 36: 5348-5354.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713.
- Lee, WJ; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environmental Science & Technology.* 37: 535-541.
- Lee, WJ; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009.
- Lee, Y-C; Kwon, T-S; Yang, J-S; Yang, J-W. (2007). Remediation of groundwater contaminated with DNAPLs by biodegradable oil emulsion. *J Hazard Mater.* 140: 340-345.
- Leggett, DC; Parker, LV. (1994). Modeling the equilibrium partitioning of organic contaminants between PTFE, PVC, and groundwater. *Environmental Science & Technology.* 28: 1229-1233.
- Leibman, KC; Ortiz, E. (1977). Metabolism of halogenated ethylenes. *Environ Health Perspect.* 21: 91-97.
- Lemasters, GK; Zenick, H; Hertzberg, V; Hansen, K; Clark, S. (1990). Fertility of workers chronically exposed to chemically contaminated sewer wastes. *Reprod Toxicol.* 5: 31-38.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag.* 18: 361-370.
- Lemke, LD; Abriola, LM. (2003). Predicting DNAPL entrapment and recovery: the influence of hydraulic property correlation. *Stoch Environ Res Risk Assess.* 17: 408-418.
- Lemke, LD; Abriola, LM; Goovaerts, P. (2004). Dense nonaqueous phase liquid (DNAPL) source zone characterization: Influence of hydraulic property correlation on predictions of DNAPL infiltration and entrapment. *Water Resour Res.* 40: 1511-1511.

## Environmental Hazard Literature Search Results

### Off Topic

- Lemke, LD; Abriola, LM; Lang, J. (2004). Influence of hydraulic property correlation on predicted dense nonaqueous phase liquid source zone architecture, mass recovery and contaminant flux. *Water Resour Res.* 40: 12417-12417.
- Lemke, MJ; Brown, BJ; Leff, LG. (1997). The response of three bacterial populations to pollution in a stream. *Microb Ecol.* 34: 224-231.
- Lenczewski, M; Jardine, P; McKay, L; Layton, A. (2003). Natural attenuation of trichloroethylene in fractured shale bedrock. *J Contam Hydrol.* 64: 151-168.
- Lenczewski, ME; McKay, LD; Layton, A. (2004). Anaerobic biodegradation of TCE in laboratory columns of fractured saprolite. *Ground Water.* 42: 534-541.
- Lendvay, JM; Löffler, FE; Dollhopf, M; Aiello, MR; Daniels, G; Fathepure, BZ; Gebhard, M; Heine, R; Helton, R; Shi, J; Krajmalnik-Brown, R; Major, CL; Barcelona, MJ; Petrovskis, E; Hickey, R; Tiedje, JM; Adriaens, P. (2003). Bioreactive barriers: A comparison of bioaugmentation and biostimulation for chlorinated solvent remediation. *Environmental Science & Technology.* 37: 1422-1431.
- Lerner, JEC; Kohajda, T; Aguilar, ME; Massolo, LA; Sanchez, EY; Porta, AA; Opitz, P; Wichmann, G; Herbarth, O; Mueller, A. (2014). Improvement of health risk factors after reduction of VOC concentrations in industrial and urban areas. *Environ Sci Pollut Res Int.* 21: 9676-9688.
- Lesage, S; Brown, S. (1997). Biochemical degradation of tetrachloroethylene using generator columns containing residual DNAPL. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control.* 32: 241-257.
- Lesage, S; Brown, S; Millar, K. Vitamin B12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground water monitoring & remediation.* Fall 1996. v. 16 (4): 76-85.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation.* 23: 102-110.
- Lesage, S; McBride, RA; Cureton, PM; Brown, S. (1993). Fate of organic solvents in landfill leachates under simulated field conditions and in anaerobic microcosms. *Waste Manage Res.* 11: 215-226.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications. *J Toxicol Environ Health.* 32: 247-268.
- Levine, B; Fierro, MF; Goza, SW; Valentour, JC. (1981). A tetrachloroethylene fatality. *J Forensic Sci.* 26: 206-209.
- Li, G; Feng, YQ; Li, XG; Gao, P; Wang, J; Xie, JY. (2007). Preparation and characterization of polyurea microcapsules containing colored electrophoretic responsive fluid. *Journal of Materials Science.* 42: 4838-4844.
- Li, H; Shen, TT; Wang, XL; Lin, KF; Liu, YD; Lu, SG; Gu, JD; Wang, P; Lu, Q; Du, XM. (2013). Biodegradation of perchloroethylene and chlorophenol co-contamination and toxic effect on activated sludge performance. *Bioresour Technol.* 137: 286-293.
- Li, H; Sheng, GY; Chiou, CT; Xu, OY. (2005). Relation of organic contaminant equilibrium sorption and kinetic uptake in plants. *Environmental Science & Technology.* 39: 4864-4870.
- Li, J; Werth, CJ. (2001). Evaluating competitive sorption mechanisms of volatile organic compounds in soils and sediments using polymers and zeolites. *Environmental Science & Technology.* 35: 568-574.
- Li, J; Werth, CJ. (2002). Modeling sorption isotherms of volatile organic chemical mixtures in model and natural solids. *Environ Toxicol Chem.* 21: 1377-1383.
- Li, J; Werth, CJ. (2004). Slow desorption mechanisms of volatile organic chemical mixtures in soil and sediment micropores. *Environmental Science & Technology.* 38: 440-448.
- Li, MT; Hao, LL; Sheng, L; Xu, JB. (2008). Identification and degradation characterization of hexachlorobutadiene degrading strain *Serratia marcescens* HL1. *Bioresour Technol.* 99: 6878-6884.
- Li, S; Wackett, LP. (1993). Reductive dehalogenation by cytochrome P450CAM: Substrate binding and catalysis. *Biochemistry.* 32: 9355-9361.
- Li, YS; Abriola, LM; Phelan, TJ; Ramsburg, CA; Pennell, KD. (2007). Experimental and numerical validation of the total trapping number for prediction of DNAPL mobilization. *Environmental Science & Technology.* 41: 8135-8141.
- Li, Z; Jones, HK; Bowman, RS; Helderich, R. (1999). Enhanced reduction of chromate and PCE by pelletized surfactant-modified zeolite-zerovalent iron. *Environmental Science & Technology.* 33: 4326-4330.
- Li, Z; Willms, C; Alley, J; Zhang, P; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant - A column study. *Water Res.* 40: 3811-3819.
- Li, ZH. (2004). Surfactant-enhanced oxidation of trichloroethylene by permanganate - proof concept. *Chemosphere.* 54: 419-423.
- Li, ZH; Bowman, RS. (1998). Sorption of chromate and PCE by surfactant-modified clay minerals. *Environ Eng Sci.* 15: 237-245.
- Li, ZH; Bowman, RS. (1998). Sorption of perchloroethylene by surfactant-modified zeolite as controlled by surfactant loading. *Environmental Science & Technology.* 32: 2278-2282.
- Li, ZH; Bowman, RS. (2001). Regeneration of surfactant-modified zeolite after saturation with chromate and perchloroethylene. *Water Res.* 35: 322-326.
- Li, ZH; Hong, HL. (2008). Combination of surfactant solubilization with permanganate oxidation for DNAPL remediation. *Water Res.* 42: 605-614.
- Li, ZH; Jones, HR; Bowman, RS; Helderich, R. (1999). Enhanced reduction of chromate and PCE by palletized surfactant-modified zeolite/zerovalent iron. *Environmental Science & Technology.* 33: 4326-4330.
- Li, ZH; Willms, C; Alley, J; Zhang, PF; Bowman, RS. (2006). A shift in pathway of iron-mediated perchloroethylene reduction in the presence of sorbed surfactant - A column study. *Water Res.* 40: 3811-3819.
- Li, ZL; Yoshida, N; Wang, AJ; Nan, J; Liang, B; Zhang, CF; Zhang, DD; Suzuki, D; Zhou, X; Xiao, ZX; Katayama, A. (2015). Anaerobic mineralization of 2,4,6-tribromophenol to CO<sub>2</sub> by a synthetic microbial community comprising *Clostridium*, *Dehalobacter*, and *Desulfatiglan*s. *Bioresour Technol.* 176: 225-232.
- Liang, CJ; Hsieh, CL. (2015). Evaluation of surfactant flushing for remediating EDC-tar contamination. *J Contam Hydrol.* 177: 158-166.

## Environmental Hazard Literature Search Results

### Off Topic

- Liang, CJ; Lee, IL. (2008). In situ iron activated persulfate oxidative fluid sparging treatment of TCE contamination - A proof of concept study. *J Contam Hydrol.* 100: 91-100.
- Liang, HL; Falta, RW. (2008). Modeling field-scale cosolvent flooding for DNAPL source zone remediation. *J Contam Hydrol.* 96: 1-16.
- Liang, LN; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Liang, S; Mann, MA; Guter, GA; Kim, PHS; Hardan, DL. (1999). Nitrate removal from contaminated groundwater: An innovative approach to design of an ion exchange plant used data from bench-scale tests and computer models. *American Water Works Association Journal.* 91: 90-91.
- Liang, X; Dong, Y; Kuder, T; Krumholz, LR; Philp, RP; Butler, EC. (2007). Distinguishing abiotic and biotic transformation of tetrachloroethylene and trichloroethylene by stable carbon isotope fractionation. *Environmental Science & Technology.* 41: 7094-7100.
- Liang, XM; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res.* 44: 2125-2132.
- Liang, XM; Molenda, O; Tang, SQ; Edwards, EA. (2015). Identity and Substrate Specificity of Reductive Dehalogenases Expressed in Dehalococoides-Containing Enrichment Cultures Maintained on Different Chlorinated Ethenes. *Appl Environ Microbiol.* 81: 4626-4633.
- Liang, XM; Mundle, SOC; Nelson, JL; Passeport, E; Chan, CCH; Lacrampe-Couloume, G; Zinder, SH; Lollar, BS. (2014). Distinct Carbon Isotope Fractionation during Anaerobic Degradation of Dichlorobenzene Isomers. *Environmental Science & Technology.* 48: 4844-4851.
- Liang, XM; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69.
- Liao, Y; Ma, T; Cui, YH; Qi, ZC. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957.
- Liekhus, KJ; Connolly, MJ. (1999). Estimation of volatile organic compounds (VOC) concentration within inner void volume of vented waste drums. *Waste Manag.* 19: 199-206.
- Ligocki, MP; Leuenberger, C; Pankow, JF. (1985). Trace organic compounds in rain - Gas scavenging of neutral organic compounds. *Atmos Environ* (1967). 19: 1609-1617.
- Liikala, TL; Olsen, KB; Teel, SS; Lanigan, DC. (1996). Volatile organic compounds: Comparison of two sample collection and preservation methods. *Environmental Science & Technology.* 30: 3441-3447.
- Lim, DH; Lastoskie, CM. (2009). Density Functional Theory Studies on the Relative Reactivity of Chloroethenes on Zerovalent Iron. *Environmental Science & Technology.* 43: 5443-5448.
- Lim, DH; Lastoskie, CM; Soon, A; Becker, U. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environmental Science & Technology.* 43: 1192-1198.
- Lim, M; Son, Y; Yang, J; Khim, J. (2008). Addition of Chlorinated Compounds in the Sonochemical Degradation of 2-Chlorophenol. *Japanese Journal of Applied Physics.* 47: 4123-4126.
- Lim, TT; Feng, J; Zhu, BW. (2007). Kinetic and mechanistic examinations of reductive transformation pathways of brominated methanes with nano-scale Fe and Ni/Fe particles. *Water Res.* 41: 875-883.
- Lima, G; Parker, B; Meyer, J. (2012). Dechlorinating Microorganisms in a Sedimentary Rock Matrix Contaminated with a Mixture of VOCs. *Environmental Science & Technology.* 46: 5756-5763.
- Limmer, MA; Burken, JG. (2015). Phytoscreening with SPME: Variability Analysis. *Int J Phytoremediation.* 17: 1115-1122.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environmental Science & Technology.* 48: 10634-10640.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere.* 59: 1299-1307.
- Lin, SH; Braddock-Wilking, J; Feldman, BJ. (2000). Chlorine and nitrogen doped carbon grown from a tetrachloroethylene and nitrogen feedstock. *Solid State Communications.* 114: 193-196.
- Lin, WD; Li, ZJ. (2010). Detection and Quantification of Trace Organic Contaminants in Water Using the FT-IR-Attenuated Total Reflectance Technique. *Anal Chem.* 82: 505-515.
- Line, DE; Arnold, JA; Jennings, GD; Wu, J. Water quality of stormwater runoff from ten industrial sites. *Water Resour Bull.* Aug 1996. v. 32 (4): 807-816.
- Line, DE; Wu, J; Arnold, JA; Jennings, GD; Rubin, AR. (1997). Water quality of first flush runoff from 20 industrial sites. *Water Environ Res.* 69: 305-310.
- Linek, V; Sinkule, J; Janda, V. (1998). Design of packed aeration towers to strip volatile organic contaminants from water. *Water Res.* 32: 1264-1270.
- Ling, M; Rifai, HS. (2007). Modeling natural attenuation with source control at a chlorinated solvents dry cleaner site. *Ground Water Monitoring and Remediation.* 27: 108-121.
- Ling, S; Lindsay, WA. (1971). Perchloroethylene burns. *Br Med J.* 3: 115.
- Liska, I; Barcelo, D; Grasserbauer, M. (1996). Strategy for the screening of organic pollutants in a river basin: An overview of the Nitra river monitoring programme. *Trends Analyt Chem.* 15: 326-334.
- Liu, B; Jia, CR. (2015). Effects of exposure to mixed volatile organic compounds on the neurobehavioral test performance in a cross-sectional study of US adults. *Int J Environ Health Res.* 25: 349-363.

## Environmental Hazard Literature Search Results

### Off Topic

- Liu, C; Ball, WP. Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: predictions and measurements. [Erratum: May/June 2002, v. 40 (3), p. 220.]. *Ground Water*. Mar/Apr 2002. v. 40 (2): 175-184.
- Liu, CX; Ball, WP. (1999). Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. *Water Resour Res*. 35: 1975-1985.
- Liu, CX; Ball, WP. (2002). Back diffusion of chlorinated solvent contaminants from a natural aquitard to a remediated aquifer under well-controlled field conditions: Predictions and measurements. *Ground Water*. 40: 175-184.
- Liu, CY; Cade-Menun, BJ; Xu, XH; Fan, JL. (2016). Electron Donor Substances and Iron Oxides Stimulate Anaerobic Dechlorination of DDT in a Slurry System with Hydragric Acrisols. *J Environ Qual*. 45: 331-340.
- Liu, F; Cichocka, D; Nijenhuis, I; Richnow, HH; Fennell, DE. (2010). Carbon isotope fractionation during dechlorination of 1,2,3,4-tetrachlorodibenzo-p-dioxin by a Dehalococcoides-containing culture. *Chemosphere*. 80: 1113-1119.
- Liu, F; Fennell, DE. (2008). Dechlorination and detoxification of 1,2,3,4,7,8-hexachlorodibenzofuran by a mixed culture containing Dehalococcoides ethenogenes strain 195. *Environmental Science & Technology*. 42: 602-607.
- Liu, J; Drane, W; Liu, XF; Wu, TJ. (2009). Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: Application of canonical correlation analysis. *Environ Res*. 109: 193-199.
- Liu, LL; Wang, ZP; Yao, J; Sun, XJ; Cai, WM. (2005). Investigation on the properties and kinetics of glucose-fed aerobic granular sludge. *Enzyme Microb Technol*. 36: 307-313.
- Liu, S; Wang, B; He, J; Tang, X; Luo, W; Wang, C. (2012). Source Fingerprints of Volatile Organic Compounds Emitted from A Municipal Solid Waste Incineration Power Plant in Guangzhou, China. *Procedia Environ Sci*. 12, Part A: 106-115.
- Liu, S; Wang, H. (2014). Health Risk Assessment of Organic Pollution in a Groundwater Source. *Huanjing Kexue yu Jishu / Environmental Science & Technology*. 37: 174-177, 194.
- Liu, Y; Illangasekare, TH; Kitanidis, PK. (2014). Long-term mass transfer and mixing-controlled reactions of a DNAPL plume from persistent residuals. *J Contam Hydrol*. 157: 11-24.
- Liu, YD; Zhou, AG; Gan, YQ; Li, XQ. (2016). Variability in carbon isotope fractionation of trichloroethene during degradation by persulfate activated with zero-valent iron: Effects of inorganic anions. *Sci Total Environ*. 548: 1-5.
- Liu, YF; Xiao, BL; Liu, YQ; Li, SQ; Zhan, CL. (1988). The use of isolated rat hepatocyte in prescreening of hepatotoxicants: Observation on toxic effects of 14 compounds. *Biomed Environ Sci*. 1: 308-315.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environmental Science & Technology*. 35: 4320-4326.
- Loffler, FE; Champine, JE; Ritalahti, KM; Sprague, SJ; Tiedje, JM. (1997). Complete reductive dechlorination of 1,2-dichloropropane by anaerobic bacteria. *Appl Environ Microbiol*. 63: 2870-2875.
- Loffler, FE; Ritalahti, KM; Tiedje, JM. (1997). Dechlorination of chloroethenes is inhibited by 2-bromoethanesulfonate in the absence of methanogens. *Appl Environ Microbiol*. 63: 4982-4985.
- Loffler, FE; Sanford, RA; Tiedje, JM. (1996). Initial characterization of a reductive dehalogenase from *Desulfitobacterium chlororespirans* Co23. *Appl Environ Microbiol*. 62: 3809-3813.
- Loffler, FE; Sun, Q; Li, J; Tiedje, JM. (2000). 16S rRNA gene-based detection of tetrachloroethene-dechlorinating *Desulfuromonas* and *Dehalococcoides* species. *Appl Environ Microbiol*. 66: 1369-1374.
- Loffler, FE; Tiedje, JM; Sanford, RA. (1999). Fraction of electrons consumed in electron acceptor reduction and hydrogen thresholds as indicators of halo-respiratory physiology. *Appl Environ Microbiol*. 65: 4049-4056.
- Loffler, FE; Yan, J; Ritalahti, KM; Adrian, L; Edwards, EA; Konstantinidis, KT; Muller, JA; Fullerton, H; Zinder, SH; Spormann, AM. (2013). *Dehalococcoides mccartyi* gen. nov., sp nov., obligately organohalide-respiring anaerobic bacteria relevant to halogen cycling and bioremediation, belong to a novel bacterial class, *Dehalococcoidia classis* nov., order *Dehalococcoidales* ord. nov and family *Dehalococcoidaceae* fam. nov., within the phylum *Chloroflexi*. *Int J Syst Evol Microbiol*. 63: 625-635.
- Lohman, JH. (2002). A history of dry cleaners and sources of solvent releases from dry cleaning equipment. *Environ Forensics*. 3: 35-58.
- Lohner, ST; Becker, D; Mangold, KM; Tiehm, A. (2011). Sequential Reductive and Oxidative Biodegradation of Chloroethenes Stimulated in a Coupled Bioelectro-Process. *Environmental Science & Technology*. 45: 6491-6497.
- Lohner, ST; Spormann, AM. (2013). Identification of a reductive tetrachloroethene dehalogenase in *Shewanella sediminis*. *Philosophical Transactions of the Royal Society B-Biological Sciences*. 368: NIL\_119-NIL\_128.
- Lohner, ST; Tiehm, A. (2009). Application of Electrolysis to Stimulate Microbial Reductive PCE Dechlorination and Oxidative VC Biodegradation. *Environmental Science & Technology*. 43: 7098-7104.
- Lojkasek-Lima, P; Aravena, R; Parker, BL; Cherry, JA. (2012). Fingerprinting TCE in a Bedrock Aquifer Using Compound-Specific Isotope Analysis. *Ground Water*. 50: 754-764.
- Lojkasek-Lima, P; Aravena, R; Shouakar-Stash, O; Frappe, SK; Marchesi, M; Fiorenza, S; Vogan, J. (2012). Evaluating TCE Abiotic and Biotic Degradation Pathways in a Permeable Reactive Barrier Using Compound Specific Isotope Analysis. *Ground Water Monitoring and Remediation*. 32: 53-62.
- Lollar, BS; Slater, GF; Sleep, B; Witt, M; Klecka, GM; Harkness, M; Spivack, J. (2001). Stable carbon isotope evidence for intrinsic bioremediation of tetrachloroethene and trichloroethene at area 6, Dover Air Force Base. *Environmental Science & Technology*. 35: 261-269.
- Long, CM; Borden, RC. (2006). Enhanced reductive dechlorination in columns treated with edible oil emulsion. *J Contam Hydrol*. 87, issue 1-2: 54-72.



## Environmental Hazard Literature Search Results

### Off Topic

- Longino, BL; Kueper, BH. (1999). Effects of capillary pressure and use of polymer solutions on dense, non-aqueous-phase liquid retention and mobilization in a rough-walled fracture. *Environmental Science & Technology*. 33: 2447-2455.
- Longino, BL; Kueper, BH. (1999). Nonwetting phase retention and mobilization in rock fractures. *Water Resour Res*. 35: 2085-2093.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol*. 74: 133-144.
- Lookman, R; Borremans, B; De Ceuster, T; Gemoets, J; Diels, L. (2005). Effects of carbon source amendment on the anaerobic degradation of 1,1,1-trichloroethane (TCA) in a contaminated aquifer. *Water Air and Soil Pollution*. 166: 197-216.
- Lookman, R; Paulus, D; Marnette, E; Pijls, C; Ryngaert, A; Diels, L; Volkering, F. (2007). Ground water transfer initiates complete reductive dechlorination in a PCE-contaminated aquifer. *Ground Water Monitoring and Remediation*. 27: 65-74.
- Loomer, DB; Al, TA; Banks, VJ; Parker, BL; Mayer, KU. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO<sub>4</sub>: a laboratory column experiment. *Jour contaminataminant hydrology*. 119: 13-24.
- Loop, CM; White, WB. (2001). A conceptual model for DNAPL transport in karst ground water basins. *Ground Water*. 39: 119-127.
- Lopes, FVS; Monteiro, RAR; Silva, AnMT; Silva, GV; Faria, JL; Mendes, AIM; Vilar, VtJP; Boaventura, RAR. (2012). Insights into UV-TiO<sub>2</sub> photocatalytic degradation of PCE for air decontamination systems. *Chem Eng J*. 204-206: 244-257.
- Lopes, TJ; Bender, DA. (1998). Nonpoint sources of volatile organic compounds in urban areas: Relative importance of land surfaces and air. *Environ Pollut*. 101: 221-230.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Gutierrez-Ortiz, MA; Gonzalez, V, Jr. (2003). Catalytic combustion of chlorinated ethylenes over H-zeolites. *J Chem Tech Biotechnol*. 78: 15-22.
- Lorah, MM; Olsen, LD. (1999). Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. *Environmental Science & Technology*. 33: 227-234.
- Lorah, MM; Olsen, LD. (1999). Natural attenuation of chlorinated volatile organic compounds in a freshwater tidal wetland: Field evidence of anaerobic biodegradation. *Water Resour Res*. 35: 3811-3827.
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloro ethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol*. 70: 117-145.
- Lorraine, GA. (2001). Effects of alcohols, anionic and nonionic surfactants on the reduction of PCE and TCE by zero-valent iron. *Water Res*. 35: 1453-1460.
- Lord, DL; Demond, AH; Hayes, KF. (2005). Comparison of capillary pressure relationships of organic liquid-water systems containing an organic acid or base. *J Contam Hydrol*. 77: 195-208.
- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste & Hazardous Materials*. 13: 399-407.
- Louarn, E; Aulenta, F; Levantesi, C; Majone, M; Tandoi, V. (2006). Modeling substrate interactions during aerobic biodegradation of mixtures of vinyl chloride and ethene. *Journal of Environmental Engineering-Asce*. 132: 940-948.
- Louw, R; Mulder, P. (1990). Gas-phase and activated carbon mediated thermal hydrogenolysis of halogenated organics. *J Environ Sci Health Part A Environ Sci Eng*. 25: 555-570.
- Lovell, D. (2010). Is tetrachloroethylene genotoxic or not? *Mutagenesis*. 25: 443-446.
- Low, A; Schleheck, D; Khou, M; Aagaard, V; Lee, M; Manefield, M. (2007). Options for In Situ Remediation of Soil Contaminated with a Mixture of Perchlorinated Compounds. *Bioremediat J*. 11: 113-124.
- Lowe, M; Madsen, EL; Schindler, K; Smith, C; Emrich, S; Robb, F; Halden, RU. (2002). Geochemistry and microbial diversity of a trichloroethene-contaminated Superfund site undergoing intrinsic in situ reductive dechlorination. *FEMS Microbiol Ecol*. 40: 123-134.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1-to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environmental Science & Technology*. 33: 1905-1910.
- Lu, C; Bjerg, PL; Zhang, FJ; Broholm, MM. (2011). Sorption of chlorinated solvents and degradation products on natural clayey tills. *Chemosphere*. 83: 1467-1474.
- Lu, R; Mizaikoff, B; Li, WW; Qian, C; Katzir, A; Raichlin, Y; Sheng, GP; Yu, HQ. (2013). Determination of chlorinated hydrocarbons in water using highly sensitive mid-infrared sensor technology. *Sci Rep*. 3: 2525.
- Lu, X; Tao, S; Cao, J; Dawson, RW. (1999). Prediction of fish bioconcentration factors of nonpolar organic pollutants based on molecular connectivity indices. *Chemosphere*. 39: 987-999.
- Lu, XX; Li, GH; Tao, S; Bosma, T; Gerritse, J. (2002). Volatile fatty acids as electron donors for the reductive dechlorination of chloroethenes. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 37: 439-449.
- Lu, XX; Tao, S; Bosma, T; Gerritse, J. (2001). Characteristic hydrogen concentrations for various redox processes in batch study. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 36: 1725-1734.
- Lucia, A; Finger, EJ. (2004). Co-solvent selection and recovery. *Adv Environ Res*. 8: 197-211.
- Luijten, M; de Weert, J; Smidt, H; Boschker, HTS; de Vos, WM; Schraa, G; Stams, AJM. (2003). Description of *Sulfurospirillum halorespirans* sp. nov., an anaerobic, tetrachloroethene-respiring bacterium, and transfer of *Dehalospirillum multivorans* to the genus *Sulfurospirillum* as *Sulfurospirillum multivorans* comb. nov. *Int J Syst Evol Microbiol*. 53: 787-793.
- Luijten, M; Roelofsen, W; Langenhoff, AAM; Schraa, G; Stams, AJM. (2004). Hydrogen threshold concentrations in pure cultures of halo-respiring bacteria and at a site polluted with chlorinated ethenes. *Environ Microbiol*. 6: 646-650.
- Luijten, M; Weelink, SAB; Godschalk, B; Langenhoff, AAM; van Eekert, MHA; Schraa, G; Stams, AJM. (2004). Anaerobic reduction and oxidation of quinone moieties and the reduction of oxidized metals by halo-respiring and related organisms. *FEMS Microbiol Ecol*. 49: 145-150.

## Environmental Hazard Literature Search Results

### Off Topic

- Lundberg, I; Ekdahl, M; Kronevi, T; Lidums, V; Lundberg, S. (1986). Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure in rats. *Environ Res.* 40: 411-420.
- Lundberg, I; Håggberg, J; Kronevi, T; Holmberg, B. (1987). Three industrial solvents investigated for tumor promoting activity in the rat liver. *Cancer Lett.* 36: 29-33.
- Lunn, SRD; Kueper, BH. (1999). Manipulation of density and viscosity for the optimization of DNAPL recovery by alcohol flooding. *J Contam Hydrol.* 38: 427-445.
- Lunn, SRD; Kueper, BH. (1999). Risk reduction during chemical flooding: Preconditioning DNAPL density in situ prior to recovery by miscible displacement. *Environmental Science & Technology.* 33: 1703-1708.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech.* 10: 77.
- Luque-Romero, FL; Pueyo, C; Rosenkranz, HS; Klopman, G. (1991). The structural basis of the mutagenicity of chemicals in Salmonella typhimurium: The National Toxicology Program data base. *Mutagenesis.* 6: 199-205.
- Lutes, CC; Liles, DS; Suthersan, SS; Lenzo, F; Hansen, M; Payne, FC; Burdick, JV; Vance, D. (2003). Comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environmental Science & Technology.* 37: 2618-2619.
- Lutz, WK; Schlatter, J. (1992). Chemical carcinogens and overnutrition in diet-related cancer. *Carcinogenesis.* 13: 2211-2216.
- Lyew, D; Tartakovsky, B; Manuel, MF; Guiot, S. (2002). A microcosm test for potential mineralization of chlorinated compounds under coupled aerobic/anaerobic conditions. *Chemosphere.* 47: 695-699.
- Lyon, WG; West, CC; Osborn, ML; Sewell, GW. (1995). Microbial utilization of vadose zone organic carbon for reductive dechlorination of tetrachloroethene. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control.* 30: 1627-1639.
- Lysychnenko, G; Weber, R; Kovach, V; Gertsyuk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)-a review of the risks and the remediation options. *Environ Sci Pollut Res Int.* 22: 14391-14404.
- Lysychnenko, G; Weber, R; Kovach, V; Gertsyuk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)â€”a review of the risks and the remediation options. *Environmental science and pollution research international.* 22: 14391-14404.
- Ma, CW; Wu, YQ. (2008). Dechlorination of perchloroethylene using zero-valent metal and microbial community. *Environ Geol.* 55: 47-54.
- Ma, CW; Wu, YQ; Sun, CX; Lee, L. (2007). Adsorption characteristics of perchloroethylene in natural sandy materials with low organic carbon content. *Environ Geol.* 52: 1511-1519.
- Ma, T-H; Sandhu, SS; Peng, Y; Chen, TD; Kim, T-w. (1992). Synergistic and antagonistic effects on genotoxicity of chemicals commonly found in hazardous waste sites. *Mutat Res.* 270: 71-77.
- Ma, X; Novak, PJ; Clapp, LW; Semmens, MJ; Hozalski, RM. (2003). Evaluation of polyethylene hollow-fiber membranes for hydrogen delivery to support reductive dechlorination in a soil column. *Water Res.* 37: 2905-2918.
- Ma, X; Novak, PJ; Semmens, MJ; Clapp, LW; Hozalski, RM. (2006). Comparison of pulsed and continuous addition of H(2) gas via membranes for stimulating PCE biodegradation in soil columns. *Water Res.* 40: 1155-1166.
- M&eacute; s; Lemming, G; Friis-Hansen, P; Bjerg, PL. (1989). Risk-based economic decision analysis of remediation options at a PCE-contaminated site. *Journal of hygiene, epidemiology, microbiology, and immunology.* 389; 33: 514-520.
- M&Auml;ller, M; Birner, G; Henschler, D; Dekant, W. (1994). Structures of DNA adducts formed by halothioketenes and haloketenes: possible adducts formed from trichloro- and perchloroethene via glutathione conjugation. *SO IARC Sci Publ.*
- Mackay, DM; Ball, WP; Durant, MG. (1986). Variability of aquifer sorption properties in a field experiment on groundwater transport of organic solutes: Methods and preliminary results. *J Contam Hydrol.* 1: 119-132.
- Mackay, DM; Wilson, RD; Brown, MJ; Ball, WP; Xia, G; Durfee, DP. (2000). A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. *J Contam Hydrol.* 41: 81-131.
- Mackenzie, K; Bleyl, S; Kopinke, FD; Doose, H; Bruns, J. (2016). Carbo-Iron as improvement of the nanoiron technology: From laboratory design to the field test. *Sci Total Environ.* 563: 641-648.
- Mackiewicz, N; Wiegel, J. (1998). Comparison of energy and growth yields for *Desulfitobacterium dehalogenans* during utilization of chlorophenol and various traditional electron acceptors. *Appl Environ Microbiol.* 64: 352-355.
- MacKinnon, LK; Thomson, NR. (2002). Laboratory-scale in situ chemical oxidation of a perchloroethylene pool using permanganate. *J Contam Hydrol.* 56: 49-74.
- Maddalena, RL; McKone, TE; Layton, DW; Hsieh, DP. (1995). Comparison of multi-media transport and transformation models: regional fugacity model vs. CalTOX. *Chemosphere.* 30: 869-889.
- Madhusudan, S; Hiroko, N; Kazuo, N. (1990). Chronic inhalation effects of tetrachloroethylene on hepatic and renal microsomal electron transport components and  $\gamma$ -aminolevulinic acid dehydratase in rats. *Toxicol Lett.* 54: 207-213.
- Magara, Y; Aizawa, T; Kunikane, S; Itoh, M; Kohki, M; Kawasaki, M; Takeuti, H. (1996). The behavior of inorganic constituents and disinfection by products in reverse osmosis water desalination process. *Water Science And Technology.* 34: 141-148.
- Magara, Y; Furuichi, T. (1986). Environmental pollution by trichloroethylene and tetrachloroethylene: a nationwide survey. *Developments in toxicology and environmental science.* 12: 231-243.
- Magarian, RA; Melton, S; Natarelli, G. (1972). 2-Chloro-1-phenylindene from 1,1-Dichloro-trans-2,3-diphenylcyclopropane. *J Pharm Sci.* 61: 1216-1219.

## Environmental Hazard Literature Search Results

### Off Topic

- Magnuson, JK; Romine, MF; Burris, DR; Kingsley, MT. (2000). Trichloroethene reductive dehalogenase from *Dehalococcoides ethenogenes*: Sequence of *tceA* and substrate range characterization. *Appl Environ Microbiol.* 66: 5141-5147.
- Magnuson, JK; Stern, RV; Gossett, JM; Zinder, SH; Burris, DR. (1998). Reductive dechlorination of tetrachloroethene to ethene by two-component enzyme pathway. *Appl Environ Microbiol.* 64: 1270-1275.
- Mahler, B; Massei, N. (2007). Anthropogenic contaminants as tracers in an urbanizing karst aquifer. *J Contam Hydrol.* 91: 81-106.
- Maillard, J; Charnay, MP; Regeard, C; Rohrbach-Brandt, E; Rouzeau-Szynalski, K; Rossi, P; Holliger, C. (2011). Reductive dechlorination of tetrachloroethene by a stepwise catalysis of different organohalide respiring bacteria and reductive dehalogenases. *Biodegradation.* 22: 949-960.
- Maillard, J; Genevoux, P; Holliger, C. (2011). Redundancy and specificity of multiple trigger factor chaperones in *Desulfitobacteria*. *Microbiology-Sgm.* 157: 2410-2421.
- Maillard, J; Regeard, C; Holliger, C. (2005). Isolation and characterization of Tn-Dha1, a transposon containing the tetrachloroethene reductive dehalogenase of *Desulfitobacterium hafniense* strain TCE1. *Environ Microbiol.* 7: 107-117.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environmental Science & Technology.* 39: 4082-4090.
- Major, D; Edwards, E; McCarty, P; Gossett, J; Hendrickson, E; Loeffler, F; Zinder, S; Ellis, D; Vidumsky, J; Harkness, M; Klecka, G; Cox, E. (2003). Discussion of environment vs. bacteria or let's play, 'name that bacteria'. *Ground Water Monitoring and Remediation.* 23: 32-+.
- Major, DW; McMaster, ML; Cox, EE; Edwards, EA; Dworatzek, SM; Hendrickson, ER; Starr, MG; Payne, JA; Buonamici, LW. (2002). Field demonstration of successful bioaugmentation to achieve dechlorination of tetrachloroethene to ethene. *Environmental Science & Technology.* 36: 5106-5116.
- Malachowsky, KJ; Phelps, TJ; Teboli, AB; Minnikin, DE; White, DC. (1994). Aerobic mineralization of trichloroethylene, vinyl chloride, and aromatic compounds by *Rhodococcus* species. *Appl Environ Microbiol.* 60: 542-548.
- Malaguerra, F; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ. (2011). Development and Sensitivity Analysis of a Fully Kinetic Model of Sequential Reductive Dechlorination in Groundwater. *Environmental Science & Technology.* 45: 8395-8402.
- Malonov, H; Bardodj, Z. (1983). Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. *Journal of hygiene, epidemiology, microbiology, and immunology.* 27: 319-328.
- Manchester, MJ; Hug, LA; Zarek, M; Zila, A; Edwards, EA. (2012). Discovery of a trans-Dichloroethene-Respiring *Dehalogenimonas* Species in the 1,1,2,2-Tetrachloroethane-Dechlorinating WBC-2 Consortium. *Appl Environ Microbiol.* 78: 5280-5287.
- Mancini, SA; Lacrampe-Couloume, G; Lollar, BS. (2008). Source differentiation for benzene and chlorobenzene groundwater contamination: A field application of stable carbon and hydrogen isotope analyses. *Environ Forensics.* 9: 177-186.
- Mandin, C; Ataie-Ashtiani, B; Hassanizadeh, SM; Celia, MA. (2015). Effects of heterogeneities on capillary pressure-saturation-relative permeability relationships. *Environ Res.* 140: 175-192.
- Manikas, CS; Boyer, KR. (1988). Use of on-site chemical analyses in the identification of groundwater contamination sources affecting the Rockaway Borough well field. *Nuclear and Chemical Waste Management.* 8: 307-320.
- Manoli, G; Chambon, JC; Bjerg, PL; Scheutz, C; Binning, PJ; Broholm, MM. (2012). A remediation performance model for enhanced metabolic reductive dechlorination of chloroethenes in fractured clay till. *J Contam Hydrol.* 131: 64-78.
- Mansfeldt, CB; Logsdon, BA; Debs, GE; Richardson, RE. (2015). SPINE: SParse elgengene NETwork linking gene expression clusters in *Dehalococcoides mccartyi* to perturbations in experimental conditions. *PLoS ONE.* 10: e0118404.
- Mansfeldt, CB; Rowe, AR; Heavner, GLW; Zinder, SH; Richardson, RE. (2014). Meta-Analyses of *Dehalococcoides mccartyi* Strain 195 Transcriptomic Profiles Identify a Respiration Rate-Related Gene Expression Transition Point and Interoperon Recruitment of a Key Oxidoreductase Subunit. *Appl Environ Microbiol.* 80: 6062-6072.
- Manthey, S; Majid; Hassanizadeh, S; Oung, O; Helmig, R. (2004). Dynamic capillary pressure effects in two-phase flow through heterogeneous porous media. *Developments in Water Science* 631-644.
- Mao, HT; Talbot, RW; Sive, BC; Kim, SY; Blake, DR; Weinheimer, AJ. (2010). Arctic mercury depletion and its quantitative link with halogens. *J Atmos Chem.* 65: 145-170.
- Mao, XH; Ciblak, A; Amiri, M; Alshawabkeh, AN. (2011). Redox Control for Electrochemical Dechlorination of Trichloroethylene in Bicarbonate Aqueous Media. *Environmental Science & Technology.* 45: 6517-6523.
- Mao, XH; Ciblak, A; Baek, K; Amiri, M; Loch-Caruso, R; Alshawabkeh, AN. (2012). Optimization of electrochemical dechlorination of trichloroethylene in reducing electrolytes. *Water Res.* 46: 1847-1857.
- Maphosa, F; van Passel, MWJ; de Vos, WM; Smidt, H. (2012). Metagenome analysis reveals yet unexplored reductive dechlorinating potential of *Dehalobacter* sp E1 growing in co-culture with *Sedimentibacter* sp. *Environmental Microbiology Reports.* 4: 604-616.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe(2+) activated persulfate. *Sci Total Environ.* 433: 318-322.
- Marchner, H; Anders, MW. (1991). Glutathione-dependent bioactivation of xenobiotics: implications for mutagenicity and carcinogenicity. *Mutat Res.* 260: 39-46.
- Marco-Urrea, E; Aranda, E; Caminal, G; Guillen, F. (2009). Induction of hydroxyl radical production in *Trametes versicolor* to degrade recalcitrant chlorinated hydrocarbons. *Bioresour Technol.* 100: 5757-5762.
- Marco-Urrea, E; Gabarrell, X; Caminal, G; Vicent, T; Reddy, CA. (2008). Aerobic degradation by white-rot fungi of trichloroethylene (TCE) and mixtures of TCE and perchloroethylene (PCE). *J Chem Tech Biotechnol.* 83: 1190-1196.
- Marco-Urrea, E; Gabarrell, X; Sarra, M; Caminal, G; Vicent, T; Reddy, CA. (2006). Novel aerobic Perchloroethylene degradation by the white-rot fungus *Trametes versicolor*. *Environmental Science & Technology.* 40: 7796-7802.

## Environmental Hazard Literature Search Results

### Off Topic

- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and Carbon Isotope Fractionation of Tetra- and Trichloroethene to Trans-Dichloroethene by *Dehalococcoides* sp Strain CBDB1. *Environmental Science & Technology*. 45: 1555-1562.
- Marcus, DL; Bonds, C. (1999). Results of the reactant sand-fracking pilot test and implications for the in situ remediation of chlorinated VOCs and metals in deep and fractured bedrock aquifers. *J Hazard Mater*. 68: 125-153.
- Maronpot, RR; Anna, CH; Devereux, TR; Lucier, GW; Butterworth, BE; Anderson, MW. (1995). Considerations concerning the murine hepatocarcinogenicity of selected chlorinated hydrocarbons. *Progress in clinical and biological research*. 391: 305-323.
- Marshall, IPG; Azizian, MF; Semprini, L; Spormann, AM. (2014). Inferring community dynamics of organohalide-respiring bacteria in chemostats by covariance of *rdhA* gene abundance. *FEMS Microbiol Ecol*. 87: 428-440.
- Marshall, IPG; Azizian, MF; Semprini, L; Spormann, AM. (2014). Inferring community dynamics of organohalide-respiring bacteria in chemostats by covariance of *rdhA* gene abundance. *FEMS Microbiol Ecol*. 87: 428-440.
- Marshall, RA; Hamilton, JTG; Dring, MJ; Harper, DB. (2000). The red alga *Asparagopsis taxiformis*/Falkenbergia hillebrandii - a possible source of trichloroethylene and perchloroethylene? *Limnol Oceanogr*. 45: 516-519.
- Martel, R; Gelinat, PJ; Desnoyers, JE. (1998). Aquifer washing by micellar solutions: 1 Optimization of alcohol-surfactant-solvent solutions. *J Contam Hydrol*. 29: 319-346.
- Marth, E; Stuenzner, D; Binder, H; Moese, JR. (1985). Tetrachloroethylene. A study of the effect of low concentrations of 1,1,2,2-tetrachloroethylene on the organism of the mouse. I. Clinical-chemical investigation. *ZENTRALBL BAKTERIOL MICROBIOL HYG, ABT B*. 81: 525-540.
- Marth, E; Stuenzner, D; Binder, H; Moese, JR. (1985). Tetrachloroethylene. A study of the effect of low concentrations of 1,1,2,2-tetrachloroethylene on the organism of the mouse. II. Examinations of tetrachloroethylene-residues in various organs and establishment of histologic changes of the examined organs. *ZENTRALBL BAKTERIOL MICROBIOL HYG, ABT B*. 81: 541-547.
- Marth, E; Stuenzner, D; Kock, M; Moese, JR. (1989). Toxicokinetics of chlorinated hydrocarbons. *J Hyg Epidemiol Microbiol Immunol*. 33: 514-520.
- Marzorati, M; Borin, S; Brusetti, L; Daffonchio, D; Li, C; Carpani, G; de, FF. (2006). Response of 1,2-dichloroethane-adapted microbial communities to ex-situ biostimulation of polluted groundwater. *Biodegradation*. 17: 143-158.
- Marzorati, M; de Ferra, F; Van Raemdonck, H; Borin, S; Alliffranchini, E; Carpani, G; Serbolisca, L; Verstraete, W; Boon, N; Daffonchio, D. (2007). A novel reductive dehalogenase, identified in a contaminated groundwater enrichment culture and in *Desulfotobacterium dichloroeliminans* strain DCA1 is linked to dehalogenation of 1,2-dichloroethane. *Appl Environ Microbiol*. 73: 2990-2999.
- Masaki, H; Umaba, Y; Hoshi, S; Korenaga, T. (2007). Development of microchip for rapid pretreatment of trichloroethylene and tetrachloroethylene volatilized from polluted soil. *Environmental sciences : an international journal of environmental physiology and toxicology*. 14: 1-8.
- Mascolo, G; Spinosa, L; Lotito, V; Mininni, G; Bagnuolo, G. (1997). Lab-scale evaluations on formation of products of incomplete combustion in hazardous waste incineration: Influence of process variables. *Water Science And Technology*. 36: 219-226.
- Maslia, ML; Aral, MM; Faye, RE; Grayman, WM; Suarez-Soto, RJ; Sautner, JB; Anderson, BA; Bove, FJ; Ruckart, PZ; Moore, SM. (2012). Complexities in Hindcasting Models-When Should We Say Enough Is Enough. *Ground Water*. 50: 10-16.
- Mason, AR; Kueper, BH. (1996). Numerical simulation of surfactant-enhanced solubilization of pooled DNAPL. *Environmental Science & Technology*. 30: 3205-3215.
- Masten, SJ; Davies, SHR. (1997). Efficacy of in-situ ozonation for the remediation of PAH contaminated soils. *J Contam Hydrol*. 28: 327-335.
- Matsui, S; Yamamoto, R; Yamada, H. (1989). *Bacillus subtilis*/Microsome Rec-assay for the Detection of DNA Damaging Substances which May Occur in Chlorinated and Ozonated Waters. *Water Science and Technology WSTED4 Vol 21, No 8/9, p 875-887, 1989* 13 ref Japan Ministry of Education, Science and Culture no 61850102.
- Matsumura, Y. (1996). Selection of desorbing solvents for organic compounds from active carbon tubes. *Ind Health*. 34: 167-176.
- Matsushima, T; Nagano, K; Nishizawa, T; Yamamoto, S. (1997). Long term inhalation toxicity studies of five chlorinated hydrocarbons in F344 rats and BDF1 mice. *Proceedings Of The 1st International Conference Of Asian Society Of Toxicology, Yokohama, Japan, June*. 23: 296.
- Matter-Müller, C; Gujer, W; Giger, W. (1981). Transfer of volatile substances from water to the atmosphere. *Water Res*. 15: 1271-1279.
- Matthies, M; Brueggemann, R; Muenzer, B; Schernewski, G; Trapp, S. (1989). Exposure and Ecotoxicity Estimation for Environmental Chemicals (E4CHEM): Application of fate models for surface water and soil. *Ecological Modelling*. 47: 115-130.
- Mattie, DR; Bates Jr, GD; Jepson, GW; Fisher, JW; McDougal, JN. (1994). Determination of Skin:Air Partition Coefficients for Volatile Chemicals: Experimental Method and Applications. *Fundam Appl Toxicol*. 22: 51-57.
- Mattsson, JL; Albee, RR; Yano, BL; Bradley, GJ; Spencer, PJ. (1998). Neurotoxicologic examination of rats exposed to 1,1,2,2-tetrachloroethylene (Perchloroethylene) vapor for 13 weeks. *Neurotoxicol Teratol*. 20: 83-98.
- Matturro, B; Heavner, GL; Richardson, RE; Rossetti, S. (2013). Quantitative estimation of *Dehalococcoides mccartyi* at laboratory and field scale: Comparative study between CARD-FISH and Real Time PCR. *J Microbiol Methods*. 93: 127-133.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ*. 545: 445-452.
- Matturro, B; Rossetti, S. (2015). GeneCARD-FISH: Detection of *tceA* and *vcrA* reductive dehalogenase genes in *Dehalococcoides mccartyi* by fluorescence in situ hybridization. *J Microbiol Methods*. 110: 27-32.
- Matturro, B; Tandoi, V; Rossetti, S. (2013). Different activity levels of *Dehalococcoides mccartyi* revealed by FISH and CARD-FISH under non-steady and pseudo-steady state conditions. *N Biotechnol*. 30: 756-762.
- Matucha, M; Forczek, ST; Gryndler, M; Uhlirova, H; Fuksova, K; Schroder, P. (2003). Trichloroacetic acid in Norway spruce/soil-system I. Biodegradation in soil. *Chemosphere*. 50: 303-309.

## Environmental Hazard Literature Search Results

### Off Topic

- Maxwell, MH. (1978). Safer substitutes for xylene and propylene oxide in histology, haematology, and electron microscopy. *Medical laboratory sciences*. 35: 401-403.
- May, HD; Cutter, LA; Miller, GS; Milliken, CE; Watts, JEM; Sowers, KR. (2006). Stimulatory and inhibitory effects of organohalides on the dehalogenating activities of PCB-dechlorinating bacterium o-17. *Environmental Science & Technology*. 40: 5704-5709.
- Mayeno, AN; Yang, RSH; Reisfeld, B. (2005). Biochemical reaction network modeling: Predicting metabolism of organic chemical mixtures. *Environmental Science & Technology*. 39: 5363-5371.
- Mayer-Blackwell, K; Azizian, MF; Machak, C; Vitale, E; Carpani, G; de, FF; Semprini, L; Spormann, AM. (2014). Nanoliter qPCR platform for highly parallel, quantitative assessment of reductive dehalogenase genes and populations of dehalogenating microorganisms in complex environments. *Environmental science & technology*. 48: 9659-9667.
- Maymo-Gatell, X. (2005). Fundamental things apply: the case of Dehalococcoides ethenogenes. *International Microbiology*. 8: 137-140.
- Maymo-Gatell, X; Anguish, T; Zinder, SH. (1999). Reductive dechlorination of chlorinated ethenes and 1,2-dichloroethane by "Dehalococcoides ethenogenes" 195. *Appl Environ Microbiol*. 65: 3108-3113.
- Maymo-Gatell, X; Chien, Y; Gossett, JM; Zinder, SH. Isolation of a bacterium that reductively dechlorinates tetrachloroethene to ethene. *Science*. June 6, 1997. v. 276 (5318): 1568-1571.
- Maymo-Gatell, X; Tandol, V; Gossett, JM; Zinder, SH. Characterization of an H<sub>2</sub>-utilizing enrichment culture that reductively dechlorinates tetrachloroethene to vinyl chloride and ethene in the absence of methanogenesis and acetogenesis. *Appl Environ Microbiol*. Nov 1995. v. 61 (11): 3928-3933.
- Mazari-Hiriart, M; Hernandez-Eugenio, C; Rojo-Callejas, F; Lozano-Santacruz, R. (2000). Vertical variability of PCE sorption in the lacustrine clays of Mexico city. *Environ Geol*. 39: 595-602.
- Mazidji, CN; Koopman, B; Bitton, G; Neita, D. (1992). Distinction between Heavy Metal and Organic Toxicity Using EDTA Chelation and Microbial Assays. *Environmental Toxicology and Water Quality*, Vol 7, No 4, p 339-353, November 1992 6 fig, 2 tab, 12 ref NSF Grant No BCS-9117267 and Florida Department of Environmental Regulation Contract No WM-222.
- Mazur, CS; Jones, WJ. (2001). Hydrogen concentrations in sulfate-reducing estuarine sediments during PCE dehalogenation. *Environmental Science & Technology*. 35: 4783-4788.
- Mazur, CS; Jones, WJ; Tebes-Stevens, C. (2003). H<sub>2</sub> consumption during the microbial reductive dehalogenation of chlorinated phenols and tetrachloroethene. *Biodegradation*. 14: 285-295.
- Mazzullo, M; Grilli, S; Lattanzi, G; Prodi, G; Turina, MP; Colacci, A. (1987). Evidence of DNA binding activity of perchloroethylene. *Res Comm Chem Pathol Pharmacol*. 58: 215-235.
- McAdam, A; Francis, JN; Ibers, JA. (1971). The structure of bis(triphenylphosphine)(1,1-dichloro-2,2-dicyanoethylene)platinum(O), Pt[Cl<sub>2</sub>C=C(CN)<sub>2</sub>][P(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>]<sub>2</sub>. *J Organomet Chem*. 29: 149-161.
- McCarthy, CM; Murray, L. (1996). Viability and metabolic features of bacteria indigenous to a contaminated deep aquifer. *Microb Ecol*. 32: 305-321.
- McCarthy, MC; Hafner, HR; Chinkin, LR; Charrier, JG. (2007). Temporal variability of selected air toxics in the United States. *Atmos Environ*. 41: 7180-7194.
- McCarthy, MC; O'Brien, TE; Charrier, JG; Hather, HR. (2009). Characterization of the Chronic Risk and Hazard of Hazardous Air Pollutants in the United States Using Ambient Monitoring Data. *Environ Health Perspect*. 117: 790-796.
- McCarty, PL. (1991). Engineering concepts for in situ bioremediation. *J Hazard Mater*. 28: 1-12.
- McCarty, PL. (1993). In situ bioremediation of chlorinated solvents. *Curr Opin Biotechnol*. 4: 323-330.
- McCarty, PL. (1997). Breathing with chlorinated solvents. *Science (New York, NY)*. 276: 1521-1522.
- McCarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Science and Technology*. 42: 49-60.
- McCarty, PL; Chu, MY; Kitanidis, PK. (2007). Electron donor and pH relationships for biologically enhanced dissolution of chlorinated solvent DNAPL in groundwater. *European Journal of Soil Biology*. 43: 276-282.
- McCauley, KM; Pratt, DA; Wilson, S; Shey, J; Burkey, TJ; van der Donk, WA. (2005). Properties and reactivity of chlorovinylcobalamin and vinylcobalamin and their implications for vitamin B<sub>12</sub>-catalyzed reductive dechlorination of chlorinated alkenes. *J Am Chem Soc*. 127: 1126-1136.
- McCauley, KM; Wilson, S; van der Donk, WA. (2003). Characterization of chlorovinylcobalamin, a putative intermediate in reductive degradation of chlorinated ethylenes. *J Am Chem Soc*. 125: 4410-4411.
- McCauley, KM; Wilson, SR; van, dDWA. (1961). Synthesis and characterization of chlorinated alkenylcobaloximes to probe the mechanism of vitamin B<sub>12</sub>-catalyzed dechlorination of priority pollutants. *LA [reports] US Atomic Energy Commission*. 41: 393-404.
- McCauley, KM; Wilson, SR; van, dDWA. (2002). Dichloroacetylene is not the precursor to dichlorinated vinylcobaloxime and vinylcobalamin in cobalt catalyzed dechlorination of perchloro- and trichloroethylene. *Inorg Chem*. 41: 5844-5848.
- McClay, K; Streger, SH; Steffan, RJ. Induction of toluene oxidation activity in *Pseudomonas mendocrina* KR1 and *Pseudomonas* sp. strain ENVPC5 by chlorinated solvents and alkanes. *Appl Environ Microbiol*. Sept 1995. v. 61 (9): 3479-3481.
- McClenny, WA; Jacumin, HH; Oliver, KD; Daughtrey, EH; Whitaker, DA. (2006). Comparison of 24 h averaged VOC monitoring results for residential indoor and outdoor air using Carbopack X-filled diffusive samplers and active sampling - a pilot study. *J Environ Monit*. 8: 263-269.
- McCue, T; Hoxworth, S; Randall, AA. (2003). Degradation of halogenated aliphatic compounds utilizing sequential anaerobic/aerobic treatments. *Water Science and Technology*. 47: 79-84.
- McCulloch, A. (2002). Trichloroacetic acid in the environment. *Chemosphere*. 47: 667-686.

## Environmental Hazard Literature Search Results

### Off Topic

- McCulloch, A; Midgley, PM. (1996). The production and global distribution of emissions of trichloroethene, tetrachloroethene and dichloromethane over the period 1988–1992. *Atmos Environ*. 30: 601-608.
- McDaniel, TV; Ross, N; Martin, PA; Steer, H; Abbey, AMI; Lesage, S. (2007). Bioremediation of tetrachloroethylene-contaminated groundwater in a model aquifer: Effects on green frogs (*Rana clamitans*) and *Xenopus laevis* as potential wetland receptors. *Arch Environ Contam Toxicol*. 52: 410-417.
- McDermott, C; Heffron, JJA. (2013). Toxicity of Industrially Relevant Chlorinated Organic Solvents In Vitro. *Int J Toxicol*. 32: 136-145.
- McDermott, MJ; Mazor, KA; Shost, SJ; Narang, RS; Aldous, KM; Storm, JE. (2005). Tetrachloroethylene (PCE, perc) levels in residential dry cleaner buildings in diverse communities in New York City. *Environ Health Perspect*. 113: 1336-1343.
- McDonald, GJ; Wertz, WE. (2007). PCE, TCE, and TCA vapors in slab soil gas and indoor air: A case study in upstate New York. *Ground Water Monitoring and Remediation*. 27: 86-92.
- McElhatton, PR; Hedgley, CA; Thomas, SHL. (2004). Perchloroethylene Exposure in Pregnancy. *Journal of Toxicology: Clinical Toxicology*. 42: 550.
- McGinley, PM; Katz, LE; Weber, WJ, Jr. Competitive sorption and displacement of hydrophobic organic contaminants in saturated subsurface soil systems. *Water Resour Res*. Dec 1996. v. 32 (12): 3571-3577.
- McGuire, T; Hughes, JB. (2003). Effects of surfactants on the dechlorination of chlorinated ethenes. *Environ Toxicol Chem*. 22: 2630-2638.
- McHugh, T; Kuder, T; Fiorenza, S; Gorder, K; Dettenmaier, E; Philp, P. (2011). Application of CSIA to Distinguish Between Vapor Intrusion and Indoor Sources of VOCs. *Environmental Science & Technology*. 45: 5952-5958.
- McHugh, TE; Rauch, SR; Paquette, SM; Connor, JA; Daus, AD. (2015). Life Cycle of Methyl tert-Butyl Ether in California Public Water Supply Wells. *Environ Sci Technol Lett*. 2: 7-11.
- McKinney, JD; Hamor, TA; Jones, CJ; Paxton, K. (1997). The synthesis and X-ray crystal structure of Si—»CS<sub>2</sub>C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>. *Polyhedron*. 16: 1819-1824.
- McMullen, JK. (1976). Perchloroethylene intoxication. *Br Med J*. 2: 1563-1564.
- McMurdie, PJ; Behrens, SF; Holmes, S; Spormann, AM. (2007). Unusual codon bias in vinyl chloride reductase genes of *Dehalococcoides* species. *Appl Environ Microbiol*. 73: 2744-2747.
- McNab, WW; Ruiz, R; Reinhard, M. (2000). In-situ destruction of chlorinated hydrocarbons in groundwater using catalytic reductive dehalogenation in a reactive well: Testing and operational experiences. *Environmental Science & Technology*. 34: 149-153.
- McNab, WWJR; Narasimhan, TN. (1994). Degradation of chlorinated hydrocarbons and groundwater geochemistry: A field study. *Environmental Science & Technology*. 28: 769-775.
- McNab, WWJR; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere*. 37: 925-936.
- Meckler, LC; Phelps, DK. (1966). Liver disease secondary to tetrachloroethylene exposure. A case report. *JAMA*. 197: 662-663.
- Meharg, AA. (1994). Industrial accidents involving release of chemicals into the environment: Ecotoxicology. *Environ Technol*. 15: 1041-1050.
- Meharg, AA; Cairney, JWG. (2000). Ectomycorrhizas - extending the capabilities of rhizosphere remediation? *Soil Biology & Biochemistry*. 32: 1475-1484.
- Meharg, AA; Cairney, JWG. (2000). Ectomycorrhizas – extending the capabilities of rhizosphere remediation? *Soil Biol Biochem*. 32: 1475-1484.
- Meininghaus, R; Salthammer, T; Knoepfel, H. (1999). Interaction of volatile organic compounds with indoor materials A small-scale screening method. *Atmos Environ*. 33: 2395-2401.
- Melnick, RL; Kohn, MC; Huff, J. (1987). Weight of evidence versus weight of speculation to evaluate the alpha<sub>2</sub>-globulin hypothesis. *Environ Health Perspect*. 105: 904-906.
- Men, YJ; Feil, H; VerBerkmoes, NC; Shah, MB; Johnson, DR; Lee, PKH; West, KA; Zinder, SH; Andersen, GL; Alvarez-Cohen, L. (2012). Sustainable syntrophic growth of *Dehalococcoides ethenogenes* strain 195 with *Desulfovibrio vulgaris* Hildenborough and *Methanobacterium congolense*: global transcriptomic and proteomic analyses. *ISME Journal*. 6: 410-421.
- Mendoza-Sanchez, I; Autenrieth, RL; McDonald, TJ; Cunningham, JA. (2010). Effect of pore velocity on biodegradation of cis-dichloroethene (DCE) in column experiments. *Biodegradation*. 21: 365-377.
- Meng, FY; Liu, R; Kobayashi, T; Wan, M; Yu, SL; Chen, LJ. (2012). Study on Equilibrium Adsorption of Volatile Chlorinated Hydrocarbons on Humid Soils. *Environmental Science*. 33: 1361-1368.
- Menear, J; Maronpot, R; Boorman, G; Eustis, S; Huff, J; Haseman, J; McConnell, E; Ragan, H; Miller, R. (1986). Toxicologic and carcinogenic effects of inhaled tetrachloroethylene in rats and mice. *Developments in toxicology and environmental science*. 12: 201-210.
- Menear, JH. (1985). NTP (National Toxicology Program) technical report on the toxicology and carcinogenesis studies of tetrachloroethylene (perchloroethylene) in F344/N rats and B6C3F1 mice (inhalation studies). NTIS, SPRINGFIELD, VA (USA) 1985.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene. *Environmental Science & Technology*. 46: 2772-2780.
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene (vol 46, pg 2772, 2012). *Environmental Science & Technology*. 46: 12241-12241.
- Meszaros, E; Imfeld, G; Nikolausz, M; Nijenhuis, I. (2013). Occurrence of *Dehalococcoides* and Reductive Dehalogenase Genes in Microcosms, a Constructed Wetland and Groundwater from a Chlorinated Ethene Contaminated Field Site as Indicators for In Situ Reductive Dehalogenation. *Water Air and Soil Pollution*. 224: 1768-1768.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater*. 300: 530-537.

## Environmental Hazard Literature Search Results

### Off Topic

- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Zhang, X; Fu, X; Danish, M; Qiu, Z; Sui, Q. (2015). Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. *Chem Eng J.* 281: 286-294.
- Miao, Z; Gu, X; Lu, S; Dionysiou, DD; Al-Abed, SR; Zang, X; Wu, X; Qiu, Z; Sui, Q; Danish, M. (2015). Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. *Chem Eng J.* 275: 53-62.
- Miao, ZW; Gu, XG; Lu, SG; Zang, XK; Wu, XL; Xu, MH; Ndong, LBB; Qiu, ZF; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe<sup>2+</sup>-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere.* 119: 1120-1125.
- Michael Henson, J; Yates, MV; Cochran, JW; Shackelford, DL. (1988). Microbial removal of halogenated methanes, ethanes, and ethylenes in an aerobic soil exposed to methane. *FEMS Microbiol Lett.* 53: 193-201.
- Michalak, AM; Kitanidis, PK. (2003). A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. *Water Resour Res.* 39: 1033-1033.
- Mickelsen, RL; Hall, RC. (1987). A breakthrough time comparison of nitrile and neoprene glove materials produced by different glove manufacturers. *Am Ind Hyg Assoc J.* 48: 941-947.
- Middeldorp, PJM; van Aalst, MA; Rijnaarts, HHM; Stams, FJM; de Kreuk, HF; Schraa, G; Bosma, TNP. (1998). Stimulation of reductive dechlorination for in situ bioremediation of a soil contaminated with chlorinated ethenes. *Water Science and Technology.* 37: 105-110.
- Middeldorp, PJM; van Doesburg, W; Schraa, G; Stams, AJM. (2005). Reductive dechlorination of hexachlorocyclohexane (HCH) isomers in soil under anaerobic conditions. *Biodegradation.* 16: 283-290.
- Middleton, P; Stockwell, WR; Carter, WPL. (1990). Aggregation and analysis of volatile organic compound emissions for regional modeling. *Atmos Environ Part A Gen Top.* 24: 1107-1134.
- Mieleo, J; Zhan, HB. (2012). Analytical solutions of one-dimensional multispecies reactive transport in a permeable reactive barrier-aquifer system. *J Contam Hydrol.* 134: 54-68.
- Migasena, S; Suntharasamai, P; Harinasuta, T. (1978). Mebendazole, tetrachlorethylene and pyrantel pamoate in the treatment of hookworm infection. *Annals of tropical medicine and parasitology.* 72: 199-200.
- Miguez, CB; Shen, CF; Bourque, D; Guiot, S; Grouleau, D. (1999). Monitoring methanotrophic bacteria in hybrid anaerobic-aerobic reactors with PCR and a catabolic gene probe. *Appl Environ Microbiol.* 65: 381-388.
- Mihopoulos, PG; Sayles, GD; Suidan, MT; Shah, J; Bishop, DF. (2000). Vapor phase treatment of PCE in a soil column by lab-scale anaerobic bioventing. *Water Res.* 34: 3231-3237.
- Mihopoulos, PG; Suidan, MT; Sayles, GD. (2001). Complete remediation of PCE contaminated unsaturated soils by sequential anaerobic-aerobic bioventing. *Water Science and Technology.* 43: 365-372.
- Mikesell, MD; Boyd, SA. (1990). Dechlorination of chloroform by Methanosarcina strains. *Appl Environ Microbiol.* 56: 1198-1201.
- Miller, E; Wohlfarth, G; Diekert, G. (1996). Studies on tetrachloroethene respiration in *Dehalospirillum multivorans*. *Arch Microbiol.* 166: 379-387.
- Miller, E; Wohlfarth, G; Diekert, G. (1997). Comparative studies on tetrachloroethene reductive dechlorination mediated by *Desulfitobacterium* sp. strain PCE-S. *Archives of Microbiology.* 168: 513-519.
- Miller, E; Wohlfarth, G; Diekert, G. (1998). Purification and characterization of the tetrachloroethene reductive dehalogenase of strain PCE-S. *Archives of Microbiology.* 169: 497-502.
- Miller, GS; Milliken, CE; Sowers, KR; May, HD. (2005). Reductive dechlorination of tetrachloroethene to trans-dichloroethene and cis-dichloroethene by PCB-dechlorinating bacterium DF-1. *Environmental Science & Technology.* 39: 2631-2635.
- Miller, LJ; Uhler, AD. Volatile halocarbons in butter: elevated tetrachloroethylene levels in samples obtained in close proximity to dry-cleaning establishments. *Bull Environ Contam Toxicol.* Sept 1988. v. 41 (3): 469-474.
- Miller, PL; Vasudevan, D; Gschwend, PM; Roberts, AL. (1998). Transformation of hexachloroethane in a sulfidic natural water. *Environmental Science & Technology.* 32: 1269-1275.
- Miller, RG; Fahey, DR; Golden, HJ; Satek, LC. (1974). Thermal decomposition of trans-chloro(2-allylphenyl)bis(triethylphosphine)nickel(II). *J Organomet Chem.* 82: 127-137.
- Miller, TA. (1995). Anthelmintic activity of tetrachloroethylene against various stages of *Ancylostoma caninum* in young dogs. *Am J Vet Res.* 27: 1037-1040.
- Milman, HA; Story, DL; Riccio, ES; Sivak, A; Tu, AS; Williams, GM; Tong, C; Tyson, CA. (1988). Rat liver foci and in vitro assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes. *Ann N Y Acad Sci.* 534: 521-530.
- Milner, DJ. (1984). Reaction of ethyl diazoacetate with halogenoethylenes in the presence of rhodium(II) pivalate. *J Organomet Chem.* 262: 85-88.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. Extraction methods for recovery of volatile organic compounds from fortified dry soils. *J AOAC Int.* Sept/Oct 1996. v. 79 (5): 1198-1204.
- Minnich, MM; Zimmerman, JH; Schumacher, BA. (1997). Long-term study of volatile organic compound recovery from ampullated, dry, fortified soils. *J Environ Qual.* 26: 108-114.
- Minsley, BJ; Sogade, J; Morgan, FD. (2007). Three-dimensional self-potential inversion for subsurface DNAPL contaminant detection at the Savannah River Site, South Carolina. *Water Resour Res.* 43: 4429-4429.
- Mirfazaalian, A; Kim, KB; Lee, S; Kim, HJ; Bruckner, JV; Fisher, JW. (2007). Organ growth functions in maturing male Sprague-Dawley rats. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 70: 429-438.
- Mitoma, C; Steeger, T; Jackson, SE; Wheeler, KP; Rogers, JH; Milman, HA. (1985). Metabolic disposition study of chlorinated hydrocarbons in rats and mice. *Drug Chem Toxicol.* 8: 183-194.
- Mitra, S; Guo, X. (1998). Development of membrane purge and trap for measurement of volatile organics in water. *Anal Lett.* 31: 367-379.

## Environmental Hazard Literature Search Results

### Off Topic

- Mitra, S; Gupta, SK. (2014). Pilot-scale treatment of a trichloethylene rich synthetic wastewater in anaerobic hybrid reactor, with morphological study of the sludge granules. *Clean Tech Environ Pol.* 16: 947-956.
- Miyazaki, Y; Takano, T. (1983). Impairment of mitochondrial electron transport by tetrachloroethylene. *Toxicol Lett.* 18: 163-166.
- Moeck, C; Radny, D; Borer, P; Rothardt, J; Auckenthaler, A; Berg, M; Schirmer, M. (2016). Multicomponent statistical analysis to identify flow and transport processes in a highly-complex environment. *J Hydrol.* 542: 437-449.
- Mohammad, OI; Kibbey, TCG. (2005). Dissolution-induced contact angle modification in dense nonaqueous phase liquid/water systems. *Environmental Science & Technology.* 39: 1698-1706.
- Mohammed, N; Allayla, RI; Nakhla, GF; Farooq, S; Husain, T. (1996). State-of-the-art review of bioremediation studies. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control.* 31: 1547-1574.
- Molina, RD; Santos, HA. (1946). Tetrachlorethylene treatment of ankylostomiasis. *Journal of the Philippine Medical Association.* 22: 385-387.
- Molnar, IL; O'Carroll, DM; Gerhard, JI. (2011). Impact of surfactant-induced wettability alterations on DNAPL invasion in quartz and iron oxide-coated sand systems. *J Contam Hydrol.* 119: 1-12.
- Monnier, H; Falk, L. (2011). Intensification of G/L absorption in microstructured falling film. Application to the treatment of chlorinated VOC's - part II: Modeling and geometric optimization. *Chem Eng Sci.* 66: 2475-2490.
- Monster, AC. (1988). Biological markers of solvent exposure. *Arch Environ Health.* 43: 90-93.
- Montgomerie, RF. (1926). The efficiency of tetrachlorethylene in liver rot of sheep. *Journal of Comparative Pathology and Therapeutics.* 39: 132-133.
- Moore, BD; Sharkey, TD; Seemann, JR. (1995). Intracellular localization of CA1P and CA1P phosphatase activity in leaves of *Phaseolus vulgaris* L. *Photosynth Res.* 45: 219-224.
- Moore, RM. (2000). The solubility of a suite of low molecular weight organochlorine compounds in seawater and implications for estimating the marine source of methyl chloride to the atmosphere. *Chemosphere - Global Change Science.* 2: 95-99.
- Moran, MJ; Lapham, WW; Rowe, BL; Zogorski, JS. (2004). Volatile organic compounds in ground water from rural private wells, 1986 to 1999. *J Am Water Resour Assoc.* 40: 1141-1157.
- Moran, MJ; Zogorski, JS; Squillace, PJ. (2007). Chlorinated solvents in groundwater of the United States. *Environmental Science & Technology.* 41: 74-81.
- Morasch, B; Richnow, HH; Schink, B; Vieth, A; Meckenstock, RU. (2002). Carbon and hydrogen stable isotope fractionation during aerobic bacterial degradation of aromatic hydrocarbons. *Appl Environ Microbiol.* 68: 5191-5194.
- Morasch, B; Richnow, HH; Vieth, A; Schink, B; Meckenstock, RU. (2004). Stable isotope fractionation caused by glycol radical enzymes during bacterial degradation of aromatic compounds. *Appl Environ Microbiol.* 70: 2935-2940.
- Morel, G; Ban, M; Hettich, D; Huguet, N. (1999). Role of SAM-dependent thiol methylation in the renal toxicity of several solvents in mice. *J Appl Toxicol.* 19: 47-54.
- Moreno-Barbero, E; Kim, Y; Saenton, S; Illangasekare, TH. (2007). Intermediate-scale investigation of nonaqueous-phase liquid architecture on partitioning tracer test performance. *Vadose Zone Journal.* 6: 725-734.
- Moreno-Medina, CU; Breton-Deval, L; R  os-Leal, E; Fava, F; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2010). Effect of Sudden Increase of PCE Concentration on Performance of Fluidized Bed Bioreactors Operated in Simultaneous Electron Acceptor Modes. *J Biotechnol.* 150, Supplement: 48-49.
- Moreno-Medina, CU; Breton-Deval, LD; Rios-Leal, E; Barrera-Cortes, J; Rinderknecht-Seijas, N; Poggi-Varaldo, HM. (2011). PERCHLOROETHYLENE SOLUBILIZATION WITH A NON-IONIC TENSIOACTIVE. *Interciencia.* 36: 224-228.
- Morgan, B. (1969). Dangers of perchlorethylene. *Br Med J.* 2: 513.
- Morgan, E; Knacker, T. (1994). The role of laboratory terrestrial model ecosystems in the testing of potentially harmful substances. *Ecotoxicology.* 3: 213-233.
- Morita, Y; Futagami, T; Goto, M; Furukawa, K. (2009). Functional characterization of the trigger factor protein PceT of tetrachloroethene-dechlorinating *Desulfotobacterium hafniense* Y51. *Appl Microbiol Biotechnol.* 83: 775-781.
- Morrill, PL; Lacrampe-Couloume, G; Slater, GF; Sleep, BE; Edwards, EA; McMaster, ML; Major, DW; Lollar, BS. (2005). Quantifying chlorinated ethene degradation during reductive dechlorination at Kelly AFB using stable carbon isotopes. *J Contam Hydrol.* 76: 279-293.
- Morrill, PL; Sleep, BE; Seepersad, DJ; McMaster, ML; Hood, ED; LeBron, C; Major, DW; Edwards, EA; Lollar, BS. (2009). Variations in expression of carbon isotope fractionation of chlorinated ethenes during biologically enhanced PCE dissolution close to a source zone. *J Contam Hydrol.* 110: 60-71.
- Morrill, PL; Sleep, BE; Slater, GF; Edwards, EA; Lollar, BS. (2006). Evaluation of isotopic enrichment factors for the biodegradation of chlorinated ethenes using a parameter estimation model: Toward an improved quantification of biodegradation. *Environmental Science & Technology.* 40: 3886-3892.
- Morris, RM; Fung, JM; Rahm, BG; Zhang, S; Freedman, DL; Zinder, SH; Richardson, RE. (2007). Comparative proteomics of *Dehalococcoides* spp. reveals strain-specific peptides associated with activity. *Appl Environ Microbiol.* 73: 320-326.
- Morrison, RD; Murphy, BL; Doherty, RE. (1964). 12 - Chlorinated Solvents. *Environmental Forensics Burlington* 259-277.
- Mose, JR; Wilfinger, G; Zeichen, R. (1985). Pollution of drinking water by tetrachlorethylene. *ZENTRALBL BAKTERIOL MICROBIOL HYG, ABT B.* 181: 111-120.
- Most, H. (1972). Treatment of common parasitic infections of man encountered in the United States. I. *The New England journal of medicine.* 287: 495-498.



## Environmental Hazard Literature Search Results

### Off Topic

- Motohashi, Y; Miyazaki, Y; Takano, T. (1993). Assessment of behavioral effects of tetrachloroethylene using a set of time-series analyses. *Neurotoxicol Teratol.* 15: 3-10.
- Mott, JG; Romanow, S. (1991). Sludge characterization, removal, and dewatering. *J Hazard Mater.* 29: 1991-1992.
- Mouvet, C; Barberis, D; Bourg, ACM. (1993). Adsorption isotherms of tri- and tetrachloroethylene by various natural solids. *J Hydrol.* 149: 163-182.
- Mravik, SC; Sillan, RK; Wood, AL; Sewell, GW. (2003). Field evaluation of the solvent extraction residual biotreatment technology. *Environmental science & technology.* 37: 5040-5049.
- Mueller, JA; Ditoro, DM. (1993). Multicomponent adsorption of volatile organic chemicals from air stripper offgas. *Water Environ Res.* 65: 15-25.
- Mueller, M; Birner, G; Sander, M; Dekant, W. (1998). Reactivity of haloketenes and halothioketenes with nucleobases: Reactions in vitro with DNA. *Chem Res Toxicol.* 11: 464-470.
- Mueller-Herold, U; Caderas, D; Funck, P. (1997). Validity of global lifetime estimates by a simple general limiting law for the decay of organic compounds with long-range pollution potential. *Environmental Science & Technology.* 31: 3511-3515.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A method for the rapid dechlorination of low molecular weight chlorinated hydrocarbons in water. *Water Res.* 29: 2434-2439.
- Mukerjee, S; Ellenson, WD; Lewis, RG; Stevens, RK; Somerville, MC; Shadwick, DS. (1997). An environmental scoping study in the Lower Rio Grande Valley of Texas: I. Comparative assessment of air sampling methods. *Environ Int.* 23: 611-628.
- Mukerjee, S; Ellenson, WD; Lewis, RG; Stevens, RK; Somerville, MC; Shadwick, DS; Willis, RD. (1997). An environmental scoping study in the Lower Rio Grande Valley of Texas: III. Residential microenvironmental monitoring for air, house dust, and soil. *Environ Int.* 23: 657-673.
- Mukerjee, S; Smith, LA; Thoma, ED; Oliver, KD; Whitaker, DA; Wu, T; Colon, M; Alston, L; Cousett, TA; Stallings, C. (2016). Spatial analysis of volatile organic compounds in South Philadelphia using passive samplers. *Journal of the Air & Waste Management Association.* 66: 492-498.
- Mukherjee, K; Bowman, KS; Rainey, FA; Siddaramappa, S; Challacombe, JF; Moe, WM. (2014). Dehalogenimonas lykanthroporepellens BL-DC-9 T simultaneously transcribes many rdhA genes during organohalide respiration with 1,2-DCA, 1,2-DCP, and 1,2,3-TCP as electron acceptors. *FEMS Microbiol Lett.* 354: 111-118.
- Mukund, R; Kelly, TJ; Spicer, CW. (1996). Source attribution of ambient air toxic and other VOCs In Columbus, Ohio. *Atmos Environ.* 30: 3457-3470.
- Muller, JA; Rosner, BM; von Abendroth, G; Meshulam-Simon, G; McCarty, PL; Spormann, AM. (2004). Molecular identification of the catabolic vinyl chloride reductase from Dehalococcoides sp strain VS and its environmental distribution. *Appl Environ Microbiol.* 70: 4880-4888.
- Mumford, KG; Smith, JE; Dickson, SE. (2008). Mass flux from a non-aqueous phase liquid pool considering spontaneous expansion of a discontinuous gas phase. *J Contam Hydrol.* 98: 85-96.
- Mumma, CE; Lawless, EW. (1975). Survey of Industrial Processing Data. Task I-Hexachlorobenzene and Hexachlorobutadiene Pollution from Chlorocarbon Processing. Available from the National Technical Information Service, Springfield VA 22161 as PB-243 641, Price codes: A09 in paper copy, A01 in microfiche Report No EPA 560/3-75-003, June 1975 186 p 28 fig , 26 tab, 50 ref, 3 append EPA 68-01-2105.
- Mumtaz, MM; De Rosa, CT; Groten, J; Feron, VJ; Hansen, H; Durkin, PR. (1998). Estimation of toxicity of chemical mixtures through modeling of chemical interactions. *Environ Health Perspect.* 106: 1353-1360.
- Mun, TK; Kirienko, OA. (2011). Biodegradation of Tri- and Perchloroethylene in Sewage Waters and Soils by a Microbial Consortium of Compost and Phototrophic Bacteria. *Biology Bulletin.* 38: 538-541.
- Mundle, K; Reynolds, DA; West, MR; Kueper, BH. (2007). Concentration rebound following in situ chemical oxidation in fractured clay. *Ground Water.* 45: 692-702.
- Murakami, K; Horikawa, K. (1995). The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere.* 31: 3733-3739.
- Murakami, K; Horikawa, K. (1995). The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere.* 31: 3733-3739.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics.* 17: 282-293.
- Murray, AJ; Riley, JP. (1994). Occurrence of some chlorinated aliphatic hydrocarbons in the environment. *Nature.* 242: 37-38.
- Musgrove, M; Katz, BG; Fahlquist, LS; Crandall, CA; Lindgren, RJ. (2014). Factors Affecting Public-Supply Well Vulnerability in Two Karst Aquifers. *Ground Water.* 52: 63-75.
- Musgrove, M; Katz, BG; Fahlquist, LS; Crandall, CA; Lindgren, RJ. (2014). Factors Affecting Public-Supply Well Vulnerability in Two Karst Aquifers. *Groundwater.* 52: 63-75.
- Muszkat, L; Lahav, D; Ronen, D; Magaritz, M. (1993). Penetration of pesticides and industrial organics deep into soil and into groundwater. *Arch Insect Biochem Physiol.* 22: 487-499.
- Mutalik, GS; Gulati, RB. (1972). Comparative clinical trial of bitoscanate: bephenium hydroxynaphthoate and tetrachlorethylene in hookworm infection. *Indian journal of medical sciences.* 26: 718-722.
- Mutalik, GS; Gulati, RB. (1975). Comparative study of bitoscanate, bephenium hydroxynaphthoate and tetrachlorethylene in hookworm disease. *Progress in drug research Fortschritte der Arzneimittelforschung Progres des recherches pharmaceutiques.* 19: 86-89.
- Muto, H; Ikeda, K; Fuse, S; Fukukawa, T; Takizawa, Y. (1996). Filtering effects to bacteria and improvement of water quality by granite porphyry materials. *Water Res.* 30: 400-404.
- Nadim, F; Nadim, A; Hoag, GE; Dahmani, AM. (1997). Desorption rate limitation in the extraction of organic molecules from unsaturated soils during soil venting operations. *J Contam Hydrol.* 25: 21-37.

## Environmental Hazard Literature Search Results

### Off Topic

- Naessens, M; Tran-Minh, C. (1998). Whole-cell biosensor for determination of volatile organic compounds in the form of aerosols. *Anal Chim Acta*. 364: 153-158.
- Nagel, CJ; Chananuch, CA; Wong, EW; Bach, RD. (1996). Catalytic extraction processing: An elemental recycling technology. *Environmental Science & Technology*. 30: 2155-2167.
- Nakahama, T; Maruyama, I; Endo, M; Inouye, Y. (2001). Specificity in the Metabolic Activation of Chlorinated Ethylenes by Cytochromes P450 in Primary Rat Hepatocytes. *J Health Sci*. 47: 36-39.
- Nakahama, T; Mizuno, M; Otsuka, Y; Inouye, Y. (2001). Comparative Study on the Mode of Action of Chlorinated Ethylenes on the Expression of Rat CYP Forms. *J Health Sci*. 47: 278-287.
- Nakahama, T; Mizuno, M; Sekiguchi, M; Sakamaki, H; Inouye, Y. (2002). Effect of Chlorinated Ethylenes on the Expression of Rat CYP2C. *J Health Sci*. 48: 514-519.
- Nakahama, T; Sarutani, S; Inouye, Y. (2000). Effects of Chlorinated Ethylenes on Expression of Rat CYP Forms: Comparative Study on Correlation between Biological Activities and Chemical Structures. *J Health Sci*. 46: 251-258.
- Nakahama, T; Sarutani, S; Inouye, Y. (2000). Effects of Tetrachloroethylene and 1,1,1-Trichloroethane on the Expression of P450 Isoforms in Rat Lung and Liver. *J Health Sci*. 46: 21-28.
- Nakamiya, K; Nakayama, T; Ito, H; Shibata, Y; Morita, M. (2009). Isolation and properties of a 2-chlorovinylarsonic acid-degrading microorganism. *J Hazard Mater*. 165: 388-393.
- Nambi, IM; Werth, CJ; Sanford, RA; Valocchi, AJ. (2003). Pore-scale analysis of anaerobic halo-respiring bacterial growth along the transverse mixing zone of an etched silicon pore network. *Environmental Science & Technology*. 37: 5617-5624.
- Narang, RS; Swami, K; Amin, TA; Eadon, G; Vernoy, C; Briggs, R; Narang, AS. (1988). Thermally-induced formation of polychlorinated dibenzofurans from Aroclor 1254 contaminated silicone oil and tetrachloroethylene. *Chemosphere*. 17: 2151-2160.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using an anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Nastainczyk, W; Ahr, HJ; Ullrich, V. (1982). The reductive metabolism of halogenated alkanes by liver microsomal cytochrome P450. *Biochem Pharmacol*. 31: 391-396.
- National, TP. (1977). Bioassay of tetrachloroethylene for possible carcinogenicity. National Cancer Institute carcinogenesis technical report series. 13: 1-83.
- Nay, M; Snozzi, AJB; Zehnder, AJB. (1999). Fate and behavior of organic compounds in an artificial saturated subsoil under controlled redox conditions: The sequential soil column system. *Biodegradation*. 10: 75-82.
- Nay, M; Snozzi, M; Zehnder, AJB. (1999). Behavior of chemical contaminants under controlled Redox conditions in an artificial sequential soil column system and in batch cultures. *Biodegradation*. 10: 405-414.
- Naylor, RA; Boase, CJ. (2010). Practical Solutions for Treating Laundry Infested With *Cimex lectularius* (Hemiptera: Cimicidae). *J Econ Entomol*. 103: 136-139.
- Nazari, MM; Burston, MW; Bishop, PK; Lerner, DN. (1993). Urban ground-water pollution: A case study from Coventry, United Kingdom. *Ground Water*. 31: 417-424.
- Ndjou'ou, AC; Bou-Nasr, J; Cassidy, D. (2006). Effect of Fenton reagent dose on coexisting chemical and microbial oxidation in soil. *Environmental Science & Technology*. 40: 2778-2783.
- Ndon, UJ; Randall, AA. (1999). Periodic aerated treatment and in-situ bioremediation strategies for polyhalogenated compounds. *Water Res*. 33: 2715-2720.
- Ndon, UJ; Randall, AA; Khouri, TZ. (2000). Reductive dechlorination of tetrachloroethylene by soil sulfate-reducing microbes under various electron donor conditions. *Environ Monit Assess*. 60: 329-336.
- Ndong, LBB; Ibondou, MP; Gu, XG; Xu, MH; Lu, SG; Qiu, ZF; Sui, Q; Mbadinga, SM. (2014). Efficiently Synthetic TiO<sub>2</sub> Nano-sheets for PCE, TCE, and TCA Degradations in Aqueous Phase Under VUV Irradiation. *Water Air and Soil Pollution*. 225: 1951-1951.
- Ndong, LBB; Ibondou, MP; Miao, ZW; Gu, XG; Lu, SG; Qiu, ZF; Sui, Q; Mbadinga, SM. (2014). Efficient dechlorination of chlorinated solvent pollutants under UV irradiation by using the synthesized TiO<sub>2</sub> nano-sheets in aqueous phase. *J Environ Sci*. 26: 1188-1194.
- Nduta, KG; Mwangi, IW; Wanjau, RW; Ngila, JC. (2016). Removal of Chlorine and Chlorinated Organic Compounds from Aqueous Media Using Substrate-Anchored Zero-Valent Bimetals. *Water Air and Soil Pollution*. 227: 10-10.
- Nealson, KH. (2003). Harnessing microbial appetites for remediation. *Nature Biotechnology*. 21: 243-244.
- Nelson, DK; LaPara, TM; Novak, PJ. (2012). Structure and Function of Assemblages of Bacteria and Archaea in Model Anaerobic Aquifer Columns: Can Functional Instability Be Practically Beneficial? *Environmental Science & Technology*. 46: 10137-10144.
- Nelson, JL; Fung, JM; Cadillo-Quiroz, H; Cheng, X; Zinder, SH. (2011). A Role for *Dehalobacter* spp. in the Reductive Dehalogenation of Dichlorobenzenes and Monochlorobenzene. *Environmental Science & Technology*. 45: 6806-6813.
- Nelson, JL; Jiang, JD; Zinder, SH. (2014). Dehalogenation of Chlorobenzenes, Dichlorotoluenes, and Tetrachloroethene by Three *Dehalobacter* spp. *Environmental Science & Technology*. 48: 3776-3782.
- Nelson, MD; Parker, BL; Al, TA; Cherry, JA; Loomer, D. (2001). Geochemical reactions resulting from in situ oxidation of PCE-DNAPL by KMnO<sub>4</sub> in a sandy aquifer. *Environmental Science & Technology*. 35: 1266-1275.
- Nemir, A; David, MM; Perrussel, R; Sapkota, A; Simonet, P; Monier, JM; Vogel, TM. (2010). Comparative phylogenetic microarray analysis of microbial communities in TCE-contaminated soils. *Chemosphere*. 80: 600-607.
- Nendza, M; Russom, CL. (1991). QSAR modelling of the ERL-D fathead minnow acute toxicity database. *Xenobiotica*. 21: 147-170.

## Environmental Hazard Literature Search Results

### Off Topic

- Neumann, A; Engelmann, T; Schmitz, R; Greiser, Y; Orthaus, A; Diekert, G. (2004). Phenyl methyl ethers: novel electron donors for respiratory growth of *Desulfitobacterium hafniense* and *Desulfitobacterium* sp strain PCE-S. *Archives of Microbiology*. 181: 245-249.
- Neumann, A; Scholz-Muramatsu, H; Diekert, G. Tetrachloroethene metabolism of *Dehalospirillum multivorans*. *Archives of microbiology*. 1994. v. 162 (4): 295-301.
- Neumann, A; Seibert, A; Trescher, T; Reinhardt, S; Wohlfarth, G; Diekert, G. (2002). Tetrachloroethene reductive dehalogenase of *Dehalospirillum multivorans*: substrate specificity of the native enzyme and its corrinoid cofactor. *Archives of Microbiology*. 177: 420-426.
- Neumann, A; Wohlfarth, G; Diekert, G. Properties of tetrachloroethene and trichloroethene dehalogenase of *Dehalospirillum multivorans*. *Archives of microbiology*. Apr 1995. v. 163 (4): 276-281.
- Neumann, A; Wohlfarth, G; Diekert, G. (1996). Purification and characterization of tetrachloroethene reductive dehalogenase from *Dehalospirillum multivorans*. *The Journal of biological chemistry*. 271: 16515-16519.
- Neumann, A; Wohlfarth, G; Diekert, G. (1998). Tetrachloroethene dehalogenase from *Dehalospirillum multivorans*: Cloning, sequencing of the encoding genes, and expression of the *pceA* gene in *Escherichia coli*. *J Bacteriol*. 180: 4140-4145.
- Neumann, CM; Forman, DL; Rothlein, JE. (1998). Hazard screening of chemical releases and environment equity analysis of populations proximate to toxic release inventory facilities in Oregon. *Environ Health Perspect*. 106: 217-226.
- Nevin, KP; Holmes, DE; Woodard, TL; Covalla, SF; Lovley, DR. (2007). Reclassification of *Trichlorobacter thiogenes* as *Geobacter thiogenes* comb. nov. *Int J Syst Evol Microbiol*. 57: 463-466.
- Newell, CJ; Aziz, CE. (2004). Long-term sustainability of reductive dechlorination reactions at chlorinated solvents sites. *Biodegradation*. 15: 387-394.
- Newell, CJ; Cowie, I; McGuire, TM; McNab, WW. (2006). Multiyear temporal changes in chlorinated solvent concentrations at 23 monitored natural attenuation sites. *Journal of Environmental Engineering-Asce*. 132: 653-663.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Newman, MA; Hatfield, K; Hayworth, J; Rao, PS; Stauffer, T. (2006). Inverse characterization of NAPL source zones. *Environmental science & technology*. 40: 6044-6050.
- Ni, ZB; Smit, M; Grotenhuis, T; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol*. 164: 209-218.
- Ni, ZB; van Gaans, P; Smit, M; Rijnaarts, H; Grotenhuis, T. (2015). Biodegradation of cis-1,2-Dichloroethene in Simulated Underground Thermal Energy Storage Systems. *Environmental Science & Technology*. 49: 13519-13527.
- Nicolas, V; Jean-Pierre, S. (2007). Thermal degradation of 2-chlorophenol promoted by CuCl(2) or CuCl: Formation and destruction of PCDD/Fs. *Chemosphere*. 67: S144-S149.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). In situ and laboratory studies on the fate of specific organic compounds in an anaerobic landfill leachate plume, 2. Fate of aromatic and chlorinated aliphatic compounds. *J Contam Hydrol*. 20: 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environmental Science & Technology*. 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater-sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere*. 25: 449-462.
- Nielsen, RB; Keasling, JD. (1999). Reductive dechlorination of chlorinated ethene DNAPLs by a culture enriched from contaminated groundwater. *Biotechnol Bioeng*. 62: 160-165.
- Nijenhuis, I; Andert, J; Beck, K; Kastner, M; Diekert, G; Richnow, HH. (2005). Stable isotope fractionation of tetrachloroethene during reductive dechlorination by *Sulfospirillum multivorans* and *Desulfitobacterium* sp strain PCE-S and abiotic reactions with cyanocobalamin. *Appl Environ Microbiol*. 71: 3413-3419.
- Nijenhuis, I; Kuntze, K. (2016). Anaerobic microbial dehalogenation of organohalides - state of the art and remediation strategies. *Curr Opin Biotechnol*. 38: 33-38.
- Nijenhuis, I; Nikolausz, M; Koth, A; Felfoldi, T; Weiss, H; Drangmeister, J; Grossmann, J; Kastner, M; Richnow, HH. (2007). Assessment of the natural attenuation of chlorinated ethenes in an anaerobic contaminated aquifer in the Bitterfeld/Wolfen area using stable isotope techniques, microcosm studies and molecular biomarkers. *Chemosphere*. 67: 300-311.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol*. 153: 92-105.
- Nijenhuis, I; Zinder, SH. (2005). Characterization of hydrogenase and reductive dehalogenase activities of *Dehalococcoides ethenogenes* strain 195. *Appl Environ Microbiol*. 71: 1664-1667.
- Nikolausz, M; Chatzinotas, A; Palatinszky, M; Imfeld, G; Martinez, P; Kastner, M. (2008). Single-nucleotide primer extension assay for detection and sequence typing of "*Dehalococcoides*" spp. *Appl Environ Microbiol*. 74: 300-304.
- Ninomiya, K; Sakai, M; Ohba, E; Kashiwagi, N. Kinetic model for the biotransformation of tetrachloroethylene in groundwater. *Water science and technology : a journal of the International Association on Water Pollution Research*. 1994. v. 30 (7): 13-18.
- Nishikawa, H; Katami, T; Takahara, Y; Sumida, H; Yasuhara, A. (1992). Emission of organic compounds by combustion of waste plastics involving vinyl chloride polymer. *Chemosphere*. 25: 1953-1960.
- Nishikawa, H; Katami, T; Yasuhara, A. (1993). Contribution of an industrial waste incinerator to the atmospheric concentrations of volatile chlorinated organic compounds. *Chemosphere*. 27: 1425-1432.

## Environmental Hazard Literature Search Results

### Off Topic

- Nishimura, M; Ebisawa, M; Sakihara, S; Kobayashi, A; Nakama, T; Okochi, M; Yohda, M. (2008). Detection and identification of Dehalococcoides species responsible for in situ dechlorination of trichloroethene to ethene enhanced by hydrogen-releasing compounds. *Biotechnology and Applied Biochemistry*. 51: 1-7.
- Njoroge, BNK; Ball, WP; Cherry, RS. (1998). Sorption of 1,2,4-trichlorobenzene and tetrachloroethene within an authigenic soil profile: Changes in K(oc) with soil depth. *J Contam Hydrol*. 29: 347-377.
- Noftsker, C; Watwood, ME. (1997). Removal of tetrachloroethylene in an anaerobic column bioreactor. *Appl Environ Microbiol*. 48: 424-430.
- Nogueira, RFP; Alberici, RM; Jardim, WF. (1997). Heterogeneous photocatalysis: An emerging technology for remediation of VOC contaminated environments. *Ciencia E Cultura*. 49: 14-24.
- Nonaka, H; Keresztes, G; Shinoda, Y; Ikenaga, Y; Abe, M; Naito, K; Inatomi, K; Furukawa, K; Inui, M; Yukawa, H. (2006). Complete genome sequence of the dehalorespiring bacterium *Desulfitobacterium hafniense* Y51 and comparison with *Dehalococcoides ethenogenes* 195. *J Bacteriol*. 188: 2262-2274.
- Novack, GD. (1995). Ocular toxicology. *Current opinion in ophthalmology*. 6: 108-112.
- Nozawa-Inoue, M; Jien, M; Yang, K; Rolston, DE; Hristova, KR; Scow, KM. (2011). Effect of nitrate, acetate, and hydrogen on native perchlorate-reducing microbial communities and their activity in vadose soil. *FEMS Microbiol Ecol*. 76: 278-288.
- Numata, M; Nakamura, N; Koshikawa, H; Terashima, Y. (2002). Chlorine isotope fractionation during reductive dechlorination of chlorinated ethenes by anaerobic bacteria. *Environmental science & technology*. 36: 4389-4394.
- Nurok, D; Kleyale, RM; Muhoberac, BB; Frost, MC; Hajdu, P; Robertson, DH; Kamat, SV; Russell, AJ. (1999). Study of enzyme-catalyzed reactions in organic solvents using multiple linear regression. *Journal of Molecular Catalysis B: Enzymatic*. 7: 273-282.
- Nyer, EK; Payne, F; Suthersan, S. (2003). Environment vs. bacteria or let's play 'name that bacteria'. *Ground Water Monitoring and Remediation*. 23: 36-+.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environmental Science & Technology*. 35: 2244-2251.
- Nzengung, VA; Jeffers, P. (2001). Sequestration, Phytoreduction, and Phytooxidation of Halogenated Organic Chemicals by Aquatic and Terrestrial Plants. *Int J Phytoremediation*. 3: 13-40.
- O'Carroll, DM; Abriola, LM; Polityka, CA; Bradford, SA; Demond, AH. (2005). Prediction of two-phase capillary pressure-saturation relationships in fractional wettability systems. *J Contam Hydrol*. 77: 247-270.
- O'Carroll, DM; Bradford, SA; Abriola, LM. (2004). Infiltration of PCE in a system containing spatial wettability variations. *J Contam Hydrol*. 73: 39-63.
- O'Carroll, DM; Mumford, KG; Abriola, LM; Gerhard, JI. (2010). Influence of wettability variations on dynamic effects in capillary pressure. *Water Resour Res*. 46: 8505-8505.
- O'Connor, TP; Mueller, JA; Mahony, JD; Di, TORODM. (1996). A correction factor for predicting the multicomponent adsorption of air stripper offgas. *Water Environ Res*. 68: 66-69.
- Odum, J; Green, T; Foster, JR; Hext, PM. (1988). The role of trichloroacetic acid and peroxisome proliferation in the differences in carcinogenicity of perchloroethylene in the mouse and rat. *Toxicol Appl Pharmacol*. 92: 103-112.
- Oehnel, E. (1971). Drycleaning in the hospital laundry. *Canadian hospital*. 48: 66-67.
- Oesterreich, RC; Siegrist, RL. (2009). Quantifying Volatile Organic Compounds in Porous Media: Effects of Sampling Method Attributes, Contaminant Characteristics and Environmental Conditions. *Environmental Science & Technology*. 43: 2891-2898.
- Ofstad, EB; Drangsholt, H; Carlberg, GE. (1981). Analysis of Volatile Halogenated Organic Compounds in Fish. *Sci Total Environ*. 20: 205-215.
- Ogata, M; Hasegawa, T. (1981). Effects of Chlorinated Aliphatic Hydrocarbons on Mitochondrial Oxidative Phosphorylation in the Rat With Reference to the Effects of Chlorinated Aromatic Hydrocarbons. *INDUST HEALTH*. 19: 71-76.
- Ogata, M; Numano, T; Hosokawa, M; Michitsuji, H. (1997). Large-scale biological monitoring in Japan. *Sci Total Environ*. 199: 197-204.
- Ogata, M; Takatsuka, Y; Tomokuni, K. (1971). Excretion of organic chlorine compounds in the urine of persons exposed to vapours of trichloroethylene and tetrachloroethylene. *Br J Ind Med*. 28: 386-391.
- Oh, BT; Lee, JY; Yoon, J. (2007). Removal of contaminants in leachate from landfill by waste steel scrap and converter slag. *Environ Geochem Health*. 29: 331-336.
- Oh, DI; Nam, K; Park, JW; Khim, JH; Kim, YK; Kim, JY. (2008). Impacts of environmental conditions on the sorption of volatile organic compounds onto tire powder. *J Hazard Mater*. 153: 157-163.
- Ohandja, DG; Stuckey, DC. (2006). Development of a membrane-aerated biofilm reactor to completely mineralise perchloroethylene in wastewaters. *J Chem Tech Biotechnol*. 81: 1736-1744.
- Ohandja, DG; Stuckey, DC. (2007). Biodegradation of PCE in a hybrid membrane aerated biofilm reactor. *Journal of Environmental Engineering-Asce*. 133: 20-27.
- Ohandja, DG; Stuckey, DC. (2010). Effect of perchloroethylene (PCE) and hydraulic shock loads on a membrane-aerated biofilm reactor (MABR) biodegrading PCE. *J Chem Tech Biotechnol*. 85: 294-301.
- O'Hannesin, SF; Gillham, RW. (1998). Long-term performance of an in situ "iron wall" for remediation of VOCs. *Ground Water*. 36: 164-170.
- O'Haver, JH; Walk, R; Kitiyanan, B; Harwell, JH; Sabatini, DA. (2004). Packed column and hollow fiber air stripping of a contaminant-surfactant stream. *Journal of Environmental Engineering-Asce*. 130: 4-11.
- Ohta, T; Morita, M; Mizoguchi, I. (1976). Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. *Atmos Environ* (1967). 10: 557-560.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ*. 366: 485-499.

## Environmental Hazard Literature Search Results

### Off Topic

- Oi, N. (1957). Analyses of drugs and chemicals by infrared absorption spectra. I. Quantitative analyses of santonin, thymol, tetrachloroethylene, and ascaridol in mixed drugs. *Pharmaceutical bulletin*. 5: 149-152.
- Okada, Y; Nakagoshi, A; Tsurukawa, M; Matsumura, C; Eiho, J; Nakano, T. (2012). Environmental risk assessment and concentration trend of atmospheric volatile organic compounds in Hyogo Prefecture, Japan. *Environ Sci Pollut Res Int*. 19: 201-213.
- Okoshi, S; Murata, Y. (1968). Experimental studies on ancylostomiasis in cats. 8. Diagnosis and treatment of ancylostomiasis in cats. *Nihon juigaku zasshi The Japanese journal of veterinary science*. 30: 167-173.
- Okuda, I; McBride, JF; Gleyzer, SN; Miller, CT. (1996). Physicochemical transport processes affecting the removal of residual DNAPL by nonionic surfactant solutions. *Environmental Science & Technology*. 30: 1852-1860.
- Okx, JP; Stein, A. An expert support model for in situ soil remediation. *Water Air Soil Pollut*. Mar 2000. v. 118 (3/4): 357-375.
- Olague, EP. (2002). The distribution of the chlorinated solvents dichloromethane, perchloroethylene, and trichloroethylene in the global atmosphere. *Environ Sci Pollut Res Int*. 9: 175-182.
- Oldaker, GB, III; Taylor, WD; Parrish, KB. (1995). Investigations of ventilation rate, smoking activity and indoor air quality at four large office buildings. *Environ Technol*. 16: 173-180.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environmental Science & Technology*. 33: 1145-1147.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environmental Science & Technology*. 37: 2905-2912.
- Onasch, J. (2011). A feasibility and cost comparison of perchloroethylene dry cleaning to professional wet cleaning: case study of Silver Hanger Cleaners, Bellingham, Massachusetts. *J Clean Prod*. 19: 477-482.
- Ong, P. (2012). Environmental Justice and Green-Technology Adoption. *Journal of Policy Analysis and Management*. 31: 578-597.
- Ongerth, JE; Wacker, R; Strand, SE; Dewalle, FB. (1995). Concentration and Biototoxicity Assay of Dilute Aqueous Solutions of Volatile Chlorinated Organics Using Supercritical Fluid Extraction. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control*. 30: 1867-1890.
- Oostrom, M; Hofstee, C; Walker, RC; Dane, JH. (1999). Movement and remediation of trichloroethylene in a saturated, heterogeneous porous medium 2. Pump-and-treat and surfactant flushing. *J Contam Hydrol*. 37: 179-197.
- Ordóñez, S; Sastre, H; Díaz, FV. (2001). Catalytic hydrodechlorination of tetrachloroethylene over red mud. *J Hazard Mater*. 81: 103-114.
- Ot, DG; Schweitzer, WH; Sayeg, JA; Harris, PS. (1961). Trichloroethylene-saturated water and tetrachloroethylene chemical dosimeter systems- neutron response. *Health Phys*. 7: 20-24.
- Ott, DG; Sayeg, JA; Harris, PS. (1961). Neutron response of trichloroethylene-saturated water and tetrachloroethylene chemical dosimeters. *Trans Roy Soc Trop Med Hyg*. LAMS-2526: 218-221.
- Ou-Yang, CF; Chang, CC; Chen, SP; Chew, C; Lee, BR; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, JL. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere*. 138: 438-446.
- Ouyang, Y; Cho, JS; Mansell, RS. (2002). Simulated formation and flow of microemulsions during surfactant flushing of contaminated soil. *Water Res*. 36: 33-40.
- Ovaska, M; Kivinen, A; Räsänen, M. (1983). Polarized infrared spectra: Part 2. Fundamental vibrations of tetrachloroethylene, some mono-, di- and trihalogenated methanes and carbon disulfide. *J Mol Struct*. 98: 19-26.
- Paaso, N; Peuravuori, J; Pihlaja, K. (2000). Extraction efficiency of chloroethenes from contaminated dry cleaner's sludge with three different methods. *Waste Manag*. 20: 69-74.
- Padgett, PK; Hayden, NJ. (1999). Mobilization of residual tetrachloroethylene during alcohol flushing of clay-containing porous media. *J Contam Hydrol*. 40: 285-296.
- Padilla-Crespo, E; Yan, J; Swift, C; Wagner, DD; Chourey, K; Hettich, RL; Ritalahti, KM; Löffler, FE. (2014). Identification and Environmental Distribution of dcpA, Which Encodes the Reductive Dehalogenase Catalyzing the Dichloroelimination of 1,2-Dichloropropane to Propene in Organohalide-Respiring Chloroflexi. *Appl Environ Microbiol*. 80: 808-818.
- Paeder, V; Homsy, A; Hvozدارa, L; van, dWP; Di, FJ; de, RNF; Peter, HH; Ball, WP; Roberts, PV. (2012). Long-term sorption of halogenated organic chemicals by aquifer material: 1. Equilibrium. *Lab on a chip*. 12: 3020-3023.
- Page, JWE; Soga, K; Illangasekare, T. (2007). The significance of heterogeneity on mass flux from DNAPL source zones: An experimental investigation. *J Contam Hydrol*. 94: 215-234.
- Pahler, A; Birner, G; Parker, J; Dekant, W. (1998). Generation of antibodies to di- and trichloroacetylated proteins and immunochemical detection of protein adducts in rats treated with perchloroethene. *Chem Res Toxicol*. 11: 995-1004.
- Palau, J; Marchesi, M; Chambon, JCC; Aravena, R; Canals, A; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ*. 475: 61-70.
- Palau, J; Soler, A; Canals, A; Aravena, R. (2010). Use of Environmental Isotopes (<sup>13</sup>C, <sup>15</sup>N, and <sup>18</sup>O) for Evaluating Sources and Fate of Nitrate and Tetrachloroethene in an Alluvial Aquifer. *Environ Forensics*. 11: 237-247.
- Pampel, LWH; Livingston, AG. (1998). Anaerobic dechlorination of perchloroethene in an extractive membrane bioreactor. *Appl Microbiol Biotechnol*. 50: 303-308.
- Pan, C; Hilpert, M; Miller, CT. (2004). Lattice-Boltzmann simulation of two-phase flow in porous media. *Water Resour Res*. 40: 1501-1501.
- Pan, YY; Yang, JS; Jia, YG; Xu, ZS. (2016). Experimental study on non-aqueous phase liquid multiphase flow characteristics and controlling factors in heterogeneous porous media. *Environ Earth Sci*. 75: 75-75.

## Environmental Hazard Literature Search Results

### Off Topic

- Panagiotakis, I; Mamais, D; Pantazidou, M; Rossetti, S; Aulenta, F; Tandoi, V. (2014). Predominance of Dehalococoides in the presence of different sulfate concentrations. *Water Air and Soil Pollution*. 225: 1785-1785.
- Pandolfo, L; Maggini, M. (1997). Reaction of trans-[Pt(H)<sub>2</sub>(PCy<sub>3</sub>)<sub>2</sub>] with C<sub>60</sub> reductive elimination of H<sub>2</sub> and formation of [Pt(PCy<sub>3</sub>)<sub>2</sub>( $\dot{I}$ -2-C<sub>60</sub>)]. *J Organomet Chem*. 540: 61-65.
- Pankow, JF; Asher, WE; Zogorski, JS. (2006). Source apportionment modeling of volatile organic compounds in streams. *Environ Toxicol Chem*. 25: 921-932.
- Pankow, JF; Johnson, RL; Cherry, JA. (1993). Air sparging in gate wells in cutoff walls and trenches for control of plumes of volatile organic compounds (VOCs). *Ground Water*. 31: 654-663.
- Pankow, JF; Thomson, NR; Johnson, RL; Baehr, AL; Zogorski, JS. (1997). The urban atmosphere as a non-point source for the transport of MTBE and other volatile organic compounds (VOCs) to shallow groundwater. *Environmental Science & Technology*. 31: 2821-2828.
- Pantazidou, M; Panagiotakis, I; Mamais, D; Zikidi, V. (2012). Chloroethene Biotransformation in the Presence of Different Sulfate Concentrations. *Ground Water Monitoring and Remediation*. 32: 106-119.
- Paola, V; Antonella, B; Giancarlo, N; Gino, LA. (1993). Detection of mutagenic pollutants of inland and coastal waters by means of the Salmonella microsome assay. *Environ Technol*. 14: 543-553.
- Parales, RE; Haddock, JD. (2004). Biocatalytic degradation of pollutants. *Curr Opin Biotechnol*. 15: 374-379.
- Pardue, JH. (2002). Remediating chlorinated solvents in wetlands: Natural processes or an active approach? Columbus: Wetlands and Remediation II.
- Park, J; Kukor, JJ; Abriola, LM. (2002). Characterization of the adaptive response to trichloroethylene-mediated stresses in *Ralstonia pickettii* PKO1. *Appl Environ Microbiol*. 68: 5231-5240.
- Park, JH; Spengler, JD; Yoon, DW; Dumyahn, T; Lee, K; Ozkaynak, H. (1998). Measurement of air exchange rate of stationary vehicles and estimation of in-vehicle exposure. *J Expo Anal Environ Epidemiol*. 8: 65-78.
- Park, JK; Bontoux, L; Holsen, TM; Jenkins, D; Selleck, RE. (1991). Permeation of polybutylene pipe and gasket material by organic chemicals. *Am Water Works Assoc J*. 83: 71-78.
- Park, KS; Sorensen, DL; Sims, JL; Adams, VD. (1988). Volatilization of Wastewater Trace Organics in Slow Rate Land Treatment Systems. *Hazardous Waste and Hazardous Materials HWHME2 Vol 5, No 3, p 219-229, Summer 1988 2 fig, 5 tab, 17 ref*.
- Parker, BL; Cherry, JA; Chapman, SW; Guilbeault, MA. (2003). Review and analysis of chlorinated solvent dense nonaqueous phase liquid distributions in five sandy aquifers. *Vadose zone journal VZJ*. 2.
- Parker, JC. (2003). Physical processes affecting natural depletion of volatile chemicals in soil and groundwater. *Vadose zone journal VZJ*. 2.
- Parker, JC; Bahlman, LJ; Leidel, NA; Stein, HP; Thomas, AW; Wolf, BS; Baier, EJ. (1978). Current NIOSH Intelligence Bulletin No. 20: Tetrachloroethylene (perchloroethylene). *Am Ind Hyg Assoc J*. 39: A-23-A-29.
- Parker, JC; Park, E. (2004). Modeling field-scale dense nonaqueous phase liquid dissolution kinetics in heterogeneous aquifers. *Water Resour Res*. 40: 5109-5109.
- Parker, W; Monteith, H; Melcer, H. (1995). Preliminary assessment of the removal of volatile organic compounds in a biological selector process. *Water Environ Res*. 67: 798-801.
- Parker, WJ; Thompson, DJ; Bell, JP; Melcer, H. (1993). Fate of volatile organic compounds in municipal activated sludge plants. *Water Environ Res*. 65: 58-65.
- Parker, WJ; Yu, JY. (2001). Dynamic modeling to assess worker exposure to gas-phase volatile organic compounds in collector sewers. *Water Environ Res*. 73: 450-460.
- Parrett, JW; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environmental Science & Technology*. 33: 1691-1696.
- Parrotta, MJ. (1991). Radioactivity in water treatment wastes: A USEPA perspective. *Am Water Works Assoc J*. 83: 134-140.
- Parshetti, GK; Doong, RA. (2008). Immobilization of bimetallic nanoparticles on microfiltration membranes for trichloroethylene dechlorination. *Water Science and Technology*. 58: 1629-1636.
- Parshetti, GK; Doong, RA. (2011). Synergistic effect of nickel ions on the coupled dechlorination of trichloroethylene and 2,4-dichlorophenol by Fe/TiO<sub>2</sub> nanocomposites in the presence of UV light under anoxic conditions. *Water Res*. 45: 4198-4210.
- Parshetti, GK; Doong, RA. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399.
- Parthasarathy, A; Stich, TA; Lohner, ST; Lesnefsky, A; Britt, RD; Spormann, AM. (2015). Biochemical and EPR-Spectroscopic Investigation into Heterologously Expressed Vinyl Chloride Reductive Dehalogenase (VcrA) from *Dehalococoides mccartyi* Strain VS. *J Am Chem Soc*. 137: 3525-3532.
- Pasquini, DA. (1978). Evaluation of glass sampling tubes for industrial breath analysis. *Am Ind Hyg Assoc J*. 39: 55-62.
- Passivirta, J; Särkkä, J; Surma-Aho, K; Humppi, T; Kuokkanen, T; Marttinen, M. (1983). Food chain enrichment of organochlorine compounds and mercury in clean and polluted lakes of Finland. *Chemosphere*. 12: 239-252.
- Pastewski, S; Hallmann, E; Medrzycka, K. (2006). Physicochemical aspects of the application of surfactants and biosurfactants in soil remediation. *Environ Eng Sci*. 23: 579-588.
- Patel, KM; Olweny, CL. (1972). Comparison of bitoscanate (Joint) and tetrachlorethylene in treatment of *Necator americanus* infection. *East African medical journal*. 49: 270-272.
- Patel, KM; Tulloch, JA. (1967). Total dose imferon (iron-dextran complex) infusion therapy in severe hookworm anaemia. *Br Med J*. 2: 605-607.
- Patel, R; Janakiraman, N; Johnson, R; Elman, JB. (1973). Pulmonary edema and coma from perchloroethylene. *JAMA*. 223: 1510.

## Environmental Hazard Literature Search Results

### Off Topic

- Patel, R; Zhou, RN; Zinszer, K; Josse, F; Cernosek, R. (2000). Real-time detection of organic compounds in liquid environments using polymer-coated thickness shear mode quartz resonators. *Anal Chem.* 72: 4888-4898.
- Patil, SS; Adetutu, EM; Aburto-Medina, A; Menz, IR; Ball, AS. (2014). Biostimulation of indigenous communities for the successful dechlorination of tetrachloroethene (perchloroethylene)-contaminated groundwater. *Biotechnol Lett.* 36: 75-83.
- Patil, SS; Adetutu, EM; Rochow, J; Mitchell, JG; Ball, AS. (2014). Sustainable remediation: electrochemically assisted microbial dechlorination of tetrachloroethene-contaminated groundwater. *Microb Biotechnol.* 7: 54-63.
- Patricia, AH; Rao, UP; Subramaniam, R; Madanagopalan, N. (1975). Experience with bitoscanate in adults. *Progress in drug research Fortschritte der Arzneimittelforschung Progre&#768;s des recherches pharmaceutiques.* 19: 90-95.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol.* 153: 69-77.
- Patterson, BM; Pribac, F; Barber, C; Davis, GB; Gibbs, R. (1993). Biodegradation and retardation of PCE and BTEX compounds in aquifer material from Western Australia using large-scale columns. *J Contam Hydrol.* 14: 261-278.
- Patterson, EV; Cramer, CJ; Truhlar, DG. (2001). Reductive dechlorination of hexachloroethane in the environment: Mechanistic studies via computational electrochemistry. *J Am Chem Soc.* 123: 2025-2031.
- Paudel, A; Van den Mooter, G. (2012). Influence of Solvent Composition on the Miscibility and Physical Stability of Naproxen/PVP K 25 Solid Dispersions Prepared by Cosolvent Spray-Drying. *Pharm Res.* 29: 251-270.
- Paul, L; Smolders, E. (2014). Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. *Chemosphere.* 111: 471-477.
- Paul, L; Smolders, E. (2015). Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: Model systems and environmental samples. *Chemosphere.* 119: 1113-1119.
- Paulu, C; Aschengrau, A; Ozonoff, D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect.* 107: 265-271.
- Paulu, C; Aschengrau, A; Ozonoff, D. (2002). Exploring associations between residential location and breast cancer incidence in a case-control study. *Environ Health Perspect.* 110: 471-478.
- Pavlostathis, SG; Mathavan, GN. (1992). Desorption kinetics of selected volatile organic compounds from field contaminated soils. *Environ Sci Technol.* 26: 532-538.
- Pavlostathis, SG; Zhuang, P. (1993). Reductive dechlorination of chloroalkenes in microcosms developed with a field contaminated soil. *Chemosphere.* 27: 585-595.
- PeÅ,ech, R; Milchert, E; WrÃ³bel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater.* 137: 1479-1487.
- Pedit, JA; Iwamasa, KJ; Miller, CT; Glaze, WH. (1997). Development and application of a gas-liquid contactor model for simulating advanced oxidation processes. *Environmental Science & Technology.* 31: 2791-2796.
- Peers, AM. (1985). The determination of trichloroethylene and tetrachloroethylene in air. *IARC Sci Publ.* 68: 205-211.
- Pekari, K; Aitio, A. (1985). Determination of tetrachloroethylene in blood. *IARC Sci Publ.* 68: 451-455.
- Pekelney, D. (1990). Hazardous waste generation, transportation, reclamation, and disposal: California's manifest system and the case of halogenated solvents. *J Hazard Mater.* 23: 293-316.
- Pellizzari, ED; Hartwell, TD; Perritt, RL; Sparacino, CM; Sheldon, LS; Zelon, HS; Whitmore, RW; Breen, JJ; Wallace, L. (1986). Comparison of indoor and outdoor residential levels of volatile organic chemicals in five U.S. geographical areas. *Environ Int.* 12: 619-623.
- Peng, J; Bewtra, JK; Biswas, N. (1995). Effect of turbulence on volatilization of selected organic compounds from waters. *Water Environ Res.* 67: 101-107.
- Peng, X; Yamamoto, S; Vertes, AA; Keresztes, G; Inatomi, K; Inui, M; Yukawa, H. (2012). Global transcriptome analysis of the tetrachloroethene-dechlorinating bacterium *Desulfitobacterium hafniense* Y51 in the presence of various electron donors and terminal electron acceptors. *Journal of Industrial Microbiology & Biotechnology.* 39: 255-268.
- Penheiter, AR; Filoteo, AG; Penniston, JT; Caride, AJ. (2005). Kinetic analysis of the calmodulin-binding region of the plasma membrane calcium pump isoform 4b. *Biochemistry.* 44: 2009-2020.
- Pennell, KD; Adinolfi, AM; Abriola, LM; Diallo, MS. (1997). Solubilization of dodecane, tetrachloroethylene, and 1,2-dichlorobenzene in micellar solutions of ethoxylated nonionic surfactants. *Environmental Science & Technology.* 31: 1382-1389.
- Pennell, KD; Jin, M; Abriola, LM; Pope, GA. (1994). Surfactant enhanced remediation of soil columns contaminated by residual tetrachloroethylene. *J Contam Hydrol.* 16: 35-53.
- Pennell, KD; Pope, GA; Abriola, LM. (1996). Influence of viscous and buoyancy forces on the mobilization of residual tetrachloroethylene during surfactant flushing. *Environmental Science & Technology.* 30: 1328-1335.
- Penning, H; Cramer, CJ; Elsner, M. (2008). Rate-Dependent Carbon and Nitrogen Kinetic Isotope Fractionation in Hydrolysis of Isoproturon. *Environmental Science & Technology.* 42: 7764-7771.
- Perez-de-Mora, A; Zila, A; McMaster, ML; Edwards, EA. (2014). Bioremediation of Chlorinated Ethenes in Fractured Bedrock and Associated Changes in Dechlorinating and Nondechlorinating Microbial Populations. *Environmental Science & Technology.* 48: 5770-5779.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen sulfide. *Environmental Science & Technology.* 30: 3408-3417.
- Perona, MJ. (1992). The solubility of hydrophobic compounds in aqueous droplets. *Atmos Environ Part A Gen Top.* 26: 2549-2553.
- Persson, M; Berndtsson, R. (2002). Measuring nonaqueous phase liquid saturation in soil using time domain reflectometry. *Water Resour Res.* 38: 1064-1064.

## Environmental Hazard Literature Search Results

### Off Topic

- Peters, RJ. (2003). Chloroacetic acids in European soils and vegetation. *Journal of environmental monitoring* : JEM. 5: 275-280.
- Peters, RW. (1999). Chelant extraction of heavy metals from contaminated soils. *J Hazard Mater.* 66: 151-210.
- Petitta, M; Pacioni, E; Sbarbati, C; Corvatta, G; Fanelli, M; Aravena, R. (2013). Hydrodynamic and isotopic characterization of a site contaminated by chlorinated solvents: Chienti River Valley, Central Italy. *Appl Geochem.* 32: 164-174.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Management & Research.* 33: 339-344.
- Petruzelkova, A; Machackova, J; Wittlingerova, Z; Zimova, M; Cidlinova, A; Bernath, P. (2012). SIGNIFICANCE OF SURFACE WATER CONTAMINATION WITH PCE FOR FISH TISSUE PCE CONTENT. *International Multidisciplinary Scientific GeoConference : SGEM : Surveying Geology & mining Ecology Management.* 5: 735.
- Peyton, GR; Huang, FY; Burlison, JL; Glaze, WH. Destruction of pollutants in water with ozone in combination with ultraviolet radiation. 1. General principles and oxidation of tetrachloroethylene. *Environmental science & technology.* Aug 1982. v. 16 (8): 448-453 ill.
- Pfeiffer, P; Bielefeldt, AR; Illangasekare, T; Henry, B. (2005). Partitioning of dissolved chlorinated ethenes into vegetable oil. *Water Res.* 39: 4521-4527.
- Phayde, HTS; Ortego, JD; Rudzinski, WE. (1996). Molecular migration of hazardous liquids into thermoplastic ethylene-propylene random copolymer and isotactic polypropylene membranes. AU - AMINABHAVI TM. *J Hazard Mater.* 49: 125-141.
- Phelan, TJ; Abriola, LM; Gibson, JL; Smits, KM; Christ, JA. (2015). Development and application of a screening model for evaluating bioenhanced dissolution in DNAPL source zones. *J Contam Hydrol.* 183: 1-15.
- Phelan, TJ; Lemke, LD; Bradford, SA; O'Carroll, DM; Abriola, LM. (2004). Influence of textural and wettability variations on predictions of DNAPL persistence and plume development in saturated porous media. *Advances in Water Resources.* 27: 411-427.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res.* 107: 19-28.
- Philips, J; Haest, PJ; Springael, D; Smolders, E. (2013). Inhibition of Geobacter Dechlorinators at Elevated Trichloroethene Concentrations Is Explained by a Reduced Activity Rather than by an Enhanced Cell Decay. *Environmental Science & Technology.* 47: 1510-1517.
- Philips, J; Hamels, F; Smolders, E; Springael, D. (2012). Distribution of a dechlorinating community in relation to the distance from a trichloroethene dense nonaqueous phase liquid in a model aquifer. *FEMS Microbiol Ecol.* 81: 636-647.
- Philips, J; Maes, N; Springael, D; Smolders, E. (2013). Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: Experimental demonstration in diffusion-cells. *J Contam Hydrol.* 147: 25-33.
- Philips, J; Miroshnikov, A; Haest, PJ; Springael, D; Smolders, E. (2014). Motile Geobacter dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: Experimental evaluation and modeling. *J Contam Hydrol.* 170: 28-38.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere.* 83: 991-996.
- Philips, J; Van Muylder, R; Springael, D; Smolders, E. (2013). Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: A flux-based analysis using diffusion-cells. *Chemosphere.* 91: 7-13.
- Phillips, DJH. (1995). The chemistries and environmental fates of trace metals and organochlorines in aquatic ecosystems. *Mar Pollut Bull.* 31: 193-200.
- Phillips, LJ; Birchard, GF. (1991). Use of STORET data to evaluate variations in environmental contamination by census division. *Chemosphere.* 22: 835-848.
- Phipps, GL; Holcombe, GW; Fiandt, JT. (1982). Saturator System for Generating Toxic Water Solutions for Aquatic Bioassays. *Progressive Fish-Culturist Vol 44, No 2, p 115-116, April, 1982 1 Fig, 5 Ref.*
- Piatt, JJ; Brusseau, ML. (1998). Rate-limited sorption of hydrophobic organic compounds by soils with well-characterized organic matter. *Environmental Science & Technology.* 32: 1604-1608.
- Pietari, JMH; Herwig, RP; McLarnan, JL; Ferguson, JF. (1999). Characterization of an anaerobic PCE or TCE to cis-1,2-DCE dechlorinating psychrotrophic enrichment. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 600.
- Pignatello, JJ. Desorption of tetrachloroethene and 1,2-dibromo-3-chloropropane from aquifer sediments. *Environ Toxicol Chem.* 1991. v. 10 (11): 1399-1404.
- Pignatello, JJ; Liu, D; Huston, P. (1999). Evidence for an additional oxidant in the photoassisted Fenton reaction. *Environmental Science & Technology.* 33: 1832-1839.
- Piketh, SJ; Swap, RJ; Anderson, CA; Freiman, MT; Zunckel, M; Held, G. (1999). The Ben Macdhui High Altitude Trace Gas and Aerosol Transport Experiment. *South African Journal of Science.* 95: 35-43.
- Pilorget, C; Houot, M; Delabre, L; Ducamp, S; Garras, Lc; Jezewski-Serra, D; Pelletan, J-B; Luce, D. (2016). Exposition professionnelle Ã certains cancÃ©rogÃ©nes chimiques selon le genre (donnÃ©es du programme MatgÃ©nÃ©). *Arch Mal Prof Environ.* 77: 496.
- Pire, E. (1984). Research on the effects of tetrachloroethylene on dry cleaning workers in Bari. Considerations and proposals for craft-work. *Igiene Moderna.* 82: 617-636.
- Piscopo, AN; Neupauer, RM; Kasprzyk, JR. (2016). Optimal design of active spreading systems to remediate sorbing groundwater contaminants in situ. *J Contam Hydrol.* 190: 29-43.
- Pittman, CU, Jr.; He, J. (2002). Dechlorination of PCBs, CAHs, herbicides and pesticides neat and in soils at 25 degrees C using Na/NH3. *J Hazard Mater.* 92: 51-62.
- Pittman Jr, CU; He, J. (2002). Dechlorination of PCBs, CAHs, herbicides and pesticides neat and in soils at 25 Â°C using Na/NH3. *J Hazard Mater.* 92: 51-62.



## Environmental Hazard Literature Search Results

### Off Topic

- Piwoni, MD; Banerjee, P. (1989). Sorption of volatile organic solvents from aqueous solution onto subsurface solids. *J Contam Hydrol.* 4: 163-179.
- Pizzol, L; Zabeo, A; Critto, A; Giubilato, E; Marcomini, A. (2015). Risk-based prioritization methodology for the classification of groundwater pollution sources. *Sci Total Environ.* 506: 505-517.
- Plaa, GL. (1976). Quantitative aspects in the assessment of liver injury. *Environ Health Perspect.* 15: 39-46.
- Plagentz, V; Ebert, M; Dahmke, A. (2006). Remediation of ground water containing chlorinated and brominated hydrocarbons, benzene and chromate by sequential treatment using ZVI and GAC. *Environ Geol.* 49: 684-695.
- Platteborze-Stienlet, K; Zeegers-Huyskens, Trs. (1996). IR characteristics of complexes involving 1,8-bis(dimethylamino)naphthalene and phenols-OH or phenols-OD in solution. *J Mol Struct.* 378: 29-34.
- Plaza, G; Ulfing, K; Rzychon, D; Wypych, J; Worsztynowicz, A; Brigmon, RL. (2004). TCE biodegradation in "interspecies hydrogen transfer" bioremediation model. *Fresen Environ Bull.* 13: 1151-1157.
- Plumacher, J; Schroeder, P. (1994). Accumulation and fate of C12-chlorocarbons and trichloroacetic acid in spruce needles from an Austrian mountain site. *Chemosphere.* 29: 2467-2476.
- Pohl, HR; Smith-Simon, C; Hicks, H. (1998). Health effects classification and its role in the derivation of minimal risk levels: Developmental effects. *Regul Toxicol Pharmacol.* 28: 55-60.
- Pohland, FG; Rachdawong, P. (1996). Use of post-consumer carpet products during landfill management of solid wastes. *Water Science And Technology.* 34: 429-436.
- Pomerantz, B; Lorber, JC. (1968). Intestinal parasitism in Korea. *The American journal of gastroenterology.* 49: 209-218.
- Pon, G; Hyman, MR; Semprini, L. (2003). Acetylene inhibition of trichloroethene and vinyl chloride reductive dechlorination. *Environmental Science & Technology.* 37: 3181-3188.
- Pontius, FW. (1997). Future directions in water quality regulations. *American Water Works Association Journal.* 89: 40-54.
- Pontius, FW. (1998). New horizons in federal regulation. *American Water Works Association Journal.* 90: 38-50.
- Pontius, FW. (1999). Complying with future water regulations: With regulatory activity picking up momentum into 2000, utilities must anticipate and strategically plan for compliance. *American Water Works Association Journal.* 91: 46-58.
- Ponza, S; Parkpian, P; Polprasert, C; Shrestha, RP; Jugsujinda, A. (2010). Removal of trichloroethylene (TCE) contaminated soil using a two-stage anaerobic-aerobic composting technique. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 45: 549-559.
- Pooley, KE; Blessing, M; Schmidt, TC; Haderlein, SB; Macquarrie, KTB; Prommer, H. (2009). Aerobic Biodegradation of Chlorinated Ethenes in a Fractured Bedrock Aquifer: Quantitative Assessment by Compound-Specific Isotope Analysis (CSIA) and Reactive Transport Modeling. *Environmental Science & Technology.* 43: 7458-7464.
- Pop, SM; Kolarik, RJ; Ragsdale, SW. (2004). Regulation of anaerobic dehalorespiration by the transcriptional activator CprK. *J Biol Chem.* 279: 49910-49918.
- Popat, SC; Deshusses, MA. (2009). Reductive Dehalogenation of Trichloroethene Vapors in an Anaerobic Biotrickling Filter. *Environmental Science & Technology.* 43: 7856-7861.
- Popp, W; Mueller, G; Baltus-Schmitz, B; Wehner, B; Vahrenholz, C; Schmieding, W; Benninghoff, M; Norpoth, K. (1992). Concentrations of tetrachloroethene in blood and trichloroacetic acid in urine in workers and neighbours of dry-cleaning shops. *Int Arch Occup Environ Health.* 63: 393-395.
- Poritz, M; Schiffmann, CL; Hause, G; Heinemann, U; Seifert, J; Jehmlich, N; von Bergen, M; Nijenhuis, I; Lechner, U. (2015). Dehalococcoides mccartyi Strain DCMB5 Respires a Broad Spectrum of Chlorinated Aromatic Compounds. *Appl Environ Microbiol.* 81: 587-596.
- Poskitt, EM. (1974). Clinical problems related to the use of drugs in malnutrition. *The Proceedings of the Nutrition Society.* 33: 203-207.
- Potter, CL; Chang, LW; DeAngelo, AB; Daniel, FB. (1996). Effects of four trihalomethanes on DNA strand breaks, renal hyaline droplet formation and serum testosterone in male F-344 rats. *Cancer Lett.* 106: 235-242.
- Potyrailo, RA; Sivavec, TM. (2004). Boosting sensitivity of organic vapor detection with silicone block polyimide polymers. *Anal Chem.* 76: 7023-7027.
- Poulsen, MM; Kueper, BH. (1992). A field experiment to study the behavior of tetrachloroethylene in unsaturated porous media. *Environ Sci Technol.* 26: 889-895.
- Poulson, S; Naraoka, H. (2002). Carbon isotope fractionation during permanganate oxidation of chlorinated ethylenes (cDCE, TCE, PCE). *Environmental Science & Technology.* 36: 3270-3274.
- Powell, CL; Agrawal, A. (2011). Biodegradation of Trichloroethene by Methane Oxidizers Naturally Associated with Wetland Plant Roots. *Wetlands.* 31: 45-52.
- Prade, K; Schmax, S. (1998). Rapid headspace-GC determination of the soil-water partition ratio of volatile hydrocarbons. *Zeitschrift Fur Pflanzenernahrung Und Bodenkunde.* 161: 647-651.
- Prakash, J; Nirmalakhandan, N; Sun, B; Peace, J. (1996). Toxicity of binary mixtures of organic chemicals to microorganisms. *Water Res.* 30: 1459-1463.
- Prakash, SM; Gupta, SK. (2000). Biodegradation of tetrachloroethylene in upflow anaerobic sludge blanket reactor. *Bioresour Technol.* 72: 47-54.
- Prat, L; Maillard, J; Rohrbach-Brandt, E; Holliger, C. (2012). An unusual tandem-domain rhodanese harbouring two active sites identified in *Desulfitobacterium hafniense*. *Febs Journal.* 279: 2754-2767.
- Pratt, DA; van der Donk, WA. (2005). Theoretical investigations into the intermediacy of chlorinated vinylcobalamins in the reductive dehalogenation of chlorinated ethylenes. *J Am Chem Soc.* 127: 384-396.

## Environmental Hazard Literature Search Results

### Off Topic

- Prengle, HWJR; Symons, JM; Belhatche, D. (1996). H<sub>2</sub>O<sub>2</sub>isUV process for photo-oxidation of waterborne hazardous substances. C1-C6 chlorinated hydrocarbons. *Waste Manag.* 16: 327-333.
- Prengle Jr, HW; Symons, JM; Belhatche, D. (1996). H<sub>2</sub>O<sub>2</sub>VisUV process for photo-oxidation of waterborne hazardous substances C1-C6 chlorinated hydrocarbons. *Waste Manag.* 16: 327-333.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research.* 22: 107-128.
- Price, PJ; Hassett, CM; Mansfield, JI. (1978). Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro.* 14: 290-293.
- Price, RG; Taylor, SA; Crutcher, E. (1994). Assay of laminin fragments in the assessment of renal disease. *Kidney international Supplement.* 47: S25-28.
- Propper, R; Wong, P; Bui, S; Austin, J; Vance, W; Alvarado, A; Croes, B; Luo, DM. (2015). Ambient and Emission Trends of Toxic Air Contaminants in California. *Environmental Science & Technology.* 49: 11329-11339.
- Providenti, MA; Lee, H; Trevors, JT. (1993). Selected factors limiting the microbial degradation of recalcitrant compounds. *Journal Of Industrial Microbiology.* 12: 379-395.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol.* 10: 119-158.
- Puigserver, D; Cort, eaCortâ€šs, A; Viladevall, M; Nogueras, X; Parker, BL; Carmona, JM. (2014). Processes controlling the fate of chloroethenes emanating from DNAPL aged sources in river-aquifer contexts. *J Contam Hydrol.* 168: 25-40.
- Puigserver, D; Herrero, J; Torres, M; Cortes, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int.* 23: 18724-18741.
- Putthividhya, A; Rodphai, S. (2013). Use of geostatistical models in DNAPL source zone architecture and dissolution profiles assessment in spatially variable aquifer. *Environ Earth Sci.* 70: 1983-1991.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *Journal of Environmental Engineering-Asce.* 131: 196-205.
- Qin, H; Brookes, PC; Xu, JM; Feng, YZ. (2014). Bacterial degradation of Aroclor 1242 in the mycorrhizosphere soils of zucchini (*Cucurbita pepo* L.) inoculated with arbuscular mycorrhizal fungi. *Environ Sci Pollut Res Int.* 21: 12790-12799.
- Qin, XS; Huang, GH; Chakma, A; Chen, B; Zeng, GM. (2007). Simulation-based process optimization for surfactant-enhanced aquifer remediation at heterogeneous DNAPL-contaminated sites. *Sci Total Environ.* 381: 17-37.
- Qiu, Z; Yang, W; He, L; Zhao, Z; Lu, S; Sui, Q. (2016). Characteristics and influencing factors of tetrachloroethylene sorption-desorption on soil and its components. *Chemosphere.* 144: 895-901.
- Qiu, ZF; Yang, WW; He, L; Zhao, ZX; Lu, SG; Sui, Q. (2016). Characteristics and influencing factors of tetrachloroethylene sorption-desorption on soil and its components. *Chemosphere.* 144: 895-901.
- Quadri, G; Chen, XS; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased surfactant-like molecules from organic wastes: The effect of waste composition and composting process on surfactant properties and on the ability to solubilize tetrachloroethene (PCE). *Environmental Science & Technology.* 42: 2618-2623.
- Quadri, G; Chen, XS; Jawitz, JW; Tambone, F; Genevini, P; Faoro, F; Adani, F. (2008). Biobased Surfactant-Like Molecules from Organic Wastes: The Effect of Waste Composition and Composting Process on Surfactant Properties and on the Ability to Solubilize Tetrachloroethene (PCE) (vol 42, pg 2618, 2008). *Environmental Science & Technology.* 42: 8613-8613.
- QueirÃ³s, RB; Guedes, A; Marques, PVS; Noronha, JP; Sales, MGF. (2013). Recycling old screen-printed electrodes with newly designed plastic antibodies on the wall of carbon nanotubes as sensory element for in situ detection of bacterial toxins in water. *Sensors & Actuators: B.* 189: 21-29.
- RÃ© s; Sti, SA. (1974). Proceedings: Kinetics of the binding of carbon monoxide and oxygen to microsomal cytochrome P450 and the influence of substrates. *Naunyn Schmiedebergs Arch Pharmacol.* 282.
- Rahm, BG; Chauhan, S; Holmes, VF; Macbeth, TW; Sorenson, KSJ; Alvarez-Cohen, L. (2006). Molecular characterization of microbial populations at two sites with differing reductive dechlorination abilities. *Biodegradation.* 17: 523-534.
- Rahm, BG; Morris, RM; Richardson, RE. (2006). Temporal expression of respiratory genes in an enrichment culture containing *Dehalococcoides ethenogenes*. *Appl Environ Microbiol.* 72: 5486-5491.
- Rahm, BG; Richardson, RE. (2008). Correlation of respiratory gene expression levels and pseudo-steady-state PCE respiration rates in *Dehalococcoides ethenogenes*. *Environmental Science & Technology.* 42: 416-421.
- Rahm, BG; Richardson, RE. (2008). *Dehalococcoides*' gene transcripts as quantitative bioindicators of tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene dehalorespiration rates. *Environmental Science & Technology.* 42: 5099-5105.
- Rajagopal, R; Li, PC. (1991). Comparison of two screening methods for the detection of volatile organic compounds in ground water. *J Chemometrics.* 5: 321-331.
- Rajagopal, VK; Burriss, DR. (1999). Reduction of 1,2-dibromoethane in the presence of zero-valent iron. *Environ Toxicol Chem.* 18: 1779-1782.
- Rajamanikandan, S; Sindhu, T; Durgapriya, D; Sophia, D; Ragavendran, P; Gopalakrishnan, VK. (2012). Protective effect of *Mollugo nudicaulis* Lam. on acute liver injury induced by perchloroethylene in experimental rats. *Asian Pacific Journal of Tropical Medicine.* 5: 862-867.
- Ramakrishnan, V; Ogram, AV; Lindner, AS. (2005). Impacts of co-solvent flushing on microbial populations capable of degrading trichloroethylene. *Environ Health Perspect.* 113: 55-61.
- Ramanathan, V. (1998). Trace-gas greenhouse effect and global warming: Underlying principles and outstanding issues: Volvo Environmental Prize Lecture 1997. *Ambio.* 27: 187-197.

## Environmental Hazard Literature Search Results

### Off Topic

- Ramlow, J; Bloemen, L. (1995). DRINKING-WATER AND LEUKEMIA. *Environ Health Perspect.* 103: 538-540.
- Ramlow, JM. (1995). Apparent increased risk of leukemia in their highest category of exposure to tetrachloroethylene (PCE) in drinking water. *Arch Environ Health.* 50: 170-173.
- Ramsburg, CA; Abriola, LM; Pennell, KD; Loffler, FE; Gamache, M; Amos, BK; Petrovskis, EA. (2004). Stimulated microbial reductive dechlorination following surfactant treatment at the Bachman Road site. *Environmental Science & Technology.* 38: 5902-5914.
- Ramsburg, CA; Christ, JA; Douglas, SR; Boroumand, A. (2011). Analytical modeling of degradation product partitioning kinetics in source zones containing entrapped DNAPL. *Water Resour Res.* 47: 3507-3507.
- Ramsburg, CA; Pennell, KD. (2001). Experimental and economic assessment of two surfactant formulations for source zone remediation at a former dry cleaning facility. *Ground Water Monitoring and Remediation.* 21: 68-82.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for dense nonaqueous-phase liquid source-zone remediation: Density conversion using a partitioning alcohol. *Environmental Science & Technology.* 36: 2082-2087.
- Ramsburg, CA; Pennell, KD. (2002). Density-modified displacement for DNAPL source zone remediation: Density conversion and recovery in heterogeneous aquifer cells. *Environmental Science & Technology.* 36: 3176-3187.
- Ramsburg, CA; Pennell, KD; Abriola, LM; Daniels, G; Drummond, CD; Gamache, M; Hsu, HL; Petrovskis, EA; Rathfelder, KM; Ryder, JL; Yavaraski, TP. (2005). Pilot-scale demonstration of surfactant-enhanced PCE solubilization at the Bachman road site. 2. System operation and evaluation. *Environmental Science & Technology.* 39: 1791-1801.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2003). Use of a surfactant-stabilized emulsion to deliver 1-butanol for density-modified displacement of trichloroethene. *Environmental Science & Technology.* 37: 4246-4253.
- Ramsburg, CA; Pennell, KD; Kibbey, TCG; Hayes, KF. (2004). Refinement of the density-modified displacement method for efficient treatment of tetrachloroethene source zones. *J Contam Hydrol.* 74: 105-131.
- Ramsburg, CA; Thornton, CE; Christ, JA. (2010). Degradation Product Partitioning in Source Zones Containing Chlorinated Ethene Dense Non-Aqueous-Phase Liquid. *Environmental Science & Technology.* 44: 9105-9111.
- Ran, Y; Xing, BS; Rao, PSC; Sheng, GY; Fu, JM. (2005). Sorption kinetics of organic contaminants by sandy aquifer and its kerogen isolate. *Environmental Science & Technology.* 39: 1649-1657.
- Rao, HV; Brown. (1993). A physiologically based pharmacokinetic assessment of tetrachloroethylene in groundwater for a bathing and showering determination. *Risk Anal.* 13: 37-49.
- Rashid, MM; Sato, C. (2011). Photolysis, Sonolysis, and Photosonolysis of Trichloroethane (TCA), Trichloroethylene (TCE), and Tetrachloroethylene (PCE) Without Catalyst. *Water Air and Soil Pollution.* 216: 429-440.
- Rashid, MM; Sato, C. (2012). Degradation of Trichloroethylene and Tetrachloroethylene in Simulated Groundwater in a Flow-Through Photosono Reactor. *Journal of Environmental Engineering-Asce.* 138: 1179-1185.
- Rassabi, J; Riha, BD; Haas, JW; Eddy-Dilek, CA; Kreeger, AGL; Carrabba, M; Hyde, WK; Bello, J. (2000). Field tests of a DNAPL characterization system using cone penetrometer-based Raman spectroscopy. *Ground Water Monitoring and Remediation.* 20: 72-81.
- Rathfelder, KM; Abriola, LM; Singletary, MA; Pennell, KD. (2003). Influence of surfactant-facilitated interfacial tension reduction on chlorinated solvent migration in porous media: observations and numerical simulation. *J Contam Hydrol.* 64: 227-252.
- Rathfelder, KM; Abriola, LM; Taylor, TP; Pennell, KD. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 2. Numerical simulation. *J Contam Hydrol.* 48: 351-374.
- Ratnoff, WD; Gress, RE. (1980). The familial occurrence of polycythemia vera: report of a father and son, with consideration of the possible etiologic role of exposure to organic solvents, including tetrachloroethylene. *Blood.* 56: 233-236.
- Rattan, K; Shanker, R; Khanna, P; Atkins, WM. (1999). Stress survival of a genetically engineered *Pseudomonas* in soil slurries: Cytochrome P-450cam-catalyzed dehalogenation of chlorinated hydrocarbons. *Biotechnol Prog.* 15: 958-962.
- Razafindratsima, S; GuÃ©rin, R; Bendjoudi, H; de Marsily, G. (2014). Hydrogeological modeling constraints provided by geophysical and geochemical mapping of a chlorinated ethenes plume in northern France. *Hydrogeology Journal.* 22: 1433-1446.
- Rea, WJ; Ross, GH; Johnson, AR; Smiley, RE; Fenyes, EJ. (1991). Chemical sensitivity in physicians. *BoletÃ­n de la AsociaciÃ³n de MÃ©dicos de Puerto Rico.* 83: 383-388.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO<sub>2</sub> pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination.* 5: 187-202.
- Rectanus, HV; Widdowson, MA; Chapelle, FH; Kelly, CA; Novak, JT. (2007). Investigation of reductive dechlorination supported by natural organic carbon. *Ground Water Monitoring and Remediation.* 27: 53-62.
- Reddy, KR; Kosgi, S; Zhou, J. (1995). A review of in-situ air sparging for the remediation of VOC-contaminated saturated soils and groundwater. *Hazardous Waste & Hazardous Materials.* 12: 97-118.
- Reed, PM; Ellsworth, TR; Minsker, BS. (2004). Spatial interpolation methods for nonstationary plume data. *Ground Water.* 42: 190-202.
- Regan, F; Walsh, F; Walsh, J. (2003). Development of plasticised PVC sensing films for the determination of BTEX compounds in aqueous samples. *Int J Environ Anal Chem.* 83: 621-631.
- Regeard, C; Maillard, J; Dufraigne, C; Deschavanne, P; Holliger, C. (2005). Indications for acquisition of reductive dehalogenase genes through horizontal gene transfer by *Dehalococcoides ethenogenes* strain 195. *Appl Environ Microbiol.* 71: 2955-2961.
- Regeard, C; Maillard, J; Holliger, C. (2004). Development of degenerate and specific PCR primers for the detection and isolation of known and putative chloroethene reductive dehalogenase genes. *J Microbiol Methods.* 56: 107-118.
- Reinhard, K; Dulson, W; Exner, M. (1989). Concentrations of tetrachloroethylene in indoor-air and food in apartments in the vicinity of dry cleaning shops. *Zentralblatt fuer Hygiene und Umweltmedizin.* 189: 111-116.

## Environmental Hazard Literature Search Results

### Off Topic

- Reinhard, M; Goodman, NL; McCarty, PL; Argo, DG. (1986). Removing trace organics by reverse osmosis using cellulose acetate and polyamide membranes. *Am Water Works Assoc J.* 78: 163-174.
- Reinhold, A; Westermann, M; Seifert, J; von Bergen, M; Schubert, T; Diekert, G. (2012). Impact of Vitamin B(12) on Formation of the Tetrachloroethene Reductive Dehalogenase in *Desulfitobacterium hafniense* Strain Y51. *Appl Environ Microbiol.* 78: 8025-8032.
- Reitsma, S; Dai, QL. (2001). Reaction-enhanced mass transfer and transport from non-aqueous phase liquid source zones. *J Contam Hydrol.* 49: 49-66.
- Reitsma, S; Kueper, BH. Non-equilibrium alcohol flooding model for immiscible phase remediation. 2. Model development and application. *Advances in Water Resources.* July 1, 1998. v. 21 (8): 663-678.
- Renard, P; Bouillon, C; Naveau, H; Nyns, EJ. (1993). Toxicity of a mixture of polychlorinated organic compounds towards an unacclimated methanogenic consortium. *Biotechnol Lett.* 15: 195-200.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl Isotope Effects Indicate Differences between Corrinoids and Enzyme (Sulfurospirillum multivorans PceA) in Reductive Dehalogenation of Tetrachloroethene, But Not Trichloroethene. *Environmental Science & Technology.* 48: 11837-11845.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate Hydrophobicity and Cell Composition Influence the Extent of Rate Limitation and Masking of Isotope Fractionation during Microbial Reductive Dehalogenation of Chlorinated Ethenes. *Environmental Science & Technology.* 49: 4293-4301.
- Reshetnikov, SI; Zirka, AA; Petrov, RV; Ivanov, EA. (2011). Kinetics study of the perchloroethylene hydrofluorination into pentafluoroethane (Freon 125) over chromium-based catalyst. *Chem Eng J.* 176-177: 22-25.
- Revesz, KM; Lollar, BS; Kirshtein, JD; Tiedeman, CR; Imbrigiotta, TE; Goode, DJ; Shapiro, AM; Voytek, MA; Lacombe, PJ; Busenberg, E. (2014). Integration of stable carbon isotope, microbial community, dissolved hydrogen gas, and H-2(H<sub>2</sub>O) tracer data to assess bioaugmentation for chlorinated ethene degradation in fractured rocks. *J Contam Hydrol.* 156: 62-77.
- Revesz, S; Sipos, R; Kende, A; Rikker, T; Romsics, C; Meszaros, E; Mohr, A; Tancsics, A; Marialigeti, K. (2006). Bacterial community changes in TCE biodegradation detected in microcosm experiments. *International Biodeterioration & Biodegradation.* 58: 239-247.
- Reynolds, DA; Kueper, BH. (2002). Numerical examination of the factors controlling DNAPL migration through a single fracture. *Ground Water.* 40: 368-377.
- Reynolds, ES. (1979). Cellular injury: one-dimensional approaches to polydimensional problems. *Texas reports on biology and medicine.* 38: 55-77.
- Reynolds, ES; Moslen, MT. (1977). Damage to hepatic cellular membranes by chlorinated olefins with emphasis on synergism and antagonism. *Environ Health Perspect.* 21: 137-147.
- Reynolds, GW; Hoff, JT; Gillham, RW. (1990). Sampling bias caused by materials used to monitor halocarbons in groundwater. *Environ Sci Technol.* 24: 135-142.
- Rice, RG. (1997). Applications of ozone for industrial wastewater treatment: A review. *Ozone Science & Engineering.* 18: 477-515.
- Richardson, RE. (2013). Genomic insights into organohalide respiration. *Curr Opin Biotechnol.* 24: 498-505.
- Richardson, RE; Bhupathiraju, VK; Song, DL; Goulet, TA; Alvarez-Cohen, L. (2002). Phylogenetic characterization of microbial communities that reductively dechlorinate TCE based upon a combination of molecular techniques. *Environmental Science & Technology.* 36: 2652-2662.
- Richnow, HH; Annweiler, E; Michaelis, W; Meckenstock, RU. (2003). Microbial in situ degradation of aromatic hydrocarbons in a contaminated aquifer monitored by carbon isotope fractionation. *J Contam Hydrol.* 65: 101-120.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation.* 28: 85-94.
- Rini, M; Holm, AK; Nibbering, ETJ; Fidler, H. (2003). Ultrafast UV-mid-IR investigation of the ring opening reaction of a photochromic spiropyran. *J Am Chem Soc.* 125: 3028-3034.
- Rinzema, LC; Silverstein, LG. (1972). Hazards from chlorinated hydrocarbon decomposition during welding. *Am Ind Hyg Assoc J.* 33: 35-40.
- Rippon, JA; Rushforth, MA; Westmoreland, DJ. The effect of perchloroethylene on the photodegradation of a poly(ether)urethane applied to wool. *J Text Inst.* Apr 1977, 68 (4): 158-159.
- Ritalahti, KM; Amos, BK; Sung, Y; Wu, QZ; Koenigsberg, SS; Loffler, FE. (2006). Quantitative PCR targeting 16S rRNA and reductive dehalogenase genes simultaneously monitors multiple Dehalococcoides strains. *Appl Environ Microbiol.* 72: 2765-2774.
- Ritzi, RW; Huang, L; Ramanathan, R; Allen-King, RM. (2013). Horizontal spatial correlation of hydraulic and reactive transport parameters as related to hierarchical sedimentary architecture at the Borden research site. *Water Resour Res.* 49: 1901-1913.
- Rivett, MO. Soil-gas signatures from volatile chlorinated solvents: borden field experiments. *Ground Water.* Jan/Feb 1995. v. 33 (1): 84-98.
- Rivett, MO; Allen-King, RM. (2003). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: dissolved-plume retardation. *J Contam Hydrol.* 66: 117-146.
- Rivett, MO; Chapman, SW; Allen-King, RM; Feenstra, S; Cherry, JA. (2006). Pump-and-treat remediation of chlorinated solvent contamination at a controlled field-experiment site. *Environmental Science & Technology.* 40: 6770-6781.
- Rivett, MO; Feenstra, S. (2005). Dissolution of an emplaced source of DNAPL in a natural aquifer setting. *Environmental Science & Technology.* 39: 447-455.
- Rivett, MO; Feenstra, S; Cherry, JA. (1994). Transport of a dissolved-phase plume from a residual solvent source in a sand aquifer. *J Hydrol.* 159: 27-41.
- Rivett, MO; Feenstra, S; Cherry, JA. (2001). A controlled field experiment on groundwater contamination by a multicomponent DNAPL: creation of the emplaced-source and overview of dissolved plume development. *J Contam Hydrol.* 49: 111-149.

## Environmental Hazard Literature Search Results

### Off Topic

- Rivett, MO; Feenstra, S; Clark, L. (2006). Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environ Forensics*. 7: 313-323.
- Rivett, MO; Lerner, DN; Lloyd, JW; Clark, L. Organic contamination of the Birmingham aquifer, U.K. *J Hydrol*. Feb 1990. v. 113 (1/4): 307-323.
- Rivett, MO; Turner, RJ; Glibbery, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: Observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol*. 140: 107-123.
- Robert, T; Martel, R; Conrad, SH; Lefebvre, R; Gabriel, U. (2006). Visualization of TCE recovery mechanisms using surfactant-polymer solutions in a two-dimensional heterogeneous sand model. *J Contam Hydrol*. 86: 3-31.
- Roberts, AL; M. Gschwend, P. (1994). Interaction of abiotic and microbial processes in hexachloroethane reduction in groundwater. *J Contam Hydrol*. 16: 157-174.
- Roberts, PV; Hopkins, GD; Mackay, DM; Semprini, L. (1990). A field evaluation of in-situ biodegradation of chlorinated ethenes: Part I, methodology and field site characterization. *Ground Water*. 28: 591-604.
- Robinson, C; Barry, DA; McCarty, PL; Gerhard, JI; Kouznetsova, I. (2009). pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Sci Total Environ*. 407: 4560-4573.
- Robinson-Lora, MA; Brennan, RA. (2009). The use of crab-shell chitin for biological denitrification: Batch and column tests. *Bioresour Technol*. 100: 534-541.
- Rodriguez, CE; Mahle, DA; Gearhart, JM; Mattie, DR; Lipscomb, JC; Cook, RS; Barton, HA. (2007). Predicting age-appropriate pharmacokinetics of six volatile organic compounds in the rat utilizing physiologically based pharmacokinetic modeling. *Toxicol Sci*. 98: 43-56.
- Rodriguez, E; McGuinness, KA; Ophori, DU. (2004). A field evaluation of enhanced reductive dechlorination of chlorinated solvents in groundwater, New York Metropolitan Area. *Environ Geol*. 45: 623-632.
- Roeder, E; Falta, RW; Lee, CM; Coates, JT. (2001). DNAPL to LNAPL transitions during horizontal cosolvent flooding. *Ground Water Monitoring and Remediation*. 21: 77-88.
- Roembke, J; Bauer, C; Marschner, A. (1996). Hazard assessment of chemicals in soil: Proposed ecotoxicological test strategy. *Environmental Science And Pollution Research International*. 3: 78-82.
- Rogers, B; Logan, BE. (2000). Bacterial transport in NAPL-contaminated porous media. *Journal of Environmental Engineering-Asce*. 126: 657-666.
- Rogers, HR. (1996). Sources, behaviour and fate of organic contaminants during sewage treatment and in sewage sludges. *Sci Total Environ*. 185: 3-26.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary volatile organohalogen compounds. *Mar Pollut Bull*. 24: 82-91.
- Rogers, L. (1992). History matching to determine the retardation of PCE in ground water. *Ground Water*. 30: 50-60.
- Roldan-Arjona, T; Garcia-Pedrajas, MD; Luque-Romero, FL; Hera, C; Pueyo, C. (1991). An association between mutagenicity of the ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis*. 6: 199-206.
- Roling, WFM; van Breukelen, BM; Bruggeman, FJ; Westerhoff, HV. (2007). Ecological control analysis: being(s) in control of mass flux and metabolite concentrations in anaerobic degradation processes. *Environ Microbiol*. 9: 500-511.
- Ronen, D; Graber, ER; Laor, Y. (2005). Volatile organic compounds in the saturated-unsaturated interface region of a contaminated phreatic aquifer. *Vadose Zone Journal*. 4: 337-344.
- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res*. 44: 2107-2112.
- Ronen, D; Lev-Wiener, H; Graber, ER; Dahan, O; Weisbrod, N. (2010). Simultaneous counter-flow of chlorinated volatile organic compounds across the saturated-unsaturated interface region of an aquifer. *Water Res*. 44: 2107-2112.
- Rong, Y; Wang, RF; Chou, R. (1998). Monte Carlo simulation for a groundwater mixing model in soil remediation of tetrachloroethylene. *Journal of Soil Contamination*. 7: 87-102.
- Roose, P; Van Thuyne, G; Belpaire, C; Raemaekers, M; Brinkman, UAT. (2003). Determination of VOCs in yellow eel from various inland water bodies in Flanders (Belgium). *J Environ Monit*. 5: 876-884.
- Roper, CP. (1971). An evaluation of perchloroethylene detector tubes. *Am Ind Hyg Assoc J*. 32: 847-849.
- Rosenberg, C; Nylund, L; Aalto, T; Kontsas, H; Norppa, H; Järppinen, P; Vainio, H. (1991). Volatile organohalogen compounds from the bleaching of pulp - occurrence and genotoxic potential in the work environment. *Chemosphere*. 23: 1617-1628.
- Rosenthal, H; Adrian, L; Steiof, M. (2004). Dechlorination of PCE in the presence of Fe(0) enhanced by a mixed culture containing two *Dehalococcoides* strains. *Chemosphere*. 55: 661-669.
- Rosner, BM; McCarty, PL; Spormann, AM. In vitro studies on reductive vinyl chloride dehalogenation by an anaerobic mixed culture. *Appl Environ Microbiol*. Nov 1997. v. 63 (11): 4139-4144.
- Rossetti, S; Aulenta, F; Majone, M; Crocetti, G; Tandoi, V. (2008). Structure analysis and performance of a microbial community from a contaminated aquifer involved in the complete reductive dechlorination of 1,1,2,2-tetrachloroethane to ethene. *Biotechnol Bioeng*. 100: 240-249.
- Rossetti, S; Blackall, LL; Majone, M; Hugenholtz, P; Plumb, JJ; Tandoi, V. (2003). Kinetic and phylogenetic characterization of an anaerobic dechlorinating microbial community. *Microbiology-Sgm*. 149: 459-469.
- Rotter, H; Landau, MV; Herskowitz, M. (2005). Combustion of chlorinated VOC on nanostructured chromia aerogel as catalyst and catalyst support. *Environmental Science & Technology*. 39: 6845-6850.
- Rouzeau-Szynalski, K; Maillard, J; Holliger, C. (2011). Frequent concomitant presence of *Desulfotobacterium* spp. and "*Dehalococcoides*" spp. in chloroethene-dechlorinating microbial communities. *Appl Microbiol Biotechnol*. 90: 361-368.

## Environmental Hazard Literature Search Results

### Off Topic

- Rouzeau-Szynalski, K; Maillard, J; Holliger, C. (2011). Frequent concomitant presence of *Desulfitobacterium* spp. and *Dehalococcoides* spp. in chloroethene-dechlorinating microbial communities. *Appl Microbiol Biotechnol.* 90: 361-368.
- Rowat, SC. (1998). Integrated defense system overlaps as a disease model: With examples for multiple chemical sensitivity. *Environ Health Perspect.* 106: 85-109.
- Rowe, AR; Lazar, BJ; Morris, RM; Richardson, RE. (2008). Characterization of the Community Structure of a Dechlorinating Mixed Culture and Comparisons of Gene Expression in Planktonic and Biofloc-Associated "*Dehalococcoides*" and *Methanospirillum* Species. *Appl Environ Microbiol.* 74: 6709-6719.
- Rowe, AR; Mansfeldt, CB; Heavner, GL; Richardson, RE. (2013). *Methanospirillum* Respiratory mRNA Biomarkers Correlate with Hydrogenotrophic Methanogenesis Rate during Growth and Competition for Hydrogen in an Organochlorine-Respiring Mixed Culture. *Environmental Science & Technology.* 47: 372-381.
- Rowe, BL; Price, CV; Zogorski, JS; Moran, MJ. (2010). Vulnerability of drinking water supply wells to VOCs. *J Am Water Works Assoc.* 102.
- Rowland, HA. (1966). A comparison of tetrachlorethylene and bephenium hydroxynaphthoate in ancylostomiasis. *Trans Roy Soc Trop Med Hyg.* 60: 313-321.
- Roy, JW; Smith, JE. (2004). Comment on "Mobilization and entry of DNAPL pools into finer sand media by cosolvents: two-dimensional chamber studies" by Michael E. Van Valkenburg and Michael D. Annable. *J Contam Hydrol.* 70: 147-150.
- Roy, JW; Smith, JE; Gillham, RW. (2002). Natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol.* 59: 163-186.
- Roy, JW; Smith, JE; Gillham, RW. (2004). Laboratory evidence of natural remobilization of multicomponent DNAPL pools due to dissolution. *J Contam Hydrol.* 74: 145-161.
- Roy, JW; Smith, JE; Gillham, RW. (2007). Capillary effects on natural remobilization of pools of dense non-aqueous phase liquid mixtures in porous media. *Soil & Sediment Contamination.* 16: 253-268.
- Roy, WR; Griffin, RA. (1990). Vapor-phase interactions and diffusion of organic solvents in the unsaturated zone. *Environ Geol Water Sci.* 15: 101-110.
- Roy, WR; Griffin, RA; Mitchell, JK; Mitchell, RA. (1989). LIMITATIONS AND FEASIBILITY OF THE LAND DISPOSAL OR ORGANIC SOLVENT-CONTAMINATED WASTES. *Environ Geol Water Sci.* 13: 225-232.
- Royal, CL; Preston, DR; Sekelsky, AM; Shreve, GS. (2003). Reductive dechlorination of polychlorinated biphenyls in landfill leachate. *International Biodeterioration & Biodegradation.* 51: 61-66.
- Rubin, H; Rathfelder, K; Abriola, LM; Spiller, M; Demny, G; Kongeter, J. (2002). The effect of fractures on the reclamation of NAPL contaminated aquifers. *Water Resources Quality* 54-82.
- Rubin, H; Rathfelder, K; Spiller, M; Kongeter, J. (2006). Enhancement of remediation of NAPL contaminated fractured permeable formations - Modeling study. *Journal of Environmental Engineering-Asce.* 132: 58-67.
- Rudolph, J; Koppmann, R; Plass-D'Elmer, C. (1996). The budgets of ethane and tetrachloroethene: Is there evidence for an impact of reactions with chlorine atoms in the troposphere? *Atmos Environ.* 30: 1887-1894.
- Rugge, CD; Ahlert, RC; Zukowski, JM. (1992). Lenticular drops: A key to immiscible-liquid transport in aquifers? *Speculations Sci Technol.* 15: 30-39.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res.* 35: 1231-1246.
- Ruiz-Haas, P; Ingle, J. (2009). Monitoring of redox state in a dechlorinating culture with immobilized redox indicators. *J Environ Monit.* 11: 1028-1036.
- Rule, KL; Comber, SDW; Ross, D; Thornton, A; Makropoulos, CK; Rautiu, R. (2006). Sources of priority substances entering an urban wastewater catchment - trace organic chemicals. *Chemosphere.* 63: 581-591.
- Rupakula, A; Kruse, T; Boeren, S; Holliger, C; Smidt, H; Maillard, J. (2013). The restricted metabolism of the obligate organohalide respiring bacterium *Dehalobacter restrictus*: lessons from tiered functional genomics. *Philosophical Transactions of the Royal Society B-Biological Sciences.* 368: 20325-20325.
- Ruppe, S; Neumann, A; Braekevelt, E; Tomy, GT; Stern, GA; Maruya, KA; Vetter, W. (2004). Anaerobic transformation of compounds of technical toxaphene. 2. Fate of compounds lacking geminal chlorine atoms. *Environ Toxicol Chem.* 23: 591-598.
- Ruppe, S; Neumann, A; Diekert, G; Vetter, W. (2004). Abiotic transformation of toxaphene by superreduced vitamin B(12) and dicyanocobinamide. *Environmental Science & Technology.* 38: 3063-3067.
- Ruppe, S; Neumann, A; Vetter, W. (2003). Anaerobic transformation of compounds of technical toxaphene. I. Regiospecific reaction of chlorobornanes with geminal chlorine atoms. *Environ Toxicol Chem.* 22: 2614-2621.
- Russo, AV; Toriggia, LF; Jacobo, SE. (2014). Natural clinoptilolite-zeolite loaded with iron for aromatic hydrocarbons removal from aqueous solutions. *Journal of Materials Science.* 49: 614-620.
- Rust, CM; Aelion, CM; Flora, JRV. (2002). Laboratory sand column study of encapsulated buffer release for potential in situ pH control. *J Contam Hydrol.* 54: 81-98.
- Rutkiewicz, I; Kujawski, W; NamieÅnik, J. (2010). Pervaporation of volatile organohalogen compounds through polydimethylsiloxane membrane. *Desalination.* 264: 160-164.
- Rydberg, T. (1994). Pollution prevention through product substitution: Experiences from the halocarbon phase-out in Sweden. *J Clean Prod.* 2: 3-11.
- Ryder, JL; Demond, AH. (2008). Wettability hysteresis and its implications for DNAPL source zone distribution. *J Contam Hydrol.* 102: 39-48.

## Environmental Hazard Literature Search Results

### Off Topic

- Ryoo, D; Shim, H; Canada, K; Barbieri, P; Wood, TK. (2000). Aerobic degradation of tetrachloroethylene by toluene-o-xylene monooxygenase of *Pseudomonas stutzeri* OX1. *Nature Biotechnology*. 18: 775-778.
- Ryu, J-Y. (2008). Formation of chlorinated phenols, dibenzo-p-dioxins, dibenzofurans, benzenes, benzoquinones and perchloroethylenes from phenols in oxidative and copper (II) chloride-catalyzed thermal process. *Chemosphere*. 71: 1100-1109.
- SÃ¡nchez, Vn; Tudela, I; Esclapez, MaD; Bonete, P; Louisnard, O; GonzÃ¡lez-GarcÃ­a, J. (2011). Sono-electrochemical degradation of perchloroethylene in water: Enhancement of the process by the absence of background electrolyte. *Chem Eng J*. 168: 649-655.
- SÃ¡nchez, EG; Aruna, R; Abraham-Peskir, J; Bender Koch, C. (2001). Conditions for biological precipitation of iron by *Gallionella ferruginea* in a slightly polluted ground water. *Appl Geochem*. 16: 1129-1137.
- Sabalowsky, AR; Semprini, L. (2010). Trichloroethene and cis-1,2-Dichloroethene Concentration-Dependent Toxicity Model Simulates Anaerobic Dechlorination at High Concentrations. II: Continuous Flow and Attached Growth Reactors. *Biotechnol Bioeng*. 107: 540-549.
- Sabalowsky, AR; Semprini, L. (2010). Trichloroethene and cis-1,2-dichloroethene Concentration-Dependent Toxicity Model Simulates Anaerobic Dechlorination at High Concentrations: I. Batch-Fed Reactors. *Biotechnol Bioeng*. 107: 529-539.
- Sabatini, DA; Knox, RC; Harwell, JH; Soerens, T; Chen, L; Brown, RE; West, CC. Design of a surfactant remediation field demonstration based on laboratory and modeling studies. *Ground Water*. Nov/Dec 1997. v. 35 (6): 954-963.
- Sabin, F; Tuerk, T; Vogler, A. (1992). Decontamination of industrial waste water by photocatalytic oxidation of organic components: A model study. *Z Wasser Abwasser Forsch*. 25: 163-167.
- Saenton, S; Illangasekare, TH; Soga, K; Saba, TA. (2002). Effects of source zone heterogeneity on surfactant-enhanced NAPL dissolution and resulting remediation end-points. *J Contam Hydrol*. 59: 27-44.
- Saez, V; Esclapez, MD; Tudela, I; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2010). 20kHz sono-electrochemical degradation of perchloroethylene in sodium sulfate aqueous media: Influence of the operational variables in batch mode. *J Hazard Mater*. 183: 648-654.
- Saez, V; Vicente, MDE; Frias-Ferrer, AJ; Bonete, P; Gonzalez-Garcia, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res*. 43: 2169-2178.
- Sahl, JW; Munakata-Marr, J; Crimi, ML; Siegrist, RL. (2007). Coupling permanganate oxidation with microbial dechlorination. *Water Environ Res*. 79: 5-12.
- Saia, F; Domingues, M; Pellizari, V; Vazoller, R. (2010). Occurrence of Methanogenic Archaea in Highly Polluted Sediments of Tropical Santos-So Vicente Estuary (So Paulo, Brazil). *Curr Microbiol*. 60: 66-70.
- Saillenfait, AM; Langonne, I; Sabate, JP. (1995). Development toxicity of trichloroethylene, tetrachloroethylene and four of their metabolites in rat whole embryo culture. *Arch Toxicol*. 70: 71-82.
- Saint-Fort, R. (1991). Ground water contamination by anthropogenic organic compounds from waste disposal sites; Transformations and behavior. *J Environ Sci Health Part A Environ Sci Eng*. 26: 13-62.
- Saito, S; Tanoue, A; Matsuo, M. (1991). The i/o-characters to describe bioconcentration of organic chemicals in fish. *Chemosphere*. 23: 789-800.
- Saito, S; Tanoue, A; Matsuo, M. (1992). Applicability of the i/o-characters to a quantitative description of bioconcentration of organic chemicals in fish. *Chemosphere*. 24: 81-88.
- Sakoda, A; Kawazoe, K; Suzuki, M. (1987). Adsorption of tri- and tetra-chloroethylene from aqueous solutions on activated carbon fibers. *Water Res*. 21: 717-722.
- Saland, G. (1967). Accidental exposure to perchloroethylene. *N Y State J Med*. 67: 2359-2361.
- Sale, TC; McWhorter, DB. (2001). Steady state mass transfer from single-component dense nonaqueous phase liquids in uniform flow fields. *Water Resour Res*. 37: 393-404.
- Saleh, N; Sirk, K; Liu, YQ; Phenrat, T; Dufour, B; Matyjaszewski, K; Tilton, RD; Lowry, GV. (2007). Surface modifications enhance nanoiron transport and NAPL targeting in saturated porous media. *Environ Eng Sci*. 24: 45-57.
- Salunkhe, DS; Balwani, JH. (1967). Thymolan and thiabendazole in hook-worm disease. *Indian journal of medical sciences*. 21: 85-88.
- Sana, B; Ghosh, D; Saha, M; Mukherjee, J. (2006). Purification and characterization of a salt, solvent, detergent and bleach tolerant protease from a new gamma-Proteobacterium isolated from the marine environment of the Sundarbans. *Process Biochemistry*. 41: 208-215.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology*. 64: 33-46.
- Sanchez-Ramos, J; Facca, A; Basit, A; Song, S. (1998). Toxicity of dieldrin for dopaminergic neurons in mesencephalic cultures. *Exp Neurol*. 150: 263-271.
- Sanders, PF. (1995). Calculation of soil cleanup criteria for volatile organic compounds as controlled by the soil-to-groundwater pathway: Comparison of four unsaturated soil zone leaching models. *Journal of Soil Contamination*. 4: 1-24.
- Sandhu, SS; Ma, T-H; Peng, Y; Zhou, X. (1989). Clastogenicity evaluation of seven chemicals commonly found at hazardous industrial waste sites. *Mutat Res*. 224: 437-445.
- Sanford, RA; Cole, J; Tiedje, JM. (2002). Characterization and description of *Anaeromyxobacter dehalogenans* gen. nov., sp nov., an aryl-halo-respiring facultative anaerobic myxobacterium. *Appl Environ Microbiol*. 68: 893-900.
- Sanz, JL; Rodriguez, N; Amils, R. (1997). Effect of chlorinated aliphatic hydrocarbons on the acetoclastic methanogenic activity of granular sludge. *Appl Microbiol Biotechnol*. 47: 324-328.
- Saquin, JM; Mitchell, LA; Wu, BY; Wagner, TB; Knappe, DRU; Barlaz, MA. (2010). Factors Controlling Alkylbenzene and Tetrachloroethene Desorption from Municipal Solid Waste Components. *Environmental Science & Technology*. 44: 1123-1129.
- Sato, C; Leung, SW; Bell, H; Burkett, WA; Watts, RJ. Decomposition of perchloroethylene and polychlorinated biphenyls with Fenton's reagent. *ACS Symposium series - American Chemical Society*. 1993. (518): 344-356.

## Environmental Hazard Literature Search Results

### Off Topic

- Sato, C; Ogle, SM. (2003). Modeling tetrachloroethylene decomposition in photolysis reactor. *Journal of Environmental Engineering-Asce*. 129: 136-146.
- Sato, C; Yao, J. (2006). Simultaneous and sequential photolysis of TCE and PCE. *Journal of Environmental Engineering-Asce*. 132: 32-41.
- Sato, CK; Hartenstein, SD; Motes, W. (2001). Photolysis of TCA, TCE, and PCE in flow-through reactor system. *Journal of Environmental Engineering-Asce*. 127: 620-629.
- Satsuma, K; Masuda, M. (2012). Reductive Dechlorination of Methoxychlor by Bacterial Species of Environmental Origin: Evidence for Primary Biodegradation of Methoxychlor in Submerged Environments. *J Agric Food Chem*. 60: 2018-2023.
- Sauer, PA; Tyler, EJ. (1996). Heavy metal and volatile organic chemical removal and treatment in on-site wastewater infiltration systems: I. Catch basins and septic tanks. *Water Air And Soil Pollution*. 89: 221-232.
- Sauer, PA; Tyler, EJ. (1996). Heavy metal and volatile organic chemical removal and treatment in on-site wastewater systems: II. Drainfields in loamy sand and silt loam soils. *Water Air And Soil Pollution*. 89: 337-350.
- Savolainen, H. (1981). Pharmacokinetics, pharmacodynamics and aspects of neurotoxic effects of four inhaled aliphatic chlorohydrocarbon solvents as relevant in man. *European Journal of Drug Metabolism and Pharmacokinetics*. 6: 85-90.
- Sawant, SY; Somani, RS; Bajaj, HC; Sharma, SS. (2012). A dechlorination pathway for synthesis of horn shaped carbon nanotubes and its adsorption properties for CO<sub>2</sub>, CH<sub>4</sub>, CO and N<sub>2</sub>. *J Hazard Mater*. 227-228: 317-326.
- Sawant, SY; Somani, RS; Bajaj, HC; Sharma, SS. (2012). A dechlorination pathway for synthesis of horn shaped carbon nanotubes and its adsorption properties for CO<sub>2</sub>, CH<sub>4</sub>, CO and N<sub>2</sub>. *J Hazard Mater*. 227-228: 317-326.
- Scarpelli, A; Miligi, L; Costantini, AS; Maltoni, SA. (1993). Exposure to solvents in the shoe and leather goods industries. *Int J Epidemiol*. 22: S46-S50.
- Scarratt, MG; Moore, RM. (1999). Production of chlorinated hydrocarbons and methyl iodide by the red microalga *Porphyridium purpureum*. *Limnol Oceanogr*. 44: 703-707.
- Schäzdl, S; M, MM; Bartke, S; Finkel, M. (2012). Integrated planning and spatial evaluation of megasite remediation and reuse options. *J Contam Hydrol*. 127: 88-100.
- Schaefer, CE; Callaghan, AV; King, JD; McCray, JE. (2009). Dense Nonaqueous Phase Liquid Architecture and Dissolution in Discretely Fractured Sandstone Blocks. *Environmental Science & Technology*. 43: 1877-1883.
- Schaefer, CE; Condee, CW; Vainberg, S; Steffan, RJ. (2009). Bioaugmentation for chlorinated ethenes using *Dehalococcoides* sp.: Comparison between batch and column experiments. *Chemosphere*. 75: 141-148.
- Schaefer, CE; Schuth, C; Werth, CR; Reinhard, M. (2000). Binary desorption isotherms of TCE and PCE from silica gel and natural solids. *Environmental Science & Technology*. 34: 4341-4347.
- Schaefer, CE; Topoleski, C; Fuller, ME. (2007). Effectiveness of zerovalent iron and nickel catalysts for degrading chlorinated solvents and n-nitrosodimethylamine in natural groundwater. *Water Environ Res*. 79: 57-62.
- Schaefer, CE; Towne, RM; Lippincott, DR; Lacombe, PJ; Bishop, ME; Dong, HL. (2015). Abiotic dechlorination in rock matrices impacted by long-term exposure to TCE. *Chemosphere*. 119: 744-749.
- Schaefer, CE; Towne, RM; Root, D; McCray, JE. (2012). Assessment of Chemical Oxidation for Treatment of DNAPL in Fractured Sandstone Blocks. *Journal of Environmental Engineering-Asce*. 138: 1-7.
- Schaefer, CE; Towne, RM; Vainberg, S; McCray, JE; Steffan, RJ. (2010). Bioaugmentation for Treatment of Dense Non-Aqueous Phase Liquid in Fractured Sandstone Blocks. *Environmental Science & Technology*. 44: 4958-4964.
- Schaefer, CE; White, EB; Lavorgna, GM; Annable, MD. (2016). Dense Nonaqueous-Phase Liquid Architecture in Fractured Bedrock: Implications for Treatment and Plume Longevity. *Environmental Science & Technology*. 50: 207-213.
- Schaefer, D. (2012). Determinability of NAPL mass by measuring concentrations downstream of a contaminant source. *Environ Earth Sci*. 67: 2459-2467.
- Schaefer, E; Staubmann, K; Urban, W; Loiskandl, W; Rassinger, M; Schachner, H. (1997). New approaches to the simulation and optimisation of adsorption processes. *AU - WEINGARTNER A. Water Science And Technology*. 35: 269-278.
- Schaerlaekens, J; Feyen, J. (2004). Effect of scale and dimensionality on the surfactant-enhanced solubilization of a residual DNAPL contamination. *J Contam Hydrol*. 71: 283-306.
- Schaerlaekens, J; Mallants, D; Simunek, J; van Genuchten, MT; Feyen, J. (1999). Numerical simulation of transport and sequential biodegradation of chlorinated aliphatic hydrocarbons using CHAIN\_2D. *Hydrolog Process*. 13: 2847-2859.
- Schaerlaekens, J; Vanderborght, J; Merckx, R; Feyen, J. (2000). Surfactant enhanced solubilization of residual trichloroethene: an experimental and numerical analysis. *J Contam Hydrol*. 46: 1-16.
- Schafer, D; Kober, R; Dahmke, A. (2003). Competing TCE and cis-DCE degradation kinetics by zero-valent iron - experimental results and numerical simulation. *J Contam Hydrol*. 65: 183-202.
- Scherer, MM; Balko, BA; Gallagher, DA; Tratnyek, PG. (1998). Correlation analysis of rate constants for dechlorination by zero-valent iron. *Environmental Science & Technology*. 32: 3026-3033.
- Scheringer, M. (1997). Characterization of the environmental distribution behavior of organic chemicals by means of persistence and spatial range. *Environmental Science & Technology*. 31: 2891-2897.
- Scherr, KE; Nahold, MM; Lantschbauer, W; Loibner, AP. (2011). Sequential application of electron donors and humic acids for the anaerobic bioremediation of chlorinated aliphatic hydrocarbons. *N Biotechnol*. 29: 116-125.
- Scheutz, C; Durant, ND; Broholm, MM. (2014). Effects of bioaugmentation on enhanced reductive dechlorination of 1,1,1-trichloroethane in groundwater: a comparison of three sites. *Biodegradation*. 25: 459-478.



## Environmental Hazard Literature Search Results

### Off Topic

- Scheutz, C; Durant, ND; Dennis, P; Hansen, MH; Jorgensen, T; Jakobsen, R; Cox, EE; Bjerg, PL. (2008). Concurrent Ethene Generation and Growth of Dehalococcoides Containing Vinyl Chloride Reductive Dehalogenase Genes During an Enhanced Reductive Dechlorination Field Demonstration. *Environmental Science & Technology*. 42: 9302-9309.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual*. 33: 61-71.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,1,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere*. 147: 239-247.
- Schilling, KE. (1999). Demonstrating localized intrinsic biodegradation of chlorinated aliphatic hydrocarbons using time series sampling. *Ground Water Monitoring and Remediation*. 19: 115-124.
- Schipp, CJ; Marco-Urrea, E; Kublik, A; Seifert, J; Adrian, L. (2013). Organic cofactors in the metabolism of *Dehalococcoides mccartyi* strains. *Philosophical Transactions of the Royal Society B-Biological Sciences*. 368: 20321-20321.
- Schivvy, A; Maes, HM; Koske, D; Flecken, M; Schmidt, KR; Schell, H; Tiehm, A; Kamptner, A; Thummler, S; Stanjek, H; Heggen, M; Dunin-Borkowski, RE; Braun, J; Schaffer, A; Hollert, H. (2016). The ecotoxic potential of a new zero-valent iron nanomaterial, designed for the elimination of halogenated pollutants, and its effect on reductive dechlorinating microbial communities. *Environ Pollut*. 216: 419-427.
- Schlormann, W; John, M; Steiniger, F; Westermann, M; Richter, W. (2007). Improved antigen retrieval in freeze-fracture cytochemistry by evaporation of carbon as first replication layer. *Histochem Cell Biol*. 127: 633-639.
- Schlotelburg, C; von Wintzingerode, C; Hauck, R; von Wintzingerode, F; Hegemann, W; Gobel, UB. (2002). Microbial structure of an anaerobic bioreactor population that continuously dechlorinates 1,2-dichloropropane. *FEMS Microbiol Ecol*. 39: 229-237.
- Schlotelburg, C; von Wintzingerode, F; Hauck, R; Hegemann, W; Gobel, UB. (2000). Bacteria of an anaerobic 1,2-dichloropropane-dechlorinating mixed culture are phylogenetically related to those of other anaerobic dechlorinating consortia. *Int J Syst Evol Microbiol*. 50: 1505-1511.
- Schmidt, KR; Tiehm, A. (2008). Natural attenuation of chloroethenes: identification of sequential reductive/oxidative biodegradation by microcosm studies. *Water Science and Technology*. 58: 1137-1145.
- Schmidt, M; Lege, S; Nijenhuis, I. (2014). Comparison of 1,2-dichloroethane, dichloroethene and vinyl chloride carbon stable isotope fractionation during dechlorination by two *Dehalococcoides* strains. *Water Res*. 52: 146-154.
- Schmidt, R; Gudbjerg, J; Sonnenborg, TO; Jensen, KH. (2002). Removal of NAPLs from the unsaturated zone using steam: prevention of downward migration by injecting mixtures of steam and air. *J Contam Hydrol*. 55: 233-260.
- Schmitz, RPH; Diekert, G. (2003). Purification and properties of the formate dehydrogenase and characterization of the *fdhA* gene of *Sulfurospirillum multivorans*. *Archives of Microbiology*. 180: 394-401.
- Schmitz, RPH; Diekert, G. (2004). The *fdh* operon of *Sulfurospirillum multivorans*. *FEMS Microbiol Lett*. 237: 235-242.
- Schnaar, G; Brusseau, ML. (2005). Pore-scale characterization of organic immiscible-liquid morphology in natural porous media using synchrotron X-ray microtomography. *Environmental science & technology*. 39: 8403-8410.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale configuration of organic immiscible liquid in multiphase systems with synchrotron X-ray microtomography. *Vadose Zone Journal*. 5: 641-648.
- Schnaar, G; Brusseau, ML. (2006). Characterizing pore-scale dissolution of organic immiscible liquid in natural porous media using synchrotron X-ray microtomography. *Environmental science & technology*. 40: 6622-6629.
- Schnarr, M; Truax, C; Farquhar, G; Hood, E; Gonullu, T; Stickney, B. (1998). Laboratory and controlled field experiments using potassium permanganate to remediate trichloroethylene and perchloroethylene DNAPLs in porous media. *J Contam Hydrol*. 29: 205-224.
- Schneidewind, U; Haest, PJ; Atashgahi, S; Maphosa, F; Hamonts, K; Maesen, M; Calderer, M; Seuntjens, P; Smidt, H; Springael, D; Dejonghe, W. (2014). Kinetics of dechlorination by *Dehalococcoides mccartyi* using different carbon sources. *J Contam Hydrol*. 157: 25-36.
- Schoene, K; Steinhilber, J; Koenig, A. (1990). The sorptive efficiency of Tenax for binary vapor mixtures. *Fresenius' J Anal Chem*. 336: 114-119.
- Scholer, HF; Keppler, F; Fahimi, IJ; Niedan, VW. (2003). Fluxes of trichloroacetic acid between atmosphere, biota, soil, and groundwater. *Chemosphere*. 52: 339-354.
- Scholz-Muramatsu, H; Neumann, A; Messmer, M; Moore, E; Diekert, G. (1995). Isolation and characterization of *Dehalospirillum multivorans* gen. nov., sp. nov., a tetrachloroethene-utilizing, strictly anaerobic bacterium. *Archives Of Microbiology*. 163: 48-56.
- Scholz-Muramatsu, H; Szewzyk, R; Szewzyk, U; Gaiser, S. (1990). Tetrachloroethylene as electron acceptor for the anaerobic degradation of benzoate. *FEMS Microbiol Lett*. 66: 81-85.
- Schon, T; Seebacher, W; Kreuzig, R; Bahadir, M. (1999). On the degradability of tetrachloroethene in biologically treated wastes. *Chemosphere*. 39: 603-609.
- Schrader, PS; Hess, TF. (2004). Coupled abiotic-biotic mineralization of 2,4,6-trinitrotoluene (TNT) in soil slurry. *J Environ Qual*. 33: 1202-1209.
- Schreiber, JS; House, S; Prohonic, E; Smead, G; Hudson, C; Styk, M; Lauber, J. (1993). An investigation of indoor air contamination in residences above dry cleaners. *Risk analysis : an official publication of the Society for Risk Analysis*. 13: 335-344.
- Schreier, CG; Reinhard, M. (1994). Transformation of chlorinated organic compounds by iron and manganese powders in buffered water and in landfill leachate. *Chemosphere*. 29: 1743-1753.
- Schreier, CG; Reinhard, M. (1995). Catalytic hydrodehalogenation of chlorinated ethylenes using palladium and hydrogen for the treatment of contaminated water. *Chemosphere*. 31: 3475-3487.
- Schuetz, C; Bogner, J; Chanton, J; Blake, D; Morcet, M; Kjeldsen, P. (2003). Comparative oxidation and net emissions of methane and selected mon-methane organic compounds in landfill cover soils. *Environmental Science & Technology*. 37: 5150-5158.

## Environmental Hazard Literature Search Results

### Off Topic

- Schulman, EM; Bertrand, RD; Grant, DM; Lepley, AR; Walling, C. (1972). Carbon-13 and proton chemically induced dynamic nuclear polarization from the thermal decomposition of benzoyl peroxide in tetrachloroethylene. *J Am Chem Soc.* 94: 5972-5979.
- Schumacher, BA; Ward, SE. (1997). Quantitation reference compounds and VOC recoveries from soils by purge-and-trap GC./METHODS. *Environmental Science & Technology.* 31: 2287-2291.
- Schumacher, W; Holliger, C. (1996). The proton/electron ration of the menaquinone-dependent electron transport from dihydrogen to tetrachloroethene in "Dehalobacter restrictus". *J Bacteriol.* 178: 2328-2333.
- Schumacher, W; Holliger, C; Zehnder, AJB; Hagen, WR. (1997). Redox chemistry of cobalamin and iron-sulfur cofactors in the tetrachloroethene reductase of *Dehalobacter restrictus*. *FEBS Lett.* 409: 421-425.
- Schumacher, W; Vazquez, F; Holliger, C. (1995). A corrinoid protein involved in reductive dechlorination of tetrachloroethene by *dehalobacter restrictus*. *J Inorg Biochem.* 59: 278.
- Schumann, AM; Quast, JF; Watanabe, PG. (1980). The pharmacokinetics and macromolecular interactions of perchloroethylene in mice and rats as related to oncogenicity. *Toxicol Appl Pharmacol.* 55: 207-219.
- Schwartz, BS; Ford, DP; Bolla, KI; Agnew, J; Rothman, N; Bleecker, ML. (1990). Solvent-associated decrements in olfactory function in paint manufacturing workers. *Am J Ind Med.* 18: 697-706.
- Scott, S; Mackay, D; Webster, E. (1998). Estimation of spatially variable atmospheric concentrations deduced from regional mass balance models. *Chemosphere.* 36: 2507-2522.
- Seagren, EA; Becker, JG. (2015). Predictions of bioenhancement of nonaqueous phase liquid ganglia dissolution using first- and zero-order biokinetic models. *J Contam Hydrol.* 182: 210-220.
- Seeber, A. (1989). Neurobehavioral toxicity of long-term exposure to tetrachloroethylene. *Neurotoxicol Teratol.* 11: 579-583.
- Seiber, JN. (1996). Toxic air contaminants in urban atmospheres: Experience in California. *Atmos Environ.* 30: 751-756.
- Seidel, HJ; Weber, L; Barthel, E. (1992). Hematological toxicity of tetrachloroethylene in mice. *Arch Toxicol.* 66: 228-230.
- Sekar, R; Taillefert, M; DiChristinaa, TJ. (2016). Simultaneous Transformation of Commingled Trichloroethylene, Tetrachloroethylene, and 1,4-Dioxane by a Microbially Driven Fenton Reaction in Batch Liquid Cultures. *Appl Environ Microbiol.* 82: 6335-6343.
- Selifonova, OV; Eaton, RW. (1996). Use of an ipb-lux fusion to study regulation of the isopropylbenzene catabolism operon of *Pseudomonas putida* RE204 and to detect hydrophobic pollutants in the environment. *Appl Environ Microbiol.* 62: 778-783.
- Selli, E; Baglio, D; Montanarella, L; Bidoglio, G. (1999). Role of humic acids in the TiO(2)-photocatalyzed degradation of tetrachloroethene in water. *Water Res.* 33: 1827-1836.
- Selmin, O; Thorne, PA; Caldwell, PT; Johnson, PD; Runyan, RB. (2005). Effects of trichloroethylene and its metabolite trichloroacetic acid on the expression of vimentin in the rat H9c2 cell line. *Cell Biol Toxicol.* 21: 83-95.
- Semer, R; Reddy, KR. (1996). Evaluation of soil washing process to remove mixed contaminants from a sandy loam. *J Hazard Mater.* 45: 45-57.
- Semkiw, ES; Barcelona, MJ. (2011). Field Study of Enhanced TCE Reductive Dechlorination by a Full-Scale Whey PRB. *Ground Water Monitoring and Remediation.* 31: 68-78.
- Senewiratne, B; Hettiarachchi, J; Senewiratne, K. (1975). A comparative study of the relative efficacy of pyrantel pamoate, bephenium hydroxynaphthoate and tetrachloroethylene in the treatment of *Necator americanus* infection in Ceylon. *Annals of tropical medicine and parasitology.* 69: 233-239.
- Seo, HS; McCray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environmental science & technology.* 36: 1292-1298.
- Seo, M; Kobayashi, R; Okamura, T; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2012). Enhancing effects of trichloroethylene and tetrachloroethylene on type I allergic responses in mice. *The Journal of toxicological sciences.* 37: 439-445.
- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Augmentation of antigen-stimulated allergic responses by a small amount of trichloroethylene ingestion from drinking water. *Regulatory toxicology and pharmacology : RTP.* 52: 140-146.
- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). A small amount of tetrachloroethylene ingestion from drinking water accelerates antigen-stimulated allergic responses. *Immunobiology.* 213: 663-669.
- Seol, Y; Schwartz, FW; Lee, S. (2001). Oxidation of binary DNAPL mixtures using potassium permanganate with a phase transfer catalyst. *Ground Water Monitoring and Remediation.* 21: 124-132.
- Serrano-Trespacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City Metropolitan Area. *J Expo Anal Environ Epidemiol.* 14: S118-S132.
- Seshadri, R; Adrian, L; Fouts, DE; Eisen, JA; Phillippy, AM; Methe, BA; Ward, NL; Nelson, WC; Deboy, RT; Khouri, HM; Kolonay, JF; Dodson, RJ; Daugherty, SC; Brinkac, LM; Sullivan, SA; Madupu, R; Nelson, KT; Kang, KH; Impraim, M; Tran, K; Robinson, JM; Forberger, HA; Fraser, CM; Zinder, SH; Heidelberg, JF. (2005). Genome sequence of the PCE-dechlorinating bacterium *Dehalococcoides ethenogenes*. *Science.* 307: 105-108.
- Seshadri, R; Heidelberg, J. (2005). Bacteria to the rescue. *Nature Biotechnology.* 23: 1236-1237.
- Seyedabbasi, MA; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol.* 134: 69-81.
- Shafer, N; Shafer, R. (1982). Tetrachloroethylene: a cause of permanent kidney damage. *Medical trial technique quarterly.* 28: 387-395.
- Shafer, TJ; Bushnell, PJ; Benignus, VA; Woodward, JJ. (2005). Perturbation of voltage-sensitive Ca(2+) channel function by volatile organic solvents. *J Pharmacol Exp Ther.* 315: 1109-1118.
- Shani, N; Rossi, P; Holliger, C. (2013). Correlations between Environmental Variables and Bacterial Community Structures Suggest Fe(III) and Vinyl Chloride Reduction As Antagonistic Terminal Electron-Accepting Processes. *Environmental Science & Technology.* 47: 6836-6845.

## Environmental Hazard Literature Search Results

### Off Topic

- Shanker, R; Atkins, WM. Luciferase-dependent, cytochrome P-450-catalyzed dehalogenation in genetically engineered *Pseudomonas*. *Biotechnol Prog.* July/Aug 1996. v. 12 (4): 474-479.
- Sharanjeet-Kaur; Mursyid, A; Kamaruddin, A; Ariffin, A. (2004). Effect of petroleum derivatives and solvents on colour perception. *J Contam Hydrol* 2001. 74: 339-343.
- Sharma, PK; McCarthy, PL. Isolation and characterization of a facultatively aerobic bacterium that reductively dehalogenates tetrachloroethene to cis-1,2-dichloroethene. *Appl Environ Microbiol.* Mar 1996. v. 62 (3): 761-765.
- Sharmin, R; Ioannidis, MA; Legge, RL. (2002). Surfactant-enhanced dissolution under conditions of surfactant partitioning between water and NAPL: Micromodel experiments and modeling implications. *Developments in Water Science* 875-882.
- Sharmin, R; Ioannidis, MA; Legge, RL. (2006). Effect of nonionic surfactant partitioning on the dissolution kinetics of residual perchloroethylene in a model porous medium. *J Contam Hydrol.* 82: 145-164.
- She, HY; Sleep, BE. (1998). The effect of temperature on capillary pressure-saturation relationships for air-water and perchloroethylene-water systems. *Water Resour Res.* 34: 2587-2597.
- She, HY; Sleep, BE. (1999). Removal of perchloroethylene from a layered soil system by steam flushing. *Ground Water Monitoring and Remediation.* 19: 70-77.
- She, Y; Sleep, B; Mackay, D. (1995). A fugacity model for soil vapor extraction. *Journal of Soil Contamination.* 4: 227-242.
- Shear, NM; Schmidt, CW; Huntley, SL; Crawford, DW; Finley, BL. (1996). Evaluation of the factors relating combined sewer overflows with sediment contamination of the lower passaic river. *Mar Pollut Bull.* 32: 288-304.
- Sheir, ZM; Aboul-Enein, Me-S. (1970). Demographic, clinical and therapeutic appraisal of heterophyiasis. *The Journal of tropical medicine and hygiene.* 73: 148-152.
- Shelton, KL; Nicholson, KL. (2013). Benzodiazepine-like discriminative stimulus effects of toluene vapor. *Eur J Pharmacol.* 720: 131-137.
- Shen, H; Sewell, GW. (2005). Reductive biotransformation of tetrachloroethene to ethene during anaerobic degradation of toluene: Experimental evidence and kinetics. *Environmental Science & Technology.* 39: 9286-9294.
- Shen, H; Wilson, JT. (2007). Trichloroethylene removal from groundwater in flow-through columns simulating a permeable reactive barrier constructed with plant mulch. *Environmental Science & Technology.* 41: 4077-4083.
- Shen, YS; Ku, Y. (1998). Decomposition of gas-phase chloroethenes by UV/O(3) process. *Water Res.* 32: 2669-2679.
- Sherman, J; Chin, B; Huibers, PDT; Garcia-Valls, R; Hatton, TA. (1998). Solvent replacement for green processing. *Environ Health Perspect.* 106: 253-271.
- Sherry, J; Scott, B; Dutka, B. (1997). Use of various acute, sublethal and early life-stage tests to evaluate the toxicity of refinery effluents. *Environ Toxicol Chem.* 16: 2249-2257.
- Sheth, UK. (1975). Mechanisms of anthelmintic action. *Progress in drug research Fortschritte der Arzneimittelforschung Progre&#768;s des recherches pharmaceutiques.* 19: 147-157.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere.* 104: 149-154.
- Sheu, YT; Lien, PJ; Chen, KF; Ou, JH; Kao, CM. (2016). Application of NZVI-contained emulsified substrate to bioremediate PCE-contaminated groundwater " A pilot-scale study. *Chem Eng J.* 304: 714-727.
- Shey, J; van der Donk, WA. (2000). Mechanistic studies on the vitamin B(12)-catalyzed dechlorination of chlorinated alkenes. *J Am Chem Soc.* 122: 12403-12404.
- Shiau, BJ; Sabatini, DA; Harwell, JH. (2000). Chlorinated solvent removal using food grade surfactants: Column studies. *Journal of Environmental Engineering-Asce.* 126: 611-621.
- Shiau, BJ; Sabatini, DA; Harwell, JH; Vu, DQ. (1996). Microemulsion of mixed chlorinated solvents using food grade (edible) surfactants. *Environmental Science & Technology.* 30: 97-103.
- Shih, CL; Chen, HH; Chiu, TH. (2001). Acute exposure to trichloroethylene differentially alters the susceptibility to chemoconvulsants in mice. *Toxicology.* 162: 35-42.
- Shim, H; Ryoo, D; Barbieri, P; Wood, TK. (2001). Aerobic degradation of mixtures of tetrachloroethylene, trichloroethylene, dichloroethylenes, and vinyl chloride by toluene-o-xylene monooxygenase of *Pseudomonas stutzeri* OX1. *Appl Microbiol Biotechnol.* 56: 265-269.
- Shimada, T; Swanson, AF; Leber, P; Williams, GM. (1985). Activities of chlorinated ethane and ethylene compounds in the *Salmonella*/rat microsomal mutagenesis and rat hepatocyte/DNA repair assays under vapor phase exposure conditions. *Cell Biol Toxicol.* 1: 159-179.
- Shimomura, T; Sanford, RA. (2005). Reductive dechlorination of tetrachloroethene in a sand reactor using a potentiostat. *J Environ Qual.* 34: 1435-1438.
- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut.* 119: 227-236.
- Shinohara, Y; Tomioka, N; Kusakabe, I. (1999). Induction and enhancement of stress proteins in a trichloroethylene-degrading methanotrophic bacterium, *Methylocystis* sp. M. AU - UCHIYAMA H. *FEMS Microbiol Lett.* 170: 125-130.
- Shin-Shi, C; Woosley, RS; Vassian, EG; Kent Murmann, R. (1992). Friedel-crafts acetylation of a (NIC3N2)-quasi-aromatic ring in a nickel(II) complex, NiOyl. *Inorganica Chimica Acta.* 191: 91-95.
- Shirayama, H; Tohezo, Y; Taguchi, S. (2001). Photodegradation of chlorinated hydrocarbons in the presence and absence of dissolved oxygen in water. *Water Res.* 35: 1941-1950.
- Shirazi, MA; Linder, G. (1991). A model of additive effects of mixtures of narcotic chemicals. *Arch Environ Contam Toxicol.* 21: 183-189.
- Shirin, S; Bunzel, E; vanLoon, GW. (2005). Enhanced solubilization of organic pollutants through complexation by cyclodextrins. *Environmental Chemistry: Green Chemistry and Pollutants in Ecosystems* 569-583.

## Environmental Hazard Literature Search Results

### Off Topic

- Shitashiro, M; Kato, J; Fukumura, T; Kuroda, A; Ikeda, T; Takiguchi, N; Ohtake, H. (2003). Evaluation of bacterial aerotaxis for its potential use in detecting the toxicity of chemicals to microorganisms. *J Biotechnol.* 101: 11-18.
- Shook, GM; Pope, GA; Kostarelos, K. (1998). Prediction and minimization of vertical migration of DNAPLs using surfactant enhanced aquifer remediation at neutral buoyancy. *J Contam Hydrol.* 34: 363-382.
- Shookhoff, HB. (1975). Treatment of intestinal roundworm infections. *The Journal of school health.* 45: 339-342.
- Shouakar-Stash, O; Frappe, SK; Drimmie, RJ. (2003). Stable hydrogen, carbon and chlorine isotope measurements of selected chlorinated organic solvents. *J Contam Hydrol.* 60: 211-228.
- Shrivastava, A; Rayalu, S. (1992). An empirical quantitative structure activity relationship for chlorinated ethylenes. *Indian J Environ Health.* 34: 214-218.
- Shu, YH; Liu, PH; Zhang, QY; Wei, DY. (2013). Competitive sorption between 1,2,4-trichlorobenzene/tetrachloroethene and 1,2,4,5-tetrachlorobenzene by soils/sediments from South China. *Sci Total Environ.* 463: 258-263.
- Shukla, OP. (1994). Biotechnology for environmental pollution control. *Biological Memoirs.* 20: 1-9.
- Sidorenko, GI; Tsulaya, VR; Bonashevskaya, TI; Sha; pak, VM. (1979). Study of the combined action of a group of chlorine derivatives of hydrocarbons entering the organism by inhalation. *Environ Health Perspect.* 30: 13-18.
- Sidorenko, GI; Tsulaya, VR; Korenevskaya, EI; Bonashevskaya, TI. (1976). Methodological approaches to the study of the combined effect of atmospheric pollutants as illustrated by chlorinated hydrocarbons. *Environ Health Perspect.* 13: 111-116.
- Siebe, C; Cifuentes, E. (1995). Environmental impact of wastewater irrigation in central Mexico: An overview. *Int J Environ Health Res.* 5: 161-173.
- Siebert, A; Neumann, A; Schubert, T; Diekert, G. (2002). A non-dechlorinating strain of *Dehalospirillum multivorans*: evidence for a key role of the corrinoid cofactor in the synthesis of an active tetrachloroethene dehalogenase. *Archives of Microbiology.* 178: 443-449.
- Siegrist, RL; Lowe, KS; Crimi, ML; Urynowicz, MA. (2006). Quantifying PCE and TCE in DNAPL source zones: Effects of sampling methods used for intact cores at varied contaminant levels and media temperatures. *Ground Water Monitoring and Remediation.* 26: 114-124.
- Siggins, A; Enright, AM; O'Flaherty, V. (2011). Methanogenic community development in anaerobic granular bioreactors treating trichloroethylene (TCE)-contaminated wastewater at 37 degrees C and 15 degrees C. *Water Res.* 45: 2452-2462.
- Silva, JAK; Bruant, RG; Conklin, MH; Corley, TL. (2002). Equilibrium partitioning of chlorinated solvents in the vadose zone: Low  $f_{oc}$  geomechanics. *Environmental Science & Technology.* 36: 1613-1619.
- Simmonds, PG; Kerrin, SL; Lovelock, JE; Shair, FH. (1974). Distribution of atmospheric halocarbons in the air over the Los Angeles Basin. *Atmos Environ* (1967). 8: 209-216.
- Simpson, D. (1992). Long-period modelling of photochemical oxidants in Europe: Model calculations for July 1985. *Atmos Environ Part A Gen Top.* 26: 1609-1634.
- Singh, HB; Lillian, D; Appleby, A; Lobban, L. (1975). Atmospheric formation of carbon tetrachloride from tetrachloroethylene. *Environmental letters.* 10: 253-256.
- Sinkkonen, S; Welling, L; Vattulainen, A; Lahti, L; Lahtipera, M; Paasivirta, J. (1996). Short chain aliphatic halocarbons and polychlorinated biphenyls in pine needles: Effects of metal scrap plant emissions. *Chemosphere.* 32: 1971-1982.
- Sinsheimer, P; Grout, C; Namkoong, A; Gottlieb, R; Latif, A. (2007). The viability of professional wet cleaning as a pollution prevention alternative to perchloroethylene dry cleaning. *Journal of the Air & Waste Management Association.* 57: 172-178.
- Sixt, S; Altschuh, J; Brueggemann, R. (1995). Quantitative structure-toxicity relationships for 80 chlorinated compounds using quantum chemical descriptors. *Chemosphere.* 30: 2397-2414.
- Skeen, RS; Gao, J; Hooker, BS. (1995). Kinetics of chlorinated ethylene dehalogenation under methanogenic conditions. *Biotechnol Bioeng.* 48: 659-666.
- Skender, L; Karacic, V. (1996). Assessment of environmental exposure to trichloroethylene and tetrachloroethylene. *Environmental Management and Health.* 7: 14-16.
- Skinner, KE. Detection and identification of oils in beer by FTIR. *Journal of the American Society of Brewing Chemists.* Fall 1996. v. 54 (4): 191-197.
- Skold, ME; Thyne, GD; Drexler, JW; Macalady, DL; McCray, JE. (2008). Enhanced Solubilization of a Metal-Organic Contaminant Mixture (Pb, Sr, Zn, and Perchloroethylene) by Cyclodextrin. *Environmental Science & Technology.* 42: 8930-8934.
- Skolnick, A. (1989). Even air in the home is not entirely free of potential pollutants. *JAMA.* 262: 3102-3103, 3107.
- Skramstad, JD; Hurst, CJ; Novak, PJ. (2003). Survival of indicator organisms during enrichment on tetrachloroethene. *Water Environ Res.* 75: 368-376.
- Slater, GF; Ahad, JME; Lollar, BS; Allen-King, R; Sleep, B. (2000). Carbon isotope effects resulting from equilibrium sorption of dissolved VOCs. *Anal Chem.* 72: 5669-5672.
- Slater, GF; Lollar, BS; Lesage, S; Brown, S. (2003). Carbon isotope fractionation of PCE and TCE during dechlorination by vitamin B12. *Ground Water Monitoring and Remediation.* 23: 59-67.
- Slater, GF; Lollar, BS; Sleep, BE; Edwards, EA. (2001). Variability in carbon isotopic fractionation during biodegradation of chlorinated ethenes: Implications for field applications. *Environmental Science & Technology.* 35: 901-907.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachloroethene degradation sustained by endogenous cell decay. *J Environ Eng Sci.* 4: 11-17.
- Sleep, BE; Seepersad, DJ; Mo, K; Heidorn, CM; Hrapovic, L; Morrill, PL; McMaster, ML; Hood, ED; LeBron, C; Lollar, BS; Major, DW; Edwards, EA. (2006). Biological enhancement of tetrachloroethene dissolution and associated microbial community changes. *Environmental Science & Technology.* 40: 3623-3633.

## Environmental Hazard Literature Search Results

### Off Topic

- Smatlak, CR; Gossett, JM; Zinder, SH. (1996). Comparative kinetics of hydrogen utilization for reductive dechlorination of tetrachloroethene and methanogenesis in an anaerobic enrichment culture. *Environmental Science & Technology*. 30: 2850-2858.
- Smidt, H; Akkermans, ADL; van der Oost, J; de Vos, WM. (2000). Halorespiring bacteria—molecular characterization and detection. *Enzyme Microb Technol*. 27: 812-820.
- Smidt, H; Akkermans, ADL; van der Oost, J; de Vos, WM. (2000). Halorespiring bacteria—molecular characterization and detection. *Enzyme Microb Technol*. 27: 812-820.
- Smidt, H; de Vos, WM. (2004). Anaerobic microbial dehalogenation. *Annual Review of Microbiology*. 58: 43-73.
- Smidt, H; van Leest, M; van der Oost, J; de Vos, WM. (2000). Transcriptional regulation of the cpr gene cluster in ortho-chlorophenol-respiring *Desulfitobacterium dehalogenans*. *J Bacteriol*. 182: 5683-5691.
- Smith, BA; Teel, AL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H<sub>2</sub>O<sub>2</sub> Propagations. *Journal of Environmental Engineering-Asce*. 135: 535-543.
- Smith, JE; Zhang, ZF. (2001). Determining effective interfacial tension and predicting finger spacing for DNAPL penetration into water-saturated porous media. *J Contam Hydrol*. 48: 167-183.
- Smith, MM; Silva, JAK; Munakata-Marr, J; McCray, JE. (2008). Compatibility of Polymers and Chemical Oxidants for Enhanced Groundwater Remediation. *Environmental Science & Technology*. 42: 9296-9301.
- Smits, THM; Assal, A; Hunkeler, D; Holliger, C. (2011). Anaerobic Degradation of Vinyl Chloride in Aquifer Microcosms. *J Environ Qual*. 40: 915-922.
- Smits, THM; Devenoges, C; Szynalski, K; Maillard, J; Holliger, C. (2004). Development of a real-time PCR method for quantification of the three genera *Dehalobacter*, *Dehalococcoides*, and *Desulfitobacterium* in microbial communities. *J Microbiol Methods*. 57: 369-378.
- Snoeyenbos-West, O; Van Praagh, CG; Lovley, DR. (2001). *Trichlorobacter thiogenes* should be renamed as a *Geobacter* species. *Appl Environ Microbiol*. 67: 1020-1021.
- Soler, A; Fung, VA; Huff, J; Weisburger, EK; Hoel, DG. (2015). Predictive strategies for selecting 379 NCI chemicals evaluated for carcinogenic potential: Scientific and public health impact. *J Hazard Mater*. 15: 413-436.
- Soltanian, MR; Ritz, RW; Huang, CC; Dai, ZX. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 1. Time-dependent effective retardation factor. *Water Resour Res*. 51: 1586-1600.
- Soltanian, MR; Ritz, RW; Huang, CC; Dai, ZX. (2015). Relating reactive solute transport to hierarchical and multiscale sedimentary architecture in a Lagrangian-based transport model: 2. Particle displacement variance. *Water Resour Res*. 51: 1601-1618.
- Sommer, R; Pribil, W; Pflieger, S; Haider, T; Werderitsch, M; Gehringer, P. (2004). Microbicidal efficacy of an advanced oxidation process using ozone/hydrogen peroxide in water treatment. *Water Science and Technology*. 50: 159-164.
- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (2008). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Talanta*. 74: 1265-1270.
- Song, DL; Conrad, ME; Sorenson, KS; Alvarez-Cohen, L. (2002). Stable carbon isotope fractionation during enhanced in situ bioremediation of trichloroethene. *Environmental Science & Technology*. 36: 2262-2268.
- Song, H; Carraway, ER; Kim, YH; Batchelor, B; Jeon, BH; Kim, JG. (2008). Amendment of hydroxyapatite in reduction of tetrachloroethylene by zero-valent zinc: Its rate enhancing effect and removal of Zn(II). *Chemosphere*. 73: 1420-1427.
- Soni, M; Nomiya, H; Nomiya, K. (1990). Chronic inhalation effects of tetrachloroethylene on hepatic and renal microsomal electron transport components and delta -aminolevulinic acid dehydratase in rats. *Toxicol Lett*. 54: 207-213.
- Sorel, D; Cherry, JA; Lesage, S. (1998). In situ vertical circulation column: Containment system for small-scale DNAPL field experiments. *Ground Water Monitoring and Remediation*. 18: 114-125.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B(12) and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation*. 21: 140-148.
- Sorensen, S; Melgaard, B. (1971). Treatment of hookworm anemia. *Scandinavian journal of infectious diseases*. 3: 65-69.
- Sorial, GA; Papadimas, SP; Suidan, MT; Speth, TF. (1994). Competitive adsorption of vocs and bom-oxic and anoxic environments. *Water Res*. 28: 1907-1919.
- Soto, AM; Sonnenschein, C; Chung, KL; Fernandez, MF; Olea, N; Serrano, FO. (1995). The E-SCREEN assay as a tool to identify estrogens: An update on estrogenic environmental pollutants. *Environ Health Perspect*. 103: 113-122.
- Soudan, F. (1972). CHOICE OF PRODUCTS FOR CONTROL AGAINST POLLUTION OF THE MARINE ENVIRONMENT BY HYDROCARBONS. I. DETERMINING SOME CHOICES, (CHOIX DE PRODUITS POUR LUTTER CONTRE LA POLLUTION DU MILIEU MARIN PAR LES HYDROCARBURES. I. MOTIF DU CHOIX). *REVUE DES TRAVAUX DE L'INSTITUT DES PECHEES MARITIMES, VOL 36, NO 1, P 81-83, MARCH 1972*.
- Southcott, WH. (1951). Suspected tetrachloroethylene poisoning of sheep. *Aust Vet J*. 27: 130-131.
- Soutter, D; McBean, E. (2007). Potential for sample bias due to NAPL partitioning. *Ground Water Monitoring and Remediation*. 27: 129-132.
- Spee, T. (1986). Evaluation of an ISO draft proposal for sampling and analysis of chlorinated hydrocarbon solvent vapors in workplace atmospheres. *Am Ind Hyg Assoc J*. 47: 27-36.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environmental Health*. 7: 24-24.
- Spigarelli, JL; Going, JE; Li, R. (1986). Hexachlorobenzene levels in multimedia environmental samples from selected chemical production plants. *IARC Sci Publ*. 77: 155-160.
- Sponza, DT. (2001). Anaerobic granule formation and tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Enzyme Microb Technol*. 29: 417-427.

## Environmental Hazard Literature Search Results

### Off Topic

- Sponza, DT. (2001). Rapid granulation and sludge retention for tetrachloroethylene removal in an upflow anaerobic sludge blanket reactor. *Biotechnol Lett.* 23: 1209-1216.
- Sponza, DT. (2002). Tetrachloroethylene (TCE) removal during anaerobic granulation in an upflow anaerobic sludge blanket (UASB) reactor. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 37: 213-236.
- Sponza, DT. (2003). Enhancement of granule formation and sludge retainment for tetrachloroethylene (TCE) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Adv Environ Res.* 7: 453-462.
- Sponza, DT. (2003). Toxicity and treatability of carbontetrachloride and tetrachloroethylene in anaerobic batch cultures. *International Biodeterioration & Biodegradation.* 51: 119-127.
- Sponza, DT; Atalay, H. (2005). Treatment of trichlorotoluene in an anaerobic/aerobic sequential reactor system. *Process Biochemistry.* 40: 69-82.
- Spoor, W. (2001). Industrial chemicals and the horse. *The Veterinary clinics of North America Equine practice.* 17: 501-515.
- Squillace, PJ; Moran, MJ. (2007). Factors associated with sources, transport, and fate of volatile organic compounds and their mixtures in aquifers of the United States. *Environmental Science & Technology.* 41: 2123-2130.
- Squillace, PJ; Moran, MJ; Price, CV. (2004). VOCs in shallow groundwater in new residential/commercial areas of the United States. *Environmental Science & Technology.* 38: 5327-5338.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol.* 19: 643-666.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Field note: Phytoremediation of chlorinated ethenes in seepage sediments: Tree selection. *Int J Phytoremediation.* 10: 529-546.
- Stanhope, A; Berry, CJ; Brigmon, RL. (2008). Phytoremediation of chlorinated ethenes in seepage sediments: tree selection. *Int J Phytoremediation.* 10: 529-546.
- Staudinger, J; Knocke, WR; Randall, CW. (1990). Evaluating the Onda mass transfer correlation for the design of packed-column air stripping. *Am Water Works Assoc J.* 82: 73-79.
- Stein, VB; Narang, RS. (1990). A simplified method for the determination of volatiles in eggs using headspace analysis with a photoionization detector. *Arch Environ Contam Toxicol.* 19: 593-596.
- Stelzer, N; Imfeld, G; Thullner, M; Lehmann, J; Poser, A; Richnow, HH; Nijenhuis, I. (2009). Integrative approach to delineate natural attenuation of chlorinated benzenes in anoxic aquifers. *Environ Pollut.* 157: 1800-1806.
- Stetter, JR; Jurs, PC; Rose, SL. (1986). Detection of hazardous gases and vapors: Pattern recognition analysis of data from an electrochemical sensor array. *Anal Chem.* 58: 860-866.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med.* 48: 531-537.
- Stewart, RD. (1969). Acute tetrachloroethylene intoxication. *JAMA.* 208: 1490-1492.
- Stiver, WH; Zytner, RG. (1996). The infiltration and movement of immiscible chemicals in unsaturated soil. *AU - GUIGARD S. Environ Technol.* 17: 1123-1130.
- Storm, JE; Mazor, KA. (2004). Update of residential tetrachloroethylene exposure and decreases in visual contrast sensitivity. *Environ Health Perspect.* 112: A862-A864.
- Storm, JE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2012). Letter to the editor: "Review of the epidemiologic literature on residential exposure to perchloroethylene" by John A. Bukowski. *Crit Rev Toxicol.* 42: 314-317.
- Story, DL; Meierhenry, EF; Tyson, CA; Milman, HA. (1986). Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. *Toxicol Ind Health.* 2: 351-362.
- Stott, WT; Watanabe, PG. (1982). Differentiation of genetic versus epigenetic mechanisms of toxicity and its application to risk assessment. *Drug Metab Rev.* 13: 853-873.
- St-Pierre, C; Martel, R; Gabriel, U; Lefebvre, R; Robert, T; Hawari, J. (2004). TCE recovery mechanisms using micellar and alcohol solutions: phase diagrams and sand column experiments. *J Contam Hydrol.* 71: 155-192.
- Strauss, AJ; Kr  ger, GHJ; van Heerden, PDR; Pienaar, JJ; Weissflog, L; Musil, CF. (2004). Constraints on photosynthesis of C3 and C4 crop plants by trichloroacetic acid, an atmospherically generated pollutant. *South African Journal of Botany.* 70: 751-759.
- Stroo, HF; Unger, M; Ward, CH; Kavanaugh, MC; Vogel, C; Leeson, A; Marqusee, JA; Smith, BP. (2003). Remediating chlorinated solvent source zones. *Environmental Science & Technology.* 37: 224A-230A.
- Struckhoff, GC; Burken, JG; Schumacher, JG. (2005). Vapor-phase exchange of perchloroethene between soil and plants. *Environmental Science & Technology.* 39: 1563-1568.
- Struwe, M; Zeller, A; Singer, T; Gocke, E. (2011). Possibility of methodical bias in analysis of comet assay studies RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133-138, 2010). *Mutagenesis.* 26: 473-474.
- Strycharz, SM; Woodard, TL; Johnson, JP; Nevin, KP; Sanford, RA; Loffler, FE; Lovley, DR. (2008). Graphite electrode as a sole electron donor for reductive dechlorination of tetrachloroethene by *Geobacter lovleyi*. *Appl Environ Microbiol.* 74: 5943-5947.
- Stubin, AI; Brosnan, TM; Porter, KD; Jimenez, L; Lochan, H. (1996). Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res.* 68: 1037-1044.
- Stull, JO; Herring, B. (1990). Selection and testing of a glove combination for use with the USA coast Guard's chemical response suit. *Am Ind Hyg Assoc J.* 51: 378-383.
- Su, CM; Puls, RW. (1999). Kinetics of trichloroethene reduction by zerovalent iron and tin: Pretreatment effect, apparent activation energy, and intermediate products. *Environmental Science & Technology.* 33: 163-168.

## Environmental Hazard Literature Search Results

### Off Topic

- Su, CM; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084.
- Su, CM; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2013). Travel distance and transformation of injected emulsified zerovalent iron nanoparticles in the subsurface during two and half years. *Water Res.* 47: 4095-4106.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203.
- Suchomel, EJ; Pennell, KD. (2006). Reductions in contaminant mass discharge following partial mass removal from DNAPL source zones. *Environmental Science & Technology.* 40: 6110-6116.
- Summerhays, J. (1988). Evaluation of risks from urban air pollutants in the southeast Chicago (Chicago, Illinois, USA) area. *J Air Waste Manage Assoc.* 41: 844-850.
- Sun, BL; Griffin, BM; Ayala-del-Rio, HL; Hashsham, SA; Tiedje, JM. (2002). Microbial dehalorespiration with 1,1,1-trichloroethane. *Science.* 298: 1023-1025.
- Sunder, M; Hempel, D-C. (1997). Oxidation of tri- and perchloroethene in aqueous solution with ozone and hydrogen peroxide in a tube reactor. *Water Res.* 31: 33-40.
- Sung, Y; Fletcher, KF; Ritalaliti, KM; Apkarian, RP; Ramos-Hernandez, N; Sanford, RA; Mesbah, NM; Löffler, FE. (2006). *Geobacter lovleyi* sp nov strain SZ, a novel metal-reducing and tetrachloroethene-dechlorinating bacterium. *Appl Environ Microbiol.* 72: 2775-2782.
- Sung, Y; Ritalahti, KM; Apkarian, RP; Löffler, FE. (2006). Quantitative PCR confirms purity of strain GT, a novel trichloroethene-to-ethene-respiring *Dehalococcoides* isolate. *Appl Environ Microbiol.* 72: 1980-1987.
- Sung, Y; Ritalahti, KM; Sanford, RA; Urbance, JW; Flynn, SJ; Tiedje, JM; Löffler, FE. (2003). Characterization of two tetrachloroethene-reducing, acetate-oxidizing anaerobic bacteria and their description as *Desulfuromonas michiganensis* sp nov. *Appl Environ Microbiol.* 69: 2964-2974.
- Sung-In, Y; Youn-Kyoo, C; Byung-Chan, L. (2003). Effective bead preparation of coimmobilized methanogenic and methanotrophic bacteria for tetrachloroethene degradation. *Biodegradation.* 14: 347-355.
- Sunkara, B; Su, Y; Zhan, J; He, J; McPherson, GL; John, VT. (2015). Iron-carbon composite microspheres prepared through a facile aerosol-based process for the simultaneous adsorption and reduction of chlorinated hydrocarbons. *Frontiers of environmental science & engineering.* 9: 939-947.
- Suntharasamai, P; Bunnag, D; Tejavani, S; Harinasuta, T; Migasena, S; Vutikes, S; Chindanond, D. (1974). Comparative clinical trials of niclosamide and tetrachlorethylene in the treatment of *Fasciolopsis buski* infection. *The Southeast Asian journal of tropical medicine and public health.* 5: 556-559.
- Suri, RPS; Crittenden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *Journal of Environmental Engineering-Asce.* 125: 897-905.
- Suri, RPS; Liu, JB; Crittenden, JC; Hand, DW. (1999). Removal and destruction of organic contaminants in water using adsorption, steam regeneration, and photocatalytic oxidation: A pilot-scale study. *Journal of the Air & Waste Management Association.* 49: 951-958.
- Suter, GW, II. (1996). Toxicological benchmarks for screening contaminants of potential concern for effects on freshwater biota. *Environ Toxicol Chem.* 15: 1232-1241.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HHM. (2015). Microbial Dynamics During and After In Situ Chemical Oxidation of Chlorinated Solvents. *Groundwater.* 53: 261-270.
- Sutton, PT; Ginn, TR. (2014). Sustainable in-well vapor stripping: A design, analytical model, and pilot study for groundwater remediation. *J Contam Hydrol.* 171: 32-41.
- Suyama, A; Iwakiri, R; Kai, K; Tokunaga, T; Sera, N; Furukawa, K. (2001). Isolation and characterization of *Desulfitobacterium* sp strain Y51 capable of efficient dehalogenation of tetrachloroethene and polychloroethanes. *Bioscience Biotechnology and Biochemistry.* 65: 1474-1481.
- Suyama, A; Yamashita, M; Yoshino, S; Furukawa, K. (2002). Molecular characterization of the PceA reductive dehalogenase of *Desulfitobacterium* sp strain Y51. *J Bacteriol.* 184: 3419-3425.
- Suzaki, H; Aoki, A; Nomura, Y. (1997). Regeneration of olfactory mucosa in mice after inhalation exposure to perchloroethylene. *ORL; journal for oto-rhino-laryngology and its related specialties.* 59: 91-96.
- Suzuki, T; Nezu, K; Sasaki, H; Miyazawa, T; Isono, H. (1994). Cytotoxicity of chlorinated hydrocarbons and lipid peroxidation in isolated rat hepatocytes. *Biological & pharmaceutical bulletin.* 17: 82-86.
- Swami, K; Narang, AS; Narang, RS; Eadon, GA. (1992). Thermally induced formation of PCDD and PCDF from tri- and tetrachlorobenzene in dielectric fluids. *Chemosphere.* 24: 1845-1853.
- Swanson, AR; Brennan, RA; Löffler, FE; Sanford, RA. (1999). H<sub>2</sub> generation, 14C-acetate assimilation, and the role of the tricarboxylic acid (TCA) cycle by succinate-fed, tetrachloroethene-respiring *Desulfuromonas* sp. strain BB1. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 599-600.
- Sweeny, KH. (1981). The Reductive Treatment of Industrial Wastewaters. II. Process Applications. *AIChE Symposium Series Vol 77, No 209, p 72-78, 1981 7 Tab, 6 Ref.*
- Sytsma, L; Mulder, J; Schneider, J; Negri, C; Hinchman, R; Gatliff, E. (1997). UPTAKE AND FATE OF ORGANOHALOGENS FROM CONTAMINATED GROUNDWATER IN WOODY PLANTS. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 29.
- Tabacova, S. (1986). Maternal exposure to environmental chemicals. *Neurotoxicology.* 7: 421-440.

## Environmental Hazard Literature Search Results

### Off Topic

- Tabernacka, A; Zborowska, E. (2012). Trichloroethylene and tetrachloroethylene elimination from the air by means of a hybrid bioreactor with immobilized biomass. *J Biosci Bioeng.* 114: 318-324.
- Tabernacka, A; Zborowska, E; Å ebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater.* 264: 363-369.
- Taghavy, A; Costanza, J; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol.* 118: 128-142.
- Taghavy, A; Costanza, J; Pennell, KD; Abriola, LM. (2010). Effectiveness of nanoscale zero-valent iron for treatment of a PCE-DNAPL source zone. *J Contam Hydrol.* 118: 128-142.
- Tait, NG; Davison, RM; Leharne, SA; Lerner, DN. (2008). Borehole Optimisation System (BOS) – A case study assessing options for abstraction of urban groundwater in Nottingham, UK. *Environmental Modelling & Software.* 23: 611-621.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol.* 124: 14-24.
- Talawat, J; Sabatini, DA; Tongcumpou, C. (2013). Behavior of DNAPL mixture of organometallic and chlorinated solvent in the presence of surfactants and alcohols as density modifying agents. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 48: 1619-1627.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environmental Science & Technology.* 28: 973-979.
- Tang, J; Fan, C; Lin, Q; Zhou, X. (2014). Smooth, stable and optically transparent microcapsules prepared by one-step method using sodium carboxymethyl cellulose as protective colloid. *Colloid Surface Physicochem Eng Aspect.* 459: 65-73.
- Tang, WZ; Huang, CP. (1997). Stoichiometry of Fenton's reagent in the oxidation of chlorinated aliphatic organic pollutants. *Environ Technol.* 18: 13-23.
- Tang, YJJ; Yi, S; Zhuang, WQ; Zinder, SH; Keasling, JD; Alvarez-Cohen, L. (2009). Investigation of Carbon Metabolism in "Dehalococcoides ethenogenes" Strain 195 by Use of Isotopomer and Transcriptomic Analyses. *J Bacteriol.* 191: 5224-5231.
- Tang, YN; Krajmalnik-Brown, R; Rittmann, BE. (2013). Modeling trichloroethene reduction in a hydrogen-based biofilm. *Water Science and Technology.* 68: 1158-1163.
- Tansel, B; Eyma, RR. (1999). Volatile organic contaminant emissions from wastewater treatment plants during secondary treatment. *Water Air And Soil Pollution.* 112: 315-325.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. (1996). Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett.* 108: 257-261.
- Tarhanen, J; Ollikainen, S; Ruokojarvi, P; Tuppurainen, K; Ruuskanen, J. (1994). The effect of inorganic and organic chlorine on formation of highly chlorinated organic compounds during incineration: Laboratory pilot study. AU - HALONEN I. *Chemosphere.* 28: 2129-2137.
- Tartakovsky, B; Manuel, ME; Guiot, S. (2005). Degradation of trichloroethylene in a coupled anaerobic-aerobic bioreactor: Modeling and experiment. *Biochem Eng J.* 26: 72-81.
- Tartakovsky, B; Manuel, MF; Guiot, S. (2003). Trichloroethylene degradation in a coupled anaerobic/aerobic reactor oxygenated using hydrogen peroxide. *Environmental Science & Technology.* 37: 5823-5828.
- Tartakovsky, B; Miguez, CB; Petti, L; Bourque, D; Groleau, D; Guiot, S. (1998). Tetrachloroethylene dechlorination using a consortium of coimmobilized methanogenic and methanotrophic bacteria. *Enzyme Microb Technol.* 22: 255-260.
- Tas, DO; Pavlostathis, SG. (2008). Effect of nitrate reduction on the microbial reductive transformation of pentachloronitrobenzene. *Environmental Science & Technology.* 42: 3234-3240.
- Tawney, I; Becker, JG; Baldwin, AH. (2008). A novel dual-compartment, continuous-flow wetland microcosm to assess cis-dichloroethene removal from the rhizosphere. *Int J Phytoremediation.* 10: 455-471.
- Taylor, DM; Fernie, K; McConnell, I; Ferguson, CE; Steele, PJ. (1998). Solvent extraction as an adjunct to rendering: the effect on BSE and scrapie agents of hot solvents followed by dry heat and steam. *Veterinary Record.* 143: 6-9.
- Taylor, PH; Dellinger, B; Lee, CC. (1990). Development of a thermal stability based ranking of hazardous organic compound incinerability. *Environ Sci Technol.* 24: 316-328.
- Taylor, TP; Pennell, KD; Abriola, LM; Dane, JH. (2001). Surfactant enhanced recovery of tetrachloroethylene from a porous medium containing low permeability lenses - 1. Experimental studies. *J Contam Hydrol.* 48: 325-350.
- Taylor, TP; Rathfelder, KM; Pennell, KD; Abriola, LA. (2004). Effects of ethanol addition on micellar solubilization and plume migration during surfactant enhanced recovery of tetrachloroethene. *J Contam Hydrol.* 69: 73-99.
- Teel, AL; Cutler, LM; Watts, RJ. (2009). Effect of sorption on contaminant oxidation in activated persulfate systems. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 44: 1098-1103.
- Tekrony, MC; Ahlert, RC. (1998). Residual saturation of packed columns with chlorinated solvents. *J Hazard Mater.* 60: 127-142.
- Terzenbach, DP; Blaut, M. (1994). Transformation of tetrachloroethylene to trichloroethylene by homoacetogenic bacteria. *FEMS Microbiol Lett.* 123: 213-218.
- Testud, F; Jacques, D; Magaud-Camus, I; Descotes, J. (2004). Toxicité pulmonaire des imperméabilisants pour le cuir et les tissus : intoxication mortelle dans un pressing. *Arch Mal Prof Environ.* 65: 605-608.
- Tezel, U; Demirer, GN; Uludag-Demirer, S. (2005). Control of trichloroethylene emissions from sparging systems by horizontal bio- and chemo-barriers. *Environ Technol.* 26: 171-177.
- Thisjse, TR; Roemer, MGM; Van, OSSRF. (1999). Trends in large-scale VOC concentrations in the Southern Netherlands between 1991 and 1997. *Atmos Environ.* 33: 3803-3812.



## Environmental Hazard Literature Search Results

### Off Topic

- Thomas, A; Paci, C; D'Andreamatteo, G; Onofrj, M. (1997). 1-45-07 Bilateral optic neuritis due to perchloroethylene intoxication. *J Neurol Sci.* 150, Supplement 1: S61.
- Thomas, LK; Widdowson, MA; Chapelle, FH; Novak, JT; Boncal, JE; Lebron, CA. (2013). Distribution of Potentially Bioavailable Natural Organic Carbon in Aquifer Sediments at a Chloroethene-Contaminated Site. *Journal of Environmental Engineering-Asce.* 139: 54-60.
- Thomas, RD. (1989). Epidemiology and Toxicology of Volatile Organic Chemical Contaminants in Water Absorbed through the Skin. *Journal of the American College of Toxicology JACTDZ Vol 8, No 5, p 779-795, October 1989 1 fig, 6 tab, 72 ref.*
- Thomas, RD. (1990). Evaluation of Toxicity of Volatile Organic Chemicals: General Considerations. Significance and Treatment of Volatile Organic Compounds in Water Supplies Lewis Publishers, Inc, Chelsea Michigan 1990 p 451-463, 3 tab, 55 ref.
- Thompson, K; Zhang, JY; Zhang, CL. (2011). Use of fugacity model to analyze temperature-dependent removal of micro-contaminants in sewage treatment plants. *Chemosphere.* 84: 1066-1071.
- Thompson, KM; Evans, JS. (1997). The value of improved national exposure information for perchloroethylene (perc): A case study for dry cleaners. *Risk Anal.* 17: 253-271.
- Thoms, SR; Lion, LW. (1992). Vapor-phase partitioning of volatile organic compounds: A regression approach. *Environ Toxicol Chem.* 11: 1377-1388.
- Thomsen, NI; Binning, PJ; McKnight, US; Tuxen, N; Bjerg, PL; Troldborg, M. (2016). A Bayesian belief network approach for assessing uncertainty in conceptual site models at contaminated sites. *J Contam Hydrol.* 188: 12-28.
- Thomson, NR; Flynn, DJ. (2000). Soil vacuum extraction of perchloroethylene from the borden aquifer. *Ground Water.* 38: 673-688.
- Thomson, NR; Hood, ED; Farquhar, GJ. (2007). Permanganate treatment of an emplaced DNAPL source. *Ground Water Monitoring and Remediation.* 27: 74-85.
- Thomson, NR; Sykes, JF; Van, VLIETD. (1997). A numerical investigation into factors affecting gas and aqueous phase plumes in the subsurface. *J Contam Hydrol.* 28: 39-70.
- Thullner, M; Kampara, M; Richnow, HH; Harms, H; Wick, LY. (2008). Impact of bioavailability restrictions on microbially induced stable isotope fractionation. 1. Theoretical calculation. *Environmental Science & Technology.* 42: 6544-6551.
- Thurnau, RC. (1990). Incinerability index: A measure of incinerator performance. *Waste Manag.* 10: 185-195.
- Tichenor, BA; Sparks, LE; Jackson, MD; Guo, Z; Mason, MA; Michelle Plunket, C; Rasor, SA. (1990). Emissions of perchloroethylene from dry cleaned fabrics. *Atmospheric Environment Part A General Topics.* 24: 1219-1229.
- Tichenor, LAB; El-Sinawi, A; Yamada, T; Taylor, PH; Peng, JP; Hu, XH; Marshall, P. (2001). Kinetic studies of the reaction of hydroxyl radicals with trichloroethylene and tetrachloroethylene. *Chemosphere.* 42: 571-577.
- Tick, GR; Harvell, JR; Murgulet, D. (2015). Intermediate-Scale Investigation of Enhanced-Solubilization Agents on the Dissolution and Removal of a Multicomponent Dense Nonaqueous Phase Liquid (DNAPL) Source. *Water Air and Soil Pollution.* 226: 371-371.
- Tick, GR; Lourenso, F; Wood, AL; Brusseau, ML. (2003). Pilot-scale demonstration of cyclodextrin as a solubility-enhancement agent for remediation of a tetrachloroethene-contaminated aquifer. *Environmental Science & Technology.* 37: 5829-5834.
- Tiedje, J. (1995). Environmental biotechnology. *Curr Opin Biotechnol.* 6: 273-274.
- Tiehm, A; Krassnitzer, S; Koltypin, Y; Gedanken, A. (2009). Chloroethene dehalogenation with ultrasonically produced air-stable nano iron. *Ultrason Sonochem.* 16: 617-621.
- Tkachenko, IS; Tkachenko, SN; Lokteva, ES; Likhobolov, VA. (2016). Ozone-adsorption Method of TRIC and PERC Elimination from Underground Water Corresponding to the Russian Maximum Permissible Concentration Standards. *Ozone-Science & Engineering.* 38: 302-311.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol.* 29: 139-145.
- Tokunaga, T; Hanashima, M; Matsufuji, Y; Kitamori, S; Sera, N. (1998). Biodechlorination of tetrachloroethylene by anaerobic bacteria cell cultures isolated from contaminated and uncontaminated soils. *Bull Environ Contam Toxicol.* 60: 88-95.
- Toledo, LC; Silva, AC; Augusti, R; Lago, RM. (2003). Application of Fenton's reagent to regenerate activated carbon saturated with organochloro compounds. *Chemosphere.* 50: 1049-1054.
- Toledo, LCs; Silva, ACuB; Augusti, R; Lago, RM. (2003). Application of Fenton's reagent to regenerate activated carbon saturated with organochloro compounds. *Chemosphere.* 50: 1049-1054.
- Tomokuni, K. (1992). Studies on hepatotoxicity induced by chlorinated hydrocarbons. Lipid and ATP metabolisms in the liver of mice exposed to 1,1,2,2-tetrachloroethane. *Acta medica Okayama.* 23: 273-282.
- Tong, M; Yuan, SH; Long, HY; Zheng, MM; Wang, LL; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol.* 122: 16-25.
- Topurdurti, K; Wojciechowski, M; Anagnostopoulos, S; Eilers, R. (1998). Field evaluation of a photocatalytic oxidation technology. *Water Science And Technology.* 38: 117-125.
- Torlapati, J; Clement, TP; Schaefer, CE; Lee, KK. (2012). Modeling Dehalococcoides sp Augmented Bioremediation in a Single Fracture System. *Ground Water Monitoring and Remediation.* 32: 75-83.
- Totten, C; Annable, MD; Jawitz, JW; Delfino, JJ. (2007). Fluid and porous media property effects on dense nonaqueous phase liquid migration and contaminant mass flux. *Environmental Science & Technology.* 41: 1622-1627.
- Towara, J; Hiller, B; Hutzinger, O; Kurz, J; Klein, P. (1992). PCDD/F in distillation residues from dry cleaners. *Chemosphere.* 25: 1509-1516.
- Townsend, GT; Sufliata, JM. Characterization of chloroethylene dehalogenation by cell extracts of *Desulfomonile tiedjei* and its relationship to chlorobenzoate dehalogenation. *Appl Environ Microbiol.* Aug 1996. v. 62 (8): 2850-2853.
- Townsend, GT; Sufliata, JM. (1997). Influence of sulfur oxyanions on reductive dehalogenation activities in *Desulfomonile tiedjei*. *Appl Environ Microbiol.* 63: 3594-3599.

## Environmental Hazard Literature Search Results

### Off Topic

- Trantham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol.* 36: 377-400.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travis, CC; Wang, LA; Waehner, MJ. (1991). Quantitative correlation of carcinogenic potency with four different classes of short-term test data. *Mutagenesis.* 6: 353-360.
- Trenholm, A. (1998). Identification of PICs in hazardous waste combustion emissions. *Waste Manag.* 18: 485-492.
- Trevisan, A; Macca, I; Rui, F; Carrieri, M; Bartolucci, GB; Manno, M. (2000). Kidney and liver biomarkers in female dry-cleaning workers exposed to perchloroethylene. *Biomarkers.* 5: 399-409.
- Trevizo, C; Nirmalakhandan, N. (1999). Prediction of microbial toxicity of industrial organic chemicals. *Water Science And Technology.* 39: 63-69.
- Tribe, GW; Kanarek, AD; White, G. (1968). Preliminary studies on the development of a bovine parainfluenza 3 virus vaccine. *Res Vet Sci.* 9: 152-159.
- Truce, WE; Rossmann, MG; Perry, FM; Burnett, RM; Abraham, DJ. (1965). The stereochemistry of the reaction of tetrachloroethylene with p-toluene-thiolate reagent. *Tetrahedron.* 21: 2899-2905.
- Truex, MJ; Macbeth, TW; Vermeul, VR; Fritz, BG; Mendoza, DP; Mackley, RD; Wietsma, TW; Sandberg, G; Powell, T; Powers, J; Pitre, E; Michalsen, M; Ballock-Dixon, SJ; Zhong, L; Oostrom, M. (2011). Demonstration of Combined Zero-Valent Iron and Electrical Resistance Heating for In Situ Trichloroethene Remediation. *Environmental Science & Technology.* 45: 5346-5351.
- Tsai, TT; Kao, CM; Hong, A. (2009). Treatment of tetrachloroethylene-contaminated groundwater by surfactant-enhanced persulfate/BOF slag oxidation—a laboratory feasibility study. *J Hazard Mater.* 171: 571-576.
- Tsakiroglou, C; Terzi, K; Sikinoti-Lock, A; Hajdu, K; Aggelopoulos, C. (2016). Assessing the capacity of zero valent iron nanofluids to remediate NAPL-polluted porous media. *Sci Total Environ.* 563-564: 866-878.
- Tsiliyannis, CA. (1999). Report: Comparison of environmental impacts from solid waste treatment and disposal facilities. *Waste Management & Research.* 17: 231-241.
- Tsui, L; Fan, CH; Chung, YZ; Lin, SF. (2011). Reductive dechlorination of tetrachloroethene by two compost samples with different maturity. *Bioresour Technol.* 102: 10498-10504.
- Tsukagoshi, N; Ezaki, S; Uenaka, T; Suzuki, N; Kurane, R. (2006). Isolation and transcriptional analysis of novel tetrachloroethene reductive dehalogenase gene from *Desulfitobacterium* sp strain KBC1. *Appl Microbiol Biotechnol.* 69: 543-553.
- Tsuno, H; Kawamura, M; Oya, T. (2006). Application of biological activated carbon anaerobic reactor for treatment of hazardous chemicals. *Water Science and Technology.* 53: 251-260.
- Tu, AS; Murray, TA; Hatch, KM; Sivak, A; Milman, HA. (1985). In vitro transformation of BALBc-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett.* 28: 85-92.
- Tuck, DM. (1999). "DNAPL migration through a fractured perching layer" by Daniel B. Stephens, James A. Kelsey, Mark A. Prieksat, Mel G. Piepho, Chao Shan, and Mark D. Ankeny, July-August 1998 issue, v. 36, no. 4 : 605-610. Discussion. *Ground Water.* 37: 485-486.
- Tuck, DM; Bierck, BR; Jaffe, PR. (1998). Synchrotron radiation measurement of multiphase fluid saturations in porous media: Experimental technique and error analysis. *J Contam Hydrol.* 31: 231-256.
- Tuck, DM; Iversen, GM; Pirkle, WA. (2003). Organic dye effects on dense nonaqueous phase liquids (DNAPL) entry pressure in water saturated porous media. *Water Resour Res.* 39: 1207-1207.
- Tucker, JD; Sorensen, KJ; Ruder, AM; McKernan, LT; Forrester, CL; Butler, MA. (2011). Cytogenetic analysis of an exposed-referent study: perchloroethylene-exposed dry cleaners compared to unexposed laundry workers. *Environmental Health.* 10: 16-16.
- Tucker, RK. (1981). Groundwater Quality in New Jersey--An Investigation of Toxic Contaminants. Report March 1981 60 p, 10 Fig, 8 Tab, 101 Ref, 1 Append.
- Tunncliffe, BS; Thomson, NR. (2004). Mass removal of chlorinated ethenes from rough-walled fractures using permanganate. *J Contam Hydrol.* 75: 91-114.
- Tursman, JF; Cork, DJ. (1992). Subsurface contaminant bioremediation engineering. *Crit Rev Environ Control.* 22: 1-26.
- Tyson, CA; Gee, SJ; Hawk-Prather, K; Story, DL; Milman, HA. (1989). Correlation between in vivo and in vitro toxicity of some chlorinated aliphatics. *Toxicol In Vitro.* 3: 145-150.
- Uhler, AD; Diachenko, GW. (1987). Volatile halocarbon compounds in process water and processed foods. *Bull Environ Contam Toxicol.* 39: 601-607.
- Ulrich, MM; Muller, SR; Singer, HP; Imboden, DM; Schwarzenbach, RP. Input and dynamic behavior of the organic pollutants tetrachloroethene, atrazine, and NTA in a lake: a study combining mathematical modeling and field measurements. *Environmental science & technology.* Sept 1994. v. 28 (9): 1674-1685.
- Umezu, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: Influence of structural and physical properties. *Toxicol Appl Pharmacol.* 279: 103-112.
- Umezu, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: Influence of structural and physical properties. *Toxicol Appl Pharmacol.* 279: 103-112.
- Underwood, MC. (1996). Assessing the indoor air impact from a hazardous waste site: a case study. *Toxicol Ind Health.* 12: 179-188.
- Unkovsky, BV; Bogatkov, SV; Malina, JF; Studneva, IM; Sokolova, TD; Romanova, KI. (1975). Esterification kinetics and mechanism of stereoisomers of substituted 4-hydroxypiperidines and cyclohexanols. *Tetrahedron.* 31: 1321-1324.
- Urano, K; Kawamoto, K; Abe, Y; Otake, M. (1988). Chlorinated organic compounds in urban air in Japan. *Sci Total Environ.* 74: 121-131.

## Environmental Hazard Literature Search Results

### Off Topic

- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.
- Urynowicz, MA. (2007). In situ chemical oxidation with permanganate: Assessing the competitive interactions between target and nontarget compounds. *Soil & Sediment Contamination.* 17: 53-62.
- Urynowicz, MA; Siegrist, RL. (2005). Interphase mass transfer during chemical oxidation of TCE DNAPL in an aqueous system. *J Contam Hydrol.* 80: 93-106.
- Vahdat, N. (1987). Permeation of protective clothing materials by methylene chloride and perchloroethylene. *Am Ind Hyg Assoc J.* 48: 646-651.
- Vail, JT, Jr. (1974). Letter: False-negative reaction to patch testing with volatile compounds. *Archives of dermatology.* 110: 130.
- Vainberg, S; Condee, CW; Steffan, RJ. (2009). Large-scale production of bacterial consortia for remediation of chlorinated solvent-contaminated groundwater. *Journal of Industrial Microbiology & Biotechnology.* 36: 1189-1197.
- Vainio, H; Waters, MD; Norppa, H. (1985). Mutagenicity of selected organic solvents. *Scandinavian journal of work, environment & health.* 11 Suppl 1: 75-82.
- Vakil, BJ; Dalai, NJ; Gangrade, RR; Bhise, KB. (1972). Clinical trial with L-tetramisole in roundworm and hookworm infections. *Trans Roy Soc Trop Med Hyg.* 66: 250-254.
- Vakil, BJ; Gaitonde, BB; Chavan, VY; Kamat, RA. (1972). Phenylene diisothiocyanate and tetrachlorethylene crossover studies in the treatment of hookworm infection. *The Journal of the Association of Physicians of India.* 20: 223-228.
- Valente, A; Sanches-Silva, A; Albuquerque, TG; Costa, HS. (2014). Development of an orange juice in-house reference material and its application to guarantee the quality of vitamin C determination in fruits, juices and fruit pulps. *Food Chem.* 154: 71-77.
- Vamvakas, S; Dekant, W; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1987). Enzymatic transformation of mercapturic acids derived from halogenated alkenes to reactive and mutagenic intermediates. *Biochem Pharmacol.* 36: 2741-2748.
- Vamvakas, S; Dekant, W; Henschler, D. (1989). Genotoxicity of haloalkene and haloalkane glutathione S-conjugates in porcine kidney cells. *Toxicol In Vitro.* 3: 151-156.
- Vamvakas, S; Herkenhoff, M; nt, W; Henschler, D. (1989). Mutagenicity of tetrachloroethene in the Ames test--metabolic activation by conjugation with glutathione. *J Biochem Toxicol.* 4: 21-27.
- Van, BBM; Hunkeler, D; Volkering, F. (2005). Quantification of sequential chlorinated ethene degradation by use of a reactive transport model incorporating isotope fractionation. *Environmental science & technology.* 39: 4189-4197.
- Van, DBL; Kline, SA; Melchionne, S; Seidman, I. (1983). Chemical structure and carcinogenicity relationships of some chloroalkene oxides and their parent olefins. *Cancer Res.* 43: 159-162.
- van de Pas, BA; Gerritse, J; de Vos, WM; Schraa, G; Stams, AJM. (2001). Two distinct enzyme systems are responsible for tetrachloroethene and chlorophenol reductive dehalogenation in *Desulfitobacterium* strain PCE1. *Archives of Microbiology.* 176: 165-169.
- van de Pas, BA; Jansen, S; Dijkema, C; Schraa, G; de Vos, WM; Stams, AJM. (2001). Energy yield of respiration on chloroaromatic compounds in *Desulfitobacterium* dehalogenans. *Appl Environ Microbiol.* 67: 3958-3963.
- van de Pas, BA; Smidt, H; Hagen, WR; van der Oost, J; Schraa, G; Stams, AJM; de Vos, WM. (1999). Purification and molecular characterization of ortho-chlorophenol reductive dehalogenase, a key enzyme of halo-respiration in *Desulfitobacterium* dehalogenans. *J Biol Chem.* 274: 20287-20292.
- van der Zaan, B; Hannes, F; Hoekstra, N; Rijnaarts, H; de Vos, WM; Smidt, H; Gerritse, J. (2010). Correlation of Dehalococcoides 16S rRNA and Chloroethene-Reductive Dehalogenase Genes with Geochemical Conditions in Chloroethene-Contaminated Groundwater. *Appl Environ Microbiol.* 76: 843-850.
- van der Zaan, B; Smidt, H; de Vos, WM; Rijnaarts, H; Gerritse, J. (2010). Stability of the total and functional microbial communities in river sediment mesocosms exposed to anthropogenic disturbances. *FEMS Microbiol Ecol.* 74: 72-82.
- van Eekert, MHA; Schroder, TJ; van Rhee, A; Stams, AJM; Schraa, G; Field, JA. (2001). Constitutive dechlorination of chlorinated ethenes by a methanol degrading methanogenic consortium. *Bioresour Technol.* 77: 163-170.
- Van, EEKERTMHA; Stams, AJM; Field, JA. (1999). Gratuitous dechlorination of chloroethanes by methanogenic granular sludge. *Appl Microbiol Biotechnol.* 51: 46-52.
- Van, HYLCKAMAVLIEGJET; De, KONINGW; Janssen, DB. (1997). Effect of chlorinated ethene conversion of viability and activity of *Methylosinus trichosporium* OB3b. *Appl Environ Microbiol.* 63: 4961-4964.
- Van, LEEUWENCI; Van, DERZANDTPTJ; Aldenberg, T; Verhaar, HJM; Hermens, JLM. (1992). Application of QSARs, extrapolation and equilibrium partitioning in aquatic effects assessment: I. Narcotic industrial pollutants. *Environ Toxicol Chem.* 11: 267-282.
- Van Nooten, T; Springael, D; Bastiaens, L. (2010). Microbial Community Characterization in a Pilot-Scale Permeable Reactive Iron Barrier. *Environ Eng Sci.* 27: 287-292.
- Van Raemdonck, H; Maes, A; Ossieur, W; Verthe, K; Boon, N. (2006). Real time PCR quantification in groundwater of the dehalorespiring *Desulfitobacterium dichloroeliminans* strain DCA1. *J Microbiol Methods.* 67: 294-303.
- van Schie, PM; Fletcher, M. (1999). Adhesion of biodegradative anaerobic bacteria to solid surfaces. *Appl Environ Microbiol.* 65: 5082-5088.
- Van Valkenburg, ME; Annable, MD. (2002). Mobilization and entry of DNAPL pools into finer sand media by cosolvents: two-dimensional chamber studies. *J Contam Hydrol.* 59: 211-230.
- van Warmerdam, EM; Frape, SK; Aravena, R; Drimmie, RJ; Flatt, H; Cherry, JA. (1995). Stable chlorine and carbon isotope measurements of selected chlorinated organic solvents. *Appl Geochem.* 10: 547-552.
- van Zelm, R; Huijbregts, MAJ; van de Meent, D. (2010). Transformation Products in the Life Cycle Impact Assessment of Chemicals. *Environmental Science & Technology.* 44: 1004-1009.

## Environmental Hazard Literature Search Results

### Off Topic

- VanAntwerp, DJ; Falta, RW; Gierke, JS. (2008). Numerical simulation of field-scale contaminant mass transfer during air sparging. *Vadose Zone Journal*. 7: 294-304.
- Vancheeswaran, S; Halden, RU; Williamson, KJ; Ingle, JD; Semprini, L. (1999). Abiotic and biological transformation of tetraalkoxysilanes and trichloroethene/cis-1,2-dichloroethene cometabolism driven by tetrabutoxysilane-degrading microorganisms. *Environmental Science & Technology*. 33: 1077-1085.
- Vancheeswaran, S; Hyman, MR; Semprini, L. (1999). Anaerobic biotransformation of trichlorofluoroethene in groundwater microcosms. *Environmental Science & Technology*. 33: 2040-2045.
- Vane, LM; Hitchens, L; Alvarez, FR; Giroux, EL. (2001). Field demonstration of pervaporation for the separation of volatile organic compounds from a surfactant-based soil remediation fluid. *J Hazard Mater*. 81: 141-166.
- VanStone, NA; Focht, RM; Mabury, SA; Lollar, BS. (2004). Effect of iron type on kinetics and carbon isotopic enrichment of chlorinated ethylenes during abiotic reduction on Fe(0). *Ground Water*. 42: 268-276.
- Vardar, G; Barbieri, P; Wood, TK. (2005). Chemotaxis of *Pseudomonas stutzeri* OX1 and *Burkholderia cepacia* G4 toward chlorinated ethenes. *Appl Microbiol Biotechnol*. 66: 696-701.
- Varma, MM; Ampy, Verma, K; Talbot, WW. (1988). In vitro mutagenicity of water contaminants in complex mixtures. *J Appl Toxicol*. 8: 243-248.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water population. *Chemosphere*. 27: 1171-1181.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, Ks. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere*. 27: 1171-1181.
- Vecchio, M; Gropelli, G; Tatlow, JC. (1974). Studies on a vapour-phase process for the manufacture of chlorofluoroethanes. *Journal of Fluorine Chemistry*. 4: 117-139.
- Vedrina-Dragojevi; Dragojevi. (1997). Trichloroethene and tetrachloroethene in ground waters of Zagreb, Croatia. *The Science of the total environment*. 203: 253-259.
- Venhuis, M; Lesage, S; Millar, KR; Crowe, AS. (1999). Evaluation of polyalkastylene absorbent beads for the remediation of PCE in groundwater. *Water Qual Res J Can*. 34: 455-468.
- Ventura, F; Romero, J; Pares, J. (1997). Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. *Environmental Science & Technology*. 31: 2368-2374.
- Ventura, K; Dostal, M; Churacek, J. (1993). Retention characteristics of some volatile compounds on Tenax GR. *J Chromatogr*. 642: 379-382.
- Verberk, MM; Scheffers, TML. (1980). Tetrachloroethylene in exhaled air of residents near dry-cleaning shops. *Environ Res*. 21: 432-437.
- Verce, MF; Gunsch, CK; Danko, AS; Freedman, DL. (2002). Cometabolism of cis-1,2-dichloroethene by aerobic cultures grown on vinyl chloride as the primary substrate. *Environmental Science & Technology*. 36: 2171-2177.
- Verdini, R; Aulenta, F; de Tora, F; Lai, A; Majone, M. (2015). Relative contribution of set cathode potential and external mass transport on TCE dechlorination in a continuous-flow bioelectrochemical reactor. *Chemosphere*. 136: 72-78.
- Verhaar, HJM; Van, LEEUWENCJ; Hermens, JLM. (1992). Classifying environmental pollutants: Structure-activity relationships for prediction of aquatic toxicity. *Chemosphere*. 25: 471-491.
- Verreydt, G; Annable, MD; Kaskasian, S; Van Keer, I; Bronders, J; Diels, L; Vanderauwera, P. (2013). Field demonstration and evaluation of the Passive Flux Meter on a CAH groundwater plume. *Environ Sci Pollut Res Int*. 20: 4621-4634.
- Victoria, K. (1993). Health effects of urban air pollutants: Guideline values and conditions in Sweden. *Chemosphere*. 27: 1691-1706.
- Victorin, K; StÅhlberg, M. (1991). Mutagenic activity of photoreaction products formed from chlorinated ethenes and nitrogen dioxide. *Environ Res*. 55: 178-187.
- Vidal, CB; Raulino, GSC; Barros, AL; Lima, ACA; Ribeiro, JP; Pires, MJR; Nascimento, RF. (2012). BTEX removal from aqueous solutions by HDTMA-modified Y zeolite. *J Environ Manage*. 112: 178-185.
- Vieira, V; Aschengrau, A; Ozonoff, D. (2005). Impact of tetrachloroethylene-contaminated drinking water on the risk of breast cancer: Using a dose model to assess exposure in a case-control study. *Environmental Health*. 4.
- Vieth, A; Muller, J; Strauch, G; Kastner, M; Gehre, M; Meckenstock, RU; Richnow, HH. (2003). In-situ biodegradation of tetrachloroethene and trichloroethene in contaminated aquifers monitored by stable isotope fractionation. *Isotopes Environ Health Stud*. 39: 113-124.
- Vilaplana, M; Marco-Urrea, E; Gabarrell, X; SarrÅ, M; Caminal, G. (2008). Required equilibrium studies for designing a three-phase bioreactor to degrade trichloroethylene (TCE) and tetrachloroethylene (PCE) by *Trametes versicolor*. *Chem Eng J*. 144: 21-27.
- Villano, M; Aulenta, F; Ciucci, C; Ferri, T; Giuliano, A; Majone, M. (2010). Bioelectrochemical reduction of CO(2) to CH(4) via direct and indirect extracellular electron transfer by a hydrogenophilic methanogenic culture. *Bioresour Technol*. 101: 3085-3090.
- Villano, M; De Bonis, L; Rossetti, S; Aulenta, F; Majone, M. (2011). Bioelectrochemical hydrogen production with hydrogenophilic dechlorinating bacteria as electrocatalytic agents. *Bioresour Technol*. 102: 3193-3199.
- Villarante, NR; Armenante, PM; Quibuyen, TAO; Fava, F; Kafkewitz, D. (2001). Dehalogenation of dichloroethene in a contaminated soil: fatty acids and alcohols as electron donors and an apparent requirement for tetrachloroethene. *Appl Microbiol Biotechnol*. 55: 239-247.
- Villarejos, VM; Arguedas, JA; Vargas, G; ChavarrÅja, APTmhy. (1975). Evaluation of the skin test for hookworm as an epidemiological tool. *The American journal of tropical medicine and hygiene*.
- Villemur, R. (2013). The pentachlorophenol-dehalogenating *Desulfitobacterium hafniense* strain PCP-1. *Philosophical Transactions of the Royal Society B-Biological Sciences*. 368: 20319-20319.
- Villemur, R; Lanthier, M; Beaudet, R; Lepine, F. (2006). The *Desulfitobacterium* genus. *Fems Microbiology Reviews*. 30: 706-733.
- Villemur, R; Saucier, M; Gauthier, A; Beaudet, R. (2002). Occurrence of several genes encoding putative reductive dehalogenases in *Desulfitobacterium hafniense/frappieri* and *Dehalococcoides ethenogenes*. *Can J Microbiol*. 48: 697-706.

## Environmental Hazard Literature Search Results

### Off Topic

- Viraraghavan, T; Hashem, S. (1986). Trace organics in the septic tank effluent. *Water Air Soil Pollut.* 28: 299-308.
- Visalli, JR. (1989). The similarity of environmental impacts from all methods of managing solid wastes. *J Environ Syst.* 19: 155-170.
- Vlieg, J; Janssen, DB. (2001). Formation and detoxification of reactive intermediates in the metabolism of chlorinated ethenes. *J Biotechnol.* 85: 81-102.
- Vogel, TM; McCarty, PL. (1985). Biotransformation of Tetrachloroethylene to Trichloroethylene, Dichloroethylene, Vinyl Chloride, and Carbon Dioxide under Methanogenic Conditions. *Applied and Environmental Microbiology* Vol 49, No 5, p 1080-1083, May, 1985 3 Fig, 2 Tab, 13 Ref.
- Vogt, F; Karlowatz, M; Jakusch, M; Mizaikoff, B. (2003). The automated sample preparation system MixMaster for investigation of volatile organic compounds with mid-infrared evanescent wave spectroscopy. *Analyst.* 128: 397-403.
- Voice, TC; Kolb, B. (1993). Static and dynamic headspace analysis of volatile organic compounds in soils. *Environ Sci Technol.* 27: 709-713.
- Volpe, A; Del Moro, G; Rossetti, S; Tandoi, V; Lopez, A. (2007). Remediation of PCE-contaminated groundwater from an industrial site in southern Italy: A laboratory-scale study. *Process Biochemistry.* 42: 1498-1505.
- Volpe, A; Lopez, A; Mascolo, G; Detomaso, A. (2004). Chlorinated herbicide (triallate) dehalogenation by iron powder. *Chemosphere.* 57: 579-586.
- von Sydow, L; Boren, H; Grimvall, A. (1999). Chloroacetates in snow, firn and glacier ice. *Chemosphere.* 39: 2479-2488.
- von Wintzingerode, F; Schlotelburg, C; Hauck, R; Hegemann, W; Gobel, UB. (2001). Development of primers for amplifying genes encoding CprA- and PceA-like reductive dehalogenases in anaerobic microbial consortia, dechlorinating trichlorobenzene and 1,2-dichloropropane. *FEMS Microbiol Ecol.* 35: 189-196.
- Vorkamp, K; Haas, BS; Herrmann, R. (1998). Development of passive samplers for the detection of chlorinated hydrocarbons in sewers. *Water Science and Technology.* 37: 311-318.
- Vroblecky, DA; Chapelle, FH; Bradley, PM. (2007). A simple pore water hydrogen diffusion syringe sampler. *Ground Water.* 45: 798-802.
- Vroblecky, DA; Clinton, BD; Vose, JM; Casey, CC; Harvey, G; Bradley, PM. (2004). Ground water chlorinated ethenes in tree trunks: Case studies, influence of recharge, and potential degradation mechanism. *Ground Water Monitoring and Remediation.* 24: 124-138.
- Vroblecky, DA; Lorah, MM; Trimble, SP. (1991). Mapping zones of contaminated ground-water discharge using creek-bottom-sediment vapor samplers, Aberdeen Proving Ground, Maryland (USA). *Ground Water.* 29: 7-12.
- Vroblecky, DA; Petkewich, MD; Lowery, MA; Landmeyer, JE. (2011). Sewers as a Source and Sink of Chlorinated Solvent Groundwater Contamination, Marine Corps Recruit Depot, Parris Island, South Carolina. *Ground water monitoring & remediation.* 31: 63-69.
- Vroblecky, DA; Petkewich, MD; Lowery, MA; Landmeyer, JE. (2011). Sewers as a Source and Sink of Chlorinated-Solvent Groundwater Contamination, Marine Corps Recruit Depot, Parris Island, South Carolina. *Ground Water Monitoring and Remediation.* 31: 63-69.
- Vroblecky, DA; Rhodes, LC; Robertson, JF; Harrigan, JA. (1996). Locating VOC contamination in a fractured-rock aquifer at the ground-water/surface-water interface using passive vapor collectors. *Ground Water.* 34: 223-230.
- Wackett, LP; Gibson, DT. (1988). Degradation of trichloroethylene by toluene dioxygenase in whole-cell studies with *Pseudomonas putida* F1. *Appl Environ Microbiol.* 54: 1703-1708.
- Wadley, SLS; Gillham, RW; Gui, L. (2005). Remediation of DNAPL source zones with granular iron: Laboratory and field tests. *Ground Water.* 43: 9-18.
- Wagner, A; Adrian, L; Kleinstueber, S; Andreesen, JR; Lechner, U. (2009). Transcription Analysis of Genes Encoding Homologues of Reductive Dehalogenases in "Dehalococcoides" sp Strain CBDB1 by Using Terminal Restriction Fragment Length Polymorphism and Quantitative PCR. *Appl Environ Microbiol.* 75: 1876-1884.
- Wagner, DD; Hug, LA; Hatt, JK; Spitzmiller, MR; Padilla-Crespo, E; Ritalahti, KM; Edwards, EA; Konstantinidis, KT; Löffler, FE. (2012). Genomic determinants of organohalide-respiration in *Geobacter lovleyi*, an unusual member of the *Geobacteraceae*. *BMC Genomics.* 13: 200.
- Wagoner, JL. (1952). Toxic topics. *Medical technicians bulletin.* 3: 139-141.
- Wakeham, SG; Davis, AC; Tripp, BW; Frew, NM; Witt, RT. (1980). Tetrachloroethylene Contamination of Drinking Water by Vinyl-Coated Asbestos-Cement Pipe. *Bull Environ Contam Toxicol.* 25: 639-645.
- Waldemer, RH; Tratnyek, PG; Johnson, RL; Nurmi, JT. (2007). Oxidation of chlorinated ethenes by heat-activated persulfate: kinetics and products. *Environmental science & technology.* 41: 1010-1015.
- Waldon, MG. (1998). Time-of-travel in the lower Mississippi River: Model development, calibration, and application. *Water Environ Res.* 70: 1132-1141.
- Walker, BL; Cooper, CD. (1992). Air pollution emission factors for medical waste incinerators. *J Air Waste Manage Assoc.* 42: 784-791.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a nominally two-dimensional, saturated, stratified porous medium. *J Contam Hydrol.* 34: 17-30.
- Walker, RC; Hofstee, C; Dane, JH; Hill, WE. (1998). Surfactant enhanced removal of PCE in a partially saturated, stratified porous medium. *J Contam Hydrol.* 34: 31-46.
- Wallace, L; Buckley, T; Pellizzari, E; Gordon, S. (1996). Breath measurements as volatile organic compound biomarkers. *Environ Health Perspect.* 104: 861-869.
- Wallace, LA. (1986). Personal Exposures, Indoor and Outdoor Air Concentrations, and Exhaled Breath Concentrations of Selected Volatile Organic Compounds Measured for 600 Residents of New Jersey, North Dakota, North Carolina and California. *Toxicological and Environmental Chemistry TXECBP* Vol 12, No 3/4, p 215-236, 1986 4 tab, 14 ref.
- Wallace, LA; Pellizzari, ED; Hartwell, TD; Davis, V; Michael, LC; Whitmore, RW. (1989). The influence of personal activities on exposure to volatile organic compounds. *Environ Res.* 50: 37-55.

## Environmental Hazard Literature Search Results

### Off Topic

- Wallace, LA; Pellizzari, ED; Hartwell, TD; Whitmore, R; Zelon, H; Perritt, R; Sheldon, L. (1988). The California TEAM study: Breath concentrations and personal exposures to 26 volatile compounds in air and drinking water of 188 residents of Los Angeles, Antioch, and Pittsburg, CA. *Atmos Environ* (1967). 22: 2141-2163.
- Waller, AS; Hug, LA; Mo, K; Radford, DR; Maxwell, KL; Edwards, EA. (2012). Transcriptional Analysis of a Dehalococcoides-Containing Microbial Consortium Reveals Prophage Activation. *Appl Environ Microbiol*. 78: 1178-1186.
- Waller, AS; Krajmalnik-Brown, R; Loffler, FE; Edwards, EA. (2005). Multiple reductive-dehalogenase-homologous genes are simultaneously transcribed during dechlorination by Dehalococcoides-containing cultures. *Appl Environ Microbiol*. 71: 8257-8264.
- Walles, SAS. (1986). Induction of single-strand breaks in DNA of mice by trichloroethylene and tetrachloroethylene. *Toxicol Lett*. 31: 31-35.
- Wambaugh, JF; Barton, HA; Setzer, RW. (2008). Comparing models for perfluorooctanoic acid pharmacokinetics using Bayesian analysis. *J Pharmacokinetic Pharmacodyn*. 35: 683-712.
- Wang, C; Ma, X; Walsh, MP. (2011). Competitive uptake and phytomonitoring of chlorinated contaminant mixtures by Redosier dogwood (*Cornus sericea*). *Int J Phytoremediation*. 13: 333-344.
- Wang, CW; Wang, YJ; Zhang, YQ; Zhao, Q; Wang, R. (2010). Reclamation of Elemental Sulfur from Flue Gas Biodesulfurization Waste Sludge. *Journal of the Air & Waste Management Association*. 60: 603-610.
- Wang, DW; Zhao, XP. (2009). Microencapsulated electric ink using gelatin/gum arabic. *J Microencapsul*. 26: 37-45.
- Wang, F; Annable, MD; Jawitz, JW. (2013). Field-scale prediction of enhanced DNAPL dissolution based on partitioning tracers. *J Contam Hydrol*. 152: 147-158.
- Wang, G; Allen-King, RM; Choung, S; Feenstra, S; Watson, R; Kominek, M. (2013). A Practical Measurement Strategy to Estimate Nonlinear Chlorinated Solvent Sorption in Low fâ, c Sediments. *Ground water monitoring & remediation*. 33: 87-96.
- Wang, GH; Allen-King, RM; Choung, S; Feenstra, S; Watson, R; Kominek, M. (2013). A Practical Measurement Strategy to Estimate Nonlinear Chlorinated Solvent Sorption in Low foc Sediments. *Ground Water Monitoring and Remediation*. 33: 87-96.
- Wang, HC; Li, D; Wu, Y; Li, J; Li, GF. (2009). Removal of four kinds of volatile organic compounds mixture in air using silent discharge reactor driven by bipolar pulsed power. *Journal of Electrostatics*. 67: 547-553.
- Wang, HG; Chen, XS; Jawitz, JW. (2008). Locally-calibrated light transmission visualization methods to quantify nonaqueous phase liquid mass in porous media. *J Contam Hydrol*. 102: 29-38.
- Wang, J; Cutright, TJ. (2005). Potential waste minimization of trichloroethylene and perchloroethylene via aerobic biodegradation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 40: 1569-1584.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environmental science & technology*. 37: 3891-3896.
- Wang, JL; Chen, WL; Tsai, SY; Sung, PY; Huang, RN. (2001). An in vitro model for evaluation of vaporous toxicity of trichloroethylene and tetrachloroethylene to CHO-K1 cells. *Chem Biol Interact*. 137: 139-154.
- Wang, JL; Chew, C; Chen, SW; Kuo, S. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environmental Science & Technology*. 34: 2243-2248.
- Wang, JP; Zhao, XP; Guo, HL; Zheng, Q. (2004). Preparation of microcapsules containing two-phase core materials. *Langmuir : the ACS journal of surfaces and colloids*. 20: 10845-10850.
- Wang, KS; Chiang, KY; Lin, SM; Tsai, CC; Sun, CJ. (1999). Effects of chlorides on emissions of hydrogen chloride formation in waste incineration. *Chemosphere*. 38: 1571-1582.
- Wang, KS; Chiang, KY; Lin, SM; Tsai, CC; Sun, CJ. (1999). Effects of chlorides on emissions to toxic compounds in waste incineration: Study on partitioning characteristics of heavy metal. *Chemosphere*. 38: 1833-1849.
- Wang, S; Karlsson, JE; Kyrklund, T; Haglid, K. (1993). Perchloroethylene-induced reduction in glial and neuronal cell marker proteins in rat brain. *Pharmacol Toxicol*. 72: 273-278.
- Wang, SF; Wang, LY; Wang, XH; Lin, P; Liu, JR; Xin, BD; He, GP. (2012). Solute Transport Modeling Application in Groundwater Organic Contaminant Source Identification. *Environmental Science*. 33: 760-770.
- Wang, SM; Tseng, SK. (2009). Dechlorination of trichloroethylene by immobilized autotrophic hydrogen-bacteria and zero-valent iron. *J Biosci Bioeng*. 107: 287-292.
- Wang, SM; Tseng, SK. (2009). Reductive dechlorination of trichloroethylene by combining autotrophic hydrogen-bacteria and zero-valent iron particles. *Bioresour Technol*. 100: 111-117.
- Wang, SQ; Chng, KR; Chen, C; Bedard, DL; He, JZ. (2015). Genomic Characterization of Dehalococcoides mccartyi Strain JNA That Reductively Dechlorinates Tetrachloroethene and Polychlorinated Biphenyls. *Environmental Science & Technology*. 49: 14319-14325.
- Wang, SQ; Chng, KR; Wilm, A; Zhao, SY; Yang, KL; Nagarajan, N; He, JZ. (2014). Genomic characterization of three unique Dehalococcoides that respire on persistent polychlorinated biphenyls. *Proceedings of the National Academy of Sciences of the United States of America*. 111: 12103-12108.
- Wang, SQ; He, JZ. (2013). Dechlorination of Commercial PCBs and Other Multiple Halogenated Compounds by a Sediment-Free Culture Containing Dehalococcoides and Dehalobacter. *Environmental Science & Technology*. 47: 10526-10534.
- Wang, SQ; Zhang, WJ; Yang, KL; He, JZ. (2014). Isolation and characterization of a novel Dehalobacter species strain TCP1 that reductively dechlorinates 2,4,6-trichlorophenol. *Biodegradation*. 25: 313-323.
- Wang, SW; Majeed, MA; Chu, PL; Lin, HC. (2009). Characterizing relationships between personal exposures to VOCs and socioeconomic, demographic, behavioral variables. *Atmos Environ*. 43: 2296-2302.
- Wang, W; Liszewski, M; Buchmiller, R; Cherryholmes, K. (1995). Occurrence of active and inactive herbicide ingredients at selected sites in Iowa. *Water Air And Soil Pollution*. 83: 21-35.

## Environmental Hazard Literature Search Results

### Off Topic

- Wang, X; Harada, S; Watanabe, M; Koshikawa, H; Sato, K; Kimura, T. (1996). Determination of bioconcentration potential of tetrachloroethylene in marine algae by super(13)C. *Chemosphere*. 33: 865-877.
- Wang, XJ; Brusseau, ML. (1998). Effect of pyrophosphate on the dechlorination of tetrachloroethene by the Fenton reaction. *Environ Toxicol Chem*. 17: 1689-1694.
- Wang, YQ; Shag, MA. (2009). Infiltration characteristics of non-aqueous phase liquids in undisturbed loessal soil cores. *J Environ Sci*. 21: 1424-1431.
- Wang, YT; Zhao, XP; Wang, DW. (2006). Electrophoretic ink using urea-formaldehyde microspheres. *J Microencapsul*. 23: 762-768.
- Wanner, P; Parker, BL; Chapman, SW; Aravena, R; Hunkeler, D. (2016). Quantification of Degradation of Chlorinated Hydrocarbons in Saturated Low Permeability Sediments Using Compound-Specific Isotope Analysis. *Environmental Science & Technology*. 50: 5622-5630.
- Ward, JM. (1955). Accidental poisoning with tetrachlorethane. *Br Med J*. 1: 1136.
- Waring, RH; Harris, RM; Mitchell, SC. (2016). In utero exposure to carcinogens: Epigenetics, developmental disruption and consequences in later life. *Maturitas*. 86: 59-63.
- Washington, JW; Cameron, BA. (2001). Evaluating degradation rates of chlorinated organics in groundwater using analytical models. *Environ Toxicol Chem*. 20: 1909-1915.
- Watanabe, K; Sakamoto, K; Sasaki, T. (1998). Comparisons on chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. *Mutat Res*. 412: 17-31.
- Watanabe, K; Sasaki, T; Kawakami, K. (1998). Comparisons of chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study III and evaluation of the usefulness of these strains. *Mutat Res*. 416: 169-181.
- Watanabe, K; Yoshikawa, H. (2008). Enrichment and isolation of anaerobic microorganisms concerned with reductive degradation of hexachlorobenzene from soils. *Journal of Pesticide Science*. 33: 166-170.
- Waters, MD; Claxton, LD; Stack, HF; Brady, AL; Graedel, TE. (1990). Genetic activity profiles in the testing and evaluation of chemical mixtures. *Teratog Carcinog Mutagen*. 10: 147-164.
- Watson, DB; Doll, WE; Gamey, TJ; Sheehan, J; Jardine, PM. (2005). Plume and lithologic profiling with surface resistivity and seismic tomography. *Ground Water*. 43: 169-177.
- Watts, MP; Cutting, RS; Joshi, N; Coker, VS; Mosberger, A; Zhou, B; Davies, CM; van Dongen, BE; Hoffstetter, T; Lloyd, JR. Highly efficient degradation of organic pollutants using a microbially-synthesized nanocatalyst. *International Biodeterioration & Biodegradation*.
- Wearne, SJ; Gem, MGD; Harrison, N; Collier, PP; Fairweather, F; Fielding, M; Franklin, A; Startin, JR; Tregunno, RJ; Walton, H. (1996). Contaminants of food: Prioritisation scheme to identify manufactured organic chemicals as potential contaminants of food. *Environmental Science And Pollution Research International*. 3: 83-88.
- Weber, L. (1992). Desorption kinetics of trichloroethylene and perchloroethylene from cotton fabrics. *Indoor Environment*. 1: 219-223.
- Webler, T; Brown, HS. (1993). Exposure to tetrachloroethylene via contaminated drinking water pipes in Massachusetts: A predictive model. *Arch Environ Health*. 48: 293-297.
- Webster, E; Mackay, D; Di Guardo, A; Kane, D; Woodfine, D. (2004). Regional differences in chemical fate model outcome. *Chemosphere*. 55: 1361-1376.
- Wehrmeier, A; Lenoir, D; Sidhu, SS; Taylor, PH; Rubey, WA; Kettrup, A; Dellinger, B. (1998). Role of copper species in chlorination and condensation reactions of acetylene. *Environmental Science & Technology*. 32: 2741-2748.
- Wei, JJ; Xu, XH; Liu, Y; Wang, DH. (2006). Catalytic hydrodechlorination of 2,4-dichlorophenol over nanoscale Pd/Fe: Reaction pathway and some experimental parameters. *Water Res*. 40: 348-354.
- Wei, MJ; Fang, DC; Liu, RZ. (2002). Theoretical studies on cycloaddition reactions between 1-aza-2-azoniaallene cation and olefins. *J Org Chem*. 67: 7432-7438.
- Wei, N; Finneran, KT. (2011). Influence of Ferric Iron on Complete Dechlorination of Trichloroethylene (TCE) to Ethene: Fe(III) Reduction Does Not Always Inhibit Complete Dechlorination. *Environmental Science & Technology*. 45: 7422-7430.
- Wei, N; Finneran, KT. (2013). Low and high acetate amendments are equally as effective at promoting complete dechlorination of trichloroethylene (TCE). *Biodegradation*. 24: 413-425.
- Wei, Z; Seo, Y. (2010). Trichloroethylene (TCE) adsorption using sustainable organic mulch. *J Hazard Mater*. 181: 147-153.
- Weigold, P; Ruecker, A; Jochmann, M; Barajas, XLO; Lege, S; Zwiener, C; Kappler, A; Behrens, S. (2015). Formation of chloroform and tetrachloroethene by *Sinorhizobium meliloti* strain 1021. *Lett Appl Microbiol*. 61: 346-353.
- Weiss, A. (1996). Sources of airborne CCl4: Critical remarks. *Environmental Science And Pollution Research International*. 3: 112-114.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ*. 38: 4197-4204.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ*. 38: 4197-4204.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, K-U; Nüchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones - measurements on several continents. *Chemosphere*. 52: 443-449.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Lange, CA; Lisitzina, L; Pfennigsdorff, A; Kotte, K. (2006). The phytotoxic effect of C-1/C-2-halocarbons and trichloroacetic acid on the steppe plant *Artemisia lerchiana*. *Chemosphere*. 65: 975-980.
- Weissflog, L; Krueger, G; Elansky, N; Putz, E; Pfennigsdorff, A; Seyfarth, K; Nüchter, M; Lange, C; Kotte, K. (2003). Input of trichloroacetic acid into the vegetation of various climate zones - measurements on several continents. *Chemosphere*. 52: 443-449.

## Environmental Hazard Literature Search Results

### Off Topic

- Weissflog, L; Kruger, GHJ; Forczek, ST; Lange, CA; Kotte, K; Pfennigsdorff, A; Rohlenova, J; Fuksova, K; Uhlirova, H; Matucha, M; Schroder, P. (2007). Oxidative biodegradation of tetrachloroethene in needles of Norway spruce (*Picea abies* L.). *South African Journal of Botany*. 73: 89-96.
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Krüger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres – Part I. Its formation, uptake and geographical distribution. *Atmos Environ*. 35: 4511-4521.
- Weissflog, L; Pfennigsdorff, A; Martinez-Pastur, G; Puliafito, E; Figueroa, D; Elansky, N; Nikonov, V; Putz, E; Kruger, G; Kellner, K. (2001). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part I. Its formation, uptake and geographical distribution. *Atmos Environ*. 35: 4511-4521.
- Wellert, S; Altmann, HJ; Richardt, A; Lapp, A; Falus, P; Farago, B; Hellweg, T. (2010). Dynamics of the interfacial film in bicontinuous microemulsions based on a partly ionic surfactant mixture: A neutron spin-echo study. *The European physical journal E, Soft matter*. 33: 243-250.
- Wen, LL; Zhang, Y; Pan, YW; Wu, WQ; Meng, SH; Zhou, C; Tang, YN; Zheng, P; Zhao, HP. (2015). The roles of methanogens and acetogens in dechlorination of trichloroethene using different electron donors. *Environ Sci Pollut Res Int*. 22: 19039-19047.
- Wentworth, WE; D'Sa, ED; Cai, H; Stearns, S. (1992). Environmental applications of the pulsed-discharge electron-capture detector. *J Chromatogr Sci*. 30: 478-485.
- Wentz, M; Cates, DM. Nonaqueous bleaching of cellulose by perchloroethylene-hydrogen peroxide-water. *Sept 1975*, 45 (9): 691-697.
- Wentz, M; Cates, DM. Sorption of solubilized water by cellulose from perchloroethylene. *Mar 1978*, 48 (3): 166-172.
- Wesseldyke, ES; Becker, JG; Seagren, EA; Mayer, AS; Zhang, C. (2015). Numerical modeling analysis of hydrodynamic and microbial controls on DNAPL pool dissolution and detoxification: Dehalorespirers in co-culture. *Advances in Water Resources*. 78: 112-125.
- West, KA; Johnson, DR; Hu, P; DeSantis, TZ; Brodie, EL; Lee, PKH; Feil, H; Andersen, GL; Zinder, SH; Alvarez-Cohen, L. (2008). Comparative genomics of "Dehalococcoides ethenogenes" 195 and an enrichment culture containing unsequenced "Dehalococcoides" strains. *Appl Environ Microbiol*. 74: 3533-3540.
- West, KA; Lee, PKH; Johnson, DR; Zinder, SH; Alvarez-Cohen, L. (2013). Global gene expression of *Dehalococcoides* within a robust dynamic TCE-dechlorinating community under conditions of periodic substrate supply. *Biotechnol Bioeng*. 110: 1333-1341.
- West, MR; Kueper, BH. (2012). Numerical simulation of DNAPL source zone remediation with in situ chemical oxidation (ISCO). *Advances in Water Resources*. 44: 126-139.
- West, R; Quass, LC. (1969). Preparation of ethynylsilanes from polychloroethylenes. *J Organomet Chem*. 18: 55-67.
- Wester, PW; van der Heijden, CA; Bisschop, A; van Esch, GJ; Wegman, RCC; de Vries, T. (1985). Carcinogenicity study in rats with a mixture of eleven volatile halogenated hydrocarbon drinking water contaminants. *Sci Total Environ*. 47: 427-432.
- White, DC; Geyer, R; Peacock, AD; Hedrick, DB; Koenigsberg, SS; Sung, Y; He, JZ; Loffler, FE. (2005). Phospholipid furan fatty acids and ubiquinone-8: Lipid biomarkers that may protect *Dehalococcoides* strains from free radicals. *Appl Environ Microbiol*. 71: 8426-8433.
- White, DM; Irvine, RL. (1996). The bituminous material in Arctic peat: Implications for analyses of petroleum contamination. *J Hazard Mater*. 49: 181-196.
- White, MD; Oostrom, M. (1998). Modeling surfactant-enhanced nonaqueous-phase liquid remediation of porous media. *Soil Sci*. 163: 931-940.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health*. 78: 8-13.
- Widner, TE; Ripple, SR; Buddenbaum, JE. (1996). Identification and screening evaluation of key historical materials and emission sources at the Oak Ridge Reservation. *Health Phys*. 71: 457-469.
- Wiegeler, W; Bleckmann, P. (1980). Calculation of relative Raman intensities: I. Influence of CNDO/2 and LNDO parameters on the calculated intensities. *J Mol Struct*. 65: 153-162.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Machackova, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and Chlorine Isotope Fractionation During Microbial Degradation of Tetra- and Trichloroethene. *Environmental Science & Technology*. 47: 6449-6456.
- Wild, A; Hermann, R; Leisinger, T. Isolation of an anaerobic bacterium which reductively dechlorinates tetrachloroethene and trichloroethene. *Biodegradation*. 1996/1997. v. 7 (6): 507-511.
- Wild, AP; Winkelbauer, W; Leisinger, T. Anaerobic dechlorination of trichloroethene, tetrachloroethene and 1,2-dichloroethane by an acetogenic mixed culture in a fixed-bed reactor. *Biodegradation*. 1995. v. 6 (4): 309-318.
- Wild, SR; Jones, KC. (1992). Organic chemicals entering agricultural soils in sewage sludges: Screening for their potential to transfer to crop plants and livestock. *Sci Total Environ*. 119: 85-119.
- Wilkins, MD; Abriola, LM; Pennell, KD. An experimental investigation of rate-limited nonaqueous phase liquid volatilization in unsaturated porous media: steady state mass transfer. *Water Resour Res*. Sept 1995. v. 31 (9): 2159-2172.
- Williams, GM; Mori, H; McQueen, CA. (1989). Structure-activity relationships in the rat hepatocyte DNA-repair test for 300 chemicals. *Mutat Res*. 221: 263-286.
- Williams, PRD. (2011). MTBE in California's Public Drinking Water Wells: Have Past Predictions Come True? *Environ Forensics*. 12: 270-289.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The Risk of MTBE Relative to Other VOCs in Public Drinking Water in California. *Risk Anal*. 24: 621-634.
- Willinger, M; Rupp, E; Barbaris, B; Gao, S; Arnold, R; Betterton, E; Štěpánek, AE. (2009). Thermocatalytic destruction of gas-phase perchloroethylene using propane as a hydrogen source. *J Hazard Mater*. 167: 770-776.



## Environmental Hazard Literature Search Results

### Off Topic

- Willson, CS; Hall, JL; Miller, CT; Imhoff, PT. (1999). Factors affecting bank formation during surfactant-enhanced mobilization of residual NAPL. *Environmental Science & Technology*. 33: 2440-2446.
- Wilmer, JW; Spencer, PJ; Ball, N; Bus, JS. (2014). Assessment of the genotoxicity of trichloroethylene in the in vivo micronucleus assay by inhalation exposure. *Mutagenesis*. 29: 209-214.
- Wilson, DJ. (1997). Soil gas volatile organic compound concentration contours for locating vadose zone nonaqueous phase liquid contamination. *Environ Monit Assess*. 48: 73-100.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environmental Science & Technology*. 28: 259-266.
- Withey, RJ; Hall, JW. (1975). The joint toxic action of perchloroethylene with benzene or toluene in rats. *Toxicology*. 4: 5-15.
- Witt, ME; Klecka, GM; Lutz, EJ; Ei, TA; Grosso, NR; Chapelle, FH. (2002). Natural attenuation of chlorinated solvents at Area 6, Dover Air Force Base: groundwater biogeochemistry. *J Contam Hydrol*. 57: 61-80.
- Wittlingerova, Z. (2000). Old environmental loads and their impacts on the quality of groundwaters and soils. *Rostl Vyroba*. 46: 119-122.
- Wittlingerova, Z; Machackova, J; Petruzekova, A; Zimova, M. (2016). Occurrence of perchloroethylene in surface water and fish in a river ecosystem affected by groundwater contamination. *Environ Sci Pollut Res Int*. 23: 5676-5692.
- Wohlfarth, G; Diekert, G. (1997). Anaerobic dehalogenases. *Curr Opin Biotechnol*. 8: 290-295.
- Wohltjen, H; Snow, AW. (1998). Colloidal metal-insulator-metal ensemble chemiresistor sensor. *Anal Chem*. 70: 2856-2859.
- Wolf, K; Chesnutt, TW. (1987). Chlorinated solvents: Market interactions and regulation. *J Hazard Mater*. 15: 137-161.
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namiesnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. *Chemosphere*. 37: 2645-2651.
- Wolska, L; Zygmunt, B; Namiesnik, J. (2003). Organic pollutants in the Odra river ecosystem. *Chemosphere*. 53: 561-569.
- Won, D; Corsi, RL; Rynes, M. (2001). Sorptive interactions between VOCs and indoor materials. *Indoor Air*. 11: 246-256.
- Wong, YK; Holland, SI; Ertan, H; Manfield, M; Lee, M. (2016). Isolation and characterization of *Dehalobacter* sp. strain UNSWDHB capable of chloroform and chlorinated ethane respiration. *Environ Microbiol*. 18: 3092-3105.
- Woo, NC; Hyun, SG; Park, WW; Lee, ES; Schwartz, FW. (2009). Characteristics of permanganate oxidation of TCE at low reagent concentrations. *Environ Technol*. 30: 1337-1342.
- Woodward, CJ; Trayhurn, P; James, WP. (1976). The rapid determination of carcass fat by the Foss-Let specific gravity technique. *The British journal of nutrition*. 36: 567-570.
- Worley, DE; Thompson, PE. (1963). Experimental studies on *Obeliscoides cuniculi*, a trichostrongylid stomach worm of rabbits. II. Anthelmintic studies in the dutch rabbit. *The Journal of parasitology*. 49: 51-54.
- Wright, DJ; Birak, PS; Pedit, JA; Miller, CT. (2010). Effectiveness of Source-Zone Remediation of DNAPL-Contaminated Subsurface Systems. *Journal of Environmental Engineering-Asce*. 136: 452-465.
- Wu, C-f; Liu, LJS; Cullen, A; Westberg, H; Williamson, J. (2011). Spatial-temporal and cancer risk assessment of selected hazardous air pollutants in Seattle. *Environ Int*. 37: 11-17.
- Wu, G; Dai, R-Y; Li, W-G; Yin, P-P; Chen, H-Z; Wang, M. (2011). Preparation of stable gelatin/sodium carboxymethylcellulose/sodium lauryl sulfonate microcapsules with ultra-thin capsule wall for electrophoretic displays. *Curr Appl Phys*. 11: 321-326.
- Wu, M; Cheng, Z; Wu, J; Wu, J. (2017). Precise simulation of long-term DNAPL migration in heterogeneous porous media based on light transmission micro-tomography. *Journal of Environmental Chemical Engineering*. 5: 725-734.
- Wu, MZ; Reynolds, DA; Fourie, A; Prommer, H; Thomas, DG. (2012). Electrokinetic in situ oxidation remediation: Assessment of parameter sensitivities and the influence of aquifer heterogeneity on remediation efficiency. *J Contam Hydrol*. 136: 72-85.
- Wu, MZ; Reynolds, DA; Fourie, A; Thomas, DG. (2013). Optimal Field Approaches for Electrokinetic In Situ Oxidation Remediation. *Ground Water Monitoring and Remediation*. 33: 62-74.
- Wu, WJ; Delshad, M; Oolman, T; Pope, GA. (2000). Remedial options for creosote-contaminated sites. *Ground Water Monitoring and Remediation*. 20: 78-86.
- Wu, WM; Kitagawa, M; Taniguchi, S; Jain, MK. (1998). Anaerobic dechlorination of perchloroethylene (PCE) in soil by a dechlorinating microbial consortium. *Journal of Fermentation and Bioengineering*. 86: 588-594.
- Wu, WM; Nye, J; Jain, MK; Hickey, RF. (1998). Anaerobic dechlorination of trichloroethylene (TCE) to ethylene using complex organic materials. *Water Res*. 32: 1445-1454.
- Wu, XL; Gu, XG; Lu, SG; Qiu, ZF; Sui, Q; Zang, XK; Miao, ZW; Xu, MH; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol*. 91: 1280-1289.
- Wu, Y-pG; Lin, Y-F. (2002). High temperature oxidation of C<sub>2</sub>Cl<sub>4</sub>/CH<sub>4</sub> mixtures. *J Hazard Mater*. 91: 239-256.
- Wu, Y-PG; Lin, Y-F; Huang, C-L. (2004). Kinetic study of the pyrolysis of tetrachloroethylene in a hydrogen rich environment. *Fuel*. 83: 2237-2248.
- Wu, YQ; Ma, CW. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut*. 45: 176-185.
- Xi, YQ; Zhuang, HS. (2010). Determination of Oil and Grease in Water and Soil by Liquid Extraction on a Centrifugal Microfluidic Device. *Journal of Agro-Environment Science*. 29: 2045-2048.
- Xie, M; Simpson, DG; Carroll, RJ. (2000). Random effects in censored ordinal regression: latent structure and Bayesian approach. *Biometrics*. 56: 376-383.
- Xin, J; Han, J; Zheng, XL; Shao, HB; Kolditz, O. (2015). Mechanism insights into enhanced trichloroethylene removal using xanthan gum-modified microscale zero-valent iron particles. *J Environ Manage*. 150: 420-426.
- Xing, WL; Ou, GR; Jiang, ZH; Ma, LRR; Chao, FH. (2000). Detection of multiple herbicide residues using a planar array evanescent field immunosensor. *Anal Lett*. 33: 1071-1078.

## Environmental Hazard Literature Search Results

### Off Topic

- Xu, S; Nirmalakhandan, N. (1998). Use of QSAR models in predicting joint effects in multi-component mixtures of organic chemicals. *Water Res.* 32: 2391-2399.
- Xue, LK; Wang, T; Simpson, IJ; Ding, AJ; Gao, J; Blake, DR; Wang, XZ; Wang, WX; Lei, HC; Jing, DZ. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ.* 45: 6501-6509.
- Yabusaki, S; Cantrell, K; Sass, B; Steefel, C. (2001). Multicomponent reactive transport in an in situ zero-valent iron cell. *Environmental science & technology.* 35: 1493-1503.
- Yagi, O; Uchiyama, H; Iwasaki, K. Biodegradation rate of chloroethylene in soil environment. *Water science and technology : a journal of the International Association on Water Pollution Research.* 1992. v. 25 (11): 419-424.
- Yaguchi, K; Suzuki, T; Hirata, I; Itoh, T; Hamada, A. (1994). Tetrachloroethylene degradation by culture supernatant of the anaerobic bacterium, strain T. *Japanese Journal Of Toxicology And Environmental Health.* 40: 252-258.
- Yamamoto, K; Fukushima, M; Kakutani, N; Kuroda, K. (1997). Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. *Environ Pollut.* 95: 135-143.
- Yamamoto, K; Fukushima, M; Kakutani, N; Tsuruho, K. (2001). Contamination of vinyl chloride in shallow urban rivers in Osaka, Japan. *Water Res.* 35: 561-566.
- Yamamoto, T. (1999). Optimization of nonthermal plasma for the treatment of gas streams. *J Hazard Mater.* 67: 165-181.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on a molecular sieve 13X. *Environmental Science & Technology.* 35: 2122-2127.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-Independent Identification of Candidate Dehalorespiring Bacteria in Tetrachloroethylene Degradation. *Environmental Science & Technology.* 46: 7709-7716.
- Yamazaki, H; Yamaguchi, T; Yamaguchi, A; Kakiuchi, Y. (1992). Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere.* 25: 665-673.
- Yamazaki, S; Matsunaga, S; Hori, K. (2001). Photocatalytic degradation of trichloroethylene in water using TiO<sub>2</sub> pellets. *Water Res.* 35: 1022-1028.
- Yan, J; Im, J; Yang, Y; Löffler, FE. (2013). Guided cobalamin biosynthesis supports *Dehalococcoides mccartyi* reductive dechlorination activity. *Philosophical Transactions of the Royal Society B-Biological Sciences.* 368: 20320-20320.
- Yan, J; Rash, BA; Rainey, FA; Moe, WM. (2009). Detection and Quantification of Dehalogenimonas and "Dehalococcoides" Populations via PCR-Based Protocols Targeting 16S rRNA Genes. *Appl Environ Microbiol.* 75: 7560-7564.
- Yan, J; Rash, BA; Rainey, FA; Moe, WM. (2009). Isolation of novel bacteria within the Chloroflexi capable of reductive dechlorination of 1,2,3-trichloropropane. *Environ Microbiol.* 11: 833-843.
- Yan, J; Ritalahti, KM; Wagner, DD; Löffler, FE. (2012). Unexpected Specificity of Interspecies Cobamide Transfer from *Geobacter* spp. to Organohalide-Respiring *Dehalococcoides mccartyi* Strains. *Appl Environ Microbiol.* 78: 6630-6636.
- Yan, T; LaPara, TM; Novak, PJ. (2006). The effect of varying levels of sodium bicarbonate on polychlorinated biphenyl dechlorination in Hudson River sediment cultures. *Environ Microbiol.* 8: 1288-1298.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 343-365.
- Yang, CL; Yang, CY. (2014). Preparation of TiO<sub>2</sub> particles and surface silanization modification for electronic ink. *Journal of Materials Science-Materials in Electronics.* 25: 3285-3289.
- Yang, JC; Wang, K; Zhao, QL; Huang, LK; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environmental Science-Processes & Impacts.* 16: 271-279.
- Yang, J-S; Baek, K; Kwon, T-S; Yang, J-W. (2006). Competitive immobilization of multiple component chlorinated solvents by cyclodextrin derivatives. *J Hazard Mater.* 137: 1866-1869.
- Yang, Q; Shang, HT; Wang, XL; Li, HD; Wang, JL. (2006). Anaerobic degradation of tetrachloroethylene using different co-substrates as electron donors. *Biomedical and environmental sciences : BES.* 19: 73-76.
- Yang, RSH; Goehl, TJ; Brown, RD; Chatham, AT; Arenson, DW; Buchanan, RC; Harris, RK. (2010). Toxicology studies of a chemical mixture of 25 groundwater contaminants: I. Chemistry development. *FEMS microbiology reviews.* 13: 366-376.
- Yang, WW; Qiu, ZF; Zhao, ZX; Lu, SG; Sui, Q; Gu, XG. (2017). To postpone the precipitation of manganese oxides in the degradation of tetrachloroethylene by controlling the permanganate concentration. *Environ Technol.* 38: 34-41.
- Yang, YR; McCarty, PL. (1998). Competition for hydrogen within a chlorinated solvent dehalogenating anaerobic mixed culture. *Environmental Science & Technology.* 32: 3591-3597.
- Yang, YR; McCarty, PL. (2000). Biologically enhanced dissolution of tetrachloroethene DNAPL. *Environmental Science & Technology.* 34: 2979-2984.
- Yang, YR; McCarty, PL. (2002). Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution. *Environmental Science & Technology.* 36: 3400-3404.
- Yang, YR; McCarty, PL. (2003). Response to comment on "Comparison between donor substrates for biologically enhanced tetrachloroethene DNAPL dissolution". *Environmental Science & Technology.* 37: 2620-2621.
- Yang, YR; Pesaro, M; Sigler, W; Zeyer, J. (2005). Identification of microorganisms involved in reductive dehalogenation of chlorinated ethenes in an anaerobic microbial community. *Water Res.* 39: 3954-3966.
- Yang, YR; Zeyer, J. (2003). Specific detection of *Dehalococcoides* species by fluorescence in situ hybridization with 16S rRNA-targeted oligonucleotide probes. *Appl Environ Microbiol.* 69: 2879-2883.
- Yasuhara, A. (1993). Thermal decomposition of tetrachloroethylene. *Chemosphere.* 26: 1507-1512.

## Environmental Hazard Literature Search Results

### Off Topic

- Yasuhara, A; Morita, M. (1990). Formation of chlorinated compounds in pyrolysis of trichloroethylene. *Chemosphere*. 21: 479-486.
- Ye, LD; Schilhabel, A; Bartram, S; Boland, W; Diekert, G. (2010). Reductive dehalogenation of brominated ethenes by *Sulfurospirillum multivorans* and *Desulfitobacterium hafniense* PCE-S. *Environ Microbiol*. 12: 501-509.
- Ye, SJ; Sleep, BE; Chien, C. (2009). The impact of methanogenesis on flow and transport in coarse sand. *J Contam Hydrol*. 103: 48-57.
- Yeh, CKJ; Peng, SL; Hsu, IY. (2002). Co-surfactant of ethoxylated sorbitan ester and sorbitan monooleate for enhanced flushing of tetrachloroethylene. *Chemosphere*. 49: 421-430.
- Yeh, KJ; Chen, TC; Young, WL. (2013). Competitive Removal of Two Contaminants in a Goethite-Catalyzed Fenton Process at Neutral pH. *Environ Eng Sci*. 30: 47-52.
- Yi, S; Seth, EC; Men, YJ; Stabler, SP; Allen, RH; Alvarez-Cohen, L; Taga, ME. (2012). Versatility in Corrinoid Salvaging and Remodeling Pathways Supports Corrinoid-Dependent Metabolism in *Dehalococcoides mccartyi*. *Appl Environ Microbiol*. 78: 7745-7752.
- Yim, B; Okuno, H; Nagata, Y; Maeda, Y. (2001). Sonochemical degradation of chlorinated hydrocarbons using a batch and continuous flow system. *J Hazard Mater*. 81: 253-263.
- Yllner, S. (1971). Metabolism of pentachloroethane in the mouse. *Acta Pharmacol Toxicol*. 29: 481-489.
- Yohda, M; Kobayashi, A; Ohishi, S; Ebisawa, M; Sakihara, S; Kakihara, F; Tojo, Y; Tajima, H; Nishimura, M. (2008). Quantitative discrimination of 16 S rRNA genes of *Dehalococcoides* species by MagSNiPer, a quantitative single-nucleotide-polymorphism genotyping method. *Biotechnology and Applied Biochemistry*. 51: 111-117.
- Yohda, M; Yagi, O; Takechi, A; Kitajima, M; Matsuda, H; Miyamura, N; Aizawa, T; Nakajima, M; Sunairi, M; Daiba, A; Miyajima, T; Teruya, M; Teruya, K; Shiroma, A; Shimoji, M; Tamotsu, H; Juan, A; Nakano, K; Aoyama, M; Terabayashi, Y; Satou, K; Hirano, T. (2015). Genome sequence determination and metagenomic characterization of a *Dehalococcoides* mixed culture grown on cis-1,2-dichloroethene. *J Biosci Bioeng*. 120: 69-77.
- Yokouchi, Y; Barrie, LA; Toom, D; Akimoto, H. (1996). The seasonal variation of selected natural and anthropogenic halocarbons in the arctic troposphere. *Atmos Environ*. 30: 1723-1727.
- Yonezuka, K; Araki, N; Shimodaira, J; Ohji, S; Hosoyama, A; Numata, M; Yamazoe, A; Kasai, D; Masai, E; Fujita, N; Ezaki, T; Fukuda, M. (2016). Isolation and characterization of a bacterial strain that degrades cis-dichloroethene in the absence of aromatic inducers. *J Gen Appl Microbiol*. 62: 118-125.
- Yoon, YH; Nelson, JH. (1990). Contaminant breakthrough: a theoretical study of charcoal sampling tubes. *Am Ind Hyg Assoc J*. 51: 319-325.
- Yoshida, M; Lee, BD; Hosomi, M. (2000). Decomposition of aqueous tetrachloroethylene by Fenton oxidation treatment. *Water Science and Technology*. 42: 203-208.
- Yoshida, N; Asahi, K; Sakakibara, Y; Miyake, K; Katayama, A. (2007). Isolation and quantitative detection of tetrachloroethene (PCE)-dechlorinating bacteria in unsaturated subsurface soils contaminated with chloroethenes. *J Biosci Bioeng*. 104: 91-97.
- Yoshida, N; Ye, L; Baba, D; Katayama, A. (2009). A Novel *Dehalobacter* Species Is Involved in Extensive 4,5,6,7-Tetrachlorophthalide Dechlorination. *Appl Environ Microbiol*. 75: 2400-2405.
- Yoshida, T; Andoh, K; Fukuhara, M. (1998). Estimation of absorption of environmental contaminants in low-level exposure by pharmacokinetic analysis. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 54: 145-158.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air and Soil Pollution*. 228: 25-25.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: Hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol*. 15: 1096-1105.
- Young, DF; Ball, WP. (1998). Estimating diffusion coefficients in low-permeability porous media using a macropore column. *Environmental Science & Technology*. 32: 2578-2584.
- Young, MD; Jeffery, GM; Morehouse, WG; Freed, JE; Johnson, RS. (1986). The comparative efficacy of buphenium hydroxynaphthoate and tetrachloroethylene against hook-worm and other parasites of man. *The American journal of tropical medicine and hygiene*. 9: 488-491.
- Yu, J; Park, Y; Nguyen, VK; Lee, T. (2016). PCE dechlorination by non-*Dehalococcoides* in a microbial electrochemical system. *Journal of Industrial Microbiology & Biotechnology*. 43: 1095-1103.
- Yu, S; Semprini, L. (2004). Kinetics and modeling of reductive dechlorination at high PCE and TCE concentrations. *Biotechnol Bioeng*. 88: 451-464.
- Yu, S; Semprini, L. (2009). Enhanced reductive dechlorination of PCE DNAPL with TBOS as a slow-release electron donor. *J Hazard Mater*. 167: 97-104.
- Yu, SCT. (1995). Transport and fate of chlorinated hydrocarbons in the vadose zone-A literature review with discussions on regulatory implications. *Journal of Soil Contamination*. 4: 25-56.
- Yu, SH; Dolan, ME; Semprini, L. (2005). Kinetics and inhibition of reductive dechlorination of chlorinated ethylenes by two different mixed cultures. *Environmental Science & Technology*. 39: 195-205.
- Yu, SH; Semprini, L. (2002). Comparison of trichloroethylene reductive dehalogenation by microbial communities stimulated on silicon-based organic compounds as slow-release anaerobic substrates. *Water Res*. 36: 4985-4996.
- Yu, X; Ghasemizadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2015). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ*. 511: 1-10.
- Yu, ZT; Smith, GB. (2000). Inhibition of methanogenesis by C(1)- and C(2)-polychlorinated aliphatic hydrocarbons. *Environ Toxicol Chem*. 19: 2212-2217.

## Environmental Hazard Literature Search Results

### Off Topic

- Yuan, C. (2006). The effect of Fe(0) on electrokinetic remediation of clay contaminated with perchloroethylene. *Water Science and Technology*. 53: 91-98.
- Yuan, JS; Li, YO; Ue, JW; Wesley, AS; Diosady, LL. (2008). Development of field test kits for determination of microencapsulated iron in double-fortified salt. *Food and Nutrition Bulletin*. 29: 288-296.
- Zaa, CLY; McLean, JE; Dupont, RR; Norton, JM; Sorensen, DL. (2010). Dechlorinating and Iron Reducing Bacteria Distribution in a TCE-Contaminated Aquifer. *Ground Water Monitoring and Remediation*. 30: 46-57.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). Removal of hexachlorocyclohexane isomers from water by membrane extraction into oil. *Water Res*. 26: 129-137.
- Zarate-Segura, P; Rios-Leal, E; Esparza-Garcia, F; Garcia-Mena, J; Sanz, JL; Zaiat, M; Poggi-Varaldo, HM. (2004). Perchloroethylene removal in two anaerobic continuous systems. *Interciencia*. 29: 562-+.
- Zavon, MR. (1967). Liver disease from tetrachloroethylene. *JAMA*. 199: 135.
- Zechner, E; Noack, T; Troesch, J; Wuelsel, R; Hauber, L. (1995). Model validation by simulating transport of natural tracer and organic pollutant: A case study of Langen Erlen, Switzerland. *Acta Universitatis Carolinae Geologica*. 39: 265-273.
- Zeiger, E. (1990). Mutagenicity of 42 chemicals in Salmonella. *Environ Mol Mutagen Suppl*. 0: 32-54.
- Zhai, XH; Hua, I; Rao, PSC; Lee, LS. (2006). Cosolvent-enhanced chemical oxidation of perchloroethylene by potassium permanganate. *J Contam Hydrol*. 82: 61-74.
- Zhang, C; Valsaraj, KT; Constant, WD; Roy, D. (1998). Nutrient and surfactant enhancement for the biodegradation of chlorinated hydrocarbons in the wastewater from a Louisiana Superfund site. *J Hazard Mater*. 62: 41-58.
- Zhang, C; Zheng, G; Nichols, CM. (1988). Micellar partitioning and its effects on Henry's law constants of chlorinated solvents in anionic and nonionic surfactant solutions. *Environmental science & technology*. 40: 208-214.
- Zhang, CF; Suzuki, D; Li, ZL; Ye, LZ; Katayama, A. (2012). Polyphasic characterization of two microbial consortia with wide dechlorination spectra for chlorophenols. *J Biosci Bioeng*. 114: 512-517.
- Zhang, CL; Bennett, GN. (2005). Biodegradation of xenobiotics by anaerobic bacteria. *Appl Microbiol Biotechnol*. 67: 600-618.
- Zhang, CY; Werth, CJ; Webb, AG. (2008). Investigation of surfactant-enhanced mass removal and flux reduction in 3D correlated permeability fields using magnetic resonance imaging. *J Contam Hydrol*. 100: 116-126.
- Zhang, HS; Bruns, MA; Logan, BE. (2002). Perchlorate reduction by a novel chemolithoautotrophic, hydrogen-oxidizing bacterium. *Environ Microbiol*. 4: 570-576.
- Zhang, HS; Ziv-El, M; Rittmann, BE; Krajmalnik-Brown, R. (2010). Effect of Dechlorination and Sulfate Reduction on the Microbial Community Structure in Denitrifying Membrane-Biofilm Reactors. *Environmental Science & Technology*. 44: 5159-5164.
- Zhang, JJ; Joslyn, AP; Chiu, PC. (2006). 1,1-dichloroethene as a predominant intermediate of microbial trichloroethene reduction. *Environmental Science & Technology*. 40: 1830-1836.
- Zhang, M; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. *Frontiers of environmental science & engineering*. 9: 888-896.
- Zhang, PF; Simunek, J; Bowman, RS. (2004). Nonideal transport of solute and colloidal tracers through reactive zeolite/iron pellets. *Water Resour Res*. 40: 4207-4207.
- Zhang, PF; Tao, X; Li, ZH; Bowman, RS. (2002). Enhanced perchloroethylene reduction in column systems using surfactant-modified zeolite/zero-valent iron pellets. *Environmental Science & Technology*. 36: 3597-3603.
- Zhang, W; Jia, N; Han, XL; Qiu, ZF; Lv, SG; Lin, KF; Ying, WC. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol*. 37: 2088-2098.
- Zhang, W; Li, L; Li, BZ; Lin, KF; Lu, SG; Fu, RB; Zhu, J; Cui, XH. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *Journal of Environmental Engineering-Asce*. 139: 803-809.
- Zhang, W; Li, L; Lin, KF; Xiong, B; Li, BZ; Lu, SG; Guo, MJ; Cui, XH. (2012). Synergetic degradation of Fe/Cu/C for groundwater polluted by trichloroethylene. *Water Science and Technology*. 65: 2258-2264.
- Zhang, XH; Sewell, GW; Cui, SY. (2001). An improved method of hydrogen production as electron donor for anaerobic bioremediation. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 36: 1661-1670.
- Zhang, Y; Liu, Y; Hu, M; Jiang, Z. (2014). Acclimation of the trichloroethylene-degrading anaerobic granular sludge and the degradation characteristics in an upflow anaerobic sludge blanket reactor. *Water Science and Technology*. 69: 120-127.
- Zhang, ZF; Smith, JE. (2001). The velocity of DNAPL fingering in water-saturated porous media: laboratory experiments and a mobile-immobile-zone model. *J Contam Hydrol*. 49: 335-353.
- Zhang, ZF; Smith, JE. (2001). The velocity of DNAPL fingering in water-saturated porous media: laboratory experiments and a mobile-immobile-zone model. *J Contam Hydrol*. 49: 335-353.
- Zhao, H; Nagy, KL. (2004). Dodecyl sulfate-hydrotalcite nanocomposites for trapping chlorinated organic pollutants in water. *J Colloid Interface Sci*. 274: 613-624.
- Zhao, HP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Science and Technology*. 64: 1796-1803.
- Zhao, HP; Schmidt, KR; Tiehm, A. (2010). Inhibition of aerobic metabolic cis-1,2-di-chloroethene biodegradation by other chloroethenes. *Water Res*. 44: 2276-2282.
- Zhao, HT; Nagy, KL; Waples, JS; Vance, GF. (2000). Surfactant-templated mesoporous silicate materials as sorbents for organic pollutants in water. *Environmental Science & Technology*. 34: 4822-4827.

## Environmental Hazard Literature Search Results

### Off Topic

- Zhao, W; Ioannidis, MA. (2003). Pore network simulation of the dissolution of a single-component wetting nonaqueous phase liquid. *Water Resour Res.* 39: 1291-1291.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342.
- Zhao, Z; Fang, Y-L; Alvarez Pedro, JJ; Wong Michael, S. (2013). Degrading perchloroethene at ambient conditions using Pd and Pd-on-Au reduction catalysts. *Appl Catal B-Environ.* 140-141: 468-477.
- Zhen, HJ; Du, SY; Rodenburg, LA; Mainelis, G; Fennell, DE. (2014). Reductive dechlorination of 1,2,3,7,8-pentachlorodibenzo-p-dioxin and Aroclor 1260, 1254 and 1242 by a mixed culture containing *Dehalococcoides mccartyi* strain 195. *Water Res.* 52: 51-62.
- Zheng, F; Gao, B; Sun, Y; Shi, X; Xu, H; Wu, J; Gao, Y. (2016). Removal of tetrachloroethylene from homogeneous and heterogeneous porous media: Combined effects of surfactant solubilization and oxidant degradation. *Chem Eng J.* 283: 595-603.
- Zhou, Q; Birkholzer, JT; Javandel, I; Jordan, PD. (2004). Modeling three-dimensional groundwater flow and advective contaminant transport at a heterogeneous mountainous site in support of remediation. *Vadose zone journal VZJ.* 3.
- Zhou, X; Zhang, CF; Zhang, DD; Awata, T; Xiao, ZX; Yang, Q; Katayama, A. (2015). Polyphasic characterization of an anaerobic hexachlorobenzene-dechlorinating microbial consortium with a wide dechlorination spectrum for chlorobenzenes. *J Biosci Bioeng.* 120: 62-68.
- Zhu, X; Liu, X; He, F; Wang, D. (1991). Preliminary study on organic contaminants in the water of northwest part of the Lake Chao. *J Environ Sci.* 3: 49-60.
- Zhuang, P; Pavlostathis, SG. Effect of chlorinated alkenes on the reductive dechlorination and methane production processes. *Water science and technology : a journal of the International Association on Water Pollution Research.* 1994. v. 30 (7): 85-94.
- Zhuang, P; Pavlostathis, SG. Effect of temperature, pH and electron donor on the microbial reductive dechlorination of chloroalkenes. *Chemosphere.* Sept 1995. v. 31 (6): 3537-3548.
- Ziglio, G; Beltramelli, G; Pregliasco, F; Ferrari, G. (1985). Metabolites of chlorinated solvents in blood and urine of subjects exposed at environmental level. *Sci Total Environ.* 47: 473-477.
- Zimmerman, JB; Kibbey, TCG; Cowell, MA; Hayes, KF. (1998). Partitioning of ethoxylated nonionic surfactants into nonaqueous-phase organic liquids: Influence on solubilization behavior. *Environmental Science & Technology.* 33: 169-176.
- Zinder, SH. (2016). *Dehalococcoides* has a dehalogenation complex. *Environ Microbiol.* 18: 2773-2775.
- Zinder, SH; Gossett, JM. (1995). Reductive dechlorination of tetrachloroethene by a high rate anaerobic microbial consortium. *Environ Health Perspect.* 103 Suppl 5: 5-7.
- Zira, A; Kostidis, S; Theocharis, S; Sigala, F; Engelsens, SB; Andreadou, I; Mikros, E. (2013). <sup>1</sup>H NMR-based metabonomics approach in a rat model of acute liver injury and regeneration induced by CCl<sub>4</sub> administration. *Toxicology.* 303: 115-124.
- Zitomer, DH; Owens, D; Speece, RE. (2000). Methanethiol production as an indicator of toxicity in anaerobic treatment. *Water Science and Technology.* 42: 231-235.
- Ziv-El, M; Delgado, AG; Yao, Y; Kang, DW; Nelson, KG; Halden, RU; Krajmalnik-Brown, R. (2011). Development and characterization of *DehaloR2*, a novel anaerobic microbial consortium performing rapid dechlorination of TCE to ethene. *Appl Microbiol Biotechnol.* 92: 1063-1071.
- Ziv-El, M; Popat, SC; Cai, K; Halden, RU; Krajmalnik-Brown, R; Rittmann, BE. (2012). Managing methanogens and homoacetogens to promote reductive dechlorination of trichloroethene with direct delivery of H<sub>2</sub> in a membrane biofilm reactor. *Biotechnol Bioeng.* 109: 2200-2210.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522.
- Zuurbier, KG; Hartog, N; Valstar, J; Post, VE; van, BBM. (2013). The impact of low-temperature seasonal aquifer thermal energy storage (SATES) systems on chlorinated solvent contaminated groundwater: modeling of spreading and degradation. *J Contam Hydrol.* 147: 1-13.
- Zytner, RG; Biswas, N; Bewtra, JK. PCE volatilized from stagnant water and soil. *J Environ Eng.* Dec 1989. v. 115 (6): 1199-1212.
- Zytner, RG; Biswas, N; Bewtra, JK. (1993). Retention capacity of dry soils for NAPLs. *Environ Technol.* 14: 1073-1080.
- Zytner, RG; Madani-Isfahani, M; Corsi, RL. (1997). Oxygen uptake and VOC emissions at enclosed sewer drop structures. *Water Environ Res.* 69: 286-294.

## Human Health Hazard Literature Search Results

### On Topic

- ACGIH. (2009). 2009 TLVs and BEIs: Threshold limit values for chemical substances and physical agents and biological exposure indices. Tetrachloroethylene. Cincinnati, OH. <http://www.acgih.org/store/ProductDetail.cfm?id=2039>.
- Ahlborg, G, Jr. (1990). Pregnancy outcome among women working in laundries and dry-cleaning shops using tetrachloroethylene. *Am J Ind Med.* 17: 567-575. <http://dx.doi.org/10.1002/ajim.4700170503>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700170503/abstract>.
- Aitio, A. (2008). Research needs for environmental health risk assessment. *J Toxicol Environ Health A.* 71: 1254-1258. <http://dx.doi.org/10.1080/15287390802211786>.
- Alberati-Giani, D; Malherbe, P; Kohler, C; Lang, G; Kiefer, V; Lahm, HW; Cesura, AM. (1995). Cloning and characterization of a soluble kynurenine aminotransferase from rat brain: Identity with kidney cysteine conjugate [beta]-lyase. *J Neurochem.* 64: 1448-1455. <http://dx.doi.org/10.1046/j.1471-4159.1995.64041448.x>; <http://onlinelibrary.wiley.com/doi/10.1046/j.1471-4159.1995.64041448.x/abstract>.

## Human Health Hazard Literature Search Results

### On Topic

- Albers, JW; Wald, JJ; Werner, RA; Franzblau, A; Berent, S. (1999). Absence of polyneuropathy among workers previously diagnosed with solvent-induced toxic encephalopathy. *J Occup Environ Med.* 41: 500-509.
- Albertini, S. (1990). Analysis of nine known or suspected spindle poisons for mitotic chromosome malsegregation using *Saccharomyces cerevisiae* D61.M. *Mutagenesis.* 5: 453-459.
- Allen, BC; Crump, KS; Shipp, AM. (1988). Correlation between carcinogenic potency of chemicals in animals and humans. *Risk Anal.* 8: 531-544. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01193.x>.
- Allen, JW; Collins, BW; Evansky, PA. (1994). Spermatid micronucleus analyses of trichloroethylene and chloral hydrate effects in mice. *Mutat Res Lett.* 323: 81-88. [http://dx.doi.org/10.1016/0165-7992\(94\)90049-3](http://dx.doi.org/10.1016/0165-7992(94)90049-3).
- Altmann, L; Böttger, A; Wiegand, H. (1990). Neurophysiological and psychophysical measurements reveal effects of acute low-level organic solvent exposure in humans. *Int Arch Occup Environ Health.* 62: 493-499. <http://dx.doi.org/10.1007/BF00381179>; <http://link.springer.com/article/10.1007%2FBF00381179>.
- Altmann, L; Neuhann, HF; Krämer, U; Witten, J; Jermann, E. (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. *Environ Res.* 69: 83-89. <http://dx.doi.org/10.1006/enrs.1995.1028>.
- Altmann, L; Wiegand, H; Böttger, A; Elstermeier, F; Winneke, G. (1992). Neurobehavioural and neurophysiological outcomes of acute repeated perchloroethylene exposure. *Appl Psychol.* 41: 269-279. <http://dx.doi.org/10.1111/j.1464-0597.1992.tb00705.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1464-0597.1992.tb00705.x/abstract>.
- Amadasi, A; Mastroluca, L; Marasciulo, L; Caligara, M; Sironi, L; Gentile, G; Zoja, R. (2015). Death due to acute tetrachloroethylene intoxication in a chronic abuser. *Int J Legal Med.* 129: 487-493. <http://dx.doi.org/10.1007/s00414-015-1143-0>.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol.* 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Anbhzahagan, S; Winkins, SS. (2008). A biochemical study on variability of superoxide dismutase, catalase and glutathione peroxidase in dry cleaners. *Indian J Clin Biochem.* 23: 198-199. <http://dx.doi.org/10.1007/s12291-008-0044-0>.
- Anders, MW; Lash, L; Dekant, W; Elfarra, AA; Dohn, DR; Reed, DJ. (1988). Biosynthesis and biotransformation of glutathione S-conjugates to toxic metabolites [Review]. *Crit Rev Toxicol.* 18: 311-341. <http://dx.doi.org/10.3109/10408448809037470>.
- Andersen, A; Barlow, L; Engeland, A; Kjaerheim, K; Lynge, E; Pukkala, E. (1999). Work-related cancer in the Nordic countries [Review]. *Scand J Work Environ Health.* 25: 1-116.
- Anderson, BE; Zeiger, E; Shelby, MD; Resnick, MA; Gulati, DK; Ivett, JL; Loveday, KS. (1990). Chromosome aberration and sister chromatid exchange test results with 42 chemicals. *Environ Mol Mutagen.* 16: 55-137. <http://dx.doi.org/10.1002/em.2850160505>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2850160505/abstract>.
- Anderson, LM; Diwan, BA; Fear, NT; Roman, E. (2000). Critical windows of exposure for children's health: Cancer in human epidemiological studies and neoplasms in experimental animal models [Review]. *Environ Health Perspect.* 108: 573-594.
- Anderson, WB; Board, PG; Gargano, B; Anders, MW. (1999). Inactivation of glutathione transferase zeta by dichloroacetic acid and other fluorine-lacking [alpha]-haloalkanoic acids. *Chem Res Toxicol.* 12: 1144-1149. <http://dx.doi.org/10.1021/tx990085I>.
- Andrys, C; Hanovcova, I; Chylkova, V; Tejral, J; Eminger, S; Prochazkova, J. (1997). Immunological monitoring of dry-cleaning shop workers - exposure to tetrachloroethylene. *Cent Eur J Public Health.* 5: 136-142.
- Anger, WK; Liang, YX; Nell, V; Kang, SK; Cole, D; Bazylewicz-Walczak, B; Rohlman, DS; Sizemore, OJ. (2000). Lessons learned - 15 years of the WHO-NCTB: A review [Review]. *Neurotoxicology.* 21: 837-846.
- Anna, CH; Maronpot, RR; Pereira, MA; Foley, JF; Malarkey, DE; Anderson, MW. (1994). Ras proto-oncogene activation in dichloroacetic acid-, trichloroethylene- and tetrachloroethylene-induced liver tumors in B6C3F1 mice. *Carcinogenesis.* 15: 2255-2261. <http://dx.doi.org/10.1093/carcin/15.10.2255>.
- Anon. (2012). Early-Life PCE Exposure Linked to Visual Impairment in Adults. 0.
- Anon. (2015). Epidemiologic research on environmental pollution and the risk of disease. 0.
- Anttila, A; Pukkala, E; Sallmen, M; Hernberg, S; Hemminki, K. (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med.* 37: 797-806.
- Antti-Poika, M. (1982). Overall prognosis of patients with diagnosed chronic organic solvent intoxication. *Int Arch Occup Environ Health.* 51: 127-138. <http://dx.doi.org/10.1007/BF00378157>.
- Antti-Poika, M. (1982). Prognosis of symptoms in patients with diagnosed chronic organic solvent intoxication. *Int Arch Occup Environ Health.* 51: 81-89. <http://dx.doi.org/10.1007/BF00378413>.
- Aragones, N; Pollan, M; Gustavsson, P. (2002). Stomach cancer and occupation in Sweden: 1971-89. *Occup Environ Med.* 59: 329-337. <http://dx.doi.org/10.1136/oem.59.5.329>.
- Aranjina, T. (1972). [Effect of aliphatic hydrocarbons and fluorinated and chlorinated derivatives on the content of nucleic acids in animal tissues during embryogenesis]. *Tr Permsk Gos Med Inst.* 110: 69-71.
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol.* 6: 713-720. [http://dx.doi.org/10.1016/0272-0590\(86\)90184-3](http://dx.doi.org/10.1016/0272-0590(86)90184-3).
- Aronson, K; Siemiatacki, J; Dewar, R; Gérin, M. (1996). Occupational risk factors for prostate cancer: Results from a case-control study in Montréal, Québec, Canada. *Am J Epidemiol.* 143: 363-373.
- Aryal, BK; Khuder, SA; Schaub, EA. (2001). Meta-analysis of systemic sclerosis and exposure to solvents. *Am J Ind Med.* 40: 271-274. <http://dx.doi.org/10.1002/ajim.1098>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.1098/abstract>.

## Human Health Hazard Literature Search Results

### On Topic

- Asal, NR; Geyer, JR; Risser, DR; Lee, ET; Kadamani, S; Cherng, N. (1988). Risk factors in renal cell carcinoma. II. Medical history, occupation, multivariate analysis, and conclusions. *Cancer Detect Prev.* 13: 263-279.
- Aschengrau, A; Gallagher, LG; Winter, MR; Vieira, VM; Janulewicz, PA; Webster, TF; Ozonoff, DM. (2016). No Association Between Unintentional Head Injuries and Early-Life Exposure to Tetrachloroethylene (PCE)-Contaminated Drinking Water. *J Occup Environ Med.* 58: 1040-1045. <http://dx.doi.org/10.1097/JOM.0000000000000850>.
- Aschengrau, A; Janulewicz, PA; White, RF; Vieira, VM; Gallagher, LG; Getz, KD; Webster, TF; Ozonoff, DM. (2016). Long-term Neurotoxic Effects of Early-life Exposure to Tetrachloroethylene-contaminated Drinking Water. 82: 169-179. <http://dx.doi.org/10.1016/j.aogh.2016.01.013>.
- Aschengrau, A; Ozonoff, D; Paulu, C; Coogan, P; Vezina, R; Heeren, T; Zhang, Y. (1993). Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. *Arch Environ Health.* 48: 284-292. <http://dx.doi.org/10.1080/00039896.1993.9936715>.
- Aschengrau, A; Paulu, C; Ozonoff, D. (1998). Tetrachloroethylene-contaminated drinking water and the risk of breast cancer. *Environ Health Perspect.* 106: 947-953.
- Aschengrau, A; Rogers, S; Ozonoff, D. (2003). Perchloroethylene-contaminated drinking water and the risk of breast cancer: Additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect.* 111: 167-173. <http://dx.doi.org/10.1289/ehp.4980>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241345/pdf/ehp0111-000167.pdf>.
- Aschengrau, A; Seage, GR, III. (2003). *Essentials of Epidemiology in Public Health.* Sudbury, MA: Jones & Bartlett Publishers.
- Aschengrau, A; Weinberg, J; Rogers, S; Gallagher, L; Winter, M; Vieira, V; Webster, T; Ozonoff, D. (2008). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of adverse birth outcomes. *Environ Health Perspect.* 116: 814-820. <http://dx.doi.org/10.1289/ehp.10414>.
- Aschengrau, A; Weinberg, JM; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Exposure to tetrachloroethylene-contaminated drinking water and the risk of pregnancy loss. *Water Qual Expo Health.* 1: 23-34. <http://dx.doi.org/10.1007/s12403-009-0003-x>.
- Aschengrau, A; Weinberg, JM; Janulewicz, PA; Gallagher, LG; Winter, MR; Vieira, VM; Webster, TF; Ozonoff, DM. (2009). Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: A retrospective cohort study. *Environ Health.* 8: 44. <http://dx.doi.org/10.1186/1476-069X-8-44>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2011). Affinity for risky behaviors following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 10: 102. <http://dx.doi.org/10.1186/1476-069X-10-102>.
- Aschengrau, A, nn; Weinberg, JM; Janulewicz, PA; Romano, ME; Gallagher, LG; Winter, MR; Martin, BR; Vieira, VM; Webster, TF; White, RF; Ozonoff, DM. (2012). Occurrence of mental illness following prenatal and early childhood exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 11: 2. <http://dx.doi.org/10.1186/1476-069X-11-2>.
- Aschengrau, A; Winter, MR; Vieira, VM; Webster, TF; Janulewicz, PA; Gallagher, LG; Weinberg, J; Ozonoff, DM. (2015). Long-term health effects of early life exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. *Environ Health.* 14: 36. <http://dx.doi.org/10.1186/s12940-015-0021-z>.
- Ashby, J; Brady, A; Elcombe, CR; Elliott, BM; Ishmael, J; Odum, J; Tugwood, JD; Kettle, S; Purchase, IF. (1994). Mechanistically-based human hazard assessment of peroxisome proliferator-induced hepatocarcinogenesis [Review]. *Hum Exp Toxicol.* 13: S1-S117. <http://dx.doi.org/10.1177/096032719401300201>.
- Ashby, J; Tennant, RW. (1991). Definitive relationships among chemical structure, carcinogenicity and mutagenicity for 301 chemicals tested by the U.S. NTP. *Mutat Res Rev Mutat Res.* 257: 229-306. [http://dx.doi.org/10.1016/0165-1110\(91\)90003-E](http://dx.doi.org/10.1016/0165-1110(91)90003-E).
- Ashby, J; Tennant, RW. (1994). Prediction of rodent carcinogenicity for 44 chemicals: Results. *Mutagenesis.* 9: 7-15. <http://dx.doi.org/10.1093/mutage/9.1.7>.
- Ashby, J; Tennant, RW; Zeiger, E; Stasiewicz, S. (1989). Classification according to chemical structure, mutagenicity to Salmonella and level of carcinogenicity of a further 42 chemicals tested for carcinogenicity by the U.S. National Toxicology Program. *Mutat Res Genet Toxicol.* 223: 73-103. [http://dx.doi.org/10.1016/0165-1218\(89\)90037-2](http://dx.doi.org/10.1016/0165-1218(89)90037-2).
- ATSDR. (1987). Toxicological profile for tetrachloroethylene [draft] [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- ATSDR. (1997). Toxicological profile for tetrachloroethylene [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=265&tid=48>.
- ATSDR. (1997). Toxicological profile for trichloroethylene (update) [ATSDR Tox Profile]. (PB98-101165). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp19-p.pdf>.
- ATSDR. (1998). Biomarkers of kidney function for environmental health field studies. (PB98-142128; ATSDRHS9896). Atlanta, GA. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB98142128>.
- ATSDR. (1998). Volatile organic compounds in drinking water and adverse pregnancy outcomes. United States Marine Corps Base, Camp Lejeune, NC. (PB98-156540; ATSDRHS9897). Atlanta, GA. <http://www.atsdr.cdc.gov/hs/lejeune/>.
- ATSDR. (2003). Survey of specific childhood cancers and birth defects among children whose mothers were pregnant while living at U.S. Marine Corps Base Camp Lejeune, North Carolina, 1968-1985. Atlanta, GA. [http://www.atsdr.cdc.gov/sites/lejeune/survey\\_full.html](http://www.atsdr.cdc.gov/sites/lejeune/survey_full.html).
- ATSDR. (2004). Interaction profile: 1,1,1-trichloroethane, 1,1-dichloroethane, trichloroethylene, and tetrachloroethylene. Atlanta, GA. <http://www.atsdr.cdc.gov/interactionprofiles/ip02.html>.
- ATSDR. (2006). Toxicological profile for 1,1,1-trichloroethane [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=432&tid=76>.

## Human Health Hazard Literature Search Results

### On Topic

- ATSDR. (2008). Toxicological profile for 1,1,2,2 tetrachloroethane [ATSDR Tox Profile]. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=801&tid=156>.
- Auperin, A; Benhamou, S; Ory-Paoletti, C; Flamant, R. (1994). Occupational risk factors for renal cell carcinoma: A case-control study. *Occup Environ Med.* 51: 426-428. <http://dx.doi.org/10.1136/oem.51.6.426>; <http://oem.bmj.com/content/oemed/51/6/426.full.pdf>.
- Austin, H; Delzell, E; Grufferman, S; Levine, R; Morrison, AS; Stolley, PD; Cole, P. (1987). Case-control study of hepatocellular carcinoma, occupation, and chemical exposures. *J Occup Med.* 29: 665-669.
- Babiker, M; Dillon, MF; Bass, G; Walsh, TN. (2012). Oesophageal carcinoma in a married couple following long-term exposure to dry cleaning agents [Letter]. *Occup Environ Med.* 69: 525. <http://dx.doi.org/10.1136/oemed-2011-100407>.
- Baccarelli, A; Bollati, V. (2009). Epigenetics and environmental chemicals [Review]. *Curr Opin Pediatr.* 21: 243-251. <http://dx.doi.org/10.1097/MOP.0b013e32832925cc>.
- Bagnell, PC; Ellenberger, HA. (1977). Obstructive jaundice due to a chlorinated hydrocarbon in breast milk. *Can Med Assoc J.* 117: 1047-1048. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1880184/pdf/canmedaj01515-0069.pdf>.
- Bai, CL; Canfield, PJ; Stacey, NH. (1992). Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health.* 8: 191-203.
- Bale, AS; Adams, TL; Bushnell, PJ; Shafer, TJ; Boyes, WK. (2005). Role of NMDA, nicotinic, and GABA receptors in the steady-state visual-evoked potential in rats. *Pharmacol Biochem Behav.* 82: 635-645. <http://dx.doi.org/10.1016/j.pbb.2005.11.003>; <http://www.sciencedirect.com/science/article/pii/S0091305705003631>.
- Bale, AS; Barone, S; Scott, CS; Cooper, GS. (2011). A review of potential neurotoxic mechanisms among three chlorinated organic solvents [Review]. *Toxicol Appl Pharmacol.* 255: 113-126. <http://dx.doi.org/10.1016/j.taap.2011.05.008>.
- Bale, AS; Meacham, CA; Benignus, VA; Bushnell, PJ; Shafer, TJ. (2005). Volatile organic compounds inhibit human and rat neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. *Toxicol Appl Pharmacol.* 205: 77-88. <http://dx.doi.org/10.1016/j.taap.2004.09.011>.
- Band, P; Le, N; Fang, R; Threlfall, W; Gallagher, R. (1999). Identification of occupational cancer risks in British Columbia. Part II: A population-based case-control study of 1516 Prostatic cancer cases. *J Occup Environ Med.* 41: 233-247.
- Band, PR; Le, ND; Fang, R; Deschamps, M; Gallagher, RP; Yang, P. (2000). Identification of occupational cancer risks in British Columbia: A population-based case-control study of 995 incident breast cancer cases by menopausal status, controlling for confounding factors. *J Occup Environ Med.* 42: 284-310. <http://dx.doi.org/10.1097/00043764-200003000-00010>.
- Bartels, MJ. (1994). Quantitation of the tetrachloroethylene metabolite N-acetyl-S-(trichlorovinyl)cysteine in rat urine via negative ion chemical ionization gas chromatography/tandem mass spectrometry. *Biological Mass Spectrometry.* 23: 689-694. <http://dx.doi.org/10.1002/bms.1200231107>; <http://onlinelibrary.wiley.com/doi/10.1002/bms.1200231107/abstract>.
- Bartsch, H; Malaveille, C; Barbin, A; Planche, G. (1979). Mutagenic and alkylating metabolites of halo-ethylenes, chlorobutadienes and dichlorobutenes produced by rodent or human liver tissues: Evidence for oxirane formation by P450-linked microsomal mono-oxygenases. *Arch Toxicol.* 41: 249-277. <http://dx.doi.org/10.1007/BF00296896>; <http://link.springer.com/article/10.1007%2FBF00296896>.
- Baylin, SB; Herman, JG; Graff, JR; Vertino, PM; Issa, JP. (1998). Alterations in DNA methylation: A fundamental aspect of neoplasia [Review]. *Adv Cancer Res.* 72: 141-196. [http://dx.doi.org/10.1016/S0065-230X\(08\)60702-2](http://dx.doi.org/10.1016/S0065-230X(08)60702-2).
- Bazylewicz-Walczak, B; Marszal-Wisniewska, M. (1986). [Mental evaluation after chronic exposure to tetrachloroethylene]. *Med Pr.* 37: 315-320.
- Beaudoin, DL; Manookin, MB; Demb, JB. (2008). Distinct expressions of contrast gain control in parallel synaptic pathways converging on a retinal ganglion cell. *J Physiol.* 586: 5487-5502. <http://dx.doi.org/10.1113/jphysiol.2008.156224>.
- Beaudreuil, S; Lasfargues, G; Laueriere, L; El Ghouli, Z; Fourquet, F; Longuet, C; Halimi, JM; Nivet, H; Buchler, M. (2005). Occupational exposure in ANCA-positive patients: A case-control study. *Kidney Int.* 67: 1961-1966. <http://dx.doi.org/10.1111/j.1523-1755.2005.00295.x>; [http://ac.els-cdn.com/S0085253815506753/1-s2.0-S0085253815506753-main.pdf?\\_tid=961fc4da-2a8d-11e7-9d53-00000aacb35d&acdnat=1493217505\\_b63fbb3d8575da8a841baf75028b405b](http://ac.els-cdn.com/S0085253815506753/1-s2.0-S0085253815506753-main.pdf?_tid=961fc4da-2a8d-11e7-9d53-00000aacb35d&acdnat=1493217505_b63fbb3d8575da8a841baf75028b405b).
- Beckstead, MJ; Weiner, JL; Eger, EI; Gong, DH; Mihic, SJ. (2000). Glycine and [gamma]-aminobutyric acid(A) receptor function is enhanced by inhaled drugs of abuse. *Mol Pharmacol.* 57: 1199-1205. <http://molpharm.aspetjournals.org/content/molpharm/57/6/1199.full.pdf>.
- Beland, F. (1999). NTP technical report on the toxicity and metabolism studies of chloral hydrate (CAS No. 302-17-0). Administered by gavage to F344/N rats and B6C3F1 mice. In *Toxicity Report Series* (pp. 1-66, A61-E67). U.S. Dept. of Health and Human Services, National Institutes of Health: Rockville, MD.
- Beliles, RP. (2002). Concordance across species in the reproductive and developmental toxicity of tetrachloroethylene [Review]. *Toxicol Ind Health.* 18: 91-106. <http://dx.doi.org/10.1191/0748233702th137oa>.
- Beliles, RP; Brusick, DJ; Mecler, FJ. (1980). Teratogenic-mutagenic risk of workplace contaminants: trichloroethylene, perchloroethylene, and carbon disulfide. (210-77-0047). Cincinnati, OH: National Institute for Occupation Safety and Health.
- Bellinger, D; Hu, H; Titlebaum, L; Needleman, HL. (1994). Attentional correlates of dentin and bone lead levels in adolescents. *Arch Environ Health.* 49: 98-105. <http://dx.doi.org/10.1080/00039896.1994.9937461>.
- Belson, M; Kingsley, B; Holmes, A. (2007). Risk factors for acute leukemia in children: A review [Review]. *Environ Health Perspect.* 115: 138-145. <http://dx.doi.org/10.1289/ehp.9023>.
- Benane, S; Blackman, C; House, D. (1996). Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health.* 48: 427-437.



## Human Health Hazard Literature Search Results

### On Topic

- Benedetti, M; Martuccio, G; Fattorini, D; Canapa, A; Barucca, M; Nigro, M; Regoli, F. (2007). Oxidative and modulatory effects of trace metals on metabolism of polycyclic aromatic hydrocarbons in the Antarctic fish *Trematomus bernacchii*. *Aquat Toxicol.* 85: 167-175. <http://dx.doi.org/10.1016/j.aquatox.2007.08.009>; <http://www.sciencedirect.com/science/article/pii/S0166445X07003372>.
- Benignus, VA; Boyes, WK; Geller, AM; Bushnell, PJ. (2009). Long-term perchloroethylene exposure: A meta-analysis of neurobehavioral deficits in occupationally and residentially exposed groups. *J Toxicol Environ Health A.* 72: 824-831. <http://dx.doi.org/10.1080/15287390902800413>.
- Benignus, VA; Bushnell, PJ; Boyes, WK; Eklund, C; Kenyon, EM. (2009). Neurobehavioral effects of acute exposure to four solvents: Meta-analyses. *Toxicol Sci.* 109: 296-305. <http://dx.doi.org/10.1093/toxsci/kfp063>.
- Bergamaschi, E; Mutti, A; Bocchi, MC; Alinovi, R; Olivetti, G; Ghiggeri, GM; Franchini, I. (1992). Rat model of perchloroethylene-induced renal dysfunctions. *Environ Res.* 59: 427-439. [http://dx.doi.org/10.1016/S0013-9351\(05\)80046-5](http://dx.doi.org/10.1016/S0013-9351(05)80046-5).
- Berger, T; Horner, CM. (2003). In vivo exposure of female rats to toxicants may affect oocyte quality. *Reprod Toxicol.* 17: 273-281. [http://dx.doi.org/10.1016/S0890-6238\(03\)00009-1](http://dx.doi.org/10.1016/S0890-6238(03)00009-1); <http://www.sciencedirect.com/science/article/pii/S0890623803000091>.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health.* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernard, A; Lauwerys, R. (1995). Low-molecular-weight proteins as markers of organ toxicity with special reference to Clara cell protein. *Toxicol Lett.* 77: 145-151. [http://dx.doi.org/10.1016/0378-4274\(95\)03284-3](http://dx.doi.org/10.1016/0378-4274(95)03284-3).
- Besson, H; Brennan, P; Becker, N; Nieters, A; De Sanjosé, S; Font, R; Maynadié, M; Foretova, L; Cocco, PL; Staines, A; Vornanen, M; Boffetta, P. (2006). Tobacco smoking, alcohol drinking and non-Hodgkin's lymphoma: A European multicenter case-control study (EpiLymph). *Int J Cancer.* 119: 901-908. <http://dx.doi.org/10.1002/ijc.21913>.
- Bhattacharya, RK; Schultze, MO. (1971). Properties of DNA isolated from tissues of calves treated with S-(1,2-dichlorovinyl)-L-cysteine: II. Primer-template activity for bacterial DNA polymerases. *Arch Biochem Biophys.* 145: 575-582. [http://dx.doi.org/10.1016/S0003-9861\(71\)80017-6](http://dx.doi.org/10.1016/S0003-9861(71)80017-6).
- Bhattacharya, RK; Schultze, MO. (1972). Properties of DNA treated with S-(1,2-dichlorovinyl)-L-cysteine and a lyase. *Arch Biochem Biophys.* 153: 105-115. [http://dx.doi.org/10.1016/0003-9861\(72\)90426-2](http://dx.doi.org/10.1016/0003-9861(72)90426-2).
- Bhunya, SP; Behera, BC. (1987). Relative genotoxicity of trichloroacetic acid (TCA) as revealed by different cytogenetic assays: Bone marrow chromosome aberration, micronucleus and sperm-head abnormality in the mouse. *Mutat Res Genet Toxicol Environ Mutagen.* 188: 215-221. [http://dx.doi.org/10.1016/0165-1218\(87\)90092-9](http://dx.doi.org/10.1016/0165-1218(87)90092-9).
- Bhunya, SP; Jena, GB. (1996). The evaluation of clastogenic potential of trichloroacetic acid (TCA) in chick in vivo test system. *Mutat Res Genet Toxicol Environ Mutagen.* 367: 253-259. [http://dx.doi.org/10.1016/S0165-1218\(96\)90085-3](http://dx.doi.org/10.1016/S0165-1218(96)90085-3).
- Bignami, M; Conti, G; Conti, L; Crebelli, R; Misuraca, F; Puglia, AM; Randazzo, R; Sciandrello, G; Carere, A. (1980). Mutagenicity of halogenated aliphatic hydrocarbons in *Salmonella typhimurium*, *Streptomyces coelicolor* and *Aspergillus nidulans*. *Chem Biol Interact.* 30: 9-23. [http://dx.doi.org/10.1016/0009-2797\(80\)90110-6](http://dx.doi.org/10.1016/0009-2797(80)90110-6).
- Bignami, M; Crebelli, R; Conti, G; Conti, L; Misuraca, F; Puglia, A; Randazzo, R; Sciandrello, G; Carere, A. (1980). In vitro mutagenicity studies with halogenated aliphatic hydrocarbons. *Mutat Res.* 74: 200. [http://dx.doi.org/10.1016/0165-1161\(80\)90062-X](http://dx.doi.org/10.1016/0165-1161(80)90062-X).
- BIP Study Group. (2000). Secondary prevention by raising HDL cholesterol and reducing triglycerides in patients with coronary artery disease: The Bezafibrate Infarction Prevention (BIP) study. *Circulation.* 102: 21-27.
- Birner, G; Richling, C; Henschler, D; Anders, MW; Dekant, W. (1994). Metabolism of tetrachloroethene in rats: Identification of N[epsilon]-(dichloroacetyl)-L-lysine and N[epsilon]-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol.* 7: 724-732. <http://dx.doi.org/10.1021/tx00042a003>; <http://pubs.acs.org/doi/abs/10.1021/tx00042a003>.
- Birner, G; Rutkowska, A; Dekant, W. (1996). N-acetyl-S-(1,2,2-trichlorovinyl)-L-cysteine and 2,2,2-trichloroethanol: Two novel metabolites of tetrachloroethene in humans after occupational exposure. *Drug Metab Dispos.* 24: 41-48. <http://dmd.aspetjournals.org/content/24/1/41.long>.
- Blair, A. (1980). Mortality among workers in the metal polishing and plating industry, 1951-1969. *J Occup Med.* 22: 158-162.
- Blair, A; Decoufle, P; Grauman, D. (1979). Causes of death among laundry and dry cleaning workers. *Am J Public Health.* 69: 508-511.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>; <http://oem.bmj.com/content/oemed/55/3/161.full.pdf>.
- Blair, A; Linos, A; Stewart, PA; Burmeister, LF; Gibson, R; Everett, G; Schuman, L; Cantor, KP. (1993). Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med.* 23: 301-312. <http://dx.doi.org/10.1002/ajim.4700230207>.
- Blair, A; Petralia, SA; Stewart, PA. (2003). Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol.* 13: 50-56. [http://dx.doi.org/10.1016/S1047-2797\(02\)00250-8](http://dx.doi.org/10.1016/S1047-2797(02)00250-8); <http://www.sciencedirect.com/science/article/pii/S1047279702002508>.
- Blair, A; Stewart, PA; Tolbert, PE; Grauman, D; Moran, FX; Vaught, J; Rayner, J. (1990). Cancer and other causes of death among a cohort of dry cleaners. *Br J Ind Med.* 47: 162-168. <http://dx.doi.org/10.1136/oem.47.3.162>; <http://oem.bmj.com/content/oemed/47/3/162.full.pdf>.
- Blair, A; Zheng, T; Linos, A; Stewart, PA; Zhang, YW; Cantor, KP. (2001). Occupation and leukemia: A population-based case-control study in Iowa and Minnesota. *Am J Ind Med.* 40: 3-14. <http://dx.doi.org/10.1002/ajim.1066>.
- Blot, WJ; McLaughlin, JK. (1999). The changing epidemiology of esophageal cancer [Review]. *Semin Oncol.* 26: 2-8.
- Blümcke, S; Schwartzkopff, W; Lobeck, H; Edmondson, NA; Prentice, DE; Blane, GF. (1983). Influence of fenofibrate on cellular and subcellular liver structure in hyperlipidemic patients. *Atherosclerosis.* 46: 105-116. [http://dx.doi.org/10.1016/0021-9150\(83\)90169-7](http://dx.doi.org/10.1016/0021-9150(83)90169-7).

## Human Health Hazard Literature Search Results

### On Topic

- Board, PG; Baker, RT; Chelvanayagam, G; Jermiin, LS. (1997). Zeta, a novel class of glutathione transferases in a range of species from plants to humans. *Biochem J.* 328: 929-935.
- Boettner, EA; Muranko, HJ. (1969). Animal breath data for estimating the exposure of humans to chlorinated hydrocarbons. *Am Ind Hyg Assoc J.* 30: 437-442. <http://dx.doi.org/10.1080/00028896909343152>.
- Bogen, KT; Colston, BW, Jr; Machicao, LK. (1992). Dermal absorption of dilute aqueous chloroform, trichloroethylene, and tetrachloroethylene in hairless guinea pigs. *Fundam Appl Toxicol.* 18: 30-39. [http://dx.doi.org/10.1016/0272-0590\(92\)90192-K](http://dx.doi.org/10.1016/0272-0590(92)90192-K).
- Boice, JD, Jr; Marano, D; Fryzek, J; Sadler, C; Mclaughlin, JK. (1999). Mortality among aircraft manufacturing workers. *Occup Environ Med.* 56: 581-597. <http://dx.doi.org/10.1136/oem.56.9.581>.
- Bois, FY; Gelman, A; Jiang, J; Maszle, DR; Zeise, L; Alexeef, G. (1996). Population toxicokinetics of tetrachloroethylene. *Arch Toxicol.* 70: 347-355. <http://dx.doi.org/10.1007/s002040050284>; <http://link.springer.com/article/10.1007%2Fs002040050284>.
- Bois, FY; Zeise, L; Tozer, TN. (1990). Precision and sensitivity of pharmacokinetic models for cancer risk assessment: Tetrachloroethylene in mice, rats, and humans. *Toxicol Appl Pharmacol.* 102: 300-315. [http://dx.doi.org/10.1016/0041-008X\(90\)90029-T](http://dx.doi.org/10.1016/0041-008X(90)90029-T).
- Bolanowska, W; Golacka, J. (1972). Wchlanianie i wydalanie czterochloroetyleny u ludzi w warunkach eksperymentalnych. *Med Pr.* 23: 109-119.
- Bolt, HM; Laib, RJ; Filser, JG. (1982). Reactive metabolites and carcinogenicity of halogenated ethylenes. *Biochem Pharmacol.* 31: 1-4. [http://dx.doi.org/10.1016/0006-2952\(82\)90227-1](http://dx.doi.org/10.1016/0006-2952(82)90227-1).
- Bolt, HM; Laib, RJ; Peter, H; Ottenwalder, H. (1986). DNA adducts of halogenated hydrocarbons. *J Cancer Res Clin Oncol.* 112: 92-96. <http://dx.doi.org/10.1007/BF00404388>.
- Bonashevskaia, TI. (1977). [Certain results of a morphological and functional investigation of the lungs in a hygienic assessment of atmospheric pollutions]. *Gig Sanit.* -: 15-20.
- Bonatti, S; Cavalieri, Z; Viaggi, S; Abbondandolo, A. (1992). The analysis of 10 potential spindle poisons for their ability to induce CREST-positive micronuclei in human diploid fibroblasts. *Mutagenesis.* 7: 111-114. <http://dx.doi.org/10.1093/mutage/7.2.111>.
- Bond, G; McLaren, E; Sabel, F; Bodner, K; Lipps, T; Cook, R. (1990). Liver and biliary tract cancer among chemical workers. *Am J Ind Med.* 18: 19-24.
- Bond, GG; McLaren, EA; Cartmill, JB; Wymer, KT; Sobel, W; Lipps, TE; Cook, RR. (1987). Cause-specific mortality among male chemical workers. *Am J Ind Med.* 12: 353-383. <http://dx.doi.org/10.1002/ajim.4700120403>.
- Bonse, G; Henschler, D. (1976). Chemical reactivity, biotransformation, and toxicity of polychlorinated aliphatic compounds [Review]. *Crit Rev Toxicol.* 4: 395-409.
- Borm, PJA; de Barbanson, B. (1988). Bias in biologic monitoring caused by concomitant medication [Review]. *J Occup Med.* 30: 214-223.
- Bosco, MG; Figa-Talamanca, I; Salerno, S. (1987). Health and reproductive status of female workers in dry cleaning shops. *Int Arch Occup Environ Health.* 59: 295-301. <http://dx.doi.org/10.1007/BF00377741>; <http://link.springer.com/article/10.1007%2FBF00377741>.
- Böttger, A; Elstermeier, F. (1989). Belastung der bevolkerung durch organische losungsmittel. Dessau-Roßlau, Germany: Umweltbundesamt.
- Boulet, LP. (1988). Increases in airway responsiveness following acute exposure to respiratory irritants: Reactive airway dysfunction syndrome or occupational asthma? *Chest.* 94: 476-481. <http://dx.doi.org/10.1378/chest.94.3.476>; <http://journal.publications.chestnet.org/pdfaccess.aspx?url=/data/journals/chest/21583/476.pdf>.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 10. <http://dx.doi.org/10.1186/1476-069X-13-10>.
- Bove, FJ; Ruckart, PZ; Maslia, M; Larson, TC. (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 13: 68. <http://dx.doi.org/10.1186/1476-069X-13-68>.
- Boverhof, DR; Krieger, SM; Hotchkiss, J; Stebbins, KE; Thomas, J; Woolhiser, MR. (2013). Assessment of the immunotoxic potential of trichloroethylene and perchloroethylene in rats following inhalation exposure. *J Immunotoxicol.* 10: 311-320. <http://dx.doi.org/10.3109/1547691X.2012.735275>.
- Boyes, WK; Bercegeay, M; Oshiro, WM; Krantz, QT; Kenyon, EM; Bushnell, PJ; Benignus, VA. (2009). Acute perchloroethylene exposure alters rat visual-evoked potentials in relation to brain concentrations. *Toxicol Sci.* 108: 159-172. <http://dx.doi.org/10.1093/toxsci/kfn265>.
- Brancaccio, A; Mazza, V; Di Paolo, R. (1971). [Kidney function in the experimental tetrachloroethylene poisoning]. *Folia Med (Plovdiv).* 54: 233-237.
- Braun, R; Hüttner, E; Merten, H; Raabe, F. (1993). Genotoxicity studies in semiconductor industry: 1. In vitro mutagenicity and genotoxicity studies of waste samples resulting from plasma etching. *J Toxicol Environ Health A.* 39: 309-322. <http://dx.doi.org/10.1080/15287399309531754>.
- Briving, C; Jacobson, I; Hamberger, A; Kjellstrand, P; Haglid, KG; Rosengren, LE. (1986). Chronic effects of perchloroethylene and trichloroethylene on the gerbil brain amino acids and glutathione. *Neurotoxicology.* 7: 101-108.
- Brodkin, CA; Daniell, W; Checkoway, H; Echeverria, D; Johnson, J; Wang, K; Sohaey, R; Green, D; Redlich, C; Gretch, D. (1995). Hepatic ultrasonic changes in workers exposed to perchloroethylene. *Occup Environ Med.* 52: 679-685. <http://oem.bmj.com/content/oemed/52/10/679.full.pdf>.
- Brody, JG; Aschengrau, A; McKelvey, W; Swartz, CH; Kennedy, T; Rudel, RA. (2006). Breast cancer risk and drinking water contaminated by wastewater: A case control study. *Environ Health.* 5: 28. <http://dx.doi.org/10.1186/1476-069X-5-28>.
- Bronzetti, G; Bauer, C; Corsi, C; Del Carratore, R; Galli, A; Nieri, R; Paolini, M. (1983). Genetic and biochemical studies on perchloroethylene 'in vitro' and 'in vivo'. *Mutat Res Genet Toxicol Environ Mutagen.* 116: 323-331. [http://dx.doi.org/10.1016/0165-1218\(83\)90070-8](http://dx.doi.org/10.1016/0165-1218(83)90070-8).

## Human Health Hazard Literature Search Results

### On Topic

- Bronzetti, G; Bauer, C; Corsi, C; Del Carratore, R; Nieri, R; Galli, A. (1981). Genetic effects of chlorinated ethylenes: In vitro and in vivo studies using d7strain of *S. cerevisiae*: Effects on enzymes involved in xenobiotic metabolism. *Atti Assoc Genet Ital.* 27: 77-80.
- Bronzetti, G; Bauer, C; Corsi, C; Leporini, C; Nieri, R; Del Carratore, R. (1981). Genetic effects of 1, 1-dichloroethylene (1, 1-DCE) and tetrachloroethylene (PCE) on yeast. *Mutat Res Genet Toxicol Environ Mutagen.* 85: 231-232. [http://dx.doi.org/10.1016/0165-1161\(81\)90073-X](http://dx.doi.org/10.1016/0165-1161(81)90073-X).
- Brown Dzubow, R; Makris, S; Siegel Scott, C; Barone, S, Jr. (2010). Early lifestage exposure and potential developmental susceptibility to tetrachloroethylene [Review]. *Birth Defects Res B Dev Reprod Toxicol.* 89: 50-65. <http://dx.doi.org/10.1002/bdrb.20222>.
- Buben, JA; O'Flaherty, EJ. (1985). Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. *Toxicol Appl Pharmacol.* 78: 105-122.
- Bukowski, JA. (2011). Review of the epidemiologic literature on residential exposure to perchloroethylene [Review]. *Crit Rev Toxicol.* 41: 771-782. <http://dx.doi.org/10.3109/10408444.2011.581649>.
- Bukowski, JA; Huebner, WW; Schnatter, AR; Wojcik, NC. (2003). An analysis of the risk of B-lymphocyte malignancies in industrial cohorts [Review]. *J Toxicol Environ Health A.* 66: 581-597. <http://dx.doi.org/10.1080/15287390309353768>.
- Bulka, C; Nastoupil, LJ; Koff, JL; Bernal-Mizrachi, L; Ward, KC; Williams, JN; Bayakly, AR; Switchenko, JM; Waller, LA; Flowers, CR. (2016). Relations Between Residential Proximity to EPA-Designated Toxic Release Sites and Diffuse Large B-Cell Lymphoma Incidence. *South Med J.* 109: 606-614. <http://dx.doi.org/10.14423/SMJ.0000000000000545>.
- Byczkowski, JZ; Fisher, JW. (1994). Lactational transfer of tetrachloroethylene in rats. *Risk Anal.* 14: 339-349. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00250.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1994.tb00250.x/abstract>.
- Byczkowski, JZ; Kinkead, ER; Leahy, HF; Randall, GM; Fisher, JW. (1994). Computer simulation of the lactational transfer of tetrachloroethylene in rats using a physiologically based model. *Toxicol Appl Pharmacol.* 125: 228-236. <http://dx.doi.org/10.1006/taap.1994.1068>.
- Byers, VS; Levin, AS; Ozonoff, DM; Baldwin, RW. (1988). Association between clinical symptoms and lymphocyte abnormalities in a population with chronic domestic exposure to industrial solvent-contaminated domestic water supply and a high incidence of leukaemia. *Cancer Immunol Immunother.* 27: 77-81.
- Cai, SX; Huang, MY; Chen, Z; Liu, YT; Jin, C; Watanabe, T; Nakatsuka, H; Seiji, K; Inoue, O; Ikeda, M. (1991). Subjective symptom increase among dry-cleaning workers exposed to tetrachloroethylene vapor. *Ind Health.* 29: 111-121. <http://dx.doi.org/10.2486/indhealth.29.111>; [https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29\\_3\\_111/\\_pdf](https://www.jstage.jst.go.jp/article/indhealth1963/29/3/29_3_111/_pdf).
- Calandra, TD; Caruso, JE; Shahied, SI. (1987). Mutagenicity of volatile organic compounds commonly found as contaminants in potable water supplies. *Environ Mutagen.* 9: 22.
- Calandra, TD; Caruso, JE; Shahied, SI. (1988). Mutagenicity of combinations of volatile organic compounds identified in potable water supplies. *Environ Mol Mutagen.* 11: 19. <http://dx.doi.org/10.1002/em.2850110502>.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res.* 77: 55-63. [http://dx.doi.org/10.1016/0165-1218\(80\)90120-2](http://dx.doi.org/10.1016/0165-1218(80)90120-2).
- Calvert, GM; Ruder, AM; Petersen, MR. (2011). Mortality and end-stage renal disease incidence among dry cleaning workers. *Occup Environ Med.* 68: 709-716. <http://dx.doi.org/10.1136/oem.2010.060665>.
- Campbell, GL; Cohan, D; North, DW. (1981). The application of decision analysis to toxic substances: Proposed methodology and two case studies. (EPA-560/4-82-003; PB82-249103). Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82249103>.
- Cantelli-Forti, G; Bronzetti, G. (1988). Mutagenesis and carcinogenesis of halogenated ethylenes. *Ann N Y Acad Sci.* 534: 679-693. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30158.x>.
- Carlson, GP. (1983). Epinephrine-induced cardiac arrhythmias in rabbits exposed to tetrachloroethylene. *Toxicol Lett.* 19: 113-117. [http://dx.doi.org/10.1016/0378-4274\(83\)90270-9](http://dx.doi.org/10.1016/0378-4274(83)90270-9).
- Carney, EW; Thorsrud, BA; Dugard, PH; Zabloutny, CL. (2006). Developmental toxicity studies in Crl:CD (SD) rats following inhalation exposure to trichloroethylene and perchloroethylene. *Birth Defects Res B Dev Reprod Toxicol.* 77: 405-412. <http://dx.doi.org/10.1002/bdrb.20091>.
- Carpenter, CP. (1937). The chronic toxicity of tetrachlorethylene. *J Ind Hyg Toxicol.* 19: 323-336.
- Carton, M; Barul, C; Menvielle, G; Cyr, D; Sanchez, M; Pilorget, C; Trétarre, B; Stücker, I; Luce, D; Group, IS. (2017). Occupational exposure to solvents and risk of head and neck cancer in women: a population-based case-control study in France. *BMJ Open.* 7: e012833. <http://dx.doi.org/10.1136/bmjopen-2016-012833>.
- Carwile, JL; Mahalingaiah, S; Winter, MR; Aschengrau, A. (2014). Prenatal drinking-water exposure to tetrachloroethylene and ischemic placental disease: a retrospective cohort study. *Environ Health.* 13: 72. <http://dx.doi.org/10.1186/1476-069X-13-72>.
- Cavalleri, A; Gobba, F; Paltrinieri, M; Fantuzzi, G; Righi, E; Aggazzotti, G. (1994). Perchloroethylene exposure can induce colour vision loss. *Neurosci Lett.* 179: 162-166. [http://dx.doi.org/10.1016/0304-3940\(94\)90959-8](http://dx.doi.org/10.1016/0304-3940(94)90959-8); <http://www.sciencedirect.com/science/article/pii/0304394094909598>.
- Cederberg, H; Henriksson, J; Binderup, ML. (2010). DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. *Mutagenesis.* 25: 133-138. <http://dx.doi.org/10.1093/mutage/geb051>.
- Černá, M; Kypěňová, H. (1977). Mutagenic activity of chloroethylenes analysed by screening system tests. *Mutat Res Genet Toxicol Environ Mutagen.* 46: 214-215. [http://dx.doi.org/10.1016/0165-1161\(77\)90060-7](http://dx.doi.org/10.1016/0165-1161(77)90060-7).
- Chaigne, B; Lasfargues, G; Marie, I; Hüttenberger, B; Lavigne, C; Marchand-Adam, S; Maillot, F; Diot, E. (2015). Primary Sjögren's syndrome and occupational risk factors: A case-control study. *J Autoimmun.* 60: 80-85. <http://dx.doi.org/10.1016/j.jaut.2015.04.004>.
- Chen, C; Blancato, J. (1987). Pharmacokinetics in Risk Assessment: Drinking Water and Health Role of pharmacokinetic modeling in risk assessment: Perchloroethylene as an example. Washington, DC: National Academy Press.

## Human Health Hazard Literature Search Results

### On Topic

- Chen, HH; Chan, MH; Fu, SH. (2002). Behavioural effects of tetrachloroethylene exposure in rats: Acute and subchronic studies. *Toxicology*. 170: 201-209. [http://dx.doi.org/10.1016/S0300-483X\(01\)00544-3](http://dx.doi.org/10.1016/S0300-483X(01)00544-3); <http://www.sciencedirect.com/science/article/pii/S0300483X01005443>.
- Chen, SJ; Wang, JL; Chen, JH; Huang, RN. (2002). Possible involvement of glutathione and p53 in trichloroethylene- and perchloroethylene-induced lipid peroxidation and apoptosis in human lung cancer cells. *Free Radic Biol Med*. 33: 464-472. [http://dx.doi.org/10.1016/S0891-5849\(02\)00817-1](http://dx.doi.org/10.1016/S0891-5849(02)00817-1); <http://www.sciencedirect.com/science/article/pii/S0891584902008171>.
- Chien, YC. (1997) The influences of exposure pattern and duration on elimination kinetics and exposure assessment of tetrachloroethylene in humans [PhD]. (Doctoral Dissertation). New Brunswick, NJ, Rutgers University.
- Chiesi, A; Gioia, TC; Modenese, A; Abbacchini, C; Borsari, L; Clò, E; Di Rico, R; Ferrari, D; Gobba, FM. (2016). [Early effects of PCE exposure on visual function among dry cleaning workers]. *Med Lav*. 107: 12-21.
- Chiu, WA; Ginsberg, GL. (2011). Development and evaluation of a harmonized physiologically based pharmacokinetic (PBPK) model for perchloroethylene toxicokinetics in mice, rats, and humans. *Toxicol Appl Pharmacol*. 253: 203-234. <http://dx.doi.org/10.1016/j.taap.2011.03.020>.
- Chiu, WA; Micallef, S; Monster, AC; Bois, FY. (2007). Toxicokinetics of inhaled trichloroethylene and tetrachloroethylene in humans at 1 ppm: Empirical results and comparisons with previous studies. *Toxicol Sci*. 95: 23-36. <http://dx.doi.org/10.1093/toxsci/kfl129>.
- Chiu, WA; White, P. (2006). Steady-state solutions to PBPK models and their applications to risk assessment I: Route-to-route extrapolation of volatile chemicals. *Risk Anal*. 26: 769-780. <http://dx.doi.org/10.1111/j.1539-6924.2006.00762.x>.
- Chmielewski, J; Tomaszewski, R; Glombowski, P; Kowalewski, W; Kwiatkowski, SR; Szczekocki, W; Winnicka, A. (1976). Clinical observations of the occupational exposure to tetrachloroethylene. *Bull Inst Marit Trop Med Gdynia*. 27: 197-205.
- Christensen, BV; Lynch, HJ. (1933). The effect of anthelmintics on the host I. Tetrachloroethylene. II. Hexylresorcinol. *J Pharmacol Exp Ther*. 48: 311-316.
- Christensen, KY; Vizcaya, D; Richardson, H; Lavoue, J; Aronson, K; Siemiatycki, J. (2013). Risk of Selected Cancers due to Occupational Exposure to Chlorinated Solvents in a Case-Control Study in Montreal. *J Occup Environ Med*. 55: 198-208. <http://dx.doi.org/10.1097/JOM.0b013e3182728eab>.
- Cichocki, J. (2015). Nonalcoholic steatohepatitis as a potential contributor to individual susceptibility to tetrachloroethylene-associated toxicity.
- Cichocki, JA; Furuya, S; Konganti, K; Luo, YS; McDonald, TJ; Iwata, Y; Chiu, WA; Threadgill, DW; Pogribny, IP; Rusyn, I. (2017). Impact of Nonalcoholic Fatty Liver Disease on Toxicokinetics of Tetrachloroethylene in Mice. *J Pharmacol Exp Ther*. 361: 17-28. <http://dx.doi.org/10.1124/jpet.116.238790>.
- Cichocki, JA; Guyton, KZ; Guha, N; Chiu, WA; Rusyn, I; Lash, LH. (2016). Target Organ Metabolism, Toxicity, and Mechanisms of Trichloroethylene and Perchloroethylene: Key Similarities, Differences, and Data Gaps. *J Pharmacol Exp Ther*. 359: 110-123. <http://dx.doi.org/10.1124/jpet.116.232629>.
- Clapp, RW; Jacobs, MM; Loechler, EL. (2008). Environmental and occupational causes of cancer [Review]. *Rev Environ Health*. 23: 1-37.
- Clewell, HJ; Gentry, PR; Kester, JE; Andersen, ME. (2005). Evaluation of physiologically based pharmacokinetic models in risk assessment: An example with perchloroethylene [Review]. *Crit Rev Toxicol*. 35: 413-433. <http://dx.doi.org/10.1080/10408440590931994>.
- Cohn, P; Klotz, J; Bove, F; Berkowitz, M; Fagliano, J. (1994). Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect*. 102: 556-561. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1569761/pdf/envhper00394-0056.pdf>.
- Colacci, A; Perocco, P; Bartoli, S; Da Via, C; Silingardi, P; Vaccari, M; Grilli, S. (1992). Initiating activity of 1,1,2,2-tetrachloroethane in two-stage BALB/c 3T3 cell transformation. *Cancer Lett*. 64: 145-153. [http://dx.doi.org/10.1016/0304-3835\(92\)90075-7](http://dx.doi.org/10.1016/0304-3835(92)90075-7).
- Coler, HR; Rossmiller, HR. (1953). Tetrachloroethylene exposure in a small industry. *AMA Arch Ind Hyg Occup Med*. 8: 227-238.
- Cordier, S; Garlantézec, R; Labat, L; Rouget, F; Monfort, C; Bonvallot, N; Roig, B; Pulkkinen, J; Chevrier, C; Multigner, L, uc. (2012). Exposure during pregnancy to glycol ethers and chlorinated solvents and the risk of congenital malformations. *Epidemiology*. 23: 806-812. <http://dx.doi.org/10.1097/EDE.0b013e31826c2bd8>.
- Cornish, HH; Ling, BP; Barth, ML. (1973). Phenobarbital and organic solvent toxicity. *Am Ind Hyg Assoc J*. 34: 487-492. <http://dx.doi.org/10.1080/0002889738506886>.
- Costa, AK; Ivanetich, KM. (1980). Tetrachloroethylene metabolism by the hepatic microsomal cytochrome P-450 system. *Biochem Pharmacol*. 29: 2863-2869. [http://dx.doi.org/10.1016/0006-2952\(80\)90023-4](http://dx.doi.org/10.1016/0006-2952(80)90023-4).
- Costa, AK; Ivanetich, KM. (1984). Chlorinated ethylenes: their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis*. 5: 1629-1636. <http://dx.doi.org/10.1093/carcin/5.12.1629>.
- Costa, C; Barbaro, M; Catania, S; Silvari, V; Germanò, MP. (2004). Cytotoxicity evaluation after coexposure to perchloroethylene and selected peroxidant drugs in rat hepatocytes. *Toxicol In Vitro*. 18: 37-44. [http://dx.doi.org/10.1016/S0887-2333\(03\)00133-4](http://dx.doi.org/10.1016/S0887-2333(03)00133-4); <http://www.sciencedirect.com/science/article/pii/S0887233303001334>.
- Cristofori, P; Sauer, AV; Trevisan, A. (2015). Three common pathways of nephrotoxicity induced by halogenated alkenes [Review]. *Cell Biol Toxicol*. 31: 1-13. <http://dx.doi.org/10.1007/s10565-015-9293-x>.
- Czirják, L; Kumánovics, G. (2002). Exposure to solvents in female patients with scleroderma. *Clin Rheumatol*. 21: 114-118. <http://dx.doi.org/10.1007/PL00011216>.
- Czirják, L; Pócs, E; Szegedi, G. (1994). Localized scleroderma after exposure to organic solvents. *Dermatology*. 189: 399-401. <http://dx.doi.org/10.1159/000246888>.
- da Silva Augusto, LG; Lieber, S. R.; Ruiz, MA; de Souza, CA. (1997). Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen*. 29: 46-52. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)29:1<46::AID-EM6>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)29:1<46::AID-EM6>3.0.CO;2-B).

## Human Health Hazard Literature Search Results

### On Topic

- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1994). Use of tissue deposition data from rats and dogs to determine species differences in input parameters for a physiological model for perchloroethylene. *Environ Res.* 67: 54-67. <http://dx.doi.org/10.1006/enrs.1994.1064>.
- Dallas, CE; Chen, XM; Muralidhara, S; Varkonyi, P; Tackett, RL; Bruckner, JV. (1995). Physiologically based pharmacokinetic model useful in prediction of the influence of species, dose, and exposure route on perchloroethylene pharmacokinetics. *J Toxicol Environ Health.* 44: 301-317. <http://dx.doi.org/10.1006/taap.1994.1179>.
- Dallas, CE; Chen, XM; O'Barr, K; Muralidhara, S; Varkonyi, P; Bruckner, JV. (1994). Development of a physiologically based pharmacokinetic model for perchloroethylene using tissue concentration-time data. *Toxicol Appl Pharmacol.* 128: 50-59. <http://dx.doi.org/10.1006/taap.1994.1179>.
- Dallas, CE; Muralidhara, S; Chen, XM; Ramanathan, R; Varkonyi, P; Gallo, JM; Bruckner, JV. (1994). Use of a physiologically based model to predict systemic uptake and respiratory elimination of perchloroethylene. *Toxicol Appl Pharmacol.* 128: 60-68. <http://dx.doi.org/10.1006/taap.1994.1180>.
- Daniel, JW. (1963). The metabolism of <sup>36</sup>Cl-labelled trichloroethylene and tetrachloroethylene in the rat. *Biochem Pharmacol.* 12: 795-802. [http://dx.doi.org/10.1016/0006-2952\(63\)90109-6](http://dx.doi.org/10.1016/0006-2952(63)90109-6).
- Danielsson, BR. (1990). Effects on reproduction of tri- and tetrachloroethylene. Part II: Tetrachloroethylene. Summary and evaluation of effects on reproduction. (KEMI Report Series No 3/90:33-49). Solna, Sweden: Nordic Council of Ministers.
- David, RM; Moore, MR; Cifone, MA; Finney, DC; Guest, D. (1999). Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di(2-ethylhexyl)phthalate and the effects of recovery. *Toxicol Sci.* 50: 195-205.
- De Ceaurriz, J; Desiles, JP; Bonnet, P; Maignac, B; Muller, J; Guenier, JP. (1983). Concentration-dependent behavioral changes in mice following short-term inhalation exposure to various industrial solvents. *Toxicol Appl Pharmacol.* 67: 383-389. [http://dx.doi.org/10.1016/0041-008X\(83\)90322-8](http://dx.doi.org/10.1016/0041-008X(83)90322-8).
- De Roos, A; Olshan, A; Teschke, K; Poole, C; Savitz, D; Blatt, J; Bondy, M; Pollock, B. (2001). Parental occupational exposures to chemicals and incidence of neuroblastoma in offspring. *Am J Epidemiol.* 154: 106-114. <http://dx.doi.org/10.1093/aje/154.2.106>.
- Deferme, L; Wolters, J; Claessen, S; Briedé, J; Kleinjans, J. (2015). Oxidative Stress Mechanisms Do Not Discriminate between Genotoxic and Nongenotoxic Liver Carcinogens. *Chem Res Toxicol.* 28: 1636-1646. <http://dx.doi.org/10.1021/acs.chemrestox.5b00222>.
- Deinzer, M; Schaumburg, F; Klein, E. (1978). Environmental Health Sciences Center task force review on halogenated organics in drinking water [Review]. *Environ Health Perspect.* 24: 209-239.
- Dekant, W. (1986). Metabolic conversion of tri- and tetrachloroethylene: Formation and deactivation of genotoxic intermediates. In PL Chambers; P Gehring; F Sakai (Eds.), (pp. 211-221). New York, NY: Elsevier Science Publishers.
- Dekant, W; Birner, G; Werner, M; Parker, J. (1998). Glutathione conjugation of perchloroethene in subcellular fractions from rodent and human liver and kidney. *Chem Biol Interact.* 116: 31-43. <http://dx.doi.org/10.1080/20018091094565>; <http://www.sciencedirect.com/science/article/pii/S0009279798000775>.
- Dekant, W; Martens, G; Vamvakas, S; Metzler, M; Henschler, D. (1987). Bioactivation of tetrachloroethylene: role of glutathione S-transferase-catalyzed conjugation versus Cytochrome P-450-dependent phospholipid alkylation. *Drug Metab Dispos.* 15: 702-709. <http://dmd.aspetjournals.org/content/15/5/702.long>.
- Dekant, W; Metzler, M; Henschler, D. (1986). Identification of S-1,2,2-trichlorovinyl-N-acetylcysteine as a urinary metabolite of tetrachloroethylene: Bioactivation through glutathione conjugation as a possible explanation of its nephrocarcinogenicity. *J Biochem Toxicol.* 1: 57-72. <http://dx.doi.org/10.1002/jbt.2570010206>.
- Dekant, W; Vamvakas, S; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1986). Bacterial beta-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60: 31-45. [http://dx.doi.org/10.1016/0009-2797\(86\)90015-3](http://dx.doi.org/10.1016/0009-2797(86)90015-3).
- Delfino, RJ. (2002). Evaluation of health effects of toxic air pollutants in a southern California community: A pilot study. (PM2003-107639; contract no. ARB-99-302). Sacramento, CA: California State Air Resources Board.
- Delfino, RJ; Gone, H; Linn, WS; Pellizzari, ED; Hu, Y. (2003). Asthma symptoms in Hispanic children and daily ambient exposures to toxic and criteria air pollutants. *Environ Health Perspect.* 111: 647-656. <http://dx.doi.org/10.1289/ehp.5992>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241459/pdf/ehp0111-000647.pdf>.
- Delfino, RJ; Gong, H; Linn, WS; Hu, Y; Pellizzari, ED. (2003). Respiratory symptoms and peak expiratory flow in children with asthma in relation to volatile organic compounds in exhaled breath and ambient air. *J Expo Anal Environ Epidemiol.* 13: 348-363. <http://dx.doi.org/10.1038/sj.jea.7500287>; <http://www.nature.com/jes/journal/v13/n5/pdf/7500287a.pdf>.
- Demarini, DM; Abu-Shakra, A; Felton, CF; Patterson, KS; Shelton, ML. (1995). Mutation spectra in salmonella of chlorinated, chloraminated, or ozonated drinking water extracts: Comparison to MX. *Environ Mol Mutagen.* 26: 270-285. <http://dx.doi.org/10.1002/em.2850260403>.
- Demarini, DM; Inmon, JP; Simmons, JE; Berman, E; Pasley, TC; Warren, SH; Williams, RW. (1987). Mutagenicity in Salmonella of hazardous wastes and urine from rats fed these wastes. *Mutat Res.* 189: 205-216. [http://dx.doi.org/10.1016/0165-1218\(87\)90054-1](http://dx.doi.org/10.1016/0165-1218(87)90054-1).
- Demarini, DM; Perry, E; Shelton, ML. (1994). Dichloroacetic acid and related compounds: Induction of prophage in E. coli and mutagenicity and mutation spectra in Salmonella TA100. *Mutagenesis.* 9: 429-437. <http://dx.doi.org/10.1093/mutage/9.5.429>.
- Desrosiers, TA; Lawson, CC; Meyer, RE; Stewart, PA; Waters, MA; Correa, A; Olshan, AF; Study, NBDP. (2015). Assessed occupational exposure to chlorinated, aromatic and Stoddard solvents during pregnancy and risk of fetal growth restriction. *Occup Environ Med.* 72: 587-593. <http://dx.doi.org/10.1136/oemed-2015-102835>.
- Dick, FD. (2006). Solvent neurotoxicity. *Occup Environ Med.* 63: 221-226. <http://dx.doi.org/10.1136/oem.2005.022400>.

## Human Health Hazard Literature Search Results

### On Topic

- Ding, R; Shen, T; Zhu, QX. (2006). [Effects of TCE and PCE on cultured human keratinocyte lipid peroxidation and protective effect of vitamin E on it]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 24: 662-665.
- Diodovich, C; Ferrario, D; Casati, B; Malerba, I; Marafante, E; Parent-Massin, D; Gribaldo, L. (2005). Sensitivity of human cord blood cells to tetrachloroethylene: Cellular and molecular endpoints. *Arch Toxicol*. 79: 508-514. <http://dx.doi.org/10.1007/s00204-005-0662-8>; <http://link.springer.com/article/10.1007%2Fs00204-005-0662-8>.
- Dmitrieva, NV. (1967). Contribution to the metabolism of tetrachloroethylene. *Med Tr Prom Ekol*. 11: 54-56.
- Dmitrieva, NV. (1967). [On the metabolism of tetrachloroethylene]. *Gig Tr Prof Zabol*. 11: 54-56.
- Dmitrieva, NV. (1968). [Bioelectric activity and electric conducting properties of muscles exposed to chlorinated hydrocarbons]. *Farmakol Toksikol*. 31: 228-230.
- Dmitrieva, NV; Kuleshov, EV. (1971). Changes in the bioelectric activity and electric conductivity of the brain in rats chronically poisoned with certain chlorinated hydrocarbons. *Gig Sanit*. 36: 23-29.
- Dmitriyeva, NV. (1973). [Changes in bioelectrical activity in the cerebral cortex of rats with the narcotic effect of substances with different polarization properties]. *Eksp Khir Anesteziol*. 6: 72-75.
- Dobrev, ID; Andersen, ME; Yang, RS. (2001). Assessing interaction thresholds for trichloroethylene in combination with tetrachloroethylene and 1,1,1-trichloroethane using gas uptake studies and PBPK modeling. *Arch Toxicol*. 75: 134-144. <http://dx.doi.org/10.1007/s002040100216>; <http://link.springer.com/article/10.1007%2Fs002040100216>.
- Doherty, AT; Ellard, S; Parry, EM; Parry, JM. (1996). An investigation into the activation and deactivation of chlorinated hydrocarbons to genotoxins in metabolically competent human cells. *Mutagenesis*. 11: 247-274. <http://dx.doi.org/10.1093/mutage/11.3.247>.
- Dorne, J; Walton, K; Renwick, A. (2001). Human variability in glucuronidation in relation to uncertainty factors for risk assessment. *Food Chem Toxicol*. 39: 1153-1173.
- Dosemeci, M; Cocco, P; Chow, WH. (1999). Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med*. 36: 54-59. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0); [http://onlinelibrary.wiley.com/doi/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0/abstract](http://onlinelibrary.wiley.com/doi/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0/abstract).
- Doyle, P; Roman, E; Beral, V; Brookes, M. (1997). Spontaneous abortion in dry cleaning workers potentially exposed to perchloroethylene. *Occup Environ Med*. 54: 848-853. <http://dx.doi.org/10.1136/oem.54.12.848>; <http://oem.bmj.com/content/oemed/54/12/848.full.pdf>.
- Dreessen, B; Westphal, G; Bünger, J; Hallier, E; Müller, M. (2003). Mutagenicity of the glutathione and cysteine S-conjugates of the haloalkenes 1,1,2-trichloro-3,3,3-trifluoro-1-propene and trichlorofluoroethene in the Ames test in comparison with the tetrachloroethene-analogues. *Mutat Res Genet Toxicol Environ Mutagen*. 539: 157-166. [http://dx.doi.org/10.1016/S1383-5718\(03\)00160-8](http://dx.doi.org/10.1016/S1383-5718(03)00160-8); <http://www.sciencedirect.com/science/article/pii/S1383571803001608>.
- Droz, PO; Wu, MM; Cumberland, WG; Berode, M. (1989). Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. *Br J Ind Med*. 46: 447-460. <http://oem.bmj.com/content/oemed/46/7/447.full.pdf>.
- Duh, RW; Asal, NR. (1984). Mortality among laundry and dry cleaning workers in Oklahoma. *Am J Public Health*. 74: 1278-1280.
- Dumitrache, S; Gontea, I; Stanciu, V. (1975). [Role of proteins in the resistance of the organism to tetrachloroethylene]. *Rev Ig Bacteriol Virusol Parazitol Epidemiol Pneumoftiziol Bacteriol Virusol Parazitol Epidemiol*. 24: 147-151.
- Dumortier, L; Nicolas, G; Nicolas, F. (1964). [A case of hepato-nephritis caused by perchlorethylene artificial kidney: Recovery]. *Arch Mal Prof Environ*. 25: 519-522.
- Duprat, P; Delsaut, L; Gradiski, D. (1976). Pouvoir irritant des principaux solvants chlores aliphatiques sur la peau et les muqueuses oculaires du lapin. *Toxicol Eur Res*. 3: 171-177.
- Dybing, E; Mikalsen, SO; Huttunen, J; Sanner, T. (1995). Peroxisome proliferation, genotoxicity and carcinogenicity (pp. 55-85). Lyon, France: International Agency for Research on Cancer.
- Dybing, F; Dybing, O. (1946). The toxic effect of tetrachlormethane and tetrachlorethylene in oily solution. *Acta Pharmacol Toxicol*. 2: 223-226. <http://dx.doi.org/10.1111/j.1600-0773.1946.tb02612.x>.
- Eberhardt, H; Freundt, KJ. (1966). [Tetrachloroethylene intoxications]. *Arch Toxikol*. 21: 338-351. <http://dx.doi.org/10.1007/BF00584135>.
- Ebrahim, AS; Babakrishnan, K; Sakthisekaran, D. (1996). Perchloroethylene-induced alterations in glucose metabolism and their prevention by 2-deoxy-D-glucose and vitamin E in mice. *J Appl Toxicol*. 16: 339-348. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3); [http://onlinelibrary.wiley.com/doi/10.1002/\(SICI\)1099-1263\(199607\)16:4<339::AID-JAT352>3.0.CO;2-3/abstract](http://onlinelibrary.wiley.com/doi/10.1002/(SICI)1099-1263(199607)16:4<339::AID-JAT352>3.0.CO;2-3/abstract).
- Ebrahim, AS; Babu, E; Thirunavukkarasu, C; Sakthisekaran, D. (2001). Protective role of vitamin E, 2-deoxy-D-glucose, and taurine on perchloroethylene induced alterations in ATPases. *Drug Chem Toxicol*. 24: 429-437. <http://dx.doi.org/10.1081/DCT-100106267>.
- Echeverria, D; Heyer, N; Checkoway, H; Brodtkin, CA; Bittner, A, Jr; Toutonghi, G; Ronhovde, N. (1994). A behavioral investigation of occupational exposures to solvents: Perchloroethylene among dry cleaners, and styrene among reinforced fiberglass laminators. (BSRC-100/94/040). Seattle, WA: Battelle Centers for Public Health Research and Evaluation.
- Echeverria, D; White, RF; Sampaio, C. (1995). A behavioral evaluation of PCE exposure in patients and dry cleaners: A possible relationship between clinical and preclinical effects. *J Occup Environ Med*. 37: 667-680.
- El Ghawabi, SM; Mansoor, MB; El Gamel, MS; El Saharti, AA; El Enany, FF. (1973). Chronic trichloroethylene exposure. *J Egypt Med Assoc*. 56: 715-724.
- Elwell, MR; Dunnick, JK; Hailey, JR; Haseman, JK. (1996). Chemicals associated with decreases in the incidence of mononuclear cell leukemia in the Fischer rat. *Toxicol Pathol*. 24: 238-245.
- Emara, AM; Abo El-Noor, MM; Hassan, NA; Wagih, AA. (2010). Immunotoxicity and hematotoxicity induced by tetrachloroethylene in egyptian dry cleaning workers. *Inhal Toxicol*. 22: 117-124. <http://dx.doi.org/10.3109/08958370902934894>.
- EPA, US. (1979). Tetrachloroethylene: water quality criteria. *Fed Reg*. 44: 15966-15969.

## Human Health Hazard Literature Search Results

### On Topic

- EPA, US. (2012). Toxicological Review of Tetrachloroethylene (Perchloroethylene) (CAS No. 127-18-4): In Support of Summary Information on the Integrated Risk Information System (IRIS) (pp. 1077). (EPA/635/R-08/011F ). Washington, DC.  
<https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DXJF.PDF?Dockkey=P100DXJF.PDF>.
- Eskenazi, B; Bracken, MB; Holford, TR; Grady, J. (1988). Exposure to organic solvents and hypertensive disorders of pregnancy. *Am J Ind Med.* 14: 177-188. <http://dx.doi.org/10.1002/ajim.4700140208>.
- Eskenazi, B; Fenster, L; Hudes, M; Wyrobek, AJ; Katz, DF; Gerson, J; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on the reproductive outcomes of wives of dry-cleaning workers. *Am J Ind Med.* 20: 593-600. <http://dx.doi.org/10.1002/ajim.4700200503>;  
<http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200503/abstract>.
- Eskenazi, B; Gaylord, L; Bracken, MB; Brown, D. (1988). In utero exposure to organic solvents and human neurodevelopment. *Dev Med Child Neurol.* 30: 492-501. <http://dx.doi.org/10.1111/j.1469-8749.1988.tb04776.x>.
- Eskenazi, B; Wyrobek, AJ; Fenster, L; Katz, DF; Sadler, M; Lee, J; Hudes, M; Rempel, DM. (1991). A study of the effect of perchloroethylene exposure on semen quality in dry cleaning workers. *Am J Ind Med.* 20: 575-591. <http://dx.doi.org/10.1002/ajim.4700200502>;  
<http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200502/abstract>.
- Essing, HG; Schacke, G; Schaller, KH; Valentin, H. (1973). [Occupational-medical studies on the dynamics of tetrachloroethylene in the organism]. *Die Medizinische Welt.* 24: 242-244.
- EU. (2001). Draft risk assessment report: Tetrachloroethylene. United Kingdom.
- Everatt, R; Slapšytė, G; Mierauskienė, J; Dedonytė, V; Bakiėnė, L. (2013). Biomonitoring study of dry cleaning workers using cytogenetic tests and the comet assay. *J Occup Environ Hyg.* 10: 609-621. <http://dx.doi.org/10.1080/15459624.2013.818238>.
- Fabricant, JD; Jr, CJ. (1980). Evidence of the mutagenicity of ethylene dichloride and structurally related compounds. In B Ames; P Infante; R Reitz (Eds.), (pp. 309-329). Cold Spring Harbor, NY: Cold Spring Harbor Laboratory.  
<http://www.cshlpress.com/default.tpl?cart=128025549521437&action=full&--eqskudatarq=288>.
- Fagliano, J; Berry, M; Bove, F; Burke, T. (1990). Drinking water contamination and the incidence of leukemia: An ecologic study. *Am J Public Health.* 80: 1209-1212.
- Fernandez, J; Guberan, E; Caperos, J. (1976). Experimental human exposures to tetrachloroethylene vapor and elimination in breath after inhalation. *Am Ind Hyg Assoc J.* 36: 143-150. <http://dx.doi.org/10.1080/0002889768507437>.
- Fernandez, M; L'Haridon, J; Gauthier, L; Zoll-Moreux, C. (1993). Amphibian micronucleus test(s): A simple and reliable method for evaluating in vivo genotoxic effects of freshwater pollutants and radiations. Initial assessment. *Mutat Res.* 292: 83-99.  
[http://dx.doi.org/10.1016/0165-1161\(93\)90010-W](http://dx.doi.org/10.1016/0165-1161(93)90010-W).
- Ferroni, C; Selis, L; Mutti, A; Folli, D; Bergamaschi, E; Franchini, I. (1992). Neurobehavioral and neuroendocrine effects of occupational exposure to perchloroethylene. *Neurotoxicology.* 13: 243-247.
- Figà-Talamanca, I. (2006). Occupational risk factors and reproductive health of women [Review]. *Occup Med (Lond).* 56: 521-531.  
<http://dx.doi.org/10.1093/occmed/kql114>.
- Filser, JG; Bolt, HM. (1979). Pharmacokinetics of halogenated ethylenes in rats. *Arch Toxicol.* 42: 123-136.  
<http://dx.doi.org/10.1007/BF00316492>; <http://link.springer.com/article/10.1007%2FBF00316492>.
- Finkel, AM. (2010). Increased toxicity and carcinogenicity of n-propyl bromide (1-bromopropane) relative to perchloroethylene. Philadelphia, PA: Department of Public Health, Air Management Services.
- Fishbein, L. (1976). Industrial mutagens and potential mutagens. I. Halogenated aliphatic derivatives. *Mutat Res.* 32: 267-307.  
[http://dx.doi.org/10.1016/0165-1110\(76\)90003-8](http://dx.doi.org/10.1016/0165-1110(76)90003-8).
- Fishbein, L. (1977). Potential industrial carcinogens and mutagens. (EPA/560/5-77/005). Washington, DC: U.S. Environmental Protection Agency.
- Fishbein, L. (1978). Environmental sources of chemical mutagens. II. Synthetic mutagens. In WG Flamm; MA Mehlman (Eds.), (pp. 257-348). Washington, DC: Hemisphere Publishing Corporation.
- Fishbein, L. (1979). Potential halogenated industrial carcinogenic and mutagenic chemicals. II. Halogenated saturated hydrocarbons [Review]. *Sci Total Environ.* 11: 163-195. [http://dx.doi.org/10.1016/0048-9697\(79\)90026-3](http://dx.doi.org/10.1016/0048-9697(79)90026-3).
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J.* 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Forand, SP; Lewis-Michl, EL; Gomez, MI. (2012). Adverse birth outcomes and maternal exposure to trichloroethylene and tetrachloroethylene through soil vapor intrusion in New York State. *Environ Health Perspect.* 120: 616-621. <http://dx.doi.org/10.1289/ehp.1103884>.
- Fox, DA. (2015). Retinal and visual system: occupational and environmental toxicology [Review]. *Handb Clin Neurol.* 131: 325-340.  
<http://dx.doi.org/10.1016/B978-0-444-62627-1.00017-2>.
- Franchini, I; Cavatorta, A; Falzoi, M; Lucertini, S; Mutti, A. (1983). Early indicators of renal damage in workers exposed to organic solvents. *Int Arch Occup Environ Health.* 52: 1-9. <http://dx.doi.org/10.1007/BF00380601>; <http://link.springer.com/article/10.1007%2FBF00380601>.
- Franke, W; Eggeling, F. (1969). Klinisch-statistische Untersuchungen bei perchloräthylen-exponierten Beschäftigten in Chemisch-Reiniger-Betrieben. *Die Medizinische Welt.* 9: 453-460.
- Frantz, SW; Watanabe, PG. (1983). Tetrachloroethylene: Balance and tissue distribution in male Sprague-Dawley rats by drinking-water administration. *Toxicol Appl Pharmacol.* 69: 66-72. [http://dx.doi.org/10.1016/0041-008X\(83\)90120-5](http://dx.doi.org/10.1016/0041-008X(83)90120-5).
- Fredriksson, A; Danielsson, BRG; Eriksson, P. (1993). Altered behaviour in adult mice orally exposed to tri- and tetrachloroethylene as neonates. *Toxicol Lett.* 66: 13-19. [http://dx.doi.org/10.1016/0378-4274\(93\)90074-8](http://dx.doi.org/10.1016/0378-4274(93)90074-8).
- Friberg, L; Kylin, B; Nystrom, A. (1953). Toxicities of trichloroethylene and tetrachloroethylene and Fujiwara's pyridine-alkali reaction. *Basic Clin Pharmacol Toxicol.* 9: 303-312.

## Human Health Hazard Literature Search Results

### On Topic

- Friborska, A. (1969). The phosphatases of peripheral white blood cells in workers exposed to trichloroethylene and perchloroethylene. *Occup Environ Med.* 26: 159-161.
- Fujii, T. (1975). [The variation in the liver function of rabbits after administration of chlorinated hydrocarbons]. *Sangyo Eiseigaku Zasshi.* 17: 81-88.
- Gaillard, Y; Billault, F; Pepin, G. (1995). Tetrachloroethylene fatality: Case report and simple gas chromatographic determination in blood and tissues. *Forensic Sci Int.* 76: 161-168. [http://dx.doi.org/10.1016/0379-0738\(95\)01813-1](http://dx.doi.org/10.1016/0379-0738(95)01813-1).
- Gallagher, LG; Vieira, VM; Ozonoff, D; Webster, TF; Aschengrau, A. (2011). Risk of breast cancer following exposure to tetrachloroethylene-contaminated drinking water in Cape Cod, Massachusetts: reanalysis of a case-control study using a modified exposure assessment. *Environ Health.* 10: 47. <http://dx.doi.org/10.1186/1476-069X-10-47>.
- Galloway, SM; Armstrong, MJ; Reuben, C; Colman, S; Brown, B; Cannon, C; Bloom, AD; Nakamura, F; Ahmed, M; Duk, S; Rimpo, J; Margolin, BH; Resnick, MA; Anderson, B; Zeiger, E. (1987). Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals [Review]. *Environ Mol Mutagen.* 10: 1-175. <http://dx.doi.org/10.1002/em.2850100502>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2850100502/abstract>.
- Gargas, ML. (1988) Tissue solubilities and biotransformation rates of halocarbons: Experimental determinations and quantitative modeling. (Doctoral Dissertation). Wright State University, Dayton, OH.
- Gargas, ML; Burgess, RJ; Voisard, DE; Cason, GH; Andersen, ME. (1989). Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol.* 98: 87-99.
- Garnier, R; Bédouin, J; Pépin, G; Gaillard, Y. (1996). Coin-operated dry cleaning machines may be responsible for acute tetrachloroethylene poisoning: Report of 26 cases including one death. *Clin Toxicol.* 34: 191-197.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; III, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett.* 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-1](http://dx.doi.org/10.1016/0378-4274(93)90126-1).
- Gehring, PJ. (1968). Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. *Toxicol Appl Pharmacol.* 13: 287-298.
- Gennari, P; Naldi, M; Motta, R; Nucci, MC; Giacomini, C; Violante, FS; Raffi, GB. (1992). gamma-Glutamyltransferase isoenzyme pattern in workers exposed to tetrachloroethylene. *Am J Ind Med.* 21: 661-671. <http://dx.doi.org/10.1002/ajim.4700210506>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700210506/abstract>.
- Getz, KD; Janulewicz, PA; Rowe, S; Weinberg, JM; Winter, MR; Martin, BR; Vieira, VM; White, RF; Aschengrau, A. (2012). Prenatal and early childhood exposure to tetrachloroethylene and adult vision. *Environ Health Perspect.* 120: 1327-1332. <http://dx.doi.org/10.1289/ehp.1103996>.
- Ghantous, H; Danielsson, BRG; Dencker, L; Gorczak, J; Vesterberg, O. (1986). Trichloroacetic acid accumulates in murine amniotic fluid after tri- and tetrachloroethylene inhalation. *Acta Pharmacol Toxicol.* 58: 105-114. <http://dx.doi.org/10.1111/j.1600-0773.1986.tb00078.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0773.1986.tb00078.x/abstract>.
- Ghantous, H; Danielsson, BRG; Dencker, L; Gotczak, J; Vesterberg, O. (1986). Trichloroacetic acid accumulates in amniotic fluid after tri- and tetrachloroethylene inhalation by mice [Abstract]. *Teratology.* 33: 18A-19A.
- Gobba, F; Ghittori, S; Imbriani, M; Maestri, L; Capodaglio, E; Cavalleri, A. (1997). The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review [Review]. *Sci Total Environ.* 199: 3-12.
- Gobba, F; Righi, E; Fantuzzi, G; Predieri, G; Cavazzuti, L; Aggazzotti, G. (1998). Two-year evolution of perchloroethylene-induced color-vision loss. *Arch Environ Health.* 53: 196-198. <http://dx.doi.org/10.1080/0003989809605695>.
- Gold, JH. (1969). Chronic perchlorethylene poisoning. *Can Psychiatr Assoc J.* 14: 627-630.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldberg, ME; Johnson, HE; Pozzani, UC; Smyth, HF, Jr. (1964). Effect of repeated inhalation of vapors of industrial solvents on animal behavior: I. Evaluation of nine solvent vapors on pole-climb performance in rats. *Am Ind Hyg Assoc J.* 25: 369-375. <http://dx.doi.org/10.1080/00028896409342606>.
- Goldman, JA. (1996). Connective tissue disease in people exposed to organic chemical solvents: Systemic sclerosis (scleroderma) in dry cleaning plant and aircraft industry workers. *J Clin Rheumatol.* 2: 185-190.
- Goldman, SM; Quinlan, PJ; Ross, GW; Marras, C; Meng, C; Bhudhikanok, GS; Comyns, K; Korell, M; Chade, AR; Kasten, M; Priestley, B; Chou, KL; Fernandez, HH; Cambi, F; Langston, JW; Tanner, CM. (2012). Solvent exposures and parkinson disease risk in twins. *Ann Neurol.* 71: 776-784. <http://dx.doi.org/10.1002/ana.22629>.
- Goldsworthy, TL; Lyght, O; Burnett, VL; Popp, JA. (1988). Potential role of [alpha]-2[mu]-globulin, protein droplet accumulation, and cell replication in the renal carcinogenicity of rats exposed to trichloroethylene, perchloroethylene, and pentachloroethane. *Toxicol Appl Pharmacol.* 96: 367-379. [http://dx.doi.org/10.1016/0041-008X\(88\)90095-6](http://dx.doi.org/10.1016/0041-008X(88)90095-6).
- Goldsworthy, TL; Popp, JA. (1987). Chlorinated hydrocarbon-induced peroxisomal enzyme activity in relation to species and organ carcinogenicity. *Toxicol Appl Pharmacol.* 88: 225-233. [http://dx.doi.org/10.1016/0041-008X\(87\)90008-1](http://dx.doi.org/10.1016/0041-008X(87)90008-1).
- Goldsworthy, TL; Smith-Oliver, T; Loury, DJ; Popp, JA; Butterworth, EE. (1988). Assessment of chlorinated hydrocarbon-induced genotoxicity and cell replication in rat kidney cells [Abstract]. *Environ Mol Mutagen.* 11: 39. <http://dx.doi.org/10.1002/em.2850110502>.
- Grandjean, P; Landrigan, PJ. (2014). Neurobehavioural effects of developmental toxicity [Review]. *Lancet Neurol.* 13: 330-338. [http://dx.doi.org/10.1016/S1474-4422\(13\)70278-3](http://dx.doi.org/10.1016/S1474-4422(13)70278-3).



## Human Health Hazard Literature Search Results

### On Topic

- Green, SM; Khan, MF; Kaphalia, BS; Ansari, GA. (2001). Immunohistochemical localization of trichloroacetylated protein adducts in tetrachloroethene-treated mice. *J Toxicol Environ Health A*. 63: 145-157. <http://dx.doi.org/10.1080/15287390151126487>.
- Green, T. (1990). Chloroethylenes: A mechanistic approach to human risk evaluation [Review]. *Annu Rev Pharmacol Toxicol*. 30: 73-89. <http://dx.doi.org/10.1146/annurev.pa.30.040190.000445>.
- Green, T. (2003). Perchloroethylene induced mouse liver tumours: Mode of action studies. (CTL/024741/RES/REPT-001). Cheshire, UK: Central Toxicology Laboratory.
- Green, T; Odum, J. (1985). Structure/activity studies of the nephrotoxic and mutagenic action of cysteine conjugates of chloro- and fluoroalkenes. *Chem Biol Interact*. 54: 15-31. [http://dx.doi.org/10.1016/S0009-2797\(85\)80149-6](http://dx.doi.org/10.1016/S0009-2797(85)80149-6).
- Green, T; Odum, J; Nash, JA; Foster, JR. (1990). Perchloroethylene-induced rat kidney tumors: An investigation of the mechanisms involved and their relevance to humans. *Toxicol Appl Pharmacol*. 103: 77-89. [http://dx.doi.org/10.1016/0041-008X\(90\)90264-U](http://dx.doi.org/10.1016/0041-008X(90)90264-U).
- Greim, H; Bonse, G; Henschler, D. (1977). Leberschäden durch Vinylchlorid : Vinylchlorid-Krankheit Mutagenicity of vinyl chloride and other chlorinated ethylenes. New York: Baden-Baden.
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (1975). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol*. 24: 2013-2017. [http://dx.doi.org/10.1016/0006-2952\(75\)90396-2](http://dx.doi.org/10.1016/0006-2952(75)90396-2).
- Greim, H; Bonse, G; Radwan, Z; Reichert, D; Henschler, D. (2013). Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol*. 24: 2013-2017.
- Gu, ZW; Sele, B; Chmara, D; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Faure, J. (1981). Effets du trichlorethylene et de ses metabolites sur le taux d'echanges de chromatides-soeurs. etude in vivo et in vitro sur les lymphocytes humains. *Ann Genet*. 24: 105-106.
- Guariglia, SR; Jenkins, EC; Chadman, KK; Wen, GY. (2011). Chlorination byproducts induce gender specific autistic-like behaviors in CD-1 mice. *Neurotoxicology*. 32: 545-553. <http://dx.doi.org/10.1016/j.neuro.2011.06.008>.
- Guberan, E; Fernandez, J. (1974). Control of industrial exposure to tetrachloroethylene by measuring alveolar concentrations: theoretical approach using a mathematical model. *Occup Environ Med*. 31: 159-167.
- Guha, N; Loomis, D; Grosse, Y; Lauby-Secretan, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Baan, R; Mattock, H; Straif, K; Monograph, IARC. (2012). Carcinogenicity of trichloroethylene, tetrachloroethylene, some other chlorinated solvents, and their metabolites. *Lancet Oncol*. 13: 1192-1193. [http://dx.doi.org/10.1016/S1470-2045\(12\)70485-0](http://dx.doi.org/10.1016/S1470-2045(12)70485-0).
- Guyton, KZ; Hogan, KA; Scott, CS; Cooper, GS; Bale, AS; Kopylev, L; Barone, S; Makris, SL; Glenn, B; Subramaniam, RP; Gwinn, MR; Dzubow, RC; Chiu, WA. (2014). Human health effects of tetrachloroethylene: key findings and scientific issues. *Environ Health Perspect*. 122: 325-334. <http://dx.doi.org/10.1289/ehp.1307359>.
- Hadhkale, K; Martinsen, JI; Weiderpass, E; Kjaerheim, K; Sparen, P; Tryggvadottir, L; Lynge, E; Pukkala, E. (2016). Occupational exposure to solvents and bladder cancer: A population-based case control study in Nordic countries. *Int J Cancer*. <http://dx.doi.org/10.1002/ijc.30593>.
- Hake, CL; Stewart, RD. (1977). Human exposure to tetrachloroethylene: Inhalation and skin contact. *Environ Health Perspect*. 21: 231-238.
- Hamada, T; Tanaka, H. (1995). Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut*. 87: 313-318. [http://dx.doi.org/10.1016/0269-7491\(94\)P4163-I](http://dx.doi.org/10.1016/0269-7491(94)P4163-I).
- Hanioka, N; Jinno, H; Takahashi, A; Nakano, K; Yoda, R; Nishimura, T; Ando, M. (1995). Interaction of tetrachloroethylene with rat hepatic microsomal P450-dependent monooxygenases. *Xenobiotica*. 25: 151-165. <http://dx.doi.org/10.3109/00498259509061841>.
- Hanioka, N; Jinno, H; Toyo'oka, T; Nishimura, T; Ando, M. (1995). Induction of rat liver drug-metabolizing enzymes by tetrachloroethylene. *Arch Environ Contam Toxicol*. 28: 273-280. <http://dx.doi.org/10.1007/BF00213102>; <http://link.springer.com/article/10.1007%2FBF00213102>.
- Hard, GC. (1998). Mechanisms of chemically induced renal carcinogenesis in the laboratory rodent [Review]. *Toxicol Pathol*. 26: 104-112. <http://dx.doi.org/10.1177/019262339802600112>.
- Hardell, L; Bengtsson, NO; Jonsson, U; Eriksson, S; Larsson, LG. (1984). Aetiological aspects on primary liver cancer with special regard to alcohol, organic solvents and acute intermittent porphyria: An epidemiological investigation. *Br J Cancer*. 50: 389-397.
- Hartmann, A; Speit, G. (1995). Genotoxic effects of chemicals in the single cell gel (SCG) test with human blood cells in relation to the induction of sister-chromatid exchanges (SCE). *Mutat Res Lett*. 346: 49-56. [http://dx.doi.org/10.1016/0165-7992\(95\)90068-3](http://dx.doi.org/10.1016/0165-7992(95)90068-3).
- Hattis, D; White, P; Marmorstein, L; Koch, P. (1990). Uncertainties in pharmacokinetic modeling for perchloroethylene. I. Comparison of model structure, parameters, and predictions for low-dose metabolism rates for models derived by different authors. *Risk Anal*. 10: 449-458. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00528.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.1990.tb00528.x/abstract>.
- Haworth, S; Lawlor, T; Mortelmans, K; Speck, W; Zeiger, E. (1983). Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen*. 5: 3-142. <http://dx.doi.org/10.1002/em.2860050703>; <http://onlinelibrary.wiley.com/doi/10.1002/em.2860050703/abstract>.
- Hayes, JR; Condie, LW, Jr; Borzelleca, JF. (1986). The subchronic toxicity of tetrachloroethylene (perchloroethylene) administered in the drinking water of rats. *Fundam Appl Toxicol*. 7: 119-125.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med*. 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>; <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700260203/abstract>.
- Henschler, D; Bonse, G; Greim, H. (1976). IARC Scientific Publications Carcinogenic potential of chlorinated ethylenes tentative molecular rules. Geneva, Switzerland: International Agency for Research on Cancer.

## Human Health Hazard Literature Search Results

### On Topic

- Hinnen, U; Schmid-Grendelmeier, P; Muller, E; Elsner, P. (1995). Exposure to solvents in scleroderma: Disseminated circumscribed scleroderma (morphea) in a painter exposed to perchloroethylene [Review]. *Schweizerische Medizinische Wochenschrift*. 125: 2433-2437.
- Hoel, DG; Haseman, JK; Hogan, MD; Huff, J; McConnell, EE. (1988). The impact of toxicity on carcinogenicity studies: Implications for risk assessment. *Carcinogenesis*. 9: 2045-2052. <http://dx.doi.org/10.1093/carcin/9.11.2045>.
- Honma, T; Hasegawa, H; Sato, M; Sudo, A. (1980). Changes of free amino acid content in rat brain after exposure to trichloroethylene and tetrachloroethylene. *Ind Health*. 18: 1-7. <http://dx.doi.org/10.2486/indhealth.18.1>; [https://www.jstage.jst.go.jp/article/indhealth1963/18/1/18\\_1\\_1/\\_pdf](https://www.jstage.jst.go.jp/article/indhealth1963/18/1/18_1_1/_pdf).
- Honma, T; Sudo, A; Miyagawa, M; Sato, M; Hasegawa, H. (1980). Effects of exposure to trichloroethylene and tetrachloroethylene on the contents of acetylcholine, dopamine, norepinephrine and serotonin in rat brain. *Ind Health*. 18: 171-178. <http://dx.doi.org/10.2486/indhealth.18.171>; [https://www.jstage.jst.go.jp/article/indhealth1963/18/4/18\\_4\\_171/\\_pdf](https://www.jstage.jst.go.jp/article/indhealth1963/18/4/18_4_171/_pdf).
- IARC. (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 373-391). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/index.php>.
- IARC. (1995). Tetrachloroethylene. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 159-221). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/index.php>.
- IARC. (2014). TRICHLOROETHYLENE, TETRACHLOROETHYLENE, AND SOME OTHER CHLORINATED AGENTS (pp. 1-512). Lyon, France. <https://monographs.iarc.fr/ENG/Monographs/vol106/mono106.pdf>.
- Ikedo, M. (1977). Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect*. 21: 239-245. <http://dx.doi.org/10.1289/ehp.7721239>.
- Ikedo, M; Imamura, T. (1973). Biological half-life of trichloroethylene and tetrachloroethylene in human subjects [Review]. *Int Arch Occup Environ Health*. 31: 209-224. <http://dx.doi.org/10.1007/BF00539241>; <http://link.springer.com/article/10.1007%2FBF00539241>.
- Ikedo, M; Koizumi, A; Watanabe, T; Endo, A; Sato, K. (1980). Cytogenetic and cytokinetic investigations on lymphocytes from workers occupationally exposed to tetrachloroethylene. *Toxicol Lett*. 5: 251-256. [http://dx.doi.org/10.1016/0378-4274\(80\)90068-5](http://dx.doi.org/10.1016/0378-4274(80)90068-5).
- Ikedo, M; Ohtsuiji, H. (1972). A comparative study of the excretion of Fujiwara reaction-positive substances in urine of humans and rodents given trichloro- or tetrachloro-derivatives of ethane and ethylene. *Occup Environ Med*. 29: 99-104.
- Ikedo, M; Ohtsuiji, H; Imamura, T; Komoike, Y. (1972). Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med*. 29: 328-333. <http://dx.doi.org/10.1136/oem.29.3.328>; <http://oem.bmj.com/content/oemed/29/3/328.full.pdf>.
- Illing, HPA; Mariscotti, SP; Smith, AM. (1987). Tetrachloroethylene (tetrachloroethene, perchloroethylene). (RISKLIN/1987080008). London: HMSO.
- Imbriani, M; Ghittori, S; Pezzagno, G; Capodaglio, E. (1988). Urinary excretion of tetrachloroethylene (perchloroethylene) in experimental and occupational exposure. *Arch Environ Occup Health*. 43: 292-298.
- Infante, P; Marlow, PB. (1980). Evidence for the carcinogenicity of selected halogenated hydrocarbons including ethylene dichloride. In B Ames; P Infante; R Reitz (Eds.), (pp. 287-308). Cold Spring Harbor, NY: Cold Spring Harbor Laboratory. <http://www.cshlpress.com/default.tpl?action=full&--eqskudatarq=288>.
- Intertox. (2004). Evaluation of EPA's neurotoxicity of tetrachloroethylene (perchloroethylene): Discussion paper. Arlington, VA: Halogenated Solvents Industry Alliance.
- Iregren, A; Andersson, M; Nysten, P. (2002). Color vision and occupational chemical exposures, II: Visual functions in non-exposed subjects. *Neurotoxicology*. 23: 735-745.
- Iregren, A; Andersson, M; Nysten, P. (2002). Color vision and occupational chemical exposures: I: An overview of tests and effects [Review]. *Neurotoxicology*. 23: 719-733. [http://dx.doi.org/10.1016/S0161-813X\(02\)00088-8](http://dx.doi.org/10.1016/S0161-813X(02)00088-8).
- Irving, R; Elfarra, AA. (2013). Mutagenicity of the cysteine S-conjugate sulfoxides of trichloroethylene and tetrachloroethylene in the Ames test. *Toxicology*. 306: 157-161. <http://dx.doi.org/10.1016/j.tox.2013.02.003>.
- Ishmael, J; Dugard, PH. (2006). A review of perchloroethylene and rat mononuclear cell leukemia [Review]. *Regul Toxicol Pharmacol*. 45: 178-184. <http://dx.doi.org/10.1016/j.yrtph.2006.02.009>; [http://ac.els-cdn.com/S0273230006000341/1-s2.0-S0273230006000341-main.pdf?\\_tid=fc42e3f0-2a8d-11e7-9ee8-00000aabb0f27&acdnat=1493217677\\_eecda7b9ef57bba350ca4083e8c4dfc](http://ac.els-cdn.com/S0273230006000341/1-s2.0-S0273230006000341-main.pdf?_tid=fc42e3f0-2a8d-11e7-9ee8-00000aabb0f27&acdnat=1493217677_eecda7b9ef57bba350ca4083e8c4dfc).
- Jackson, MA; Stack, HF; Waters, MD. (1993). The genetic toxicology of putative nongenotoxic carcinogens [Review]. *Mutat Res*. 296: 241-277. [http://dx.doi.org/10.1016/0165-1110\(93\)90014-E](http://dx.doi.org/10.1016/0165-1110(93)90014-E).
- Jakobson, I; Wahlberg, JE; Holmberg, B; Johansson, G. (1982). Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicol Appl Pharmacol*. 63: 181-187. [http://dx.doi.org/10.1016/0041-008X\(82\)90039-4](http://dx.doi.org/10.1016/0041-008X(82)90039-4).
- Jakubowski, M; Wieczorek, H. (1988). The effects of physical effort on pulmonary uptake of selected organic compound vapours. *Pol J Occup Med*. 1: 62-71.
- Janulewicz, PA; Killiany, RJ; White, RF; Martin, BM; Winter, MR; Weinberg, JM; Aschengrau, A. (2013). Structural Magnetic Resonance Imaging in an adult cohort following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol*. 38: 13-20. <http://dx.doi.org/10.1016/j.ntt.2013.03.060>.
- Janulewicz, PA; White, RF; Martin, BM; Winter, MR; Weinberg, JM; Vieira, V; Aschengrau, A, nn. (2012). Adult neuropsychological performance following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol*. 34: 350-359. <http://dx.doi.org/10.1016/j.ntt.2012.04.001>.

## Human Health Hazard Literature Search Results

### On Topic

- Janulewicz, PA; White, RF; Winter, M; Weinberg, J; Gallagher, L; Vieira, V; Webster, T; Aschengrau, A. (2007). Prenatal exposure to tetrachloroethylene(PCE)-contaminated drinking water and the risk of learning and attention disabilities. *Neurotoxicol Teratol.* 29: 406. <http://dx.doi.org/10.1016/j.ntt.2007.03.037>.
- Janulewicz, PA; White, RF; Winter, MR; Weinberg, JM; Gallagher, LE; Vieira, V; Webster, TF; Aschengrau, A. (2008). Risk of learning and behavioral disorders following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol.* 30: 175-185. <http://dx.doi.org/10.1016/j.ntt.2008.01.007>.
- Jensen, TK; Bonde, JP; Joffe, M. (2006). The influence of occupational exposure on male reproductive function [Review]. *Occup Med (Lond).* 56: 544-553. <http://dx.doi.org/10.1093/occmed/kql116>.
- JETOC. (1996). Mutagenicity test data of existing chemical substances based on the toxicity investigation system of the industrial safety and health law. Chuo-ku, Tokyo, Japan: Japan Chemical Industry Ecology-Toxicology & Information Center (JETOC).
- JETOC. (1997). Mutagenicity test data of existing chemical substances based on the toxicity investigation system of the industrial safety and health law. Supplement. Chuo-ku, Tokyo, Japan: Japan Chemical Industry Ecology-Toxicology & Information Center (JETOC). <http://www.jetoc.or.jp/English.html>.
- JETOC. (2005). Mutagenicity test data of existing chemical substances based on the toxicity investigation system of the industrial safety and health law. Supplement 3. In Jetoc (Ed.). Chuo-ku, Tokyo, Japan: Japan Chemical Industry Ecology-Toxicology & Information Center (JETOC).
- JISA. (1993). Carcinogenicity study of tetrachloroethylene by inhalation in rats and mice. Hadano, Japan.
- Jonker, D; Woutersen, RA; Feron, VJ. (1996). Toxicity of mixtures of nephrotoxicants with similar or dissimilar mode of action. *Food Chem Toxicol.* 34: 1075-1082. [http://dx.doi.org/10.1016/S0278-6915\(97\)00077-X](http://dx.doi.org/10.1016/S0278-6915(97)00077-X).
- Karlsson, JE; Rosengren, LE; Kjellstrand, P; Haglid, KG. (1987). Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain [Comment]. *Scand J Work Environ Health.* 13: 453-458.
- Kawata, K; Shimazaki, R; Okabe, S. (2009). Comparison of gene expression profiles in HepG2 cells exposed to arsenic, cadmium, nickel, and three model carcinogens for investigating the mechanisms of metal carcinogenesis. *Environ Mol Mutagen.* 50: 46-59. <http://dx.doi.org/10.1002/em.20438>.
- Kido, T; Sugaya, C; Ikeuchi, R; Kudo, Y; Tsunoda, M; Aizawa, Y. (2013). The Increases in mRNA Expressions of Inflammatory Cytokines by Adding Cleaning Solvent or Tetrachloroethylene in the Murine Macrophage Cell Line J774.1 Evaluated by Real-time PCR. *Ind Health.* 51: 319-325.
- Kjellstrand, P; Holmquist, B; Jonsson, I; Romare, S; Mansson, L. (1985). Effects of organic solvents on motor activity in mice. *Toxicology.* 35: 35-46. [http://dx.doi.org/10.1016/0300-483X\(85\)90130-1](http://dx.doi.org/10.1016/0300-483X(85)90130-1).
- Kjellstrand, P; Holmquist, B; Kanje, M; Alm, P; Romare, S; Jonsson, I; Mansson, L; Bjerkemo, M. (1984). Perchloroethylene: Effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol.* 54: 414-424. <http://dx.doi.org/10.1111/j.1600-0773.1984.tb01951.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0773.1984.tb01951.x/abstract>.
- Klaassen, CD; Plaa, GL. (1966). Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol.* 9: 139-151.
- Klaassen, CD; Plaa, GL. (1967). Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol.* 10: 119-131.
- Klaunig, JE; Babich, MA; Baetcke, KP; Cook, JC; Corton, JC; David, RM; Deluca, JG; Lai, DY; Mckee, RH; Peters, JM; Roberts, RA; Fenner-Crisp, PA. (2003). PPARalpha agonist-induced rodent tumors: Modes of action and human relevance [Review]. *Crit Rev Toxicol.* 33: 655-780. <http://dx.doi.org/10.1080/713608372>.
- Kobayashi, S; Hutcheon, DE; Regan, J. (1982). Cardiopulmonary toxicity of tetrachloroethylene. *J Toxicol Environ Health.* 10: 23-30. <http://dx.doi.org/10.1080/15287398209530227>.
- Koch, R; Schlegelmilch, R; Wolf, HU. (1988). Genetic effects of chlorinated ethylenes in the yeast *Saccharomyces cerevisiae*. *Mutat Res.* 206: 209-216. [http://dx.doi.org/10.1016/0165-1218\(88\)90162-0](http://dx.doi.org/10.1016/0165-1218(88)90162-0).
- Koizumi, A. (1989). Potential of physiologically based pharmacokinetics to amalgamate kinetic data of trichloroethylene and tetrachloroethylene obtained in rats and man. *Br J Ind Med.* 46: 239-249.
- Koppel, C; Arndt, I; Arendt, U; Koeppe, P. (1985). Acute tetrachloroethylene poisoning - Blood elimination kinetics during hyperventilation therapy. *Clin Toxicol.* 23: 103-115. <http://dx.doi.org/10.3109/15563658508990621>.
- Kronevi, T; Wahlberg, JE; Holmberg, B. (1981). Skin pathology following epicutaneous exposure to seven organic solvents. *Int J Tissue React.* 3: 21-30.
- Kundig, S; Hogger, D. (1970). Die Bedeutung der Tri- und Perchlorathylenmetaboliten im Urin [The importance of the determination of trichloroethylene and perchloroethylene metabolites in the urine of factory workers]. *Int Arch Occup Environ Health.* 26: 306-315.
- Kundig, S; Hogger, D. (1970). [The importance of the determination of tri- and perchlorethylene metabolites in the urine]. *Int Arch Arbeitsmed.* 26: 306-315.
- Kurien, BT; Hensley, K; Bachmann, M; Scofield, RH. (2006). Oxidatively modified autoantigens in autoimmune diseases. *Free Radic Biol Med.* 41: 549-556.
- Kwok, RK. (2007). A review and rationale for studying the cardiovascular effects of drinking water arsenic in women of reproductive age [Review]. *Toxicol Appl Pharmacol.* 222: 344-350. <http://dx.doi.org/10.1016/j.taap.2007.02.016>.

## Human Health Hazard Literature Search Results

### On Topic

- Kylin, B; Reichard, H; Sumegi, I; Yllner, S. (1963). Hepatotoxicity of inhaled trichloroethylene, tetrachloroethylene and chloroform Single exposure. *Basic Clin Pharmacol Toxicol.* 20: 16-26. <http://dx.doi.org/10.1111/j.1600-0773.1963.tb01714.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0773.1963.tb01714.x/abstract>.
- Kylin, B; Sumegi, I; Yllner, S. (1965). Hepatotoxicity of inhaled trichloroethylene and tetrachloroethylene Long-term exposure. *Acta Pharmacol Toxicol.* 22: 379-385. <http://dx.doi.org/10.1111/j.1600-0773.1965.tb01833.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0773.1965.tb01833.x/abstract>.
- Kyrklund, T; Alling, C; Kjellstrand, P; Haglid, KG. (1984). Chronic effects of perchloroethylene on the composition of lipid and acyl groups in cerebral cortex and hippocampus of the gerbil. *Toxicol Lett.* 22: 343-349. [http://dx.doi.org/10.1016/0378-4274\(84\)90112-7](http://dx.doi.org/10.1016/0378-4274(84)90112-7).
- Kyrklund, T; Haglid, K. (1991). Brain lipid composition in guinea pigs after intrauterine exposure to perchloroethylene. *Pharmacol Toxicol.* 68: 146-148. <http://dx.doi.org/10.1111/j.1600-0773.1991.tb02054.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0773.1991.tb02054.x/abstract>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1987). Lipid composition and fatty acid pattern of the gerbil brain after exposure to perchloroethylene. *Arch Toxicol.* 60: 397-400. <http://dx.doi.org/10.1007/BF00295762>; <http://link.springer.com/article/10.1007%2FBF00295762>.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1988). Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid composition of rat cerebral cortex. *Scand J Work Environ Health.* 14: 91-94.
- Kyrklund, T; Kjellstrand, P; Haglid, KG. (1990). Long-term exposure of rats to perchloroethylene, with and without a post-exposure solvent-free recovery period: Effects on brain lipids. *Toxicol Lett.* 52: 279-285. [http://dx.doi.org/10.1016/0378-4274\(90\)90037-M](http://dx.doi.org/10.1016/0378-4274(90)90037-M).
- Kyyronen, P; Taskinen, H; Lindbohm, ML; Hemminki, K; Heinonen, OP. (1989). Spontaneous abortions and congenital malformations among women exposed to tetrachloroethylene in dry cleaning. *J Epidemiol Community Health.* 43: 346-351. <http://dx.doi.org/10.1136/jech.43.4.346>; <http://jech.bmj.com/content/jech/43/4/346.full.pdf>.
- Laham, S. (1970). Studies on placental transfer: Trichloroethylene. *Ind Med Surg.* 39: 46-49.
- Lai, MW; Boyer, EW; Kleinman, ME; Rodig, NM; Ewald, MB. (2006). Acute arsenic poisoning in two siblings. *Pediatrics.* 116: 249-257. <http://dx.doi.org/10.1542/peds.2004-1957>.
- Lakhanisky, T; Bazzoni, D; Jadot, P; Joris, I; Laurent, C; Ottogali, M; Pays, A; Planard, C; Ros, Y; Vleminckx, C. (1993). Cytogenetic monitoring of a village population potentially exposed to a low level of environmental pollutants. Phase 1: SCE analysis. *Mutat Res.* 319: 317-323. [http://dx.doi.org/10.1016/0165-1218\(93\)90021-5](http://dx.doi.org/10.1016/0165-1218(93)90021-5).
- Lamson, PD; Robbins, BH; Ward, CB. (1929). The pharmacology and toxicology of tetrachloroethylene. *Am J Epidemiol.* 9: 430-444.
- Larsen, NL; Nielsen, B; Rayn-Nielsen, A. (1977). [Perchloroethylene intoxication. A hazard in the use of coin laundries]. *Ugeskr Laeger.* 139: 270-275.
- Lash, LH; Fisher, JW; Lipscomb, JC; Parker, JC. (2000). Metabolism of trichloroethylene [Review]. *Environ Health Perspect.* 108: 177-200.
- Lash, LH; Lipscomb, JC; Putt, DA; Parker, JC. (1999). Glutathione conjugation of trichloroethylene in human liver and kidney: Kinetics and individual variation. *Drug Metab Dispos.* 27: 351-359. <http://dmd.aspetjournals.org/content/dmd/27/3/351.full.pdf>.
- Lash, LH; Parker, JC. (2001). Hepatic and renal toxicities associated with perchloroethylene [Review]. *Pharmacol Rev.* 53: 177-208.
- Lash, LH; Putt, DA; Huang, P; Hueni, SE; Parker, JC. (2007). Modulation of hepatic and renal metabolism and toxicity of trichloroethylene and perchloroethylene by alterations in status of cytochrome P450 and glutathione. *Toxicology.* 235: 11-26. <http://dx.doi.org/10.1016/j.tox.2007.03.001>.
- Lash, LH; Qian, W; Putt, DA; Desai, K; Elfarra, AA; Sicuri, AR; Parker, JC. (1998). Glutathione conjugation of perchloroethylene in rats and mice in vitro: Sex-, species-, and tissue-dependent differences. *Toxicol Appl Pharmacol.* 150: 49-57. <http://dx.doi.org/10.1006/taap.1998.8402>.
- Lash, LH; Qian, W; Putt, DA; Hueni, SE; Elfarra, AA; Krause, RJ; Parker, JC. (2001). Renal and hepatic toxicity of trichloroethylene and its glutathione-derived metabolites in rats and mice: Sex-, species-, and tissue-dependent differences. *J Pharmacol Exp Ther.* 297: 155-164. <http://jpet.aspetjournals.org/content/jpet/297/1/155.full.pdf>.
- Lash, LH; Qian, W; Putt, DA; Hueni, SE; Elfarra, AA; Sicuri, AR; Parker, JC. (2002). Renal toxicity of perchloroethylene and S-(1,2,2-trichlorovinyl)glutathione in rats and mice: sex- and species-dependent differences. *Toxicol Appl Pharmacol.* 179: 163-171. <http://dx.doi.org/10.1006/taap.2001.9358>.
- Laughter, AR; Dunn, CS; Swanson, CL; Howroyd, P; Cattley, RC; Corton, JC. (2004). Role of the peroxisome proliferator-activated receptor alpha (PPARalpha) in responses to trichloroethylene and metabolites, trichloroacetate and dichloroacetate in mouse liver. *Toxicology.* 203: 83-98. <http://dx.doi.org/10.1016/j.tox.2004.06.014>; <http://www.sciencedirect.com/science/article/pii/S0300483X04003099>.
- Lauwerys, R; Herbrand, J; Buchet, JP; Bernard, A; Gaussin, J. (1983). Health surveillance of workers exposed to tetrachloroethylene in dry-cleaning shops. *Int Arch Occup Environ Health.* 52: 69-77. <http://dx.doi.org/10.1007/BF00380609>; <http://link.springer.com/article/10.1007%2FBF00380609>.
- Legislation, CotRoCGftCoHClbtCL; Populations, BotHoS; Medicine, Io. (2015). Review of VA Clinical Guidance for the Health Conditions Identified by the Camp Lejeune Legislation. Washington (DC): National Academies Press (US). <http://dx.doi.org/10.17226/18991>.
- Lehmann, I; Thoenke, A; Rehwagen, M; Rolle-Kampczyk, U; Schlink, U; Schulz, R; Borte, M; Diez, U; Herbarth, O. (2002). The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol.* 17: 203-210. <http://dx.doi.org/10.1002/tox.10055>; <http://onlinelibrary.wiley.com/doi/10.1002/tox.10055/abstract>.
- Leibman, KC; Ortiz, E. (1977). Metabolism of halogenated ethylenes. *Environ Health Perspect.* 21: 91-97.
- Levine, B; Fierro, MF; Goza, SW; Valentour, JC. (1981). A tetrachloroethylene fatality. *J Forensic Sci.* 26: 206-209. <http://dx.doi.org/10.1520/JFS11350J>.
- Liang, JC; Brinkley, BR. (1985). Chemical probes and possible targets for the induction of aneuploidy. *Basic Life Sci.* 36: 491-505.

## Human Health Hazard Literature Search Results

### On Topic

- Liang, JC; Pacchierotti, F. (1988). Cytogenetic investigation of chemically-induced aneuploidy in mouse spermatocytes. *Mutat Res-Fundam Mol Mech Mutagen*. 201: 325-335. [http://dx.doi.org/10.1016/0027-5107\(88\)90021-8](http://dx.doi.org/10.1016/0027-5107(88)90021-8);  
<http://www.sciencedirect.com/science/article/pii/0027510788900218>.
- Lin, RS; Kessler, II. (1981). A multifactorial model for pancreatic cancer in man: Epidemiologic evidence. *JAMA*. 245: 147-152.  
<http://jamanetwork.com/journals/jama/article-abstract/373251>.
- Lindbohm, ML. (1995). Effects of parental exposure to solvents on pregnancy outcome [Review]. *J Occup Environ Med*. 37: 908-914.
- Lindbohm, ML; Hemminki, K; Bonhomme, MG; Anttila, A; Rantala, K; Heikkilä, P; Rosenberg, MJ. (1991). Effects of paternal occupational exposure on spontaneous abortions. *Am J Public Health*. 81: 1029-1033. <http://dx.doi.org/10.2105/ajph.81.8.1029>;  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1405699/pdf/amjph00208-0079.pdf>.
- Lindbohm, ML; Sallmén, M; Kyyrönen, P; Kauppinen, T; Pukkala, E. (2009). Risk of liver cancer and exposure to organic solvents and gasoline vapors among Finnish workers. *Int J Cancer*. 124: 2954-2959. <http://dx.doi.org/10.1002/ijc.24309>.
- Lindbohm, ML; Taskinen, H; Sallmen, M; Hemminki, K. (1990). Spontaneous abortions among women exposed to organic solvents. *Am J Ind Med*. 17: 449-463. <http://dx.doi.org/10.1002/ajim.4700170404>;  
<http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700170404/abstract>.
- Ling, S; Lindsay, WA. (1971). Perchloroethylene burns. *Br Med J*. 3: 115. <http://dx.doi.org/10.1136/bmj.3.5766.115-b>.
- Lipscomb, JC; Fisher, JW; Confer, PD; Byczkowski, JZ. (1998). In vitro to in vivo extrapolation for trichloroethylene metabolism in humans. *Toxicol Appl Pharmacol*. 152: 376-387. <http://dx.doi.org/10.1006/taap.1998.8485>.
- Lipworth, L; Sonderman, JS; Mumma, MT; Tarone, RE; Marano, DE; Boice, JD; Mclaughlin, JK. (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med*. 53: 992-1007.  
<http://dx.doi.org/10.1097/JOM.0b013e31822e0940>.
- Liteplo, RG; Meek, ME. (1994). Tetrachloroethylene: Evaluation of risks to health from environmental exposure in Canada. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 12: 493-506. <http://dx.doi.org/10.1080/10590509409373463>.
- Lob, M. (1957). Les dangers du perchloréthylène [The dangers of perchlorethylene]. *Int Arch Occup Environ Health*. 16: 45-52.  
<http://dx.doi.org/10.1007/BF00318017>.
- Loizou, GD. (2001). The application of physiologically based pharmacokinetic modelling in the analysis of occupational exposure to perchloroethylene. *Toxicol Lett*. 124: 59-69. [http://dx.doi.org/10.1016/S0378-4274\(00\)00283-6](http://dx.doi.org/10.1016/S0378-4274(00)00283-6);  
<http://www.sciencedirect.com/science/article/pii/S0378427400002836>.
- Lomax, RB; Ridgway, P; Meldrum, M. (2004). Does occupational exposure to organic solvents affect colour discrimination? [Review]. *Toxicol Rev*. 23: 91-121.
- Lopreato, GF; Phelan, R; Borghese, CM; Beckstead, MJ; Mihic, SJ. (2003). Inhaled drugs of abuse enhance serotonin-3 receptor function. *Drug Alcohol Depend*. 70: 11-15. [http://dx.doi.org/10.1016/S0376-8716\(02\)00330-7](http://dx.doi.org/10.1016/S0376-8716(02)00330-7).
- Lucas, D; Herve, A; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2011). Clinical impact assessment of chronic exposure to tetrachloroethylene in a population of 50 dry-cleaning workers. *Arch Mal Prof Environ*. 72: 439-448.  
<http://dx.doi.org/10.1016/j.admp.2011.09.002>.
- Lucas, D; Hervé, A; Lucas, R; Cabioch, C; Capellmann, P; Nicolas, A; Bodenes, A; Jegaden, D. (2015). Assessment of Exposure to Perchloroethylene and its Clinical Repercussions for 50 Dry-Cleaning Employees. *J Occup Environ Hyg*. 12: 767-773.  
<http://dx.doi.org/10.1080/15459624.2015.1048346>.
- Lukaszewski, T. (1979). Acute tetrachloroethylene fatality. *Clin Toxicol*. 15: 411-415. <http://dx.doi.org/10.3109/15563657908989895>.
- Lundberg, I; Ekdahl, M; Kronevi, T; Lidums, V; Lundberg, S. (1986). Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure in rats. *Environ Res*. 40: 411-420. [http://dx.doi.org/10.1016/S0013-9351\(86\)80116-5](http://dx.doi.org/10.1016/S0013-9351(86)80116-5).
- Lupo, PJ; Lee, LJ; Okcu, MF; Bondy, ML; Scheurer, ME. (2012). An exploratory case-only analysis of gene-hazardous air pollutant interactions and the risk of childhood medulloblastoma. *Pediatr Blood Cancer*. 59: 605-610. <http://dx.doi.org/10.1002/pbc.24105>.
- Lynge, E; Andersen, A; Rylander, L; Tinnerberg, H; Lindbohm, ML; Pukkala, E; Romundstad, P; Jensen, P; Clausen, LB; Johansen, K. (2006). Cancer in persons working in dry cleaning in the Nordic countries. *Environ Health Perspect*. 114: 213-219.  
<http://dx.doi.org/10.1289/ehp.8425>.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control*. 8: 406-419.  
<http://dx.doi.org/10.1023/A:1018461406120>.
- Lynge, E; Carstensen, B; Andersen, O. (1995). Primary liver cancer and renal cell carcinoma in laundry and dry-cleaning workers in Denmark. *Scand J Work Environ Health*. 21: 293-295.
- Lynge, E; Thygesen, L. (1990). Primary liver cancer among women in laundry and dry-cleaning work in Denmark. *Scand J Work Environ Health*. 16: 108-112.
- Ma, J; Lessner, L; Schreiber, J; Carpenter, DO. (2009). Association between residential proximity to PERC dry cleaning establishments and kidney cancer in New York City. *J Environ Public Health*. 2009: 183920. <http://dx.doi.org/10.1155/2009/183920>.
- Mahalingaiah, S; Winter, MR; Aschengrau, A. (2016). Association of prenatal and early life exposure to tetrachloroethylene (PCE) with polycystic ovary syndrome and other reproductive disorders in the cape cod health study: A retrospective cohort study. *Reprod Toxicol*. 65: 87-94. <http://dx.doi.org/10.1016/j.reprotox.2016.07.005>.
- Malone, KE; Koepsell, TD; Daling, JR; Weiss, NS; Morris, PD; Taylor, JW; Swanson, GM; Lyon, JL. (1989). Chronic lymphocytic leukemia in relation to chemical exposures. *Am J Epidemiol*. 130: 1152-1158.
- Maloney, EK; Waxman, DJ. (1999). trans-Activation of PPARalpha and PPARgamma by structurally diverse environmental chemicals. *Toxicol Appl Pharmacol*. 161: 209-218. <http://dx.doi.org/10.1006/taap.1999.8809>.

## Human Health Hazard Literature Search Results

### On Topic

- Malonova, H; Bardodej, Z. (1983). Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. *Cent Eur J Public Health*. 27: 319-328.
- Maltoni, C; Cotti, G. (1986). Results of long-term carcinogenicity bioassays of tetrachloroethylene on Sprague-Dawley rats administered by ingestion. *Acta Oncologica (Italy)*. 7: 11-26.
- Mandel, JS; Mclaughlin, JK; Schlehofer, B; Mellemgaard, A; Helmert, U; Lindblad, P; Mccredie, M; Adami, HO. (1995). International renal-cell cancer study. IV. Occupation. *Int J Cancer*. 61: 601-605. <http://dx.doi.org/10.1002/ijc.2910610503>; <http://onlinelibrary.wiley.com/doi/10.1002/ijc.2910610503/abstract>.
- Manson, JM; Tepe, SJ; Sowry, B; Hastings, L. (1982). Postnatal evaluation of offspring exposed prenatally to perchloroethylene. NA: Unpublished.
- Marth, E. (1987). Metabolic changes following oral exposure to tetrachloroethylene in subtoxic concentrations. *Arch Toxicol*. 60: 293-299.
- Marth, E; Stuenzner, D; Binder, H; Moese, JR. (1985). Tetrachlorethylen: eine Studie über die Wirkung niedriger Konzentrationen von 1,1,2,2-Tetrachlorethylen (Perchlorethylen) am Organismus der Maus II Rückstandsuntersuchungen von Tetrachlorethylen in verschiedenen Organen und Nachweis von histologischen Veränderungen der untersuchten organe. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 541-547.
- Marth, E; Stunzner, D; Binder, H; Mose, JR. (1985). [Tetrachloroethylene: effect of low concentrations of 1,1,2,2-tetrachloroethylene (perchloroethylene) on organisms in the mouse. I. Laboratory chemical research]. *Zentralbl Bakteriol Mikrobiol Hyg*. 181: 525-540.
- Marth, E; Stünzner, D; Köck, M; Möse, JR. (1989). Toxicokinetics of chlorinated hydrocarbons. *J Hyg Epidemiol Microbiol Immunol*. 33: 514-520.
- Matsushima, T; Hayashi, M; Matsuoka, A; Ishidate, M; Miura, KF; Shimizu, H; Suzuki, Y; Morimoto, K; Ogura, H; Mure, K; Koshi, K; Sofuni, T. (1999). Validation study of the in vitro micronucleus test in a Chinese hamster lung cell line (CHL/IU). *Mutagenesis*. 14: 569-580. <http://dx.doi.org/10.1093/mutage/14.6.569>.
- Mattei, F; Guida, F; Matrat, M; Cenée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med*. 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattsson, J; Albee, RR; Yano, BL; Bradley, GJ; PJ, S. (1998). Neurotoxicologic examination of rats exposed to 1,1,2,2-tetrachloroethylene (perchloroethylene) vapor for 13 weeks. *Neurotoxicol Teratol*. 20: 83-98. [http://ac.els-cdn.com/S0892036297000743/1-s2.0-S0892036297000743-main.pdf?\\_tid=fd313d6c-2a8c-11e7-af24-00000aacb35d&acdnat=1493217249\\_9ce410c170539c1ce7e13b8c6137937f](http://ac.els-cdn.com/S0892036297000743/1-s2.0-S0892036297000743-main.pdf?_tid=fd313d6c-2a8c-11e7-af24-00000aacb35d&acdnat=1493217249_9ce410c170539c1ce7e13b8c6137937f).
- Mazza, V. (1972). Enzymatic changes in experimental tetrachloroethylene poisoning. *Folia Med (Plovdiv)*. 55: 373-381.
- Mazza, V; Brancaccio, A. (1971). [Adrenal cortical and medullar hormones in experimental tetrachloroethylene poisoning]. *Folia Med(Napoli)*. 54: 204-207.
- Mazzullo, M; Grilli, S; Lattanzi, G; Prodi, G; Turina, MP; Colacci, A. (1987). Evidence of DNA binding activity of perchloroethylene. *Res Comm Chem Pathol Pharmacol*. 58: 215-235.
- Mcconnell, G; Ferguson, DM; Pearson, CR. (1975). Chlorinated hydrocarbons and the environment. *Endeavour*. 34: 13-18.
- Mcdermott, C; Heffron, JJA. (2013). Toxicity of Industrially Relevant Chlorinated Organic Solvents In Vitro. *Int J Toxicol*. 32: 136-145. <http://dx.doi.org/10.1177/1091581813482006>.
- McDougal, JN; Jepson, GW; Ill, CH; Gargas, ML; Andersen, ME. (1990). Dermal absorption of organic chemical vapors in rats and humans. *Toxicol Sci*. 14: 299-308.
- Mckernan, LT; Ruder, AM; Petersen, MR; Hein, MJ; Forrester, CL; Sanderson, WT; Ashley, DL; Butler, MA. (2008). Biological exposure assessment to tetrachloroethylene for workers in the dry cleaning industry. *Environ Health*. 7: 12. <http://dx.doi.org/10.1186/1476-069X-7-12>.
- McLaughlin, JK; Walker, HS; Stone, BJ; Weiner, JA; Walker, BK; Ericsson, JL; Blot, WJ; Fraumeni, JF, Jr. (1987). Occupational risks for renal cancer in Sweden. *Br J Ind Med*. 44: 119-123. <http://dx.doi.org/10.1136/oem.44.2.119>.
- Mclean, D; Fleming, S; Turner, MC; Kincl, L; Richardson, L; Benke, G; Schlehofer, B; Schlaefer, K; Parent, ME; Hours, M; Krewski, D; van Tongeren, M; Sadetzki, S; Siemiatycki, J; Cardis, E. (2014). Occupational solvent exposure and risk of meningioma: results from the INTEROCC multicentre case-control study. *Occup Environ Med*. 71: 253-258. <http://dx.doi.org/10.1136/oemed-2013-101780>.
- Meckler, LC; Phelps, DK. (1966). Liver disease secondary to tetrachloroethylene exposure: A case report. *JAMA*. 197: 662-663. <http://jamanetwork.com/journals/jama/article-abstract/660991>.
- Mellemgaard, A; Engholm, G; Mclaughlin, JK; Olsen, JH. (1994). Occupational risk factors for renal-cell carcinoma in Denmark. *Scand J Work Environ Health*. 20: 160-165.
- Mercier, M; Lans, M; de Gerlache, J. (1984). Mutagenicity, carcinogenicity, and teratogenicity of halogenated hydrocarbon solvents. In M Kirsch-Volders (Ed.), (pp. 281-324). New York, NY: Plenum Press.
- Mersch-Sundermann, V; Schneider, U; Klopman, G; Rosenkranz, HS. (1994). SOS induction in Escherichia coli and Salmonella mutagenicity: A comparison using 330 compounds [Review]. *Mutagenesis*. 9: 205-224. <http://dx.doi.org/10.1093/mutage/9.3.205>.
- Method, HL. (1946). Toxicity of tetrachlorethylene. *JAMA*. 131: 1468.
- Meulenberg, CJ; de Groot, A; Westerink, RH; Vijverberg, HP. (2016). Organic solvent-induced changes in membrane geometry in human SH-SY5Y neuroblastoma cells - a common narcotic effect? *Neurotoxicology*. 55: 74-82. <http://dx.doi.org/10.1016/j.neuro.2016.05.013>.
- Miligi, L; Costantini, AS; Benvenuti, A; Kriebel, D; Bolejack, V; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, GA; Mendico, I; Vineis, P. (2006). Occupational exposure to solvents and the risk of lymphomas. *Epidemiology*. 17: 552-561. <http://dx.doi.org/10.1097/01.ede.0000231279.30988.4d>.
- Miller, TA. (1966). Anthelmintic activity of tetrachloroethylene against various stages of Ancylostoma caninum in young dogs. *Am J Vet Res*. 27: 1037-1040.
- Milman, HA; Story, DL; Riccio, ES; Sivak, A; Tu, AS; Williams, GM; Tong, C; Tyson, CA. (1988). Rat liver foci and in vitro assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes. *Ann N Y Acad Sci*. 534: 521-530.

## Human Health Hazard Literature Search Results

### On Topic

- Miyazaki, Y; Takano, T. (1983). Impairment of mitochondrial electron transport by tetrachloroethylene. *Toxicol Lett.* 18: 163-166. [http://dx.doi.org/10.1016/0378-4274\(83\)90088-7](http://dx.doi.org/10.1016/0378-4274(83)90088-7).
- Mochida, K; Saito, K. (1985). Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. *Bull Environ Contam Toxicol.* 35: 593-595.
- Monster, A; Regouin-Peeters, W; Van Schijndel, A; Van der Tuin, J. (1983). Biological monitoring of occupational exposure to tetrachloroethene. *Scand J Work Environ Health.* 9: 273-281.
- Monster, AC. (1979). Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane, and tetrachloroethylene. *Int Arch Occup Environ Health.* 42: 311-317. <http://dx.doi.org/10.1007/BF00377785>; <http://link.springer.com/article/10.1007%2FBF00377785>.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of tetrachloroethylene in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health.* 42: 303-309.
- Monster, AC; Houtkooper, JM. (1979). Estimation of individual uptake of trichloroethylene, 1,1,1-trichloroethane and tetrachloroethylene from biological parameters. *Int Arch Occup Environ Health.* 42: 319-323. <http://dx.doi.org/10.1007/BF00377786>; <http://link.springer.com/article/10.1007%2FBF00377786>.
- Morales-Suarez-Varela, MM; Olsen, J; Villeneuve, S; Johansen, P; Kaerlev, L; Llopis-Gonzalez, A; Wingren, G; Hardell, L; Ahrens, W; Stang, A; Merletti, F; Gorini, G; Aurrekoetxea, JJ; Fevotte, J. (2013). Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. *J Occup Environ Med.* 55: 924-931. <http://dx.doi.org/10.1097/JOM.0b013e3182941a1c>.
- Morgan, B. (1969). Dangers of perchlorethylene. *Br Med J.* 2: 513.
- Morrow, LA; Ryan, CM; Hodgson, MJ; Robin, N. (1990). Alterations in cognitive and psychological functioning after organic solvent exposure. *J Occup Med.* 32: 444-450. <http://dx.doi.org/10.1097/00043764-199005000-00010>.
- Mortelmans, K; Haworth, S; Lawlor, T; Speck, W; Tainer, B; Zeiger, E. (1986). Salmonella mutagenicity tests: II. Results from the testing of 270 chemicals. *Environ Mutagen.* 8: 1-119. <http://dx.doi.org/10.1002/em.2860080702>.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A.* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Moslen, MT; Reynolds, ES; Szabo, S. (1977). Enhancement of the metabolism and hepatotoxicity of trichloroethylene and perchloroethylene. *Biochem Pharmacol.* 26: 369-375. [http://dx.doi.org/10.1016/0006-2952\(77\)90193-9](http://dx.doi.org/10.1016/0006-2952(77)90193-9).
- Motohashi, Y; Miyazaki, Y; Takano, T. (1993). Assessment of behavioral effects of tetrachloroethylene using a set of time-series analyses. *Neurotoxicol Teratol.* 15: 3-10.
- Mueller, M; Birner, G; Henschler, D; Dekant, W. (1994). DNA adducts: Identification and biological significance Structures of DNA adducts formed by halothioketenes and halo ketenes possible adducts formed from trichloro- and perchloroethene via glutathione conjugation. Lyon, France: International Agency for Research on Cancer (IARC).
- Müller, M; Birner, G; Henschler, D; Dekant, W. (1994). DNA Adducts: Identification and Biological Significance Structures of DNA adducts formed by halothioketenes and halo ketenes: Possible adducts formed from trichloro- and perchloroethene via glutathione conjugation. Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=125>.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A.* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mundt, KA; Birk, T; Burch, MT. (2003). Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer [Review]. *Int J Occup Environ Health.* 76: 473-491. <http://dx.doi.org/10.1007/s00420-003-0457-2>.
- Murakami, K; Horikawa, K. The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere.* 31: 3733-3739.
- Murakami, K; Horikawa, K. (1995). The induction of micronuclei in mice hepatocytes and reticulocytes by tetrachloroethylene. *Chemosphere.* 31: 3733-3739. [http://dx.doi.org/10.1016/0045-6535\(95\)00222-T](http://dx.doi.org/10.1016/0045-6535(95)00222-T).
- Mutti, A; Alinovi, R; Bergamaschi, E; Biagini, C; Cavazzini, S; Franchini, I; Lauwerys, RR; Bernard, AM; Roels, H; Gelpi, E; Rosello, J; Ramis, I; Price, RG; Taylor, SA; de Broe, M; Nuyts, GD; Stolte, H; Fels, LM; Herbort, C. (1992). Nephropathies and exposure to perchloroethylene in dry-cleaners. *Lancet.* 330: 189-193. [http://dx.doi.org/10.1016/0140-6736\(92\)90463-D](http://dx.doi.org/10.1016/0140-6736(92)90463-D).
- Mutti, A; Smargiassi, A. (1998). Selective vulnerability of dopaminergic systems to industrial chemicals: risk assessment of related neuroendocrine changes. *Toxicol Ind Health.* 14: 311-323.
- Myhr, B; McGregor, D; Bowers, L; Riach, C; Brown, AG; Edwards, I; McBride, D; Martin, R; Caspary, WJ. (1990). L5178Y mouse lymphoma cell mutation assay results with 41 compounds. *Environ Mol Mutagen.* 16: 138-167. <http://dx.doi.org/10.1002/em.2850160506>.
- Nagano, K; Nishizawa, T; Yamamoto, S; Matsushima, T. (1998). Inhalation carcinogenesis studies of six halogenated hydrocarbons in rats and mice. In K Chiyotani; Y Hosoda; Y Aizawa (Eds.), (pp. 741-746). Amsterdam: Elsevier Science.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; Chu, I; Li-Muller, A; Aucoin, R. (1999). Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A.* 58: 157-170. <http://dx.doi.org/10.1080/009841099157368>.
- Nakatsuka, H; Watanabe, T; Takeuchi, Y; Hisanaga, N; Shibata, E; Suzuki, H; Huang, MY; Chen, Z; Qu, QS; Ikeda, M. (1992). Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health.* 64: 113-117. <http://dx.doi.org/10.1007/BF00381478>; <http://link.springer.com/article/10.1007%2FBF00381478>.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health.* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.

## Human Health Hazard Literature Search Results

### On Topic

- Navrotskiy, VK; Kashin, LM; Kulinskaya, IL; Mikhaylovskaya, LF; Shmuter, LM; Burlaka-Vovk, ZN; Zadorozhniy, BV. (1971). [Comparative assessment of the toxicity of a number of industrial poisons when inhaled in low concentrations for prolonged periods]. *Tr S'ezda Gig Ukr SSR*. 8: 224-226.
- NCI. (1977). Bioassay of tetrachloroethylene for possible carcinogenicity. (NCI-CGTR-13; DHEW Publication No. (NIH) 77-813). Bethesda, Md: National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr013.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr013.pdf).
- Neasham, D; Sifi, A; Nielsen, KR; Overvad, K; Raaschou-Nielsen, O; Tjønneland, A; Barricarte, A; González, CA; Navarro, C; Rodriguez Suarez, L; Travis, RC; Key, T; Linseisen, J; Kaaks, R; Crosignani, P; Berrino, F; Rosso, S; Mattiello, A; Vermeulen, RC; Bueno-de-Mesquita, HB; Berglund, G; Manjer, J; Zackrisson, S; Hallmans, G; Malmer, B; Bingham, S; Khaw, KT; Bergmann, MM; Boeing, H; Trichopoulou, A; Masala, G; Tumino, R; Lund, E; Slimani, N; Ferrari, P; Boffetta, P; Vineis, P; Riboli, E. (2011). Occupation and risk of lymphoma: A multicentre prospective cohort study (EPIC). *Occup Environ Med*. 68: 77-81. <http://dx.doi.org/10.1136/oem.2009.048173>.
- Nelson, BK; Taylor, BJ; Setzer, JV; Hornung, RW. (1979). Behavioral teratology of perchloroethylene in rats. *J Environ Pathol Toxicol Oncol*. 3: 233-250.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med*. 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- NIH. (2015). PCE in Drinking Water Linked to Cancer and Epilepsy. <https://docs.google.com/viewer?a=v&pid=forums&srcid=MTGxNjE2ZnExMDg5NDUyMTEzMzMBMDQ3MDA2ODgxNTUwNDM2NjA0OTBdnFMUUVRdmdBd0FKATAuMQEBdjl>.
- NIOSH. (1994). Fatality assessment and control evaluation (FACE) for Colorado: 17-year-old worker at a plastic products manufacturing plant died as a result of an overexposure to tetrachloroethylene (also known as perchloroethylene). (94CO006A). Morgantown, West Virginia. <http://www.cdc.gov/niosh/face/stateface/co/94co006.html>.
- NRC. (2009). Contaminated water supplies at Camp Lejeune: Assessing potential health effects. Washington, DC: National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=12618](http://www.nap.edu/catalog.php?record_id=12618).
- NTP. (1986). Toxicology and carcinogenesis studies of tetrachloroethylene (perchloroethylene) (CAS no. 127-18-4) in F344/N rats and B6C3F1 mice (inhalation studies). (NTP TR 311). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr311.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr311.pdf).
- NTP. (2011). Tetrachloroethylene. 12: 398-401.
- NYSDOH. (1997). Tetrachloroethene ambient air criteria document. Final report. Albany, NY.
- NYSDOH. (2000). Evaluation of residential exposure to tetrachloroethene using biomarkers of dose and neurological tests. Albany, NY.
- NYSDOH. (2005). Improving human risk assessment for tetrachloroethylene by using biomarkers and neurobehavioral testing. (R827446). Troy, NY: New York State Department of Health, Bureau of Toxic Substance Assessment.
- NYSDOH. (2005). Pumpkin patch day care center follow-up evaluation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- NYSDOH. (2005). Pumpkin patch day care center investigation (final report). Troy, NY: Center for Environmental Health, Bureau of Toxic Substance Assessment.
- NYSDOH. (2010). Tetrachloroethylene (perc) exposure and visual contrast sensitivity (VCS) test performance in adults and children residing in buildings with or without a dry cleaner. Troy, NY.
- Odum, J; Green, T; Foster, JR; Hext, PM. (1988). The role of trichloroacetic acid and peroxisome proliferation in the differences in carcinogenicity of perchloroethylene in the mouse and rat. *Toxicol Appl Pharmacol*. 92: 103-112. [http://dx.doi.org/10.1016/0041-008X\(88\)90232-3](http://dx.doi.org/10.1016/0041-008X(88)90232-3).
- Ogata, M; Hasegawa, T. (1981). Effects of chlorinated aliphatic hydrocarbons on mitochondrial oxidative phosphorylation in the rat with reference to the effects of chlorinated aromatic hydrocarbons. *Ind Health*. 19: 71-75.
- Ogata, M; Sugiyama, K; Kuroda, YI. (1962). [Investigation of a dry-cleaning shop using tetrachloroethylene, with special reference to Fujiwara's substance in the urine of the employees]. *Okayama Igakkai Zasshi*. 74: 247-253.
- Ogata, M; Takatsuka, Y; Tomokuni, K. (1971). Excretion of organic chlorine compounds in the urine of persons exposed to vapours of trichloroethylene and tetrachloroethylene. *Occup Environ Med*. 28: 386-391. <http://dx.doi.org/10.1136/oem.28.4.386>; <http://oem.bmj.com/content/oemed/28/4/386.full.pdf>.
- Ohtsuki, T; Sato, K; Koizumi, A; Kumai, M; Ikeda, M. (1983). Limited capacity of humans to metabolize tetrachloroethylene. *Int Arch Occup Environ Health*. 51: 381-390. <http://dx.doi.org/10.1007/BF00378352>; <http://link.springer.com/article/10.1007%2FBF00378352>.
- Olie, JD; Bessems, JG; Clewell, HJ; Meulenbelt, J; Hunault, CC. (2015). Evaluation of semi-generic PBTK modeling for emergency risk assessment after acute inhalation exposure to volatile hazardous chemicals. *Chemosphere*. 132: 47-55. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.048>.
- Olsen, J; Hemminki, K; Ahlborg, G; Bjerkedal, T; Kyyronen, P; Taskinen, H; Lindbohm, ML; Heinonen, OP; Brandt, L; Kolstad, H; Halvorsen, BA; Egeaas, J. (1990). Low birthweight, congenital malformations, and spontaneous abortions among dry-cleaning workers in Scandinavia. *Scand J Work Environ Health*. 16: 163-168.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj*. 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).
- Ono, Y; Somiya, I; Kawamura, M. (1991). Genotoxicity of the by-products produced in chlorination and ozonation processes. *Mutat Res Environ Mutagen Relat Subj*. 252: 102. [http://dx.doi.org/10.1016/0165-1161\(91\)90301-N](http://dx.doi.org/10.1016/0165-1161(91)90301-N).
- Onofrij, M; Thomas, A; Paci, C; Rotilio, D. (1998). Optic neuritis with residual tunnel vision in perchloroethylene toxicity. *J Toxicol Clin Toxicol*. 36: 603-607.



## Human Health Hazard Literature Search Results

### On Topic

- Opdam, JJ. (1989). Intra and interindividual variability in the kinetics of a poorly and highly metabolising solvent. *Br J Ind Med.* 46: 831-845. <http://dx.doi.org/10.1136/oem.46.12.831>; <http://oem.bmj.com/content/oemed/46/12/831.full.pdf>.
- Opdam, JJ. (1989). Respiratory input in inhalation experiments. *Occup Environ Med.* 46: 145-156. <http://dx.doi.org/10.1136/oem.46.3.145>; <http://oem.bmj.com/content/oemed/46/3/145.full.pdf>.
- Opdam, JJ; Smolders, JF. (1986). Alveolar sampling and fast kinetics of tetrachloroethene in man. I. Alveolar sampling. *Br J Ind Med.* 43: 814-824. <http://dx.doi.org/10.1136/oem.43.12.814>; <http://oem.bmj.com/content/oemed/43/12/814.full.pdf>.
- Opdam, JJ; Smolders, JF. (1987). Alveolar sampling and fast kinetics of tetrachloroethene in man. II. Fast kinetics. *Occup Environ Med.* 44: 26-34. <http://dx.doi.org/10.1136/oem.44.1.26>.
- Oshiro, WM; Krantz, QT; Bushnell, PJ. (2008). Characterization of the effects of inhaled perchloroethylene on sustained attention in rats performing a visual signal detection task. *Neurotoxicol Teratol.* 30: 167-174. <http://dx.doi.org/10.1016/j.ntt.2008.01.002>.
- Pahler, A; Birner, G; Parker, J; Dekant, W. (1998). Generation of antibodies to Di- and trichloroacetylated proteins and immunochemical detection of protein adducts in rats treated with perchloroethene. *Chem Res Toxicol.* 11: 995-1004. <http://dx.doi.org/10.1021/tx9800102>.
- Pahler, A; Parker, J; Dekant, W. (1999). Dose-dependent protein adduct formation in kidney, liver, and blood of rats and in human blood after perchloroethene inhalation. *Toxicol Sci.* 48: 5-13.
- Pahler, A; Volkel, W; Dekant, W. (1999). Quantitation of N epsilon-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography-mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography. *J Chromatogr A.* 847: 25-34. [http://dx.doi.org/10.1016/S0021-9673\(99\)00276-9](http://dx.doi.org/10.1016/S0021-9673(99)00276-9); <http://www.sciencedirect.com/science/article/pii/S0021967399002769>.
- Paramei, GV; Meyer-Baron, M; Seeber, A. (2004). Impairments of colour vision induced by organic solvents: A meta-analysis study. *Neurotoxicology.* 25: 803-816. <http://dx.doi.org/10.1016/j.neuro.2004.01.006>.
- Parent, ME; Hua, Y; Siemiatycki, J. (2000). Occupational risk factors for renal cell carcinoma in Montreal. *Am J Ind Med.* 38: 609-618.
- Parent, ME; Siemiatycki, J; Fritschi, L. (2000). Workplace exposures and oesophageal cancer. *Occup Environ Med.* 57: 325-334. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1739952/pdf/v057p00325.pdf>.
- Parker, JC; Bahlman, LJ; Leidel, NA; Stein, HP; Thomas, AW; Wolf, BS; Baier, EJ. (1978). Tetrachloroethylene (perchloroethylene). *Am Ind Hyg Assoc J.* 39: A-29.
- Parnell, M; Exon, J; Koller, L. (1988). Assessment of hepatic initiation-promotion properties of trichloroacetic acid. *Arch Environ Contam Toxicol.* 17: 429-436. <http://dx.doi.org/10.1007/BF01055507>.
- Parry, JM; Parry, EM; Bourner, R; Doherty, A; Ellard, S; O'Donovan, J; Hoebee, B; de Stoppelaar, JM; Mohn, GR; Onfelt, A; Renglin, A; Schultz, N; Soderpalm-Berndes, C; Jensen, KG; Kirsch-Volders, M; Elhajouji, A; Van Hummelen, P; Degrassi, F; Antoccia, A; Cimini, D; Izzo, M; Tanzarella, C; Adler, ID; Kliesch, U; Schriever-Schwemmer, G; Gasser, P; Crebelli, R; Carere, A; Andreoli, C; Benigni, R; Leopardi, P; Marcon, F; Zinjo, Z; Natarajan, AT; Boei, J; Kappas, A; Voutsinas, G; Zarani, FE; Patrinely, A; Pachierotti, F; Tiveron, C; Hess, P. (1996). The detection and evaluation of aneugenic chemicals [Review]. *Mutat Res.* 353: 11-46. [http://dx.doi.org/10.1016/0027-5107\(95\)00242-1](http://dx.doi.org/10.1016/0027-5107(95)00242-1).
- Parry, JM; Parry, EM; Warr, T; Lynch, A; James, S. (1990). Mutation and the environment, Part B: Metabolism, testing methods, and chromosomes: Proceedings of the Fifth International Conference on Environmental Mutagens, held in Cleveland, Ohio, July 10-15, 1989. The detection of aneugens using yeasts and cultured mammalian cells. In *Progress in Clinical and Biological Research*. New York, NY: Wiley-Liss.
- Partanen, T; Heikkila, P; Hernberg, S; Kauppinen, T; Moneta, G; Ojajarvi, A. (1991). Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health.* 17: 231-239.
- Patel, R; Janakiraman, N; Towne, WD. (1977). Pulmonary edema due to tetrachloroethylene. *Environ Health Perspect.* 21: 247-249.
- Paulu, C; Aschengrau, A; Ozonoff, D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect.* 107: 265-271. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1566514/pdf/envhper00509-0057.pdf>.
- Paulu, C; Aschengrau, A; Ozonoff, D. (2002). Exploring associations between residential location and breast cancer incidence in a case-control study. *Environ Health Perspect.* 110: 471-478. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1240835/pdf/ehp0110-000471.pdf>.
- Pearce, NE; Sheppard, RA; Smith, AH; Teague, CA. (1987). Non-Hodgkin's lymphoma and farming: An expanded case-control study. *Int J Cancer.* 39: 155-161. <http://dx.doi.org/10.1002/ijc.2910390206>.
- Pearce, NE; Smith, AH; Fisher, DO. (1985). Malignant lymphoma and multiple myeloma linked with agricultural occupations in a New Zealand Cancer Registry-based study. *Am J Epidemiol.* 121: 225-237.
- Pearce, NE; Smith, AH; Reif, JS. (1988). Increased risks of soft tissue sarcoma, malignant lymphoma, and acute myeloid leukemia in abattoir workers. *Am J Ind Med.* 14: 63-72. <http://dx.doi.org/10.1002/ajim.4700140108>.
- Pegg, DG; Zempel, JA; Braun, WH; Watanabe, PG. (1979). Disposition of tetrachloro(14C)ethylene following oral and inhalation exposure in rats. *Toxicol Appl Pharmacol.* 51: 465-474.
- Pelekis, M; Gephart, LA; Lerman, SE. (2001). Physiological-model-based derivation of the adult and child pharmacokinetic intraspecies uncertainty factors for volatile organic compounds. *Regul Toxicol Pharmacol.* 33: 12-20. <http://dx.doi.org/10.1006/rtph.2000.1436>.
- Peplonska, B; Stewart, P; Szeszenia-Dabrowska, N; Rusiecki, J; Garcia-Closas, M; Lissowska, J; Bardin-Mikolajczak, A; Zatonski, W; Gromiec, J; Brzezniacki, S; Brinton, L; Blair, A. (2007). Occupation and breast cancer risk in Polish women: A population-based case-control study. *Am J Ind Med.* 50: 97-111. <http://dx.doi.org/10.1002/ajim.20420>.

## Human Health Hazard Literature Search Results

### On Topic

- Pereira, MA. (1996). Carcinogenic activity of dichloroacetic acid and trichloroacetic acid in the liver of female B6C3F1 mice. *Fundam Appl Toxicol.* 31: 192-199. <http://dx.doi.org/10.1006/faat.1996.0091>.
- Pereira, MA; Kramer, PM; Conran, PB; Tao, L. (2001). Effect of chloroform on dichloroacetic acid and trichloroacetic acid-induced hypomethylation and expression of the c-myc gene and on their promotion of liver and kidney tumors in mice. *Carcinogenesis.* 22: 1511-1519. <http://dx.doi.org/10.1093/carcin/22.9.1511>.
- Pereira, MA; Li, K; Kramer, PM. (1997). Promotion by mixtures of dichloroacetic acid and trichloroacetic acid of N-methyl-N-nitrosourea-initiated cancer in the liver of female B6C3F1 mice. *Cancer Lett.* 115: 15-23. [http://dx.doi.org/10.1016/S0304-3835\(97\)04699-5](http://dx.doi.org/10.1016/S0304-3835(97)04699-5).
- Pereira, MA; Phelps, JB. (1996). Promotion by dichloroacetic acid and trichloroacetic acid of N-methyl-N-nitrosourea-initiated cancer in the liver of female B6C3F1 mice. *Cancer Lett.* 102: 133-141. [http://dx.doi.org/10.1016/0304-3835\(96\)04156-0](http://dx.doi.org/10.1016/0304-3835(96)04156-0).
- Perocco, P; Bolghesi, S; Alberghini, W. (1983). Toxic activity of seventeen industrial solvents and halogenated compounds on human lymphocytes cultured in vitro. *Toxicol Lett.* 16: 69-75. [http://dx.doi.org/10.1016/0378-4274\(83\)90012-7](http://dx.doi.org/10.1016/0378-4274(83)90012-7).
- Perrin, MC; Opler, MG; Harlap, S; Harkavy-Friedman, J; Kleinhaus, K; Nahon, D; Fennig, S; Susser, ES; Malaspina, D. (2007). Tetrachloroethylene exposure and risk of schizophrenia: offspring of dry cleaners in a population birth cohort, preliminary findings. *Schizophr Res.* 90: 251-254. <http://dx.doi.org/10.1016/j.schres.2006.09.024>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2739584/pdf/nihms19720.pdf>.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for urothelial carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 238-247. <http://dx.doi.org/10.1093/ije/29.2.238>.
- Petkovska, L; Pereska, Z. (2011). Cardiac Dysrhythmia Induced by Perchloroethylene - Acute Poisoning - Case Report. *Clin Toxicol.* 49: 256-257.
- Pezzagno, G; Imbriani, M; Ghittori, S; Capodaglio, E. (1988). Urinary concentration, environmental concentration, and respiratory uptake of some solvents: Effect of the work load. *Am Ind Hyg Assoc J.* 49: 546-552.
- Philip, BK; Mumtaz, MM; Latendresse, JR; Mehendale, HM. (2007). Impact of repeated exposure on toxicity of perchloroethylene in Swiss Webster mice. *Toxicology.* 232: 1-14. <http://dx.doi.org/10.1016/j.tox.2006.12.018>; <http://www.sciencedirect.com/science/article/pii/S0300483X06007384>.
- Plaa, GL; Evans, EA; Hine, CH. (1958). Relative hepatotoxicity of seven halogenated hydrocarbons. *J Pharmacol Exp Ther.* 123: 224-229.
- Plaa, GL; Larson, RE. (1965). Relative nephrotoxic properties of chlorinated methane, ethane, and ethylene derivatives in mice. *Toxicol Appl Pharmacol.* 7: 37-44.
- Plewa, MJ; Kargalioglu, Y; Vankerk, D; Minear, RA; Wagner, ED. (2002). Mammalian cell cytotoxicity and genotoxicity analysis of drinking water disinfection by-products. *Environ Mol Mutagen.* 40: 134-142. <http://dx.doi.org/10.1002/em.10092>; <http://onlinelibrary.wiley.com/doi/10.1002/em.10092/abstract>.
- Poet, TS; Weitz, KK; Gies, RA; Edwards, JA; Thrall, KD; Corley, RA; Tanojo, H; Hui, X; Maibach, HI; Wester, RC. (2002). PBPK modeling of the percutaneous absorption of perchloroethylene from a soil matrix in rats and humans. *Toxicol Sci.* 67: 17-31. <http://dx.doi.org/10.1093/toxsci/67.1.17>.
- Popp, JA. (1987). Mechanisms of Toxic Action and Carcinogenicity of Chlorinated Hydrocarbons AU - Goldsworthy TL. 7.
- Popp, W; Muller, G; Balthes-Schmitz, B; Wehner, B; Vahrenholz, C; Schmieding, W; Benninghoff, M; Norpoth, K. (1992). Concentrations of tetrachloroethene in blood and trichloroacetic acid in urine in workers and neighbours of dry-cleaning shops. *Int Arch Occup Environ Health.* 63: 393-395.
- Potter, CL; Chang, LW; Deangelo, AB; Daniel, FB. (1996). Effects of four trihalomethanes on DNA strand breaks, renal hyaline droplet formation and serum testosterone in male F-344 rats. *Cancer Lett.* 106: 235-242.
- Potter, CL; DeAngelo, AB; Daniel, FB. (1989). Renal alpha-2-microglobulin deposition following exposure of male F-344 rats to 2,2,4-trimethylpentane, trichloroethylene, tetrachloroethylene or chloroform.
- Price, K; Krishnan, K. (2011). An integrated QSAR-PBPK modelling approach for predicting the inhalation toxicokinetics of mixtures of volatile organic chemicals in the rat. *SAR and QSAR in Environmental Research.* 22: 107-128. <http://dx.doi.org/10.1080/1062936X.2010.548350>.
- Price, PJ; Hassett, CM; Mansfield, JI. (1978). Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro.* 14: 290-293.
- Purdue, MP; Stewart, PA; Friesen, MC; Colt, JS; Locke, SJ; Hein, MJ; Waters, MA; Graubard, BI; Davis, F; Ruterbusch, J; Schwartz, K; Chow, WH; Rothman, N; Hofmann, JN. (2016). Occupational exposure to chlorinated solvents and kidney cancer: a case-control study. *Occup Environ Med.* <http://dx.doi.org/10.1136/oemed-2016-103849>.
- Qiu, J; Chien, YC; Bruckner, JV; Fisher, JW. (2010). Bayesian analysis of a physiologically based pharmacokinetic model for perchloroethylene in humans. *J Toxicol Environ Health A.* 73: 74-91. <http://dx.doi.org/10.1080/15287390903249099>.
- Rajamanikandan, S; Sindhu, T; Durgapriya, D; Sophia, D; Ragavendran, P; Gopalakrishnan, VK. (2012). Protective effect of *Mollugo nudicaulis* Lam. on acute liver injury induced by perchloroethylene in experimental rats. *Asian Pacific Journal of Tropical Medicine.* 5: 862-867. [http://dx.doi.org/10.1016/S1995-7645\(12\)60161-8](http://dx.doi.org/10.1016/S1995-7645(12)60161-8).
- Rampy, LW; Quast, JF; Balmer, MF; Leong, BKJ; Gehring, PJ. (1978). Results of a long-term inhalation toxicity study on rats of a perchloroethylene in rats (tetrachloroethylene) formulation. Midland, MI: Dow Chemical.
- Rampy, LW; Quast, JF; Balmer, MF; Leong, BKJ; Gehring, PJ. (1978). Results of the long-term inhalation toxicity study on rats of perchloroethylene (tetrachloroethylene) formulation. In GL Plaa; WAM Duncan (Eds.), (pp. 562). New York: Academic Press.
- Reichert, D. (1983). Biological actions and interactions of tetrachloroethylene [Review]. *Mutat Res Rev Mutat Res.* 123: 411-429. [http://dx.doi.org/10.1016/0165-1110\(83\)90030-1](http://dx.doi.org/10.1016/0165-1110(83)90030-1).

## Human Health Hazard Literature Search Results

### On Topic

- Reichert, D; Spengler, U; Romen, W; Henschler, D. Nephrotoxic, mutagenic and carcinogenic potentials of dichloroacetylene and its decomposition products.
- Reinhardt, CF; Mullin, LS; Maxfield, ME. (1973). Epinephrine-induced cardiac arrhythmia potential of some common industrial solvents. *J Occup Environ Med.* 15: 953-955.
- Reitz, RH. New data on tetrachloroethylene metabolism. Berkeley: California Environmental Protection Agency.
- Reitz, RH; Nolan, RJ. (1986). Physiological pharmacokinetic modeling for perchloroethylene dose adjustment. Draft Report to EPA's Science Advisory Board (pp. 1-23). Reitz, RH; Nolan, RJ.
- Richmond, RE; Carter, JH; Carter, HW; Daniel, FB; DeAngelo, AB. (1995). Immunohistochemical analysis of dichloroacetic acid (DCA)-induced hepatocarcinogenesis in male Fischer (F344) rats. *Cancer Lett.* 92: 67-76. [http://dx.doi.org/10.1016/0304-3835\(94\)03756-9](http://dx.doi.org/10.1016/0304-3835(94)03756-9).
- Riihimaki, V; Pfaffli, P. (1978). Percutaneous absorption of solvent vapors in man. *Scand J Work Environ Health.* 4: 73-85.
- Rodriguez, CE; Mahle, DA; Gearhart, JM; Mattie, DR; Lipscomb, JC; Cook, RS; Barton, HA. (2007). Predicting age-appropriate pharmacokinetics of six volatile organic compounds in the rat utilizing physiologically based pharmacokinetic modeling. *Toxicol Sci.* 98: 43-56. <http://dx.doi.org/10.1093/toxsci/kfm082>.
- Roldán-Arjona, T; García-Pedrajas, MD; Luque-Romero, FL; Hera, C; Pueyo, C. (1991). An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis.* 6: 199-205. <http://dx.doi.org/10.1093/mutage/6.3.199>.
- Rosengren, LE; Kjellstrand, P; Haglid, KG. (1986). Tetrachloroethylene: Levels of DNA and S-100 in the gerbil CNS after chronic exposure. *Neurobehav Toxicol Teratol.* 8: 201-206.
- Rowe, VK; McCollister, DD; Spencer, HC; Adams, EM; Irish, DD. (1952). Vapor toxicity of tetrachloroethylene for laboratory animals and human subjects. *Arch Environ Occup Health.* 5: 566-579.
- Rowe, VK; Wujkowski, T; Wolf, MA; Sadek, SE; Stewart, RD. (1963). Toxicity of a solvent mixture of 1,1,1-trichloroethane and tetrachloroethylene as determined by experiments on laboratory animals and human subjects. *Am Ind Hyg Assoc J.* 24: 541-554.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2013). Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health.* 12: 104. <http://dx.doi.org/10.1186/1476-069X-12-104>.
- Ruckart, PZ; Bove, FJ; Maslia, M. (2014). Evaluation of contaminated drinking water and preterm birth, small for gestational age, and birth weight at Marine Corps Base Camp Lejeune, North Carolina: a cross-sectional study. *Environ Health.* 13: 99. <http://dx.doi.org/10.1186/1476-069X-13-99>.
- Ruckart, PZ; Bove, FJ; Shanley, E; Maslia, M. (2015). Evaluation of contaminated drinking water and male breast cancer at Marine Corps Base Camp Lejeune, North Carolina: a case control study. *Environ Health.* 14: 74. <http://dx.doi.org/10.1186/s12940-015-0061-4>.
- Ruder, A. (2006). Potential health effects of occupational chlorinated solvent exposure. *Ann N Y Acad Sci.* 1076: 207-227. <http://dx.doi.org/10.1196/annals.1371.050>.
- Ruder, AM; Ward, EM; Brown, DP. (1994). Cancer mortality in female and male dry-cleaning workers. *J Occup Med.* 36: 867-874.
- Ruder, AM; Ward, EM; Brown, DP. (2001). Mortality in dry-cleaning workers: An update. *Am J Ind Med.* 39: 121-132. [http://dx.doi.org/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H](http://dx.doi.org/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H); [http://onlinelibrary.wiley.com/doi/10.1002/1097-0274\(200102\)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract](http://onlinelibrary.wiley.com/doi/10.1002/1097-0274(200102)39:2<121::AID-AJIM1000>3.0.CO;2-H/abstract).
- Ruiz, P; Ray, M; Fisher, J; Mumtaz, M. (2011). Development of a Human Physiologically Based Pharmacokinetic (PBPK) Toolkit for Environmental Pollutants [Review]. *International Journal of Molecular Sciences.* 12: 7469-7480. <http://dx.doi.org/10.3390/ijms12117469>.
- Saillenfait, AM; Langonne, I; Sabate, JP. (1995). Developmental toxicity of trichloroethylene, tetrachloroethylene and four of their metabolites in rat whole embryo culture. *Arch Toxicol.* 70: 71-82. <http://dx.doi.org/10.1007/BF02733666>; <http://link.springer.com/article/10.1007%2FBF02733666>.
- Sakamoto, N. (1976). [Metabolism of tetrachloroethylene in guinea pigs (author's transl)]. *Sangyo Igaku.* 18: 11-16.
- Saland, G. (1967). Accidental exposure to perchloroethylene. *N Y State J Med.* 67: 2359-2361.
- Salmon, A; Krowech, G; Dunn, A. (1999). Evidence on the carcinogenicity of trichloroacetic acid and its salts, final. Sacramento, CA: California Environmental Protection Agency. <http://www.oehha.org/prop65/pdf/TCAf.pdf>.
- Sarangapani, R; Gentry, PR; Covington, TR; Teegarden, JG; Clewell, HJ, III. (2003). Evaluation of the potential impact of age- and gender-specific lung morphology and ventilation rate on the dosimetry of vapors. *Inhal Toxicol.* 15: 987-1016. <http://dx.doi.org/10.1080/08958370390226350>.
- Savolainen, H; Pfaffli, P; Tengén, M; Vainio, H. (1977). Biochemical and behavioural effects of inhalation exposure to tetrachloroethylene and dichloromethane. *J Neuropathol Exp Neurol.* 36: 941-949.
- Schlehofer, B; Heuer, C; Blettner, M; Niehoff, D; Wahrendorf, J. (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol.* 24: 51-57. <http://dx.doi.org/10.1093/ije/24.1.51>.
- Schlichting, LM; Wright, PF; Stacey, NH. (1992). Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicol Ind Health.* 8: 255-266.
- Schlingman, AS. (1925). Critical tests of tetrachloroethylene, a new anthelmintic, with special reference to its use in puppies. *J Am Vet Med Assoc.* 68: 225-231.
- Schlossberg, L. (1981). [Memorandum to Dr V Vaughan-Dellarco of the U S Environmental Protection Agency, Reproductive Effects Assessment Group]. Washington, DC: US Environmental Protection Agency.
- Schoutteten, L; Jean, M; Dinh, A; de Truchis, P; Breton, C; Descatha, A. (2011). Tetrachloroethylene exposure and trigeminal neuropathy: A case report with a possible indirect link. *Arch Mal Prof Environ.* 72: 346-349. <http://dx.doi.org/10.1016/j.admp.2011.07.010>.

## Human Health Hazard Literature Search Results

### On Topic

- Schreiber, JS. (1997). Transport of organic chemicals to breast milk: Tetrachloroethene case study. In S Kacew; G Lambert (Eds.), (pp. 95-143). Washington, DC: Taylor and Francis.
- Schreiber, JS. (2004). Comment focusing on "Peer Review Workshop of the Neurotoxicity of Tetrachloroethylene Discussion Paper" submitted Judith S. Schreiber, Ph.D., Chief Scientist, Albany Environmental Protection Bureau (EHP) for EPA Docket ORD-2003-0014. July 30, 2004 [Personal Communication]. Retrieved from <http://www.regulations.gov/search/Regs/home.html#documentDetail?R=09000064800c44f8>
- Schreiber, JS. (2004). Response to Queries from Dr. Cheryl Scott [Personal Communication].
- Schreiber, JS; Hudnell, HK; Geller, AM; House, DE; Aldous, KM; Force, MS; Langguth, K; Prohonic, EJ; Parker, JC. (2002). Apartment residents' and day care workers' exposures to tetrachloroethylene and deficits in visual contrast sensitivity. *Environ Health Perspect.* 110: 655-664. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1240911/pdf/ehp0110-000655.pdf>.
- Schroeder, M; DeAngelo, AB; Mass, MJ. (1997). Dichloroacetic acid reduces Ha-ras codon 61 mutations in liver tumors from female B6C3F1 mice. *Carcinogenesis.* 18: 1675-1678.
- Schultz, IR; Merdink, JL; Gonzalez-Leon, A; Bull, RJ. (1999). Comparative toxicokinetics of chlorinated and brominated haloacetates in F344 rats. *Toxicol Appl Pharmacol.* 158: 103-114. <http://dx.doi.org/10.1006/taap.1999.8698>.
- Schultz, IR; Merdink, JL; Gonzalez-Leon, A; Bull, RJ. (2002). Dichloroacetate toxicokinetics and disruption of tyrosine catabolism in B6C3F1 mice: Dose-response relationships and age as a modifying factor. *Toxicology.* 173: 229-247. [http://dx.doi.org/10.1016/S0300-483X\(02\)00034-3](http://dx.doi.org/10.1016/S0300-483X(02)00034-3).
- Schumann, AM; Quast, JF; Watanabe, PG. (1980). The pharmacokinetics and macromolecular interactions of perchloroethylene in mice and rats as related to oncogenicity. *Toxicol Appl Pharmacol.* 55: 207-219. [http://dx.doi.org/10.1016/0041-008X\(80\)90082-4](http://dx.doi.org/10.1016/0041-008X(80)90082-4).
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975). The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol.* 32: 84-96. [http://dx.doi.org/10.1016/0041-008X\(75\)90197-0](http://dx.doi.org/10.1016/0041-008X(75)90197-0).
- Seeber, A. (1989). Neurobehavioral toxicity of long-term exposure to tetrachloroethylene. *Neurotoxicol Teratol.* 11: 579-583. [http://dx.doi.org/10.1016/0892-0362\(89\)90041-X](http://dx.doi.org/10.1016/0892-0362(89)90041-X).
- Seidel, HJ; Weber, L; Barthel, E. (1992). Hematological toxicity of tetrachloroethylene in mice. *Arch Toxicol.* 66: 228-230. <http://dx.doi.org/10.1007/BF01974021>; <http://link.springer.com/article/10.1007%2FBF01974021>.
- Seidler, A; Möhner, M; Berger, J; Mester, B; Deeg, E; Elsner, G; Nieters, A; Becker, N. (2007). Solvent exposure and malignant lymphoma: A population-based case-control study in Germany. *J Occup Med Toxicol.* 2: 2. <http://dx.doi.org/10.1186/1745-6673-2-2>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1851965/pdf/1745-6673-2-2.pdf>.
- Seiji, K; Inoue, O; Jin, C; Liu, YT; Cai, SX; Ohashi, M; Watanabe, T; Nakatsuka, H; Kawai, T; Ikeda, M. (1989). Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med.* 16: 675-684. <http://dx.doi.org/10.1002/ajim.4700160607>.
- Seiji, K; Jin, C; Watanabe, T; Nakatsuka, H; Ikeda, M. (1990). Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health.* 62: 171-176. <http://dx.doi.org/10.1007/BF00383594>; <http://link.springer.com/article/10.1007%2FBF00383594>.
- Seldén, AI; Ahlborg, G. (2011). Cancer morbidity in Swedish dry-cleaners and laundry workers: Historically prospective cohort study. *Int Arch Occup Environ Health.* 84: 435-443. <http://dx.doi.org/10.1007/s00420-010-0582-7>.
- Seo, M; Ikeda, K; Okamura, T; Kida, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Enhancing effect of chlorinated organic solvents on histamine release and inflammatory mediator production. *Toxicology.* 243: 75-83. <http://dx.doi.org/10.1016/j.tox.2007.09.024>; <http://www.sciencedirect.com/science/article/pii/S0300483X07006737>.
- Seo, M; Kobayashi, R, yo; Nagase, H. (2011). Immunotoxic Effects of Trichloroethylene and Tetrachloroethylene. *J Health Sci.* 57: 488-496.
- Seo, M; Kobayashi, R, yo; Okamura, T; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2012). Enhancing effects of trichloroethylene and tetrachloroethylene on type I allergic responses in mice [Letter]. *J Toxicol Sci.* 37: 439-445.
- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). A small amount of tetrachloroethylene ingestion from drinking water accelerates antigen-stimulated allergic responses. *Immunobiology.* 213: 663-669. <http://dx.doi.org/10.1016/j.imbio.2008.01.009>; <http://www.sciencedirect.com/science/article/pii/S0171298508000260>.
- Shafer, TJ; Bushnell, PJ; Benignus, VA; Woodward, JJ. (2005). Perturbation of voltage-sensitive Ca<sup>2+</sup> channel function by volatile organic solvents. *J Pharmacol Exp Ther.* 315: 1109-1118. <http://dx.doi.org/10.1124/jpet.105.090027>; <http://jpet.aspetjournals.org/content/jpet/315/3/1109.full.pdf>.
- Sharanjeet-Kaur; Mursyid, A; Kamaruddin, A; Ariffin, A. (2004). Effect of petroleum derivatives and solvents on colour perception. *Clin Exp Optom.* 87: 339-343. <http://dx.doi.org/10.1111/j.1444-0938.2004.tb05064.x>; <http://onlinelibrary.wiley.com/store/10.1111/j.1444-0938.2004.tb05064.x/asset/j.1444-0938.2004.tb05064.x.pdf?v=1&t=j1z37kjp&s=bbbea14c1dcc41a2390e4a66f6708f686da7ef7e>.
- Shen, C; Zhao, C; Liu, F; Wang, Y, ad; Wang, W, ei. (2011). Acute Liver Failure Associated with Occupational Exposure to Tetrachloroethylene. *J Korean Med Sci.* 26: 138-142. <http://dx.doi.org/10.3346/jkms.2011.26.1.138>.
- Shimada, T; Swanson, A; Leber, P; Williams, GM. The evaluation for genotoxicity of several halogenated solvents.
- Shimada, T; Swanson, A; Leber, P; Williams, GM. (1983). The evaluation for genotoxicity of several halogenated solvents. *Environ Mutagen.* 5: 447.
- Shimada, T; Swanson, AF; Leber, P; Williams, GM. (1985). Activities of chlorinated ethane and ethylene compounds in the Salmonella/rat microsome mutagenesis and rat hepatocyte/DNA repair assays under vapor phase exposure conditions. *Cell Biol Toxicol.* 1: 159-179. <http://dx.doi.org/10.1007/BF00120162>.

## Human Health Hazard Literature Search Results

### On Topic

- Shimizu, H. (1984). Mutagenicity of trichloroethylene and tetrachloroethylene. *Tokishikoroji Foramu*. 7: 228-236.
- Shrestha, A; Ritz, B; Wilhelm, M; Qiu, J; Cockburn, M; Heck, JE. (2014). Prenatal exposure to air toxics and risk of Wilms' tumor in 0- to 5-year-old children. *J Occup Environ Med*. 56: 573-578. <http://dx.doi.org/10.1097/JOM.000000000000167>.
- Shu, XO; Stewart, P; Wen, WQ; Han, D; Potter, JD; Buckley, JD; Heineman, E; Robison, LL. (1999). Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev*. 8: 783-791. <http://cebp.aacrjournals.org/content/cebp/8/9/783.full.pdf>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med*. 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverman, DT; Levin, LI; Hoover, RN. (1990). Occupational risks of bladder cancer among white women in the United States. *Am J Epidemiol*. 132: 453-461.
- Silverman, DT; Levin, LI; Hoover, RN; Hartge, P. (1989). Occupational risks of bladder cancer in the United States: I. White men. *J Natl Cancer Inst*. 81: 1472-1480. <http://dx.doi.org/10.1093/jnci/81.19.1472>.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1993). Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health*. 65: S163-S165.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1994). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Occup Health*. 49: 445-451.
- Skender, L; Karacic, V; Bosner, B; Prpic-Majic, D. (1995). Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring [Erratum]. *Arch Environ Occup Health*. 50: 174.
- Skender, LJ; Karacic, V; Prpic-Majic, D. (1991). A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure [Review]. *Arch Environ Health*. 46: 174-178. <http://dx.doi.org/10.1080/15459620802510866>.
- Smith, AD; Bharath, A; Mallard, C; Orr, D; Smith, K; Sutton, JA; Vukmanich, J; Mccarty, LS; Ozburn, GW. (1991). The acute and chronic toxicity of ten chlorinated organic compounds to the American flagfish (*Jordanella floridae*). *Arch Environ Contam Toxicol*. 20: 94-102. <http://dx.doi.org/10.1007/BF01065334>.
- Smith, EM; Miller, ER; Woolson, RF; Brown, CK. (1985). Bladder cancer risk among laundry workers, dry cleaners, and others in chemically-related occupations. *J Occup Med*. 27: 295-297.
- Snelson, A; Butler, R; Jarke, F. (1978). Study of removal processes for halogenated air pollutants. (PB-284 066/8; EPA600378058). Chicago, IL: IIT Research Institute. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB284066>.
- Snow, DH. (1973). The effects of pyrantel pamoate and tetrachlorethylene on several blood enzyme levels in the greyhound. *Aust Vet J*. 49: 269-272.
- Solet, D; Robins, TG. (1991). Renal function in dry cleaning workers exposed to perchloroethylene. *Am J Ind Med*. 20: 601-614. <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200504/abstract>.
- Soni, M; Nomiya, H; K, N. (1990). Chronic inhalation effects of tetrachloroethylene on hepatic and renal microsomal electron transport components and "delta"-aminolevulinic acid dehydratase in rats. *Toxicol Lett*. 54: 207-213. [http://dx.doi.org/10.1016/0378-4274\(90\)90185-O](http://dx.doi.org/10.1016/0378-4274(90)90185-O).
- Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001). Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol*. 154: 902-908. <http://dx.doi.org/10.1093/aje/154.10.902>.
- Sparrow, GP. (1977). A connective tissue disorder similar to vinyl chloride disease in a patient exposed to perchlorethylene. *Clin Exp Dermatol*. 2: 17-22. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2230.1977.tb01532.x/abstract>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2002). Effects of tetrachloroethylene on the viability and development of embryos of the Japanese medaka, *Oryzias latipes*. *Arch Environ Contam Toxicol*. 42: 463-469. <http://dx.doi.org/10.1007/s00244-001-0050-1>.
- Spencer, HB; Hussein, WR; Tchounwou, PB. (2006). Growth inhibition in Japanese medaka (*Oryzias latipes*) fish exposed to tetrachloroethylene. *J Environ Biol*. 27: 1-5.
- SRI Consulting. (1983). Salmonella test results on tetrachloroethylene.
- Stacey, NH. (1989). Toxicity of mixtures of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane: similarity of in vitro to in vivo responses. *Toxicol Ind Health*. 5: 441-450.
- Stauber, AJ; Bull, RJ; Thrall, BD. (1998). Dichloroacetate and trichloroacetate promote clonal expansion of anchorage-independent hepatocytes in vivo and in vitro. *Toxicol Appl Pharmacol*. 150: 287-294. <http://dx.doi.org/10.1006/taap.1998.8417>.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med*. 48: 531-537. <http://oem.bmj.com/content/oemed/48/8/531.full.pdf>.
- Stewart, RD. (1969). Acute tetrachloroethylene intoxication. *JAMA*. 208: 1490-1492.
- Stewart, RD; Baretta, ED; Dodd, HC; Torkelson, TR. (1970). Experimental human exposure to tetrachloroethylene. *Arch Environ Health*. 20: 224-229.
- Stewart, RD; Dodd, HC. (1964). Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride, and 1, 1, 1-trichloroethane through the human skin. *Am Ind Hyg Assoc J*. 25: 439-446. <http://dx.doi.org/10.1080/00028896409342621>.
- Stewart, RD; Erley, DS; Schaffer, AW; Gay, HH. (1961). Accidental vapor exposure to anesthetic concentrations of a solvent containing trichloroethylene. *Ind Med Surg*. 30: 327-330.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Schaffer, AW. (1961). Human exposure to tetrachloroethylene vapor. *Arch Environ Health*. 2: 516-522.
- Stewart, RD; Hake, CL; Wu, A; Kalbfleisch, J; Newton, PE; Marlow, SK; Vucicevic-Salama, M. (1977). Effects of perchloroethylene/drug interaction on behavior and neurological function. Milwaukee, WI: Allen-Bradley Medical Science Laboratory.

## Human Health Hazard Literature Search Results

### On Topic

- Stingone, JA; Mcveigh, KH; Claudio, L. (2016). Association between prenatal exposure to ambient diesel particulate matter and perchloroethylene with children's 3rd grade standardized test scores. *Environ Res.* 148: 144-153. <http://dx.doi.org/10.1016/j.envres.2016.03.035>.
- Storm, JE; Mazor, KA. (2004). Update of residential tetrachloroethylene exposure and decreases in visual contrast sensitivity [Letter]. *Environ Health Perspect.* 112: A862-A864. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1247642/pdf/ehp0112-a0862c.pdf>.
- Storm, JE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2011). Visual contrast sensitivity in children exposed to tetrachloroethylene. *Arch Environ Occup Health.* 66: 166-177. <http://dx.doi.org/10.1080/19338244.2010.539638>.
- Story, DL; Meierhenry, EF; Tyson, CA; Milman, HA. (1986). Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital [Review]. *Toxicol Ind Health.* 2: 351-362.
- Struwe, M; Zeller, A; Singer, T; Gocke, E. (2011). Possibility of methodical bias in analysis of comet assay studies: Re: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133-138, 2010) [Letter]. *Mutagenesis.* 26: 473-474. <http://dx.doi.org/10.1093/mutage/ger007>.
- Sweeney, LM; Kirman, CR; Gargas, ML; Dugard, PH. (2009). Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology.* 260: 77-83. <http://dx.doi.org/10.1016/j.tox.2009.03.008>.
- Szarmáry, É; Ungváry, G; Tátrai, E. (1997). The offspring-damaging effect of tetrachloroethylene in rats, mice, and rabbits. *Central Eur J Occup Env Med.* 3: 31-39.
- 't Mannetje, A; Kogevinas, M; Chang-Claude, J; Cordier, S; González, CA; Hours, M; Jöckel, KH; Bolm-Audorff, U; Lynge, E; Porru, S; Donato, F; Ranft, U; Serra, C; Tzonou, A; Vineis, P; Wahrendorf, J; Boffetta, P. (1999). Occupation and bladder cancer in European women. *Cancer Causes Control.* 10: 209-217. <http://dx.doi.org/10.1023/A:1008852127139>.
- Tada, O; Nakaaki, K. (1969). [On the urinary excretion of alkali-pyridine reactants in subjects exposed to perchloroethylene vapor]. *Rodo Kagaku.* 45: 588-593.
- Takano, T; Miyazaki, Y. (1982). Effect of chlorinated ethanes and ethylenes on electron transport in rat liver mitochondria. *Toxicol Sci.* 7: 143-149.
- Tanios, MA; El Gamal, H; Rosenberg, BJ; Hassoun, PM. (2004). Can we still miss tetrachloroethylene-induced lung disease? The emperor returns in new clothes. *Respiration.* 71: 642-645. <http://dx.doi.org/10.1159/000081768>; <http://www.karger.com/Article/Abstract/81768>.
- Taskinen, H; Anttila, A; Lindbohm, ML; Sallmén, M; Hemminki, K. (1989). Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. *Scand J Work Environ Health.* 15: 345-352.
- Tennant, RW; Spalding, J; Stasiewicz, S; Ashby, J. (1990). Prediction of the outcome of rodent carcinogenicity bioassays currently being conducted on 44 chemicals by the National Toxicology Program [Review]. *Mutagenesis.* 5: 3-14. <http://dx.doi.org/10.1093/mutage/5.1.3>.
- Tepe, SJ; Dorfmueller, MA; York, RG; Manson, JM. (1982). Teratogenic evaluation of perchloroethylene in rats. Cincinnati, OH: Department of Environmental Health, University of Cincinnati. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0515965>.
- Theiss, JC; Stoner, GD; Shimkin, MB; Weisburger, EK. (1977). Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. *Cancer Res.* 37: 2717-2720.
- Thompson, KM. (1997). *The Greening of Industry: A Risk Management Approach* Cleaning up dry cleaners. Cambridge, MA: Harvard University Press.
- Till, C; Rovet, JF; Koren, G; Westall, CA. (2003). Assessment of visual functions following prenatal exposure to organic solvents. *Neurotoxicology.* 24: 725-731. [http://dx.doi.org/10.1016/S0161-813X\(02\)00212-7](http://dx.doi.org/10.1016/S0161-813X(02)00212-7); <http://www.sciencedirect.com/science/article/pii/S0161813X02002127>.
- Till, C; Westall, CA; Koren, G; Nulman, I; Rovet, JF. (2005). Vision abnormalities in young children exposed prenatally to organic solvents. *Neurotoxicology.* 26: 599-613. <http://dx.doi.org/10.1016/j.neuro.2005.05.011>; <http://www.sciencedirect.com/science/article/pii/S0161813X05000914>.
- Tinston, DJ. (1994). *Perchloroethylene: A multigeneration inhalation study in the rat.* (CTL/P/4097, 86950000190). Cheshire, UK: Zeneca Central Toxicology Laboratory.
- Tomatis, L; Aitio, A; Wilbourn, J; Shuker, L. (1989). Human carcinogens so far identified [Review]. *Cancer Sci.* 80: 795-807.
- Toraason, M; Butler, MA; Ruder, A; Forrester, C; Taylor, L; Ashley, DL; Mathias, P; Marlow, KL; Cheever, KL; Krieg, E; Wey, H. (2003). Effect of perchloroethylene, smoking, and race on oxidative DNA damage in female dry cleaners. *Mutat Res Genet Toxicol Environ Mutagen.* 539: 9-18. [http://dx.doi.org/10.1016/S1383-5718\(03\)00130-X](http://dx.doi.org/10.1016/S1383-5718(03)00130-X); <http://www.sciencedirect.com/science/article/pii/S138357180300130X>.
- Toraason, M; Clark, J; Dankovic, D; Mathias, P; Skaggs, S; Walker, C; Werren, D. (1999). Oxidative stress and DNA damage in Fischer rats following acute exposure to trichloroethylene or perchloroethylene. *Toxicology.* 138: 43-53. [http://dx.doi.org/10.1016/S0300-483X\(99\)00083-9](http://dx.doi.org/10.1016/S0300-483X(99)00083-9); <http://www.sciencedirect.com/science/article/pii/S0300483X99000839>.
- Trevisan, A; Macca, Rui, F; Carrieri, M; Bartolucci, GB; Manno, M. (2000). Kidney and liver biomarkers in female dry-cleaning workers exposed to perchloroethylene. *Biomarkers.* 5: 399-409.
- Tsuruta, H. (1975). Percutaneous absorption of organic solvents: 1) comparative study of the in vivo percutaneous absorption of chlorinated solvents in mice. *Ind Health.* 13: 227-236. <http://dx.doi.org/10.2486/indhealth.13.227>.
- Tsuruta, H. (1989). Skin absorption of organic solvent vapors in nude mice in vivo. *Ind Health.* 27: 37-47. <http://dx.doi.org/10.2486/indhealth.27.37>; [https://www.jstage.jst.go.jp/article/indhealth1963/27/2/27\\_2\\_37/\\_pdf](https://www.jstage.jst.go.jp/article/indhealth1963/27/2/27_2_37/_pdf).
- Tu, AS; Murray, TA; Hatch, KM; Sivak, A; Milman, HA. (1985). In vitro transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett.* 28: 85-92. [http://dx.doi.org/10.1016/0304-3835\(85\)90096-5](http://dx.doi.org/10.1016/0304-3835(85)90096-5).

## Human Health Hazard Literature Search Results

### On Topic

- Tucker, JD; Sorensen, KJ; Ruder, AM; Mckernan, LT; Forrester, CL; Butler, MA. (2011). Cytogenetic analysis of an exposed-referent study: perchloroethylene-exposed dry cleaners compared to unexposed laundry workers. *Environ Health*. 10: 16. <http://dx.doi.org/10.1186/1476-069X-10-16>.
- U.S. EPA. (1975). Preliminary study of selected potential environmental contaminants - optical brighteners, methyl chloroform, trichloroethylene, tetrachloroethylene, ion exchange resins [EPA Report].
- U.S. EPA. (1979). An assessment of the need for limitations on trichloroethylene, methyl chloroform, and perchloroethylene [EPA Report]. Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/9100BCV8.txt?ZyActionD=ZyDocument&Client=EPA&Index=1976%20Thru%201980&Docs=&Query=5601179009%20or%20An%20or%20assessment%20or%20the%20or%20need%20or%20for%20or%20limitation%20or%20on%20or%20trichloroethylene%20or%20methyl%20or%20chloroform%20and%20perchloroethylene&Time=&EndTime=&SearchMethod=1&ToCRestrict=n&Toc=&TocEntry=&QField=pubnumber%5E%225601179009%22&QFieldYear=&QFieldMonth=&QFieldDay=&UseQField=pubnumber&IntQFieldOp=1&ExtQFieldOp=1&XmlQuery=&File=D%3A%5CZYFILES%5CINDEX%20DATA%5C76THRU80%5CTXT%5C00000012%5C9100BCV8.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=10&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1>.
- U.S. EPA. (1985). Health assessment document for tetrachloroethylene (perchloroethylene) Final report [EPA Report]. (EPA/600/8-82/005F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=38082>.
- U.S. EPA. (1986). Addendum to the health assessment document for tetrachloroethylene (perchloroethylene): updated carcinogenicity assessment for tetrachloroethylene (perchloroethylene, PERC, PCE) [external review draft] [EPA Report]. (EPA/600/8-82/005FA). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=300016UC.txt>.
- U.S. EPA. (1986). Guidelines for carcinogen risk assessment [EPA Report]. (EPA/630/R-00/004). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [http://epa.gov/raf/publications/pdfs/CA%20GUIDELINES\\_1986.PDF](http://epa.gov/raf/publications/pdfs/CA%20GUIDELINES_1986.PDF).
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures (pp. 1-38). (EPA/630/R-98/002). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=22567>.
- U.S. EPA. (1988). Integrated Risk Information System (IRIS). IRIS summary of tetrachloroethylene (CASRN 127-18-4) [EPA Report]. Office of Research and Development, National Center for Environmental Assessment. <http://www.epa.gov/iris/subst/0106.htm>.
- U.S. EPA. (1997). Chemical and radiation leukemogenesis in humans and rodents and the value of rodent models for assessing risks of lymphohematopoietic cancers [EPA Report]. (EPA/600/R-97/090). Washington, DC: Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=12181>.
- U.S. EPA. (2011). Toxicological review of Tetrachloroethylene (Perchloroethylene) (CASRN 127-18-4) in support of summary information on the Integrated Risk Information System (IRIS) [EPA Report]. (EPA/635/R-08/011A). Washington, DC.
- U.S. EPA. (2011). Toxicological review of trichloroethylene (CASRN 79-01-6) in support of summary information on the Integrated Risk Information System (IRIS) [EPA Report]. (EPA/635/R-09/011F). Washington, DC. <http://www.epa.gov/iris/supdocs/0199index.html>.
- UAREP. (1983). Hydrocarbon toxicity: acute, subchronic and chronic effects in relation to unleaded gasoline exposure of rodents with comments on the significance to human health. Bethesda, MD.
- Ulm, K; Henschler, D; Vamvakas, S. (1996). Occupational exposure to perchloroethylene. *Cancer Causes Control*. 7: 284-286.
- Umezu, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: influence of structural and physical properties. *Toxicol Appl Pharmacol*. 279: 103-112. <http://dx.doi.org/10.1016/j.taap.2014.05.012>.
- Umezu, T; Yonemoto, J; Soma, Y; Miura, T. (1997). Behavioral effects of trichloroethylene and tetrachloroethylene in mice. *Pharmacol Biochem Behav*. 58: 665-671. [http://dx.doi.org/10.1016/S0091-3057\(97\)00046-4](http://dx.doi.org/10.1016/S0091-3057(97)00046-4); <http://www.sciencedirect.com/science/article/pii/S0091305797000464>.
- Vainio, H; Parkki, MG; Marniemi, J. (1976). Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vivo. *Xenobiotica*. 6: 599-604. <http://dx.doi.org/10.3109/00498257609151673>.
- Vainio, H; Waters, MD; Norppa, H. (1985). Mutagenicity of selected organic solvents [Review]. *Scand J Work Environ Health*. 11: 75-82.
- Valcke, M; Krishnan, K. (2011). Evaluation of the impact of the exposure route on the human kinetic adjustment factor. *Regul Toxicol Pharmacol*. 59: 258-269. <http://dx.doi.org/10.1016/j.yrtph.2010.10.008>.
- Valencia, R; Mason, JM; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. III. Results of 48 coded compounds tested for the National Toxicology Program. *Environ Mutagen*. 7: 325-348. <http://dx.doi.org/10.1002/em.2860070309>.
- Valic, E; Waldhör, T; Konnaris, C; Michitsch, A; Wolf, C. (1997). Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health*. 70: 403-406.
- Vamvakas, S; Dekant, W; Henschler, D. (1989). Genotoxicity of haloalkene and haloalkane glutathione S-conjugates in porcine kidney cells. *Toxicol In Vitro*. 3: 151-156. [http://dx.doi.org/10.1016/0887-2333\(89\)90058-1](http://dx.doi.org/10.1016/0887-2333(89)90058-1).
- Vamvakas, S; Herkenhoff, M; Dekant, W; Henschler, D. (1989). Mutagenicity of tetrachloroethene in the ames test: Metabolic activation by conjugation with glutathione. *J Biochem Toxicol*. 4: 21-27. <http://dx.doi.org/10.1002/jbt.2570040105>.
- Vamvakas, S; Kochling, A; Berthold, K; Dekant, W. (1989). Cytotoxicity of cysteine S-conjugates: structure-activity relationships. *Chem Biol Interact*. 71: 79-90.
- van der Gulden, JWJ; Zielhuis, GA. (1989). Reproductive hazards related to perchloroethylene: A review [Review]. *Int Arch Occup Environ Health*. 61: 235-242. <http://dx.doi.org/10.1007/BF00381420>; <http://link.springer.com/article/10.1007%2FBF00381420>.

## Human Health Hazard Literature Search Results

### On Topic

- Van Duuren, BL; Goldschmidt, BM; Loewengart, G; Smith, AC; Melchionne, S; Seidman, I; Roth, D. (1979). Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. *J Natl Cancer Inst.* 63: 1433-1439.
- Van Duuren, BL; Kline, SA; Melchionne, S; Seidman, I. (1983). Chemical structure and carcinogenicity relationships of some chloroalkene oxides and their parent olefins. *Cancer Res.* 43: 159-162.
- van Wijngaarden, E; Hertz-Picciotto, I. (2004). A simple approach to performing quantitative cancer risk assessment using published results from occupational epidemiology studies. *Sci Total Environ.* 332: 81-87. <http://dx.doi.org/10.1016/j.scitotenv.2004.04.005>.
- Vartiainen, T; Pukkala, E; Rienoja, T; Strandman, T; Kaksonen, K. (1993). Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere.* 27: 1171-1181. [http://dx.doi.org/10.1016/0045-6535\(93\)90165-2](http://dx.doi.org/10.1016/0045-6535(93)90165-2).
- Vaughan, TL; Stewart, PA; Davis, S; Thomas, DB. (1997). Work in dry cleaning and the incidence of cancer of the oral cavity, larynx, and oesophagus. *Occup Environ Med.* 54: 692-695. <http://oem.bmj.com/content/oemed/54/9/692.full.pdf>.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med.* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verplanke, AJ; Leummens, MH; Herber, RF. (1999). Occupational exposure to tetrachloroethene and its effects on the kidneys. *J Occup Environ Med.* 41: 11-16.
- Vieira, V; Aschengrau, A; Ozonoff, D. (2005). Impact of tetrachloroethylene-contaminated drinking water on the risk of breast cancer: Using a dose model to assess exposure in a case-control study. *Environ Health.* 4: 3. <http://dx.doi.org/10.1186/1476-069X-4-3>; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC554766/pdf/1476-069X-4-3.pdf>.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med.* 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vlaanderen, J; Straif, K; Pukkala, E; Kauppinen, T; Kyyronen, P; Martinsen, J; Kjaerheim, K; Tryggvadottir, L; Hansen, J; Sparen, P, ar; Weiderpass, E. (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med.* 70: 393-401. <http://dx.doi.org/10.1136/oemed-2012-101188>.
- Vlaanderen, J; Straif, K; Ruder, A; Blair, A; Hansen, J; Lynge, E; Charbotel, B; Loomis, D; Kauppinen, T; Kyyronen, P; Pukkala, E; Weiderpass, E; Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies [Review]. *Environ Health Perspect.* 122: 661-666. <http://dx.doi.org/10.1289/ehp.1307055>.
- Völkel, W; Friedewald, M; Lederer, E; Pähler, A; Parker, J; Dekant, W. (1998). Biotransformation of perchloroethene: Dose-dependent excretion of trichloroacetic acid, dichloroacetic acid, and N-acetyl-S-(trichlorovinyl)-L-cysteine in rats and humans after inhalation. *Toxicol Appl Pharmacol.* 153: 20-27. <http://dx.doi.org/10.1006/taap.1998.8548>.
- von Ehrenstein, OS; Aralis, H; Cockburn, M; Ritz, B. (2014). In Utero Exposure to Toxic Air Pollutants and Risk of Childhood Autism. *Epidemiology.* 25: 851-858. <http://dx.doi.org/10.1097/EDE.0000000000000150>.
- Vyskocil, A; Emminger, S; Tejral, J; Fiala, Z; Ettlerova, E; Cermanova, A. (1990). Study on kidney function in female workers exposed to perchlorethylene. *Hum Exp Toxicol.* 9: 377-380.
- Waddell, WJ. (2006). Critique of dose response in carcinogenesis [Review]. *Hum Exp Toxicol.* 25: 413-436. <http://dx.doi.org/10.1191/0960327106ht633oa>.
- Walker, JT; Burnett, CA; Lalich, NR; Sestito, JP; Halperin, WE. (1997). Cancer mortality among laundry and dry cleaning workers. *Am J Ind Med.* 32: 614-619.
- Wallis, SAS. (1986). Induction of single-strand breaks in dna of mice by trichloroethylene and tetrachloroethylene. *Toxicol Lett.* 31: 31-35. [http://dx.doi.org/10.1016/0378-4274\(86\)90191-8](http://dx.doi.org/10.1016/0378-4274(86)90191-8).
- Walter, P; Craigmill, A; Villaume, J; Sweeney, S; Miller, GL. (1976). Chlorinated hydrocarbon toxicity (1,1,1-trichloroethane, trichloroethylene and tetrachloroethylene): a monograph. Walter, P; Craigmill, A; Villaume, J; Sweeney, S; Miller, GL.
- Wang, JL; Chen, WL; Tsai, SY; Sung, PY; Huang, RN. (2001). An in vitro model for evaluation of vaporous toxicity of trichloroethylene and tetrachloroethylene to CHO-K1 cells. *Chem Biol Interact.* 137: 139-154. [http://dx.doi.org/10.1016/S0009-2797\(01\)00226-5](http://dx.doi.org/10.1016/S0009-2797(01)00226-5); <http://www.sciencedirect.com/science/article/pii/S0009279701002265>.
- Wang, S; Karlsson, JE; Kyrklund, T; Haglid, K. (1993). Perchloroethylene-induced reduction in glial and neuronal cell marker proteins in rat brain. *Basic Clin Pharmacol Toxicol.* 72: 273-278. <http://dx.doi.org/10.1111/j.1600-0773.1993.tb01649.x>; <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0773.1993.tb01649.x/abstract>.
- Wanner, M; Lehmann, E; Morel, J; Christen, R. (1982). [The transfer of perchloroethylene from animal feed to milk]. *Mitteilungen aus dem Gebiete der Lebensmitteluntersuchung und Hygiene.* 73: 82-87.
- Ward, RC; Travis, CC; Hetrick, DM; Andersen, ME; Gargas, ML. (1988). Pharmacokinetics of tetrachloroethylene. *Toxicol Appl Pharmacol.* 93: 108-117. [http://dx.doi.org/10.1016/0041-008X\(88\)90030-0](http://dx.doi.org/10.1016/0041-008X(88)90030-0).
- Ware, GW. (1988). United States Environmental Protection Agency Office of Drinking Water health advisories Tetrachloroethylene. New York: Springer-Verlag.
- Warner, J; Hughes, T; Claxton, L. (1988). Mutagenicity of 16 volatile organic chemicals in a vaporization technique with Salmonella typhimurium TA100. *Environ Mol Mutagen.* 11: 111-112.
- Warren, DA; Reigle, TG; Muralidhara, S; Dallas, CE. (1996). Schedule-controlled operant behavior of rats following oral administration of perchloroethylene: Time course and relationship to blood and brain solvent levels. *J Toxicol Environ Health.* 47: 345-362. <http://dx.doi.org/10.1080/009841096161690>.
- Watanabe, PG; Reitz, RH; Schumann, AM; Mckenna, MJ; Quast, JF; Gehring, PJ. (1980). Implications of the mechanisms of tumorigenicity for risk assessment. Gatlinburg, Tennessee: North Holland.



## Human Health Hazard Literature Search Results

### On Topic

- Weiderpass, E; Labrèche, F. (2012). Malignant tumors of the female reproductive system. *Saf Health Work*. 3: 166-180.  
<http://dx.doi.org/10.5491/SHAW.2012.3.3.166>.
- Weiss, G. (1969). [Observation of the course of trichloroacetic acid excretion in occupational tetrachloroethylene poisoning]. *Zentralbl Arbeitsmed Arbeitsschutz*. 19: 143-146.
- Weiss, G. (1969). Verlaufsbeobachtung der Trichloressigsäure-Ausscheidung bei berufsbedingter Perchloräthylen-Vergiftung [Observance of the development of trichloroacetic acid excretion in occupationally caused perchloroethylene poisoning]. *Zentralblatt Arbeitsmedizin Arbeitsschutz Ergon*. 19: 143-146.
- Weiss, NS. (1995). Cancer in relation to occupational exposure to perchloroethylene [Review]. *Cancer Causes Control*. 6: 257-266.  
<http://dx.doi.org/10.1007/BF00051797>.
- Werner, M; Birner, G; Dekant, W. (1996). Sulfoxidation of mercapturic acids derived from tri- and tetrachloroethene by cytochromes P450 3A: A bioactivation reaction in addition to deacetylation and cysteine conjugate beta-lyase mediated cleavage. *Chem Res Toxicol*. 9: 41-49.  
<http://dx.doi.org/10.1021/tx950075u>; <http://pubs.acs.org/doi/abs/10.1021/tx950075u>.
- White, IN; Razvi, N; Gibbs, AH; Davies, AM; Manno, M; Zaccaro, C; De Matteis, F; Pahler, A; Dekant, W. (2001). Neoantigen formation and clastogenic action of HCFC-123 and perchloroethylene in human MCL-5 cells. *Toxicol Lett*. 124: 129-138.  
[http://dx.doi.org/10.1016/S0378-4274\(00\)00281-2](http://dx.doi.org/10.1016/S0378-4274(00)00281-2); <http://www.sciencedirect.com/science/article/pii/S0378427400002812>.
- WHO. (1987). Air quality guidelines, volume I Tetrachloroethylene.
- WHO. (1987). Tetrachloroethylene 2.
- WHO. (2006). Concise international chemical assessment document 68: Tetrachloroethene. Geneva, Switzerland: World Health Organization, International Programme on Chemical Safety. <http://www.inchem.org/documents/cicads/cicads/cicad68.htm>.
- Williams, GM. (1983). DNA repair tests of 11 chlorinated hydrocarbon analogs. (TR-507-18A). Valhalla, NY: Naylor Dana Institute.  
<https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0509403>.
- Williams, GM; Shimada, T. (1983). Evaluation of several halogenated ethane and ethylene compounds for genotoxicity. Williams, GM; Shimada, T.
- Windham, GC; Shusterman, D; Swan, SH; Fenster, L; Eskenazi, B. (1991). Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med*. 20: 241-259. <http://dx.doi.org/10.1002/ajim.4700200210>;  
<http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700200210/abstract>.
- Wu, T; Bhanegaonkar, AJ; Flowers, JW. (2006). Blood concentrations of selected volatile organic compounds and neurobehavioral performance in a population-based sample. *Arch Environ Occup Health*. 61: 17-25. <http://dx.doi.org/10.3200/AEOH.61.1.17-25>.
- Yllner, S. (1961). Urinary metabolites of 14C-tetrachloroethylene in mice. *Nature*. 191: 820.
- Zeiger, E. (1990). Mutagenicity of 42 chemicals in Salmonella. *Environ Mol Mutagen*. 16: 32-54. <http://dx.doi.org/10.1002/em.2850160504>.
- Zeka, A; Sullivan, JR; Vokonas, PS; Sparrow, D; Schwartz, J. (2006). Inflammatory markers and particulate air pollution: characterizing the pathway to disease. *Int J Epidemiol*. 35: 1347-1354. <http://dx.doi.org/10.1093/ije/dyl132>.
- Zeneca. (1995). Perchloroethylene: Multigeneration inhalation study in the rat. Chesire, UK: Zeneca Central Toxicology Laboratory.  
<https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0557702>.

## Human Health Hazard Literature Search Results

### Off Topic

- Aardema, MJ; Albertini, S; Arni, P; Henderson, LM; Kirsch-Volders, M; Mackay, JM; Sarrif, AM; Stringer, DA; Taalman, RDF. (1998). Aneuploidy: A report of an ECETOC task force [Review]. *Mutat Res Rev Mutat Res*. 410: 3-79. [http://dx.doi.org/10.1016/S1383-5742\(97\)00029-X](http://dx.doi.org/10.1016/S1383-5742(97)00029-X).
- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol*. 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abou Chakra, M; Hilbe, C. (2015). Modelling the dynamics of crime and punishment: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews*. 12: 22-23.  
<http://dx.doi.org/10.1016/j.plrev.2015.01.020>.
- ACGIH. (1986). Documentation of the threshold limit values and biological exposure indices: Epichlorohydrin. Cincinnati, OH.
- Achanzar, WE; Brambila, EM; Diwan, BA; Webber, MM; Waalkes, MP. (2002). Inorganic arsenite-induced malignant transformation of human prostate epithelial cells. *J Natl Cancer Inst*. 94: 1888-1891. <http://dx.doi.org/10.1093/jnci/94.24.1888>.
- Acharya, S; Mehta, K; Rodrigues, S; Pereira, J; Krishnan, S; Rao, CV. (1995). Administration of subtoxic doses of t-butyl alcohol and trichloroacetic acid to male Wistar rats to study the interactive toxicity. *Toxicol Lett*. 80: 97-104. [http://dx.doi.org/10.1016/0378-4274\(95\)03340-Q](http://dx.doi.org/10.1016/0378-4274(95)03340-Q).
- Acharya, S; Mehta, K; Rodriguez, S; Pereira, J; Krishnan, S; Rao, CV. (1997). A histopathological study of liver and kidney in male Wistar rats treated with subtoxic doses of t-butyl alcohol and trichloroacetic acid. *Exp Toxicol Pathol*. 49: 369-373.  
[http://dx.doi.org/10.1016/S0940-2993\(97\)80119-4](http://dx.doi.org/10.1016/S0940-2993(97)80119-4).
- Adgate, J; Eberly, L; Stroebel, C; Pellizzari, E; Sexton, K. (2004). Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol*. 14: S4-S13. <http://dx.doi.org/10.1038/sj.jea.7500353>.
- Adgate, JL; Church, TR; Ryan, AD; Ramachandran, G; Fredrickson, AL; Stock, TH; Morandi, MT; Sexton, K. (2004). Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect*. 112: 1386-1392. <http://dx.doi.org/10.1289/ehp.7107>.

## Human Health Hazard Literature Search Results

### Off Topic

- Aggazzotti, G; Fantuzzi, G; Predieri, G; Righi, E; Moscardelli, S. (1994). Indoor exposure to perchloroethylene (PCE) in individuals living with dry-cleaning workers. *Sci Total Environ.* 156: 133-137. [http://dx.doi.org/10.1016/0048-9697\(94\)90349-2](http://dx.doi.org/10.1016/0048-9697(94)90349-2).
- Aggazzotti, G; Fantuzzi, G; Righi, E; Predieri, G; Gobba, FM; Paltrinieri, M; Cavalleri, A. (1994). Occupational and environmental exposure to perchloroethylene (PCE) in dry cleaners and their family members. *Arch Environ Occup Health.* 49: 487-493. <http://dx.doi.org/10.1080/00039896.1994.9955005>.
- Agha, BS; Sturm, JJ; Simon, HK; Hirsh, DA. (2013). Pulmonary embolism in the pediatric emergency department. *Pediatrics.* 132: 663-667. <http://dx.doi.org/10.1542/peds.2013-0126>.
- Ahlborg, G, Jr. (1990). Validity of exposure data obtained by questionnaire. Two examples from occupational reproductive studies. *Scand J Work Environ Health.* 16: 284-288.
- Ahlborg, G; Bodin, L. (1991). Tobacco smoke exposure and pregnancy outcome among working women. A prospective study at prenatal care centers in Orebro County, Sweden. *Am J Epidemiol.* 133: 338-347.
- Ahlers, J; Regelman, J; Riedhammer, C. (2003). Environmental risk assessment of airborne trichloroacetic acid - a contribution to the discussion on the significance of anthropogenic and natural sources. *Chemosphere.* 52: 531-537. [http://dx.doi.org/10.1016/S0045-6535\(03\)00201-7](http://dx.doi.org/10.1016/S0045-6535(03)00201-7).
- Ahn, S; Ross, SG; Asma, E; Miao, J; Jin, X; Cheng, L; Wollenweber, SD; Manjeshwar, RM. (2015). Quantitative comparison of OSEM and penalized likelihood image reconstruction using relative difference penalties for clinical PET. *Phys Med Biol.* 60: 5733-5751. <http://dx.doi.org/10.1088/0031-9155/60/15/5733>.
- Ahn, YS; Jeong, KS; Kim, KS. (2012). Cancer morbidity of professional emergency responders in Korea. *Am J Ind Med.* 55: 768-778. <http://dx.doi.org/10.1002/ajim.22068>.
- Ahn, YS; Zerban, H; Grobholz, R; Bannasch, P. (1992). Sequential changes in glycogen content, expression of glucose transporters and enzymic patterns during development of clear/acidophilic cell tumors in rat kidney. *Carcinogenesis.* 13: 2329-2334.
- Ahrens, W; Merletti, F. (1998). A standard tool for the analysis of occupational lung cancer in epidemiologic studies. *Int J Occup Environ Health.* 4: 236-240.
- Aide, N; Visser, EP; Lheureux, S; Heutte, N; Szanda, I; Hicks, RJ. (2012). The motivations and methodology for high-throughput PET imaging of small animals in cancer research [Review]. *Eur J Nucl Med Mol Imaging.* 39: 1497-1509. <http://dx.doi.org/10.1007/s00259-012-2177-x>.
- Aitio, A; Riihimaki, V; Vainio, H. (1984). Biological monitoring and surveillance of workers exposed to chemicals. In A Aitio; V Riihimaki; H Vainio (Eds.). New York, NY: Hemisphere Publishing Corporation.
- Akamatsu, G; Nishida, H; Fujino, A; Ohnishi, A; Ikari, Y; Nishio, T; Maebatake, A; Sasaki, M; Senda, M. (2015). [Harmonization of Standardized Uptake Value among Different Generation PET/ CT Cameras Based on a Phantom Experiment -Utility of SUV(peak)]. *Nippon Hoshasen Gijyutsu Gakkai Zasshi.* 71: 735-745. [http://dx.doi.org/10.6009/jjrt.2015\\_JSRT\\_71.9.735](http://dx.doi.org/10.6009/jjrt.2015_JSRT_71.9.735).
- Akbar, M; Narayanan, S; Restaino, M; Agah, M. (2014). A purge and trap integrated microGC platform for chemical identification in aqueous samples. *Analyst.* 139: 3384-3392. <http://dx.doi.org/10.1039/c4an00254g>.
- Aklan, B; Jakoby, BW; Watson, CC; Braun, H; Ritt, P; Quick, HH. (2015). GATE Monte Carlo simulations for variations of an integrated PET/MR hybrid imaging system based on the Biograph mMR model. *Phys Med Biol.* 60: 4731-4752. <http://dx.doi.org/10.1088/0031-9155/60/12/4731>.
- Aktaş, Ö; Schmidt, KR; Mungenast, S; Stoll, C; Tiehm, A. (2012). Effect of chloroethene concentrations and granular activated carbon on reductive dechlorination rates and growth of Dehalococcoides spp. *Bioresour Technol.* 103: 286-292. <http://dx.doi.org/10.1016/j.biortech.2011.09.119>.
- Alanazi, SF; Alzimami, KS; Ghannam, MM; Aljammaz, IJ; Alrumayan, F; Sassi, SA. (2016). Quantitative imaging characteristics of zirconium-89 on Gemini Time-Of-Flight PET/CT. *Nucl Med Comm.* 37: 1238-1245. <http://dx.doi.org/10.1097/MNM.0000000000000602>.
- Alden, CL. (1985). Species, sex, and tissue specificity in toxicologic and proliferative responses. *Toxicol Pathol.* 13: 135-140. <http://dx.doi.org/10.1177/019262338501300211>.
- Alden, WW; Repta, AJ. (1984). Exacerbation of cisplatin-induced nephrotoxicity by methionine. *Chem Biol Interact.* 48: 121-124. [http://dx.doi.org/10.1016/0009-2797\(84\)90012-7](http://dx.doi.org/10.1016/0009-2797(84)90012-7).
- Alekshun, TJ; Sokol, L. (2007). Diseases of large granular lymphocytes [Review]. *Cancer Control.* 14: 141-150.
- Alekshun, TJ; Tao, J; Sokol, L. (2007). Aggressive T-cell large granular lymphocyte leukemia: A case report and review of the literature [Review]. *Am J Hematol.* 82: 481-485. <http://dx.doi.org/10.1002/ajh.20853>.
- Alessandretti, R; Borba, M; Benetti, P; Corazza, PH; Ribeiro, R; Della Bona, A. (2017). Reliability and mode of failure of bonded monolithic and multilayer ceramics. *Dent Mater.* 33: 191-197. <http://dx.doi.org/10.1016/j.dental.2016.11.014>.
- Alexander, HC; Mccarty, WM; Bartlett, EA. (1978). Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. *Bull Environ Contam Toxicol.* 20: 344-352. <http://dx.doi.org/10.1007/BF01683531>.
- Al-Khatib, WK; Zayed, MA; Harris, EJ; Dalman, RL; Lee, JT. (2012). Selective use of percutaneous endovascular aneurysm repair in women leads to fewer groin complications. *Ann Vasc Surg.* 26: 476-482. <http://dx.doi.org/10.1016/j.avsg.2011.11.026>.
- Allegaert, K; Daniels, H; Naulaers, G; Tibboel, D; Devlieger, H. (2005). Pharmacodynamics of chloral hydrate in former preterm infants. *Eur J Pediatr.* 164: 403-407. <http://dx.doi.org/10.1007/s00431-005-1648-5>.
- Allen, BC; Crump, KS; Shipp, AM. (1988). Response to comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 559-561. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01198.x>.
- Altekruse, SF; Kosary, CL; Krapcho, M; Neyman, N; Aminou, R; Waldron, W; Ruhl, J; Howlander, N; Tatalovich, Z; Cho, H; Mariotto, A; Eisner, MP; Lewis, DR; Cronin, K; Chen, HS; Feuer, EJ; Stinchcomb, DG; Edwards, BK. (2010). SEER cancer statistics review, 1975-2007. Bethesda, MD: National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2007/](http://seer.cancer.gov/csr/1975_2007/).

## Human Health Hazard Literature Search Results

### Off Topic

- Altshuller, AP. (1980). Lifetimes of organic molecules in the troposphere and lower stratosphere. In JN Pitts Jr; RL Metcalf; D Grosjean (Eds.), (pp. 181-219). New York, NY: John Wiley & Sons.
- Alwis, KU; Blount, BC; Britt, AS; Patel, D; Ashley, DL. (2012). Simultaneous analysis of 28 urinary VOC metabolites using ultra high performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry (UPLC-ESI/MSMS). *Anal Chim Acta*. 750: 152-160. <http://dx.doi.org/10.1016/j.aca.2012.04.009>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater*. 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amler, RW; Gilbertini, M. (1996). Pediatric environmental neurobehavioral test battery. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB96207352>.
- Amler, RW; Lybarger, JA; Anger, WK; Phifer, BL; Chappell, W; Hutchinson, L. (1994). Adoption of an adult environmental neurobehavioral test battery. *Neurotoxicol Teratol*. 16: 525-530. [http://dx.doi.org/10.1016/0892-0362\(94\)90131-7](http://dx.doi.org/10.1016/0892-0362(94)90131-7).
- Amón, JH; Cepeda, M; Conde, C; Alonso, D; González, V; Martínez-Sagarra, JM. (2011). [Retrograde intrarenal surgery (RIRS). Technical complement for cases of acute lithiasis]. *Actas Urol Esp*. 35: 108-114. <http://dx.doi.org/10.1016/j.acuro.2010.12.004>.
- An, W; Le, Y; Chen, JF. (2011). Toluidine Red Nanoparticles and Their Application in Electrophoretic Display. *J Nanosci Nanotechnol*. 11: 10926-10929. <http://dx.doi.org/10.1166/jnn.2011.4018>.
- Anders, MW. (1991). Glutathione-dependent bioactivation of xenobiotics: Implications for mutagenicity and carcinogenicity [Review]. In L Ernster; H Esumi; Y Fujii; HV Gelboin; R Kato; T Sugimura (Eds.), (pp. 89-99). Tokyo, Japan; London, England: Japan Scientific Societies Press; Taylor & Francis, Ltd.
- Andersen, H; Larsen, S; Spliid, H; Christensen, ND. (1999). Multivariate statistical analysis of organ weights in toxicity studies. *Toxicology*. 136: 67-77. [http://dx.doi.org/10.1016/S0300-483X\(99\)00056-6](http://dx.doi.org/10.1016/S0300-483X(99)00056-6).
- Anderson, RC; Anderson, JH. (2000). Respiratory toxicity of fabric softener emissions. *J Toxicol Environ Health A*. 60: 121-136.
- Andreadou, I; Bibli, SI; Mastromanolis, E; Zoga, A; Efentakis, P; Papaioannou, N; Farmakis, D; Kremastinos, DT; h; Iliodromitis, EK. (2015). Transient carotid ischemia as a remote conditioning stimulus for myocardial protection in anesthetized rabbits: Insights into intracellular signaling. *Int J Cardiol*. 184: 140-151. <http://dx.doi.org/10.1016/j.ijcard.2015.01.079>.
- Anger, WK. (2003). Neurobehavioural tests and systems to assess neurotoxic exposures in the workplace and community. *Occup Environ Med*. 60: 531-538, 474. <http://dx.doi.org/10.1136/oem.60.7.531>.
- Anger, WK; Letz, R; Chrislip, DW; Frumkin, H; Hudnell, K; Russo, JM; Chappell, W; Hutchinson, L. (1994). Neurobehavioral test methods for environmental health studies of adults. *Neurotoxicol Teratol*. 16: 489-497. [http://dx.doi.org/10.1016/0892-0362\(94\)90128-7](http://dx.doi.org/10.1016/0892-0362(94)90128-7).
- Anon. (1978). Proposed guidelines for registering pesticides in the United States; hazard evaluation: humans and domestic animals. *Fed Reg*. 43: 37335-37402.
- Anon. (1979). Proposed health effects test standards for toxic substances control act test rules and proposed good laboratory practice standards for health effects. *Fed Reg*. 44: 44089-44092.
- Anon. (2015). Microwave technology for granular activated carbon regeneration. 0.
- Anon. (2016). Health Consultation: Evaluation of Indoor Air Sampling Events, Former Walker Machine Products, Collierville, Shelby County, Tennessee, July 11, 2016.
- Anttila, S; Hirvonen, A; Husgafvel-Pursiainen, K; Karjalainen, A; Nurminen, T; Vainio, H. (1994). Combined effect of CYP1A1 inducibility and GSTM1 polymorphism on histological type of lung cancer. *Carcinogenesis*. 15: 1133-1135. <http://dx.doi.org/10.1093/carcin/15.6.1133>.
- Antti-Poika, M. (1986). Chronic intoxication due to occupational exposure to tri- or perchloroethylene: A clinical description of 30 cases. *Toxicol Lett*. 31S: 228.
- Aranda-Rodriguez, R; Cabecinha, A; Harvie, J; Jin, Z; Marchand, A; Tardif, R; Nong, A; Haddad, S. (2015). A method for quantification of volatile organic compounds in blood by SPME-GC-MS/MS with broader application: From non-occupational exposure population to exposure studies. *J Chromatogr B Analyt Technol Biomed Life Sci*. 992: 76-85. <http://dx.doi.org/10.1016/j.jchromb.2015.04.020>.
- Arlie-Søborg, P. (1992). Solvent Neurotoxicity Methyl Chloride (Chapter 10). Boca Raton, FL: CRC Press.
- Armstrong, IS; Hoffmann, SA. (2016). Activity concentration measurements using a conjugate gradient (Siemens xSPECT) reconstruction algorithm in SPECT/CT. *Nucl Med Comm*. 37: 1212-1217. <http://dx.doi.org/10.1097/MNM.0000000000000586>.
- Armstrong, IS; Kelly, MD; Williams, HA; Matthews, JC. (2014). Impact of point spread function modelling and time of flight on FDG uptake measurements in lung lesions using alternative filtering strategies. 1: 99. <http://dx.doi.org/10.1186/s40658-014-0099-3>.
- Aschengrau, AA. (2012). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Aschengrau, AA. (2013). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Aschengrau, AA. (2014). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Aschengrau, AA. (2015). Project 1: Prenatal Exposure to Tetrachloroethylene-Contaminated Drinking Water.
- Ashby, J. (1996). [Alpha]2[mu]-globulin nephropathy in white ravens. *Environ Health Perspect*. 104: 1264.
- Astrin, KH; Bishop, DF; Wetmur, JG; Kaul, B; Davidow, B; Desnick, RJ. (1987).  $\delta$ -aminolevulinic acid dehydratase isozymes and lead toxicity. *Ann N Y Acad Sci*. 514: 23-29. <http://dx.doi.org/10.1111/j.1749-6632.1987.tb48757.x>.
- ATSDR. (2012). Health Consultation: Review of Indoor Air Data from January 2012 through April of 2012, at the Navy Yard Mills Site, Dracut, Massachusetts, July 26, 2012 (pp. 31).
- ATSDR. (2012). Letter Health Consultation: Cabo Rojo Ground Water Contamination Site, Cabo Rojo, Puerto Rico. EPA Facility ID: PRN000206319, February 24, 2012 (pp. 8).
- ATSDR. (2013). Public Health Assessment for Hormigas Ground Water Plume Site, Carretera 785 KM 4.9, Caguas, Puerto Rico 00725, October 31, 2013 (pp. 60).

## Human Health Hazard Literature Search Results

### Off Topic

- ATSDR. (2015). Health Assessment for Groundwater, Surface Water, Soil and Sediment Data Evaluation, Corozal Well Site, Corozal, Puerto Rico, July 29, 2015. EPA Facility ID: PRN000206452.
- Attarchi, M; Golabadi, M; Labbafinejad, Y; Mohammadi, S. (2013). Combined effects of exposure to occupational noise and mixed organic solvents on blood pressure in car manufacturing company workers. *Am J Ind Med.* 56: 243-251. <http://dx.doi.org/10.1002/ajim.22086>.
- Attarwala, AA; Molina-Duran, F; Büsing, KA; Schönberg, SO; Bailey, DL; Willowson, K; Glattig, G. (2014). Quantitative and qualitative assessment of Yttrium-90 PET/CT imaging. *PLoS ONE.* 9: e110401. <http://dx.doi.org/10.1371/journal.pone.0110401>.
- Auboeuf, D; Rieusset, J; Fajas, L; Vallier, P; Frering, V; Riou, JP; Staels, B; Auwerx, J; Laville, M; Vidal, H. (1997). Tissue distribution and quantification of the expression of mRNAs of peroxisome proliferator-activated receptors and liver X receptor-[alpha] in humans: No alteration in adipose tissue of obese and NIDDM patients. *Diabetes.* 46: 1319-1327. <http://dx.doi.org/10.2337/diabetes.46.8.1319>.
- Aulenta, F; Fazi, S; Majone, M; Rossetti, S. (2014). Electrically conductive magnetite particles enhance the kinetics and steer the composition of anaerobic TCE-dechlorinating cultures. *Process Biochemistry.* 49: 2235-2240. <http://dx.doi.org/10.1016/j.procbio.2014.09.015>.
- Austin, EW; Okita, JR; Okita, RT; Larson, JL; Bull, RJ. (1995). Modification of lipoperoxidative effects of dichloroacetate and trichloroacetate is associated with peroxisome proliferation. *Toxicology.* 97: 59-69. [http://dx.doi.org/10.1016/0300-483X\(94\)02926-L](http://dx.doi.org/10.1016/0300-483X(94)02926-L).
- Austin, EW; Parrish, JM; Kinder, DH; Bull, RJ. (1996). Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fundam Appl Toxicol.* 31: 77-82. <http://dx.doi.org/10.1006/faat.1996.0078>.
- Axelson, O. (1986). New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986. *Epidemiological studies of workers with exposure to tri- and tetrachloroethylenes [Review]*. New York: Elsevier Science Publishers.
- Aydođdu, M; Topbaşı Sinanođlu, N; Dođan, NO; Ođuzölgen, IK; Demircan, A; Bildik, F; Ekim, NN. (2014). Wells score and Pulmonary Embolism Rule Out Criteria in preventing over investigation of pulmonary embolism in emergency departments. *Tuberk Toraks.* 62: 12-21.
- Aydogdu, O; Karakose, A; Celik, O; Atesci, YZ. (2014). Recent management of urinary stone disease in a pediatric population [Review]. 3: 1-5. <http://dx.doi.org/10.5409/wjcp.v3.i1.1>.
- Ayensu, WK; Tchounwou, PB; McMurray, RW. (2004). Molecular and cellular mechanisms associated with autoimmune diseases. *Int J Environ Res Public Health.* 1: 39-73. <http://dx.doi.org/10.3390/ijerph2004010039>.
- Ayers, KL; Cordell, HJ. (2013). Identification of grouped rare and common variants via penalized logistic regression. *Genet Epidemiol.* 37: 592-602. <http://dx.doi.org/10.1002/gepi.21746>.
- Ayral-Cinar, D; Otero-Diaz, M; Demond, AH. (2016). A mechanism of basal spacing reduction in sodium smectitic clay materials in contact with DNAPL wastes. *Chemosphere.* 159: 577-583. <http://dx.doi.org/10.1016/j.chemosphere.2016.05.079>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol.* 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Baarnhielm, C; Dahlback, H; Skanberg, I. (1986). In vivo pharmacokinetics of felodipine predicted from in vitro studies in rat, dog and man. *Acta Pharmacol Toxicol.* 59: 113-122. <http://dx.doi.org/10.1111/j.1600-0773.1986.tb00142.x>.
- Bacsi, I; Gonda, S; B-Beres, V; Novak, Z; Nagy, SA; Vasas, G. (2015). Alterations of phytoplankton assemblages treated with chlorinated hydrocarbons: effects of dominant species sensitivity and initial diversity. *Ecotoxicology.* 24: 823-834. <http://dx.doi.org/10.1007/s10646-015-1427-7>.
- Badin, A; Broholm, MM; Jacobsen, CS; Palau, J; Dennis, P; Hunkeler, D. (2016). Identification of abiotic and biotic reductive dechlorination in a chlorinated ethene plume after thermal source remediation by means of isotopic and molecular biology tools. *J Contam Hydrol.* 192: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.003>.
- Badin, A; Buttet, G; Maillard, J; Holliger, C; Hunkeler, D. (2014). Multiple dual C-Cl isotope patterns associated with reductive dechlorination of tetrachloroethene. *Environ Sci Technol.* 48: 9179-9186. <http://dx.doi.org/10.1021/es500822d>.
- Bagby, GCJ. (1994). Hematopoiesis. In G Stamatoyannopoulos; AW Nienhuis; PW Majerus; H Varmus (Eds.), (pp. 71-103). Philadelphia: W.B. Saunders Company.
- Baggetto, LG. (1992). Deviant energetic metabolism of glycolytic cancer cells. *Biochimie.* 74: 959-974. [http://dx.doi.org/10.1016/0300-9084\(92\)90016-8](http://dx.doi.org/10.1016/0300-9084(92)90016-8).
- Bailer, AJ; Smith, RJ. (1994). Estimating upper confidence limits for extra risk in quantal multistage models. *Risk Anal.* 14: 1001-1010. <http://dx.doi.org/10.1111/j.1539-6924.1994.tb00069.x>.
- Bailey, SR; Russell, EL; Martinez, A. (1997). Evaluation of the AVOXimeter: Precision, long-term stability, linearity, and use without heparin. *J Clin Monit Comput.* 13: 191-198. <http://dx.doi.org/10.1023/A:1007308616686>.
- Baker, BJ; Jin, L; Han, Z; Cohen, LB; Popovic, M; Platasa, J; Pieribone, V. (2012). Genetically encoded fluorescent voltage sensors using the voltage-sensing domain of Nematostella and Danio phosphatases exhibit fast kinetics. *J Neurosci Methods.* 208: 190-196. <http://dx.doi.org/10.1016/j.jneumeth.2012.05.016>.
- Bakke, B; Stewart, P; Waters, M. (2007). Uses of and exposure to trichloroethylene in U.S. industry: A systematic literature review [Review]. *J Occup Environ Hyg.* 4: 375-390. <http://dx.doi.org/10.1080/15459620701301763>.
- Balmer, FA; Ottiger, P; Leutwyler, S. (2015). Experimental and Calculated Spectra of pi-Stacked Mild Charge-Transfer Complexes: Jet-Cooled Perylene center dot(Tetrachloroethene)(n), n=1,2. *J Phys Chem A.* 119: 10462-10474. <http://dx.doi.org/10.1021/acs.jpca.5b08225>.
- Balodite, E; Strazdina, I; Galinina, N; Mclean, S; Rutkis, R; Poole, RK; Kalnenieks, U. (2014). Structure of the Zymomonas mobilis respiratory chain: oxygen affinity of electron transport and the role of cytochrome c peroxidase. 160: 2045-2052. <http://dx.doi.org/10.1099/mic.0.081612-0>.
- Banerjee, S; Sutanto, S; Kleijn, JM; van Roosmalen, MJ; Witkamp, GJ; Stuart, MA. (2012). Colloidal interactions in liquid CO2--a dry-cleaning perspective [Review]. *Adv Colloid Interface Sci.* 175: 11-24. <http://dx.doi.org/10.1016/j.cis.2012.03.005>.

## Human Health Hazard Literature Search Results

### Off Topic

- Baranović, G. (2016). Refractive Index Mixing Rules and Excess Infrared Spectra of Binary Mixtures. *Appl Spectrosc.* <http://dx.doi.org/10.1177/0003702816668532>.
- Barbaro, A. (2015). A place for agent-based models: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews.* 12: 24-25. <http://dx.doi.org/10.1016/j.plrev.2015.01.022>.
- Barbier, O; Duran-Sandoval, D; Pineda-Torra, I; Kosykh, V; Fruchart, JC; Staels, B. (2003). Peroxisome proliferator-activated receptor [alpha] induces hepatic expression of the human bile acid glucuronidating UDP-glucuronosyltransferase 2B4 enzyme. *J Biol Chem.* 278: 32852-32860. <http://dx.doi.org/10.1074/jbc.M305361200>.
- Barchet, R; Biermann, J; Feucht, M; Th, H; Jori, H; Wilk, G. (1972). [Results of chemical investigations on environmental protection]. *Dtsch Lebensm-Rundsch.* 68: 69-74.
- Barman, N; Singha, D; Sahu, K. (2013). Fluorescence quenching of hydrogen-bonded coumarin 102-phenol complex: effect of excited-state hydrogen bonding strength. *J Phys Chem A.* 117: 3945-3953. <http://dx.doi.org/10.1021/jp4019298>.
- Barnes, DG; Dourson, M. (1988). Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol.* 8: 471-486. [http://dx.doi.org/10.1016/0273-2300\(88\)90047-5](http://dx.doi.org/10.1016/0273-2300(88)90047-5).
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Barnier, C; Palmier, C; Atteia, O. (2013). Validation of a multilevel sampling device to determine the vertical variability of chlorinated solvent in a contaminated aquifer. *Environ Technol.* 34: 1543-1553. <http://dx.doi.org/10.1080/09593330.2012.758665>.
- Barrass, N; Stewart, M; Warburton, S; Aitchison, J; Jackson, D; Wadsworth, P; Marsden, A; Orton, T. (1993). Cell proliferation in the liver and thyroid of C57Bl/10J mice after dietary administration of chlordane. *Environ Health Perspect.* 101: 219-223.
- Barter, ZE; Bayliss, MK; Beaune, PH; Boobis, AR; Carlile, DJ; Edwards, RJ; Houston, JB; Lake, BG; Lipscomb, JC; Pelkonen, OR; Tucker, GT; Rostami-Hodjegan, A. (2007). Scaling factors for the extrapolation of in vivo metabolic drug clearance from in vitro data: Reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver [Review]. *Curr Drug Metab.* 8: 33-45.
- Bartsch, H; Malaveille, C; Barbin, A; Bresil, H; Tomatis, L; Montesano, R. (1976). Mutagenicity and metabolism of vinyl chloride and related compounds [Review]. *Environ Health Perspect.* 17: 193-198.
- Bas, O; Dede, O; Aydogmus, Y; Utangac, M; Yikilmaz, TN; Damar, E; Nalbant, I; Bozkurt, ÖF. (2016). Comparison of Retrograde Intrarenal Surgery and Micro-percutaneous Nephrolithotomy in Moderately size Pediatric Kidney Stones. *J Endourol.* 30: 765-770. <http://dx.doi.org/10.1089/end.2016.0043>.
- Bateman, AJ; Epstein, SS. (1971). Dominant lethal mutations in mammals. In A Hollaender (Ed.), (pp. 541-568). New York, NY: Plenum Press.
- Bateson, TF; Schwartz, J. (2008). Children's response to air pollutants [Review]. *J Toxicol Environ Health A.* 71: 238-243. <http://dx.doi.org/10.1080/15287390701598234>.
- Batterman, S; Su, FC; Li, S; Mukherjee, B; Jia, C; Committee, HHR. (2014). Personal exposure to mixtures of volatile organic compounds: modeling and further analysis of the RIOPA data. *Res Rep Health Eff Inst*3-63.
- Bauer, S; Wolff, I; Werner, N; Schmidt, R; Blume, R; Pelzing, M. (1995). Toxicological investigations in the semiconductor industry: IV: Studies on the subchronic oral toxicity and genotoxicity of vacuum pump oils contaminated by waste products from aluminum plasma etching processes. *Toxicol Ind Health.* 11: 523-541. <http://dx.doi.org/10.1177/074823379501100506>.
- Bauer, U. (1981). [Human exposure to environmental chemicals: Investigations on volatile organic halogenated compounds in water, air, food, and human tissues: IV. Communication: Calculation of human exposure to organic halogenated compounds from the environment]. *Zentralbl Bakteriol, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B.* 174: 556-583.
- Beck, BD; Rudel, R; Calabrese, EJ. (1994). The use of toxicology in the regulatory process. In AW Hayes (Ed.), (3 ed., pp. 19-58). New York, NY: Raven Press, Ltd.
- Bellar, TA; Lichtenberg, JJ. (1974). Determining volatile organics at microgram-per-litre levels by gas chromatographs. *J Am Water Works Assoc.* 66: 739-744.
- Bellar, TA; Lichtenberg, JJ; Kroner, RC. (1974). The occurrence of organohalides in chlorinated drinking waters. *J Am Water Works Assoc.* 66: 703-706.
- Benes, V; Frantik, E; Horvath, M; Kozena, L. (1986). Vigilance performance paralleled with blood levels of solvents: Acetone, styrene, tetrachloroethylene. *Homeost Health Dis.* 28: 234-236.
- Bennedsen, LR; Muff, J; Sogaard, EG. (2012). Influence of chloride and carbonates on the reactivity of activated persulfate. *Chemosphere.* 86: 1092-1097. <http://dx.doi.org/10.1016/j.chemosphere.2011.12.011>.
- Bentley, P; Calder, I; Elcombe, C; Grasso, P; Stringer, D; Wiegand, HJ. (1993). Hepatic peroxisome proliferation in rodents and its significance for humans. *Food Chem Toxicol.* 31: 857-907. [http://dx.doi.org/10.1016/0278-6915\(93\)90225-N](http://dx.doi.org/10.1016/0278-6915(93)90225-N).
- Bergeron, M; Cadorette, J; Tetrault, MA; Beaudoin, JF; Leroux, JD; Fontaine, R; Lecomte, R. (2014). Imaging performance of LabPET APD-based digital PET scanners for pre-clinical research. *Phys Med Biol.* 59: 661-678. <http://dx.doi.org/10.1088/0031-9155/59/3/661>.
- Berggren, DRV; Marshall, I; Azizian, MF; Spormann, AM; Semprini, L. (2013). Effects of Sulfate Reduction on the Bacterial Community and Kinetic Parameters of a Dechlorinating Culture under Chemostat Growth Conditions. *Environ Sci Technol.* 47: 1879-1886. <http://dx.doi.org/10.1021/es304244z>.
- Berlin, K; Edling, C; Persson, B; Ahlborg, G; Hillert, L; Hogstedt, B; Lundberg, I; Svensson, BG; Thiringer, G; Orbaek, P. (1995). Cancer incidence and mortality of patients with suspected solvent-related disorders. *Scand J Work Environ Health.* 21: 362-367.
- Bernard, A; Lauwerys, R. (1989). Epidemiological application of early markers of nephrotoxicity. *Toxicol Lett.* 46: 293-306. [http://dx.doi.org/10.1016/0378-4274\(89\)90137-9](http://dx.doi.org/10.1016/0378-4274(89)90137-9).

## Human Health Hazard Literature Search Results

### Off Topic

- Bertheloot, J; Cournède, PH; Andrieu, B. (2011). NEMA, a functional-structural model of nitrogen economy within wheat culms after flowering. I. Model description. *Ann Bot.* 108: 1085-1096. <http://dx.doi.org/10.1093/aob/mcr119>.
- Bertheloot, J; Wu, Q; Cournède, PH; Andrieu, B. (2011). NEMA, a functional-structural model of nitrogen economy within wheat culms after flowering. II. Evaluation and sensitivity analysis. *Ann Bot.* 108: 1097-1109. <http://dx.doi.org/10.1093/aob/mcr125>.
- Berthon, B; Häggström, I; Apte, A; Beattie, BJ; Kirov, AS; Humm, JL; Marshall, C; Spezi, E; Larsson, A; Schmidtlein, CR. (2015). PETSTEP: Generation of synthetic PET lesions for fast evaluation of segmentation methods. *31: 969-980.* <http://dx.doi.org/10.1016/j.ejmp.2015.07.139>.
- Bettinardi, V; Presotto, L; Rapisarda, E; Picchio, M; Gianolli, L; Gilardi, MC. (2011). Physical performance of the new hybrid PET/CT Discovery-690. *Med Phys.* 38: 5394-5411. <http://dx.doi.org/10.1118/1.3635220>.
- Bhargava, KP; Srivastava, VK; Barthwal, JP; Sinha, JN. (1976). Significance of spinal autonomic loci in post coronary ligation arrhythmia. *Neuropharmacology.* 15: 625-633. [http://dx.doi.org/10.1016/0028-3908\(76\)90019-8](http://dx.doi.org/10.1016/0028-3908(76)90019-8).
- Bhunya, SP; Das, P. (1987). Bone marrow chromosome aberration and sperm abnormality in mice in vivo induced by monochloroacetic acid (MCA). *Chrom Info Service.* 42: 28-30.
- Bianchi, E; Lessing, G; Brina, KR; Angeli, L; Andriguetti, NB; Peruzzo, J. R.; Do Nascimento, CA; Spilki, FR; Ziulkoski, AL; da Silva, LB. (2017). Monitoring the Genotoxic and Cytotoxic Potential and the Presence of Pesticides and Hydrocarbons in Water of the Sinos River Basin, Southern Brazil. *Arch Environ Contam Toxicol.* <http://dx.doi.org/10.1007/s00244-016-0334-0>.
- Bignami, M; Cardamone, G; Comba, P; Ortali, VA; Morpurgo, G; Carere, A. (1977). Relationship between chemical structure and mutagenic activity in some pesticides: The use of *Salmonella typhimurium* and *Aspergillus nidulans*. *Mutat Res.* 46: 243-244. [http://dx.doi.org/10.1016/0165-1161\(77\)90103-0](http://dx.doi.org/10.1016/0165-1161(77)90103-0).
- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), *NBS special publication* (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bingle, LE; Constantinidou, C; Shaw, RK; Islam, MS; Patel, M; Snyder, LA; Lee, DJ; Penn, CW; Busby, SJ; Pallen, MJ. (2014). Microarray analysis of the Ler regulon in enteropathogenic and enterohaemorrhagic *Escherichia coli* strains. *PLoS ONE.* 9: e80160. <http://dx.doi.org/10.1371/journal.pone.0080160>.
- Black, D. (1982). Glue sniffing. *Arch Dis Child.* 57: 893-894.
- Black, H. (2006). Pressed for hard facts: Multiple tetrachloroethylene-cancer links go unconfirmed. *Environ Health Perspect.* 114: A114. <http://dx.doi.org/10.1289/ehp.114-a114>.
- Blair, A; Burg, J; Foran, J; Gibb, H; Greenland, S; Morris, R; Raabe, G; Savitz, D; Teta, J; Wartenberg, D; Wong, O; Zimmerman, R. (1995). Guidelines for application of meta-analysis in environmental epidemiology. *Regul Toxicol Pharmacol.* 22: 189-197. <http://dx.doi.org/10.1006/rtph.1995.1084>.
- Blossom, SJ; Doss, JC; Gilbert, KM. (2007). Chronic exposure to a trichloroethylene metabolite in autoimmune-prone MRL+/+ mice promotes immune modulation and alopecia. *Toxicol Sci.* 95: 401-411. <http://dx.doi.org/10.1093/toxsci/kfl149>.
- Blossom, SJ; Gilbert, KM. (2006). Exposure to a metabolite of the environmental toxicant, trichloroethylene, attenuates CD4+ T cell activation-induced cell death by metalloproteinase-dependent FasL shedding. *Toxicol Sci.* 92: 103-114. <http://dx.doi.org/10.1093/toxsci/kfj212>.
- Blossom, SJ; Pumford, NR; Gilbert, KM. (2004). Activation and attenuation of apoptosis of CD4+ T cells following in vivo exposure to two common environmental toxicants, trichloroacetaldehyde hydrate and trichloroacetic acid. *J Autoimmun.* 23: 211-220. <http://dx.doi.org/10.1016/j.jaut.2004.06.007>.
- Blunden, S. (1981). Drugs and the soldier. *J R Army Med Corps.* 127: 72-77.
- Boellaard, R; Rausch, I; Beyer, T; Delso, G; Yaqub, M; Quick, HH; Sattler, B. (2015). Quality control for quantitative multicenter whole-body PET/MR studies: A NEMA image quality phantom study with three current PET/MR systems. *Med Phys.* 42: 5961-5969. <http://dx.doi.org/10.1118/1.4930962>.
- Boisson, F; Wimberley, CJ; Lehnert, W; Zahra, D; Pham, T; Perkins, G; Hamze, H; Gregoire, MC; Reilhac, A. (2013). NEMA NU 4-2008 validation and applications of the PET-SORTEO Monte Carlo simulations platform for the geometry of the Inveon PET preclinical scanner. *Phys Med Biol.* 58: 6749-6763. <http://dx.doi.org/10.1088/0031-9155/58/19/6749>.
- Boisson, F; Zahra, D; Parmar, A; Gregoire, MC; Meikle, SR; Hamse, H; Reilhac, A. (2013). Imaging capabilities of the Inveon SPECT system using single-and multipinhole collimators. *J Nucl Med.* 54: 1833-1840. <http://dx.doi.org/10.2967/jnumed.112.117572>.
- Bokobza, J; Aubry, A; Nakle, N; Vincent-Cassy, C; Pateron, D; Devilliers, C; Riou, B; Ray, P; Freund, Y. (2014). Pulmonary Embolism Rule-out Criteria vs D-dimer testing in low-risk patients for pulmonary embolism: a retrospective study. *Am J Emerg Med.* 32: 609-613. <http://dx.doi.org/10.1016/j.ajem.2014.03.008>.
- Bolm-Audorff, U; Ahrens, W; Jöckel, KH; Greiser, E; Molik, B; Timm, J; Wichmann, HE. (1989). Experience with supplementary questionnaires in a lung cancer case reference study. In D Hemon; M Goldberg (Eds.), (pp. 117-168). Luxembourg: Office for Official Publications of the European Community.
- Bong, M; Laskowska-Klita, T; Szymczyk, T. (1985). Effect of the benzene fraction of petroleum on protein content in rat liver and kidney. *Bull Environ Contam Toxicol.* 34: 45-54.
- Bonse, G; Urban, T; Reichert, D; Henschler, D. (1975). Chemical reactivity, metabolic oxirane formation and biological reactivity of chlorinated ethylenes in the isolated perfused rat liver preparation. *Biochem Pharmacol.* 24: 1829-1834. [http://dx.doi.org/10.1016/0006-2952\(75\)90468-2](http://dx.doi.org/10.1016/0006-2952(75)90468-2).
- Booker, MT; Johnson, JO. (2017). Optimizing CT Pulmonary Angiogram Utilization in a Community Emergency Department: A Pre- and Postintervention Study. *14: 65-71.* <http://dx.doi.org/10.1016/j.jacr.2016.08.007>.

## Human Health Hazard Literature Search Results

### Off Topic

- Bortone, I; Di Nardo, A; Di Natale, M; Erto, A; Musmarra, D; Santonastaso, GF. (2013). Remediation of an aquifer polluted with dissolved tetrachloroethylene by an array of wells filled with activated carbon. *J Hazard Mater.* 260: 914-920. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.050>.
- Bouchardy, C; Schüler, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health.* 28: 1-88.
- Bouwer, EJ; Mccarty, PL; Lance, JC. (1981). Trace organic behavior in soil columns during rapid infiltration of secondary wastewater. *Water Res.* 15: 151-159. [http://dx.doi.org/10.1016/0043-1354\(81\)90195-0](http://dx.doi.org/10.1016/0043-1354(81)90195-0).
- Bove, F; Shim, Y; Zeitz, P. (2002). Drinking water contaminants and adverse pregnancy outcomes: A review [Review]. *Environ Health Perspect.* 110: 61-74.
- Bove, FJ. (1996). Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. *Toxicol Ind Health.* 12: 255-266.
- Bowen, SE; Batis, JC; Paez-Martinez, N; Cruz, SL. (2006). The last decade of solvent research in animal models of abuse: Mechanistic and behavioral studies [Review]. *Neurotoxicol Teratol.* 28: 636-647. <http://dx.doi.org/10.1016/j.ntt.2006.09.005>.
- Bowler, RM; Mergler, D; Huel, G; Harrison, R; Cone, J. (1991). Neuropsychological impairment among former microelectronics workers. *Neurotoxicology.* 12: 87-103.
- Bowman, KJ. (1982). A method for quantitative scoring of the Farnsworth Panel D-15. *Acta Ophthalmol.* 60: 907-916. <http://dx.doi.org/10.1111/j.1755-3768.1982.tb00621.x>.
- Boyes, WK; Bercegeay, M; Degn, L; Beasley, TE; Evansky, PA; Mwanza, JC; Geller, AM; Pinckney, C; Nork, TM; Bushnell, PJ. (2016). Toluene inhalation exposure for 13 weeks causes persistent changes in electroretinograms of Long-Evans rats. *Neurotoxicology.* 53: 257-270. <http://dx.doi.org/10.1016/j.neuro.2016.02.008>.
- Boyes, WK; Evans, MV; Eklund, C; Janssen, P; Simmons, JE. (2005). Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. *Risk Anal.* 25: 677-686. <http://dx.doi.org/10.1111/j.1539-6924.2005.00622.x>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol.* 136: 712-721.
- Boyle, EB; Viet, SM; Wright, DJ; Merrill, LS; Alwis, KU; Blount, BC; Mortensen, ME; Moye, J; Dellarco, M. (2016). Assessment of Exposure to VOCs among Pregnant Women in the National Children's Study. *Int J Environ Res Public Health.* 13: 376. <http://dx.doi.org/10.3390/ijerph13040376>.
- Bozarth, AL; Bajaj, N; Wessling, MR; Keffer, D; Jallu, S; Salzman, GA. (2015). Evaluation of the pulmonary embolism rule-out criteria in a retrospective cohort at an urban academic hospital. *Am J Emerg Med.* 33: 483-487. <http://dx.doi.org/10.1016/j.ajem.2013.10.010>.
- Bozzelli, JW; Kebbekus, BB. (1979). Analysis of selected volatile organic substances in ambient air. (PB80-144694). Newark, NJ: New Jersey Department of Environmental Protection. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80144694>.
- Braad, PE; Hansen, SB; Høiland-Carlson, PF. (2015). Impact of high (131)I-activities on quantitative (124)I-PET. *Phys Med Biol.* 60: 5297-5312. <http://dx.doi.org/10.1088/0031-9155/60/13/5297>.
- Bradshaw, TJ; Voorbach, MJ; Reuter, DR; Giamis, AM; Mudd, SR; Beaver, JD. (2016). Image quality of Zr-89 PET imaging in the Siemens microPET Focus 220 preclinical scanner. *Mol Imaging.* 18: 377-385. <http://dx.doi.org/10.1007/s11307-015-0903-z>.
- Braeckevelt, M; Seeger, EM; Paschke, H; Kusch, P; Kaestner, M. (2011). Adaptation of a Constructed Wetland to Simultaneous Treatment of Monochlorobenzene and Perchloroethene. *Int J Phytoremediation.* 13: 998-1013. <http://dx.doi.org/10.1080/15226514.2010.549860>.
- Bredeloux, P; Dubuc, I; Costentin, J. (2007). Comparisons between bupropion and dexamphetamine in a range of in vivo tests exploring dopaminergic transmission. *Br J Pharmacol.* 150: 711-719. <http://dx.doi.org/10.1038/sj.bjp.0707151>.
- Breslow, NE; Day, NE. (1980). Statistical methods in cancer research: Volume 1 - the analysis of case-control studies. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp32/index.php>.
- Breslow, NE; Day, NE. (1994). Statistical Method in Cancer Research. Volume 2 - The Design and Analysis of Cohort Studies [Review]. In NE Breslow; NE Day (Eds.), (IARC Scientific Publications No. 82 ed., pp. 1-406). New York, NY: Oxford University Press. <http://www.iarc.fr/en/publications/pdfs-online/stat/sp82/index.php>.
- Broadwell, DK; Darcey, DJ; Hudnell, HK; Otto, DA; Boyes, WK. (1995). Work-site clinical and neurobehavioral assessment of solvent-exposed microelectronics workers. *Am J Ind Med.* 27: 677-698. <http://dx.doi.org/10.1002/ajim.4700270505>.
- Brodzinsky, R; Singh, HB. (1983). Volatile organic chemicals in the atmosphere: An assessment of available data. (EPA-600/3-83-027a; PB83-195503). Triangle Park, NC: U.S. Environmental Protection Agency.
- Bronzetti, G; Galli, A; Corsi, C; Cundari, E; Del Carratore, R; Nieri, R; Paolini, M. (1984). Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res.* 141: 19-22. [http://dx.doi.org/10.1016/0165-7992\(84\)90031-9](http://dx.doi.org/10.1016/0165-7992(84)90031-9).
- Brown, CD; Wong, BA; Fennell, TR. (1996). In vivo and in vitro kinetics of ethylene oxide metabolism in rats and mice. *Toxicol Appl Pharmacol.* 136: 8-19. <http://dx.doi.org/10.1006/taap.1996.0002>.
- Brown, DP. (1978). Memorandum. Unknown: Unknown.
- Brown, LM; Hoover, R; Silverman, D; Baris, D; Hayes, R; Swanson, GM; Schoenberg, J; Greenberg, R; Liff, J; Schwartz, A; Dosemeci, M; Pottern, L; Fraumeni, JF, Jr. (2001). Excess incidence of squamous cell esophageal cancer among US Black men: Role of social class and other risk factors. *Am J Epidemiol.* 153: 114-122. <http://dx.doi.org/10.1093/aje/153.2.114>.
- Brown, RC; Backus, G; Euling, SY; Foos, B; Makris, S; Moya, J; Olsen, M; Raffaele, K; Sonawane, B; Strong, J. (2009). Consideration of susceptible populations in risk assessment. *Birth Defects Res A Clin Mol Teratol.* 85: 433.

## Human Health Hazard Literature Search Results

### Off Topic

- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health*. 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Brown, T; Dassonville, C; Derbez, M; Ramalho, O; Kirchner, S; Crump, D; Mandin, C. (2015). Relationships between socioeconomic and lifestyle factors and indoor air quality in French dwellings. *Environ Res*. 140: 385-396. <http://dx.doi.org/10.1016/j.envres.2015.04.012>.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control*. 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Bruschi, SA; Bull, RJ. (1993). In vitro cytotoxicity of mono-, di-, and trichloroacetate and its modulation by hepatic peroxisome proliferation. *Fundam Appl Toxicol*. 21: 366-375. <http://dx.doi.org/10.1006/faat.1993.1109>.
- Brusseau, M. (2011). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, M. (2012). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, M. (2013). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Brusseau, M. (2014). Project 6: Mass-Transfer and Mass-Flux Dynamics of Chlorinated Solvents.
- Bu, FY; Wen, XG; Wan, M; Liu, R; Cai, Q; Chen, LJ; Zhang, YM. (2011). [Applicability of an electronic nose for detection of volatile chlorinated hydrocarbons in soil]. *Huanjing Kexue*. 32: 3641-3646.
- Budde, WL; Eichelberger, JW. (1979). An EPA manual for organics analysis using gas chromatography-mass spectrometry. (EPA-600/8-79-006). Cincinnati, OH: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockkey=9100T9DX.txt>.
- Buelke-Sam, J; Kimmel, CA. (1979). Development and standardization of screening methods for behavioral teratology. *Teratology*. 20: 17-30.
- Buelke-Sam, J; Kimmel, CA; Adams, J; Nelson, CJ; Vorhees, CV; Wright, DC; St Omer, V; Korol, BA; Butcher, RE; Geyer, MA. (1985). Collaborative behavioral teratology study: Results. *Neurobehav Toxicol Teratol*. 7: 591-624.
- Bukowski, J. (2012). Comment on: "Visual contrast sensitivity in children exposed to tetrachloroethylene"; by Storm et al [Letter]. *Arch Environ Occup Health*. 67: 51-52; author reply 53-55. <http://dx.doi.org/10.1080/19338244.2011.646362>.
- Bukowski, JA. (2012). Response to letter from J.E. Storm and colleagues concerning the paper "Review of the epidemiologic literature on residential exposure to perchloroethylene". *Crit Rev Toxicol*. 42: 318-321. <http://dx.doi.org/10.3109/10408444.2012.663746>.
- Bull, RJ. (2000). Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate [Review]. *Environ Health Perspect*. 108: 241-259.
- Bull, RJ. (2004). Proceedings of New Scientific Research Related to the Health Effects of Trichloroethylene and liver tumors in mice: U.S. Environmental Protection Agency. [http://oaspub.epa.gov/eims/eimscmm.getfile?p\\_download\\_id=432706](http://oaspub.epa.gov/eims/eimscmm.getfile?p_download_id=432706).
- Bull, RJ; Orner, GA; Cheng, RS; Stillwell, L; Stauber, AJ; Sasser, LB; Lingohr, MK; Thrall, BD. (2002). Contribution of dichloroacetate and trichloroacetate to liver tumor induction in mice by trichloroethylene. *Toxicol Appl Pharmacol*. 182: 55-65. <http://dx.doi.org/10.1006/taap.2002.9427>.
- Bull, RJ; Sanchez, IM; Nelson, MA; Larson, JL; Lansing, AJ. (1990). Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology*. 63: 341-359. [http://dx.doi.org/10.1016/0300-483X\(90\)90195-M](http://dx.doi.org/10.1016/0300-483X(90)90195-M).
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology*. 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Bunn, WW; Deane, ER; Klein, DW; Kleopfer, RD. (1975). Sampling and characterization of air for organic compounds. *Water Air Soil Pollut*. 4: 367-380. <http://dx.doi.org/10.1007/BF00280722>.
- Burns, CL; Keir, B; Ward, EC; Hill, AJ; Farrell, A; Phillips, N; Porter, L. (2015). A Dynamic Image Quality Evaluation of Videofluoroscopy Images: Considerations for Telepractice Applications. *Dysphagia*. 30: 473-481. <http://dx.doi.org/10.1007/s00455-015-9626-1>.
- Burns, PB; Swanson, GM. (1991). Risk of urinary bladder cancer among blacks and whites: The role of cigarette use and occupation. *Cancer Causes Control*. 2: 371-379. <http://dx.doi.org/10.1007/BF00054297>.
- Bursch, W; Lauer, B; Timmermann-Trosiener, I; Barthel, G; Schuppler, J; Schulte-Hermann, R. (1984). Controlled death (apoptosis) of normal and putative preneoplastic cells in rat liver following withdrawal of tumor promoters. *Carcinogenesis*. 5: 453-458.
- Burstyn, I. (2011). The ghost of methods past: Exposure assessment versus job-exposure matrix studies. *Occup Environ Med*. 68: 2-3. <http://dx.doi.org/10.1136/oem.2009.054585>.
- Burton, WC; Harte, PT. (2013). Bedrock Geology and Outcrop Fracture Trends in the Vicinity of the Savage Municipal Well Superfund Site, Milford, New Hampshire. 25.
- Bus, JS; Rickert, DE; Norton, RM; Gibson, JE. (1978). The pharmacokinetics and metabolism of aniline hydrochloride in Fischer 344 rats [Abstract]. *Toxicol Appl Pharmacol*. 45: 256.
- Bushnell, PJ; Oshiro, WM; Samsam, TE; Benignus, VA; Krantz, QT; Kenyon, EM. (2007). A Dosimetric Analysis of the Acute Behavioral Effects of Inhaled Toluene in Rats. *Toxicol Sci*. 99: 181-189. <http://dx.doi.org/10.1093/toxsci/kfm146>.
- Bustamante, VH; Villalba, MI; García-Angulo, VA; Vázquez, A; Martínez, LC; Jiménez, R; Puente, JL. (2011). PerC and GrIA independently regulate Ler expression in enteropathogenic Escherichia coli. *Mol Microbiol*. 82: 398-415. <http://dx.doi.org/10.1111/j.1365-2958.2011.07819.x>.
- Buttet, GF; Holliger, C; Maillard, J. (2013). Functional genotyping of Sulfurospirillum spp. in mixed cultures allowed the identification of a new tetrachloroethene reductive dehalogenase. *Appl Environ Microbiol*. 79: 6941-6947. <http://dx.doi.org/10.1128/AEM.02312-13>.
- Byczkowski, JZ; Fisher, JW. (1995). A computer program linking physiologically based pharmacokinetic model with cancer risk assessment for breast-fed infants. *Comput Methods Programs Biomed*. 46: 155-163. [http://dx.doi.org/10.1016/0169-2607\(94\)01616-N](http://dx.doi.org/10.1016/0169-2607(94)01616-N).
- Cal/EPA. (2001). Public health goal for tetrachloroethylene in drinking water. Sacramento, CA: Office of Environmental Health Hazard Assessment. <http://www.oehha.org/water/phg/pdf/PCEAug2001.pdf>.
- Calabrese, EJ. (1983). Principles of animal extrapolation. New York: Wiley.



## Human Health Hazard Literature Search Results

### Off Topic

- Caldwell, DJ. (1999). Review of mononuclear cell leukemia in F-344 rat bioassays and its significance to human cancer risk: A case study using alkyl phthalates [Review]. *Regul Toxicol Pharmacol.* 30: 45-53. <http://dx.doi.org/10.1006/rtph.1999.1305>.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Cal-Gonzalez, J; Li, X; Heber, D; Rausch, I; Moore, SC; Schäfers, K; Hacker, M; Beyer, T. (2017). Partial volume correction for improved PET quantification in (18)F-NaF imaging of atherosclerotic plaques. <http://dx.doi.org/10.1007/s12350-017-0778-2>.
- Calvert, JG. (1976). Hydrocarbon involvement in photochemical smog formation in Los Angeles atmosphere. *Environ Sci Technol.* 10: 256-262. <http://dx.doi.org/10.1021/es60114a003>.
- Campagna, D; Gobba, F; Mergler, D; Moreau, T; Galassi, C; Cavalleri, A; Huel, G. (1996). Color vision loss among styrene-exposed workers neurotoxicological threshold assessment. *Neurotoxicology.* 17: 367-374.
- Campagna, D; Mergler, D; Huel, G; Bélanger, S; Truchon, G; Ostiguy, C; Drolet, D. (1995). Visual dysfunction among styrene-exposed workers. *Scand J Work Environ Health.* 21: 382-390.
- Campbell, JA; Corrigan, AV; Guy, A; Kirsch, RE. (1991). Immunohistologic localization of alpha, mu, and pi class glutathione S-transferases in human tissues. *Cancer.* 67: 1608-1613. [http://dx.doi.org/10.1002/1097-0142\(19910315\)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S](http://dx.doi.org/10.1002/1097-0142(19910315)67:6<1608::AID-CNCR2820670623>3.0.CO;2-S).
- Campbell, MJ; Sheppard, JC; Au, BF. (1979). Measurement of hydroxyl concentration in boundary layer air by monitoring CO oxidation. *Geophys Res Lett.* 6: 175-178. <http://dx.doi.org/10.1029/GL006i003p00175>.
- Cañadas, M; Arce, P; Rato Mendes, P. (2011). Validation of a small-animal PET simulation using GAMOS: a GEANT4-based framework. *Phys Med Biol.* 56: 273-288. <http://dx.doi.org/10.1088/0031-9155/56/1/016>.
- Canner, PL; Berge, KG; Wenger, NK; Stamler, J; Friedman, L; Prineas, RJ; Friedewald, W. (1986). Fifteen year mortality in Coronary Drug Project patients: long-term benefit with niacin. *J Am Coll Cardiol.* 8: 1245-1255.
- Cano, MI; Pollán, M. (2001). Non-Hodgkin's lymphomas and occupation in Sweden. *Int Arch Occup Environ Health.* 74: 443-449. <http://dx.doi.org/10.1007/s004200100248>.
- Cápiro, NL; Löffler, FE; Pennell, KD. (2015). Spatial and temporal dynamics of organohalide-respiring bacteria in a heterogeneous PCE-DNAPL source zone. *J Contam Hydrol.* 182: 78-90. <http://dx.doi.org/10.1016/j.jconhyd.2015.08.007>.
- Cápiro, NL; Wang, Y; Hatt, JK; Lebrón, CA; Pennell, KD; Löffler, FE. (2014). Distribution of organohalide-respiring bacteria between solid and aqueous phases. *Environ Sci Technol.* 48: 10878-10887. <http://dx.doi.org/10.1021/es501320h>.
- Capone, JP. (1994). Mechanisms of peroxisome proliferator-induced carcinogenesis: Historical perspectives and current status. (EPA-68-D9-0133; EPA/600/R-95/038; PB95-193314). Washington, DC: U. S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB95193314>.
- CARB. (1998). 1990-1996 statewide perchloroethylene summary, ppb [Database]. Sacramento, CA: California Environmental Protection Agency. Retrieved from <http://www.arb.ca.gov/aqd/perc/pcstate.htm>
- Carlier, T; Willowson, KP; Fourke, E; Bailey, DL; Doss, M; Conti, M. (2015). (90)Y -PET imaging: Exploring limitations and accuracy under conditions of low counts and high random fraction. *Med Phys.* 42: 4295-4309. <http://dx.doi.org/10.1118/1.4922685>.
- Carlile, DJ; Hakooz, N; Bayliss, MK; Houston, JB. (1999). Microsomal prediction of in vivo clearance of CYP2C9 substrates in humans. *Br J Clin Pharmacol.* 47: 625-635.
- Carrière, B; Clément, K; Gravel, J. (2014). Variation in the use of skull radiographs by emergency physicians in young children with minor head trauma. *CJEM.* 16: 281-287.
- Carter, JH; Carter, HW; DeAngelo, AB. (1995). Biochemical, pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett.* 81: 55-71. [http://dx.doi.org/10.1016/0378-4274\(95\)03409-9](http://dx.doi.org/10.1016/0378-4274(95)03409-9).
- Carter, JH; Carter, HW; Deddens, JA; Hurst, BM; George, MH; DeAngelo, AB. (2003). A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F(1) mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect.* 111: 53-64. <http://dx.doi.org/10.1289/ehp.5442>.
- Cassado, A; de Albuquerque, JA; Sardinha, LR; Buzzo, C; Faustino, L; Nascimento, R; Ghosn, EE; Lima, MR; Alvarez, JM; Bortoluci, KR. (2011). Cellular renewal and improvement of local cell effector activity in peritoneal cavity in response to infectious stimuli. *PLoS ONE.* 6: e22141. <http://dx.doi.org/10.1371/journal.pone.0022141>.
- Cassado, A; D'Império Lima, MR; Bortoluci, KR. (2015). Revisiting mouse peritoneal macrophages: heterogeneity, development, and function [Review]. 6: 225. <http://dx.doi.org/10.3389/fimmu.2015.00225>.
- Castello, G; Gerbino, TC; Kanitz, S. (1982). Gas chromatographic analysis of halocarbons in drinking water by headspace extraction and mixed column separation. *J Chromatogr A.* 247: 263-272. [http://dx.doi.org/10.1016/S0021-9673\(00\)85949-X](http://dx.doi.org/10.1016/S0021-9673(00)85949-X).
- Cattley, RC; DeLuca, J; Elcombe, C; Fenner-Crisp, PA; Lake, BG; Marsman, DS; Pastoor, T; Popp, JA; Robinson, DE; Schwetz, BA; Tugwood, JD; Wahli, W. (1998). Do peroxisome proliferating compounds pose a hepatocarcinogenic hazard to humans? *Regul Toxicol Pharmacol.* 27: 47-60. <http://dx.doi.org/10.1006/rtph.1997.1163>.
- Cattley, RC; Glover, SE. (1993). Elevated 8-hydroxydeoxyguanosine in hepatic DNA of rats following exposure to peroxisome proliferators: Relationship to carcinogenesis and nuclear localization. *Carcinogenesis.* 14: 2495-2499. <http://dx.doi.org/10.1093/carcin/14.12.2495>.
- Cattley, RC; Marsman, DS; Popp, JA. (1991). Age-related susceptibility to the carcinogenic effect of the peroxisome proliferator WY-14,643 in rat liver. *Carcinogenesis.* 12: 469-473.
- Cattley, RC; Popp, JA. (1989). Differences between the promoting activities of the peroxisome proliferator WY-14,643 and phenobarbital in rat liver. *Cancer Res.* 49: 3246-3251.

## Human Health Hazard Literature Search Results

### Off Topic

- Cattley, RC; Roberts, RA. (2000). Peroxisome proliferators and carcinogenesis: Editorial perspectives [Editorial]. *Mutat Res.* 448: 117-119. [http://dx.doi.org/10.1016/S0027-5107\(99\)00230-4](http://dx.doi.org/10.1016/S0027-5107(99)00230-4).
- CDPHE. (2012). Health Consultation: Follow-Up Evaluation of the Potential Health Risks Associated with Recreational Use of Willow Springs Ponds, Schlage Lock Company, Security, El Paso County, Colorado. EPA Facility ID: COD082657420, January 19, 2012 (pp. 41). <https://www.atsdr.cdc.gov/HAC/pha/SchlageLockCompany/SchlageLockCompanyHC.pdf>.
- Ceballos, DM; Whittaker, SG; Lee, E; Roberts, J; Streicher, R; Nourian, F; Gong, W, ei; Broadwater, K. (2016). Occupational exposures to new dry cleaning solvents: High-flashpoint hydrocarbons and butylal. *J Occup Environ Hyg.* 13: 759-769. <http://dx.doi.org/10.1080/15459624.2016.1177648>.
- Cecchetti, M; Moehrs, S; Belcari, N; Del Guerra, A. (2013). Accurate and efficient modeling of the detector response in small animal multi-head PET systems. *Phys Med Biol.* 58: 6713-6731. <http://dx.doi.org/10.1088/0031-9155/58/19/6713>.
- Cederberg, H; Henriksson, J; Binderup, M, -L. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (*Mutagenesis*, 25, 133-138, 2010). *Mutagenesis.* 25: 429-430. <http://dx.doi.org/10.1093/mutage/geq021>.
- Cernansky, R. (2016). IT CAME FROM BENEATH Detecting And Mitigating Vapor Intrusion. *Environ Health Perspect.* 124: A141-A146. <http://dx.doi.org/10.1289/ehp.124-A141>.
- Cervera, MI; Beltran, J; Lopez, FJ; Hernandez, F. (2011). Determination of volatile organic compounds in water by head space-solid-phase microextraction gas chromatography coupled to tandem mass spectrometry with triple quadrupole analyzer. *Anal Chim Acta.* 704: 87-97. <http://dx.doi.org/10.1016/j.aca.2011.08.012>.
- Chambon, JC; Bjerg, PL; Scheutz, C; Baelum, J; Jakobsen, R; Binning, PJ. (2013). Review of reactive kinetic models describing reductive dechlorination of chlorinated ethenes in soil and groundwater [Review]. *Biotechnol Bioeng.* 110: 1-+. <http://dx.doi.org/10.1002/bit.24714>.
- Chan, C; Jin, X; Fung, EK; Naganawa, M; Mulnix, T; Carson, RE; Liu, C. (2013). Event-by-event respiratory motion correction for PET with 3D internal-1D external motion correlation. *Med Phys.* 40: 112507. <http://dx.doi.org/10.1118/1.4826165>.
- Chang, F. (2005). Strategies for benzodiazepine withdrawal in seniors. *CPJ.* 138: 38-40.
- Chang, LW; Daniel, FB; Deangelo, AB. (1992). Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen.* 20: 277-288. <http://dx.doi.org/10.1002/em.2850200406>.
- Chang, LW; Deangelo, AB; Daniel, FB. (1989). Evaluation of DNA strand breaks (SB) by chloroacetic acids (CAs) and chloroacetaldehydes (CADs) in vivo and in vitro. *Proc Ann Mtg Am Assoc Canc Res.* 30: 146.
- Chang, YC; Choi, D; Takamizawa, K; Kikuchi, S. (2013). Effect of blast furnace dust on the degradation of chlorinated organic and endocrine disrupting compounds. *Process Biochemistry.* 48: 694-702. <http://dx.doi.org/10.1016/j.procbio.2013.02.012>.
- Chang, YC; Ikeutsu, K; Toyama, T; Choi, D; Kikuchi, S. (In Press) Isolation and characterization of tetrachloroethylene- and cis-1,2-dichloroethylene-dechlorinating propionibacteria. *J Ind Microbiol Biotechnol.* <http://dx.doi.org/10.1007/s10295-011-0956-1>.
- Chang, YM; Tai, CF; Yang, SC; Chen, CJ; Shih, TS; Lin, R; Liou, SH. (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol.* 13: 652-660. [http://dx.doi.org/10.1016/S1047-2797\(03\)00038-3](http://dx.doi.org/10.1016/S1047-2797(03)00038-3).
- Chang, YM; Tai, CF; Yang, SC; Lin, RS; Sung, FC; Shih, TS; Liou, SH. (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health.* 47: 171-180. <http://dx.doi.org/10.1539/joh.47.171>.
- Channel, SR; Latendresse, JR; Kidney, JK; Grabau, JH; Lane, JW; Steel-Goodwin, L; Gothaus, MC. (1998). A subchronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. *Toxicol Sci.* 43: 145-154. <http://dx.doi.org/10.1093/toxsci/43.2.145>.
- Chapelle, FH; Kauffman, LJ; Widdowson, MA. (2014). Modeling the Effects of Naturally Occurring Organic Carbon on Chlorinated Ethene Transport to a Public Supply Well. *Ground Water.* 52 Suppl 1: 76-89. <http://dx.doi.org/10.1111/gwat.12152>.
- Charbonneau, M; Short, BG; Lock, EA; Swenberg, JA. (1987). Mechanism of petroleum induced sex-specific protein droplet nephropathy and renal cell proliferation in Fischer-344 rats: Relevance to humans. In DD Hemphill (Ed.), (pp. 263-273). Columbia, MO: University of Missouri.
- Chatterjee, N; Hartge, P; Cerhan, J; Cozen, W; Davis, S; Ishibe, N; Colt, J; Goldin, L; Severson, R. (2004). Risk of non-Hodgkin's lymphoma and family history of lymphatic, hematologic, and other cancers. *Cancer Epidemiol Biomarkers Prev.* 13: 1415-1421.
- Chatzidiakou, L, ia; Mumovic, D; Summerfield, A. (2015). Is CO2 a good proxy for indoor air quality in classrooms? Part 2: Health outcomes and perceived indoor air quality in relation to classroom exposure and building characteristics. *Build Serv Eng Tech.* 36: 162-181. <http://dx.doi.org/10.1177/0143624414566245>.
- Chawla, A; Schwarz, EJ; Dimaculangan, DD; Lazar, MA. (1994). Peroxisome proliferator-activated receptor (PPAR) gamma: Adipose-predominant expression and induction early in adipocyte differentiation. *Endocrinology.* 135: 798-800. <http://dx.doi.org/10.1210/en.135.2.798>.
- Chen, CW; Blancato, JN. (1989). Incorporation of biological information in cancer risk assessment: Example--vinyl chloride. *Cell Biol Toxicol.* 5: 417-444.
- Chen, K; Huang, L; Xu, C; Liu, X; He, J; Zinder, SH; Li, S; Jiang, J. (2013). Molecular characterization of the enzymes involved in the degradation of a brominated aromatic herbicide. *Mol Microbiol.* 89: 1121-1139. <http://dx.doi.org/10.1111/mmi.12332>.
- Chen, K; Mackie, JC; Kennedy, EM; Dlugogorski, BZ. (2011). Air pollutants formed in thermal decomposition of folpet fungicide under oxidative conditions. *Environ Sci Technol.* 45: 554-560. <http://dx.doi.org/10.1021/es102652w>.

## Human Health Hazard Literature Search Results

### Off Topic

- Chen, M; Abriola, LM; Amos, BK; Suchomel, EJ; Pennell, KD; Löffler, FE; Christ, JA. (2013). Microbially enhanced dissolution and reductive dechlorination of PCE by a mixed culture: model validation and sensitivity analysis. *J Contam Hydrol.* 151: 117-130. <http://dx.doi.org/10.1016/j.jconhyd.2013.05.005>.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere.* 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, WL; Leland, BA; Durant, JL; Grier, DL; Christie, BD; Nourse, JG; Taylor, KT. (2011). Self-contained sequence representation: bridging the gap between bioinformatics and cheminformatics. *J Chem Inf Model.* 51: 2186-2208. <http://dx.doi.org/10.1021/ci2001988>.
- Chen, YT; Lu, CJ. (2014). Effects of tetrachloroethene on the measurement of radon in water with liquid scintillation counting method. *J Environ Radioact.* 127: 26-33. <http://dx.doi.org/10.1016/j.jenvrad.2013.09.011>.
- Chen, Z; Kuschik, P; Paschke, H; Kästner, M; Müller, JA; Köser, H. (2014). Treatment of a sulfate-rich groundwater contaminated with perchloroethene in a hydroponic plant root mat filter and a horizontal subsurface flow constructed wetland at pilot-scale. *Chemosphere.* 117: 178-184. <http://dx.doi.org/10.1016/j.chemosphere.2014.06.056>.
- Chen, Z; Wu, S; Braeckevelt, M; Paschke, H; Kästner, M; Köser, H; Kuschik, P. (2012). Effect of vegetation in pilot-scale horizontal subsurface flow constructed wetlands treating sulphate rich groundwater contaminated with a low and high chlorinated hydrocarbon. *Chemosphere.* 89: 724-731. <http://dx.doi.org/10.1016/j.chemosphere.2012.06.042>.
- Cheng, H; Wang, Y; Sheng, J; Sporns, O; Kronenberger, WG; Mathews, VP; Hummer, TA; Saykin, AJ. (2012). Optimization of seed density in DTI tractography for structural networks. *J Neurosci Methods.* 203: 264-272. <http://dx.doi.org/10.1016/j.jneumeth.2011.09.021>.
- Cheng, Z; Gao, B; Xu, H; Sun, Y; Shi, X; Wu, J. (2016). Effects of surface active agents on DNAPL migration and distribution in saturated porous media. *Sci Total Environ.* 571: 1147-1154. <http://dx.doi.org/10.1016/j.scitotenv.2016.07.109>.
- Cheung, C; Akiyama, TE; Ward, JM; Nicol, CJ; Feigenbaum, L; Vinson, C; Gonzalez, FJ. (2004). Diminished hepatocellular proliferation in mice humanized for the nuclear receptor peroxisome proliferator-activated receptor alpha. *Cancer Res.* 64: 3849-3854. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0322>.
- Chia, SE; Goh, VH; Ong, CN. (1997). Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med.* 32: 217-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<217::AID-AJIM6>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<217::AID-AJIM6>3.0.CO;2-U).
- Chia, SE; Ong, CN; Tsakok, MF; Ho, A. (1996). Semen parameters in workers exposed to trichloroethylene. *Reprod Toxicol.* 10: 295-299. [http://dx.doi.org/10.1016/0890-6238\(96\)00058-5](http://dx.doi.org/10.1016/0890-6238(96)00058-5).
- Chiba, M; Fujita, S; Suzuki, T. (1990). Pharmacokinetic correlation between in vitro hepatic microsomal enzyme kinetics and in vivo metabolism of imipramine and desipramine in rats. *J Pharm Sci.* 79: 281-287. <http://dx.doi.org/10.1002/jps.2600790402>.
- Chin, DL; Duffy, SA; Hong, O. (2016). Knowledge of Occupational Chemical Exposure and Smoking Behavior in Korean Immigrant Drycleaners. *J Immigr Minor Health.* 18: 243-251. <http://dx.doi.org/10.1007/s10903-014-9989-7>.
- Chin, JY; Godwin, C; Parker, E; Robins, T; Lewis, T; Harbin, P; Batterman, S. (2014). Levels and sources of volatile organic compounds in homes of children with asthma. *Indoor Air.* 24: 403-415. <http://dx.doi.org/10.1111/ina.12086>.
- Chiou, CT; Freed, VH; Schmedding, DW; Kohnert, RL. (1977). Partition coefficient and bioaccumulation of selected organic chemicals. *Environ Sci Technol.* 11: 475-478. <http://dx.doi.org/10.1021/es60128a001>.
- Chipiga, L; Sydoff, M; Zvonova, I; Bernhardsson, C. (2016). INVESTIGATION OF PARTIAL VOLUME EFFECT IN DIFFERENT PET/CT SYSTEMS: A COMPARISON OF RESULTS USING THE MADEIRA PHANTOM AND THE NEMA NU-2 2001 PHANTOM. *Radiat Prot Dosimetry.* 169: 365-370. <http://dx.doi.org/10.1093/rpd/ncw027>.
- Chitta, R; Macko, T; Brüll, R; Miller, M; Cong, R; Degroot, W. (2013). Carbonaceous sorbents for high-temperature interactive liquid chromatography of polyolefins. *J Sep Sci.* 36: 2063-2071. <http://dx.doi.org/10.1002/jssc.201201121>.
- Chiu, D; Niu, L; Mu, F; Peng, X; Zhou, L; Li, H; Li, R; Ni, J; Jiang, N; Hu, Y; Hao, Z; Xu, K. (2010). The experimental study for efficacy and safety of pancreatic cryosurgery. *Cryobiology.* 60: 281-286. <http://dx.doi.org/10.1016/j.cryobiol.2010.01.006>.
- Chiu, PW; Ng, EK; Teoh, AY; Wong, SK; Sung, JJ; Lau, JY. (2010). Precut sphincterotomy using insulated angulotome. *Endoscopy.* 42: 338-341. <http://dx.doi.org/10.1055/s-0029-1243857>.
- Chiu, W; Caldwell, J; Keshava, N; Scott, C. (2006). Key scientific issues in the health risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 114: 1445-1449. <http://dx.doi.org/10.1289/ehp.8690>.
- Chiu, WA. (2006). Statistical issues in physiologically based pharmacokinetic modeling. In JC Lipscomb; EV Ohanian (Eds.), (pp. 269). New York: Informa Healthcare.
- Chiu, WA. (2011). Trichloroacetic acid: Updated estimates of its bioavailability and its contribution to trichloroethylene-induced mouse hepatomegaly. *Toxicology.* 285: 114-125. <http://dx.doi.org/10.1016/j.tox.2011.04.009>.
- Chiu, WA; Bois, FY. (2006). Revisiting the population toxicokinetics of tetrachloroethylene. *Arch Toxicol.* 80: 382-385. <http://dx.doi.org/10.1007/s00204-006-0061-9>.
- Chiu, WA; Ginsberg, GL. (2011). PERC risk assessment model [Database]. Washington, DC: U.S. Environmental Protection Agency.
- Chiu, WA; Okino, MS; Evans, MV. (2009). Characterizing uncertainty and population variability in the toxicokinetics of trichloroethylene and metabolites in mice, rats, and humans using an updated database, physiologically based pharmacokinetic (PBPK) model, and Bayesian approach. *Toxicol Appl Pharmacol.* 241: 36-60. <http://dx.doi.org/10.1016/j.taap.2009.07.032>.
- Chiu, YC; Cheng, MH; Uriel, S; Brey, EM. (2010). Materials for engineering vascularized adipose tissue [Review]. *J Tissue Viability.* 20: 37-48. <http://dx.doi.org/10.1016/j.jtv.2009.11.005>.

## Human Health Hazard Literature Search Results

### Off Topic

- Choi, HA; Lee, SS. (2012). *Sphingobacterium kyonggiense* sp. nov., isolated from chloroethene-contaminated soil, and emended descriptions of *Sphingobacterium daejeonense* and *Sphingobacterium mizutaii*. *Int J Syst Evol Microbiol*. 62: 2559-2564. <http://dx.doi.org/10.1099/ijs.0.024737-0>.
- Choi, S; Lee, E; Cho, K. (2013). Effect of trichloroethylene and tetrachloroethylene on methane oxidation and community structure of methanotrophic consortium. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1723-1731. <http://dx.doi.org/10.1080/10934529.2013.815559>.
- Chong, JH; Chew, SP; Ang, AS. (2013). Is prophylactic atropine necessary during ketamine sedation in children? *J Paediatr Child Health*. 49: 309-312. <http://dx.doi.org/10.1111/jpc.12149>.
- Chow, WH; McLaughlin, JK; Linet, MS; Niwa, S; Mandel, JS. (1994). Use of analgesics and risk of renal cell cancer. *Int J Cancer*. 59: 467-470. <http://dx.doi.org/10.1002/ijc.2910590406>.
- Chow, WH; McLaughlin, JK; Malker, HS; Linet, MS; Weiner, JA; Stone, BJ. (1995). Esophageal cancer and occupation in a cohort of Swedish men. *Am J Ind Med*. 27: 749-757. <http://dx.doi.org/10.1002/ajim.4700270509>.
- Christophi, C; Harun, N; Fifis, T. (2008). Liver regeneration and tumor stimulation--a review of cytokine and angiogenic factors. *J Gastrointest Surg*. 12: 966-980. <http://dx.doi.org/10.1007/s11605-007-0459-6>.
- Chu, S; Huang, Q; Alvares, K; Yeldandi, AV; Rao, MS; Reddy, JK. (1995). Transformation of mammalian cells by overexpressing H2O2-generating peroxisomal fatty acyl-CoA oxidase. *Proc Natl Acad Sci USA*. 92: 7080-7084.
- Cichocki, JA; Furuya, S; Luo, Y, uS; Sweet, S; Wade, T; Knap, A; Mcdonald, TJ; Threadgill, D; Chiu, W; Rusyn, I. (2016). Xenobiotic metabolism in a mouse model of non-alcoholic fatty liver disease: A case study of the ubiquitous environmental contaminant tetrachloroethylene. *Hepatology*. 63: 800A-800A.
- Cimini, A; Cristiano, L; Bernardo, A; Farioli-Vecchioli, S; Stefanini, S; Cerú, MP. (2000). Presence and inducibility of peroxisomes in a human glioblastoma cell line. *Biochim Biophys Acta*. 1474: 397-409. [http://dx.doi.org/10.1016/S0304-4165\(00\)00036-2](http://dx.doi.org/10.1016/S0304-4165(00)00036-2).
- Claude, JC; Frenzel-Beyme, RR; Kunze, E. (1988). Occupation and risk of cancer of the lower urinary tract among men: A case-control study. *Int J Cancer*. 41: 371-379. <http://dx.doi.org/10.1002/ijc.2910410309>.
- Clavel, J; Mandereau, L; Conso, F; Limasset, JC; Pourmir, I; Flandrin, G; Hémon, D. (1998). Occupational exposure to solvents and hairy cell leukaemia. *Occup Environ Med*. 55: 59-64. <http://dx.doi.org/10.1136/oem.55.1.59>.
- Clayton, CA; Pellizzari, ED; Whitmore, RW; Perritt, RL; Quackenboss, JJ. (1999). National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic, and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol*. 9: 381-392. <http://dx.doi.org/10.1038/sj.jea.7500055>.
- Clayton, JW, Jr. (1962). The toxicity of fluorocarbons with special reference to chemical constitution. *J Occup Environ Med*. 4: 262-273.
- Clewell, H. (2005). Use of mode of action in risk assessment: Past, present, and future. *Regul Toxicol Pharmacol*. 42: 3-14. <http://dx.doi.org/10.1016/j.yrtph.2005.01.008>.
- Clewell, HJ; Andersen, ME. (2004). Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: An example with trichloroethylene [Review]. *Crit Rev Toxicol*. 34: 385-445. <http://dx.doi.org/10.1080/10408440490500795>.
- Clewell, HJ, III; Gentry, PR; Covington, TR; Gearhart, JM. (2000). Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment [Review]. *Environ Health Perspect*. 108: 283-305. <http://dx.doi.org/10.1289/ehp.00108s2283>.
- Clewell, HJ; Gentry, PR; Covington, TR; Sarangapani, R; Teegarden, JG. (2004). Evaluation of the potential impact of age- and gender-specific pharmacokinetic differences on tissue dosimetry. *Toxicol Sci*. 79: 381-393. <http://dx.doi.org/10.1093/toxsci/kfh109>.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med*. 40: 855-861.
- Cogswell, SA. (1978). *Chemical Economics Handbook* CEH marketing research report on C2 chlorinated solvents. Menlo Park, CA: SRI International.
- Cojocel, C; Beuter, W; Müller, W; Mayer, D. (1989). Lipid peroxidation: A possible mechanism of trichloroethylene-induced nephrotoxicity. *Toxicology*. 55: 131-141. [http://dx.doi.org/10.1016/0300-483X\(89\)90180-7](http://dx.doi.org/10.1016/0300-483X(89)90180-7).
- Coleman, WE; Melton, RG; Slater, RW; Kopfler, FC; Voto, SJ; Allen, WK; Aurand, TA. (1981). Determination of organic contaminants by the Grob closed-loop-stripping technique. *J Am Water Works Assoc*. 73: 119-125.
- Colini Baldeschi, G; De Carolis, G. (2014). The Italian experience with octopolar perc-paddle leads. *Neuromodulation*. 17: 349-353. <http://dx.doi.org/10.1111/ner.12090>.
- Colman Lerner, JE; Kohajda, T; Elisabeth Aguilar, M; Andrea Massolo, L; Yanina Sanchez, E; Andres Porta, A; Opitz, P; Wichmann, G; Herbarth, O, If; Mueller, A. (2014). Improvement of health risk factors after reduction of VOC concentrations in industrial and urban areas. *Environ Sci Pollut Res Int*. 21: 9676-9688. <http://dx.doi.org/10.1007/s11356-014-2904-x>.
- Colt, J; Baris, D; Stewart, P; Schned, A; Heaney, J; Mott, L; Silverman, D; Karagas, M. (2004). Occupation and bladder cancer risk in a population-based case-control study in New Hampshire. *Cancer Causes Control*. 15: 759-769. <http://dx.doi.org/10.1023/B:CACO.0000043426.28741.a2>.
- Colt, JS; Karagas, MR; Schwenn, M; Baris, D; Johnson, A; Stewart, P; Verrill, C; Moore, LE; Lubin, J; Ward, MH; Samanic, C; Rothman, N; Cantor, KP; Beane Freeman, LE; Schned, A; Cherala, S; Silverman, DT. (2011). Occupation and bladder cancer in a population-based case-control study in Northern New England. *Occup Environ Med*. 68: 239-249. <http://dx.doi.org/10.1136/oem.2009.052571>.
- Committee on Methods for Toxicity Tests with Aquatic Organisms. (1975). *Methods for acute toxicity tests with fish, macroinvertebrates, and amphibians*. (EPA660/3-75-009; PB-242 105/5). Corvallis, OR: National Environmental Research Center. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB242105>.

## Human Health Hazard Literature Search Results

### Off Topic

- Composto, G; Gonzalez, D; Bucknum, A; Silberman, D; Taylor, J; Kozlowski, M; Bloomfield, T; Bartlett, T; Riggs, J. (2011). Peritoneal T lymphocyte regulation by macrophages. *Immunobiology*. 216: 256-264. <http://dx.doi.org/10.1016/j.imbio.2010.04.002>.
- Connor, TH; Theiss, JC; Hanna, HA; Monteith, DK; Matney, TS. (1985). Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol Lett*. 25: 33-40. [http://dx.doi.org/10.1016/0378-4274\(85\)90097-9](http://dx.doi.org/10.1016/0378-4274(85)90097-9).
- Considine, DM. (1974). *Chemical and process technology encyclopedia*. New York: McGraw-Hill.
- Consonni, D; De Matteis, S; Lubin, JH; Wacholder, S; Tucker, M; Pesatori, AC; Caporaso, NE; Bertazzi, PA; Landi, MT. (2010). Lung cancer and occupation in a population-based case-control study. *Am J Epidemiol*. 171: 323-333. <http://dx.doi.org/10.1093/aje/kwp391>.
- Cooper, AJ. (1994). Enzymology of cysteine S-conjugate beta-lyases. In MW Anders; W Dekant (Eds.), (pp. 71-113). San Diego, CA: Academic Press.
- Cooper, GS; Makris, SL; Nietert, PJ; Jinot, J. (2009). Evidence of autoimmune-related effects of trichloroethylene exposure from studies in mice and humans [Review]. *Environ Health Perspect*. 117: 696-702. <http://dx.doi.org/10.1289/ehp.11782>.
- Cooper, GS; Parks, CG; Treadwell, EL; St Clair, EW; Gilkeson, GS; Dooley, MA. (2004). Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol*. 31: 1928-1933.
- Cooper, J. (2015). Improving the diagnosis of pulmonary embolism in the emergency department. 4. <http://dx.doi.org/10.1136/bmjquality.u208698.w4222>.
- Corbin, M; Mclean, D; Mannelte, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med*. 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Cordier, S; Clavel, J; Limasset, JC; Boccon-Gibod, L; Le Moual, N; Mandereau, L; Hemon, D. (1993). Occupational risks of bladder cancer in France: A multicentre case-control study. *Int J Epidemiol*. 22: 403-411. <http://dx.doi.org/10.1093/ije/22.3.403>.
- Cornfield, J. (1956). A statistical problem arising from retrospective studies. In J Neyman (Ed.), (pp. 135-148). Berkeley, CA: University of California Press. <http://projecteuclid.org/euclid.bsm/1200502552>.
- Cornfield, J. (1977). Carcinogenic risk assessment. *Science*. 198: 693-699. <http://dx.doi.org/10.1126/science.910152>.
- Cornfield, J. (1978). Models for carcinogenic risk assessment [comments] [Letter]. *Science*. 202: 1107-1109.
- Cornfield, J; Carlborg, FW; Van Ryzin, J. (1978). Setting tolerances on the basis of mathematical treatment of dose-response data extrapolated to low doses. In GL Plaa; WAM Duncan (Eds.), (pp. 143-164). New York, NY: Academic Press.
- Coronary Drug Project Research Group. (1975). Clofibrate and niacin in coronary heart disease. *JAMA*. 231: 360-381.
- Coronary Drug Project Research Group. (1977). Gallbladder disease as a side effect of drugs influencing lipid metabolism: Experience in the Coronary Drug Project. *N Engl J Med*. 296: 1185-1190. <http://dx.doi.org/10.1056/NEJM197705262962101>.
- Correia, Y; Martens, GJ; Van Mensch, FH; Whim, BP. (1977). The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ*. 11: 1113-1116. [http://dx.doi.org/10.1016/0004-6981\(77\)90243-8](http://dx.doi.org/10.1016/0004-6981(77)90243-8).
- Corton, JC. (2008). Evaluation of the role of peroxisome proliferator-activated receptor alpha (PPARalpha) in mouse liver tumor induction by trichloroethylene and metabolites [Review]. *Crit Rev Toxicol*. 38: 857-875. <http://dx.doi.org/10.1080/10408440802209796>.
- Corton, JC; Anderson, SP; Stauber, A. (2000). Central role of peroxisome proliferator-activated receptors in the actions of peroxisome proliferators [Review]. *Annu Rev Pharmacol Toxicol*. 40: 491-518. <http://dx.doi.org/10.1146/annurev.pharmtox.40.1.491>.
- Corton, JC; Fan, LQ; Brown, S; Anderson, SP; Bocos, C; Cattley, RC; Mode, A; Gustafsson, JA. (1998). Down-regulation of cytochrome P450 2C family members and positive acute-phase response gene expression by peroxisome proliferator chemicals. *Mol Pharmacol*. 54: 463-473. <http://dx.doi.org/10.1124/mol.54.3.463>.
- Costantini, AS; Benvenuti, A; Vineis, P; Kriebel, D; Tumino, R; Ramazzotti, V; Rodella, S; Stagnaro, E; Crosignani, P; Amadori, D; Mirabelli, D; Sommani, L; Belletti, I; Troschel, L; Romeo, L; Miceli, G; Tozzi, G; Mendico, I; Maltoni, S; Miligi, L. (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. *Am J Ind Med*. 51: 803-811. <http://dx.doi.org/10.1002/ajim.20592>.
- Costantini, AS; Miligi, L; Kriebel, D; Ramazzotti, V; Rodella, S; Scarpi, E; Stagnaro, E; Tumino, R; Fontana, A; Masala, G; Viganò, C; Vindigni, C; Crosignani, P; Benvenuti, A; Vineis, P. (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. *Epidemiology*. 12: 78-87.
- Costas, K; Knorr, RS; Condon, SK. (2002). A case-control study of childhood leukemia in Woburn, Massachusetts: The relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ*. 300: 23-35. [http://dx.doi.org/10.1016/S0048-9697\(02\)00169-9](http://dx.doi.org/10.1016/S0048-9697(02)00169-9).
- Costet, N; Garlantezec, R; Monfort, C; Rouget, F; Gagniere, B; Chevrier, C; Cordier, S. (2012). Environmental and Urinary Markers of Prenatal Exposure to Drinking Water Disinfection By-Products, Fetal Growth, and Duration of Gestation in the PELAGIE Birth Cohort (Brittany, France, 2002-2006). *Am J Epidemiol*. 175: 263-275. <http://dx.doi.org/10.1093/aje/kwr419>.
- Courbet, C; Riviere, A; Jeannotat, S; Rinaldi, S; Hunkeler, D; Bendjoudi, H; de Marsily, G. (2011). Complementing approaches to demonstrate chlorinated solvent biodegradation in a complex pollution plume: Mass balance, PCR and compound-specific stable isotope analysis. *J Contam Hydrol*. 126: 315-329. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.009>.
- Covington, TR; Gentry, P; Van Landingham, CB; Clewell, HJ. (2006). Issues in using Markov Chain Monte Carlo analysis to calibrate a PBPK model for use in risk assessment: Case studies with dichloromethane and perchloroethylene [Abstract]. *Toxicologist*. 90: 261.
- Covington, TR; Gentry, PR; Van Landingham, CB; Andersen, ME; Kester, JE; Clewell, HJ. (2007). The use of Markov chain Monte Carlo uncertainty analysis to support a public health goal for perchloroethylene. *Regul Toxicol Pharmacol*. 47: 1-18. <http://dx.doi.org/10.1016/j.yrtph.2006.06.008>.

## Human Health Hazard Literature Search Results

### Off Topic

- Cowan, DM; Kingsbury, T; Perez, AL; Woods, TA; Kovochich, M; Hill, DS; Madl, AK; Paustenbach, DJ. (2014). Evaluation of the California Safer Consumer Products Regulation and the impact on consumers and product manufacturers. *Regul Toxicol Pharmacol.* 68: 23-40. <http://dx.doi.org/10.1016/j.yrtph.2013.11.001>.
- Crane, S; Jaconelli, T; Eragat, M. (2016). Retrospective validation of the pulmonary embolism rule-out criteria rule in 'PE unlikely' patients with suspected pulmonary embolism. *Eur J Emerg Med.* <http://dx.doi.org/10.1097/MEJ.0000000000000442>.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (OSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen.* 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A. (1989). Genetic toxicology of 1,1,2-trichloroethylene [Review]. *Mutat Res.* 221: 11-37. [http://dx.doi.org/10.1016/0165-1110\(89\)90043-2](http://dx.doi.org/10.1016/0165-1110(89)90043-2).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1985). Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. *Mutat Res Genet Toxicol Environ Mutagen.* 155: 105-111. [http://dx.doi.org/10.1016/0165-1218\(85\)90126-0](http://dx.doi.org/10.1016/0165-1218(85)90126-0).
- Crebelli, R; Conti, G; Conti, L; Carere, A. (1991). In vitro studies with nine known or suspected spindle poisons: results in tests for chromosome malsegregation in *Aspergillus nidulans*. *Mutagenesis.* 6: 131-136. <http://dx.doi.org/10.1093/mutage/6.2.131>.
- Cretnik, S; Bernstein, A; Shouakar-Stash, O; Löffler, F; Elsner, M. (2014). Chlorine isotope effects from isotope ratio mass spectrometry suggest intramolecular C-Cl bond competition in trichloroethene (TCE) reductive dehalogenation. *Molecules.* 19: 6450-6473. <http://dx.doi.org/10.3390/molecules19056450>.
- Crichlow, A; Cuker, A; Mills, AM. (2012). Overuse of computed tomography pulmonary angiography in the evaluation of patients with suspected pulmonary embolism in the emergency department. *Acad Emerg Med.* 19: 1219-1226. <http://dx.doi.org/10.1111/acem.12012>.
- Crittenden, JC; Suri, RPS; Perram, DL; Hand, DW. (1997). Decontamination of water using adsorption and photocatalysis. *Water Res.* 31: 411-418. [http://dx.doi.org/10.1016/S0043-1354\(96\)00258-8](http://dx.doi.org/10.1016/S0043-1354(96)00258-8).
- Cronn, DR; Rasmussen, RA; Robinson, E. (1976). Report for phase I: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-01). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E. (1977). Report for phase II: Measurement of tropospheric halocarbons by gas chromatography-mass spectrometry. (Grant No: R0804033-02). Pullman, Washington: Washington State University, Air Pollution Research Section.
- Cronn, DR; Rasmussen, RA; Robinson, E; Harsch, DE. (1977). Halogenated compound identification and measurement in the troposphere and lower stratosphere. *J Geophys Res.* 82: 5935-5944. <http://dx.doi.org/10.1029/JC082i037p05935>.
- Crouch, E. (1988). Comments on correlation between carcinogenic potency of chemicals in animals and humans [Letter]. *Risk Anal.* 8: 549-550. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01195.x>.
- Crump, K; Allen, B; Shipp, A. (1989). Choice of dose measure for extrapolating carcinogenic risk from animals to humans: An empirical investigation of 23 chemicals. *Health Phys.* 57: 387-393.
- Crump, KS. (1998). On summarizing group exposures in risk assessment: Is an arithmetic mean or a geometric mean more appropriate? *Risk Anal.* 18: 293-297. <http://dx.doi.org/10.1111/j.1539-6924.1998.tb01296.x>.
- Crump, KS; Allen, BC; Howe, RB; Crockett, PW. (1987). Time-related factors in quantitative risk assessment. *J Chronic Dis.* 40: 101S-111S. [http://dx.doi.org/10.1016/S0021-9681\(87\)80013-9](http://dx.doi.org/10.1016/S0021-9681(87)80013-9).
- Crump, KS; Guess, HA; Deal, KL. (1977). Confidence intervals and test of hypotheses concerning dose response relations inferred from animal carcinogenicity data. *Biometrics.* 33: 437-451. <http://dx.doi.org/10.2307/2529358>.
- Crutzen, PJ; Isaksen, ISA; McAfee, JR. (1978). The impact of the chlorocarbon industry on the ozone layer. *J Geophys Res.* 83: 345-363. <http://dx.doi.org/10.1029/JC083iC01p00345>.
- Cruz, SL; Balster, RL; Woodward, JJ. (2000). Effects of volatile solvents on recombinant N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *Br J Pharmacol.* 131: 1303-1308. <http://dx.doi.org/10.1038/sj.bjp.0703666>.
- Cruz, SL; Mirshahi, T; Thomas, B; Balster, RL; Woodward, JJ. (1998). Effects of the abused solvent toluene on recombinant N-methyl-D-aspartate and non-N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *J Pharmacol Exp Ther.* 286: 334-340.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther.* 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol.* 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos.* 27: 542-548.
- Cunha, SC; Almeida, C; Mendes, E; Fernandes, JO. (2011). Simultaneous determination of bisphenol A and bisphenol B in beverages and powdered infant formula by dispersive liquid-liquid micro-extraction and heart-cutting multidimensional gas chromatography-mass spectrometry. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 28: 513-526. <http://dx.doi.org/10.1080/19440049.2010.542551>.
- Cunha, SC; Pena, A; Fernandes, JO. (2015). Dispersive liquid-liquid microextraction followed by microwave-assisted silylation and gas chromatography-mass spectrometry analysis for simultaneous trace quantification of bisphenol A and 13 ultraviolet filters in wastewaters. *J Chromatogr A.* 1414: 10-21. <http://dx.doi.org/10.1016/j.chroma.2015.07.099>.
- Curcio, P; Allix, F; Pickaert, G; Jamart-Grégoire, B. (2011). A favorable, narrow,  $\delta(h)$  Hansen-parameter domain for gelation of low-molecular-weight amino acid derivatives. *Chemistry.* 17: 13603-13612. <http://dx.doi.org/10.1002/chem.201101423>.
- Cushey, MA; Rubin, Y. (1997). Field-scale transport of nonpolar organic solutes in 3-D heterogeneous aquifers. *Environ Sci Technol.* 31: 1259-1268. <http://dx.doi.org/10.1021/es9601999>.

## Human Health Hazard Literature Search Results

### Off Topic

- Cutler, J; Parker, G; Rosen, S; Prenney, B; Healey, R; Caldwell, G. (1986). Childhood leukemia in Woburn, Massachusetts. *Public Health Rep.* 101: 201-205.
- Czech, K; Slomkiewicz, PM. (2013). Determination of adsorption isotherms of chlorinated hydrocarbons on halloysite adsorbent by inverse gas chromatography. *J Chromatogr A.* 1288: 96-100. <http://dx.doi.org/10.1016/j.chroma.2013.02.045>.
- Dachs, RJ; Kulkarni, D; Higgins, GL. (2011). The Pulmonary Embolism Rule-Out Criteria rule in a community hospital ED: a retrospective study of its potential utility. *Am J Emerg Med.* 29: 1023-1027. <http://dx.doi.org/10.1016/j.ajem.2010.05.018>.
- Daffer, P; Crump, K; Masterman, M. (1980). Asymptotic theory for analyzing dose-response survival data with application to low-dose extrapolation problems. *Math Biosci.* 50: 207-230. [http://dx.doi.org/10.1016/0025-5564\(80\)90037-1](http://dx.doi.org/10.1016/0025-5564(80)90037-1).
- Daft, JL. (1988). Rapid determination of fumigant and industrial chemical residues in food. *J Assoc Offic Anal Chem.* 71: 748-760.
- Damrongsiri, S; Tongcumpou, C; Sabatini, DA. (2013). Partition behavior of surfactants, butanol, and salt during application of density-modified displacement of dense non-aqueous phase liquids. *J Hazard Mater.* 248-249: 261-267. <http://dx.doi.org/10.1016/j.jhazmat.2012.12.059>.
- Daniel, FB; Deangelo, AB; Stober, JA; Olson, GR; Page, NP. (1992). Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol.* 19: 159-168. [http://dx.doi.org/10.1016/0272-0590\(92\)90147-A](http://dx.doi.org/10.1016/0272-0590(92)90147-A).
- Daniel, FB; Meier, J. R.; Deangelo, AB. (1993). Advances in research on carcinogenic and genotoxic by-products of chlorine disinfection: Chlorinated hydroxyfuranones and chlorinated acetic acids. *Ann Ist Super Sanita.* 29: 279-291.
- Daniell, WE; Claypoole, KH; Checkoway, H; Smith-Weller, T; Dager, SR; Townes, BD; Rosenstock, L. (1999). Neuropsychological function in retired workers with previous long-term occupational exposure to solvents. *Occup Environ Med.* 56: 93-105.
- Das, A; Molla, MR; Maity, B; Koley, D; Ghosh, S. (2012). Hydrogen-bonding induced alternate stacking of donor (D) and acceptor (A) chromophores and their supramolecular switching to segregated states. *Chemistry.* 18: 9849-9859. <http://dx.doi.org/10.1002/chem.201201140>.
- Datta, S; Talukdar, G; Sharma, A. (1986). Cytotoxic effects of arsenic in dietary oil primed rats. *Sci Cult.* 52: 196-198.
- Dattaa, R; Sarkar, D; Sharma, S; Sanda, K. (2006). Arsenic biogeochemistry and human health risk assessment in organo-arsenical pesticide-applied acidic and alkaline soils: An incubation study. *Sci Total Environ.* 372: 39-48. <http://dx.doi.org/10.1016/j.scitotenv.2006.08.003>.
- David, MM; Cecillon, S; Warne, BM; Prestat, E; Jansson, JK; Vogel, TM. (2015). Microbial ecology of chlorinated solvent biodegradation. *Environ Microbiol.* 17: 4835-4850. <http://dx.doi.org/10.1111/1462-2920.12413>.
- Davidson, IW. (1984). The biological basis for extrapolation of dose-carcinogenic response relationships of laboratory animals to man: A review paper. Washington, DC: U.S. Environmental Protection Agency.
- Davidson, IWF; Beliles, RP. (1991). Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics [Review]. *Drug Metab Rev.* 23: 493-599. <http://dx.doi.org/10.3109/03602539109029772>.
- Davis, LM; Caspary, WJ; Sakallah, SA; Maronpot, R; Wiseman, R; Barrett, JC; Elliott, R; Hozier, JC. (1994). Loss of heterozygosity in spontaneous and chemically induced tumors of the B6C3F1 mouse. *Carcinogenesis.* 15: 1637-1645. <http://dx.doi.org/10.1093/carcin/15.8.1637>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Faire, U; Ericsson, CG; Hamsten, A; Nilsson, J. (1995). Design features of a five-year Bezafibrate Coronary Atherosclerosis Intervention Trial (BECAIT). *Drugs Exp Clin Res.* 21: 105-124.
- De Ferrari, M; Artuso, M; Bonassi, S; Bonatti, S; Cavalieri, Z; Pescatore, D; Marchini, E; Pisano, V; Abbondandolo, A. (1991). Cytogenetic biomonitoring of an Italian population exposed to pesticides: Chromosome aberration and sister-chromatid exchange analysis in peripheral blood lymphocytes. *Mutat Res Genet Toxicol Environ Mutagen.* 260: 105-113. [http://dx.doi.org/10.1016/0165-1218\(91\)90086-2](http://dx.doi.org/10.1016/0165-1218(91)90086-2).
- De Kimpe, J; Cornelis, R; Mees, L; Vanholder, R. (1996). Basal metabolism of intraperitoneally injected carrier-free <sup>74</sup>As-labeled arsenate in rabbits. *Fundam Appl Toxicol.* 34: 240-248. <http://dx.doi.org/10.1006/faat.1996.0193>.
- de la Iglesia, FA; Gough, AW; Sigler, RE. (1997). alpha2u-Globulin nephropathy and ravens: Do ravens of a different feather flock together? *Environ Health Perspect.* 105: 903-904.
- De La Iglesia, FA; Lewis, JE; Buchanan, RA; Marcus, EL; McMahon, G. (1982). Light and electron microscopy of liver in hyperlipoproteinemic patients under long-term gemfibrozil treatment. *Atherosclerosis.* 43: 19-37. [http://dx.doi.org/10.1016/0021-9150\(82\)90096-X](http://dx.doi.org/10.1016/0021-9150(82)90096-X).
- De Roos, AJ. (2013). Multiple Myeloma Consortium Study of Occupational Exposures and Family History.
- De Roos, AJ. (2014). Multiple Myeloma Consortium Study of Occupational Exposures and Family History.
- de Weert, JP; Keijzer, TJ; van Gaans, PF. (2014). Lowering temperature to increase chemical oxidation efficiency: the effect of temperature on permanganate oxidation rates of five types of well defined organic matter, two natural soils, and three pure phase products. *Chemosphere.* 117: 94-103. <http://dx.doi.org/10.1016/j.chemosphere.2014.05.082>.
- DeAngelo, AB. (2000). Response to "Epigenetic mechanisms of chemical carcinogenesis" by James E. Klaunig, Lisa M. Kamendulis, and Xu Yong. *Hum Exp Toxicol.* 19: 561-562. <http://dx.doi.org/10.1191/096032700701546460>.
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1996). The carcinogenicity of dichloroacetic acid in the male fischer 344 rat. *Toxicology.* 114: 207-221. [http://dx.doi.org/10.1016/S0300-483X\(96\)03510-X](http://dx.doi.org/10.1016/S0300-483X(96)03510-X).
- Deangelo, AB; Daniel, FB; Most, BM; Olson, GR. (1997). Failure of monochloroacetic acid and trichloroacetic acid administered in the drinking water to produce liver cancer in male F344/N rats. *J Toxicol Environ Health.* 52: 425-445. <http://dx.doi.org/10.1080/00984109708984074>.

## Human Health Hazard Literature Search Results

### Off Topic

- DeAngelo, AB; Daniel, FB; Stober, JA; Olson, GR. (1991). The carcinogenicity of dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol.* 16: 337-347. [http://dx.doi.org/10.1016/0272-0590\(91\)90118-N](http://dx.doi.org/10.1016/0272-0590(91)90118-N).
- DeAngelo, AB; Daniel, FB; Wong, DM; George, MH. (2008). The induction of hepatocellular neoplasia by trichloroacetic acid administered in the drinking water of the male B6C3F1 mouse. *J Toxicol Environ Health A.* 71: 1056-1068. <http://dx.doi.org/10.1080/15287390802111952>.
- DeAngelo, AB; George, MH; House, DE. (1999). Hepatocarcinogenicity in the male B6C3F1 mouse following a lifetime exposure to dichloroacetic acid in the drinking water: Dose-response determination and modes of action. *J Toxicol Environ Health A.* 58: 485-507.
- Dedrick, RL. (1973). Animal scale-up. *J Pharmacokinet Pharmacodyn.* 1: 435-461. <http://dx.doi.org/10.1007/BF01059667>.
- Dees, C; Travis, C. (1994). Trichloroacetate stimulation of liver DNA synthesis in male and female mice. *Toxicol Lett.* 70: 343-355. [http://dx.doi.org/10.1016/0378-4274\(94\)90129-5](http://dx.doi.org/10.1016/0378-4274(94)90129-5).
- Degrassi, F; Tanzarella, C. (1988). Immunofluorescent staining of kinetochores in micronuclei: A new assay for the detection of aneuploidy. *Mutat Res.* 203: 339-345. [http://dx.doi.org/10.1016/0165-1161\(88\)90030-1](http://dx.doi.org/10.1016/0165-1161(88)90030-1).
- Dekant, W. (2001). Chemical-induced nephrotoxicity mediated by glutathione S-conjugate formation. *Toxicol Lett.* 124: 21-36. [http://dx.doi.org/10.1016/S0378-4274\(00\)00285-X](http://dx.doi.org/10.1016/S0378-4274(00)00285-X).
- Dekant, W. (2001). Does exposure to trichloroethene in low doses constitute a cancer risk to humans? *Hum Ecol Risk Assess.* 7: 657-675. <http://dx.doi.org/10.1080/20018091094565>.
- Dekant, W. (2010). Toxicological review of trichloroethylene in support of the Iris database in support of the IRIS database (draft Of October 2009) comments of the Halogenated Solvents Industry Alliance. Arlington, VA: Halogenated Solvents Industry Alliance. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2009-0791-0018.1>.
- Dekant, W; Berthold, K; Vamvakas, S; Henschler, D; Anders, MW. (1988). Thioacylating intermediates as metabolites of S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2,2-trichlorovinyl)-L-cysteine formed by cysteine conjugate beta-lyase. *Chem Res Toxicol.* 1: 175-178. <http://dx.doi.org/10.1021/tx00003a008>.
- Dekant, W; Metzler, M; Henschler, D. (1986). Identification of S-1,2-dichlorovinyl-N-acetyl-cysteine as a urinary metabolite of trichloroethylene: A possible explanation for its nephrocarcinogenicity in male rats. *Biochem Pharmacol.* 35: 2455-2458. [http://dx.doi.org/10.1016/0006-2952\(86\)90039-0](http://dx.doi.org/10.1016/0006-2952(86)90039-0).
- Dekant, W; Vamvakas, S; Berthold, K; Schmitt, S; Henschler, D. (1986). Cysteine conjugate beta-lyase mediated cleavage and mutagenicity of the tetrachloroethylene metabolite s-1,1,2-trichlorovinyl-cysteine. *Toxicol Lett.* 31: 209.
- Dekant, W; Vamvakas, S; Anders, MW. (1989). Bioactivation of nephrotoxic haloalkenes by glutathione conjugation: formation of toxic and mutagenic intermediates by cysteine conjugate beta-lyase [Review]. *Drug Metab Rev.* 20: 43-83. <http://dx.doi.org/10.3109/03602538908994144>.
- Dekant, W; Vamvakas, S; Anders, MW. (1990). Biosynthesis, bioactivation, and mutagenicity of S-conjugates [Review]. *Toxicol Lett.* 53: 53-58. [http://dx.doi.org/10.1016/0378-4274\(90\)90094-3](http://dx.doi.org/10.1016/0378-4274(90)90094-3).
- Delahunt, B; Bethwaite, PB; Nacey, JN. (1995). Occupational risk for renal cell carcinoma. A case-control study based on the New Zealand Cancer Registry. *Br J Urol.* 75: 578-582. <http://dx.doi.org/10.1111/j.1464-410X.1995.tb07410.x>.
- Delery, L; Chiappini, L; Cicolella, A. (2008). Assessment of population exposure to tetrachloroethylene emissions from French dry-cleaning facilities and their associated health risks [Les pressings: Exposition au tetrachloroethylene et risques sanitaires]. *E R S.* 7: 331-340. <http://dx.doi.org/10.1684/ers.2008.0164>.
- Delgado, AG; Fajardo-Williams, D; Popat, SC; Torres, CI; Krajmalnik-Brown, R. (2014). Successful operation of continuous reactors at short retention times results in high-density, fast-rate Dehalococcoides dechlorinating cultures. *Appl Microbiol Biotechnol.* 98: 2729-2737. <http://dx.doi.org/10.1007/s00253-013-5263-5>.
- Delgado, AG; Kang, DW; Nelson, KG; Fajardo-Williams, D; Miceli, JF; Done, HY; Popat, SC; Krajmalnik-Brown, R. (2014). Selective enrichment yields robust ethene-producing dechlorinating cultures from microcosms stalled at cis-dichloroethene. *PLoS ONE.* 9: e100654. <http://dx.doi.org/10.1371/journal.pone.0100654>.
- Delso, G; Fürst, S; Jakoby, B; Ladebeck, R; Ganter, C; Nekolla, SG; Schwaiger, M; Ziegler, SI. (2011). Performance measurements of the Siemens mMR integrated whole-body PET/MR scanner. *J Nucl Med.* 52: 1914-1922. <http://dx.doi.org/10.2967/jnumed.111.092726>.
- Demond, AH. (1982) A source of tetrachloroethylene in the drinking water of New England: An evaluation of the toxicity of tetrachloroethylene and the prediction of its leaching rates from vinyl-lined asbestos-cement pipe. (Master's Thesis). Massachusetts Institute of Technology, Cambridge, MA. Retrieved from <http://dspace.mit.edu/handle/1721.1/15478>
- Deonandan, R; Campbell, K; Ostbye, T; Tummon, I; Robertson, J. (2000). A comparison of methods for measuring socio-economic status by occupation or postal area. *Chronic Dis Can.* 21: 114-118.
- Depuey, EG; Ata, P; Wray, R; Friedman, M. (2012). Very low-activity stress/high-activity rest, single-day myocardial perfusion SPECT with a conventional sodium iodide camera and wide beam reconstruction processing. *19: 931-944.* <http://dx.doi.org/10.1007/s12350-012-9596-8>.
- Desbaumes, E; Imhoff, C. (1971). Use of Saran bags for the determination of solvent concentration in the air of workshops. *Gefahrst Reinhalt Luft.* 31: 36-41.
- Desvergne, B; Wahli, W. (1995). PPAR: A key factor in nutrient/gene interactions. In P Baeuerle (Ed.), (pp. 142-176). Boston, MA: Birkhauser.
- Di Lorenzo, T; Borgoni, R; Ambrosini, R; Cifoni, M; Galassi, DM; Petitta, M. (2015). Occurrence of volatile organic compounds in shallow alluvial aquifers of a Mediterranean region: Baseline scenario and ecological implications. *Sci Total Environ.* 538: 712-723. <http://dx.doi.org/10.1016/j.scitotenv.2015.08.077>.



## Human Health Hazard Literature Search Results

### Off Topic

- Diabetes Atherosclerosis Intervention Study Investigators. (2001). Effect of fenofibrate on progression of coronary-artery disease in type 2 diabetes: The Diabetes Atherosclerosis Intervention Study, a randomised study. *Lancet*. 357: 905-910. [http://dx.doi.org/10.1016/S0140-6736\(00\)04209-4](http://dx.doi.org/10.1016/S0140-6736(00)04209-4).
- Dickson, AG; Riley, JP. (1976). The distribution of short-chain halogenated aliphatic hydrocarbons in some marine organisms. *Mar Pollut Bull*. 7: 167-169. [http://dx.doi.org/10.1016/0025-326X\(76\)90212-5](http://dx.doi.org/10.1016/0025-326X(76)90212-5).
- Dietert, RR. (2008). Developmental immunotoxicology (DIT): windows of vulnerability, immune dysfunction and safety assessment. *J Immunotoxicol*. 5: 401-412. <http://dx.doi.org/10.1080/15476910802483324>.
- Dietrich, DR. (1997). Doubting nongenotoxic mechanisms of renal cancer: Comparing apples and oranges in the alpha2u-globulin hypothesis. *Environ Health Perspect*. 105: 898-902.
- Difilippo, FP. (2015). Enhanced PET resolution by combining pinhole collimation and coincidence detection. *Phys Med Biol*. 60: 7969-7984. <http://dx.doi.org/10.1088/0031-9155/60/20/7969>.
- Difilippo, FP; Patel, S; Asosingh, K; Erzurum, SC. (2012). Small-animal imaging using clinical positron emission tomography/computed tomography and super-resolution. *Molecular Imaging*. 11: 210-219.
- Dillier, N; Laszlo, J; Müller, B; Koella, W; Olpe, H. (1978). Activation of an inhibitory noradrenergic pathway projecting from the locus coeruleus to the cingulate cortex of the rat. *Brain Res*. 154: 61-68. [http://dx.doi.org/10.1016/0006-8993\(78\)91051-X](http://dx.doi.org/10.1016/0006-8993(78)91051-X).
- Dilling, WL. (1977). Interphase transfer processes II Evaporation rates of chloro methanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions Comparisons with theoretical predictions. *Environ Sci Technol*. 11: 405-409. <http://dx.doi.org/10.1021/es60127a009>.
- Dilling, WL. (1982). Atmospheric environment. In RA Conway (Ed.), (pp. 154-197). New York, NY: Van Nostrand Reinhold Company.
- Dilling, WL; Bredeweg, CJ; Tefertiller, NB. (1976). Organic photochemistry: Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environ Sci Technol*. 10: 351-356. <http://dx.doi.org/10.1021/es60115a006>.
- Dilling, WL; Tefertiller, NB; Kallos, GJ. (1975). Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environ Sci Technol*. 9: 833-838. <http://dx.doi.org/10.1021/es60107a008>.
- Dimitriades, B; Gay, BW, Jr; Arnts, RR; Seila, RL. (1983). Photochemical reactivity of perchloroethylene: A new appraisal. *J Air Pollut Control Assoc*. 33: 575-587.
- Dittmer, DS. (1959). Handbook of toxicology, volume V: Fungicides. In DS Dittmer (Ed.). Philadelphia: W. B. Saunders Co.
- Dmitrieva, NV. (1966). Maximum permissible concentration of tetrachloroethylene in factory air. *Gig Sanit*. 31: 387-393.
- Dmitriyeva, NV; Kuleshov, EV; Orjonikidze, EK. (1968). [Changes in the impedance and bioelectrical activity of the cerebral cortex of rats under the action of anesthetic drugs]. *Zh Vyssh Nerv Deiat Im I P Pavlova*. 18: 463-468.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ*. 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Doan, Q; Piteau, S; Sheps, S; Singer, J; Wong, H; Johnson, D; Kisson, N. (2013). The role Of physician assistants in pediatric emergency medicine: the physician's view. *CJEM*. 15: 321-329.
- Dohn, DR; Anders, MW. (1982). Assay of cysteine conjugate beta-lyase activity with S-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem*. 120: 379-386. [http://dx.doi.org/10.1016/0003-2697\(82\)90361-X](http://dx.doi.org/10.1016/0003-2697(82)90361-X).
- Doi, A; Hill, G; Seely, J; Hailey, J; Kissling, G; Bucher, J. (2007). alpha 2u-globulin nephropathy and renal tumors in national toxicology program studies. *Toxicol Pathol*. 35: 533-540. <http://dx.doi.org/10.1080/01926230701338941>.
- Dong, Y; Butler, EC; Philp, RP; Krumholz, LR. (2011). Impacts of microbial community composition on isotope fractionation during reductive dechlorination of tetrachloroethylene. *Biodegradation*. 22: 431-444. <http://dx.doi.org/10.1007/s10532-010-9416-2>.
- Donnay, K. (2015). Why interdisciplinary research enriches the study of crime: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews*. 12: 26-27. <http://dx.doi.org/10.1016/j.plrev.2015.01.011>.
- Donoghue, AM; Dryson, EW; Wynn-Williams, G. (1995). Contrast sensitivity in organic-solvent-induced chronic toxic encephalopathy. *J Occup Environ Med*. 37: 1357-1363.
- Dorgerloh, U, te; Becker, R; Lutz, A; Bremser, W; Hilbert, S; Nehls, I. (2012). How to improve reliability in groundwater analysis: over a decade of experience with external quality control in field campaigns on volatile halogenated compounds. *J Environ Monit*. 14: 217-223. <http://dx.doi.org/10.1039/c1em10460h>.
- Dorman, DC; McManus, BE; Parkinson, CU; Manuel, CA; McElveen, AM; Everitt, JI. (2004). Nasal Toxicity of Manganese Sulfate and Manganese Phosphate in Young Male Rats Following Subchronic (13-Week) Inhalation Exposure. *Inhal Toxicol*. 16: 481-488.
- Dorne, J; Walton, K; Renwick, A. (2001). Uncertainty factors for chemical risk assessment. human variability in the pharmacokinetics of CYP1A2 probe substrates. *Food Chem Toxicol*. 39: 681-696.
- Dorne, JLC, M; Renwick, AG. (2005). The refinement of uncertainty/safety factors in risk assessment by the incorporation of data on toxicokinetic variability in humans. *Toxicol Sci*. 86: 20-26. <http://dx.doi.org/10.1093/toxsci/kfi160>.
- Dosemeci, M; Cocco, P; Gómez, M; Stewart, PA; Heineman, EF. (1994). Effects of three features of a job-exposure matrix on risk estimates. *Epidemiology*. 5: 124-127.
- Dosemeci, M; Wacholder, S; Lubin, JH. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol*. 132: 746-748.

## Human Health Hazard Literature Search Results

### Off Topic

- Doull, J; Bridges, DA; Kroes, R; Golberg, L; Munros, IC; Paynter, OE; Pitot, HC; Squire, R; Williams, G; Darby, W. (1983). A report of the International Expert Advisory Committee to the Nutrition Foundation The relevance of mouse liver hepatoma to human carcinogenic risk. Washington, DC: The Nutrition Foundation, Inc.
- Dourado, A; Marina, V; Vera, L. (2008). Occupational exposure to perchloroethylene in degrease operation of chromation process [Abstract]. *Toxicol Lett.* 180: 565. <http://dx.doi.org/10.1016/j.toxlet.2008.06.556>.
- Dowling, SK; Wishart, I. (2011). Use of the Ottawa Ankle Rules in children: a survey of physicians' practice patterns. *CJEM.* 13: 333-338; E344-336.
- Dowty, B; Carlisle, D; Laseter, JL; Storer, J. (1975). Halogenated hydrocarbons in New Orleans drinking water and blood plasma. *Science.* 187: 75-77. <http://dx.doi.org/10.1126/science.1109227>.
- Dowty, BJ; Carlisle, DR; Laseter, JL. (1975). New Orleans drinking water sources tested by gas chromatography-mass spectrometry: Occurrence and origin of aromatics and halogenated aliphatic hydrocarbons. *Environ Sci Technol.* 9: 762-765. <http://dx.doi.org/10.1021/es60106a008>.
- Drasche, H; Funk, L; Herbolsheimer, R. (1972). Storing of air samples for the analysis of contaminants, especially of chlorinated hydrocarbons. *Gefahrst Reinhalt Luft.* 32: 20-25.
- Dreyer, C; Krey, G; Keller, H; Givel, F; Helftenbein, G; Wahli, W. (1992). Control of the peroxisomal beta-oxidation pathway by a novel family of nuclear hormone receptors. *Cell.* 68: 879-887. [http://dx.doi.org/10.1016/0092-8674\(92\)90031-7](http://dx.doi.org/10.1016/0092-8674(92)90031-7).
- Drobna, Z; Xing, W; Thomas, DJ; Styblo, M. (2006). shRNA silencing of AS3MT expression minimizes arsenic methylation capacity of HepG2 cells. *Chem Res Toxicol.* 19: 894-898. <http://dx.doi.org/10.1021/tx060076u>.
- Droz, PO; Guillemin, MP. (1986). Occupational exposure monitoring using breath analysis. *J Occup Med.* 28: 593-602.
- Droz, PO; Wu, MM; Cumberland, WG. (1989). Variability in biological monitoring of organic solvent exposure II application of a population physiological model. *Occup Environ Med.* 46: 547-558.
- Dryson, E; 't Mannetje, A; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). Case-control study of high risk occupations for bladder cancer in New Zealand. *Int J Cancer.* 122: 1340-1346. <http://dx.doi.org/10.1002/ijc.23194>.
- Dueñas-Laita, A; Pérez-Miranda, M; González-López, MA; Martín-Escudero, JC; Ruiz-Mambrilla, M; Blanco-Varela, J. (2005). Acute arsenic poisoning. *Lancet.* 365: 1982. [http://dx.doi.org/10.1016/S0140-6736\(05\)66670-6](http://dx.doi.org/10.1016/S0140-6736(05)66670-6).
- Duffel, MW; Jakoby, WB. (1982). Cysteine S-conjugate N-acetyltransferase from rat kidney microsomes. *Mol Pharmacol.* 21: 444-448.
- Dumlu, A; Yalcinkaya, S; Olgac, V; Güvercin, M. (2007). Osteomyelitis due to arsenic trioxide use for tooth devitalization. *Int Endod J.* 40: 317-322. <http://dx.doi.org/10.1111/j.0143-2885.2007.01230.x>.
- Duret, A; Holliger, C; Maillard, J. (2012). The physiological opportunism of *Desulfotobacterium hafniense* strain TCE1 towards organohalide respiration with tetrachloroethene. *Appl Environ Microbiol.* 78: 6121-6127. <http://dx.doi.org/10.1128/AEM.01221-12>.
- Duris, K; Neuman, E; Vybihal, V; Juran, V; Gottwaldova, J; Kyr, M; Vasku, A; Smrcka, M. (2016). IL-6 Levels in the Cerebrospinal Fluid and their Association with Brain Oxygen Partial Pressure and Cerebral Vasospasm Development in Patients with Aneurysmal Subarachnoid Haemorrhage. *Ceska a Slovenska Neurologie a Neurochirurgie.* 79: 573-578.
- Eacho, PI; Lanier, TL; Brodhecker, CA. (1991). Hepatocellular DNA synthesis in rats given peroxisome proliferating agents: Comparison of WY-14,643 to clofibric acid, nafenopin and LY171883. *Carcinogenesis.* 12: 1557-1561.
- Eastmond, DA; Hartwig, A; Anderson, D; Anwar, WA; Cimino, MC; Dobrev, I; Douglas, GR; Nohmi, T; Phillips, DH; Vickers, C. (2009). Mutagenicity testing for chemical risk assessment: Update of the WHO/IPCS harmonized scheme. *Mutagenesis.* 24: 341-349. <http://dx.doi.org/10.1093/mutage/geb014>.
- Eastmond, DA; Tucker, JD. (1989). Kinetochore localization in micronucleated cytokinesis-blocked Chinese hamster ovary cells: A new and rapid assay for identifying aneuploidy-inducing agents. *Mutat Res.* 224: 517-525. [http://dx.doi.org/10.1016/0165-1218\(89\)90079-7](http://dx.doi.org/10.1016/0165-1218(89)90079-7).
- Ebert, KA; Laskov, C; Elsner, M; Haderlein, SB. (2017). Calibration bias of experimentally determined chlorine isotope enrichment factors: the need for a two-point calibration in compound-specific chlorine isotope analysis. *Rapid Commun Mass Spectrom.* 31: 68-74. <http://dx.doi.org/10.1002/rcm.7752>.
- Edler, L; Kopp-Schneider, A. (1998). Statistical models for low dose exposure. *Mutat Res-Fundam Mol Mech Mutagen.* 405: 227-236. [http://dx.doi.org/10.1016/S0027-5107\(98\)00140-7](http://dx.doi.org/10.1016/S0027-5107(98)00140-7).
- Edwards, BK; Ward, E; Kohler, BA; Ehemann, C; Zauber, AG; Anderson, RN; Jemal, A; Schymura, MJ; Lansdorp-Vogelaar, I; Seeff, LC; van Ballegooijen, M; Goede, SL; Ries, LAG. (2010). Annual report to the nation on the status of cancer, 1975-2006, featuring colorectal cancer trends and impact of interventions (risk factors, screening, and treatment) to reduce future rates. *Cancer.* 116: 544-573. <http://dx.doi.org/10.1002/cncr.24760>.
- Efron, B; Tibshirani, RJ. (1994). An introduction to the bootstrap. Boca Raton, FL: Chapman & Hall.
- Eger El, II. (1963). A mathematical model of uptake and distribution. In EM Papper; RJ Kitz (Eds.), (pp. 72-87). New York, NY: McGraw-Hill Book Company, Inc.
- Egger, GF; Wharton, GT; Malli, S; Temeck, J; Murphy, MD; Tomasi, P. (2016). A Comparative Review of Waivers Granted in Pediatric Drug Development by FDA and EMA from 2007-2013. 50: 639-647.
- Ekins, S; Murray, GI; Burke, MD; Williams, JA; Marchant, NC; Hawksworth, GM. (1995). Quantitative differences in phase I and II metabolism between rat precision-cut liver slices and isolated hepatocytes. *Drug Metab Dispos.* 23: 1274-1279.
- Eklund, BM; Simon, MA. (2007). Concentration of tetrachloroethylene in indoor air at a former dry cleaner facility as a function of subsurface contamination: A case study. *J Air Waste Manag Assoc.* 57: 753-760. <http://dx.doi.org/10.3155/1047-3289.57.6.753>.

## Human Health Hazard Literature Search Results

### Off Topic

- Elcombe, CR; Mitchell, AM. (1986). Peroxisome proliferation due to di(2-ethylhexyl) phthalate (DEHP): Species differences and possible mechanisms. *Environ Health Perspect.* 70: 211-219.
- Elcombe, CR; Rose, MS; Pratt, IS. (1985). Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: Possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol.* 79: 365-376. [http://dx.doi.org/10.1016/0041-008X\(85\)90135-8](http://dx.doi.org/10.1016/0041-008X(85)90135-8).
- Elfarra, AA; Krause, RJ. (2007). S-(1,2,2-trichlorovinyl)-L-cysteine sulfoxide, a reactive metabolite of S-(1,2,2-Trichlorovinyl)-L-cysteine formed in rat liver and kidney microsomes, is a potent nephrotoxicant. *J Pharmacol Exp Ther.* 321: 1095-1101. <http://dx.doi.org/10.1124/jpet.107.120444>.
- Elfarra, AA; Krause, RJ. (2008). Michael addition-elimination reactions: Roles in toxicity and potential new therapeutic applications. In AA Elfarra (Ed.), (pp. 57-68). New York, NY: Springer. [http://dx.doi.org/10.1007/978-0-387-77300-1\\_3](http://dx.doi.org/10.1007/978-0-387-77300-1_3).
- Elmore, JD; Wong, JL; Laumbach, AD; Streips, UN. (1976). Vinyl chloride mutagenicity via the metabolites chlorooxirane and chloroacetaldehyde monomer hydrate. *Biochim Biophys Acta.* 442: 405-419. [http://dx.doi.org/10.1016/0005-2787\(76\)90314-2](http://dx.doi.org/10.1016/0005-2787(76)90314-2).
- Elovaara, E; Hemminki, K; Vainio, H. (1979). Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology.* 12: 111-119. [http://dx.doi.org/10.1016/0300-483X\(79\)90037-4](http://dx.doi.org/10.1016/0300-483X(79)90037-4).
- Elschot, M; Nijssen, JF; Dam, AJ; de Jong, HW. (2011). Quantitative evaluation of scintillation camera imaging characteristics of isotopes used in liver radioembolization. *PLoS ONE.* 6: e26174. <http://dx.doi.org/10.1371/journal.pone.0026174>.
- El-Serag, HB. (2007). Epidemiology of hepatocellular carcinoma in USA. *Hepatology Research.* 37: S88-S94. <http://dx.doi.org/10.1111/j.1872-034X.2007.00168.x>.
- El-Zein, RA; Hay, MJ; Lopez, MS; Bondy, ML; Morris, S; Legator, MS; Abdel-Rahman, SZ. (2006). Response to comments on 'Cytogenetic effects in children treated with methylphenidate' by El-Zein et al [Letter]. *Cancer Lett.* 231: 146-148. <http://dx.doi.org/10.1016/j.canlet.2005.10.007>.
- Emmert, B; Bunger, J; Keuch, K; Muller, M; Emmert, S; Hallier, E; Westphal, GA. (2006). Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent S. typhimurium strain YG7108pin3ERb5. *Toxicology.* 228: 66-76. <http://dx.doi.org/10.1016/j.tox.2006.08.013>.
- Endoh, K; Kaneko, T; Sato, A. (1989). [A physiologically based pharmacokinetic model to describe the transfer of organic solvents in the human body. Simulation of kinetic behavior of trichloroethylene using a spreadsheet program]. *Sangyo Igaku.* 31: 335-341.
- Entz, RC; Diachenko, GW. (1988). Residues of volatile halocarbons in margarines. *Food Addit Contam.* 5: 267-276. <http://dx.doi.org/10.1080/02652038809373703>.
- Environment Canada. (1993). Tetrachloroethylene. In Priority Substances List Assessment Report. Ottawa, Canada: Minister of Supply and Services Canada. <http://www.hc-sc.gc.ca/ewh-semt/pubs/contaminants/psl1-lsp1/trichloroethylene/index-eng.php>.
- EPA, U. (1997). Exposure factors handbook: Volume I - General factors. (EPA/600/P-95/002Fa). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. [http://epa-prgs.ornl.gov/radionuclides/EFH\\_Final\\_1997\\_EPA600P95002Fa.pdf](http://epa-prgs.ornl.gov/radionuclides/EFH_Final_1997_EPA600P95002Fa.pdf).
- EPA, US. (1980). Determination not to initiate a rebuttable presumption against registration (RPAR) of pesticide products containing carbaryl; availability of decision document. *Fed Reg.* 45: 81869-81876.
- EPA, US. (2014). National Air Toxics Program: The Second Integrated Urban Air Toxics Report to Congress (pp. 139). (EPA-456/R-14-001). <https://www.epa.gov/sites/production/files/2014-08/documents/082114-urban-air-toxics-report-congress.pdf>.
- Epstein, DL; Nolen, GA; Randall, JL; Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1992). Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. *Teratology.* 46: 225-235. <http://dx.doi.org/10.1002/tera.1420460306>.
- Erto, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2014). Permeable Adsorptive Barrier (PAB) for the remediation of groundwater simultaneously contaminated by some chlorinated organic compounds. *J Environ Manage.* 140: 111-119. <http://dx.doi.org/10.1016/j.jenvman.2014.03.012>.
- Erto, A; Lancia, A; Bortone, I; Di Nardo, A; Di Natale, M; Musmarra, D. (2011). A procedure to design a Permeable Adsorptive Barrier (PAB) for contaminated groundwater remediation. *J Environ Manage.* 92: 23-30. <http://dx.doi.org/10.1016/j.jenvman.2010.07.044>.
- Etemadian, M; Maghsoudi, R; Shadpour, P; Mokhtari, MR; Rezaeimehr, B; Shati, M. (2012). Pediatric percutaneous nephrolithotomy using adult sized instruments: our experience. *Urol J.* 9: 465-471.
- Ethell, DW; Buhler, LA. (2003). Fas ligand-mediated apoptosis in degenerative disorders of the brain. *J Clin Immunol.* 23: 439-446.
- Evans, GF. (1981). Measurement of perchloroethylene in ambient air. In JC McGovern (Ed.), (pp. 71-84). Pittsburgh, PA: Air Pollution Control Association.
- Evans, GF; Baumgardner, RE; Bumgarner, JE; Finkelstein, PL; Knoll, JE; Martin, BE. (1979). Measurement of perchloroethylene in ambient air. (EPA-600/4-79-047). Research Triangle Park, NC: U.S. Environmental Protection Agency.
- Evans, MV; Chiu, WA; Okino, MS; Caldwell, JC. (2009). Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol.* 236: 329-340. <http://dx.doi.org/10.1016/j.taap.2009.02.013>.
- Eveillard, A; Lasserre, F; de Tayrac, M; Polizzi, A; Claus, S; Canlet, C; Mselli-Lakhal, L; Gotardi, G; Paris, A; Guillou, H; Martin, PG; Pineau, T. (2009). Identification of potential mechanisms of toxicity after di-(2-ethylhexyl)-phthalate (DEHP) adult exposure in the liver using a systems biology approach. *Toxicol Appl Pharmacol.* 236: 282-292. <http://dx.doi.org/10.1016/j.taap.2009.02.008>.
- Eveillard, A; Mselli-Lakhal, L; Mogha, A; Lasserre, F; Polizzi, A; Pascussi, JM; Guillou, H; Martin, PG; Pineau, T. (2009). Di-(2-ethylhexyl)-phthalate (DEHP) activates the constitutive androstane receptor (CAR): a novel signalling pathway sensitive to phthalates. *Biochem Pharmacol.* 77: 1735-1746. <http://dx.doi.org/10.1016/j.bcp.2009.02.023>.

## Human Health Hazard Literature Search Results

### Off Topic

- Evelo, CTA; Oostendorp, JGM; Tenberge, WF; Borm, PJA. (1993). PHYSIOLOGICALLY-BASED TOXICOKINETIC MODELING OF 1,3-BUTADIENE LUNG METABOLISM IN MICE BECOMES MORE IMPORTANT AT LOW-DOSES. *Environ Health Perspect.* 101: 496-502. <http://dx.doi.org/10.2307/3431586>.
- Ewing, BB; Chian, ESK; Cook, JC; Evans, CA; Hopke, PK; Perkins, EG. (1977). Monitoring to detect previously unrecognized pollutants in surface waters. (EPA560/6-77-015). Washington, DC: Office of Toxic Substances, U.S. Environmental Protection Agency.
- Fabbro-Peray, P; Daures, JP; Rossi, JF. (2001). Environmental risk factors for non-Hodgkin's lymphoma: A population-based case-control study in Languedoc-Roussillon, France. *Cancer Causes Control.* 12: 201-212. <http://dx.doi.org/10.1023/A:1011274922701>.
- Fabre, F. (1978). Induced intragenic recombination in yeast can occur during the G1 mitotic phase. *Nature.* 272: 795-798.
- Fabre, F; Roman, H. (1977). Genetic evidence for inducibility of recombination competence in yeast. *Proc Natl Acad Sci USA.* 74: 1667-1671.
- Fagerlund, F; Illangasekare, TH; Phenrat, T; Kim, HJ; Lowry, GV. (2012). PCE dissolution and simultaneous dechlorination by nanoscale zero-valent iron particles in a DNAPL source zone. *J Contam Hydrol.* 131: 9-28. <http://dx.doi.org/10.1016/j.jconhyd.2011.08.011>.
- Faisal, SM; Ahmad, R; Ahmad, W; Hasnain, AU. (2006). Micronuclei induction and chromosomal aberrations in *Rattus norvegicus* by chloroacetic acid and chlorobenzene. *Ecotoxicol Environ Saf.* 65: 159-164. <http://dx.doi.org/10.1016/j.ecoenv.2006.03.002>.
- Falk, HL. (1978). Biologic evidence for the existence of thresholds in chemical carcinogenesis. *Environ Health Perspect.* 22: 167-170.
- Fan, L, -Q; Coley, J; Miller, RT; Cattley, RC; Corton, JC. (2003). Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators. *Biochem Pharmacol.* 65: 949-959. [http://dx.doi.org/10.1016/S0006-2952\(03\)00004-2](http://dx.doi.org/10.1016/S0006-2952(03)00004-2).
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub> composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Faria-Júnior, NB; Loliola, LE; Guerreiro-Tanomaru, JM; Berbert, FL; Tanomaru-Filho, M. (2011). Effectiveness of three solvents and two associations of solvents on gutta-percha and resilon. *Braz Dent J.* 22: 41-44.
- Farrar, D; Allen, B; Crump, K; Shipp, A. (1989). Evaluation of uncertainty in input parameters to pharmacokinetic models and the resulting uncertainty in output [Review]. *Toxicol Lett.* 49: 371-385.
- Faustman, EM; Gohlke, J; Judd, NL; Lewandowski, TA; Bartell, SA; Griffith, WC. (2005). Modeling developmental processes in animals: Applications in neurodevelopmental toxicology. *Environ Toxicol Pharmacol.* 19: 615-624. <http://dx.doi.org/10.1016/j.etap.2004.12.027>.
- FDA. (2003). Food and Drug Administration total diet study: Summary of residues found ordered by pesticide market baskets 91-3-01-4. Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005108087>.
- Felix, K; Manna, SK; Wise, K; Barr, J; Ramesh, GT. (2005). Low levels of arsenite activates nuclear factor-kB and activator protein-1 in immortalized mesencephalic cells. *J Biochem Mol Toxicol.* 19: 67-77. <http://dx.doi.org/10.1002/jbt.20062>.
- Fender, H. (1993). Chromosomenanalytische untersuchungen bei textilreinigern. In D Arndt; G Obe (Eds.), (pp. 71-76). München, Germany: MMV Verlag.
- Ferrand, JF; Cénée, S; Laurent-Puig, P; Loriot, MA; Trinchet, JC; Degos, F; Bronovicky, JP; Pelletier, G; Stücker, I. (2008). Hepatocellular carcinoma and occupation in men: A case-control study. *J Occup Environ Med.* 50: 212-220. <http://dx.doi.org/10.1097/JOM.0b013e31815d88e2>.
- Ferrara, E. (2015). Toward computational crime prediction: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews.* 12: 28-29. <http://dx.doi.org/10.1016/j.plrev.2015.01.007>.
- Ferrario, F; Continenza, D; Pisani, P; Magnani, C; Merletti, F; Berrino, F. (1988). Description of a job-exposure matrix for sixteen agents which are or may be related to respiratory cancer. In C Hogstedt; C Reuterwall (Eds.), *International Congress Series* (pp. 379-382). Amsterdam, Holland: Excerpta Medica.
- Ferreira-Gonzalez, A; DeAngelo, AB; Nasim, S; Garrett, CT. (1995). Ras oncogene activation during hepatocarcinogenesis in B6C3F1 male mice by dichloroacetic and trichloroacetic acids. *Carcinogenesis.* 16: 495-500. <http://dx.doi.org/10.1093/carcin/16.3.495>.
- Ferroud, V; Lapouge, O; Dousseau, A; Rakotiana, A; Robert, G; Ballanger, P. (2011). [Flexible ureteroscopy and mini percutaneous nephrolithotomy in the treatment of renal lithiasis less or equal to 2 cm]. *Prog Urol.* 21: 79-84. <http://dx.doi.org/10.1016/j.purol.2010.08.013>.
- Fesmire, FM; Brown, MD; Espinosa, JA; Shih, RD; Silvers, SM; Wolf, SJ; Decker, WW; Physicians, ACoE. (2011). Critical issues in the evaluation and management of adult patients presenting to the emergency department with suspected pulmonary embolism. *Ann Emerg Med.* 57: 628-652.e675. <http://dx.doi.org/10.1016/j.annemergmed.2011.01.020>.
- Finckh, A; Cooper, GS; Chibnik, LB; Costenbader, KH; Watts, J; Pankey, H; Fraser, PA; Karlson, EW. (2006). Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum.* 54: 3648-3654. <http://dx.doi.org/10.1002/art.22210>.
- Finley, BL; Scott, P; Paustenbach, DJ. (1993). Evaluating the adequacy of maximum contaminant levels as health-protective cleanup goals: an analysis based on Monte Carlo techniques. *Regul Toxicol Pharmacol.* 18: 438-455. <http://dx.doi.org/10.1006/rtph.1993.1069>.
- Fisher, JW. (1994). Estimating human health risks for trichloroethylene, a water contaminant, using physiological models. In RGM Wang (Ed.), *Environmental Science and Pollution Control Series* (pp. 393 - 406). New York: Marcel Dekker.
- Fisher, JW; Mahle, D; Abbas, R. (1998). A human physiologically based pharmacokinetic model for trichloroethylene and its metabolites, trichloroacetic acid and free trichloroethanol. *Toxicol Appl Pharmacol.* 152: 339-359. <http://dx.doi.org/10.1006/taap.1998.8486>.
- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1989). Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol.* 99: 395-414. [http://dx.doi.org/10.1016/0041-008X\(89\)90149-X](http://dx.doi.org/10.1016/0041-008X(89)90149-X).

## Human Health Hazard Literature Search Results

### Off Topic

- Fisher, JW; Whittaker, TA; Taylor, DH; Clewell, HJ, III; Andersen, ME. (1990). Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol.* 102: 497-513.
- Fjordboge, AS; Riis, C; Christensen, AG; Kjeldsen, P. (2012). ZVI-Clay remediation of a chlorinated solvent source zone, Skuldelev, Denmark: 1. Site description and contaminant source mass reduction. *J Contam Hydrol.* 140: 56-66. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.007>.
- Flavell, DM; Ireland, H; Stephens, JW; Hawe, E; Acharya, J; Mather, H; Hurel, SJ; Humphries, SE. (2005). Peroxisome proliferator-activated receptor alpha gene variation influences age of onset and progression of type 2 diabetes. *Diabetes.* 54: 582-586.
- Flavell, DM; Jamshidi, Y; Hawe, E; Pineda Torra, I; Taskinen, MR; Frick, MH; Nieminen, MS; Kesäniemi, YA; Pasternack, A; Staels, B; Miller, G; Humphries, SE; Talmud, PJ; Syväne, M. (2002). Peroxisome proliferator-activated receptor alpha gene variants influence progression of coronary atherosclerosis and risk of coronary artery disease. *Circulation.* 105: 1440-1445.
- Flavell, DM; Pineda, TI; Jamshidi, Y; Evans, D; Diamond, JR; Elkeles, RS; Bujac, SR; Miller, G; Talmud, PJ; Staels, B; Humphries, SE. (2000). Variation in the PPAR- $\alpha$  gene is associated with altered function in vitro and plasma lipid concentrations in Type II diabetic subjects. *Diabetologia.* 43: 673-680.
- Fleming, DA; Woskie, SR; Jones, JH; Silver, SR; Luo, L; Bertke, SJ. (2014). Retrospective Assessment of Exposure to Chemicals for a Microelectronics and Business Machine Manufacturing Facility. *J Occup Environ Hyg.* 11: 292-305. <http://dx.doi.org/10.1080/15459624.2013.862591>.
- Fleming-Jones, ME; Smith, RE. (2003). Volatile organic compounds in foods: A five year study. *J Agric Food Chem.* 51: 8120-8127. <http://dx.doi.org/10.1021/jf0303159>.
- Fletcher, KE; Costanza, J; Cruz-Garcia, C; Ramaswamy, NS; Pennell, KD; Löffler, FE. (2011). Effects of elevated temperature on Dehalococoides dechlorination performance and DNA and RNA biomarker abundance. *Environ Sci Technol.* 45: 712-718. <http://dx.doi.org/10.1021/es1023477>.
- Fletcher, KE; Costanza, J, ed; Pennell, KD; Löffler, FE. (2011). Electron donor availability for microbial reductive processes following thermal treatment. *Water Res.* 45: 6625-6636. <http://dx.doi.org/10.1016/j.watres.2011.09.033>.
- Flower, DR; North, AC; Attwood, TK. (1993). Structure and sequence relationships in the lipocalins and related proteins. *Protein Sci.* 2: 753-761.
- Forgacs, A; Pall Jonsson, H; Dahlbom, M; Daver, F; Di Franco, M; Opposits, G; Krizsan, A; Garai, I; Czernin, J; Varga, J; Tron, L; Balkay, L. (2016). A Study on the Basic Criteria for Selecting Heterogeneity Parameters of F18-FDG PET Images. *PLoS ONE.* 11: e0164113. <http://dx.doi.org/10.1371/journal.pone.0164113>.
- Forkert, PG; Birch, DW. (1989). Pulmonary toxicity of trichloroethylene in mice: covalent binding and morphological manifestations. *Drug Metab Dispos.* 17: 106-113.
- Fortuny, J; de Sanjosé, S; Becker, N; Maynadié, M; Cocco, PL; Staines, A; Foretova, L; Vornanen, M; Brennan, P; Nieters, A; Alvaro, T; Boffetta, P. (2006). Statin use and risk of lymphoid neoplasms: results from the European Case-Control Study EPLYMPH. *Cancer Epidemiol Biomarkers Prev.* 15: 921-925. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0866>.
- Foucher, C; Rattier, S; Flavell, DM; Talmud, PJ; Humphries, SE; Kastelein, JJ; Ayyobi, A; Pimstone, S; Frohlich, J; Ansquer, JC; Steiner, G; investigators, D. (2004). Response to micronized fenofibrate treatment is associated with the peroxisome-proliferator-activated receptors alpha G/C intron7 polymorphism in subjects with type 2 diabetes. *Pharmacogenetics.* 14: 823-829.
- Fox, A; Sullivan, B; Buffini, J; Neichin, M; Nicora, R; Hoehler, F; O'Rourke, R; Stoltz, R. (1996). Reduction of serum lactate by sodium dichloroacetate, and human pharmacokinetic-pharmacodynamic relationships. *J Pharmacol Exp Ther.* 279: 686-693.
- Fox, AW; Yang, X; Murlin, H; Lawlor, TE; Cifone, MA; Reno, FE. (1996). Absence of mutagenic effects of sodium dichloroacetate. *Fundam Appl Toxicol.* 32: 87-95. <http://dx.doi.org/10.1006/faat.1996.0110>.
- Fox, TR; Schumann, AM; Watanabe, PG; Yano, BL; Maher, VM; McCormick, JJ. (1990). Mutational analysis of the H-ras oncogene in spontaneous C57BL/6 x C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res.* 50: 4014-4019.
- Francis, H; Amuasi, JH; Kwame, KA; Vangu, MD. (2016). Quantitative Assessment of Radionuclide Uptake and Positron Emission Tomography-computed Tomography Image Contrast. *World Journal of Nuclear Medicine.* 15: 167-172. <http://dx.doi.org/10.4103/1450-1147.174702>.
- Franco, A; Costoya, MA; Roca, E. (2007). Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A.* 70: 627-637. <http://dx.doi.org/10.1080/15287390600974551>.
- Frankel, DM; Johnson, CE; Pitt, HM. (1957). Preparation and properties of tetrachloroethylene oxide. *J Org Chem.* 22: 1119-1120.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: Characterization of a mutant deficient in receptor protein. *Antimicrob Agents Chemother.* 17: 151-156.
- Franker, CK. (1980). Mutational loss of sensitivity to mutacin GS-5 in *Streptococcus pyogenes*: characterization of a mutant deficient in receptor protein 10. *Antimicrob Agents Chemother.* 17.
- Franzini, M; Fornaciari, I; Vico, T; Moncini, M; Cellesi, V; Meini, M; Emdin, M; Paolicchi, A. (2013). High-sensitivity  $\gamma$ -glutamyltransferase fraction pattern in alcohol addicts and abstainers. *Drug Alcohol Depend.* 127: 239-242. <http://dx.doi.org/10.1016/j.drugalcdep.2012.06.004>.
- Frasconi, D; Fraraccio, S; Nocentini, M; Pinelli, D. (2013). Aerobic/anaerobic/aerobic sequenced biodegradation of a mixture of chlorinated ethenes, ethanes and methanes in batch bioreactors. *Bioresour Technol.* 128: 479-486. <http://dx.doi.org/10.1016/j.biortech.2012.10.026>.
- Frazer, L. (2005). Metal attraction: An ironclad solution to arsenic contamination? *Environ Health Perspect.* 113: A398-A401.

## Human Health Hazard Literature Search Results

### Off Topic

- Fredriksson, M; Bengtsson, NO; Hardell, L; Axelson, O. (1989). Colon cancer, physical activity, and occupational exposures: A case-control study. *Cancer*. 63: 1838-1842.
- Freeman, GL; Steinke, JM. (1993). Evaluation of two oximeters for use in cardiac catheterization laboratories. *Cathet Cardiovasc Diagn*. 30: 51-57.
- Freeman, SR; Drake, AL; Heilig, LF; Graber, M; McNealy, K; Schilling, LM; Dellavalle, RP. (2006). Statins, fibrates, and melanoma risk: a systematic review and meta-analysis [Review]. *J Natl Cancer Inst*. 98: 1538-1546. <http://dx.doi.org/10.1093/jnci/djj412>.
- Freireich, EJ; Gehan, EA; Rall, DP; Schmidt, LH; Skipper, HE. (1966). Quantitative comparison of toxicity of anticancer agents in mouse, rat, hamster, dog, monkey, and man. *J Natl Cancer Inst*. 50: 219-244.
- Frenette, B; Mergler, D; Bowler, R. (1991). Contrast-sensitivity loss in a group of former microelectronics workers with normal visual acuity. *Optometry and Vision Science*. 68: 556-560.
- Freund, Y; Rousseau, A; Guyot-Rousseau, F; Claessens, YE; Hugli, O; Sanchez, O; Simon, T; Riou, B. (2015). PERC rule to exclude the diagnosis of pulmonary embolism in emergency low-risk patients: study protocol for the PROPER randomized controlled study. *Trials*. 16: 537. <http://dx.doi.org/10.1186/s13063-015-1049-7>.
- Frick, M; Elo, O; Haapa, K; Heinonen, O; Heinsalmi, P; Helo, P; Huttunen, J; Kaitaniemi, P; Koskinen, P; Manninen, V. (1987). Helsinki Heart Study: Primary-prevention trial with gemfibrozil in middle-aged men with dyslipidemia: Safety of treatment, changes in risk factors, and incidence of coronary heart disease. *N Engl J Med*. 317: 1237-1245. <http://dx.doi.org/10.1056/NEJM198711123172001>.
- Frick, MH; Syväne, M; Nieminen, MS; Kauma, H; Majahalme, S; Virtanen, V; Kesäniemi, YA; Pasternack, A; Taskinen, MR. (1997). Prevention of the angiographic progression of coronary and vein-graft atherosclerosis by gemfibrozil after coronary bypass surgery in men with low levels of HDL cholesterol. Lipid Coronary Angiography Trial (LOCAT) Study Group. *Circulation*. 96: 2137-2143.
- Fried, D; Meier, J; Mawlawi, O; Zhou, S; Ibbott, G; Liao, Z; Court, L. (2016). MO-DE-207B-07: Assessment of Reproducibility Of FDG-PET-Based Radiomics Features Across Scanners Using Phantom Imaging. *Med Phys*. 43: 3705-3706. <http://dx.doi.org/10.1118/1.4957256>.
- Friedman, AA; Trinh, QD; Kaul, S; Bhandari, A. (2013). Complete endoscopic management of a retained bullet in the bladder. *Canadian Urological Association Journal*. 7: E143-E145. <http://dx.doi.org/10.5489/cuaj.258>.
- Friesen, MC; Locke, SJ; Chen, YC; Coble, JB; Stewart, PA; Ji, BT; Bassig, B; Lu, W; Xue, S; Chow, WH; Lan, Q; Purdue, MP; Rothman, N; Vermeulen, R. (2015). Historical occupational trichloroethylene air concentrations based on inspection measurements from shanghai, china. *Ann Occup Hyg*. 59: 62-78. <http://dx.doi.org/10.1093/annhyg/meu066>.
- Friou, E; Richard-Jourjon, V; Moumneh, T; Mazet, B; Choukroun, J; Schotte, T; Penalzoa, A; Roy, PM. (2015). Performance of pulmonary embolism rule-out criteria (PERC) combined with low gestalt clinical probability in European chest pain population. *J Thromb Haemost*. 13: 716-717.
- Frush, DP. (2017). Meeting the Needs for Radiation Protection: Diagnostic Imaging. *Health Phys*. 112: 214-219. <http://dx.doi.org/10.1097/HP.0000000000000605>.
- Fuller, BB. (1976). Air pollution assessment of tetrachloroethylene. Fuller, BB.
- Furnus, CC; Ulrich, MA; Terreros, MC; Dulout, FN. (1990). The induction of aneuploidy in cultured Chinese hamster cells by propionaldehyde and chloral hydrate. *Mutagenesis*. 5: 323-326.
- Fusco, JC; Afshari, AJ; George, MH; Deangelo, AB; Tice, RR; Salman, T; Allen, JW. (1996). In vivo genotoxicity of dichloroacetic acid: Evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen*. 27: 1-9. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)27:1<1::AID-EM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)27:1<1::AID-EM1>3.0.CO;2-L).
- Futagami, T; Okamoto, F; Hashimoto, H; Fukuzawa, K; Higashi, K; Nazir, KH; Wada, E; Suyama, A; Takegawa, K; Goto, M; Nakamura, K; Furukawa, K. (2011). Enrichment and characterization of a trichloroethene-dechlorinating consortium containing multiple "dehalococoides" strains. *Biosci Biotechnol Biochem*. 75: 1268-1274. <http://dx.doi.org/10.1271/bbb.110028>.
- Gaertner, RRW; Trpeski, L; Johnson, KC. (2004). A case-control study of occupational risk factors for bladder cancer in Canada. *Cancer Causes Control*. 15: 1007-1019. <http://dx.doi.org/10.1007/s10552-004-1448-7>.
- Gaipl, US; Kuhn, A; Sheriff, A; Munoz, LE; Franz, S; Voll, RE; Kalden, JR; Herrmann, M. (2006). Clearance of apoptotic cells in human SLE [Review]. *Curr Dir Autoimmun*. 9: 173-187. <http://dx.doi.org/10.1159/000090781>.
- Gaitanis, A; Kastis, GA; Vlastou, E; Bouziotis, P; Verginis, P; Anagnostopoulos, CD. (2016). Investigation of Image Reconstruction Parameters of the Mediso nanoScan PC Small-Animal PET/CT Scanner for Two Different Positron Emitters Under NEMA NU 4-2008 Standards. *Mol Imaging*. <http://dx.doi.org/10.1007/s11307-016-1035-9>.
- Gama, C; Meira, JB. (1978). Occupational acro-osteolysis. *J Bone Joint Surg Am*. 60: 86-90.
- Gámán, G; Gelly, F; Gerlei, Z; Dabasi, E; Görög, D; Fehérvári, I; Kóbori, L; Lengyel, G; Zádori, G; Fazakas, J; Doros, A; Sárváry, E; Nemes, B. (2013). [Kidney function and liver transplantation]. *Orv Hetil*. 154: 1018-1025. <http://dx.doi.org/10.1556/OH.2013.29641>.
- Gandhi, M; Aweeka, F; Greenblatt, RM; Blaschke, TF. (2004). Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol*. 44: 499-523. <http://dx.doi.org/10.1146/annurev.pharmtox.44.101802.121453>.
- Ganning, A; Brunk, U; Dallner, G. (1984). Phthalate esters and their effect on the liver [Review]. *Hepatology*. 4: 541-547.
- Ganning, AE; Brunk, U; Dallner, G. (1983). Effects of dietary di(2-ethylhexyl)phthalate on the structure and function of rat hepatocytes. *Biochim Biophys Acta*. 763: 72-82. [http://dx.doi.org/10.1016/0167-4889\(83\)90027-7](http://dx.doi.org/10.1016/0167-4889(83)90027-7).
- Ganning, AE; Brunk, U; Edlund, C; Elhammer, A; Dallner, G. (1987). Effects of prolonged administration of phthalate ester on the liver. *Environ Health Perspect*. 73: 251-258.
- Gao, H; Blandford, WJ; Gao, A. (2013). Solubility Enhancement Effect of Cyclodextrin on Groundwater Pollutants. *Ground Water*. 51: 268-275. <http://dx.doi.org/10.1111/j.1745-6584.2012.00963.x>.

## Human Health Hazard Literature Search Results

### Off Topic

- Gao, J; Ma, X; Gu, W; Fu, M; An, J; Xing, Y; Gao, T; Li, W, ei; Liu, Y. (2012). Novel functions of murine B1 cells: Active phagocytic and microbicidal abilities. *Eur J Immunol.* 42: 982-992. <http://dx.doi.org/10.1002/eji.201141519>.
- Gao, YW; Zheng, F; Shi, XQ; Sun, YY; Xu, HX; Wu, JC. (2015). [Laboratory Investigation of DNAPL Migration Behavior and Distribution at Varying Flow Velocities Based on Light Transmission Method]. *Huanjing Kexue.* 36: 2532-2539.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (2003). Scleroderma and solvent exposure among women. *Am J Epidemiol.* 157: 493-500. <http://dx.doi.org/10.1093/aje/kwf223>.
- García-Medina, NE; Jiménez-Capdeville, ME; Ciucci, M; Martínez, LM; Delgado, JM; Horn, CC. (2007). Conditioned flavor aversion and brain Fos expression following exposure to arsenic. *Toxicology.* 235: 73-82. <http://dx.doi.org/10.1016/j.tox.2007.03.009>.
- Garetano, G; Gochfeld, M. (2000). Factors influencing tetrachloroethylene concentrations in residences above dry-cleaning establishments. *Arch Environ Health.* 55: 59-68. <http://dx.doi.org/10.1080/00039890009603387>.
- Gariot, P; Barrat, E; Drouin, P; Genton, P; Pointel, JP; Foliguet, B; Kolopp, M; Debry, G. (1987). Morphometric study of human hepatic cell modifications induced by fenofibrate. *Metabolism.* 36: 203-210.
- Gart, JJ. (1970). A locally most powerful test for the symmetric folded binomial distribution. *Biometrics.* 26: 129-138.
- Garte, S; Gaspari, L; Alexandrie, AK; Ambrosone, C; Autrup, H; Autrup, JL; Baranova, H; Bathum, L; Benhamou, S; Boffetta, P; Bouchardy, C; Breskvar, K; Brockmoller, J; Cascorbi, I; Clapper, ML; Coutelle, C; Daly, A; Dell'Omo, M; Dolzan, V; Dresler, CM; Fryer, A; Haugen, A; Hein, DW; Hildesheim, A; Hirvonen, A; Hsieh, LL; Ingelman-Sundberg, M; Kalina, I; Kang, D; Kihara, M; Kiyohara, C; Kremers, P; Lazarus, P; Le Marchand, L; Lechner, MC; van Lieshout, EM; London, S; Manni, JJ; Maugard, CM; Morita, S; Nazar-Stewart, V; Noda, K; Oda, Y; Parl, FF; Pastorelli, R; Persson, I; Peters, WH; Rannug, A; Rebbeck, T; Risch, A; Roelandt, L; Romkes, M; Ryberg, D; Salagovic, J; Schoket, B; Seidegard, J; Shields, PG; Sim, E; Sinnet, D; Strange, RC; Stücker, I; Sugimura, H; To-Figueras, J; Vineis, P; Yu, MC; Taioli, E. (2001). Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev.* 10: 1239-1248.
- Gay, BW, Jr; Hanst, PL; Bufalini, JJ; Noonan, RC. (1976). Atmospheric oxidation of chlorinated ethylenes. *Environ Sci Technol.* 10: 58-67. <http://dx.doi.org/10.1021/es60112a005>.
- Ge, R; Tao, L; Kramer, PM; Cunningham, ML; Pereira, MA. (2002). Effect of peroxisome proliferators on the methylation and protein level of the c-myc protooncogene in B6C3F1 mice liver. *J Biochem Mol Toxicol.* 16: 41-47. <http://dx.doi.org/10.1002/jbt.10019>.
- Ge, R; Wang, W; Kramer, PM; Yang, S; Tao, L; Pereira, MA. (2001). Wy-14,643-induced hypomethylation of the c-myc gene in mouse liver. *Toxicol Sci.* 62: 28-35.
- Ge, R; Yang, S; Kramer, PM; Tao, L; Pereira, MA. (2001). The effect of dichloroacetic acid and trichloroacetic acid on DNA methylation and cell proliferation in B6C3F1 mice. *J Biochem Mol Toxicol.* 15: 100-106. <http://dx.doi.org/10.1002/jbt.5>.
- Gehring, PJ; Watanabe, PG; Blau, GE. (1979). Risk assessment of environmental carcinogens utilizing pharmacokinetic parameters. *Ann N Y Acad Sci.* 329: 137-152. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15341.x>.
- Geller, AM. (2001). A table of color distance scores for quantitative scoring of the Lanthony Desaturate color vision test. *Neurotoxicol Teratol.* 23: 265-267. [http://dx.doi.org/10.1016/S0892-0362\(01\)00139-8](http://dx.doi.org/10.1016/S0892-0362(01)00139-8).
- Geller, AM; Hudnell, HK. (1997). Critical issues in the use and analysis of the Lanthony Desaturate Color Vision Test. *Neurotoxicol Teratol.* 19: 455-465.
- Gemici, U; Tarcan, G; Helvacı, C; Somay, AM. (2008). High arsenic and boron concentrations in groundwaters related to mining activity in the Bigadic borate deposits (Western Turkey). *Appl Geochem.* 23: 2462-2476. <http://dx.doi.org/10.1016/j.apgeochem.2008.02.013>.
- Gentry, PR; Covington, TR; Clewell, HJ, III. (2003). Evaluation of the potential impact of pharmacokinetic differences on tissue dosimetry in offspring during pregnancy and lactation. *Regul Toxicol Pharmacol.* 38: 1-16. [http://dx.doi.org/10.1016/S0273-2300\(03\)00047-3](http://dx.doi.org/10.1016/S0273-2300(03)00047-3).
- Gentry, PR; Covington, TR; Lawrence, G; McDonald, T; Snow, ET; Germolec, D; Moser, G; Yager, JW; Clewell III, HJ. (2005). Comparison of tissue dosimetry in the mouse following chronic exposure to arsenic compounds. *J Toxicol Environ Health A.* 68: 329-351. <http://dx.doi.org/10.1080/15287390590900813>.
- George, B; Mathews, V; Poonkuzhali, B; Shaji, RV; Srivastava, A; Chandy, M. (2004). Treatment of children with newly diagnosed acute promyelocytic leukemia with arsenic trioxide: A single center experience. *Leukemia.* 18: 1587-1590. <http://dx.doi.org/10.1038/sj.leu.2403480>.
- George, J; Byth, K; Farrell, GC. (1996). Influence of clinicopathological variables on CYP protein expression in human liver. *J Gastroenterol Hepatol.* 11: 33-39.
- George, JD; Price, CJ; Navarro, HA; Marr, MC; Myers, CB; Hunter ES Schwetz, BA; Shelby, MD. (1995). Developmental toxicity of thiophenol (THIO) in rats and rabbits [Abstract]. *Toxicologist.* 15: 160.
- George, KW; Thompson, MG; Kang, A; Baidoo, E; Wang, G; Chan, LJ; Adams, PD; Petzold, CJ; Keasling, JD; Lee, TS. (2015). Metabolic engineering for the high-yield production of isoprenoid-based C<sub>5</sub> alcohols in *E. coli*. *Sci Rep.* 5: 11128. <http://dx.doi.org/10.1038/srep11128>.
- George, MH; Moore, T; Kilburn, S; Olson, GR; Deangelo, AB. (2000). Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F1 mouse. *Toxicol Pathol.* 28: 610-618.
- Gereben, O; Pustai, L. (2013). The liquid structure of tetrachloroethene: molecular dynamics simulations and reverse Monte Carlo modeling with interatomic potentials. *J Chem Phys.* 139: 164509. <http://dx.doi.org/10.1063/1.4826320>.
- Germolec, DR; Yang, RSH; Ackermann, MF; Rosenthal, GJ; Boorman, GA; Blair, P; Luster, MI. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: II. Immunosuppression in B6C3F1 mice. *Fundam Appl Toxicol.* 13: 377-387. [http://dx.doi.org/10.1016/0272-0590\(89\)90275-3](http://dx.doi.org/10.1016/0272-0590(89)90275-3).
- Geyer, CJ. (1996). Markov Chain Monte Carlo In Practice Estimation and optimization of functions. London: Chapman & Hall.

## Human Health Hazard Literature Search Results

### Off Topic

- Ghasemzadeh-Mohammadi, V; Mohammadi, A; Hashemi, M; Khaksar, R; Haratian, P. (2012). Microwave-assisted extraction and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for isolation and determination of polycyclic aromatic hydrocarbons in smoked fish. *J Chromatogr A*. 1237: 30-36. <http://dx.doi.org/10.1016/j.chroma.2012.02.078>.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauning, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res*. 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Gilbert, D; Goyer, M; Lyman, W; Magil, G; Walker, P; Wallace, D; Wechsler, A; Yee, J. (1982). An exposure and risk assessment for tetrachloroethylene. (EPA-440/4-85-015). Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000LLOH.txt>.
- Gilbert, KM; Whitlow, AB; Pumford, NR. (2004). Environmental contaminant and disinfection by-product trichloroacetaldehyde stimulates T cells in vitro. *Int Immunopharmacol*. 4: 25-36. <http://dx.doi.org/10.1016/j.intimp.2003.10.001>.
- Gillam, JE; Solevi, P; Oliver, JF; Casella, C; Heller, M; Joram, C; Rafecas, M. (2014). Sensitivity recovery for the AX-PET prototype using inter-crystal scattering events. *Phys Med Biol*. 59: 4065-4083. <http://dx.doi.org/10.1088/0031-9155/59/15/4065>.
- Giller, S; Le Curieux, F; Erb, F; Marzin, D. (1997). Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis*. 12: 321-328.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995). Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res*. 348: 147-152. [http://dx.doi.org/10.1016/0165-7992\(95\)90002-0](http://dx.doi.org/10.1016/0165-7992(95)90002-0).
- Gillette, JR. (1976). Application of pharmacokinetic principles in the extrapolation of animal data to humans. *Clin Toxicol*. 9: 709-722. <http://dx.doi.org/10.3109/15563657608988176>.
- Ginsberg, G; Hattis, D; Russ, A; Sonawane, B. (2005). Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect*. 113: 1243-1249. <http://dx.doi.org/10.1289/ehp.7568>.
- Ginsberg, G; Smolenski, S; Hattis, D; Guyton, KZ; Johns, DO; B, S. (2009). Genetic polymorphism in glutathione transferases (GST): Population distribution of GSTM1, T1, and P1 conjugating activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 389-439. <http://dx.doi.org/10.1080/10937400903158375>.
- Ginsberg, GL; Foos, BP; Firestone, MP. (2005). Review and analysis of inhalation dosimetry methods for application to children's risk assessment [Review]. *J Toxicol Environ Health A*. 68: 573-615. <http://dx.doi.org/10.1080/15287390590921793>.
- Glinghammar, B; Skogsberg, J; Hamsten, A; Ehrenborg, E. (2003). PPARdelta activation induces COX-2 gene expression and cell proliferation in human hepatocellular carcinoma cells. *Biochem Biophys Res Commun*. 308: 361-368.
- Gnesin, S; Leite Ferreira, P; Malterre, J; Laub, P; Prior, JO; Verdun, FR. (2016). Phantom Validation of Tc-99m Absolute Quantification in a SPECT/CT Commercial Device. *Computational and Mathematical Methods in Medicine*. 2016: 4360371. <http://dx.doi.org/10.1155/2016/4360371>.
- Gochfeld, M. (2007). Framework for gender differences in human and animal toxicology. *Environ Res*. 104: 4-21. <http://dx.doi.org/10.1016/j.envres.2005.12.005>.
- Goerner, FL; Duong, T; Stafford, RJ; Clarke, GD. (2013). A comparison of five standard methods for evaluating image intensity uniformity in partially parallel imaging MRI. *Med Phys*. 40: 082302. <http://dx.doi.org/10.1118/1.4816306>.
- Goertzen, AL; Bao, Q; Bergeron, M; Blankemeyer, E; Blinder, S; Cañadas, M; Chatzioannou, AF; Dinelle, K; Elhami, E; Jans, HS; Lage, E; Lecomte, R; Sossi, V; Surti, S; Tai, YC; Vaquero, JJ; Vicente, E; Williams, DA; Laforest, R. (2012). NEMA NU 4-2008 comparison of preclinical PET imaging systems. *J Nucl Med*. 53: 1300-1309. <http://dx.doi.org/10.2967/jnumed.111.099382>.
- Goh, VH; Chia, SE; Ong, CN. (1998). Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect*. 106: 41-44.
- Gold, LS; De Roos, AJ; Waters, M; Stewart, P. (2008). Systematic literature review of uses and levels of occupational exposure to tetrachloroethylene [Review]. *J Occup Environ Hyg*. 5: 807-839. <http://dx.doi.org/10.1080/15459620802510866>.
- Gold, LS; Manley, NB; Slone, TH; Rohrbach, L; Garfinkel, GB. (2005). Supplement to the Carcinogenic Potency Database (CPDB): results of animal bioassays published in the general literature through 1997 and by the National Toxicology Program in 1997-1998. *Toxicol Sci*. 85: 747-808. <http://dx.doi.org/10.1093/toxsci/kfi161>.
- Gold, LS; Milliken, K; Stewart, P; Purdue, M; Severson, R; Seixas, N; Blair, A; Davis, S; Hartge, P; De Roos, AJ. (2010). Occupation and multiple myeloma: An occupation and industry analysis. *Am J Ind Med*. 53: 768-779. <http://dx.doi.org/10.1002/ajim.20857>.
- Goldman, N; Valiushkyte, K; Londregan, J; Swider, A; Somerville, J; Riggs, JE. (2017). Macrophage regulation of B cell proliferation. *Cell Immunol*. <http://dx.doi.org/10.1016/j.cellimm.2017.02.002>.
- Goldstein, A; Aronow, L; Kalman, SM. (1969). Principles of drug action: The basis of pharmacology. New York, NY: Harper and Row.
- Gómez, MR; Cocco, P; Dosemeci, M; Stewart, PA. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med*. 26: 171-183. <http://dx.doi.org/10.1002/ajim.4700260204>.
- Gong, AK. (1995). Near-patient measurements of methemoglobin, oxygen saturation, and total hemoglobin: Evaluation of a new instrument for adult and neonatal intensive care. *Crit Care Med*. 23: 193-201.
- Gonikberg, MG; Zhulin, VM; Butuzov, VP. (1956). Thermal reactions of tetrachloroethylene at superhigh pressures. *Russian Chemical Bulletin*. 5: 739-741.
- González, CA; López-Abente, G; Errezola, M; Escolar, A; Riboli, E; Izarzugaza, I; Nebot, M. (1989). Occupation and bladder cancer in Spain: A multi-centre case-control study. *Int J Epidemiol*. 18: 569-577. <http://dx.doi.org/10.1093/ije/18.3.569>.
- Goodman, DG; Ward, JM; Squire, RA; Chu, KC; Linhart, MS. (1979). Neoplastic and nonneoplastic lesions in aging F344 rats. *Toxicol Appl Pharmacol*. 48: 237-248. [http://dx.doi.org/10.1016/0041-008X\(79\)90029-2](http://dx.doi.org/10.1016/0041-008X(79)90029-2).



## Human Health Hazard Literature Search Results

### Off Topic

- Goodman, G; Wilson, R. (1991). Quantitative prediction of human cancer risk from rodent carcinogenic potencies: a closer look at the epidemiological evidence for some chemicals not definitively carcinogenic in humans. *Regul Toxicol Pharmacol.* 14: 118-146.
- Goodman, LS; Gilman, A; Gilman, AG. (1990). Goodman and Gilman's the pharmacological basis of therapeutics. In LS Goodman; A Gilman; AG Gilman (Eds.), (8th ed.). New York, NY: Pergamon Press.
- Goris, T; Hornung, B; Kruse, T; Reinhold, A; Westermann, M; Schaap, PJ; Smidt, H; Diekert, G. (2015). Draft genome sequence and characterization of *Desulfitobacterium hafniense* PCE-S. 10: 15. <http://dx.doi.org/10.1186/1944-3277-10-15>.
- Goris, T; Schiffmann, CL; Gadkari, J; Adrian, L; von Bergen, M; Diekert, G; Jehmlich, N. (2016). Proteomic data set of the organohalide-respiring *Epsilonproteobacterium Sulfurospirillum multivorans* adapted to tetrachloroethene and other energy substrates. 8: 637-642. <http://dx.doi.org/10.1016/j.dib.2016.06.022>.
- Goris, T; Schiffmann, CL; Gadkari, J; Schubert, T; Seifert, J; Jehmlich, N; von Bergen, M; Diekert, G. (2015). Proteomics of the organohalide-respiring *Epsilonproteobacterium Sulfurospirillum multivorans* adapted to tetrachloroethene and other energy substrates. *Sci Rep.* 5: 13794. <http://dx.doi.org/10.1038/srep13794>.
- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). *Acute poisoning Clinical toxicology of commercial products* (4 ed.). Baltimore, MD: Williams & Wilkins.
- Gossett, JM. (1987). Measurement of Henry's law constants for C1 and C2 chlorinated hydrocarbons. *Environ Sci Technol.* 21: 202-208. <http://dx.doi.org/10.1021/es00156a012>.
- Gotoh, Y; Iwata, G; Choh, K; Kubota, M; Matsuda, H. (2011). Trichloroethylene decomposition and in-situ dry sorption of Cl-products by calcium oxides prepared from hydrated limes. *Chemosphere.* 85: 637-642. <http://dx.doi.org/10.1016/j.chemosphere.2011.07.010>.
- Gourley, M; Miller, FW. (2007). Mechanisms of disease: Environmental factors in the pathogenesis of rheumatic disease. *Nat Clin Pract Rheumatol.* 3: 172-180. <http://dx.doi.org/10.1038/ncprheum0435>.
- Graedel, TE. (1978). Bell Laboratories to H B Singh [Personal Communication].
- Graham, MJ; Wilson, SA; Winham, MA; Spencer, AJ; Rees, JA; Old, SL; Bonner, FW. (1994). Lack of peroxisome proliferation in marmoset liver following treatment with ciprofibrate for 3 years. *Fundam Appl Toxicol.* 22: 58-64.
- Grandjean, P; Landrigan, PJ. (2006). Developmental neurotoxicity of industrial chemicals [Review]. *Lancet.* 368: 2167-2178. [http://dx.doi.org/10.1016/s0140-6736\(06\)69665-7](http://dx.doi.org/10.1016/s0140-6736(06)69665-7).
- Grant, AM; Deller, TW; Khalighi, MM; Maramraju, SH; Delso, G; Levin, CS. (2016). NEMA NU 2-2012 performance studies for the SiPM-based ToF-PET component of the GE SIGNA PET/MR system. *Med Phys.* 43: 2334. <http://dx.doi.org/10.1118/1.4945416>.
- Grant, WF. (1998). Higher plant assays for the detection of genotoxicity in air polluted environments. *Ecosys Health.* 4: 210-229. <http://dx.doi.org/10.1046/j.1526-0992.1998.98097.x>.
- Grant, WF; Owens, ET. (1998). Chromosome aberration assays in *Crepis* for the study of environmental mutagens. *Mutat Res.* 410: 291-307. [http://dx.doi.org/10.1016/S1383-5742\(98\)00004-0](http://dx.doi.org/10.1016/S1383-5742(98)00004-0).
- Grasl-Kraupp, B; Huber, W; Schulte-Hermann, R. (1993). Are peroxisome proliferators tumour promoters in rat liver? In G Gibson; B Lake (Eds.), (pp. 667-693). London, England, UK: Taylor and Francis.
- Grawé, J; Nüsse, M; Adler, ID. (1997). Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry: I: Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis.* 12: 1-8. <http://dx.doi.org/10.1093/mutage/12.1.1>.
- Gray, GM; Cohen, JT. (2012). Policy: Rethink chemical risk assessments. *Nature.* 489: 27-28. <http://dx.doi.org/10.1038/489027a>.
- Gray, TJ; Beamand, JA; Lake, BG; Foster, JR; Gangolli, SD. (1982). Peroxisome proliferation in cultured rat hepatocytes produced by clofibrate and phthalate ester metabolites. *Toxicol Lett.* 10: 273-279. [http://dx.doi.org/10.1016/0378-4274\(82\)90087-X](http://dx.doi.org/10.1016/0378-4274(82)90087-X).
- Gray, TJ; Lake, BG; Beamand, JA; Foster, JR; Gangolli, SD. (1983). Peroxisome proliferation in primary cultures of rat hepatocytes. *Toxicol Appl Pharmacol.* 67: 15-25.
- Gray, TJB; Lake, BG; Beamand, JA; Foster, JR; Gangolli, SD. (1983). Peroxisomal effects of phthalate esters in primary cultures of rat hepatocytes. *Toxicology.* 28: 167-179. [http://dx.doi.org/10.1016/0300-483X\(83\)90115-4](http://dx.doi.org/10.1016/0300-483X(83)90115-4).
- Green, T; Dow, J; Ellis, MK; Foster, JR; Odum, J. (1997). The role of glutathione conjugation in the development of kidney tumours in rats exposed to trichloroethylene. *Chem Biol Interact.* 105: 99-117.
- Green, T; Mainwaring, GW; Foster, JR. (1997). Trichloroethylene-induced mouse lung tumors: Studies of the mode of action and comparisons between species. *Fundam Appl Toxicol.* 37: 125-130. <http://dx.doi.org/10.1006/faat.1997.2312>.
- Greenamyre, JT. (2014). MtDNA damage as a biomarker for environmental mitochondrial toxicity.
- Griffin, JM; Blossom, SJ; Jackson, SK; Gilbert, KM; Pumford, NR. (2000). Trichloroethylene accelerates an autoimmune response by Th1 T cell activation in MRL +/- mice. *Immunopharmacology.* 46: 123-137. [http://dx.doi.org/10.1016/S0162-3109\(99\)00164-2](http://dx.doi.org/10.1016/S0162-3109(99)00164-2).
- Griffin, JM; Gilbert, KM; Lamps, LW; Pumford, NR. (2000). CD4+ T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL +/- mice. *Toxicol Sci.* 57: 345-352.
- Griffin, JM; Gilbert, KM; Pumford, NR. (2000). Inhibition of CYP2E1 reverses CD4+ T-cell alterations in trichloroethylene-treated MRL +/- mice. *Toxicol Sci.* 54: 384-389.
- Grimsrud, EP; Rasmussen, RA. (1975). Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. *Atmos Environ.* 9: 1014-1017. [http://dx.doi.org/10.1016/0004-6981\(75\)90022-0](http://dx.doi.org/10.1016/0004-6981(75)90022-0).
- Grivennikov, SI; Greten, FR; Karin, M. (2010). Immunity, inflammation, and cancer. *Cell.* 140: 883-899. <http://dx.doi.org/10.1016/j.cell.2010.01.025>.
- Grobin, AC; Matthews, DB; Devaud, LL; Morrow, AL. (1998). The role of GABA(A) receptors in the acute and chronic effects of ethanol [Review]. *Psychopharmacology.* 139: 2-19.

## Human Health Hazard Literature Search Results

### Off Topic

- Grogg, KS; Toole, T; Ouyang, J; Zhu, X; Normandin, MD; Li, Q; Johnson, K; Alpert, NM; El Fakhri, G. (2016). National Electrical Manufacturers Association and Clinical Evaluation of a Novel Brain PET/CT Scanner. *J Nucl Med.* 57: 646-652. <http://dx.doi.org/10.2967/jnumed.115.159723>.
- Grootjans, W; Meeuwis, AP; Slump, CH; de Geus-Oei, LF; Gotthardt, M; Visser, EP. (2016). Performance of 3DOSEM and MAP algorithms for reconstructing low count SPECT acquisitions. 26: 311-322. <http://dx.doi.org/10.1016/j.zemedi.2015.12.004>.
- Grosse, Y; Baan, R; Secretan-Laubay, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Guha, N; Islami, F; Galichet, L; Straif, K. (2011). Carcinogenicity of chemicals in industrial and consumer products, food contaminants and flavourings, and water chlorination byproducts. *Lancet Oncol.* 12: 328-329. [http://dx.doi.org/10.1016/S1470-2045\(11\)70088-2](http://dx.doi.org/10.1016/S1470-2045(11)70088-2).
- Gu, Z; Bao, Q; Taschereau, R; Wang, H; Bai, B; Chatziioannou, AF. (2014). Optimization of the Energy Window for PETbox4, a Preclinical PET Tomograph With a Small Inner Diameter. *IEEE Trans Nucl Sci.* 61: 1164-1173. <http://dx.doi.org/10.1109/TNS.2014.2321326>.
- Gu, Z; Taschereau, R; Vu, NT; Wang, H; Prout, DL; Silverman, RW; Bai, B; Stout, DB; Phelps, ME; Chatziioannou, AF. (2013). NEMA NU-4 performance evaluation of PETbox4, a high sensitivity dedicated PET preclinical tomograph. *Phys Med Biol.* 58: 3791-3814. <http://dx.doi.org/10.1088/0031-9155/58/11/3791>.
- Gu, ZW; Sele, B; Chmara, D; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Faure, J. Effects of trichlorethylene and its metabolites on the rate of sister-chromatidexchange in vivo and in vitro study on the human lymphocytes.
- Gu, ZW; Sele, B; Jalbert, P; Vincent, M; Vincent, F; Marka, C; Chmara, D; Faure, J. (1981). Induction d'échanges entre les chromatides soeurs (SCE) par le trichloroéthylène et ses métabolites. *Toxicol Eur Res.* 3: 63-67.
- Gualandi, G. (1987). Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res-Fundam Mol Mech Mutagen.* 178: 33-41. [http://dx.doi.org/10.1016/0027-5107\(87\)90083-2](http://dx.doi.org/10.1016/0027-5107(87)90083-2).
- Guan, X; Liu, F, ei; Xie, Y; Zhu, L; Han, B, in. (2013). Microbiota associated with the migration and transformation of chlorinated aliphatic hydrocarbons in groundwater. *Environ Geochem Health.* 35: 535-549. <http://dx.doi.org/10.1007/s10653-013-9513-3>.
- Guengerich, FP; Macdonald, TL. (1984). Chemical mechanisms of catalysis by cytochrome P450: a unified view. *Acc Chem Res.* 17: 9-16.
- Guerard, M; Marchand, C; Plappert-Helbig, U. (2014). Influence of Experimental Conditions on Data Variability in the Liver Comet Assay. *Environ Mol Mutagen.* 55: 114-121.
- Gulyas, H; Hemmerling, L. (1990). Tetrachloroethene air pollution originating from coin-operated dry cleaning establishments. *Environ Res.* 53: 90-99.
- Guo, D; Sarkar, J; Suino-Powell, K; Xu, Y; Matsumoto, K; Jia, Y; Yu, S; Khare, S; Haldar, K; Rao, MS; Foreman, JE; Monga, SP; Peters, JM; Xu, HE; Reddy, JK. (2007). Induction of nuclear translocation of constitutive androstane receptor by peroxisome proliferator-activated receptor alpha synthetic ligands in mouse liver. *J Biol Chem.* 282: 36766-36776. <http://dx.doi.org/10.1074/jbc.M707183200>.
- Guth, DJ. (1994). Comparison of quantitative exposure-response models: application to risk assessment of acute exposure to toluene or tetrachloroethylene [Abstract]. *Toxicologist.* 14: 400.
- Guth, DJ; Carroll, RJ; Simpson, DG; Zhou, H. (1997). Categorical regression analysis of acute exposure to tetrachloroethylene. *Risk Anal.* 17: 321-332.
- Guvanis, A; Koc, A. (2015). Optimising delineation accuracy of tumours in PET for radiotherapy planning using blind deconvolution. *Radiat Prot Dosimetry.* 165: 495-498. <http://dx.doi.org/10.1093/rpd/ncv110>.
- Guyton, KZ; Chiu, WA; Bateson, TF; Jinot, J; Scott, CS; Brown, RC; Caldwell, JC. (2009). A reexamination of the PPAR-alpha activation mode of action as a basis for assessing human cancer risks of environmental contaminants [Review]. *Environ Health Perspect.* 117: 1664-1672. <http://dx.doi.org/10.1289/ehp.0900758>.
- Guyton, KZ; Liu, Y; Gorospe, M; Xu, Q; Holbrook, NJ. (1996). Activation of mitogen-activated protein kinase by H2O2. Role in cell survival following oxidant injury. *J Biol Chem.* 271: 4138-4142.
- Guyton, KZ; Xu, Q; Holbrook, NJ. (1996). Induction of the mammalian stress response gene GADD153 by oxidative stress: Role of AP-1 element. *Biochem J.* 314: 547-554.
- Guzelian, PS; Henry, CJ; Farland, WH; Olin, SS. (1992). Developmental toxicants risk assessment [Letter]. *Pediatrics.* 89: 353.
- Guzelian, PS; Henry, CJ; Olin, SS. (1992). Similarities and differences between children and adults: Implications for risk assessment. In PS Guzelian; CJ Henry; SS Olin (Eds.). Washington, DC: ILSI Press.
- Ha, KM; Park, S; Yoon, Y; Nam, KH; Oh, HM. (2015). Emergency management training in Korea: combining and balancing supply- and demand-centered paradigms. 4: 653. <http://dx.doi.org/10.1186/s40064-015-1459-8>.
- Hack, CE; Chiu, WA; Jay Zhao, Q; Clewell, HJ. (2006). Bayesian population analysis of a harmonized physiologically based pharmacokinetic model of trichloroethylene and its metabolites. *Regul Toxicol Pharmacol.* 46: 63-83. <http://dx.doi.org/10.1016/j.yrtph.2006.05.012>.
- Haddad, S; Withey, J; Lapare, S; Law, F; Krishnan, K. (1998). Physiologically-based pharmacokinetic modeling of pyrene in the rat. *Environ Toxicol Pharmacol.* 5: 245-255. [http://dx.doi.org/10.1016/S1382-6689\(98\)00008-8](http://dx.doi.org/10.1016/S1382-6689(98)00008-8).
- Hagmar, L; Bellander, T; Högstedt, B; Hallberg, T; Attewell, R; Raihle, G; Au, WW; Legator, MS; Mitelman, F; Skerfving, S. (1988). Biological effects in a chemical factory with mutagenic exposure. I. Cytogenetic and haematological parameters. *Int Arch Occup Environ Health.* 60: 437-444. <http://dx.doi.org/10.1007/BF00381392>.
- Hakkola, J; Pasanen, M; Hukkanen, J; Pelkonen, O; Maenpaa, J; Edwards, RJ; Boobis, AR; Raunio, H. (1996). Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol.* 51: 403-411. [http://dx.doi.org/10.1016/0006-2952\(95\)02184-1](http://dx.doi.org/10.1016/0006-2952(95)02184-1).
- Hakkola, J; Pelkonen, O; Pasanen, M; Raunio, H. (1998). Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: Role in intrauterine toxicity [Review]. *Crit Rev Toxicol.* 28: 35-72. <http://dx.doi.org/10.1080/10408449891344173>.

## Human Health Hazard Literature Search Results

### Off Topic

- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol.* 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998). Developmental expression of cytochrome P450 enzymes in human liver [Review]. *Pharmacol Toxicol.* 82: 209-217. <http://dx.doi.org/10.1111/j.1600-0773.1998.tb01427.x>.
- Han, X; Szostek, B; Yang, CH; Cheatham, SF; Mingoia, RT; Nabb, DL; Gannon, SA; Himmelstein, MW; Jepson, GW. (2011). Comparative metabolism of 1,2,3,3,3-pentafluoropropene in male and female mouse, rat, dog, and human liver microsomes and cytosol and male rat hepatocytes via oxidative dehalogenation and glutathione S-conjugation pathways. *Drug Metab Dispos.* 39: 1288-1293. <http://dx.doi.org/10.1124/dmd.111.038299>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol.* 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanahan, D; Weinberg, RA. (2000). The hallmarks of cancer [Review]. *Cell.* 100: 57-70. [http://dx.doi.org/10.1016/S0092-8674\(00\)81683-9](http://dx.doi.org/10.1016/S0092-8674(00)81683-9).
- Handa, RK; Johnson, CD; Connors, BA; Evan, AP; Lingeman, JE; Liu, Z. (2016). Percutaneous Renal Access: Surgical Factors Involved in the Acute Reduction of Renal Function. *J Endourol.* 30: 178-183. <http://dx.doi.org/10.1089/end.2015.0542>.
- Hanefeld, M; Kemmer, C; Kadner, E. (1983). Relationship between morphological changes and lipid-lowering action of p-chlorophenoxyisobutyric acid (CPIB) on hepatic mitochondria and peroxisomes in man. *Atherosclerosis.* 46: 239-246. [http://dx.doi.org/10.1016/0021-9150\(83\)90115-6](http://dx.doi.org/10.1016/0021-9150(83)90115-6).
- Hanefeld, M; Kemmer, C; Leonhardt, W; Kunze, KD; Jaross, W; Haller, H. (1980). Effects of p-chlorophenoxyisobutyric acid (CPIB) on the human liver. *Atherosclerosis.* 36: 159-172.
- Hansen, AE; Andersen, FL; Henriksen, ST; Vignaud, A; Ardenkjaer-Larsen, JH; Højgaard, L; Kjaer, A; Klausen, TL. (2016). Simultaneous PET/MRI with <sup>13</sup>C magnetic resonance spectroscopic imaging (hyperPET): phantom-based evaluation of PET quantification. 3: 7. <http://dx.doi.org/10.1186/s40658-016-0143-6>.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; Johansen, I; McLaughlin, JK; Lipworth, L; Blot, WJ; Olsen, JH. (2001). Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med.* 43: 133-139.
- Hansen, J; Sallmen, M; Selden, AI; Anttila, A; Pukkala, E; Andersson, K; Bryngelsson, I; Raaschou-Nielsen, O, le; Olsen, JH; McLaughlin, JK. (2013). Risk of Cancer Among Workers Exposed to Trichloroethylene: Analysis of Three Nordic Cohort Studies. *J Natl Cancer Inst.* 105: 869-877. <http://dx.doi.org/10.1093/jnci/djt107>.
- Hardell, L; Eriksson, M; Lenner, P; Lundgren, E. (1981). Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy acids: A case-control study. *Br J Cancer.* 43: 169-176.
- Hardie, DWF. (1964). Chlorocarbons and chlorohydrocarbons: Trichloroethylene. In RE Kirk; DF Othmer (Eds.), (2nd ed., pp. 183-195). New York, NY: John Wiley and Sons.
- Hardin, BD; Bond, GP; Sikov, MR; Andrew, FD; Beliles, RP; Niemeier, RW. (1981). Testing of selected workplace chemicals for teratogenic potential. *Scand J Work Environ Health.* 7: 66-75.
- Hardwick, JP; Song, BJ; Huberman, E; Gonzalez, FJ. (1987). Isolation, complementary DNA sequence, and regulation of rat hepatic lauric acid omega-hydroxylase (cytochrome P-450LA omega): Identification of a new cytochrome P-450 gene family. *J Biol Chem.* 262: 801-810.
- Harendra, S; Vipulanandan, C. (2011). Solubilization and degradation of perchloroethylene (PCE) in cationic and nonionic surfactant solutions. *J Environ Sci.* 23: 1240-1248. [http://dx.doi.org/10.1016/S1001-0742\(10\)60576-1](http://dx.doi.org/10.1016/S1001-0742(10)60576-1).
- Harrap, KR. (1975). Deviant metabolic patterns in malignant disease. In EJ Ambrose; FJC Roe (Eds.), (2nd ed., pp. 96-125). New York: Halsted Press.
- Harrington, JM; Whitby, H; Gray, CN; Reid, FJ; Aw, TC; Waterhouse, JA. (1989). Renal disease and occupational exposure to organic solvents: A case referent approach. *Br J Ind Med.* 46: 643-650. <http://dx.doi.org/10.1136/oem.46.9.643>.
- Harrington-Brock, K; Doerr, CL; Moore, MM. (1998). Mutagenicity of three disinfection by-products: Di- and trichloroacetic acid and chloral hydrate in L5178Y(+/-) -3.7.2C mouse lymphoma cells. *Mutat Res Genet Toxicol Environ Mutagen.* 413: 265-276.
- Harrington-Brock, K; Smith, TW; Parker, LM; Moore, MM. (1992). Environmental and Molecular Mutagenesis Genotoxic effects of by-products of the chlorination of drinking water. Reno, Nevada.
- Harris, MI. (1995). Chapter 1: Summary. In MI Harris; CC Cowie; MP Stern; EJ Boyko; GE Reiber; PH Bennett (Eds.), (2nd ed., pp. 1-14). Bethesda, MD: National Diabetes Data Group; National Institutes of Health; National Institute of Diabetes and Digestive and Kidney Diseases. <http://diabetes.niddk.nih.gov/dm/pubs/america/contents.htm>.
- Harris, NL; Jaffe, ES; Diebold, J; Flandrin, G; Muller-Hermelink, HK; Vardiman, J. (2000). Lymphoma classification - from controversy to consensus: The R.E.A.L. and WHO Classification of lymphoid neoplasms [Review]. *Ann Oncol.* 11: 3-10. [http://dx.doi.org/10.1093/annonc/11.suppl\\_1.S3](http://dx.doi.org/10.1093/annonc/11.suppl_1.S3).
- Harris, RA; Mihic, SJ; Dildy-Mayfield, JE; Machu, TK. (1995). Actions of anesthetics on ligand-gated ion channels: Role of receptor subunit composition [Review]. *FASEB J.* 9: 1454-1462.
- Hart, R; Turturro, A. (1988). Comments on Allen et al [Letter]. *Risk Anal.* 8: 545-547. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01194.x>.
- Harte, PT; Smith, TE; Williams, JH; Degnan, JR. (2012). Time series geophysical monitoring of permanganate injections and in situ chemical oxidation of PCE, OU1 area, Savage Superfund Site, Milford, NH, USA. *J Contam Hydrol.* 132: 58-74. <http://dx.doi.org/10.1016/j.jconhyd.2012.01.008>.
- Harteveld, AA; Meeuwis, AP; Disselhorst, JA; Slump, CH; Oyen, WJ; Boerman, OC; Visser, EP. (2011). Using the NEMA NU 4 PET image quality phantom in multipinhole small-animal SPECT. *J Nucl Med.* 52: 1646-1653. <http://dx.doi.org/10.2967/jnumed.110.087114>.
- Hartge, P; Cahill, JJ; West, D; Hauck, M; Austin, D; Silverman, D; Hoover, R. (1984). Design and methods in a multi-center case-control interview study. *Am J Public Health.* 74: 52-56.

## Human Health Hazard Literature Search Results

### Off Topic

- Hartge, P; Hoover, R; Kantor, A. (1985). Bladder cancer risk and pipes, cigars, and smokeless tobacco. *Cancer*. 55: 901-906. [http://dx.doi.org/10.1002/1097-0142\(19850215\)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q](http://dx.doi.org/10.1002/1097-0142(19850215)55:4<901::AID-CNCR2820550432>3.0.CO;2-Q).
- Hartwell, TD; Crowder, JH; Sheldon, LS; Pellizzari, ED; Wallace, L. (1985). Proceedings of the Air Pollution Control Association 78th Annual Meeting Levels of volatile organics in indoor air. Pittsburgh, PA: Air Pollution Control Association.
- Haseman, JK; Hailey, JR; Morris, RW. (1998). Spontaneous neoplasm incidences in Fischer 344 rats and B6C3F1 mice in two-year carcinogenicity studies: A National Toxicology Program update. *Toxicol Pathol*. 26: 428-441. <http://dx.doi.org/10.1177/019262339802600318>.
- Hasmall, S; Orphanides, G; James, N; Pennie, W; Hedley, K; Soames, A; Kimber, I; Roberts, R. (2002). Downregulation of lactoferrin by PPARalpha ligands: Role in perturbation of hepatocyte proliferation and apoptosis. *Toxicol Sci*. 68: 304-313.
- Hasmall, SC; James, NH; Macdonald, N; West, D; Chevalier, S; Cosulich, SC; Roberts, RA. (1999). Suppression of apoptosis and induction of DNA synthesis in vitro by the phthalate plasticizers monoethylhexylphthalate (MEHP) and diisononylphthalate (DINP): A comparison of rat and human hepatocytes in vitro. *Arch Toxicol*. 73: 451-456. <http://dx.doi.org/10.1007/s002040050634>.
- Hassoun, EA; Dey, S. (2008). Dichloroacetate- and trichloroacetate-induced phagocytic activation and production of oxidative stress in the hepatic tissues of mice after acute exposure. *J Biochem Mol Toxicol*. 22: 27-34. <http://dx.doi.org/10.1002/jbt.20210>.
- Hayashi, N; Miyati, T; Takanaga, M; Ohno, N; Hamaguchi, T; Kozaka, K; Sanada, S; Yamamoto, T; Matsui, O. (2011). [Method of correcting sensitivity nonuniformity using gaussian distribution on 3.0 Tesla abdominal MRI]. 67: 627-633.
- Haydon, DA; Urban, BW. (1983). The action of alcohols and other non-ionic surface active substances on the sodium current of the squid giant axon. *J Physiol*. 341: 411-427.
- Haydon, DA; Urban, BW. (1983). The action of hydrocarbons and carbon tetrachloride on the sodium current of the squid giant axon. *J Physiol*. 338: 435-450.
- Haydon, DA; Urban, BW. (1983). The effects of some inhalation anaesthetics on the sodium current of the squid giant axon. *J Physiol*. 341: 429-439.
- He, Z; Liu, QL; Zhang, YJ; Yang, GP. (2017). Distribution and sea-to-air fluxes of volatile halocarbons in the Bohai Sea and North Yellow Sea during spring. *Sci Total Environ*. <http://dx.doi.org/10.1016/j.scitotenv.2017.01.065>.
- He, Z; Lu, XL; Yang, GP. (2013). [Distribution characteristics and sea-air fluxes of volatile halocarbons in the East China Sea in winter]. *Huanjing Kexue*. 34: 849-856.
- Health, NJDo. (2013). Public Health Assessment Final Release: Public Health Implication of Site-Related Exposures to Tetrachloroethylene and Trichloroethylene, Pohatcong Valley Groundwater Contamination Superfund Site, Warren County, New Jersey. EPA Facility ID: NJD981179047, May 8, 2013 (pp. 103).
- Health, NJDo. (2016). Health Assessment Final Release: Public Health Implications of Exposures to Chlorinated Volatile Organic Compounds in Public Supply Wells, Orange Valley Regional Ground Water Contamination Site, Orange and West Orange, Essex County, New Jersey. EPA Facility ID: NJD002148799. [https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange\\_Valley\\_Regional\\_Groundwater\\_Contamination\\_PHA\(PC\)\\_09-15-2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/OrangeValleyRegionalGroundwaterContamination/Orange_Valley_Regional_Groundwater_Contamination_PHA(PC)_09-15-2015_508.pdf).
- Health, NYSDo. (2013). Letter Health Consultation: MacKenzie Chemical Works, Inc., Central Islip, Suffolk County, New York. EPA Facility ID: NYD980753420, December 4, 2013 (pp. 22). (NTIS/12380106). [https://www.health.ny.gov/environmental/investigations/mackenzie/health\\_consult\\_2013.pdf](https://www.health.ny.gov/environmental/investigations/mackenzie/health_consult_2013.pdf).
- Health, ODo. (2012). Health Consultation: Jerry's Professional Cleaners Vapor Intrusion Site, Kent, Portage County, Ohio. EPA Facility ID: OHN000510524, September 17, 2012 (pp. 21).
- Health, TDo. (2015). Health Consultation: Evaluation of Indoor Air Sampling Events, Former Walker Machine Products, Collierville, Shelby County, Tennessee, July 28, 2015.
- Health, VDo. (2015). Health Consultation: Sandston PCE Site, Sandston, Henrico County, Virginia, September 30, 2015. Atlanta, Georgia. [https://www.atsdr.cdc.gov/HAC/pha/Sandston\\_air/Sandston\\_Air\\_LHC\\_Sept2015\\_508.pdf](https://www.atsdr.cdc.gov/HAC/pha/Sandston_air/Sandston_Air_LHC_Sept2015_508.pdf).
- Hegi, ME; Fox, TR; Belinsky, SA; Devereux, TR; Anderson, MW. (1993). Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis*. 14: 145-149. <http://dx.doi.org/10.1093/carcin/14.1.145>.
- Heidari, M; Bahrami, A; Ghiasvand, AR; Emam, MR; Shahna, FG; Soltanian, AR. (2015). Graphene packed needle trap device as a novel field sampler for determination of perchloroethylene in the air of dry cleaning establishments. *Talanta*. 131: 142-148. <http://dx.doi.org/10.1016/j.talanta.2014.07.043>.
- Heikes, DL; Hopper, ML. (1986). Purge and trap method for determination of fumigants in whole grains, milled grain products, and intermediate grain-based foods. *J Assoc Offic Anal Chem*. 69: 990-998.
- Hejtmancik, MR; Trela, BA; Kurtz, PJ; Persing, RL; Ryan, MJ; Yarrington, JT; Chhabra, RS. (2002). Comparative gavage subchronic toxicity studies of o-chloroaniline and m-chloroaniline in F344 rats and B6C3F1 mice. *Toxicol Sci*. 69: 234-243.
- Hellman, B; Ullberg, S. (1986). Rate of incorporation of [3H]thymidine in various tissues of the mouse. A basis for the evaluation of genotoxic effects of chemicals. *Cell Tissue Kinet*. 19: 183-194. <http://dx.doi.org/10.1111/j.1365-2184.1986.tb00729.x>.
- Helma, C; Eckl, P; Gottmann, E; Kassie, F; Rödinger, W; Steinkellner, H; Windpassinger, C; Schulte-Hermann, R; Knasmüller, S. (1998). Genotoxic and ecotoxic effects of groundwaters and their relation to routinely measured chemical parameters. *Environ Sci Technol*. 32: 1799-1805. <http://dx.doi.org/10.1021/es971049g>.
- Hemminki, K; Franssila, E; Vainio, H. (1980). Spontaneous abortions among female chemical workers in Finland. *Int Arch Occup Environ Health*. 45: 123-126. <http://dx.doi.org/10.1007/BF01274131>.

## Human Health Hazard Literature Search Results

### Off Topic

- Hemminki, K; Saloniemi, I; Luoma, K; Salonen, T; Partanen, T; Vainio, H; Hemminki, E. (1980). Transplacental carcinogens and mutagens: Childhood cancer, malformations, and abortions as risk indicators. *J Toxicol Environ Health A*. 6: 1115-1126. <http://dx.doi.org/10.1080/15287398009529932>.
- Hennelly, KE; Baskin, MN; Monuteaux, MC; Hudgins, J; Kua, E; Commeree, A; Kimia, R; Lee, EY; Kimia, A; Neuman, MI. (2016). Detection of Pulmonary Embolism in High-Risk Children. *J Pediatr*. 178: 214-218.e213. <http://dx.doi.org/10.1016/j.jpeds.2016.07.046>.
- Hennig, UG; Rudd, NL; Hoar, DI. (1988). Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res*. 203: 405-414.
- Henry, B; Grant, SG; Klopman, G; Rosenkranz, HS. (1998). Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: Evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res*. 397: 313-335. [http://dx.doi.org/10.1016/S0027-5107\(97\)00231-5](http://dx.doi.org/10.1016/S0027-5107(97)00231-5).
- Henschler, D. (1977). Metabolism and mutagenicity of halogenated olefins - A comparison of structure and activity. *Environ Health Perspect*. 21: 61-64.
- Henschler, D; Bonse, G. (1977). Metabolic activation of chlorinated ethylenes: Dependence of mutagenic effect on electrophilic reactivity of the metabolically formed epoxides. *Arch Toxicol*. 39: 7-12. <http://dx.doi.org/10.1007/BF00343270>.
- Herath, N; Hause, ML; Suits, AG. (2011). The photodissociation dynamics of tetrachloroethylene. *J Chem Phys*. 134: 164301. <http://dx.doi.org/10.1063/1.3580282>.
- Herbert, V; Gardner, A; Colman, N. (1980). Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). *Am J Clin Nutr*. 33: 1179-1182.
- Hernberg, S; Kauppinen, T; Riala, R; Korkala, ML; Asikainen, U. (1988). Increased risk for primary liver cancer among women exposed to solvents. *Scand J Work Environ Health*. 14: 356-365.
- Hernberg, S; Korkala, ML; Asikainen, U; Riala, R. (1984). Primary liver cancer and exposure to solvents. *Int Arch Occup Environ Health*. 54: 147-153. <http://dx.doi.org/10.1007/BF00378517>.
- Herren-Freund, SL; Pereira, MA; Khoury, MD; Olson, G. (1987). The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol Appl Pharmacol*. 90: 183-189. [http://dx.doi.org/10.1016/0041-008X\(87\)90325-5](http://dx.doi.org/10.1016/0041-008X(87)90325-5).
- Herrera, E; Amusquivar, E; López-Soldado, I; Ortega, H. (2006). Maternal lipid metabolism and placental lipid transfer [Review]. *Horm Res*. 65: 59-64. <http://dx.doi.org/10.1159/000091507>.
- Herrinton, LJ. (1998). Epidemiology of the Revised European-American Lymphoma Classification subtypes [Review]. *Epidemiol Rev*. 20: 187-203.
- Hill, AB. (1965). The environment and disease: Association or causation? *Proc R Soc Med*. 58: 295-300.
- Himmelhoch, SS; Miles-Mclean, H; Medoff, DR; Kreyenbuhl, J; Rugle, L; Bailey-Kloch, M; Potts, W; Welsh, C; Brownley, J. (2015). Evaluation of brief screens for gambling disorder in the substance use treatment setting. *Am J Addict*. 24: 460-466. <http://dx.doi.org/10.1111/ajad.12241>.
- Himmelheber, DW; Pennell, KD; Hughes, JB. (2011). Evaluation of a laboratory-scale bioreactive in situ sediment cap for the treatment of organic contaminants. *Water Res*. 45: 5365-5374. <http://dx.doi.org/10.1016/j.watres.2011.06.022>.
- Hinchman, CA; Ballatori, N. (1990). Glutathione-degrading capacities of liver and kidney in different species. *Biochem Pharmacol*. 40: 1131-1135. [http://dx.doi.org/10.1016/0006-2952\(90\)90503-D](http://dx.doi.org/10.1016/0006-2952(90)90503-D).
- Hinoshita, F; Hardin, JA; Sherr, DH. (1992). Fluoranthene induces programmed cell death and alters growth of immature B cell populations in bone marrow cultures. *Toxicology*. 73: 203-218. [http://dx.doi.org/10.1016/0300-483X\(92\)90103-L](http://dx.doi.org/10.1016/0300-483X(92)90103-L).
- Hinson, JA; Roberts, DW. (1992). Role of covalent and noncovalent interactions in cell toxicity: Effects on proteins [Review]. *Annu Rev Pharmacol Toxicol*. 32: 471-510. <http://dx.doi.org/10.1146/annurev.pa.32.040192.002351>.
- Hinton, RH; Mitchell, FE; Mann, A; Chescoe, D; Price, SC; Nunn, A; Grasso, P; Bridges, JW. (1986). Effects of phthalic acid esters on the liver and thyroid. *Environ Health Perspect*. 70: 195-210.
- Hiortdahl, KM; Borden, RC. (2014). Enhanced reductive dechlorination of tetrachloroethene dense nonaqueous phase liquid with EVO and Mg(OH)<sub>2</sub>. *Environ Sci Technol*. 48: 624-631. <http://dx.doi.org/10.1021/es4042379>.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med*. 22: 722-726.
- Hoch, JS; Brown, MB; McMahon, C; Nanson, J; Rozmovits, L. (2014). Meaningful patient representation informing Canada's cancer drug funding decisions: views of patient representatives on the Pan-Canadian Oncology Drug Review. *Current Oncology (Toronto)*. 21: 263-266. <http://dx.doi.org/10.3747/co.21.2128>.
- Hoenig, JM; Heisey, DM. (2001). The abuse of power: The pervasive fallacy of power calculations for data analysis. *Am Stat*. 55: 19-24.
- Hoffmann, D; Rathkamp, G; Nesnow, S; Wynder, EL. (1972). Fluoranthenes: Quantitative determination in cigarette smoke, formation by pyrolysis, and tumor-initiating activity. *J Natl Cancer Inst*. 49: 1165-1175.
- Hoivik, DJ; Qualls, CW, Jr; Mirabile, RC; Cariello, NF; Kimbrough, CL; Colton, HM; Anderson, SP; Santostefano, MJ; Morgan, RJO; Dahl, RR; Brown, AR; Zhao, Z; Mudd, PN, Jr; Oliver, WB, Jr; Brown, HR; Miller, RT. (2004). Fibrates induce hepatic peroxisome and mitochondrial proliferation without overt evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis*. 25: 1757-1769. <http://dx.doi.org/10.1093/carcin/bgh182>.
- Holoshitz, N; Alsheikh-Ali, AA; Karas, RH. (2008). Relative safety of gemfibrozil and fenofibrate in the absence of concomitant cerivastatin use. *Am J Cardiol*. 101: 95-97. <http://dx.doi.org/10.1016/j.amjcard.2007.07.057>.
- Holson, RR; Pearce, B. (1992). Principles and pitfalls in the analysis of prenatal treatment effects in multiparous species. *Neurotoxicol Teratol*. 14: 221-228. [http://dx.doi.org/10.1016/0892-0362\(92\)90020-B](http://dx.doi.org/10.1016/0892-0362(92)90020-B).
- Holtcamp, W. (2012). Subtle shades of impairment: childhood tetrachloroethylene exposure may cause subclinical deficits in adult vision [Comment]. *Environ Health Perspect*. 120: A362.

## Human Health Hazard Literature Search Results

### Off Topic

- Hoshida, Y; Toffanin, S; Lachenmayer, A; Villanueva, A; Minguez, B; Llovet, JM. (2010). Molecular classification and novel targets in hepatocellular carcinoma: recent advancements. *Semin Liver Dis.* 30: 35-51. <http://dx.doi.org/10.1055/s-0030-1247131>.
- Hossaini, R; Chipperfield, MP; Saiz-Lopez, A; Harrison, JJ; von Glasow, R; Sommariva, R; Atlas, E; Navarro, M; Montzka, SA; Feng, W; Dhomse, S; Harth, C; Muehle, J; Lunder, C; O'Doherty, S; Young, D; Reimann, S; Vollmer, MK; Krummel, PB; Bernath, PF. (2015). Growth in stratospheric chlorine from short-lived chemicals not controlled by the Montreal Protocol. *Geophys Res Lett.* 42: 4573-4580. <http://dx.doi.org/10.1002/2015GL063783>.
- Hou, Y; Chu, W; Ma, M. (2012). Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source. *J Environ Sci.* 24: 1204-1209. [http://dx.doi.org/10.1016/S1001-0742\(11\)61006-1](http://dx.doi.org/10.1016/S1001-0742(11)61006-1).
- Houk, VS; Demarini, DM. (1991). Characterizing the genotoxicity of hazardous industrial wastes and effluents using short-term bioassays. In MS Simmons (Ed.), (pp. 211-245). Chelsea, MI: Lewis Publishers, Inc.
- Hours, M; Dananche, B; Fevotte, J; Bergeret, A; Ayzac, L; Cardis, E; Etard, JF; Pallen, C; Roy, P; Fabry, J. (1994). Bladder cancer and occupational exposures. *Scand J Work Environ Health.* 20: 322-330.
- Houston, JB. (1994). Relevance of in vitro kinetic parameters to in vivo metabolism of xenobiotics. *Toxicol In Vitro.* 8: 507-512. [http://dx.doi.org/10.1016/0887-2333\(94\)90002-7](http://dx.doi.org/10.1016/0887-2333(94)90002-7).
- Houston, JB. (1994). Utility of in vitro drug metabolism data in predicting in vivo metabolic clearance [Review]. *Biochem Pharmacol.* 47: 1469-1479.
- Houten, L; Sonnesso, G. (1980). Occupational exposure and cancer of the liver. *Arch Environ Health.* 35: 51-53.
- Howard, CJ. (1976). Rate constants for the gas-phase reactions of OH radicals with ethylene and halogenated ethylene compounds. *J Chem Phys.* 65: 4771-4777. <http://dx.doi.org/10.1063/1.432932>.
- Howe, RB. (1983). GLOBAL83, an experimental program developed for the U.S. Environmental Protection Agency as an update to GLOBAL82: A computer program to extrapolate quantal animal toxicity data to low doses (May 1982) (Version 1983) [Computer Program]. Ruston, LA: K.S. Crump and Co., Inc.
- Howie, SJ. (1981). Ambient perchloroethylene levels inside coin-operated laundries with drycleaning machines on the premises. (EPA 600/4-82-032). Research Triangle Park, NC: U.S. Environmental Protection Agency; Environmental Monitoring Systems Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82230947>.
- Howroyd, P; Swanson, C; Dunn, C; Cattley, RC; Corton, JC. (2004). Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). *Toxicol Pathol.* 32: 591-599.
- Howse, MLP; Bell, GM. (2007). Drugs and toxins that damage the kidney. *Medicine (Baltimore).* 35: 399-403. <http://dx.doi.org/10.1016/j.mpmed.2007.04.002>.
- Hrelia, P; Maffei, F; Vigagni, F; Fimognari, C; Flori, P; Stanzani, R; Forti, GC. (1994). Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect.* 102: 31-34.
- HSDB. (1996). Phenothiazine (Version Last Revision Date: 20050623) [Database]. Bethesda, MD: National Library of Medicine. Retrieved from <http://toxnet.nlm.nih.gov>
- HSDB. (2001). Tetrachloroethylene. Bethesda, Maryland: National Library of Medicine, National Toxicology Program, Hazardous Substances Data Bank.
- HSIA. (1984). Comments and additional corrections on the health assessment document tetrachloroethylene (perchloroethylene). Arlington, VA.
- HSIA. (2004). Comment entitled "evaluation of EPA's neurotoxicity of tetrachloroethylene" submitted by Paul H. Dugard, Ph.D, Halogenated Solvents Industry Alliance, Inc. for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0006>.
- HSIA. (2004). Comment focusing on "certain halogenated solvents" submitted by Paul H. Dugard, Director of Scientific Studies, the Halogenated Solvents Industry Alliance, Inc. (HSIA) for EPA docket ORD-2003-0014. Arlington, VA. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0005>.
- Hu, C; Bi, A; Pan, ZH. (2009). Differential expression of three T-type calcium channels in retinal bipolar cells in rats. *Vis Neurosci.* 26: 177-187. <http://dx.doi.org/10.1017/S0952523809090026>.
- Hu, DB; Lu, LJ; Gao, YY; Zhang, HJ; Han, YJ; Gu, CW; Ma, JH. (2015). [Incorporation of TV regularization in deconvolution for partial volume correction in PET imaging]. *Nan Fang Yi Ke Da Xue Xue Bao.* 35: 474-480.
- Hu, Y; Hakkola, J; Oscarson, M; Ingelman-Sundberg, M. (1999). Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: Identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun.* 263: 286-293. <http://dx.doi.org/10.1006/bbrc.1999.1362>.
- Hu, Y; Rankine, L; Green, OL; Kashani, R; Li, HH; Li, H; Nana, R; Rodriguez, V; Santanam, L; Shvartsman, S; Victoria, J; Wooten, HO; Dempsey, JF; Mutic, S. (2015). Characterization of the onboard imaging unit for the first clinical magnetic resonance image guided radiation therapy system. *Med Phys.* 42: 5828-5837. <http://dx.doi.org/10.1118/1.4930249>.
- Huang, D; Becker, JG. (2011). Dehalorespiration model that incorporates the self-inhibition and biomass inactivation effects of high tetrachloroethene concentrations. *Environ Sci Technol.* 45: 1093-1099. <http://dx.doi.org/10.1021/es102729v>.
- Huang, D; Lai, Y; Becker, JG. (2014). Impact of initial conditions on extant microbial kinetic parameter estimates: application to chlorinated ethene dehalorespiration. *Appl Microbiol Biotechnol.* 98: 2279-2288. <http://dx.doi.org/10.1007/s00253-013-5171-8>.
- Huang, H; Lv, J; Bao, Y; Xuan, R; Sun, S; Sneck, S; Li, S; Modanese, C; Savin, H; Wang, A; Zhao, J. (2017). Data of ALD Al2O3 rear surface passivation, Al2O3 PERC cell performance, and cell efficiency loss mechanisms of Al2O3 PERC cell. 11: 19-26. <http://dx.doi.org/10.1016/j.dib.2016.12.030>.

## Human Health Hazard Literature Search Results

### Off Topic

- Huang, H; Lv, J; Bao, Y; Xuan, R; Sun, S; Sneck, S; Li, S; Modanese, C; Savin, H; Wang, A; Zhao, J. (2017). Data of the recombination loss mechanisms analysis on Al<sub>2</sub>O<sub>3</sub> PERC cell using PC1D and PC2D simulations. 11: 27-31. <http://dx.doi.org/10.1016/j.dib.2016.12.031>.
- Huang, J; Gan, H; Li, H; Wu, K. (1998). [Mutagenicity of typical organo-halogenated compounds from drinking water]. Huanjing Kexue. 19: 54-57.
- Hudnell, HK; Boyes, WK; Otto, DA; House, DE; Creason, JP; Geller, AM; Darcey, DJ; Broadwell, DK. (1996). Battery of neurobehavioral tests recommended to ATSDR: Solvent-induced deficits in microelectronic workers [Review]. Toxicol Ind Health. 12: 235-243.
- Hudnell, HK; House, D; Schmid, J; Koltai, D; Stopford, W; Wilkins, J; Savitz, DA; Swinker, M; Music, S. (2001). Human visual function in the North Carolina clinical study on possible estuary-associated syndrome. J Toxicol Environ Health A. 62: 575-594. <http://dx.doi.org/10.1080/15287390151079633>.
- Hudnell, HK; Otto, DA; House, DE. (1996). The influence of vision on computerized neurobehavioral test scores: A proposal for improving test protocols. Neurotoxicol Teratol. 18: 391-400. [http://dx.doi.org/10.1016/0892-0362\(96\)00040-2](http://dx.doi.org/10.1016/0892-0362(96)00040-2).
- Hudnell, HK; Schreiber, JS. (2004). Residential tetrachloroethylene exposure: Response. Environ Health Perspect. 112: A864-A865.
- Huff, J. (1995). Mechanisms, chemical carcinogenesis, and risk assessment: Cell proliferation and cancer. Am J Ind Med. 27: 293-300. <http://dx.doi.org/10.1002/ajim.4700270213>.
- Huff, J. (1996). Response: Alpha-2-mu-globulin nephropathy, posed mechanisms, and white ravens. Environ Health Perspect. 104: 1264-1267.
- Hughes, JP. (1954). Hazardous exposure to some so-called safe solvents. JAMA. 156: 234-237.
- Hugli, O. (2012). The pulmonary embolism rule-out criteria (PERC) rule does not safely exclude pulmonary embolism (vol 9, pg 300, 2011). J Thromb Haemost. 10: 740-740. <http://dx.doi.org/10.1111/j.1538-7836.2012.04687.x>.
- Hugli, O; Aujesky, D. (2011). [The unresolved issue of false-positive D-dimer results in the diagnostic workup of pulmonary embolism]. Rev Med Suisse. 7: 1588-1592.
- Hugli, O; Righini, M; Le Gal, G; Roy, PM; Sanchez, O; Verschuren, F; Meyer, G; Bounameaux, H; Aujesky, D. (2011). The pulmonary embolism rule-out criteria (PERC) rule does not safely exclude pulmonary embolism. J Thromb Haemost. 9: 300-304. <http://dx.doi.org/10.1111/j.1538-7836.2010.04147.x>.
- Hunkeler, D; Abe, Y; Broholm, MM; Jeannotat, S; Westergaard, C; Jacobsen, CS; Aravena, R; Bjerg, PL. (2011). Assessing chlorinated ethene degradation in a large scale contaminant plume by dual carbon-chlorine isotope analysis and quantitative PCR. J Contam Hydrol. 119: 69-79. <http://dx.doi.org/10.1016/j.jconhyd.2010.09.009>.
- Hurst, CH; Waxman, DJ. (2003). Activation of PPARalpha and PPARgamma by environmental phthalate monoesters. Toxicol Sci. 74: 297-308. <http://dx.doi.org/10.1093/toxsci/kfg145>.
- Huss, JM; Kelly, DP. (2005). Mitochondrial energy metabolism in heart failure: A question of balance. J Clin Invest. 115: 547-555. <http://dx.doi.org/10.1172/JCI24405>.
- Huttunen, J; Heinonen, O; Manninen, V; Koskinen, P; Hakulinen, T; Teppo, L; Mänttari, M; Frick, M. (1994). The Helsinki Heart Study: An 8.5-year safety and mortality follow-up. J Intern Med. 235: 31-39. <http://dx.doi.org/10.1111/j.1365-2796.1994.tb01029.x>.
- Huybrechts, G; Olbregts, J; Thomas, K. (1967). Gas-phase chlorine-photosensitized oxidation and oxygen-inhibited photochlorination of tetrachloroethylene and pentachloroethane. Trans Faraday Soc. 63: 1647-1655. <http://dx.doi.org/10.1039/TF9676301647>.
- Hyun, S; Hayes, K. (2015). Abiotic reductive dechlorination of cis-DCE by ferrous monosulfide mackinawite. Environ Sci Pollut Res Int. 22: 16463-16474. <http://dx.doi.org/10.1007/s11356-015-5033-2>.
- IARC. (1995). Chloral and chloral hydrate. In IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans (pp. 245-269). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol63/mono63-9.pdf>.
- IARC. (2000). Di(2-ethylhexyl) phthalate [Review]. In IARC monographs on the evaluation of carcinogenic risks to humans (pp. 41-148). Lyon, France.
- IARC. (2004). Some drinking-water disinfectants and contaminants, including arsenic. In IARC Monographs on the Evaluation of Carcinogenic Risks to Humans (pp. 1-477). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol84/index.php>.
- IARC. (2004). Tobacco smoke and involuntary smoking [IARC Monograph] (pp. 1-1438). (RISKLIN/2004080004). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol83/mono83.pdf>.
- IARC. (2010). Ingested nitrate and nitrite and cyanobacterial peptide toxins. In IARC Monographs on the evaluation of carcinogenic risks to humans. Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/vol94/mono94.pdf>.
- Iavicoli, I; Carelli, G; Marinaccio, A. (2006). Dose-response relationships in human experimental exposure to solvents. Dose-Response. 4: 155-168. <http://dx.doi.org/10.2203/dose-response.05-036.iavicoli>.
- ICRP. (1975). Report of the task group on reference man. In ICRP Publication 23. Oxford, UK: Pergamon Press. [http://ani.sagepub.com/site/includefiles/icrp\\_publications\\_collection.xhtml](http://ani.sagepub.com/site/includefiles/icrp_publications_collection.xhtml).
- Ikbal, M; Tastekin, A; Dogan, H; Pirim, I; Ors, R. (2004). The assessment of genotoxic effects in lymphocyte cultures of infants treated with chloral hydrate. Mutat Res. 564: 159-164. <http://dx.doi.org/10.1016/j.mrgentox.2004.08.007>.
- Im, J; Walshe-Langford, GE; Moon, J; Loeffler, FE. (2014). Environmental Fate of the Next Generation Refrigerant 2,3,3,3-Tetrafluoropropene (HFO-1234yf). Environ Sci Technol. 48: 13181-13187. <http://dx.doi.org/10.1021/es5032147>.
- Infante-Rivard, C; Siemiatycki, J; Lakhani, R; Nadon, L. (2005). Maternal exposure to occupational solvents and childhood leukemia. Environ Health Perspect. 113: 787-792. <http://dx.doi.org/10.1289/ehp.7707>.
- Interagency Staff Group on Carcinogens. (1986). Chemical carcinogens: A review of the science and its associated principles [Review]. Environ Health Perspect. 67: 201-282.
- International Fabricare Institute. (1984). Comments of the laundry-cleaning council on the external review draft health assessment document for tetrachloroethylene (perchloroethylene).
- IOM. (2002). Gulf War and health. Vol. 2: Insecticides and solvents. Washington, DC: National Academies Press.

## Human Health Hazard Literature Search Results

### Off Topic

- IPCS. (1984). Tetrachloroethylene. In *Environmental Health Criteria*. Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc31.htm#PartNumber:1>.
- IPCS. (1986). Asbestos and other natural mineral fibres. In *Environmental Health Criteria* (pp. 112). (Environmental Health Criteria 53). Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc53.htm>.
- Ishidao, T; Ishimatsu, S; Hori, H. (2016). Estimation of Equilibrated Vapor Concentrations Using the UNIFAC Model for the Tetrachloroethylene-Chlorobenzene System. *J UOEH*. 38: 9-16. <http://dx.doi.org/10.7888/juoeh.38.9>.
- Ishmael, J; Lock, EA. (1986). Nephrotoxicity of hexachlorobutadiene and its glutathione-derived conjugates. *Toxicol Pathol*. 14: 258-262. <http://dx.doi.org/10.1177/019262338601400216>.
- Issemann, I; Green, S. (1990). Activation of a member of the steroid hormone receptor superfamily by peroxisome proliferators. *Nature*. 347: 645-650.
- Issemann, I; Prince, RA; Tugwood, JD; Green, S. (1993). The peroxisome proliferator-activated receptor:retinoid X receptor heterodimer is activated by fatty acids and fibrates hypolipidaemic drugs. *J Mol Endocrinol*. 11: 37-47.
- Irukapalli, SS; Roy, A; Georgopoulos, PG. (1998). Stochastic response surface methods (SRSMs) for uncertainty propagation: application to environmental and biological systems. *Risk Anal*. 18: 351-363.
- Ito, Y; Yamanoshita, O; Asaeda, N; Tagawa, Y; Lee, CH; Aoyama, T; Ichihara, G; Furuhashi, K; Kamijima, M; Gonzalez, FJ; Nakajima, T. (2007). Di(2-ethylhexyl)phthalate induces hepatic tumorigenesis through a peroxisome proliferator-activated receptor alpha-independent pathway. *J Occup Health*. 49: 172-182.
- Ito, Y; Yamanoshita, O; Kurata, Y; Kamijima, M; Aoyama, T; Nakajima, T. (2007). Induction of peroxisome proliferator-activated receptor alpha (PPARalpha)-related enzymes by di(2-ethylhexyl) phthalate (DEHP) treatment in mice and rats, but not marmosets. *Arch Toxicol*. 81: 219-226. <http://dx.doi.org/10.1007/s00204-006-0141-x>.
- Ivanov, WN; Hei, TK. (2006). Sodium arsenite accelerates TRAIL-mediated apoptosis in melanoma cells through upregulation of TRAIL-R1/R2 surface levels and downregulation of cFLIP expression. *Exp Cell Res*. 312: 4120-4138. <http://dx.doi.org/10.1016/j.yexcr.2006.09.019>.
- Ivetic, D; Dragan, D. (2011). Medical image on the go! *J Med Syst*. 35: 499-516. <http://dx.doi.org/10.1007/s10916-009-9386-2>.
- Jackson, R; Grainge, JW. (1975). Arsenic and cancer. *Can Med Assoc J*. 113: 396-401.
- Jackson, RE; Priddle, MW; Lesage, S. (1990). Transport and fate of CFC-113 in groundwater.
- Jacobs, MM; Massey, RI; Tenney, H; Harriman, E. (2014). Reducing the use of carcinogens: the Massachusetts experience [Review]. *Rev Environ Health*. 29: 319-340. <http://dx.doi.org/10.1515/reveh-2014-0048>.
- Jager, JW; Ostrosky-Wegman, P. (1997). Arsenic: A paradoxical human carcinogen [Review]. *Mutat Res*. 386: 181-184. [http://dx.doi.org/10.1016/s1383-5742\(97\)00002-1](http://dx.doi.org/10.1016/s1383-5742(97)00002-1).
- Jain, R. (2016). Levels of selected urinary metabolites of volatile organic compounds in a representative sample of US adolescents. *Toxicol Environ Chem*. 98: 977-990. <http://dx.doi.org/10.1080/02772248.2015.1132319>.
- Jakoby, BW; Bercier, Y; Conti, M; Casey, ME; Bendriem, B; Townsend, DW. (2011). Physical and clinical performance of the mCT time-of-flight PET/CT scanner. *Phys Med Biol*. 56: 2375-2389. <http://dx.doi.org/10.1088/0031-9155/56/8/004>.
- Jalouli, M; Carlsson, L; Ameen, C; Linden, D; Ljungberg, A; Michalik, L; Eden, S; Wahli, W; Oscarsson, J. (2003). Sex difference in hepatic peroxisome proliferator-activated receptor alpha expression: Influence of pituitary and gonadal hormones. *Endocrinology*. 144: 101-109. <http://dx.doi.org/10.1210/en.2002-220630>.
- Jamshidi, Y; Montgomery, HE; Hense, HW; Myerson, SG; Torra, IP; Staels, B; World, MJ; Doering, A; Erdmann, J; Hengstenberg, C; Humphries, SE; Schunkert, H; Flavell, DM. (2002). Peroxisome proliferator-activated receptor alpha gene regulates left ventricular growth in response to exercise and hypertension. *Circulation*. 105: 950-955.
- Jang, JY; Droz, PO. (1997). Ethnic differences in biological monitoring of several organic solvents: II. A simulation study with a physiologically based pharmacokinetic model. *Int Arch Occup Environ Health*. 70: 41-50. <http://dx.doi.org/10.1007/s004200050184>.
- Janulewicz, P; White, R; Martin, B; Winter, M; Weinberg, J; Vieira, V; Aschengrau, A, nn. (2013). Adult neuropsychological performance following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. *Neurotoxicol Teratol*. 37: 79-80. <http://dx.doi.org/10.1016/j.ntt.2013.03.024>.
- Jensen, OM; Wahrendorf, J; Knudsen, JB; Sorensen, BL. (1987). The Copenhagen case-referent study on bladder cancer: Risks among drivers, painters, and certain other occupations. *Scand J Work Environ Health*. 13: 129-134.
- Jensen, S; Rosenberg, R. (1975). Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res*. 9: 659-661.
- Jho, EH; Shin, D; Turner, SJ; Singhal, N. (2014). Effect of Fenton reagent shock and recovery periods on anaerobic microbial community structure and degradation of chlorinated aliphatics. *Biodegradation*. 25: 253-264. <http://dx.doi.org/10.1007/s10532-013-9657-y>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupation and bladder cancer: A cohort study in Sweden. *Br J Cancer*. 92: 1276-1278. <http://dx.doi.org/10.1038/sj.bjc.6602473>.
- Ji, J; Granström, C; Hemminki, K. (2005). Occupational risk factors for kidney cancer: A cohort study in Sweden. *World Journal of Urology*. 23: 271-278. <http://dx.doi.org/10.1007/s00345-005-0007-5>.
- Ji, J; Hemminki, K. (2005). Occupation and upper aerodigestive tract cancers: A follow-up study in Sweden. *J Occup Environ Med*. 47: 785-795. <http://dx.doi.org/10.1097/01.jom.0000165798.28569.b5>.
- Ji, J; Hemminki, K. (2005). Occurrences of leukemia subtypes by socioeconomic and occupational groups in Sweden. *J Occup Environ Med*. 47: 1131-1140. <http://dx.doi.org/10.1097/01.jom.0000174302.63621.e8>.
- Ji, J; Hemminki, K. (2005). Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health*. 78: 641-649. <http://dx.doi.org/10.1007/s00420-005-0015-1>.



## Human Health Hazard Literature Search Results

### Off Topic

- Ji, J; Hemminki, K. (2006). Socioeconomic and occupational risk factors for pancreatic cancer: A cohort study in Sweden. *J Occup Environ Med.* 48: 283-288. <http://dx.doi.org/10.1097/01.jom.0000199511.14305.dc>.
- Ji, J; Hemminki, K. (2006). Socioeconomic/occupational risk factors for lymphoproliferative diseases in Sweden. *Ann Epidemiol.* 16: 370-376. <http://dx.doi.org/10.1016/j.annepidem.2005.09.002>.
- Jian, Y; Planeta, B; Carson, RE. (2015). Evaluation of bias and variance in low-count OSEM list mode reconstruction. *Phys Med Biol.* 60: 15-29. <http://dx.doi.org/10.1088/0031-9155/60/1/15>.
- Jin, GH; Choi, GR; Park, HH; Lee, TS; Lee, SB. (2013). Defining gross tumor volume using positron emission tomography/computed tomography phantom studies. *Conf Proc IEEE Eng Med Biol Soc.* 2013: 2473-2476. <http://dx.doi.org/10.1109/EMBC.2013.6610041>.
- Jirtle, RL; Meyer, SA. (1991). Liver tumor promotion: effect of phenobarbital on EGF and protein kinase C signal transduction and transforming growth factor-beta 1 expression. *Dig Dis Sci.* 36: 659-668.
- Job, DE; Dickie, DA; Rodriguez, D; Robson, A; Danso, S; Pernet, C; Bastin, ME; Boardman, JP; Murray, AD; Ahearn, T; Waiter, GD; Staff, RT; Deary, IJ; Shenkin, SD; Wardlaw, JM. (2017). A brain imaging repository of normal structural MRI across the life course: Brain Images of Normal Subjects (BRAINS). *Neuroimage.* 144: 299-304. <http://dx.doi.org/10.1016/j.neuroimage.2016.01.027>.
- Johannsen, FR; Levinskas, GJ; Tegeris, AS. (1986). Effects of formaldehyde in the rat and dog following oral exposure. *Toxicol Lett.* 30: 1-6. [http://dx.doi.org/10.1016/0378-4274\(86\)90171-2](http://dx.doi.org/10.1016/0378-4274(86)90171-2).
- Johansen, K; Tinnerberg, H; Lynge, E. (2005). Use of history science methods in exposure assessment for occupational health studies. *Occup Environ Med.* 62: 434-441. <http://dx.doi.org/10.1136/oem.2004.016493>.
- Johanson, G; Filser, JG. (1992). Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch Toxicol.* 66: 291-295. <http://dx.doi.org/10.1007/BF02307176>.
- John, EM; Savitz, DA; Shy, CM. (1994). Spontaneous abortions among cosmetologists. *Epidemiology.* 5: 147-155. <http://dx.doi.org/10.1097/00001648-199403000-00004>.
- Johnson, LC; Ovchinnikov, O; Shokouhi, S; Peterson, TE. (2015). Development of a Germanium Small-Animal SPECT System. *IEEE Trans Nucl Sci.* 2015: 2036-2042. <http://dx.doi.org/10.1109/TNS.2015.2448673>.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998). Cardiac teratogenicity of trichloroethylene metabolites. *J Am Coll Cardiol.* 32: 540-545. [http://dx.doi.org/10.1016/S0735-1097\(98\)00232-0](http://dx.doi.org/10.1016/S0735-1097(98)00232-0).
- Johnson, RL; Thoms, RB; Zogorski, JS. (2003). Effects of daily precipitation and evapotranspiration patterns on flow and VOC transport to groundwater along a watershed flow path. *Environ Sci Technol.* 37: 4944-4954.
- Johnston, JE; Gibson, JM. (2014). Spatiotemporal variability of tetrachloroethylene in residential indoor air due to vapor intrusion: a longitudinal, community-based study. *J Expo Sci Environ Epidemiol.* 24: 564-571. <http://dx.doi.org/10.1038/jes.2013.13>.
- Joly, JG; Doyon, C; Peasant, Y. (1975). Cytochrome P-450 measurement in rat liver homogenate and microsomes. Its use for correction of microsomal losses incurred by differential centrifugation. *Drug Metab Dispos.* 3: 577-586.
- Jones, BK; Hathway, DE. (1978). The biological fate of vinylidene chloride in rats. *Chem Biol Interact.* 20: 27-41.
- Jones, RB; Mackrodt, WC. (1982). Structure-mutagenicity relationships for chlorinated ethylenes: a model based on the stability of the metabolically derived epoxides. *Biochem Pharmacol.* 31: 3710-3713.
- Joos, GF. (2003). Bronchial hyperresponsiveness: Too complex to be useful? *Curr Opin Pharmacol.* 3: 233-238. [http://dx.doi.org/10.1016/S1471-4892\(03\)00046-8](http://dx.doi.org/10.1016/S1471-4892(03)00046-8).
- Jorgenson, TA; Meierhenry, EF; Rushbrook, CJ; Bull, RJ; Robinson, M. (1985). Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3F1 mice. *Fundam Appl Toxicol.* 5: 760-769. [http://dx.doi.org/10.1016/0272-0590\(85\)90200-3](http://dx.doi.org/10.1016/0272-0590(85)90200-3).
- Josyula, AB; Poplin, GS; Kurzius-Spencer, M; McClellan, HE; Kopplin, MJ; Sturup, S; Lantz, RC; Burgess, JL. (2006). Environmental arsenic exposure and sputum metalloproteinase concentrations. *Environ Res.* 102: 283-290. <http://dx.doi.org/10.1016/j.envres.2006.01.003>.
- Jovanovic, P; Jeremic, S; Djokic, L; Savic, V; Radivojevic, J; Maslak, V; Ivkovic, B; Vasiljevic, B; Nikodinovic-Runic, J. (2014). Chemoselective biocatalytic reduction of conjugated nitroalkenes: new application for an Escherichia coli BL21(DE3) expression strain. *Enzyme Microb Technol.* 60: 16-23. <http://dx.doi.org/10.1016/j.enzmictec.2014.03.010>.
- Juhasz, AL; Smith, E; Weber, J; Rees, M; Rofe, A; Kuchel, T; Sansom, L; Naidu, R. (2006). In vivo assessment of arsenic bioavailability in rice and its significance for human health risk assessment. *Environ Health Perspect.* 114: 1826-1831. <http://dx.doi.org/10.1289/ehp.9322>.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jungclaus, GA; Lopez-Avila, V; Hites, RA. (1978). Organic compounds in an industrial wastewater: a case study of their environmental impact. *Environ Sci Technol.* 12: 88-96.
- Juntunen, J. (1986). Occupational toxicology of trichloroethylene with special reference to neurotoxicity. In PL Chambers; P Gehring; F Sakai (Eds.), (pp. 189-200). Amsterdam, Netherlands: Elsevier Science Publishers.
- Kacew, S; Lambert, GH. (1997). Environmental toxicology and pharmacology of human development. In S Kacew; GH Lambert (Eds.). Washington, DC: Taylor and Francis.
- Kaemmerer, K; Fink, J; Keitzmann, M. (1982). Studies on the pharmacodynamics of perchloroethylene. *Prakt Tierarzt.* 63: 171-182.
- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Gonzalez, AL; Guenel, P; Hardell, L; Launoy, G; Merler, E; Merletti, F; Suarez-Varela, MM; Stang, A. (2000). Occupation and small bowel adenocarcinoma: a European case-control study. *Occup Environ Med.* 57: 760-766.
- Kaerlev, L; Teglbjaerg, PS; Sabroe, S; Kolstad, HA; Ahrens, W; Eriksson, M; Guénel, P; Hardell, L; Cyr, D; Ballard, T; Zambon, P; Morales Suárez-Varela, MM; Stang, A; Olsen, J. (2002). Occupational risk factors for small bowel carcinoid tumor: A European population-based case-control study. *J Occup Environ Med.* 44: 516-522.

## Human Health Hazard Literature Search Results

### Off Topic

- Käfer, E. (1986). Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res.* 164: 145-166. [http://dx.doi.org/10.1016/0165-1161\(86\)90006-3](http://dx.doi.org/10.1016/0165-1161(86)90006-3).
- Kalinovich, I; Allen-King, RM; Thomas, K. (2012). Distribution of carbonaceous matter in lithofacies: impacts on HOC sorption nonlinearity. *J Contam Hydrol.* 133: 84-93. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.007>.
- Kalluri, R; Weinberg, RA. (2009). The basics of epithelial-mesenchymal transition. *J Clin Invest.* 119: 1420-1428. <http://dx.doi.org/10.1172/jci39104>.
- Kangasmaa, TS; Constable, C; Hippeläinen, E; Sohlberg, AO. (2016). Multicenter evaluation of single-photon emission computed tomography quantification with third-party reconstruction software. *Nucl Med Comm.* 37: 983-987. <http://dx.doi.org/10.1097/MNM.0000000000000538>.
- Kappas, A. (1989). On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. In MA Resnick; BK Vig (Eds.), *Progress in Clinical and Biological Research* (pp. 377-384). New York, NY: Wiley.
- Karasavvas, N; Carcamo, JM; Stratis, G; Golde, DW. (2005). Vitamin C protects HL60 and U266 cells from arsenic toxicity. *Blood.* 105: 4004-4012. <http://dx.doi.org/10.1182/blood-2003-03-0772>.
- Karataş, S; Hasar, H; Taşkan, E; Özkaya, B; Şahinkaya, E. (2014). Bio-reduction of tetrachloroethen using a H<sub>2</sub>-based membrane biofilm reactor and community fingerprinting. *Water Res.* 58: 21-28. <http://dx.doi.org/10.1016/j.watres.2014.03.053>.
- Kargalioglu, Y; Mcmillan, BJ; Minear, RA; Plewa, MJ. (2002). Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen.* 22: 113-128. <http://dx.doi.org/10.1002/tcm.10010>.
- Kargar, M; Nabizadeh, R; Naddafi, K; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Pahlevanzadeh, B. (2012). Modeling perchloroethylene degradation under ultrasonic irradiation and photochemical oxidation in aqueous solution. *Iranian Journal of Environmental Health Science and Engineering.* 9: 32. <http://dx.doi.org/10.1186/1735-2746-9-32>.
- Kargar, M; Nadafi, K; Nabizadeh, R; Nasser, S; Mesdaghinia, A; Mahvi, AH; Alimohammadi, M; Nazmara, S; Rastkari, N. (2013). Survey of Hazardous Organic Compounds in the Groundwater, Air and Wastewater Effluents Near the Tehran Automobile Industry. *Bull Environ Contam Toxicol.* 90: 155-159. <http://dx.doi.org/10.1007/s00128-012-0890-6>.
- Karlberg, AM; Sæther, O; Eikenes, L; Goa, PE. (2016). Quantitative comparison of PET performance-Siemens Biograph mCT and mMR. 3: 5. <http://dx.doi.org/10.1186/s40658-016-0142-7>.
- Karpetas, GE; Michail, CM; Fountos, GP; Valsamaki, PN; Kandarakis, IS; Panayiotakis, GS. (2013). Towards the optimization of nuclear medicine procedures for better spatial resolution, sensitivity, scan image quality and quantitation measurements by using a new Monte Carlo model featuring PET imaging. *Hellenic Journal of Nuclear Medicine.* 16: 111-120. <http://dx.doi.org/10.1967/s002449910082>.
- Kartmann, R; Paulus, DH; Braun, H; Aklan, B; Ziegler, S; Navalpakkam, BK; Lentschig, M; Quick, HH. (2013). Integrated PET/MR imaging: automatic attenuation correction of flexible RF coils. *Med Phys.* 40: 082301. <http://dx.doi.org/10.1118/1.4812685>.
- Kastenbaum, MA; Bowman, KO. (1970). Tables for determining the statistical significance of mutation frequencies. *DNA Repair.* 9: 527-549.
- Kastis, GA; Kyriakopoulou, D; Gaitanis, A; Fernández, Y; Hutton, BF; Fokas, AS. (2014). Evaluation of the spline reconstruction technique for PET. *Med Phys.* 41: 042501. <http://dx.doi.org/10.1118/1.4867862>.
- Kato, I; Koenig, K; Shore, R; Baptiste, M; Lillquist, P; Frizzera, G; Burke, J; Watanabe, H. (2002). Use of anti-inflammatory and non-narcotic analgesic drugs and risk of non-Hodgkin's lymphoma (NHL) (United States). *Cancer Causes Control.* 13: 965-974. <http://dx.doi.org/10.1023/A:1021953224822>.
- Kato, I; Koenig, KL; Watanabe-Meserve, H; Baptiste, MS; Lillquist, PP; Frizzera, G; Burke, JS; Moseson, M; Shore, RE. (2005). Personal and occupational exposure to organic solvents and risk of non-Hodgkin's lymphoma (NHL) in women (United States). *Cancer Causes Control.* 16: 1215-1224.
- Kato-Weinstein, J; Lingohr, MK; Orner, GA; Thrall, BD; Bull, RJ. (1998). Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology.* 130: 141-154. [http://dx.doi.org/10.1016/S0300-483X\(98\)00106-1](http://dx.doi.org/10.1016/S0300-483X(98)00106-1).
- Kato-Weinstein, J; Stauber, AJ; Orner, GA; Thrall, BD; Bull, RJ. (2001). Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3F1 mice. *J Appl Toxicol.* 21: 81-89. <http://dx.doi.org/10.1002/jat.717>.
- Katz, RM; Jowett, D. (1981). Female laundry and dry cleaning workers in Wisconsin: a mortality analysis. *Am J Public Health.* 71: 305-307.
- Kaufman, AS; McLean, JE; Reynolds, CR. (1988). Sex, race, residence, region, and education differences on the 11 WAIS-R subtests. *J Clin Psychol.* 44: 231-248.
- Kaufman, DS; Shipley, WU; Feldman, AS. (2009). Bladder cancer. *Lancet.* 374: 239-249. [http://dx.doi.org/10.1016/S0140-6736\(09\)60491-8](http://dx.doi.org/10.1016/S0140-6736(09)60491-8).
- Kaune, WT; Savitz, DA. (1994). Simplification of the Wertheimer-Leeper wire code. *Bioelectromagnetics.* 15: 275-282. <http://dx.doi.org/10.1002/bem.2250150402>.
- Kauppinen, T; Heikkilä, P; Plato, N; Woldbaek, T; Lenvik, K; Hansen, J; Kristjansson, V; Pukkala, E. (2009). Construction of job-exposure matrices for the Nordic Occupational Cancer Study (NOCCA). *Acta Oncol.* 48: 791-800. <http://dx.doi.org/10.1080/02841860902718747>.
- Kauvar, DS; Martin, ED; Givens, MD. (2016). Thirty-Day Outcomes after Elective Percutaneous or Open Endovascular Repair of Abdominal Aortic Aneurysms. *Ann Vasc Surg.* 31: 46-51. <http://dx.doi.org/10.1016/j.avsg.2015.10.009>.
- Kawaguchi, K; Oku, N; Rin, K; Yamanaka, K; Okada, S. (1996). Dimethylarsenics reveal DNA damage induced by superoxide anion radicals. *Biol Pharm Bull.* 19: 551-553.
- Kawamoto, T; Pham, TT; Matsuda, T; Oyama, T; Tanaka, M; Yu, HS; Uchiyama, I. (In Press) Historical review on development of environmental quality standards and guideline values for air pollutants in Japan. *Int J Hyg Environ Health.* <http://dx.doi.org/10.1016/j.ijheh.2011.05.007>.
- Keech, A; Simes, RJ; Barter, P; Best, J; Scott, R; Taskinen, MR; Forder, P; Pillai, A; Davis, T; Glasziou, P; Drury, P; Kesäniemi, YA; Sullivan, D; Hunt, D; Colman, P; d'Emden, M; Whiting, M; Ehnholm, C; Laakso, M. (2005). Effects of long-term fenofibrate therapy on cardiovascular

## Human Health Hazard Literature Search Results

### Off Topic

- events in 9795 people with type 2 diabetes mellitus (the FIELD study): Randomised controlled trial. *Lancet*. 366: 1849-1861. [http://dx.doi.org/10.1016/S0140-6736\(05\)67667-2](http://dx.doi.org/10.1016/S0140-6736(05)67667-2).
- Keereman, V; Van Holen, R; Vandenbergh, S; Vanhove, C. (2013). Temperature dependence of APD-based PET scanners. *Med Phys*. 40: 092506. <http://dx.doi.org/10.1118/1.4819823>.
- Keith, LH; Garrison, AW; Allen, FR; Carter, MH; Floyd, TL; Pope, JD; Thruston, AD, Jr. (1976). Identification of organic compounds in drinking water from thirteen US cities. In G Athens (Ed.), (pp. 329-373). Ann Arbor, MI: Ann Arbor Science Publishers.
- Keller, DA; Heck, H. (1988). Mechanistic studies on chloral toxicity: Relationship to trichloroethylene carcinogenesis. *Toxicol Lett*. 42: 183-191. [http://dx.doi.org/10.1016/0378-4274\(88\)90076-8](http://dx.doi.org/10.1016/0378-4274(88)90076-8).
- Keller, S; Ruetz, M; Kunze, C; Kräutler, B; Diekert, G; Schubert, T. (2014). Exogenous 5,6-dimethylbenzimidazole caused production of a non-functional tetrachloroethene reductive dehalogenase in *Sulfurospirillum multivorans*. *Environ Microbiol*. 16: 3361-3369. <http://dx.doi.org/10.1111/1462-2920.12268>.
- Keller, S; Treder, A; von Reuss, SH; Escalante-Semerena, JC; Schubert, T. (2016). The SMUL\_1544 Gene Product Governs Norcobamide Biosynthesis in the Tetrachloroethene-Respiring Bacterium *Sulfurospirillum multivorans*. *J Bacteriol*. 198: 2236-2243. <http://dx.doi.org/10.1128/JB.00289-16>.
- Kelly, MD; Declerck, JM. (2011). SUVref: reducing reconstruction-dependent variation in PET SUV. 1: 16. <http://dx.doi.org/10.1186/2191-219X-1-16>.
- Kenett, DY. (2015). Bridging the gap between physics and the social sciences: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews*. 12: 30-31. <http://dx.doi.org/10.1016/j.plrev.2014.11.003>.
- Kepner, RE; Maarse, H; Strating, J. (1964). Gas chromatographic head space techniques for the quantitative determination of volatile components in multicomponent aqueous solutions. *Anal Chem*. 36: 77-82.
- Keppler, F; Borchers, R; Pracht, J; Rheinberger, S; Scholer, HF. (2002). Natural formation of vinyl chloride in the terrestrial environment. *Environ Sci Technol*. 36: 2479-2483. <http://dx.doi.org/10.1021/es015611j>.
- Kerbey, AL; Randle, PJ; Cooper, RH; Whitehouse, S; Pask, HT; Denton, RM. (1976). Regulation of pyruvate dehydrogenase in rat heart. Mechanism of regulation of proportions of dephosphorylated and phosphorylated enzyme by oxidation of fatty acids and ketone bodies and of effects of diabetes: role of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide-adenine dinucleotide. *Biochem J*. 154: 327-348.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med*. 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Kesserű, B; Kecskédi, B; Polányi, C; Réti, A; Saftics, G; Völgyi, R; Kovács, B; Tenke, P; Ender, F; Vörös, A. (2014). [Our experience with totally extraperitoneal technique of laparoscopic inguinal hernia repairs modified by Stolzenburg]. *Magy Seb*. 67: 129-134. <http://dx.doi.org/10.1556/MaSeb.67.2014.3.8>.
- Kessler, R. (2014). Prevention: Air of danger. *Nature*. 509: S62-S63. <http://dx.doi.org/10.1038/509S62a>.
- Kessler, W; Numtip, W; Grote, K; Csanady, GA; Chahoud, I; Filser, JG. (2004). Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol*. 195: 142-153. <http://dx.doi.org/10.1016/j.taap.2003.11.014>.
- Khan, MF. (2014). Perchloroethylene Exposure and Autoimmunity.
- Khattak, S; K-Moghtader, G; McMartin, K; Barrera, M; Kennedy, D; Koren, G. (1999). Pregnancy outcome following gestational exposure to organic solvents: A prospective controlled study. *JAMA*. 281: 1106-1109. <http://dx.doi.org/10.1001/jama.281.12.1106>.
- Kikuchi, E, mi; Kikuchi, Y; Hirao, M. (2012). Monitoring and Analysis of Solvent Emissions from Metal Cleaning Processes for Practical Process Improvement. *Ann Occup Hyg*. 56: 829-842. <http://dx.doi.org/10.1093/annhyg/mer115>.
- Killeen, PR. (2013). Absent without leave; a neuroenergetic theory of mind wandering. *Front Psychol*. 4: 373. <http://dx.doi.org/10.3389/fpsyg.2013.00373>.
- Kim, CJ; Hara, E; Shimizu, A; Sugai, M; Kimura, S. (2015). Activation of B1a cells in peritoneal cavity by T cell-independent antigen expressed on polymeric micelle. *J Pharm Sci*. 104: 1839-1847. <http://dx.doi.org/10.1002/jps.24397>.
- Kim, H; Kim, T; Shin, S; Annable, MD. (2012). Measurement of air and VOC vapor fluxes during gas-driven soil remediation: bench-scale experiments. *Environ Sci Technol*. 46: 9533-9540. <http://dx.doi.org/10.1021/es300821y>.
- Kim, H; Yang, H; Kim, J. (2014). Standardization of the reducing power of zero-valent iron using iodine. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 49: 514-523. <http://dx.doi.org/10.1080/10934529.2014.859029>.
- Kim, KS; Min, JY; Dickman, MB. (2008). Oxalic acid is an elicitor of plant programmed cell death during *Sclerotinia sclerotiorum* disease development. *Mol Plant Microbe Interact*. 21: 605-612. <http://dx.doi.org/10.1094/MPMI-21-5-0605>.
- Kim, MY; Oskarsson, T; Acharyya, S; Nguyen, DX; Zhang, XH; Norton, L; Massague, J. (2009). Tumor self-seeding by circulating cancer cells. *Cell*. 139: 1315-1326. <http://dx.doi.org/10.1016/j.cell.2009.11.025>.
- Kim, NK. (2005). Cover letter addressed to Robert E. McGaughey [Personal Communication].
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage*. 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, SJ; Kim, CH; Shin, SD; Lee, SC; Park, JO; Sung, J. (2013). Incidence and mortality rates of disasters and mass casualty incidents in Korea: a population-based cross-sectional study, 2000-2009. *J Korean Med Sci*. 28: 658-666. <http://dx.doi.org/10.3346/jkms.2013.28.5.658>.

## Human Health Hazard Literature Search Results

### Off Topic

- Kimura, A; Ishida, Y; Hayashi, T; Wada, T; Yokoyama, H; Sugaya, T; Mukaida, N; Kondo, T. (2006). Interferon- $\gamma$  Plays protective roles in sodium arsenite-induced renal injury by up-regulating intrarenal multidrug resistance-associated protein 1 expression. *Am J Pathol.* 169: 1118-1128. <http://dx.doi.org/10.2353/ajpath.2006.060024>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol.* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kinoshita, A; Wanibuchi, H; Morimura, K; Wei, M; Nakae, D; Arai, T; Minowa, O; Noda, T; Nishimura, S; Fukushima, S. (2007). Carcinogenicity of dimethylarsinic acid in Ogg1-deficient mice. *Cancer Sci.* 98: 803-814. <http://dx.doi.org/10.1111/j.1349-7006.2007.00475.x>.
- Kitchin, KT; Wallace, K; Andrewes, P. (2003). Some chemical properties underlying arsenic's biological activity. In WR Chappell; CO Abernathy; RL Calderon; DJ Thomas (Eds.), *Proceedings of the Fifth International Conference on Arsenic Exposure and Health Effects*, July 14–18, 2002, San Diego, California (pp. 345-354). NA: Elsevier B.V. <http://dx.doi.org/10.1016/b978-044451441-7/50027-0>.
- Klaunig, JE; Ruch, RJ; DeAngelo, AB; Kaylor, WH. (1988). Inhibition of mouse hepatocyte intercellular communication by phthalate monoesters. *Cancer Lett.* 43: 65-71. [http://dx.doi.org/10.1016/0304-3835\(88\)90215-7](http://dx.doi.org/10.1016/0304-3835(88)90215-7).
- Klein, MD; Sinha, BK; Subramaniam, RP. (2011). Statistical inferences from formaldehyde DNA-protein cross-link data: improving methods for characterization of uncertainty. *J Biopharm Stat.* 21: 42-55. <http://dx.doi.org/10.1080/10543400903531601>.
- Kligerman, AD; Doerr, CL; Tennant, AH; Harrington-Brock, K; Allen, JW; Winkfield, E; Poorman-Allen, P; Kundu, B; Funasaka, K; Roop, BC; Mass, MJ; Demarini, DM. (2003). Methylated trivalent arsenicals as candidate ultimate genotoxic forms of arsenic: Induction of chromosomal mutations but not gene mutations. *Environ Mol Mutagen.* 42: 192-205. <http://dx.doi.org/10.1002/em.10192>.
- Kline, JA. (2012). More on the PERC rule [Letter]. *Ann Emerg Med.* 59: 84-85. <http://dx.doi.org/10.1016/j.annemergmed.2011.07.041>.
- Kline, JA; Kabrhel, C. (2015). Emergency Evaluation for Pulmonary Embolism, Part 2: Diagnostic Approach [Review]. *J Emerg Med.* 49: 104-117. <http://dx.doi.org/10.1016/j.jemermed.2014.12.041>.
- Kline, JA; Slattery, D; O'Neil, BJ; Thompson, J. R.; Miller, CD; Schreiber, D; Briese, BA; Pollack, CV. (2013). Clinical features of patients with pulmonary embolism and a negative PERC rule result [Letter]. *Ann Emerg Med.* 61: 122-124. <http://dx.doi.org/10.1016/j.annemergmed.2012.06.494>.
- Kline, SA; McCoy, EC; Rosenkranz, HS; Van Duuren, BL. (1982). Mutagenicity of chloroalkene epoxides in bacterial systems. *Mutat Res.* 101: 115-125. [http://dx.doi.org/10.1016/0165-1218\(82\)90002-7](http://dx.doi.org/10.1016/0165-1218(82)90002-7).
- Kline, SA; Solomon, JJ; Van Duuren, BL. (1978). Synthesis and reactions of chloroalkene epoxides. *J Org Chem.* 43: 3596-3600.
- Kline, SA; Van Duuren, BL; McCoy, EC; Rosenkranz, HS; DiPaolo, JA. (1980). Bacterial mutagenicity and transformation of mammalian cells by chloroalkene epoxides. *Proc Ann Mtg Am Assoc Canc Res.* 21: 78.
- Knaak, JB; Al-Bayati, MA; Raabe, OG; Blancato, JN. (1993). Development of in vitro Vmax and Km values for the metabolism of isofenphos by P-450 liver enzymes in animals and human. *Toxicol Appl Pharmacol.* 120: 106-113. <http://dx.doi.org/10.1006/taap.1993.1092>.
- Knoll, JE; Smith, MA; Midgett, MR. (1979). Evaluation of emission test methods for halogenated hydrocarbons - volume I, CCl<sub>4</sub>, C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, C<sub>2</sub>Cl<sub>4</sub> and C<sub>2</sub>HCl<sub>3</sub>. (EPA-600/4-79-025). Research Triangle Park, N.C.: U.S. Environmental Protection Agency.
- Knoll, P; Kotalova, D; Köchle, G; Kuzelka, I; Minear, G; Mirzaei, S; Sámal, M; Zadrzil, L; Bergmann, H. (2012). Comparison of advanced iterative reconstruction methods for SPECT/CT. 22: 58-69. <http://dx.doi.org/10.1016/j.zemedi.2011.04.007>.
- Knoll, T; Honeck, P; Wendt-Nordahl, G. (2011). FLEXIBLE URETERORENOSCOPY COMPARED TO MINI-PERC FOR SOLITARY RENAL CALCULI OF 1-3 CM SIZE. *European Urology Supplements.* 10: 95-95.
- Knupp, KG; Wirrell, E; Khan, S; Berg, A; Consortium, PER. (2013). Design and Initial Findings of the National Infantile Spasms Registry of the Pediatric Epilepsy Research Consortium(PERC) - A US Multicenter Initiative to Improve Treatment and Outcomes of Infantile Spasms. *Ann Neurol.* 74: S156-S157.
- Ko, S; Crimi, M; Marvin, BK; Holmes, V; Huling, SG. (2012). Comparative study on oxidative treatments of NAPL containing chlorinated ethanes and ethenes using hydrogen peroxide and persulfate in soils. *J Environ Manage.* 108: 42-48. <http://dx.doi.org/10.1016/j.jenvman.2012.04.034>.
- Kobayashi, M; Mori, T; Tsujikawa, T; Ogai, K; Sugama, J; Kiyono, Y; Kawai, K; Okazawa, H. (2015). Comparison of image quality with <sup>62</sup>Cu and <sup>64</sup>Cu-labeled radiotracers in positron emission tomography whole-body phantom imaging. *Hellenic Journal of Nuclear Medicine.* 18: 103-107. <http://dx.doi.org/10.1967/s002449910203>.
- Koenig, JC; Groissmeier, KD; Manefield, MJ. (2014). Tolerance of anaerobic bacteria to chlorinated solvents. 29: 23-30. <http://dx.doi.org/10.1264/jsme2.ME13113>.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater.* 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Koepsell, TD; Daling, JR; Weiss, NS; Taylor, JW; Olshan, AF; Lyon, JL; Swanson, GM; Child, M. (1987). Antigenic stimulation and the occurrence of multiple myeloma. *Am J Epidemiol.* 126: 1051-1062.
- Kogevinas, M; t Mannetje, A; Cordier, S; Ranft, U; González, C; Vineis, P; Chang-Claude, J; Lynge, E; Wahrendorf, J; Tzonou, A; Jöckel, K; Serra, C; Porru, S; Hours, M; Greiser, E; Boffetta, P. (2003). Occupation and bladder cancer among men in Western Europe. *Cancer Causes Control.* 14: 907-914. <http://dx.doi.org/10.1023/B:CACO.0000007962.19066.9c>.
- Kohan, MJ; Huggins-Clark, G; George, SE. Mutagenicity of chlorinated and brominated acetic acids.
- Kohan, MJ; Huggins-Clark, G; George, SE. (1998). Mutagenicity of chlorinated and brominated acetic acids. *Environ Mol Mutagen.* 31: 36. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1998\)29+<27::AID-EM4>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1098-2280(1998)29+<27::AID-EM4>3.0.CO;2-F).
- Kohn, MC; Portier, CJ. (1993). Effects of the mechanism of receptor-mediated gene expression on the shape of the dose-response curve. *Risk Anal.* 13: 565-572. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00016.x>.

## Human Health Hazard Literature Search Results

### Off Topic

- Koizumi, A; Kumai, M; Ikeda, M. (1982). In vivo suppression of 1,1,1-trichloroethane metabolism by co-administered tetrachloroethylene: an inhalation study. *Bull Environ Contam Toxicol*. 29: 196-199.
- Kok, RJ; Haas, M; Moolenaar, F; de Zeeuw, D; Meijer, DK. (1998). Drug delivery to the kidneys and the bladder with the low molecular weight protein lysozyme. *Ren Fail*. 20: 211-217.
- Kolb, A; Wehrl, HF; Hofmann, M; Judenhofer, MS; Eriksson, L; Ladebeck, R; Lichy, MP; Byars, L; Michel, C; Schlemmer, HP; Schmand, M; Claussen, CD; Sossi, V; Pichler, BJ. (2012). Technical performance evaluation of a human brain PET/MRI system. *Eur Radiol*. 22: 1776-1788. <http://dx.doi.org/10.1007/s00330-012-2415-4>.
- Kolthammer, JA; Su, KH; Grover, A; Narayanan, M; Jordan, DW; Muzic, RF. (2014). Performance evaluation of the Ingenuity TF PET/CT scanner with a focus on high count-rate conditions. *Phys Med Biol*. 59: 3843-3859. <http://dx.doi.org/10.1088/0031-9155/59/14/3843>.
- Komaki, Y; Pals, J; Wagner, ED; Marinas, BJ; Plewa, MJ. (2009). Mammalian cell DNA damage and repair kinetics of monohaloacetic acid drinking water disinfection by-products. *Environ Sci Technol*. 43: 8437-8442. <http://dx.doi.org/10.1021/es901852z>.
- Komulainen, H. (2004). Experimental cancer studies of chlorinated by-products [Review]. *Toxicology*. 198: 239-248. <http://dx.doi.org/10.1016/j.tox.2004.01.031>.
- Kontos, AP; Mcallister-Deitrick, J; Sufrinko, AM. (2016). Predicting Post-Concussion Symptom Risk in the ED [Comment]. 30: 19. <http://dx.doi.org/10.15844/pedneurbriefs-30-3-2>.
- Koopman, D; van Osch, JA; Jager, PL; Tenbergen, CJ; Knollema, S; Slump, CH; van Dalen, JA. (2016). Technical note: how to determine the FDG activity for tumour PET imaging that satisfies European guidelines. 3: 22. <http://dx.doi.org/10.1186/s40658-016-0158-z>.
- Korn, J. (1977). Hvor mange endnu? Perklorforgiftning i møntrenserier. *Ugeskr Laeger*. 139: 303-304.
- Kotasidis, FA; Matthews, JC; Angelis, GI; Noonan, PJ; Jackson, A; Price, P; Lionheart, WR; Reader, AJ. (2011). Single scan parameterization of space-variant point spread functions in image space via a printed array: the impact for two PET/CT scanners. *Phys Med Biol*. 56: 2917-2942. <http://dx.doi.org/10.1088/0031-9155/56/10/003>.
- Kotik, M; Davidova, A; Voriskova, J; Baldrian, P. (2013). Bacterial communities in tetrachloroethene-polluted groundwaters: A case study. *Sci Total Environ*. 454: 517-527. <http://dx.doi.org/10.1016/j.scitotenv.2013.02.082>.
- Koul, H; Kennington, L; Honeyman, T; Jonassen, J; Menon, M; Scheid, C. (1996). Activation of c-myc gene mediates the mitogenic effects of oxalate in LLC-PK1 cells, a line of renal epithelial cells. *Kidney Int*. 50: 1525-1530. <http://dx.doi.org/10.1038/ki.1996.467>.
- Koul, H; Kennington, L; Nair, G; Honeyman, T; Menon, M; Scheid, C. (1994). Oxalate-induced initiation of DNA synthesis in LLC-PK1 cells, a line of renal epithelial cells. *Biochem Biophys Res Commun*. 205: 1632-1637. <http://dx.doi.org/10.1006/bbrc.1994.2854>.
- Kowalska, J; Szweczyńska, M; Pośniak, M. (2014). Measurements of chlorinated volatile organic compounds emitted from office printers and photocopiers. *Environ Sci Pollut Res Int*. 22: 5241-5252. <http://dx.doi.org/10.1007/s11356-014-3672-3>.
- Kranzioch, I; Ganz, S; Tiehm, A. (2015). Chloroethene degradation and expression of Dehalococcoides dehalogenase genes in cultures originating from Yangtze sediments. *Environ Sci Pollut Res Int*. 22: 3138-3148. <http://dx.doi.org/10.1007/s11356-014-3574-4>.
- Kranzioch, I; Stoll, C; Holbach, A; Chen, H; Wang, L; Zheng, B; Norra, S; Bi, Y; Schramm, KW; Tiehm, A. (2013). Dechlorination and organohalide-respiring bacteria dynamics in sediment samples of the Yangtze Three Gorges Reservoir. *Environ Sci Pollut Res Int*. 20: 7046-7056. <http://dx.doi.org/10.1007/s11356-013-1545-9>.
- Krasovskii, GN. (1976). Extrapolation data of experimental data from animals to man. *Environ Health Perspect*. 13: 51-58.
- Krasowski, M; Harrison, N. (2000). The actions of ether, alcohol and alkane general anaesthetics on GABAA and glycine receptors and the effects of TM2 and TM3 mutations. *Br J Pharmacol*. 129: 731-743. <http://dx.doi.org/10.1038/sj.bjp.0703087>.
- Kraupp-Grasl, B; Huber, W; Putz, B; Gerbracht, U; Schulte-Hermann, R. (1990). Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res*. 50: 3701-3708.
- Kraupp-Grasl, B; Huber, W; Taper, H; Schulte-Hermann, R. (1991). Increased susceptibility of aged rats to hepatocarcinogenesis by the peroxisome proliferator nafenopin and the possible involvement of altered liver foci occurring spontaneously. *Cancer Res*. 51: 666-671.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003). Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther*. 304: 185-191. <http://dx.doi.org/10.1124/jpet.102.042911>.
- Kreiling, JA; Stephens, RE; Reinisch, CL. (2005). A mixture of environmental contaminants increases cAMP-dependent protein kinase in Spisula embryos. *Environ Toxicol Pharmacol*. 19: 9-18. <http://dx.doi.org/10.1016/j.etap.2004.02.007>.
- Krempser, AR; Ichinose, RM; Miranda de Sá, AM; Velasques de Oliveira, SM; Carneiro, MP. (2013). Recovery coefficients determination for partial volume effect correction in oncological PET/CT images considering the effect of activity outside the field of view. *Ann Nucl Med*. 27: 924-930. <http://dx.doi.org/10.1007/s12149-013-0773-x>.
- Kreppel, H; Liu, J; Liu, Y; Reichl, FX; Klaassen, CD. (1994). Zinc-induced arsenite tolerance in mice. *Fundam Appl Toxicol*. 23: 32-37. <http://dx.doi.org/10.1006/faat.1994.1075>.
- Kriebel, D; Zeka, A; Eisen, EA; Wegman, DH. (2004). Quantitative evaluation of the effects of uncontrolled confounding by alcohol and tobacco in occupational cancer studies. *Int J Epidemiol*. 33: 1040-1045.
- Kringstad, KP; Ljungquist, PO; De, SF; Stroemberg, LM. Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination.
- Kringstad, KP; Ljungquist, PO; de Sousa, F; Stromberg, LM. (1981). Identification and mutagenic properties of some chlorinated aliphatic compounds in the spent liquor from kraft pulp chlorination. *Environ Sci Technol*. 15: 562-566. <http://dx.doi.org/10.1021/es00087a006>.
- Krost, KJ; Pellizzari, ED; Walburn, SG; Hubbard, SA. (1982). Collection and analysis of hazardous organic emissions. *Anal Chem*. 54: 810-817.
- Kumagai, Y; Sumi, D. (2007). Arsenic: Signal transduction, transcription factor, and biotransformation involved in cellular response and toxicity [Review]. *Annu Rev Pharmacol Toxicol*. 47: 243-262. <http://dx.doi.org/10.1146/annurev.pharmtox.47.120505.105144>.

## Human Health Hazard Literature Search Results

### Off Topic

- Kumar, P; Prasad, AK; Dutta, KK. (2000). Steroidogenic alterations in testes and sera of rats exposed to trichloroethylene (TCE) by inhalation. *Hum Exp Toxicol.* 19: 117-121.
- Kummert, R; Molnar-Kubica, E; Giger, W. (1978). Trace determination of tetrachloroethylene in natural waters by direct aqueous injection high-pressure liquid chromatography. *Anal Chem.* 50: 1637-1639.
- Kung, JW; Currie, IS; Forbes, SJ; Ross, JA. (2010). Liver development, regeneration, and carcinogenesis. *J Biomed Biotechnol.* 2010: 984248. <http://dx.doi.org/10.1155/2010/984248>.
- Kupcsulik, P; Hahn, O; Szjártó, A; Zsirka, A; Winternitz, T; Lukovich, P; Fekete, K. (2015). [Laparoscopic surgery of benign liver tumours]. *Magy Seb.* 68: 3-7. <http://dx.doi.org/10.1556/MaSeb.68.2015.1.1>.
- Kurata, Y; Kidachi, F; Yokoyama, M; Toyota, N; Tsuchitani, M; Katoh, M. (1998). Subchronic toxicity of Di(2-ethylhexyl)phthalate in common marmosets: lack of hepatic peroxisome proliferation, testicular atrophy, or pancreatic acinar cell hyperplasia. *Toxicol Sci.* 42: 49-56. <http://dx.doi.org/10.1006/toxs.1997.2414>.
- Kustov, LM; Finashina, ED; Shuvalova, EV; Tkachenko, OP; Kirichenko, OA. (2011). Pd-Fe nanoparticles stabilized by chitosan derivatives for perchloroethene dechlorination. *Environ Int.* 37: 1044-1052. <http://dx.doi.org/10.1016/j.envint.2011.05.003>.
- Kyung, D; Sihm, Y; Kim, S; Bae, S; Amin, MT; Alazba, AA; Lee, W. (2016). Synergistic effect of nano-sized mackinawite with cyano-cobalamin in cement slurries for reductive dechlorination of tetrachloroethylene. *J Hazard Mater.* 311: 1-10. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.074>.
- Lacey, JV, Jr; Garabrant, DH; Laing, TJ; Gillespie, BW; Mayes, MD; Cooper, BC; Schottenfeld, D. (1999). Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol.* 149: 761-770.
- Lacinova, L; Kvapil, P; Cernik, M. (2012). A field comparison of two reductive dechlorination (zero-valent iron and lactate) methods. *Environ Technol.* 33: 741-749. <http://dx.doi.org/10.1080/09593330.2011.592225>.
- Lacroix, E; Brovelli, A; Barry, DA; Holliger, C. (2014). Use of Silicate Minerals for pH Control during Reductive Dechlorination of Chloroethenes in Batch Cultures of Different Microbial Consortia. *Appl Environ Microbiol.* 80: 3858-3867. <http://dx.doi.org/10.1128/AEM.00493-14>.
- Lacroix, E; Brovelli, A; Maillard, J; Rohrbach-Brandt, E; Barry, DA; Holliger, C. (2014). Use of silicate minerals for long-term pH control during reductive dechlorination of high tetrachloroethene concentrations in continuous flow-through columns. *Sci Total Environ.* 482-483: 23-35. <http://dx.doi.org/10.1016/j.scitotenv.2014.02.099>.
- Lagakos, SW; Wessen, BJ; Zelen, M. (1986). An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc.* 81: 583-596.
- Lage, E; Parot, V; Moore, SC; Sitek, A; Udías, JM; Dave, SR; Park, MA; Vaquero, JJ; Herraiz, JL. (2015). Recovery and normalization of triple coincidences in PET. *Med Phys.* 42: 1398-1410. <http://dx.doi.org/10.1118/1.4908226>.
- Lai, Y; Becker, JG. (2013). Compounded effects of chlorinated ethene inhibition on ecological interactions and population abundance in a Dehalococcoides - Dehalobacter coculture. *Environ Sci Technol.* 47: 1518-1525. <http://dx.doi.org/10.1021/es3034582>.
- Lajtos, I; Czernin, J; Dahlbom, M; Daver, F; Emri, M; Farshchi-Heydari, S; Forgacs, A; Hoh, CK; Jozsai, I; Krizsan, AK; Lantos, J; Major, P; Molnar, J; Opposits, G; Tron, L; Vera, DR; Balkay, L. (2014). Cold wall effect eliminating method to determine the contrast recovery coefficient for small animal PET scanners using the NEMA NU-4 image quality phantom. *Phys Med Biol.* 59: 2727-2746. <http://dx.doi.org/10.1088/0031-9155/59/11/2727>.
- Lake, BG; Evans, JG; Cunningham, ME; Price, RJ. (1993). Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ Health Perspect.* 101: 241-247.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Landmeyer, JE; Miller, S; Campbell, BG; Vroblesky, D; Gill, A; Clark, AP. (2011). Investigation of the potential source area, contamination pathway, and probable release history of chlorinated-solvent-contaminated groundwater at the Capital City Plume Site, Montgomery, Alabama, 2008-2010. United States (USA): U.S. Geological Survey.
- Landry, TD; Ramsey, JC; McKenna, MJ. (1983). Pulmonary physiology and inhalation dosimetry in rats: Development of a method and two examples. *Toxicol Appl Pharmacol.* 71: 72-83. [http://dx.doi.org/10.1016/0041-008X\(83\)90046-7](http://dx.doi.org/10.1016/0041-008X(83)90046-7).
- Lane, SE; Watts, RA; Bentham, G; Innes, NJ; Scott, DGI. (2003). Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum.* 48: 814-823. <http://dx.doi.org/10.1002/art.10830>.
- Lanthony, P. (1978). The desaturated panel D-15. *Doc Ophthalmol.* 46: 185-189. <http://dx.doi.org/10.1007/BF00174107>.
- Lapinskas, PJ; Corton, JC. (1997). Peroxisome proliferator-activated receptor alpha: Central mediator of peroxisome proliferator toxicity. *CIIT Activities.* 17: 1-9.
- Lapsley, M; Akers, K; Norden, AG. (1998). Sensitive assays for urinary retinol-binding protein and beta-2-glycoprotein-1 based on commercially available standards. *Ann Clin Biochem.* 35: 115-119.
- Lapuyade-Lahorgue, J; Visvikis, D; Pradier, O; Cheze Le Rest, C; Hatt, M. (2015). SPEQTACLE: An automated generalized fuzzy C-means algorithm for tumor delineation in PET. *Med Phys.* 42: 5720-5734. <http://dx.doi.org/10.1118/1.4929561>.
- Larsen, GL. (1985). Distribution of cysteine conjugate beta-lyase in gastrointestinal bacteria and in the environment. *Xenobiotica.* 15: 199-209. <http://dx.doi.org/10.3109/00498258509045350>.
- Larsen, GL; Stevens, JL. (1986). Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol.* 29: 97-103.
- Larson, JL; Bull, RJ. (1989). Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health A.* 28: 395-406. <http://dx.doi.org/10.1080/15287398909531359>.

## Human Health Hazard Literature Search Results

### Off Topic

- Larson, JL; Bull, RJ. (1992). Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol.* 115: 268-277. [http://dx.doi.org/10.1016/0041-008X\(92\)90332-M](http://dx.doi.org/10.1016/0041-008X(92)90332-M).
- Lash, LH; Nelson, RM; Van Dyke, RA; Anders, MW. (1990). Purification and characterization of human kidney cytosolic cysteine conjugate beta-lyase activity. *Drug Metab Dispos.* 18: 50-54.
- Lash, LH; Parker, JC; Scott, CS. (2000). Modes of action of trichloroethylene for kidney tumorigenesis [Review]. *Environ Health Perspect.* 108: 225-240.
- Lash, LH; Qian, W; Putt, DA; Jacobs, K; Elfarra, AA; Krause, RJ; Parker, JC. (1998). Glutathione conjugation of trichloroethylene in rats and mice: Sex-, species-, and tissue-dependent differences. *Drug Metab Dispos.* 26: 12-19.
- Laslo-Baker, D; Barrera, M; Knittel-Keren, D; Kozer, E; Wolpin, J; Khattak, S; Hackman, R; Rovet, J; Koren, G. (2004). Child neurodevelopmental outcome and maternal occupational exposure to solvents. *Arch Pediatr Adolesc Med.* 158: 956-961. <http://dx.doi.org/10.1001/archpedi.158.10.956>.
- Lasnon, C; Desmonts, C; Quak, E; Gervais, R; Do, P; Dubos-Arvis, C; Aide, N. (2013). Harmonizing SUVs in multicentre trials when using different generation PET systems: prospective validation in non-small cell lung cancer patients. *Eur J Nucl Med Mol Imaging.* 40: 985-996. <http://dx.doi.org/10.1007/s00259-013-2391-1>.
- Lasnon, C; Dugue, AE; Briand, M; Blanc-Fournier, C; Dutoit, S; Louis, MH; Aide, N. (2015). NEMA NU 4-Optimized Reconstructions for Therapy Assessment in Cancer Research with the Inveon Small Animal PET/CT System. *Mol Imaging.* 17: 403-412. <http://dx.doi.org/10.1007/s11307-014-0805-5>.
- Lasnon, C; Quak, E; Briand, M; Gu, Z; Louis, MH; Aide, N. (2013). Contrast-enhanced small-animal PET/CT in cancer research: strong improvement of diagnostic accuracy without significant alteration of quantitative accuracy and NEMA NU 4-2008 image quality parameters. 3: 5. <http://dx.doi.org/10.1186/2191-219X-3-5>.
- Latendresse, JR; Pereira, MA. (1997). Dissimilar characteristics of n-methyl-n-nitrosourea-initiated foci and tumors promoted by dichloroacetic acid or trichloroacetic acid in the liver of female B6C3F1 mice. *Toxicol Pathol.* 25: 433-440. <http://dx.doi.org/10.1177/019262339702500501>.
- Laumbach, AD; Lee, S; Wong, J; Streips, UN. (1976). Detection and prevention of cancer; Proceedings of the Third International Symposium on Detection and Prevention of Cancer Studies on the mutagenicity of vinyl chloride metabolites and related chemicals. New York, NY: Marcel Dekker, Inc.
- Le, CF; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking waters. *Revue des Sciences de l'Eau.* 11: 103-108.
- Le Curieux, F; Erb, F; Marzin, D. (1998). Identification of genotoxic compounds in drinking water. *Revue des Sciences de l'Eau.* 11: 103-118.
- Leavitt, SA; DeAngelo, AB; George, MH; Ross, JA. (1997). Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis.* 18: 2101-2106. <http://dx.doi.org/10.1093/carcin/18.11.2101>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol.* 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, C; Shin, J; Park, C. (2013). Novel regulatory system nemRA-gloA for electrophile reduction in Escherichia coli K-12. *Mol Microbiol.* 88: 395-412. <http://dx.doi.org/10.1111/mmi.12192>.
- Lee, CL, i; Lin, C; Jou, C. (2012). Microwave-induced nanoscale zero-valent iron degradation of perchloroethylene and pentachlorophenol. *Journal of the Air and Waste Management Association.* 62: 1443-1448. <http://dx.doi.org/10.1080/10962247.2012.719579>.
- Lee, J; Lee, TK. (2016). Development and Characterization of PCE-to-Ethene Dechlorinating Microcosms with Contaminated River Sediment. *J Microbiol Biotechnol.* 26: 120-129. <http://dx.doi.org/10.4014/jmb.1510.10026>.
- Lee, J; Lee, TK; Löffler, FE; Park, J. (2011). Characterization of microbial community structure and population dynamics of tetrachloroethene-dechlorinating tidal mudflat communities. *Biodegradation.* 22: 687-698. <http://dx.doi.org/10.1007/s10532-010-9429-x>.
- Lee, LJ, -H; Chung, CW; Ma, YC; Wang, GS; Chen, PC; Hwang, YH; Wang, JD. (2003). Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater. *Occup Environ Med.* 60: 364-369. <http://dx.doi.org/10.1136/oem.60.5.364>.
- Lee, LJH; Chan, CC; Chung, CW; Ma, YC; Wang, GS; Wang, JD. (2002). Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A.* 65: 219-235. <http://dx.doi.org/10.1080/15287390252800828>.
- Lee, PKH; Cheng, D, an; Hu, P; West, KA; Dick, GJ; Brodie, EL; Andersen, GL; Zinder, SH; He, J; Alvarez-Cohen, L. (2011). Comparative genomics of two newly isolated Dehalococcoides strains and an enrichment using a genus microarray. *ISME J.* 5: 1014-1024. <http://dx.doi.org/10.1038/ismej.2010.202>.
- Lee, S; Gregor, J; Osborne, D. (2013). Development and validation of a complete GATE model of the Siemens Inveon trimodal imaging platform. *Molecular Imaging.* 12: 1-13.
- Lee, SS; Pineau, T; Drago, J; Lee, EJ; Owens, JW; Kroetz, DL; Fernandez-Salguero, PM; Westphal, H; Gonzalez, FJ. (1995). Targeted disruption of the alpha isoform of the peroxisome proliferator-activated receptor gene in mice results in abolishment of the pleiotropic effects of peroxisome proliferators. *Mol Cell Biol.* 15: 3012-3022.
- Lee, Y; Buchanan, BG; Klopman, G; Dimayuga, M; Rosenkranz, HS. (1996). The potential of organ specific toxicity for predicting rodent carcinogenicity. *Mutat Res-Fundam Mol Mech Mutagen.* 358: 37-62. [http://dx.doi.org/10.1016/0027-5107\(96\)00110-8](http://dx.doi.org/10.1016/0027-5107(96)00110-8).
- Lee, YS; Kim, JS; Kim, KM; Kang, JH; Lim, SM; Kim, HJ. (2014). Performance measurement of PSF modeling reconstruction (True X) on Siemens Biograph TruePoint TrueV PET/CT. *Ann Nucl Med.* 28: 340-348. <http://dx.doi.org/10.1007/s12149-014-0815-z>.
- Leen, JB. (2012). Laser-based spectrometer for real-time monitoring of VOCs at Superfund sites.

## Human Health Hazard Literature Search Results

### Off Topic

- Lehmann, I; Rehwagen, M; Diez, U; Seiffart, A; Rolle-Kampczyk, U; Richter, M; Wetzig, H; Borte, M; Herbarth, O. (2001). Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health*. 204: 211-221. <http://dx.doi.org/10.1078/1438-4639-00100>.
- Lehmann, KB. (1911). Experimentelle Studien über den Einfluss technisch und hygienisch wichtiger Gase und Dämpfe auf den Organismus (XVI-XXIII) Die gechlorten Kohlenwasserstoffe der Fettreihe nebst Betrachtungen über die einphasische und zweiphasische Giftigkeit atherischer Körper [Experimental studies on the effect of technical and hygienically important gases and vapors on the organism (XVI-XXIII): chlorinated aliphatic hydrocarbons, and considerations on the one-stage and two-stage toxicity of volatile products]. *Int J Hyg Environ Health*. 74: 1-60.
- Lehmann, KB; Schmidt-Kehl, L. (1936). Die 13 wichtigsten Chlorkohlenwasserstoffe der Fettreihe von Standpunkt der Gewerbehygiene [The 13 most important chlorinated hydrocarbons from the standpoint of occupational hygiene]. *Archiv fuer Hygiene und Bakteriologie*. 116: 131-268.
- Leibman, KC; Ortiz, E. (1970). Epoxide intermediates in microsomal oxidation of olefins to glycols. *J Pharmacol Exp Ther*. 173: 242-246.
- Lelieveld, J; van Aardenne, J; Fischer, H; de Reus, M; Williams, J; Winkler, P. (2004). Increasing ozone over the Atlantic Ocean. *Science*. 304: 1483-1487. <http://dx.doi.org/10.1126/science.1096777>.
- Lenoble, J. (1993). Atmospheric radiative transfer. Hampton, VA: A. Deepak Publishing. <http://www.worldcat.org/title/atmospheric-radiative-transfer/oclc/27769441>.
- Leopardi, P; Zijno, A; Bassani, B; Pacchierotti, F. (1993). In vivo studies on chemically induced aneuploidy in mouse somatic and germinal cells. *Mutat Res*. 287: 119-130. [http://dx.doi.org/10.1016/0027-5107\(93\)90151-5](http://dx.doi.org/10.1016/0027-5107(93)90151-5).
- Letkiewicz, F; Johnston, P; Macaluso, C; Elder, R; Yu, W. (1982). Occurrence in tetrachloroethylene (perchloroethylene) in drinking water, food and air. (JRB28130385229). McLean, VA: JRB Associates, Inc.
- Letourneau, DR; Gill, CG; Krogh, ET. (2015). Photosensitized degradation kinetics of trace halogenated contaminants in natural waters using membrane introduction mass spectrometry as an in situ reaction monitor. *Photochem Photobiol Sci*. 14: 2108-2118. <http://dx.doi.org/10.1039/c5pp00286a>.
- Letterman, RG; Deyonker, NJ; Burkey, TJ; Webster, CE. (2016). Calibrating Reaction Enthalpies: Use of Density Functional Theory and the Correlation Consistent Composite Approach in the Design of Photochromic Materials. *J Phys Chem A*. 120: 9982-9997. <http://dx.doi.org/10.1021/acs.jpca.6b09278>.
- Leung, CT; Brugge, JS. (2009). Tumor self-seeding: Bidirectional flow of tumor cells. *Cell*. 139: 1226-1228. <http://dx.doi.org/10.1016/j.cell.2009.12.013>.
- Leuschner, J; Beuscher, N. (1998). Studies on the mutagenic and carcinogenic potential of chloral hydrate. *Arzneimittelforschung*. 48: 961-968.
- Leuschner, J; Leuschner, F. (1991). Evaluation of the mutagenicity of chloral hydrate in vitro and in vivo. *Arzneimittelforschung*. 41: 1101-1103.
- Levin, CS; Maramraju, SH; Khalighi, MM; Deller, TW; Delso, G; Jansen, F. (2016). Design Features and Mutual Compatibility Studies of the Time-of-Flight PET Capable GE SIGNA PET/MR System. *IEEE Trans Med Imaging*. 35: 1907-1914. <http://dx.doi.org/10.1109/TMI.2016.2537811>.
- Lezak, MD. (1995). Neuropsychological assessment. New York: Oxford University Press.
- Li, H; Shen, TT; Wang, XL; Lin, KF; Liu, YD; Lu, SG; Gu, JD; Wang, P; Lu, Q; Du, XM. (2013). Biodegradation of perchloroethylene and chlorophenol co-contamination and toxic effect on activated sludge performance. *Bioresour Technol*. 137: 286-293. <http://dx.doi.org/10.1016/j.biortech.2013.02.050>.
- Li, KK; Zhang, C; Xu, W. (2011).  $\mu$ -Oxalato-bis-[bis-(2,2'-bipyridine)-manganese(II)] bis(perchlorate) 2,2'-bipyridine solvate. *Acta Crystallographica Section E: Structure Reports Online*. 67: m1443-m1444. <http://dx.doi.org/10.1107/S1600536811038475>.
- Li, X; Lin, J; Gao, Y; Han, W; Chen, D. (2012). Antioxidant activity and mechanism of *Rhizoma Cimicifugae*. *Chemistry Central Journal*. 6: 140. <http://dx.doi.org/10.1186/1752-153X-6-140>.
- Li, X; Sundquist, J; Sundquist, K. (2008). Socioeconomic and occupational risk factors for rheumatoid arthritis: A nationwide study based on hospitalizations in Sweden. *J Rheumatol*. 35: 986-991.
- Liang, SH; Hsu, DW; Lin, CY; Kao, CM; Huang, DJ; Chien, CC; Chen, SC; Tsai, IJ; Chen, CC. (2016). Enhancement of microbial 2,4,6-trinitrotoluene transformation with increased toxicity by exogenous nutrient amendment. *Ecotoxicol Environ Saf*. 138: 39-46. <http://dx.doi.org/10.1016/j.ecoenv.2016.12.012>.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; Gorski, JC; Hall, SD; Chalasani, N. (2005). Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology*. 41: 1144-1150. <http://dx.doi.org/10.1002/hep.20673>.
- Liao, RZ; Chen, SL; Siegbahn, PE. (2016). Unraveling the Mechanism and Regioselectivity of the B12-Dependent Reductive Dehalogenase PceA. *Chemistry*. 22: 12391-12399. <http://dx.doi.org/10.1002/chem.201601575>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology*. 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lide, D. . R. (1990). CRC Handbook of Chemistry and Physics. In DR Lide (Ed.). Boca Raton, FL: CRC Press.
- Lieber, CS. (1997). Cytochrome P-4502E1: Its physiological and pathological role. *Physiol Rev*. 77: 517-544.
- Lien, SY; Yang, CH; Wu, KC; Kung, CY. (2015). Investigation on the passivated Si/Al<sub>2</sub>O<sub>3</sub> interface fabricated by non-vacuum spatial atomic layer deposition system. *Nanoscale Res Lett*. 10: 93. <http://dx.doi.org/10.1186/s11671-015-0803-9>.
- Lillford, L; Beevers, C; Bowen, D; Kirkland, D. (2010). RE: DNA damage detected by the alkaline comet assay in the liver of mice after oral administration of tetrachloroethylene. (Mutagenesis, 25, 133-138, 2010) [Letter]. *Mutagenesis*. 25: 427-428. <http://dx.doi.org/10.1093/mutage/geq020>.



## Human Health Hazard Literature Search Results

### Off Topic

- Lillian, D; Singh, HB. (1974). Absolute determination of atmospheric halocarbons by gas phase coulometry. *Anal Chem.* 46: 1060-1063. <http://dx.doi.org/10.1021/ac60344a003>.
- Lillian, D; Singh, HB; Appleby, A. (1976). Gas chromatographic analysis of ambient halogenated compounds. *Journal of the Air and Waste Management Association.* 26: 141-143.
- Lillian, D; Singh, HB; Appleby, A; Lobban, L; Arnts, R; Gumpert, R; Hague, R; Toomey, J; Kazazis, J; Antell, M; Hansen, D; Scott, B. (1975). Atmospheric fates of halogenated compounds. *Environ Sci Technol.* 9: 1042-1048. <http://dx.doi.org/10.1021/es60110a005>.
- Limmer, MA; Balouet, JC; Karg, F; Vroblesky, DA; Burken, JG. (2011). Phytoscreening for chlorinated solvents using rapid in vitro SPME sampling: application to urban plume in Verl, Germany. *Environ Sci Technol.* 45: 8276-8282. <http://dx.doi.org/10.1021/es201704v>.
- Limmer, MA; Burken, JG. (2015). Phytoscreening with SPME: Variability Analysis. *Int J Phytoremediation.* 17: 1115-1122. <http://dx.doi.org/10.1080/15226514.2015.1045127>.
- Limmer, MA; Holmes, AJ; Burken, JG. (2014). Phytomonitoring of Chlorinated Ethenes in Trees: A Four-Year Study of Seasonal Chemodynamics in Planta. *Environ Sci Technol.* 48: 10634-10640. <http://dx.doi.org/10.1021/es502680p>.
- Lindbohm, ML; Hemminki, K. (1988). Nationwide data base on medically diagnosed spontaneous abortions in Finland. *Int J Epidemiol.* 17: 568-573. <http://dx.doi.org/10.1093/ije/17.3.568>.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Barton, HA. (1995). Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Dispos.* 23: 1202-1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; Garrett, CM. (1996). A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun.* 227: 340-350. <http://dx.doi.org/10.1006/bbrc.1996.1511>.
- Lipscomb, JC; Poet, TS. (2008). In vitro measurements of metabolism for application in pharmacokinetic modeling [Review]. *Pharmacol Ther.* 118: 82-103. <http://dx.doi.org/10.1016/j.pharmthera.2008.01.006>.
- Liu, B; Jia, C. (2014). Effects of exposure to mixed volatile organic compounds on the neurobehavioral test performance in a cross-sectional study of US adults. *Int J Environ Health Res.* 25: 1-15. <http://dx.doi.org/10.1080/09603123.2014.945514>.
- Liu, Y; Guyton, KZ; Gorospe, M; Xu, Q; Lee, JC; Holbrook, NJ. (1996). Differential activation of ERK, JNK/SAPK and P38/CSBP/RK map kinase family members during the cellular response to arsenite. *Free Radic Biol Med.* 21: 771-781.
- Lô, A; Tall-Dia, A; Bonfoh, B; Schelling, E. (2016). Tuberculosis among transhumant pastoralist and settled communities of south-eastern Mauritania. *Global Health Action.* 9: 30334. <http://dx.doi.org/10.3402/gha.v9.30334>.
- Lochner, F. (1976). Perchlorathylen -- eine Bestandsaufnahme. *Umwelt.* 6: 434-436.
- Lock, EA; Sani, Y; Moore, RB; Finkelstein, MB; Anders, MW; Seawright, AA. (1996). Bone marrow and renal injury associated with haloalkene cysteine conjugates in calves. *Arch Toxicol.* 70: 607-619. <http://dx.doi.org/10.1007/s002040050319>.
- Loeffler, FE. (2014). Biogeochemical Controls over Corrinoid Bioavailability to Organohalide-Respiring.
- Loeffler, FE. (2015). Biogeochemical Controls over Corrinoid Bioavailability to Organohalide-Respiring.
- Logé, D; De Coster, O; Washburn, S. (2012). Technological innovation in spinal cord stimulation: use of a newly developed delivery device for introduction of spinal cord stimulation leads. *Neuromodulation.* 15: 392-401. <http://dx.doi.org/10.1111/j.1525-1403.2012.00461.x>.
- Loh, MM; Levy, JI; Spengler, JD; Houseman, EA; Bennett, DH. (2007). Ranking cancer risks of organic hazardous air pollutants in the United States. *Environ Health Perspect.* 115: 1160-1168. <http://dx.doi.org/10.1289/ehp.9884>.
- Lohner, ST; Becker, D; Mangold, KM; Tiehm, A. (2011). Sequential reductive and oxidative biodegradation of chloroethenes stimulated in a coupled bioelectro-process. *Environ Sci Technol.* 45: 6491-6497. <http://dx.doi.org/10.1021/es200801r>.
- Lohner, ST; Spormann, AM. (2013). Identification of a reductive tetrachloroethene dehalogenase in *Shewanella sediminis*. *Philos Trans R Soc Lond B Biol Sci.* 368: 20120326. <http://dx.doi.org/10.1098/rstb.2012.0326>.
- Loizou, GD; Urban, G; Dekant, W; Anders, MW. (1994). GAS-UPTAKE PHARMACOKINETICS OF 2,2-DICHLORO-1,1,1-TRIFLUOROETHANE (HCFC-123). *Drug Metab Dispos.* 22: 511-517.
- Loomer, DB; Al, T; Banks, VJ; Parker, BL; Mayer, KU. (2011). Manganese and trace-metal mobility under reducing conditions following in situ oxidation of TCE by KMnO<sub>4</sub>: A laboratory column experiment. *J Contam Hydrol.* 119: 13-24. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.005>.
- Loper, JC. (1980). Mutagenic effects of organic compounds in drinking water. *Mutat Res.* 76: 241-268. [http://dx.doi.org/10.1016/0165-1110\(80\)90019-6](http://dx.doi.org/10.1016/0165-1110(80)90019-6).
- López-Pérez, JA; Edwards, S; Ploeg, A. (2011). Control of root-knot nematodes on tomato in stone wool substrate with biological nematicides. *Journal of Nematology.* 43: 110-117.
- Loughran, TP, Jr. (1993). Clonal diseases of large granular lymphocytes [Review]. *Blood.* 82: 1-14.
- Love, OT, Jr; Eilers, RG. (1982). Treatment of drinking water containing trichloroethylene and related industrial solvents. *J Am Water Works Assoc.* 74: 413-425.
- Lovell, D. (2010). Is tetrachloroethylene genotoxic or not [Comment]. *Mutagenesis.* 25: 443-446. <http://dx.doi.org/10.1093/mutage/geq036>.
- Lovelock, JE. (1974). Atmospheric halocarbons and stratospheric ozone. *Nature.* 252: 292-294. <http://dx.doi.org/10.1038/252292a0>.
- Lowengart, RA; Peters, JM; Cicioni, C; Buckley, J; Bernstein, L; Preston-Martin, S; Rappaport, E. (1987). Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst.* 79: 39-46. <http://dx.doi.org/10.1093/jnci/79.1.39>.
- Lowenheim, FA; Moran, MK. (1975). Perchloroethylene (tetrachloroethylene). In FA Lowenheim; MK Moran (Eds.), (pp. 604-611). New York: John Wiley & Sons.
- Lu, R, ui; Mizaikoff, B; Li, W; Qian, C; Katzir, A; Raichlin, Y; Sheng, G; Yu, H. (2013). Determination of Chlorinated Hydrocarbons in Water Using Highly Sensitive Mid-Infrared Sensor Technology. *Sci Rep.* 3: 2525. <http://dx.doi.org/10.1038/srep02525>.
- Lü, W; Kamiya, I. (2012). The influence of interlayer molecules in luminescence of self-assembled bilayer PbS quantum dot films. *J Nanosci Nanotechnol.* 12: 410-415. <http://dx.doi.org/10.1166/jnn.2012.5361>.

## Human Health Hazard Literature Search Results

### Off Topic

- Lucas y Hernandez, J; Golanó, P; Roshan-Zamir, S; Darcel, V; Chauveaux, D; Laffenêtre, O. (2016). Treatment of moderate hallux valgus by percutaneous, extra-articular reverse-L Chevron (PERC) osteotomy. 98-B: 365-373. <http://dx.doi.org/10.1302/0301-620X.98B3.35666>.
- Ludwig, HR; Meister, MV; Roberts, DR; Cox, C. (1983). Worker exposure to perchloroethylene in the commercial dry cleaning industry. *Am Ind Hyg Assoc J.* 44: 600-605. <http://dx.doi.org/10.1080/15298668391405391>.
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2003). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett.* 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Lueken, A; Juhl-Strauss, U; Krieger, G; Witte, I. (2004). Synergistic DNA damage by oxidative stress (induced by H<sub>2</sub>O<sub>2</sub>) and nongenotoxic environmental chemicals in human fibroblasts. *Toxicol Lett.* 147: 35-43. <http://dx.doi.org/10.1016/j.toxlet.2003.10.020>.
- Lumpkin, MH; Bruckner, JV; Campbell, JL; Dallas, CE; White, CA; Fisher, JW. (2003). Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos.* 31: 1203-1207. <http://dx.doi.org/10.1124/dmd.31.10.1203>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klarekog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol.* 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, B; Meijer, J; DePierre, JW. (1987). Induction of cytosolic and microsomal epoxide hydrolases and proliferation of peroxisomes and mitochondria in mouse liver after dietary exposure to p-chlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. *Biochem Pharmacol.* 36: 815-821. [http://dx.doi.org/10.1016/0006-2952\(87\)90169-9](http://dx.doi.org/10.1016/0006-2952(87)90169-9).
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech.* 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Lutz, W; Krajewska, B. (1987). Ocena Czynnosci Watroby Na Podstawie Niektorych Parametrow Biochemicznych I Testu CBJ-131 U Pracownikow Przewleklo Ekspozowanych Na Dzialanie Rozpuszczalnikow Organicznych [Evaluation of the liver function basing on certain biochemical parameters and CBJ-131 test in workers chronically exposed to organic solvents]. *Med Pr.* 38: 34-39.
- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol.* 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lybarger, JA; Lichtveld, MY; Amler, RW. (1999). Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Ren Fail.* 21: 263-274. <http://dx.doi.org/10.3109/08860229909085088>.
- Lynch, A; Parry, J. (1993). The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res.* 287: 71-86. [http://dx.doi.org/10.1016/0027-5107\(93\)90146-7](http://dx.doi.org/10.1016/0027-5107(93)90146-7).
- Lynge, E. (1994). Danish Cancer Registry as a resource for occupational research. *J Occup Med.* 36: 1169-1173.
- Lynge, E. (2008). Comments on toxicological review of tetrachloroethylene CAS no. 127-18-4 EPA/635/R-08/011A external draft review [Personal Communication].
- Lynge, E; Tinnerberg, H; Rylander, L; Romundstad, P; Johansen, K; Lindbohm, ML; Heikkilä, P; Westberg, H; Clausen, LB; Piombino, A; Thorsted, BL. (2011). Exposure to tetrachloroethylene in dry cleaning shops in the Nordic countries. *Ann Occup Hyg.* 55: 387-396. <http://dx.doi.org/10.1093/annhyg/meq101>.
- Lyons, O; Clough, R; Patel, A; Saha, P; Carrell, T; Taylor, P. (2011). Endovascular management of Stanford type a dissection or intramural hematoma with a distal primary entry tear [Review]. *J Endovasc Ther.* 18: 591-600. <http://dx.doi.org/10.1583/11-3468.1>.
- Ma, H; Zhang, H; Wang, L; Wang, J; Chen, J. (2014). Comprehensive screening and priority ranking of volatile organic compounds in Daliao River, China. *Environ Monit Assess.* 186: 2813-2821. <http://dx.doi.org/10.1007/s10661-013-3582-8>.
- Ma, TH; Sandhu, SS; Peng, Y; Chen, TD; Kim, TW. (1992). Synergistic and antagonistic effects on genotoxicity of chemicals commonly found in hazardous waste sites. *Mutat Res-Fundam Mol Mech Mutagen.* 270: 71-77. [http://dx.doi.org/10.1016/0027-5107\(92\)90103-9](http://dx.doi.org/10.1016/0027-5107(92)90103-9).
- Mac Nelly, A; Kai, M; Svatoš, A; Diekert, G; Schubert, T. (2014). Functional heterologous production of reductive dehalogenases from *Desulfitobacterium hafniense* strains. *Appl Environ Microbiol.* 80: 4313-4322. <http://dx.doi.org/10.1128/AEM.00881-14>.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med.* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Macca, I; Carrieri, M; Scapellato, ML; Scopa, P; Trevisan, A; Bartolucci, GB. (2012). Biological monitoring of exposure to perchloroethylene in dry cleaning workers. *Med Lav.* 103: 382-393.
- Macdonald, LR; Harrison, RL; Alessio, AM; Hunter, WC; Lewellen, TK; Kinahan, PE. (2011). Effective count rates for PET scanners with reduced and extended axial field of view. *Phys Med Biol.* 56: 3629-3643. <http://dx.doi.org/10.1088/0031-9155/56/12/011>.
- Mackay, D; Bobra, A; Chan, DW; Shiu, WY. (1982). Vapor pressure correlations for low-volatility environmental chemicals. *Environ Sci Technol.* 16: 645-649. <http://dx.doi.org/10.1021/es00104a004>.
- Mackay, JM; Fox, V; Griffiths, K; Fox, DA; Howard, CA; Coutts, C; Wyatt, I; Styles, JA. (1995). Trichloroacetic acid: Investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis.* 16: 1127-1133. <http://dx.doi.org/10.1093/carcin/16.5.1127>.
- Mackenzie, K; Bleyl, S; Kopinke, FD; Doose, H; Bruns, J. (2015). Carbo-Iron as improvement of the nanoiron technology: From laboratory design to the field test. *Sci Total Environ.* 563-564: 641-648. <http://dx.doi.org/10.1016/j.scitotenv.2015.07.107>.
- MacNaughton, MG; Uddin, DE. (1984). Toxicology of mixed distillate and high-energy synthetic fuels. In MA Mehlman; GP Hemstreet; JJ Thorpe; NK Weaver (Eds.), (pp. 121-132). Princeton, NJ: Princeton Scientific Publishers, Inc.
- Maçôas, EM; Mustalahti, S; Myllyperkiö, P; Kunttu, H; Pettersson, M. (2015). Role of vibrational dynamics in electronic relaxation of Cr(acac)<sub>3</sub>. *J Phys Chem A.* 119: 2727-2734. <http://dx.doi.org/10.1021/jp509905q>.

## Human Health Hazard Literature Search Results

### Off Topic

- Maddalena, RL; Mckone, TE; Layton, DW; Hsieh, DP. (1995). Comparison of multi-media transport and transformation models: regional fugacity model vs. CalTOX. *Chemosphere*. 30: 869-889. [http://dx.doi.org/10.1016/0045-6535\(94\)00447-3](http://dx.doi.org/10.1016/0045-6535(94)00447-3).
- Magnusson, J; Ramel, C; Eriksson, A. (1977). Mutagenic effects of chlorinated phenoxyacetic acids in *Drosophila melanogaster*. *Hereditas*. 87: 121-123. <http://dx.doi.org/10.1111/j.1601-5223.1977.tb01252.x>.
- Mahle, DA; Gearhart, JM; Grigsby, CC; Mattie, DR; Barton, HA; Lipscomb, JC; Cook, RS. (2007). Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Environ Health A*. 70: 1745-1751. <http://dx.doi.org/10.1080/15287390701458991>.
- Mailhes, J; Aardema, M; Marchetti, F. (1993). Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen*. 22: 107-114. <http://dx.doi.org/10.1002/em.2850220209>.
- Mailhes, JB; Preston, RJ; Yuan, ZP; Payne, HS. (1988). Analysis of mouse metaphase II oocytes as an assay for chemically induced aneuploidy. *Mutat Res*. 198: 145-152. [http://dx.doi.org/10.1016/0027-5107\(88\)90049-8](http://dx.doi.org/10.1016/0027-5107(88)90049-8).
- Maillard, J; Charnay, MP; Regeard, C; Rohrbach-Brandt, E; Rouzeau-Szynalski, K; Rossi, P; Holliger, C. (2011). Reductive dechlorination of tetrachloroethene by a stepwise catalysis of different organohalide respiring bacteria and reductive dehalogenases. *Biodegradation*. 22: 949-960. <http://dx.doi.org/10.1007/s10532-011-9454-4>.
- Maitre, A; Hours, M; Bonnetterre, V; Arnaud, J; Arslan, MT; Carpentier, P; Bergeret, A; de Gaudemaris, R. (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol*. 31: 2395-2401.
- Makide, Y; Kanai, Y; Tominaga, T. (1980). Background atmospheric concentrations of halogenated hydrocarbons in Japan. *Bull Chem Soc Jpn*. 53: 2681-2682. <http://dx.doi.org/10.1246/bcsj.53.2681>.
- Makris, KC; Andra, SS. (2014). Limited representation of drinking-water contaminants in pregnancy-birth cohorts. *Sci Total Environ*. 468-469: 165-175. <http://dx.doi.org/10.1016/j.scitotenv.2013.08.012>.
- Makris, NE; Huisman, MC; Kinahan, PE; Lammertsma, AA; Boellaard, R. (2013). Evaluation of strategies towards harmonization of FDG PET/CT studies in multicentre trials: comparison of scanner validation phantoms and data analysis procedures. *Eur J Nucl Med Mol Imaging*. 40: 1507-1515. <http://dx.doi.org/10.1007/s00259-013-2465-0>.
- Malaveille, C; Bartsch, H; Barbin, A; Camus, AM; Montesano, R; Croisy, A; Jacquignon, P. (1975). Mutagenicity of vinyl chloride, chloroethyleneoxide, chloroacetaldehyde and chloroethanol. *Biochem Biophys Res Commun*. 63: 363-370. [http://dx.doi.org/10.1016/0006-291X\(75\)90697-X](http://dx.doi.org/10.1016/0006-291X(75)90697-X).
- Malherbe, P; Alberati-Giani, D; Kohler, C; Cesura, AM. (1995). Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett*. 367: 141-144. [http://dx.doi.org/10.1016/0014-5793\(95\)00546-L](http://dx.doi.org/10.1016/0014-5793(95)00546-L).
- Mallin, K. (1990). Investigation of a bladder cancer cluster in northwestern Illinois. *Am J Epidemiol*. 132: S96-S106.
- Mannervik, B. (1985). The isoenzymes of glutathione transferase [Review]. *Adv Enzymol Relat Areas Mol Biol*. 57: 357-417.
- Manogue, WH. (1958). The kinetics of the absorption of phosgene into water and aqueous solutions. *Dissertation Abstracts International, B: The Sciences and Engineering*. 18: 984.
- Manookin, MB; Weick, M; Stafford, BK; Demb, JB. (2010). NMDA receptor contributions to visual contrast coding. *Neuron*. 67: 280-293. <http://dx.doi.org/10.1016/j.neuron.2010.06.020>.
- Mansfeldt, CB; Logsdon, BA; Debs, GE; Richardson, RE. (2015). SPINE: SParse elgengene NETwork linking gene expression clusters in *Dehalococcoides mccartyi* to perturbations in experimental conditions. *PLoS ONE*. 10: e0118404. <http://dx.doi.org/10.1371/journal.pone.0118404>.
- Mantel, N. (1963). Chi-square tests with one degree of freedom; extensions of the Mantel-Haenszel procedure. *J Am Stat Assoc*. 58: 690-700.
- Manzo, L; Artigas, F; Martinez, E; Mutti, A; Bergamaschi, E; Nicotera, P; Tonini, M; Candura, SM; Ray, DE; Costa, LG. (1996). Biochemical markers of neurotoxicity A review of mechanistic studies and applications [Review]. *Hum Exp Toxicol*. 15: S20-S35.
- Maphosa, F; van Passel, MW; de Vos, WM; Smidt, H. (2012). Metagenome analysis reveals yet unexplored reductive dechlorinating potential of *Dehalobacter* sp. E1 growing in co-culture with *Sedimentibacter* sp. *Environmental Microbiology Reports*. 4: 604-616. <http://dx.doi.org/10.1111/j.1758-2229.2012.00376.x>.
- Marano, DE; Boice, JD, Jr; Fryzek, JP; Morrison, JA; Sadler, CJ; McLaughlin, JK. (2000). Exposure assessment for a large epidemiological study of aircraft manufacturing workers. *Appl Occup Environ Hyg*. 15: 644-656. <http://dx.doi.org/10.1080/10473220050075653>.
- Marcatili, S; Pettinato, C; Daniels, S; Lewis, G; Edwards, P; Fanti, S; Spezi, E. (2013). Development and validation of RAYDOSE: a Geant4-based application for molecular radiotherapy. *Phys Med Biol*. 58: 2491-2508. <http://dx.doi.org/10.1088/0031-9155/58/8/2491>.
- Marchesi, M; Aravena, R; Sra, KS; Thomson, NR; Otero, N; Soler, A; Mancini, S. (2012). Carbon isotope fractionation of chlorinated ethenes during oxidation by Fe<sup>2+</sup> activated persulfate. *Sci Total Environ*. 433: 318-322. <http://dx.doi.org/10.1016/j.scitotenv.2012.06.051>.
- Marco-Urrea, E; Nijenhuis, I; Adrian, L. (2011). Transformation and carbon isotope fractionation of tetra- and trichloroethene to trans-dichloroethene by *Dehalococcoides* sp. strain CBDB1. *Environ Sci Technol*. 45: 1555-1562. <http://dx.doi.org/10.1021/es1023459>.
- Marcus, SL; Miyata, KS; Zhang, B; Subramani, S; Rachubinski, RA; Capone, JP. (1993). Diverse peroxisome proliferator-activated receptors bind to the peroxisome proliferator-responsive elements of the rat hydratase/dehydrogenase and fatty acyl-CoA oxidase genes but differentially induce expression. *Proc Natl Acad Sci USA*. 90: 5723-5727.
- Margard, W. (1978). In vitro bioassay of chlorinated hydrocarbon solvents [Unpublished]. Frederick, MD: Batelle Laboratories.
- Margry, B; Wieland, WH; van Kooten, PJ; van Eden, W; Broere, F. (2013). Peritoneal cavity B-1a cells promote peripheral CD4+ T-cell activation. *Eur J Immunol*. 43: 2317-2326. <http://dx.doi.org/10.1002/eji.201343418>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mariani, MB; Giannetti, V; Testani, E; D'Aiuto, V. (2012). Development of a Headspace-Solid Phase Microextraction-Gas Chromatography Method to Determine Organohalogen Contamination in Drinking Water. *J AOAC Int.* 95: 222-226. <http://dx.doi.org/10.5740/jaoacint.10-417>.
- Marić, NP; Stojiljković, DJ; Pavlović, Z; Jasović-Gamsić, M. (2012). Factors influencing the choice of antidepressants: a study of antidepressant prescribing practice at University Psychiatric Clinic in Belgrade. *Vojnosanit Pregl.* 69: 308-313.
- Maric, NP; Stojiljkovic, DJ; Pavlovic, Z; Jasovic-Gasic, M. (2012). Factors influencing the choice of antidepressants: a study of antidepressant prescribing practice at University Psychiatric Clinic in Belgrade. *Vojnosanit Pregl.* 69: 308-313. <http://dx.doi.org/10.2298/VSP1204308M>.
- Maronpot, RR; Fox, T; Malarkey, DE; Goldsworthy, TL. (1995). Mutations in the ras proto-oncogene: Clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology.* 101: 125-156. [http://dx.doi.org/10.1016/0300-483X\(95\)03112-S](http://dx.doi.org/10.1016/0300-483X(95)03112-S).
- Marquardt, JU; Thorgeirsson, SS. (2010). Stem cells in hepatocarcinogenesis: Evidence from genomic data [Review]. *Semin Liver Dis.* 30: 26-34. <http://dx.doi.org/10.1055/s-0030-1247130>.
- Marrazzini, A; Betti, C; Bernacchi, F; Barrai, I; Barale, R. (1994). Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis.* 9: 505-515. <http://dx.doi.org/10.1093/mutage/9.6.505>.
- Marshall, I; Azizian, MF; Semprini, L; Spormann, AM. (2014). Inferring community dynamics of organohalide-respiring bacteria in chemostats by covariance of rdhA gene abundance. *FEMS Microbiol Ecol.* 87: 428-440. <http://dx.doi.org/10.1111/1574-6941.12235>.
- Marsman, DS. (1991) Peroxisome proliferator hepatocarcinogenesis in rats: The role of cell proliferation in tumor development. (Doctoral Dissertation). University of North Carolina, Chapel Hill, NC.
- Marsman, DS; Cattley, RC; Conway, JG; Popp, JA. (1988). Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylydino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res.* 48: 6739-6744.
- Marsman, DS; Goldsworthy, TL; Popp, JA. (1992). Contrasting hepatocytic peroxisome proliferation, lipofuscin accumulation and cell turnover for the hepatocarcinogens Wy-14,643 and clofibrac acid. *Carcinogenesis.* 13: 1011-1017. <http://dx.doi.org/10.1093/carcin/13.6.1011>.
- Marsman, DS; Popp, JA. (1994). Biological potential of basophilic hepatocellular foci and hepatic adenoma induced by the peroxisome proliferator, Wy-14,643. *Carcinogenesis.* 15: 111-117. <http://dx.doi.org/10.1093/carcin/15.1.111>.
- Martí-Climent, JM; Prieto, E; Elosúa, C; Rodríguez-Fraile, M; Domínguez-Prado, I; Vigil, C; García-Velloso, MJ; Arbizu, J; Peñuelas, I; Richter, JA. (2014). PET optimization for improved assessment and accurate quantification of 90Y-microsphere biodistribution after radioembolization. *Med Phys.* 41: 092503. <http://dx.doi.org/10.1118/1.4892383>.
- Martin, PM; Mailman, RB. (1988). Permanent alteration in licking pattern of rats due to neonatal lead exposure. 14: 361.
- Maslia, ML; Aral, MM; Ruckart, PZ; Bove, FJ. (2016). Reconstructing Historical VOC Concentrations in Drinking Water for Epidemiological Studies at a US Military Base: Summary of Results. *Water.* 8. <http://dx.doi.org/10.3390/w8100449>.
- Materna, BL. (1985). Occupational exposure to perchloroethylene in the dry cleaning industry. *AIHA J.* 46: 268-273.
- Mathias, E; Sanhueza, E; Hisatsune, IC; Hecklen, J. (1974). The chlorine atom sensitized oxidation and ozonolysis of C2Cl4. *Can J Chem.* 52: 3852-3862.
- Matteucci, F; Ercole, C; Del Gallo, M. (2015). A study of chlorinated solvent contamination of the aquifers of an industrial area in central Italy: a possibility of bioremediation. *FMICB.* 6: 924. <http://dx.doi.org/10.3389/fmicb.2015.00924>.
- Mattsson, S; Vañó, E. (2013). ICRP perspective on criteria of acceptability for medical radiological equipment [Review]. *Radiat Prot Dosimetry.* 153: 158-160. <http://dx.doi.org/10.1093/rpd/ncs296>.
- Matturro, B; Heavner, GL; Richardson, RE; Rossetti, S. (2013). Quantitative estimation of Dehalococcoides mccartyi at laboratory and field scale: comparative study between CARD-FISH and Real Time PCR. *J Microbiol Methods.* 93: 127-133. <http://dx.doi.org/10.1016/j.mimet.2013.02.011>.
- Matturro, B; Presta, E; Rossetti, S. (2016). Reductive dechlorination of tetrachloroethene in marine sediments: Biodiversity and dehalorespiring capabilities of the indigenous microbes. *Sci Total Environ.* 545-546: 445-452. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.098>.
- Matturro, B; Tandoi, V; Rossetti, S. (2013). Different activity levels of Dehalococcoides mccartyi revealed by FISH and CARD-FISH under non-steady and pseudo-steady state conditions. *N Biotechnol.* 30: 756-762. <http://dx.doi.org/10.1016/j.nbt.2013.07.003>.
- May, R. (1976) Aufnahme Metabolisierung und Ausscheidung von Tetrachloräthylen und Beeinflussung durch gleichzeitige Aufnahme von Athanol beim Menschen. (Doctoral Dissertation). Universität Würzburg, Würzburg, Germany.
- Mayer, VW; Goin, CJ. (1980). Induction of mitotic recombination by certain hair-dye chemicals in *Saccharomyces cerevisiae*. *Mutat Res.* 78: 243-252. [http://dx.doi.org/10.1016/0165-1218\(80\)90105-6](http://dx.doi.org/10.1016/0165-1218(80)90105-6).
- Mayer-Blackwell, K; Azizian, MF; Green, JK; Spormann, AM; Semprini, L. (2017). Survival of Vinyl Chloride Respiring Dehalococcoides mccartyi under Long-Term Electron Donor Limitation. *Environ Sci Technol.* 51: 1635-1642. <http://dx.doi.org/10.1021/acs.est.6b05050>.
- Mayer-Blackwell, K; Fincker, M; Molenda, O; Callahan, B; Sewell, H; Holmes, S; Edwards, EA; Spormann, AM. (2016). 1,2-Dichloroethane Exposure Alters the Population Structure, Metabolism, and Kinetics of a Trichloroethene-Dechlorinating Dehalococcoides mccartyi Consortium. *Environ Sci Technol.* 50: 12187-12196. <http://dx.doi.org/10.1021/acs.est.6b02957>.
- Mayes, MD. (1999). Epidemiologic studies of environmental agents and systemic autoimmune diseases [Review]. *Environ Health Perspect.* 107: 743-748.
- McAllister, SS; Gifford, AM; Greiner, AL; Kelleher, SP; Saelzler, MP; Ince, TA; Reinhardt, F; Harris, LN; Hylander, BL; Repasky, EA; Weinberg, RA. (2008). Systemic endocrine instigation of indolent tumor growth requires osteopontin. *Cell.* 133: 994-1005. <http://dx.doi.org/10.1016/j.cell.2008.04.045>.

## Human Health Hazard Literature Search Results

### Off Topic

- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA*. 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarthy, MC; Hafner, HR; Montzka, SA. (2006). Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc*. 56: 3-11.
- McCarver, DG; Byun, R; Hines, RN; Hichme, M; Wegenek, W. (1998). A genetic polymorphism in the regulatory sequences of human CYP2E1: Association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol*. 152: 276-281. <http://dx.doi.org/10.1006/taap.1998.8532>.
- Mccarver, DG; Hines, RN. (2002). The ontogeny of human drug-metabolizing enzymes: Phase II: Conjugation enzymes and regulatory mechanisms [Review]. *J Pharmacol Exp Ther*. 300: 361-366. <http://dx.doi.org/10.1124/jpet.300.2.361>.
- McConnell, EE; Wagner, JC; Skidmore, JW; Moore, JA. (1984). Biological effects of man-made mineral fibres: Proceedings of a WHO/IARC conference in association with JEMRB and TIMA, Copenhagen, 2-22 April 1982A comparative study of the fibrogenic and carcinogenic effects of UICC Canadian chrysotile B asbestos and glass microfibre (JM 100). Copenhagen: WHO.
- McCredie, M; Stewart, JH. (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med*. 50: 349-354.
- Mcdermott, MJ; Mazor, KA; Shost, SJ; Narang, RS; Aldous, KM; Storm, JE. (2005). Tetrachloroethylene (PCE, Perc) levels in residential dry cleaner buildings in diverse communities in New York City. *Environ Health Perspect*. 113: 1336-1343. <http://dx.doi.org/10.1289/ehp.7414>.
- McDiarmid, MA; Gehle, K. (2006). Preconception brief: Occupational/environmental exposures. *Matern Child Health J*. 10: 123-128. <http://dx.doi.org/10.1007/s10995-006-0089-8>.
- McDonald, AD; Armstrong, B; Cherry, NM; Delorme, C; Diodati-Nolin, A; McDonald, JC; Robert, D. (1986). Spontaneous abortion and occupation. *J Occup Med*. 28: 1232-1238.
- McDonald, AD; McDonald, JC; Armstrong, B; Cherry, N; Delorme, C; Nolin, A; Robert, D. (1987). Occupation and pregnancy outcome. *Br J Ind Med*. 44: 521-526.
- Mcgregor, DB; Brown, A; Cattanach, P; Edwards, I; McBride, D; Riach, C; Caspary, WJ. (1988). Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. *Environ Mol Mutagen*. 12: 85-154. <http://dx.doi.org/10.1002/em.2860120111>.
- McKinney, LL; Weakley, FB; Eldridge, AC; Campbell, RE; Cowan, JC; Picken, JC; Blester, HE. (1957). S-(dichlorovinyl) L-cysteine: an agent causing fatal aplastic anemia in calves. *J Am Chem Soc*. 79: 3932-3933. <http://dx.doi.org/10.1021/ja01571a093>.
- McKone, T; Bogen, K. (1993). CalTOX, a multimedia total-exposure model for hazardous waste sites. Part II: The dynamic multimedia transport and transformation model. Sacramento, CA: California Environmental Protection Agency.
- McKone, TE; Bogen, KT. (1992). Uncertainties in health-risk assessment: an integrated case study based on tetrachloroethylene in California groundwater. *Regul Toxicol Pharmacol*. 15: 86-103.
- Mckone, TE; Daniels, JI. (1991). Estimating human exposure through multiple pathways from air, water, and soil. *Regul Toxicol Pharmacol*. 13: 36-61. [http://dx.doi.org/10.1016/0273-2300\(91\)90040-3](http://dx.doi.org/10.1016/0273-2300(91)90040-3).
- McLaughlin, JK. (1993). Renal cell cancer and exposure to gasoline: A review [Review]. *Environ Health Perspect*. 101: 111-114.
- McLean, D; Mannetje, A; Dryson, E; Walls, C; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2009). Leukaemia and occupation: A New Zealand Cancer Registry-based case-control Study. *Int J Epidemiol*. 38: 594-606. <http://dx.doi.org/10.1093/ije/dyn220>.
- McMartin, KI; Koren, G. (1999). Exposure to organic solvents. Does it adversely affect pregnancy? *Can Fam Physician*. 45: 1671-1673.
- MDCH. (2012). Health consultation: Public health implications of soil gas and air sampling data: Grand Traverse Overall Supply NPL site, Greilickville, Leelanau County, Michigan: EPA facility id: MID017418559. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/GrandTraverse/GrandTraverseHC11192012.pdf>.
- MDPH. (1997). Woburn childhood leukemia follow-up study: Information booklet [Pamphlet]. Boston, MA: Massachusetts Department of Public Health, Bureau of Environmental Health Assessment. Retrieved from [http://www.mass.gov/Eoohs2/docs/dph/environmental/investigations/woburn\\_childhood\\_leukemia\\_follow.pdf](http://www.mass.gov/Eoohs2/docs/dph/environmental/investigations/woburn_childhood_leukemia_follow.pdf)
- Meade, TW; Framework, FtBMRGPR; clinics, pv. (2001). Design and intermediate results of the Lower Extremity Arterial Disease Event Reduction (LEADER)\* trial of bezafibrate in men with lower extremity arterial disease [ISRCTN4119421]. *Current Controlled Trials in Cardiovascular Medicine*. 2: 195-204. <http://dx.doi.org/10.1186/cvm-2-4-195>.
- Meechai, T; Tepmongkol, S; Pluempitwiriwajew, C. (2015). Partial-volume effect correction in positron emission tomography brain scan image using super-resolution image reconstruction. *Br J Radiol*. 88: 20140119. <http://dx.doi.org/10.1259/bjr.20140119>.
- Mehendale, HM. (2005). Tissue repair: An important determinant of final outcome of toxicant-induced injury [Review]. *Toxicol Pathol*. 33: 41-51. <http://dx.doi.org/10.1080/01926230590881808>.
- Mehranian, A; Kotasidis, F; Zaidi, H. (2016). Accelerated time-of-flight (TOF) PET image reconstruction using TOF bin subsetization and TOF weighting matrix pre-computation. *Phys Med Biol*. 61: 1309-1331. <http://dx.doi.org/10.1088/0031-9155/61/3/1309>.
- Meier, KL; Bailer, AJ; Portier, CJ. (1993). A measure of tumorigenic potency incorporating dose-response shape. *Biometrics*. 49: 917-926.
- Meijer, J; Afzelius, BA. (1989). Effects of clofibrate treatment and of starvation on peroxisomes, mitochondria, and lipid droplets in mouse hepatocytes: a morphometric study. *J Ultra Mol Struct Res*. 102: 87-94. [http://dx.doi.org/10.1016/0889-1605\(89\)90037-2](http://dx.doi.org/10.1016/0889-1605(89)90037-2).
- Mejia, JM; Ochoa Domínguez, H; Vergara Villegas, OO; Ortega Máñez, L; Mederos, B. (2014). Noise reduction in small-animal PET images using a multiresolution transform. *IEEE Trans Med Imaging*. 33: 2010-2019. <http://dx.doi.org/10.1109/TMI.2014.2329702>.
- Melcher, RG; Langner, RR; Kagel, RO. (1978). Criteria for the evaluation of methods for the collection of organic pollutants in air using solid sorbents. *Am Ind Hyg Assoc J*. 39: 349-361. <http://dx.doi.org/10.1080/0002889778507771>.
- Mellies, JL; Platenkamp, A; Osborn, J; Ben-Avi, L. (2017). PerC Manipulates Metabolism and Surface Antigens in Enteropathogenic Escherichia coli. 7: 32. <http://dx.doi.org/10.3389/fcimb.2017.00032>.

## Human Health Hazard Literature Search Results

### Off Topic

- Melnick, RL. (2001). Is peroxisome proliferation an obligatory precursor step in the carcinogenicity of di(2-ethylhexyl)phthalate (DEHP)? [Review]. *Environ Health Perspect.* 109: 437-442.
- Melnick, RL. (2002). The IARC evaluation of di(2-ethylhexyl)phthalate (DEHP): A flawed decision based on an untested hypothesis. *Int J Occup Environ Health.* 8: 284-286.
- Melnick, RL; Kohn, MC; Huff, J. (1997). Weight of evidence versus weight of speculation to evaluate the alpha2u-globulin hypothesis. *Environ Health Perspect.* 105: 904-906.
- Mendoza-Figueroa, T; López-Revilla, R; Villa-Trevino, S. (1983). DNA breaks induced by micromolar concentrations of dimethylnitrosamine in liver primary cell cultures from untreated and phenobarbital treated rats. *Toxicology.* 27: 55-69. [http://dx.doi.org/10.1016/0300-483X\(83\)90075-6](http://dx.doi.org/10.1016/0300-483X(83)90075-6).
- Meng, FY; Liu, R; Kobayashi, T; Wan, M; Yu, SL; Chen, LJ. (2011). [Study on equilibrium adsorption of volatile chlorinated hydrocarbons on dry soils]. *Huanjing Kexue.* 32: 3121-3127.
- Meng, FY; Liu, R; Kobayashi, T; Wan, M; Yu, SL; Chen, LJ. (2012). Study on Equilibrium Adsorption of Volatile Chlorinated Hydrocarbons on Humid Soils. *Huanjing Kexue.* 33: 1361-1368.
- Mennear, J; Maronpot, R; Boorman, G; Eustis, S; Huff, J; Haseman, J; Mcconnell, E; Ragan, H; Miller, R. (1986). New concepts and developments in toxicology: Proceedings of the Fourth International Congress of toxicology held in Tokyo, Japan, July 21-25, 1986. Toxicologic and carcinogenic effects of inhaled tetrachloroethylene in rats and mice. New York: Elsevier Science Publishers.
- Mera, N; Ohmori, S; Itahashi, K; Kiuchi, M; Igarashi, T; Rikihisa, T; Kitada, M. (1994). Immunochemical evidence for the occurrence of Mu class glutathione S-transferase in human fetal livers. *J Biochem.* 116: 315-320.
- Merck. (1996). The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals. In S Budavari (Ed.), (12th ed.). Rahway, NJ: Merck & Co., Inc.
- Mergler, D. (1987). Worker participation in occupational health research: Theory and practice. *Int J Health Serv.* 17: 151-167.
- Mergler, D; Belanger, S; De Grosbois, S; Vachon, N. (1988). Chromal focus of acquired chromatic discrimination loss and solvent exposure among printshop workers. *Toxicology.* 49: 341-348. [http://dx.doi.org/10.1016/0300-483X\(88\)90017-0](http://dx.doi.org/10.1016/0300-483X(88)90017-0).
- Mergler, D; Blain, L. (1987). Assessing color vision loss among solvent-exposed workers. *Am J Ind Med.* 12: 195-203. <http://dx.doi.org/10.1002/ajim.4700120208>.
- Mergler, D; Blain, L; Lemaire, J; Lalande, F. (1988). Colour vision impairment and alcohol consumption. *Neurotoxicol Teratol.* 10: 255-260. [http://dx.doi.org/10.1016/0892-0362\(88\)90025-6](http://dx.doi.org/10.1016/0892-0362(88)90025-6).
- Mergler, D; Huel, G; Bowler, R; Frenette, B; Cone, J. (1991). Visual dysfunction among former microelectronics assembly workers. *Arch Environ Health.* 46: 326-334. <http://dx.doi.org/10.1080/00039896.1991.9934398>.
- Mergler DHuel, G; Belanger, S; Bowler, RM; Truchon, G; Drolet, D; Ostiguy, C. (1996). Surveillance of early neurotoxic dysfunction. *Neurotoxicology.* 17: 803-812.
- Merlin, T; Visvikis, D; Fernandez, P; Lamare, F. (2015). A novel partial volume effects correction technique integrating deconvolution associated with denoising within an iterative PET image reconstruction. *Med Phys.* 42: 804-819. <http://dx.doi.org/10.1118/1.4905162>.
- Meskar, A; Plee-Gautier, E; Amet, Y; Berthou, F; Lucas, D. (2001). Interactions alcool-xénobiotiques. Rôle du cytochrome P450 2E1 [Alcohol-xenobiotic interactions. Role of cytochrome P450 2E1] [Review]. *Pathol Biol.* 49: 696-702. [http://dx.doi.org/10.1016/S0369-8114\(01\)00235-8](http://dx.doi.org/10.1016/S0369-8114(01)00235-8).
- Messier, KP; Akita, Y; Serre, ML. (2012). Integrating Address Geocoding, Land Use Regression, and Spatiotemporal Geostatistical Estimation for Groundwater Tetrachloroethylene. *Environ Sci Technol.* 46: 2772-2780. <http://dx.doi.org/10.1021/es203152a>.
- Messing, K; Dumais, L; Courville, J; Seifert, AM; Boucher, M. (1994). Evaluation of exposure data from men and women with the same job title. *J Occup Med.* 36: 913-917.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med.* 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Mets, OM; van Hulst, RA; Jacobs, C; van Ginneken, B; de Jong, PA. (2012). Normal range of emphysema and air trapping on CT in young men. *AJR Am J Roentgenol.* 199: 336-340. <http://dx.doi.org/10.2214/AJR.11.7808>.
- Meyer, K; Lee, JS; Dyck, PA; Cao, WQ; Rao, MS; Thorgeirsson, SS; Reddy, JK. (2003). Molecular profiling of hepatocellular carcinomas developing spontaneously in acyl-CoA oxidase deficient mice: Comparison with liver tumors induced in wild-type mice by a peroxisome proliferator and a genotoxic carcinogen. *Carcinogenesis.* 24: 975-984. <http://dx.doi.org/10.1093/carcin/bgg040>.
- Meyer-Monath, M; Beaumont, J; Morel, I; Rouget, F; Tack, K; Lestremau, F. (2014). Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. *Anal Bioanal Chem.* 406: 4481-4490. <http://dx.doi.org/10.1007/s00216-014-7836-2>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere.* 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Miceli, A; Glister, J; Andreyev, A; Bryman, D; Kurchaninov, L; Lu, P; Muennich, A; Retiere, F; Sossi, V. (2012). Simulations of a micro-PET system based on liquid xenon. *Phys Med Biol.* 57: 1685-1700. <http://dx.doi.org/10.1088/0031-9155/57/6/1685>.
- Mieles, J; Zhan, H. (2012). Analytical solutions of one-dimensional multispecies reactive transport in a permeable reactive barrier-aquifer system. *J Contam Hydrol.* 134-135: 54-68. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.002>.
- Miettinen, OS. (1970). Matching and design efficiency in retrospective studies. *Am J Epidemiol.* 91: 111-118.
- Miettinen, OS. (1976). Stratification by a multivariate confounder score. *Am J Epidemiol.* 104: 609-620.
- Miettinen, OS; Wang, JD. (1981). An alternative to the proportionate mortality ratio. *Am J Epidemiol.* 114: 144-148.

## Human Health Hazard Literature Search Results

### Off Topic

- Mieure, JP. (1980). Determining volatile organics in water. *Environ Sci Technol*. 14: 930-935. <http://dx.doi.org/10.1021/es60168a002>.
- Mihic, SJ. (1999). Acute effects of ethanol on GABAA and glycine receptor function. *Neurochem Int*. 35: 115-123. [http://dx.doi.org/10.1016/S0197-0186\(99\)00053-4](http://dx.doi.org/10.1016/S0197-0186(99)00053-4).
- Mikami, Y; Ikehata, A; Hashimoto, C; Ozaki, Y. (2014). Near-infrared (NIR) study of hydrogen bonding of methanol molecules in polar and nonpolar solvents: an approach from concentration-dependent molar absorptivity. *Appl Spectrosc*. 68: 1181-1189. <http://dx.doi.org/10.1366/14-07449>.
- Mikhaylova, E; De Lorenzo, G; Chmeissani, M; Kolstein, M; Cañadas, M; Arce, P; Calderón, Y; Uzun, D; Ariño, G; Macias-Montero, JG; Martinez, R; Puigdengoles, C; Cabruja, E. (2014). Simulation of the expected performance of a seamless scanner for brain PET based on highly pixelated CdTe detectors. *IEEE Trans Med Imaging*. 33: 332-339. <http://dx.doi.org/10.1109/TMI.2013.2284657>.
- Miligi, L; Seniori, CA; Crosignani, P; Fontana, A; Masala, G; Nanni, O; Ramazzotti, V; Rodella, S; Stagnaro, E; Tumino, R; Vignani, C; Vineis, P. (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. *Am J Ind Med*. 36: 60-69. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<60::AID-AJIM9>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<60::AID-AJIM9>3.0.CO;2-Z).
- Miller, BM; Adler, ID. (1992). Aneuploidy induction in mouse spermatocytes. *Mutagenesis*. 7: 69-76. <http://dx.doi.org/10.1093/mutage/7.1.69>.
- Miller, RE; Guengerich, FP. (1982). Oxidation of trichloroethylene by liver microsomal cytochrome P-450: Evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry*. 21: 1090-1097. <http://dx.doi.org/10.1021/bi00534a041>.
- Miller, RE; Guengerich, FP. (1983). Metabolism of trichloroethylene in isolated hepatocytes, microsomes, and reconstituted enzyme systems containing cytochrome P-450. *Cancer Res*. 43: 1145-1152.
- Min, S; Chaigneau, M; Courtois, YA; Festy, B. (1987). [Genotoxic activity of organic esters apt to form from 2-chlorethanol generated by the sterilization by ethylene oxide]. *Ann Pharm Fr*. 45: 353-359.
- Mitchell, AE; Morin, D; Lakritz, J; Jones, AD. (1997). Quantitative profiling of tissue- and gender-related expression of glutathione S-transferase isoenzymes in the mouse. *Biochem J*. 325: 207-216.
- Mitchell, AM; Bridges, JW; Elcombe, CR. (1984). Factors influencing peroxisome proliferation in cultured rat hepatocytes. *Arch Toxicol*. 55: 239-246.
- Mitchell, AM; Lhuguenot, JC; Bridges, JW; Elcombe, CR. (1985). Identification of the proximate peroxisome proliferator(s) derived from di(2-ethylhexyl) phthalate. *Toxicol Appl Pharmacol*. 80: 23-32. [http://dx.doi.org/10.1016/0041-008X\(85\)90097-3](http://dx.doi.org/10.1016/0041-008X(85)90097-3).
- Mitev, K; Gerganov, G; Kirov, AS; Schmidlein, CR; Madzhunkov, Y; Kawrakow, I. (2012). Influence of photon energy cuts on PET Monte Carlo simulation results. *Med Phys*. 39: 4175-4186. <http://dx.doi.org/10.1118/1.4725168>.
- Miwa, K; Wagatsuma, K; Umeda, T; Miyaji, N; Murata, T; Osawa, A; Takiguchi, T; Koizumi, M; Sasaki, M. (2014). [Improvement of quantitative accuracy using phase-based respiratory-gated PET/CT in phantom and clinical studies]. *Nippon Hoshasen Gijutsu Gakkai Zasshi*. 70: 1235-1242.
- Miyake, KK; Matsumoto, K; Inoue, M; Nakamoto, Y; Kanao, S; Oishi, T, ae; Kawase, S; Kitamura, K; Yamakawa, Y; Akazawa, A; Kobayashi, T; Ohi, J; Togashi, K. (2014). Performance Evaluation of a New Dedicated Breast PET Scanner Using NEMA NU4-2008 Standards. *J Nucl Med*. 55: 1198-1203. <http://dx.doi.org/10.2967/jnumed.113.131565>.
- Moerbeek, M; Piersma, AH; Slob, W. (2004). A comparison of three methods for calculating confidence intervals for the benchmark dose. *Risk Anal*. 24: 31-40. <http://dx.doi.org/10.1111/j.0272-4332.2004.00409.x>.
- Moeschlin, S. (1965). Poisoning: diagnosis and treatment. New York: Grune and Stratton.
- Moghaddam, AP; Abbas, R; Fisher, JW; Lipscomb, JC. (1997). The role of mouse intestinal microflora in the metabolism of trichloroethylene, an in vivo study. *Hum Exp Toxicol*. 16: 629-635. <http://dx.doi.org/10.1177/096032719701601101>.
- Moghaddam, AP; Abbas, R; Fisher, JW; Stavrou, S; Lipscomb, JC. (1996). Formation of dichloroacetic acid by rat and mouse gut microflora, an in vitro study. *Biochem Biophys Res Commun*. 228: 639-645. <http://dx.doi.org/10.1006/bbrc.1996.1709>.
- Mohammed, OF; Luber, S; Batista, VS; Nibbering, ET. (2011). Ultrafast branching of reaction pathways in 2-(2'-hydroxyphenyl)benzothiazole in polar acetonitrile solution. *J Phys Chem A*. 115: 7550-7558. <http://dx.doi.org/10.1021/jp202277t>.
- Moji, V; Zeratkar, N; Farahani, MH; Aghamiri, MR; Sajedi, S; Teimourian, B; Ghafarian, P; Sarkar, S; Ay, MR. (2014). Performance evaluation of a newly developed high-resolution, dual-head animal SPECT system based on the NEMA NU1-2007 standard. *Journal of Applied Clinical Medical Physics*. 15: 4936. <http://dx.doi.org/10.1120/jacmp.v15i6.4936>.
- Moliner, L; Gonzalez, AJ; Soriano, A; Sanchez, F; Correcher, C; Orero, A; Carles, M; Vidal, LF; Barbera, J; Caballero, L; Seimetz, M; Vazquez, C; Benlloch, JM. (2012). Design and evaluation of the MAMMI dedicated breast PET. *Med Phys*. 39: 5393-5404. <http://dx.doi.org/10.1118/1.4742850>.
- Molnar, IL; O'Carroll, DM; Gerhard, JI. (2011). Impact of surfactant-induced wettability alterations on DNAPL invasion in quartz and iron oxide-coated sand systems. *J Contam Hydrol*. 119: 1-12. <http://dx.doi.org/10.1016/j.jconhyd.2010.08.004>.
- Moloney, WC; King, VP. (1973). Reduction of leukemia incidence following splenectomy in the rat. *Cancer Res*. 33: 573-574.
- Mongan, J; Kline, J; Smith-Bindman, R. (2015). Age and sex-dependent trends in pulmonary embolism testing and derivation of a clinical decision rule for young patients. *Emerg Med J*. 32: 840-845. <http://dx.doi.org/10.1136/emermed-2014-204531>.
- Monster, AC. (1984). Trichloroethylene. In A Aitio; V Riihimaki; H Vainio (Eds.), (pp. 111-130). Washington, DC: Hemisphere Publishing Corporation.
- Monster, AC; Boersma, G; Steenweg, H. (1979). Kinetics of 1,1,1,-trichloroethane in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health*. 42: 293-301. <http://dx.doi.org/10.1007/BF00377783>.
- Monster, AC; Smolders, JF. (1984). Tetrachloroethene in exhaled air of persons living near pollution sources. *Int Arch Occup Environ Health*. 53: 331-336. <http://dx.doi.org/10.1007/BF00380672>.

## Human Health Hazard Literature Search Results

### Off Topic

- Moody, DE; Reddy, JK; Lake, BG; Popp, JA; Reese, DH. (1991). Peroxisome proliferation and nongenotoxic carcinogenesis: commentary on a symposium. *Toxicol Sci.* 16: 233-248.
- Moore, MM; Harrington-Brock, K. (2000). Mutagenicity of trichloroethylene and its metabolites: Implications for the risk assessment of trichloroethylene [Review]. *Environ Health Perspect.* 108: 215-223.
- Moreno-Medina, CU; Poggi-Varaldo, HM; Breton-Deval, L; Rinderknecht-Seijas, N. (2016). Effect of sudden addition of PCE and bioreactor coupling to ZVI filters on performance of fluidized bed bioreactors operated in simultaneous electron acceptor modes. *Environ Sci Pollut Res Int.* <http://dx.doi.org/10.1007/s11356-016-7275-z>.
- Morimura, K; Cheung, C; Ward, JM; Reddy, JK; Gonzalez, FJ. (2006). Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor alpha to Wy-14,643-induced liver tumorigenesis. *Carcinogenesis.* 27: 1074-1080. <http://dx.doi.org/10.1093/carcin/bgi329>.
- Morita, H; Fujimoto, S; Kondo, T; Arai, T; Sekine, T; Matsutani, H; Sano, T; Kondo, M; Kodama, T; Takase, S; Narula, J. (2012). Prevalence of computed tomographic angiography-verified high-risk plaques and significant luminal stenosis in patients with zero coronary calcium score. *Int J Cardiol.* 158: 272-278. <http://dx.doi.org/10.1016/j.ijcard.2011.02.052>.
- Moriya, M; Ohta, T; Watanabe, K; Miyazawa, T; Kato, K; Shirasu, Y. (1983). Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res.* 116: 185-216.
- Morrison, G; Shakila, NV; Parker, K. (2015). Accumulation of gas-phase methamphetamine on clothing, toy fabrics, and skin oil. *Indoor Air.* 25: 405-414. <http://dx.doi.org/10.1111/ina.12159>.
- Morrison, GC; Weschler, CJ; Bekö, G; Koch, HM; Salthammer, T; Schripp, T; Toftum, J; Clausen, G. (2016). Role of clothing in both accelerating and impeding dermal absorption of airborne SVOCs. *J Expo Sci Environ Epidemiol.* 26: 113-118. <http://dx.doi.org/10.1038/jes.2015.42>.
- Morse, HC, III; Anver, MR; Fredrickson, TN; Haines, DC; Harris, AW; Harris, NL; Jaffe, ES; Kogan, SC; MacLennan, IC; Pattengale, PK; Ward, JM. (2002). Bethesda proposals for classification of lymphoid neoplasms in mice. *Neoplasia.* 100: 246-258.
- Morton, LM; Hartge, P; Holford, TR; Holly, EA; Chiu, BC; Vineis, P; Stagnaro, E; Willett, EV; Franceschi, S; La Vecchia, C; Hughes, AM; Cozen, W; Davis, S; Severson, RK; Bernstein, L; Mayne, ST; Dee, FR; Cerhan, JR; Zheng, T. (2005). Cigarette smoking and risk of non-Hodgkin lymphoma: A pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph) [Review]. *Cancer Epidemiol Biomarkers Prev.* 14: 925-933. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0693>.
- Morton, W; Marjanovic, D. (1984). Leukemia incidence by occupation in the Portland-Vancouver metropolitan area. *Am J Ind Med.* 6: 185-205.
- Moryama, MT; Domiki, C; Miyazawa, K; Tanaka, T; Suzuki, K. (2005). Effects of oxalate exposure on Madin-Darby canine kidney cells in culture: Renal prothrombin fragment-1 mRNA expression. *Urol Res.* 33: 470-475. <http://dx.doi.org/10.1007/s00240-005-0510-6>.
- Moser, VC; Phillips, PM; McDaniel, KL; MacPhail, RC. (1999). Behavioral evaluation of the neurotoxicity produced by dichloroacetic acid in rats. *Neurotoxicol Teratol.* 21: 719-731. [http://dx.doi.org/10.1016/S0892-0362\(99\)00029-X](http://dx.doi.org/10.1016/S0892-0362(99)00029-X).
- Moslen, MT; Reynolds, ES; Boor, PJ; Bailey, K; Szabo, S. (1977). Trichloroethylene-induced deactivation of cytochrome P-450 and loss of liver glutathione in vivo. *Res Comm Chem Pathol Pharmacol.* 16: 109-120.
- Moufid, K; Abbaka, N; Touiti, D; Adermouch, L; Amine, M; Lezrek, M. (2013). Large impacted upper ureteral calculi: A comparative study between retrograde ureterolithotripsy and percutaneous antegrade ureterolithotripsy in the modified lateral position. *Urology Annals.* 5: 140-146. <http://dx.doi.org/10.4103/0974-7796.115729>.
- Mueser, KT; McGurk, SR. (2004). Schizophrenia [Review]. *Lancet.* 363: 2063-2072. [http://dx.doi.org/10.1016/S0140-6736\(04\)16458-1](http://dx.doi.org/10.1016/S0140-6736(04)16458-1).
- Mukherjee, R; Jow, L; Noonan, D; McDonnell, DP. (1994). Human and rat peroxisome proliferator activated receptors (PPARs) demonstrate similar tissue distribution but different responsiveness to PPAR activators. *J Steroid Biochem Mol Biol.* 51: 157-166. [http://dx.doi.org/10.1016/0960-0760\(94\)90089-2](http://dx.doi.org/10.1016/0960-0760(94)90089-2).
- Muller, G; Spassovski, M; Henschler, D. (1974). Metabolism of trichloroethylene in man: II. Pharmacokinetics of metabolites. *Arch Toxicol.* 32: 283-295. <http://dx.doi.org/10.1007/BF00330110>.
- Mun, TK; Kirienko, OA. (2011). [Biodegradation of tri- and perchloroethylene in sewage waters and soils by a microbial consortium of compost and phototrophic bacteria]. *Izv Akad Nauk Ser Biol*625-629.
- Murala, S; Wu, QM. (2014). Local mesh patterns versus local binary patterns: biomedical image indexing and retrieval. 18: 929-938. <http://dx.doi.org/10.1109/IBHI.2013.2288522>.
- Murata, T; Miwa, K; Miyaji, N; Wagatsuma, K; Hasegawa, T; Oda, K; Umeda, T; Iimori, T; Masuda, Y; Terauchi, T; Koizumi, M. (2016). Evaluation of spatial dependence of point spread function-based PET reconstruction using a traceable point-like (<sup>22</sup>Na) source. 3: 26. <http://dx.doi.org/10.1186/s40658-016-0162-3>.
- Murphy, JP. (1990). Exposure to Wells G and H in Woburn, Massachusetts. Boston, MA: Massachusetts Health Research Institute, Inc. and Massachusetts Department of Public Health. [http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn\\_exposure\\_wells.pdf](http://www.mass.gov/Eeohhs2/docs/dph/environmental/investigations/woburn_exposure_wells.pdf).
- Murray, AJ; Riley, JP. (1973). The determination of chlorinated aliphatic hydrocarbons in air, natural waters, marine organisms, and sediments. *Anal Chim Acta.* 65: 261-270.
- Murray, AW; Barnfield, MC; Thorley, PJ. (2014). Optimal uniformity index selection and acquisition counts for daily gamma camera quality control. *Nucl Med Comm.* 35: 1011-1017. <http://dx.doi.org/10.1097/MNM.000000000000167>.
- Musgrove, M; Katz, BG; Fahlquist, LS; Crandall, CA; Lindgren, RJ. (2014). Factors Affecting Public-Supply Well Vulnerability in Two Karst Aquifers. *Ground Water.* 52: 63-75. <http://dx.doi.org/10.1111/gwat.12201>.
- Mushtaq, M; Farooq, R; Ibrahim, M; Khan, FY. (2012). Dissolving efficacy of different organic solvents on gutta-percha and resilon root canal obturating materials at different immersion time intervals. 15: 141-145. <http://dx.doi.org/10.4103/0972-0707.94584>.



## Human Health Hazard Literature Search Results

### Off Topic

- Mushtaq, M; Masoodi, A; Farooq, R; Yaqoob Khan, F. (2012). The dissolving ability of different organic solvents on three different root canal sealers: in vitro study. 7: 198-202.
- Mutlu, E; Jeong, Y, oC; Collins, LB; Ham, A; Upton, PB; Hatch, G; Winsett, D; Evansky, P; Swenberg, JA. (2012). A New LC-MS/MS Method for the Quantification of Endogenous and Vinyl Chloride-Induced 7-(2-Oxoethyl)Guanine in Sprague-Dawley Rats. *Chem Res Toxicol*. 25: 391-399. <http://dx.doi.org/10.1021/tx200447w>.
- Mutti, A. (2012). Biological monitoring as a means to assess exposure and to predict adverse effects of chemical pollutants: an overview of current activities in key Italian laboratories CONCLUSION. *Med Lav*. 103: 413-416.
- Mutti, A; Ferroni, C; Vescovi, PP; Bottazzi, R; Selis, L; Gerra, G; Franchini, I. (1989). Endocrine effects of psychological stress associated with neurobehavioral performance testing. *Life Sci*. 44: 1831-1836.
- Muttray, A; Wolff, U; Jung, D; Konietzko, J. (1997). Blue-yellow deficiency in workers exposed to low concentrations of organic solvents. *Int Arch Occup Environ Health*. 70: 407-412.
- Nagy, E; Abrók, M; Bartha, N; Bereczki, L; Juhász, E; Kardos, G; Kristóf, K; Misztó, C; Urbán, E. (2014). [Special application of matrix-assisted laser desorption ionization time-of-flight mass spectrometry in clinical microbiological diagnostics] [Review]. *Orv Hetil*. 155: 1495-1503. <http://dx.doi.org/10.1556/OH.2014.29985>.
- Nagy, K; Tóth, M; Major, P; Patay, G; Egri, G; Häggkvist, J; Varrone, A; Farde, L; Halldin, C; Gulyás, B. (2013). Performance evaluation of the small-animal nanoScan PET/MRI system. *J Nucl Med*. 54: 1825-1832. <http://dx.doi.org/10.2967/jnumed.112.119065>.
- Nakajima, T; Kamijo, Y; Usuda, N; Liang, Y; Fukushima, Y; Kametani, K; Gonzalez, FJ; Aoyama, T. (2000). Sex-dependent regulation of hepatic peroxisome proliferation in mice by trichloroethylene via peroxisome proliferator-activated receptor alpha (PPARalpha). *Carcinogenesis*. 21: 677-682.
- Nakamura, A; Tanizaki, Y; Takeuchi, M; Ito, S; Sano, Y; Sato, M; Kanno, T; Okada, H; Torizuka, T; Nishizawa, S. (2014). [Impact of point spread function correction in standardized uptake value quantitation for positron emission tomography images: a study based on phantom experiments and clinical images]. *Nippon Hoshasen Gijutsu Gakkai Zasshi*. 70: 542-548.
- Nakamura, Y; Shimazoe, K; Takahashi, H; Yoshimura, S; Seto, Y; Kato, S; Takahashi, M; Momose, T. (2016). Development of a novel handheld intra-operative laparoscopic Compton camera for (18)F-Fluoro-2-deoxy-2-D-glucose-guided surgery. *Phys Med Biol*. 61: 5837-5850. <http://dx.doi.org/10.1088/0031-9155/61/15/5837>.
- Nakasa, H; Mera, N; Ohmori, S; Itahashi, K; Igarashi, T; Ishii, I; Kitada, M. (1997). Nucleotide sequence of pi class glutathione S-transferase in human fetal liver. *Res Commun Mol Pathol Pharmacol*. 97: 67-78.
- Natarajan, A; Duivenvoorden, W; Meijers, M; Zwanenburg, T. (1993). Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res*. 287: 47-56. [http://dx.doi.org/10.1016/0027-5107\(93\)90144-5](http://dx.doi.org/10.1016/0027-5107(93)90144-5).
- NCI. (1977). Bioassay of lindane for possible carcinogenicity. (DHEW Publication No. (NIH) 77-814). Bethesda, Maryland.
- NCI. (2010). SEER stat fact sheets: Non-Hodgkin lymphoma: Survival & stage. Bethesda, MD. <http://seer.cancer.gov/statfacts/html/nhl.html#survival>.
- NCI. (2010). What you need to know about cervical cancer. (NIH Publication No. 08-2407). Washington, D.C.: U.S. Department of Health and Human Services. <http://www.cancer.gov/cancertopics/wyntk/cervix.pdf>.
- Neafsey, P; Ginsberg, G; Hattis, D; Johns, DO; Guyton, KZ; Sonawane, B. (2009). Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 362-388. <http://dx.doi.org/10.1080/10937400903158359>.
- Neasham, D; Sifi, A; Nielsen, KR; Overvad, K; Raaschou-Nielsen, O; Tjønneland, A; Barricarte, A; González, CA; Navarro, C; Rodriguez Suarez, L; Travis, RC; Key, T; Linseisen, J; Kaaks, R; Crosignani, P; Berrino, F; Rosso, S; Mattiello, A; Vermeulen, RC; Bueno-de-Mesquita, HB; Berglund, G; Manjer, J; Zackrisson, S; Hallmans, G; Malmer, B; Bingham, S; Khaw, KT; Bergmann, MM; Boeing, H; Trichopoulou, A; Masala, G; Tumino, R; Lund, E; Slimani, N; Ferrari, P; Boffetta, P; Vineis, P; Riboli, E. (2011). Occupation and risk of lymphoma: A multicentre prospective cohort study (EPIC) - Erratum [Erratum]. *Occup Environ Med*. 68: 550. <http://dx.doi.org/10.1136/oem.2009.048173corr1>.
- Neely, WB; Branson, DR; Blau, GE. (1974). Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environ Sci Technol*. 8: 1113-1115. <http://dx.doi.org/10.1021/es60098a008>.
- Nelson, A; Mendoza, T; Hoyle, G; Brody, A; Fermin, C; Morris, G. (2001). Enhancement of fibrogenesis by the p53 tumor suppressor protein in asbestos-exposed rodents. *Chest*. 120: S33-S34. [http://dx.doi.org/10.1378/chest.120.1\\_suppl.S33](http://dx.doi.org/10.1378/chest.120.1_suppl.S33).
- Nelson, BK; Snyder, DL; Shaw, PB. (2001). Developmental toxicity interactions of methanol and radiofrequency radiation or 2-methoxyethanol in rats. *Int J Toxicol*. 20: 89-100.
- Nelson, DE; Emont, SL; Brackbill, RM; Cameron, LL; Peddicord, J; Fiore, MC. (1994). Cigarette smoking prevalence by occupation in the United States. A comparison between 1978 to 1980 and 1987 to 1990 [Review]. *J Occup Med*. 36: 516-525.
- Nelson, GM; Swank, AE; Brooks, LR; Bailey, KC; George, SE. (2001). Metabolism, microflora effects, and genotoxicity in haloacetic acid-treated cultures of rat cecal microbiota. *Toxicol Sci*. 60: 232-241. <http://dx.doi.org/10.1093/toxsci/60.2.232>.
- Nelson, HH; Wiencke, JK; Christiani, DC; Cheng, TJ; Zuo, ZF; Schwartz, BS; K, LB-; Spitz, MR; Wang, M; Xu, X; Kelsey, KT. (1995). Ethnic differences in the prevalence of the homozygous deleted genotype of glutathione S-transferase theta. *Carcinogenesis*. 16: 1243-1245.
- Nelson, JL; Jiang, J; Zinder, SH. (2014). Dehalogenation of chlorobenzenes, dichlorotoluenes, and tetrachloroethene by three *Dehalobacter* spp. *Environ Sci Technol*. 48: 3776-3782. <http://dx.doi.org/10.1021/es4044769>.
- Nelson, MA; Bull, RJ. (1988). Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver in vivo. *Toxicol Appl Pharmacol*. 94: 45-54. [http://dx.doi.org/10.1016/0041-008X\(88\)90335-3](http://dx.doi.org/10.1016/0041-008X(88)90335-3).
- Nelson, MA; Lansing, AJ; Sanchez, IM; Bull, RJ; Springer, DL. (1989). Dichloroacetic acid and trichloroacetic acid-induced DNA strand breaks are independent of peroxisome proliferation. *Toxicology*. 58: 239-248. [http://dx.doi.org/10.1016/0300-483X\(89\)90139-X](http://dx.doi.org/10.1016/0300-483X(89)90139-X).

## Human Health Hazard Literature Search Results

### Off Topic

- Nemali, MR; Usuda, N; Reddy, MK; Oyasu, K; Hashimoto, T; Osumi, T; Rao, MS; Reddy, JK. (1988). Comparison of constitutive and inducible levels of expression of peroxisomal beta-oxidation and catalase genes in liver and extrahepatic tissues of rat. *Cancer Res.* 48: 5316-5324.
- Nesslany, F; Marzin, D. (1999). A micromethod for the in vitro micronucleus assay. *Mutagenesis.* 14: 403-410. <http://dx.doi.org/10.1093/mutage/14.4.403>.
- Nestmann, ER; Chu, I; Kowbel, DJ; Matula, TI. (1980). Short-lived mutagen in Salmonella produced by reaction of trichloroacetic acid and dimethyl sulphoxide. *Can J Genet Cytol.* 22: 35-40. <http://dx.doi.org/10.1139/g80-006>.
- Newman, TB; Hulley, SB. (1996). Carcinogenicity of lipid-lowering drugs [Review]. *JAMA.* 275: 55-60.
- Ni, Y; Wong, T; Kadlubar, F; Fu, P. (1994). Hepatic metabolism of chloral hydrate to free radical(s) and induction of lipid peroxidation. *Biochem Biophys Res Commun.* 204: 937-943. <http://dx.doi.org/10.1006/bbrc.1994.2550>.
- Ni, YC; Kadlubar, FF; Fu, PP. (1995). Formation of malondialdehyde-modified 2'-deoxyguanosinyl adduct from metabolism of chloral hydrate by mouse liver microsomes. *Biochem Biophys Res Commun.* 216: 1110-1117. <http://dx.doi.org/10.1006/bbrc.1995.2735>.
- Ni, YC; Wong, TY; Lloyd, RV; Heinze, TM; Shelton, S; Casciano, D; Kadlubar, FF; Fu, PP. (1996). Mouse liver microsomal metabolism of chloral hydrate, trichloroacetic acid, and trichloroethanol leading to induction of lipid peroxidation via a free radical mechanism. *Drug Metab Dispos.* 24: 81-90.
- Ni, Z; Smit, M; Grotenhuis, T, im; van Gaans, P; Rijnaarts, H. (2014). Effectiveness of stimulating PCE reductive dechlorination: A step-wise approach. *J Contam Hydrol.* 164: 209-218. <http://dx.doi.org/10.1016/j.jconhyd.2014.06.005>.
- Nicklas, AP; Schilling, D; Bader, MJ; Herrmann, TR; Nagele, U; Training; Surgery, RiU; -Group, T. (2015). The vacuum cleaner effect in minimally invasive percutaneous nephrolitholapaxy. *World Journal of Urology.* 33: 1847-1853. <http://dx.doi.org/10.1007/s00345-015-1541-4>.
- Nietert, PJ; Sutherland, SE; Silver, RM; Pandey, JP; Knapp, RG; Hoel, DG; Dosemeci, M. (1998). Is occupational organic solvent exposure a risk factor for scleroderma? *Arthritis Rheum.* 41: 1111-1118. [http://dx.doi.org/10.1002/1529-0131\(199806\)41:6<1111::AID-ART19>3.0.CO;2-J](http://dx.doi.org/10.1002/1529-0131(199806)41:6<1111::AID-ART19>3.0.CO;2-J).
- NIH. (2016). Effect of Corrinoid Co-factors on Bioremediation of Chlorinated Compounds. Research Brief 255. National Institute of Environmental Health Sciences. [https://tools.niehs.nih.gov/srp/1/ResearchBriefs/pdfs/SRP\\_ResearchBrief\\_255\\_508.pdf](https://tools.niehs.nih.gov/srp/1/ResearchBriefs/pdfs/SRP_ResearchBrief_255_508.pdf).
- NIOSH. (1976). Criteria for a recommended standard occupational exposure to tetrachloroethylene (perchloroethylene). (NIOSH-HSM-99-73-20; PB90-180092). Cincinnati, OH.
- NIOSH. (1977). NIOSH manual of analytical methods: Second edition, volume 3, part II: Standards completion program validated methods (2nd ed.). (DHEW (NIOSH) Publication No. 77-157-C). Cincinnati, Ohio.
- Nomiyama, K; Liu, SJ; Nomiyama, H. (1992). Critical levels of blood and urinary cadmium, urinary beta 2-microglobulin and retinol-binding protein for monitoring cadmium health effects. In GF Nordberg; RFM Herber; L Alessio (Eds.), *IARC Sci Publ* (pp. 325-340). Lyon, France: International Agency for Research on Cancer.
- Noone, P. (2011). Endotoxin exposure in textile workers, tetrachloroethylene in dry cleaners. *Occup Med (Lond).* 61: 523.
- Noureldin, YA; Andonian, S. (2016). Simulation for Percutaneous Renal Access: Where Are We? *J Endourol.* <http://dx.doi.org/10.1089/end.2016.0587>.
- Noureldin, YA; Elkoushy, MA; Andonian, S. (2015). Assessment of percutaneous renal access skills during Urology Objective Structured Clinical Examinations (OSCE). *Canadian Urological Association Journal.* 9: E104-E108. <http://dx.doi.org/10.5489/cuaj.2482>.
- Noureldin, YA; Fahmy, N; Anidjar, M; Andonian, S. (2015). Is there a place for virtual reality simulators in assessment of competency in percutaneous renal access? *World Journal of Urology.* 34: 733-739. <http://dx.doi.org/10.1007/s00345-015-1652-y>.
- Nowell, PC. (1991). *Boundaries between promotion and progression during carcinogenesis Genetic instability and tumor development [Review]*. New York: Plenum Press.
- NRC. (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1993). *Pesticides in the diets of infants and children*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2126>.
- NRC. (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (1995). *Biologic markers in urinary toxicology*. Washington, DC: The National Academies Press. <http://www.nap.edu/openbook.php?isbn=0309052289>.
- NRC. (2006). *Assessing the human health risks of trichloroethylene: Key scientific issues*. Washington, DC: The National Academies Press. [http://www.nap.edu/catalog.php?record\\_id=11707](http://www.nap.edu/catalog.php?record_id=11707).
- NRC. (2008). *Phthalates and cumulative risk assessment: The task ahead*. Washington, DC: National Academies Press. <http://dx.doi.org/10.17226/12528>.
- NRC. (2010). *Review of the Environmental Protection Agency's draft IRIS assessment of tetrachloroethylene*. Washington, DC: National Academies Press.
- NTP. (1983). *Carcinogenesis studies of 1,1,1,2-tetrachloroethane (CAS no 630-20-6) in F344/N rats and B6C3F1 mice (gavage studies)*. Research Triangle Park, North Carolina. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr237.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr237.pdf).
- NTP. (1983). *Carcinogenesis studies of pentachloroethane (CAS No. 76-01-7) in F344/N rats and B6C3F1 mice (gavage study)*. Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr232.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr232.pdf).
- NTP. (1983). *Unpublished data on tetrachloroethylene: on Salmonella/microsome preincubation test provided by Dr E Zeiger*. Research Triangle Park. <http://ntp.niehs.nih.gov/index.cfm?objectid=0706C9B3-A7E6-5FFA-616B1853179EE1C2>.

## Human Health Hazard Literature Search Results

### Off Topic

- NTP. (1986). Toxicology and carcinogenesis studies of isophorone (CAS No. 78-59-1) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr291.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr291.pdf).
- NTP. (1987). Toxicology and carcinogenesis studies of dimethyl methylphosphonate (CAS No. 756-79-6) in F344/N rats and B6C3F1 mice. Research Triangle Park, NC: Public Health Service, U.S. Department of Health and Human Services. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr323.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr323.pdf).
- NTP. (1988). Toxicology and carcinogenesis studies of trichloroethylene (CAS No. 79-01-6) in four strains of rats (ACI, August, Marshall, Osborne-Mendel) (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr273.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr273.pdf).
- NTP. (1989). Toxicology and carcinogenesis studies of hexachloroethane (CAS no. 67-72-1) in F344/N rats (gavage studies). (NTP TR 361). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr361.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr361.pdf).
- NTP. (1990). Carcinogenesis studies of trichloroethylene (without epichlorohydrin) (CAS No. 79-01-6) in F344/N rats and B6C3F1 mice (gavage studies). In Technical Report Series. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr243.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr243.pdf).
- NTP. (1990). Toxicology and carcinogenesis studies of d-limonene (CAS NO. 5989-27-5) in F344/N rats and B6C3F1 mice (gavage studies). (PB90231416). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr347.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr347.pdf).
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (ad libitum and dietary controlled) (CAS No. 302-17-0) in male B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B281C-F52B-BFE3-3DB705CBE8D93129>.
- NTP. (2002). Toxicology and carcinogenesis studies of chloral hydrate (CAS No. 302-17-0) in B6C3F1 mice (gavage study). Research Triangle Park, NC: National Toxicology Program; National Institutes of Health. <http://ntp.niehs.nih.gov/index.cfm?objectid=070B1E0A-B8EA-DC24-EBFD0E177564EAE3>.
- NTP. (2004). NTP 11th Report on Carcinogens [NTP] (11 ed.). (PB2005104914). Research Triangle Park, NC. <http://ntp.niehs.nih.gov/index.cfm?objectid=32BA9724-F1F6-975E-7FCE50709CB4C932>.
- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53(tm1Brd) (N5) haploinsufficient] mice (drinking water studies). (NIH Publication No. 07-4428). Bethesda, MD: National Institutes of Health.
- NTP. (2007). NTP report on the toxicology studies of dichloroacetic acid (CAS No. 79-43-6) in genetically modified (FVB Tg.AC hemizygous) mice (dermal and drinking water studies) and carcinogenicity studies of dichloroacetic acid in genetically modified [B6.129-Trp53tm1Brd(N5) haploinsufficient] mice (drinking water studies). (PB2008-109740; NTP GMM 11; NIH PUB 07-4428). Research Triangle Park. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2008109740>.
- Nutley, E; Tcheong, A; Allen, J; Collins, B; Ma, M; Lowe, X; Bishop, J; Moore, D; Wyrobek, A. (1996). Micronuclei induced in round spermatids of mice after stem-cell treatment with chloral hydrate: evaluations with centromeric DNA probes and kinetochore antibodies. *Environ Mol Mutagen.* 28: 80-89. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1996\)28:2<80::AID-EM3>3.0.CO;2-I](http://dx.doi.org/10.1002/(SICI)1098-2280(1996)28:2<80::AID-EM3>3.0.CO;2-I).
- Nyairo, WN; Owuor, PO; Kengara, FO. (2015). Effect of anthropogenic activities on the water quality of Amala and Nyangores tributaries of River Mara in Kenya. *Environ Monit Assess.* 187: 691. <http://dx.doi.org/10.1007/s10661-015-4913-8>.
- NYS OAG. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Judith S. Schreiber, Ph.D., Environmental Protection Bureau for EPA docket ORD-2003-0014 (March 1, 2004). Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0003>.
- NYS OAG. (2004). Comment focusing on "peer review workshop of the neurotoxicity of tetrachloroethylene discussion paper" submitted Judith S. Schreiber, Ph.D., Chief Scientist, Albany Environmental Protection Bureau (EHP) for EPA docket ORD-2003-0014. Albany, NY: State of New York Office of the Attorney General. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0007>.
- NYSDOH. (2004). Comment focusing on "neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper" submitted by Jan E. Storm and Kimberly A. Mazar, New York State Department of Health for EPA docket ORD-2003-0014 (March 3, 2004). Troy, NY. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-ORD-2003-0014-0004>.
- Obidiegwu, JE; Flath, K; Gebhardt, C. (2014). Managing potato wart: a review of present research status and future perspective [Review]. *Theor Appl Genet.* 127: 763-780. <http://dx.doi.org/10.1007/s00122-014-2268-0>.
- O'Brien, M; Spear, B; Glauert, H. (2005). Role of oxidative stress in peroxisome proliferator-mediated carcinogenesis [Review]. *Crit Rev Toxicol.* 35: 61-88. <http://dx.doi.org/10.1080/10408440590905957>.
- Obuchowski, NA; Buckler, A; Kinahan, P; Chen-Mayer, H; Petrick, N; Barboriak, DP; Bullen, J; Barnhart, H; Sullivan, DC. (2016). Statistical Issues in Testing Conformance with the Quantitative Imaging Biomarker Alliance (QIBA) Profile Claims [Review]. *Acad Radiol.* 23: 496-506. <http://dx.doi.org/10.1016/j.acra.2015.12.020>.
- Oehmigen, M; Ziegler, S; Jakoby, BW; Georgi, JC; Paulus, DH; Quick, HH. (2014). Radiotracer dose reduction in integrated PET/MR: implications from national electrical manufacturers association phantom studies. *J Nucl Med.* 55: 1361-1367. <http://dx.doi.org/10.2967/jnumed.114.139147>.
- Oesch, F. (1973). Mammalian epoxide hydrolases: inducible enzymes catalyzing the inactivation of carcinogenic and cytotoxic metabolites derived from aromatic and olefinic compounds [Review]. *Xenobiotica.* 3: 305-340. <http://dx.doi.org/10.3109/00498257309151525>.

## Human Health Hazard Literature Search Results

### Off Topic

- O'Flaherty, EJ; Scott, W; Schreiner, C; Beliles, RP. (1992). A physiologically based kinetic model of rat and mouse gestation: disposition of a weak acid. *Toxicol Appl Pharmacol.* 112: 245-256. [http://dx.doi.org/10.1016/0041-008X\(92\)90194-W](http://dx.doi.org/10.1016/0041-008X(92)90194-W).
- Ohta, T; Morita, M; Mizoguchi, I. (1976). Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. *Atmos Environ.* 10: 557-560. [http://dx.doi.org/10.1016/0004-6981\(76\)90182-7](http://dx.doi.org/10.1016/0004-6981(76)90182-7).
- Ohta, T; Morita, M; Mizoguchi, I; Tada, T. (1977). Washout effect and diurnal variation for chlorinated hydrocarbons in ambient air. *Atmos Environ.* 11: 985-987.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ.* 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Okada, Y; Nakagoshi, A; Tsurukawa, M; Matsumura, C; Eiho, J; Nakano, T. (2012). Environmental risk assessment and concentration trend of atmospheric volatile organic compounds in Hyogo Prefecture, Japan. *Environ Sci Pollut Res Int.* 19: 201-213. <http://dx.doi.org/10.1007/s11356-011-0550-0>.
- Olshan, AF; Anderson, L; Roman, E; Fear, N; Wolff, M; Whyatt, R; Vu, V; Diwan, BA; Potischman, N. (2000). Workshop to identify critical windows of exposure for children's health: Cancer work group summary [Review]. *Environ Health Perspect.* 108: 595-597.
- Olson, MJ; Garg, BD; Murty, CV; Roy, AK. (1987). Accumulation of alpha 2u-globulin in the renal proximal tubules of male rats exposed to unleaded gasoline. *Toxicol Appl Pharmacol.* 90: 43-51. [http://dx.doi.org/10.1016/0041-008X\(87\)90304-8](http://dx.doi.org/10.1016/0041-008X(87)90304-8).
- Ortali, VA; Cardamone, G; Salvini, P; Di Giuseppe, G; Carere, A. (1977). Mutagenicity of several chemicals tested in two different systems: *Salmonella typhimurium* and *streptomyces coelicolor*. *Atti Assoc Genet Ital.* 22: 53-54.
- Ortiz-Vanderdys, CG; Etafy, MH; Saleh, FH. (2012). Ex vivo model for renal fracture in cryoablation. *Urology.* 80: 953.e915-953.e919. <http://dx.doi.org/10.1016/j.urology.2012.05.015>.
- Otieno, MA; Baggs, RB; Hayes, JD; Anders, MW. (1997). Immunolocalization of microsomal glutathione S-transferase in rat tissues. *Drug Metab Dispos.* 25: 12-20.
- Otson, R; Williams, DT. (1982). Headspace chromatographic determination of water pollutants. *Anal Chem.* 54: 942-946. <http://dx.doi.org/10.1021/ac00243a023>.
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere.* 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Overby, LH; Gardlik, S; Philpot, RM; Serabjit-Singh, CJ. (1994). Unique distribution profiles of glutathione S-transferases in regions of kidney, ureter, and bladder of rabbit. *Lab Invest.* 70: 468-478.
- Ozonoff, DM. (2011). Superfund Basic Research Program at Boston University.
- Ozonoff, DM. (2012). Receptor-based developmental and reproductive toxicity of Superfund chemicals.
- Ozonoff, DM. (2013). Receptor-based developmental and reproductive toxicity of Superfund chemicals.
- Pacheco, JM. (2015). Crime as a complex system: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews.* 12: 32-33. <http://dx.doi.org/10.1016/j.plrev.2015.01.013>.
- Page, NP; Saffioti, U. (1976). Report on carcinogenesis bioassay of chloroform. (DHEWPUBNIH761279). Bethesda, MD: National Cancer Institute.
- Page, T; Harris, RH; Epstein, SS. (1976). Drinking water and cancer mortality in Louisiana. 193: 55-57.
- Palau, J; Marchesi, M; Chambon, JC; Aravena, R; Canals, À; Binning, PJ; Bjerg, PL; Otero, N; Soler, A. (2014). Multi-isotope (carbon and chlorine) analysis for fingerprinting and site characterization at a fractured bedrock aquifer contaminated by chlorinated ethenes. *Sci Total Environ.* 475: 61-70. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.059>.
- Palmer, CN; Hsu, MH; Griffin, KJ; Raucy, JL; Johnson, EF. (1998). Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol.* 53: 14-22.
- Pannett, B; Coggon, D; Acheson, E. (1985). A job-exposure matrix for use in population based studies in England and Wales. *Br J Ind Med.* 42: 777-783.
- Papatsoris, AG; Shaikh, T; Patel, D; Bourdoumis, A; Bach, C; Buchholz, N; Masood, J; Junaid, I. (2012). Use of a virtual reality simulator to improve percutaneous renal access skills: a prospective study in urology trainees. *Urol Int.* 89: 185-190. <http://dx.doi.org/10.1159/000337530>.
- Park, EJ; Lee, JH; Yu, GY; He, G; Ali, SR; Holzer, RG; Osterreicher, CH; Takahashi, H; Karin, M. (2010). Dietary and genetic obesity promote liver inflammation and tumorigenesis by enhancing IL-6 and TNF expression. *Cell.* 140: 197-208. <http://dx.doi.org/10.1016/j.cell.2009.12.052>.
- Park, JH; Spengler, JD; Yoon, DW; Dumyahn, T; Lee, K; Ozkaynak, H. (1998). Measurement of air exchange rate of stationary vehicles and estimation of in-vehicle exposure. *J Expo Anal Environ Epidemiol.* 8: 65-78.
- Parker, JC; Davidson, IWF. (1984). Extrapolation of the carcinogenic response. making: 38.
- Parkinson, A; Mudra, DR; Johnson, C; Dwyer, A; Carroll, KM. (2004). The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes [Review]. *Toxicol Appl Pharmacol.* 199: 193-209. <http://dx.doi.org/10.1016/j.taap.2004.01.010>.
- Parodi, S; Malacarne, D; Romano, P; Taningher, M. (1991). Are genotoxic carcinogens more potent than nongenotoxic carcinogens? *Environ Health Perspect.* 95: 199-204.
- Parra, D; Rieger, AM; Li, J; Zhang, YA; Randall, LM; Hunter, CA; Barreda, DR; Sunyer, JO. (2012). Pivotal advance: peritoneal cavity B-1 B cells have phagocytic and microbicidal capacities and present phagocytosed antigen to CD4+ T cells. *J Leukoc Biol.* 91: 525-536. <http://dx.doi.org/10.1189/jlb.0711372>.

## Human Health Hazard Literature Search Results

### Off Topic

- Parrish, JM; Austin, EW; Stevens, DK; Kinder, DH; Bull, RJ. (1996). Haloacetate-induced oxidative damage to DNA in the liver of male B6C3F1 mice. *Toxicology*. 110: 103-111. [http://dx.doi.org/10.1016/0300-483X\(96\)03342-2](http://dx.doi.org/10.1016/0300-483X(96)03342-2).
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parsons, F; Wood, PR; Demarco, J. (1984). Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc*. 762: 56-59.
- Parzefall, W; Berger, W; Kainzbauer, E; Teufelhofer, O; Schulte-Hermann, R; Thurman, R. (2001). Peroxisome proliferators do not increase DNA synthesis in purified rat hepatocytes. *Carcinogenesis*. 22: 519-523.
- Pasquini, DA. (1978). Evaluation of glass sampling tubes for industrial breath analysis. *Am Ind Hyg Assoc J*. 39: 55-62. <http://dx.doi.org/10.1080/0002889778507713>.
- Pastino, GM; Yap, WY; Carroquino, M. (2000). Human variability and susceptibility to trichloroethylene [Review]. *Environ Health Perspect*. 108: 201-214.
- Patel, SV. (2012). Unattended Vapor Intrusion Monitor.
- Patel, SV; Tolley, WK. (2014). Developments toward a low-cost approach for long-term, unattended vapor intrusion monitoring. *Analyst*. 139: 3770-3780. <http://dx.doi.org/10.1039/c4an00736k>.
- Patil, SS; Adetutu, EM; Aburto-Medina, A; Menz, IR; Ball, AS. (2014). Biostimulation of indigenous communities for the successful dechlorination of tetrachloroethene (perchloroethylene)-contaminated groundwater. *Biotechnol Lett*. 36: 75-83. <http://dx.doi.org/10.1007/s10529-013-1369-1>.
- Patil, SS; Adetutu, EM; Rochow, J; Mitchell, JG; Ball, AS. (2014). Sustainable remediation: electrochemically assisted microbial dechlorination of tetrachloroethene-contaminated groundwater. *Microb Biotechnol*. 7: 54-63. <http://dx.doi.org/10.1111/1751-7915.12089>.
- Patterson, BM; Aravena, R; Davis, GB; Furness, AJ; Bastow, TP; Bouchard, D. (2013). Multiple lines of evidence to demonstrate vinyl chloride aerobic biodegradation in the vadose zone, and factors controlling rates. *J Contam Hydrol*. 153: 69-77. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.008>.
- Paudel, A; Van den Mooter, G. (2012). Influence of solvent composition on the miscibility and physical stability of naproxen/PVP K 25 solid dispersions prepared by cosolvent spray-drying. *Pharm Res*. 29: 251-270. <http://dx.doi.org/10.1007/s11095-011-0539-x>.
- Paul, KB; Hedge, JM; Macherla, C; Filer, DL; Burgess, E; Simmons, SO; Crofton, KM; Hornung, MW. (2013). Cross-species analysis of thyroperoxidase inhibition by xenobiotics demonstrates conservation of response between pig and rat. *Toxicology*. 312: 97-107. <http://dx.doi.org/10.1016/j.tox.2013.08.006>.
- Paykoc, ZV; Powell, JF. (1945). The excretion of sodium trichloroacetate. *J Pharmacol Exp Ther*. 85: 289-293.
- Pearce, N; Checkoway, H; Kriebel, D. (2007). Bias in occupational epidemiology studies [Review]. *Occup Environ Med*. 64: 562-568. <http://dx.doi.org/10.1136/oem.2006.026690>.
- Pearson, CR; Mcconnell, G. (1975). Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc Biol Sci*. 189: 305-332.
- Pelkonen, O; Kalliala, EH; Larmi, TK; Karki, NT. (1973). Comparison of activities of drug-metabolizing enzymes in human fetal and adult livers. *Clin Pharmacol Ther*. 14: 840-846.
- Pellizzari, ED. (1975). Development of analytical techniques for measuring ambient atmospheric carcinogenic vapors. Pellizzari, ED.
- Pellizzari, ED. (1977). The measurement of carcinogenic vapors in ambient atmospheres. (EPA-600/7-77-055). Research Triangle Park, NC: Environmental Protection Agency, Environmental Sciences Research Laboratory. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB269582>.
- Pellizzari, ED. (1978). Measurement of carcinogenic vapors in ambient atmospheres: final report. Research Triangle Park, NC: Research Triangle Institute. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB283023>.
- Pellizzari, ED. (1979). Information on the characteristics of ambient organic vapors in areas of high chemical production. Research Triangle Park, NC: Research Triangle Institute.
- Pellizzari, ED; Bunch, JE. (1979). Ambient air carcinogenic vapors: improved sampling and analytical techniques and field studies. (EPA-600/2-79-081 & NTIS PB-297932). Research Triangle Park, NC: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20006DVU.txt>.
- Pellizzari, ED; Bunch, JE; Berkley, RE; Mcrae, J. (1976). Collection and analysis of trace organic vapor pollutants in ambient atmospheres The performance of a Tenax GC cartridge sampler for hazardous vapors. *Anal Lett*. 9: 45-63.
- Pellizzari, ED; Erickson, MD; Zweidinger, RA. (1979). Formulation of a preliminary assessment of halogenated organic compounds in man and environmental media [EPA Report]. (EPA-560/13-79-006). Research Triangle Park, NC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80112170>.
- Pellizzari, ED; Hartwell, TD; Harris, BS, III; Waddell, RD; Whitaker, DA; Erickson, MD. (1982). Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol*. 28: 322-328. <http://dx.doi.org/10.1007/BF01608515>.
- Pellizzari, EE. (1974). Development of method for carcinogenic vapor analysis in ambient atmospheres. Pellizzari, EE.
- Penaloza, A; Verschuren, F; Dambrine, S; Zech, F; Thys, F; Roy, PM. (2012). Performance of the Pulmonary Embolism Rule-out Criteria (the PERC rule) combined with low clinical probability in high prevalence population. *Thromb Res Suppl*. 129: e189-e193. <http://dx.doi.org/10.1016/j.thromres.2012.02.016>.
- Peng, X; Yamamoto, S; Vertès, AA; Keresztes, G; Inatomi, K; Inui, M; Yukawa, H. (2012). Global transcriptome analysis of the tetrachloroethene-dechlorinating bacterium *Desulfotobacterium hafniense* Y51 in the presence of various electron donors and terminal electron acceptors. *J Ind Microbiol Biotechnol*. 39: 255-268. <http://dx.doi.org/10.1007/s10295-011-1023-7>.

## Human Health Hazard Literature Search Results

### Off Topic

- Pennell, KG; Scammell, MK; Mcclean, MD; Ames, J; Weldon, B; Friguglietti, L; Suuberg, EM; Shen, R; Indeglia, PA; Heiger-Bernays, WJ. (2013). Sewer Gas: An Indoor Air Source of PCE to Consider During Vapor Intrusion Investigations. *Ground Water Monitoring and Remediation*. 33: 119-126. <http://dx.doi.org/10.1111/gwmmr.12021>.
- Pereira, MA; Tao, L; Wang, W; Li, Y; Umar, A; Steele, VE; Lubet, RA. (2004). Modulation by celecoxib and difluoromethylornithine of the methylation of DNA and the estrogen receptor-alpha gene in rat colon tumors. *Carcinogenesis*. 25: 1917-1923.
- Pereira, MA; Wang, W; Kramer, PM; Tao, L. (2004). Prevention by methionine of dichloroacetic acid-induced liver cancer and DNA hypomethylation in mice. *Toxicol Sci*. 77: 243-248. <http://dx.doi.org/10.1093/toxsci/kfh031>.
- Perrone, CE; Shao, L; Williams, GM. (1998). Effect of rodent hepatocarcinogenic peroxisome proliferators on fatty acyl-CoA oxidase, DNA synthesis, and apoptosis in cultured human and rat hepatocytes. *Toxicol Appl Pharmacol*. 150: 277-286.
- Perrot, N; Nalpas, B; Yang, CS; Beaune, PH. (1989). Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest*. 19: 549-555. <http://dx.doi.org/10.1111/j.1365-2362.1989.tb00273.x>.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997). Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis*. 18: 2029-2033. <http://dx.doi.org/10.1093/carcin/18.11.2029>.
- Peters, JM; Cheung, C; Gonzalez, FJ. (2005). Peroxisome proliferator-activated receptor-alpha and liver cancer: where do we stand [Review]. *J Mol Med*. 83: 774-785. <http://dx.doi.org/10.1007/s00109-005-0678-9>.
- Peters, JM; Hennuyer, N; Staels, B; Fruchart, JC; Fievet, C; Gonzalez, FJ; Auwerx, J. (1997). Alterations in lipoprotein metabolism in peroxisome proliferator-activated receptor alpha-deficient mice. *J Biol Chem*. 272: 27307-27312.
- Peters, JM; Rusyn, I; Rose, ML; Gonzalez, FJ; Thurman, RG. (2000). Peroxisome proliferator-activated receptor alpha is restricted to hepatic parenchymal cells, not Kupffer cells: implications for the mechanism of action of peroxisome proliferators in hepatocarcinogenesis. *Carcinogenesis*. 21: 823-826.
- Peters, JM; Vanden Heuvel, JP. (2002). Peroxisome, peroxisome proliferators and peroxisome-proliferator activated receptors (PPARs). In JP Vanden Heuvel; GH Perdew; WB Mattes; WF Greenlee (Eds.), (pp. 133-158). Amsterdam: Elsevier Science.
- Peters, S; Vermeulen, R; Cassidy, A; Mannetje, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med*. 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Petrucci, E; Scarsella, M; De Filippis, P; Di Palma, L. (2015). Tetrachloroethene recovery and hazard reduction of spent powders from dry cleaning process. *Waste Manag Res*. 33: 339-344. <http://dx.doi.org/10.1177/0734242X14567505>.
- Pham, TT; See, HH; Morand, R; Krähenbühl, S; Hauser, PC. (2012). Determination of free and total valproic acid in human plasma by capillary electrophoresis with contactless conductivity detection. *J Chromatogr B Analyt Technol Biomed Life Sci*. 907: 74-78. <http://dx.doi.org/10.1016/j.jchromb.2012.08.037>.
- Phenrat, T; Kumloet, I. (2016). Electromagnetic induction of nanoscale zerovalent iron particles accelerates the degradation of chlorinated dense non-aqueous phase liquid: Proof of concept. *Water Res*. 107: 19-28. <http://dx.doi.org/10.1016/j.watres.2016.10.035>.
- Philips, J; Springael, D; Smolders, E. (2011). A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. *Chemosphere*. 83: 991-996. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.012>.
- Phillips, RD; Moran, EJ; Dodd, DE; Fowler, EH; Kary, CD; O'Donoghue, J. (1987). A 14-week vapor inhalation toxicity study of methyl isobutyl ketone. *Fundam Appl Toxicol*. 9: 380-388.
- Pierce II, LA; Byrd, DW; Elston, BF; Karp, JS; Sunderland, JJ; Kinahan, PE. (2016). An algorithm for automated ROI definition in water or epoxy-filled NEMA NU-2 image quality phantoms. *Journal of Applied Clinical Medical Physics*. 17: 5842.
- Pike, MC; Casagrande, J; Smith, PG. (1975). Statistical analysis of individually matched case-control studies in epidemiology: Factor under study a discrete variable taking multiple values. *Br J Prev Soc Med*. 29: 196-201.
- Pino, F; Roé, N; Aguiar, P; Falcon, C; Ros, D; Pavia, J. (2015). Improved image quality in pinhole SPECT by accurate modeling of the point spread function in low magnification systems. *Med Phys*. 42: 703-714. <http://dx.doi.org/10.1118/1.4905157>.
- Pizzol, L; Zabeo, A; Critto, A; Giubilato, E; Marcomini, A. (2015). Risk-based prioritization methodology for the classification of groundwater pollution sources. *Sci Total Environ*. 506-507: 505-517. <http://dx.doi.org/10.1016/j.scitotenv.2014.11.014>.
- Pleil, JD; Hansel, A. (2012). Submarines, spacecraft and exhaled breath. *J Breath Res*. 6: 019001. <http://dx.doi.org/10.1088/1752-7155/6/1/019001>.
- Plevova, J; Frantik, E; Chladkova, D. (1975). A contribution to the problem of interaction between drugs and some air pollutants. *Proceedings of the European Soc Toxicola*. 16: 303-306.
- Plint, AC; Grenon, R; Klassen, TP; Johnson, DW. (2015). Bronchodilator and steroid use for the management of bronchiolitis in Canadian pediatric emergency departments. *CJEM*. 17: 46-53. <http://dx.doi.org/10.2310/8000.2013.131325>.
- Plotnikov, VA; Petrov, AP. (1976). Combined effect of trichloroacetic acid and dimethyl sulfate on arabidopsis with respect to the role of histones in mutation process. *Cytology and Genetics*. 10: 33-36.
- Poeritz, M; Schiffmann, CL; Hause, G; Heinemann, U; Seifert, J; Jehmlich, N; von Bergen, M; Nijenhuis, I; Lechner, U, te. (2015). Dehalococcoides mccartyi Strain DCMB5 Respires a Broad Spectrum of Chlorinated Aromatic Compounds. *Appl Environ Microbiol*. 81: 587-596. <http://dx.doi.org/10.1128/AEM.02597-14>.
- Pogribny, IP; Tryndyak, VP; Woods, CG; Witt, SE; Rusyn, I. (2007). Epigenetic effects of the continuous exposure to peroxisome proliferator WY-14,643 in mouse liver are dependent upon peroxisome proliferator activated receptor alpha. *Mutat Res-Fundam Mol Mech Mutagen*. 625: 62-71. <http://dx.doi.org/10.1016/j.mrfmmm.2007.05.004>.

## Human Health Hazard Literature Search Results

### Off Topic

- Pohlbeln, H; Boffetta, P; Ahrens, W; Merletti, F; Agudo, A; Benhamou, E; Benhamou, S; Bruske-Hohlfeld, I; Ferro, G; Fortes, C; Kreuzer, M; Mendes, A; Nyberg, F; Pershagen, G; Saracci, R; Schmid, G; Siemiatycki, J; Simonato, L; Whitley, E; Wichmann, HE; Winck, C; Zambon, P; Jockel, KH. (2000). Occupational risks for lung cancer among nonsmokers. *Epidemiology*. 11: 532-538.
- Pohlbeln, H; Jöckel, KH; Bolm-Audorff, U. (1999). Non-occupational risk factors for cancer of the lower urinary tract in Germany. *Eur J Epidemiol*. 15: 411-419. <http://dx.doi.org/10.1023/A:1007595809278>.
- Pollack, GM; Li, RC; Ermer, JC; Shen, DD. (1985). Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl) phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol*. 79: 246-256. [http://dx.doi.org/10.1016/0041-008X\(85\)90346-1](http://dx.doi.org/10.1016/0041-008X(85)90346-1).
- Poon, JK; Dahlbom, ML; Moses, WW; Balakrishnan, K; Wang, W; Cherry, SR; Badawi, RD. (2012). Optimal whole-body PET scanner configurations for different volumes of LSO scintillator: a simulation study. *Phys Med Biol*. 57: 4077-4094. <http://dx.doi.org/10.1088/0031-9155/57/13/4077>.
- Poonai, N; Cowie, A; Davidson, C; Benidir, A; Thompson, GC; Boisclair, P; Harman, S; Miller, M; Butter, A; Lim, R; Ali, S. (2016). Reported provision of analgesia to patients with acute abdominal pain in Canadian paediatric emergency departments. *CJEM*. 18: 323-330. <http://dx.doi.org/10.1017/cem.2015.112>.
- Popota, FD; Aguiar, P; España, S; Lois, C; Udias, JM; Ros, D; Pavia, J; Gispert, JD. (2015). Monte Carlo simulations versus experimental measurements in a small animal PET system. A comparison in the NEMA NU 4-2008 framework. *Phys Med Biol*. 60: 151-162. <http://dx.doi.org/10.1088/0031-9155/60/1/151>.
- Popp, JA. (1984). *Mouse liver neoplasia*. Washington, DC: Hemisphere.
- Porru, S; Aulenti, V; Donato, F; Boffetta, P; Fazioli, R; Cosciani Cunico, S; Alessio, L. (1996). Bladder cancer and occupation: A case-control study in northern Italy. *Occup Environ Med*. 53: 6-10.
- Portier, CJ. (1988). Species correlation of chemical carcinogens. *Risk Anal*. 8: 551-553. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01196.x>.
- Post, A; Hoshizaki, TB; Gilchrist, MD; Koncan, D; Dawson, L; Chen, W; Ledoux, AA; Zemek, R; Team, PERCPC. (2017). A comparison in a youth population between those with and without a history of concussion using biomechanical reconstruction. *J Neurosurg Pediatrics*1-9. <http://dx.doi.org/10.3171/2016.10.PEDS16449>.
- Poulose, BK; Phillips, S; Nealon, W; Shelton, J; Kummerow, K; Penson, D; Holzman, MD. (2011). Cholelithiasis management in rural America: health disparity or health opportunity? *J Surg Res*. 170: 214-219. <http://dx.doi.org/10.1016/j.jss.2011.03.040>.
- Powell, JF. (1945). Trichlorethylene: Absorption, elimination and metabolism. *Br J Ind Med*. 2: 142-145.
- Prasad, R; Ratib, O; Zaidi, H. (2011). NEMA NU-04-based performance characteristics of the LabPET-8™ small animal PET scanner. *Phys Med Biol*. 56: 6649-6664. <http://dx.doi.org/10.1088/0031-9155/56/20/009>.
- Prasanna, HR; Hart, RW; Magee, PN. (1989). Effect of dehydroepiandrosterone (DHEA) on the metabolism of 7,12-dimethylbenz[a]anthracene (DMBA) in rats. *Carcinogenesis*. 10: 953-955. <http://dx.doi.org/10.1093/carcin/10.5.953>.
- Prat, L; Maillard, J; Grimaud, R; Holliger, C. (2011). Physiological adaptation of *Desulfotobacterium hafniense* strain TCE1 to tetrachloroethene respiration. *Appl Environ Microbiol*. 77: 3853-3859. <http://dx.doi.org/10.1128/AEM.02471-10>.
- Prat, L; Maillard, J; Rohrbach-Brandt, E; Holliger, C. (2012). An unusual tandem-domain rhodanese harbouring two active sites identified in *Desulfotobacterium hafniense*. *FEBS J*. 279: 2754-2767. <http://dx.doi.org/10.1111/j.1742-4658.2012.08660.x>.
- Preylowski, V; Schlögl, S; Schoenahl, F; Jörg, G; Samnick, S; Buck, AK; Lassmann, M. (2013). Is the image quality of I-124-PET impaired by an automatic correction of prompt gammas? *PLoS ONE*. 8: e71729. <http://dx.doi.org/10.1371/journal.pone.0071729>.
- Price, RG; Taylor, SA; Chivers, I; Arce-Tomas, M; Crutcher, E; Franchini, I; Slinovi, R; Cavazzini, S; Bergamaschi, E; Mutti, A; Vettori, MV; Lauwerys, R; Bernard, A; Kabanda, A; Roels, H; Thielemans, N; Hotz, P; De Broe, ME; Elseviers, MM; Nuyts, GD; Gelpi, E; Hotter, G; Rosello, J; Ramis, I; Stolte, H; Fels, LM; Eisenberger, U. (1996). Development and validation of new screening tests for nephrotoxic effects [Review]. *Hum Exp Toxicol*. 15: S10-S19.
- Primicerio, M. (2015). The role of mathematical modelling in modern criminology: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews*. 12: 34-35. <http://dx.doi.org/10.1016/j.plrev.2014.12.001>.
- Process, Ctrtl; Studies, BoE; Toxicology; Earth, Do; Studies, L; Council, NR. (2014). Review of EPA's integrated risk information system (IRIS) process. Washington, D.C.: National Academies Press (US). <http://dx.doi.org/10.17226/18764>.
- Propper, R; Wong, P; Bui, S; Austin, J; Vance, W; Alvarado, Á; Croes, B; Luo, D. (2015). Ambient and Emission Trends of Toxic Air Contaminants in California. *Environ Sci Technol*. 49: 11329-11339. <http://dx.doi.org/10.1021/acs.est.5b02766>.
- Prosser, GA; Copp, JN; Mowday, AM; Guise, CP; Syddall, SP; Williams, EM; Horvat, CN; Swe, PM; Ashoorzadeh, A; Denny, WA; Smail, JB; Patterson, AV; Ackerley, DF. (2013). Creation and screening of a multi-family bacterial oxidoreductase library to discover novel nitroreductases that efficiently activate the bioreductive prodrugs CB1954 and PR-104A. *Biochem Pharmacol*. 85: 1091-1103. <http://dx.doi.org/10.1016/j.bcp.2013.01.029>.
- Puigserver, D; Cortés, A; Viladevall, M; Nogueras, X; Parker, BL; Carmona, JM. (2014). Processes controlling the fate of chloroethenes emanating from DNAPL aged sources in river-aquifer contexts. *J Contam Hydrol*. 168: 25-40. <http://dx.doi.org/10.1016/j.jconhyd.2014.09.005>.
- Puigserver, D; Herrero, J; Torres, M; Cortés, A; Nijenhuis, I; Kuntze, K; Parker, BL; Carmona, JM. (2016). Reductive dechlorination in recalcitrant sources of chloroethenes in the transition zone between aquifers and aquitards. *Environ Sci Pollut Res Int*. 23: 18724-18741. <http://dx.doi.org/10.1007/s11356-016-7068-4>.
- Pukkala, E; Malila, N; Hakama, M. (2010). Socioeconomic differences in incidence of cervical cancer in Finland by cell type. *Acta Oncol*. 49: 180-184. <http://dx.doi.org/10.3109/02841860903386390>.

## Human Health Hazard Literature Search Results

### Off Topic

- Pukkala, E; Martinsen, J; Lynge, E; Gunnarsdottir, H; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kjaerheim, K. (2009). Occupation and cancer - follow-up of 15 million people in five Nordic countries. *Acta Oncol.* 48: 646-790. <http://dx.doi.org/10.1080/02841860902913546>.
- Qian, L; Lv, X; Ren, Y; Wang, H; Chen, G; Wang, Y; Shen, J. (2013). Inverse gas chromatography applied in the surface properties evaluation of mesocellular silica foams modified by sized nickel nanoparticles. *J Chromatogr A.* 1322: 81-89. <http://dx.doi.org/10.1016/j.chroma.2013.10.091>.
- Quak, E; Le Roux, PY; Hofman, MS; Robin, P; Bourhis, D; Callahan, J; Binns, D; Desmonts, C; Salaun, PY; Hicks, RJ; Aide, N. (2015). Harmonizing FDG PET quantification while maintaining optimal lesion detection: prospective multicentre validation in 517 oncology patients. *Eur J Nucl Med Mol Imaging.* 42: 2072-2082. <http://dx.doi.org/10.1007/s00259-015-3128-0>.
- Qui, W; Zhou, YB; Shao, CH; Sun, YD; Zhang, QY; Chen, CY; Jia, JH. (2009). Helicobacter pylori Proteins Response to Nitric Oxide Stress. *J Microbiol.* 47: 486-493. <http://dx.doi.org/10.1007/s12275-008-0266-0>.
- Quondamatteo, F; Schulz, TG; Bunzel, N; Hallier, E; Herken, R. (1998). Immunohistochemical localization of glutathione S-transferase-T1 in murine kidney, liver, and lung. *Histochem Cell Biol.* 110: 417-423. <http://dx.doi.org/10.1007/s004180050302>.
- Racette, BA. (2014). Risk of Parkinson Disease Associated with Solvent Exposures in Finland.
- Racette, BA. (2015). Risk of Parkinson Disease Associated with Solvent Exposures in Finland.
- Rachootin, P; Olsen, J. (1983). The risk of infertility and delayed conception associated with exposures in the Danish workplace. *J Occup Med.* 25: 394-402.
- Radican, L; Blair, A; Stewart, P; Wartenberg, D. (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: Extended follow-up. *J Occup Environ Med.* 50: 1306-1319. <http://dx.doi.org/10.1097/JOM.0b013e3181845f7f>.
- Raijmakers, MTM; Steegers, EAP; Peters, WHM. (2001). Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod.* 16: 2445-2450. <http://dx.doi.org/10.1093/humrep/16.11.2445>.
- Raisanen, J; Niemela, R; Rosenberg, C. (2001). Tetrachloroethylene emissions and exposure in dry cleaning. *Journal of the Air and Waste Management Association.* 51: 1671-1675.
- Rall, DP. (1977). Species differences in carcinogenesis testing. NY: 1383-1390.
- Ramón de Fata, F; Hauner, K; Andrés, G; Angulo, JC; Straub, M. (2015). Miniperc and retrograde intrarenal surgery: when and how? *Actas Urol Esp.* 39: 442-450. <http://dx.doi.org/10.1016/j.acuro.2014.09.003>.
- Ramos, EM; Ramos, D; Moreira, GL; Macchione, M; Guimarães, ET; Rodrigues, FM; de Souza, AA; Saldiva, PH; Jardim, JR. (2015). Viscoelastic properties of bronchial mucus after respiratory physiotherapy in subjects with bronchiectasis. *Respir Care.* 60: 724-730. <http://dx.doi.org/10.4187/respcare.02429>.
- Ramos-Dorta, CV; Pino, V; Afonso, A. (2013). Monitoring polycyclic aromatic hydrocarbons in seawaters and wastewaters using a dispersive liquid-liquid microextraction method. *Environ Technol.* 34: 607-616. <http://dx.doi.org/10.1080/09593330.2012.710255>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol.* 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Rao, HV; Brown, DR. (1993). A physiologically based pharmacokinetic assessment of tetrachloroethylene in groundwater for a bathing and showering determination. *Risk Anal.* 13: 37-49. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00727.x>.
- Rao, JU; Rash, BA; Nobre, MF; da Costa, MS; Rainey, FA; Moe, WM. (2012). *Actinomyces naturae* sp. nov., the first *Actinomyces* sp. isolated from a non-human or animal source. *Antonie Van Leeuwenhoek.* 101: 155-168. <http://dx.doi.org/10.1007/s10482-011-9644-4>.
- Rao, MS; Reddy, JK. (1991). An overview of peroxisome proliferator-induced hepatocarcinogenesis. *Environ Health Perspect.* 93: 205-209.
- Rapson, WH; Nazar, MA; Butsky, VV. (1980). Mutagenicity produced by aqueous chlorination of organic compounds. *Bull Environ Contam Toxicol.* 24: 590-596. <http://dx.doi.org/10.1007/BF01608160>.
- Rasile, DA; Donovan, PJ; Burreight, RG. (1988). Cumulative and residual effects of low level lead exposure on development and behavioral activity in three generations of mice. 14: 326.
- Rastkari, N; Yunesian, M; Ahmadkhaniha, R. (2011). Exposure Assessment to Trichloroethylene and Perchloroethylene for Workers in the Dry Cleaning Industry. *Bull Environ Contam Toxicol.* 86: 363-367. <http://dx.doi.org/10.1007/s00128-011-0244-9>.
- Raucy, JL. (1995). Risk assessment: Toxicity from chemical exposure resulting from enhanced expression of CYP2E1. *Toxicology.* 105: 217-224. [http://dx.doi.org/10.1016/0300-483X\(95\)03216-3](http://dx.doi.org/10.1016/0300-483X(95)03216-3).
- Raunio, H; Husgafvel-Pursiainen, K; Anttila, S; Hietanen, E; Hirvonen, A; Pelkonen, O. (1995). Diagnosis of polymorphisms in carcinogen-activating and inactivating enzymes and cancer susceptibility--a review [Review]. *Gene.* 159: 113-121.
- Rausch, I; Bergmann, H; Geist, B; Schaffarich, M; Hirtl, A; Hacker, M; Beyer, T. (2014). Variation of system performance, quality control standards and adherence to international FDG-PET/CT imaging guidelines. A national survey of PET/CT operations in Austria. *Nuklearmedizin.* 53: 242-248. <http://dx.doi.org/10.3413/Nukmed-0665-14-05>.
- Raylman, RR; Stolin, AV; Martone, PF; Smith, MF. (2016). TandemPET- A High Resolution, Small Animal, Virtual Pinhole-Based PET Scanner: Initial Design Study. *IEEE Trans Nucl Sci.* 63: 75-83. <http://dx.doi.org/10.1109/TNS.2015.2482459>.
- Rea, WJ; Ross, GH; Johnson, AR; Smiley, RE; Fenyes, EJ. (1991). Chemical sensitivity in physicians [Review]. *Bol Asoc Med P R.* 83: 383-388.
- Rebelakos, A; Trichopoulos, D; Tzonou, A; Zavitsanos, X; Velonakis, E; Trichopoulos, A. (1985). Tobacco smoking, coffee drinking, and occupation as risk factors for bladder cancer in Greece. *J Natl Cancer Inst.* 75: 455-461.
- Reddy, JK; Azarnoff, DL. (1980). Hypolipidaemic hepatic peroxisome proliferators form a novel class of chemical carcinogens. *Nature.* 283: 397-398.
- Reddy, JK; Lalwani, ND; Qureshi, SA; Reddy, MK; Moehle, CM. (1984). Induction of hepatic peroxisome proliferation in nonrodent species, including primates. *Am J Pathol.* 114: 171-183.



## Human Health Hazard Literature Search Results

### Off Topic

- Reddy, JK; Rao, MS. (1986). Peroxisome proliferators and cancer: mechanisms and implications. *Trends Pharmacol Sci.* 7: 438-443.
- Reddy, JK; Reddy, MK; Usman, MI; Lalwani, ND; Rao, MS. (1986). Comparison of hepatic peroxisome proliferative effect and its implication for hepatocarcinogenicity of phthalate esters, di(2-ethylhexyl) phthalate, and di(2-ethylhexyl) adipate with a hypolipidemic drug. *Environ Health Perspect.* 65: 317-327.
- Regan, D. (1989). *Human brain electrophysiology.* New York: Elsevier Science.
- Rehnberg, JV; Vondy, A. (2014). Towards evidence-based emergency medicine: Best BETs from the Manchester Royal Infirmary. BET 3: Pulmonary embolism rule-out criteria (PERC) for excluding pulmonary embolism [Review]. *Emerg Med J.* 31: 81-82. <http://dx.doi.org/10.1136/emered-2013-203411.3>.
- Reichard-Brown, JL; Spinner, H; McBride, K. (2009). Sea urchin embryos exposed to thalidomide during early cleavage exhibit abnormal morphogenesis later in development. *Birth Defects Res B Dev Reprod Toxicol.* 86: 496-505. <http://dx.doi.org/10.1002/bdrb.20215>.
- Reichert, D; Neudecker, T; Spengler, U; Henschler, D. (1983). Mutagenicity of dichloroacetylene and its degradation products trichloroacetyl chloride, trichloroacryloyl chloride and hexachlorobutadiene. *Mutat Res Genet Toxicol Environ Mutagen.* 117: 21-29. [http://dx.doi.org/10.1016/0165-1218\(83\)90149-0](http://dx.doi.org/10.1016/0165-1218(83)90149-0).
- Reichert, D; Spengler, U; Romen, W; Henschler, D. (1980). Nephrotoxic, mutagenic and carcinogenic potentials of dichloroacetylene and its decomposition products. *Naunyn Schmiedebergs Arch Pharmacol.* 311: R25.
- Reichert, D; Werner, HW; Metzler, M; Henschler, D. (1979). Molecular mechanism of 1,1-dichloroethylene toxicity: excreted metabolites reveal different pathways of reactive intermediates. *Arch Toxicol.* 42: 159-169.
- Reif, J. (1989). Passive household smoking and canine lung cancer. *J Am Vet Med Assoc.* 194: 1787.
- Reif, J; Pearce, N; Kawachi, I; Fraser, J. (1989). Soft-tissue sarcoma, non-Hodgkin's lymphoma and other cancers in New Zealand forestry workers. *Int J Cancer.* 43: 49-54.
- Reif, JS; Dunn, K; Ogilvie, GK; Harris, CK. (1992). Passive smoking and canine lung cancer risk. *Am J Epidemiol.* 135: 234-239.
- Reinhold, A; Westermann, M; Seifert, J; von Bergen, M; Schubert, T; Diekert, G. (2012). Impact of vitamin B12 on formation of the tetrachloroethene reductive dehalogenase in *Desulfotobacterium hafniense* strain Y51. *Appl Environ Microbiol.* 78: 8025-8032. <http://dx.doi.org/10.1128/AEM.02173-12>.
- Reiss, RA; Guerra, P; Makhnin, O. (2016). Metagenome phylogenetic profiling of microbial community evolution in a tetrachloroethene-contaminated aquifer responding to enhanced reductive dechlorination protocols. 11: 88. <http://dx.doi.org/10.1186/s40793-016-0209-z>.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol.* 136: 289-306. <http://dx.doi.org/10.1006/taap.1996.0036>.
- Reitz, RH; Mendrala, AL; Guengerich, FP. (1989). In vitro metabolism of methylene chloride in human and animal tissues: Use in physiologically based pharmacokinetic models. *Toxicol Appl Pharmacol.* 97: 230-246. [http://dx.doi.org/10.1016/0041-008X\(89\)90328-1](http://dx.doi.org/10.1016/0041-008X(89)90328-1).
- Ren, C; Li, N; Wang, B; Yang, Y; Gao, J; Li, S; Ding, Y; Jin, K; Ji, X. (2015). Limb Ischemic Preconditioning Attenuates Blood-Brain Barrier Disruption by Inhibiting Activity of MMP-9 and Occludin Degradation after Focal Cerebral Ischemia. *Aging and Disease.* 6: 406-417. <http://dx.doi.org/10.14336/AD.2015.0812>.
- Renpenning, J; Keller, S; Cretnik, S; Shouakar-Stash, O; Elsner, M; Schubert, T; Nijenhuis, I. (2014). Combined C and Cl isotope effects indicate differences between corrinoids and enzyme (Sulfurospirillum multivorans PceA) in reductive dehalogenation of tetrachloroethene, but not trichloroethene. *Environ Sci Technol.* 48: 11837-11845. <http://dx.doi.org/10.1021/es503306g>.
- Renpenning, J; Rapp, I; Nijenhuis, I. (2015). Substrate hydrophobicity and cell composition influence the extent of rate limitation and masking of isotope fractionation during microbial reductive dehalogenation of chlorinated ethenes. *Environ Sci Technol.* 49: 4293-4301. <http://dx.doi.org/10.1021/es506108j>.
- Renwick, AG. (1998). Toxicokinetics in infants and children in relation to the ADI and TDI. *Food Addit Contam.* 15: 17-35. <http://dx.doi.org/10.1080/02652039809374612>.
- Resorlu, B; Unsal, A; Tepeler, A; Atis, G; Tokatli, Z; Oztuna, D; Armagan, A; Gurbuz, C; Caskurlu, T; Saglam, R. (2012). Comparison of retrograde intrarenal surgery and mini-percutaneous nephrolithotomy in children with moderate-size kidney stones: results of multi-institutional analysis. *Urology.* 80: 519-523. <http://dx.doi.org/10.1016/j.urology.2012.04.018>.
- Reulen, R; Kellen, E; Buntinx, F; Zeegers, M. (2007). Bladder cancer and occupation: A report from the Belgian case-control study on bladder cancer risk. *Am J Ind Med.* 50: 449-454. <http://dx.doi.org/10.1002/ajim.20469>.
- Reulen, RC; Kellen, E; Buntinx, F; Brinkman, M; Zeegers, MP. (2008). A meta-analysis on the association between bladder cancer and occupation [Review]. *Scand J Urol Nephrol Suppl*64-78. <http://dx.doi.org/10.1080/03008880802325192>.
- Reya, T; Morrison, SJ; Clarke, MF; Weissman, IL. (2001). Stem cells, cancer, and cancer stem cells [Review]. *Nature.* 414: 105-111. <http://dx.doi.org/10.1038/35102167>.
- Rhomberg, L. (2008). Hypothesis-based weight of evidence and uncertainty characterization in a MoA framework [Paper]. California Mode of Action Workshop.
- Rhomberg, LR. (2000). Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals [Review]. *Environ Health Perspect.* 108: 343-358.
- Rhomberg, LR. (2007). Hypothesis-based weight of evidence: An approach to hazard identification and to uncertainty analysis for quantitative risk assessment. Arlington, VA: Aerospace Industries Association of America, Inc. <http://www.sra-ne.org/seminars/NAS%20Weight%20of%20Evidence%20Paper%20-%20Rhomberg.pdf>.

## Human Health Hazard Literature Search Results

### Off Topic

- Ribeiro, HV. (2015). We need more empirical investigations and model validation for a better understanding of crime: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews*. 12: 36-37. <http://dx.doi.org/10.1016/j.plrev.2015.01.010>.
- Richardson, RE. (2013). Genomic insights into organohalide respiration [Review]. *Curr Opin Biotechnol*. 24: 498-505. <http://dx.doi.org/10.1016/j.copbio.2013.02.014>.
- Richardson, S; Khan, S; Mccullagh, L; Kline, M; Mann, D; Mcginn, T. (2015). Healthcare provider perceptions of clinical prediction rules. *BMJ Open*. 5: e008461. <http://dx.doi.org/10.1136/bmjopen-2015-008461>.
- Richiardi, L; Boffetta, P; Simonato, L; Forastiere, F; Zambon, P; Fortes, C; Gaborieau, V; Merletti, F. (2004). Occupational risk factors for lung cancer in men and women: A population-based case-control study in Italy. *Cancer Causes Control*. 15: 285-294. <http://dx.doi.org/10.1023/B:CACO.0000024223.91059.ed>.
- Ries, LAG; Melbert, D; Krapcho, M; Stinchcomb, DG; Howlander, N; Horner, MJ; Mariotto, A; Miller, BA; Feuer, EJ; Altekruse, SF; Lewis, DR; Clegg, L; Eisner, MP; Reichman, M; Edwards, BK. (2008). SEER cancer statistics review, 1975-2005. Bethesda, MD: U.S. National Institutes of Health, National Cancer Institute. [http://seer.cancer.gov/csr/1975\\_2005](http://seer.cancer.gov/csr/1975_2005).
- Rigler, MW; Longo, WE; Sauerhoff, MW. (2011). Exposure to fluoropolymers and VOCs during spray sealant product use. *Inhal Toxicol*. 23: 641-657. <http://dx.doi.org/10.3109/08958378.2011.603764>.
- Rijhsinghani, KS; Abrahams, C; Swerdlow, MA; Rao, KV; Ghose, T. (1986). Induction of neoplastic lesions in the livers of C57BL x C3HF1 mice by chloral hydrate. *Cancer Detect Prev*. 9: 279-288.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Methionine S-oxidation in human and rabbit liver microsomes: evidence for a high-affinity methionine S-oxidase activity that is distinct from flavin-containing monooxygenase 3. *Arch Biochem Biophys*. 367: 322-332. <http://dx.doi.org/10.1006/abbi.1999.1247>.
- Ripp, SL; Itagaki, K; Philpot, RM; Elfarra, AA. (1999). Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos*. 27: 46-52.
- Ripp, SL; Overby, LH; Philpot, RM; Elfarra, AA. (1997). Oxidation of cysteine S-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with S-(1,2-dichlorovinyl)-L-cysteine, S-(1,2,2-trichlorovinyl)-L-cysteine, S-allyl-L-cysteine, and S-benzyl-L-cysteine. *Mol Pharmacol*. 51: 507-515.
- Ris, H. (1949). The anaphase movement of chromosomes in the spermatocytes of the grasshopper. *Biol Bull*. 96: 90-106.
- Rivett, MO; Turner, RJ; Glibbery Née Murcott, P; Cuthbert, MO. (2012). The legacy of chlorinated solvents in the Birmingham aquifer, UK: observations spanning three decades and the challenge of future urban groundwater development. *J Contam Hydrol*. 140-141: 107-123. <http://dx.doi.org/10.1016/j.jconhyd.2012.08.006>.
- Roberts, RA; James, NH; Hasmall, SC; Holden, PR; Lambe, K; Macdonald, N; West, D; Woodyatt, NJ; Whitcome, D. (2000). Apoptosis and proliferation in nongenotoxic carcinogenesis: Species differences and role of PPARalpha [Review]. *Toxicol Lett*. 112-113: 49-57. [http://dx.doi.org/10.1016/S0378-4274\(99\)00243-X](http://dx.doi.org/10.1016/S0378-4274(99)00243-X).
- Roberts, RA; Soames, AR; Gill, JH; James, NH; Wheeldon, EB. (1995). Non-genotoxic hepatocarcinogens stimulate DNA synthesis and their withdrawal induces apoptosis, but in different hepatocyte populations. *Carcinogenesis*. 16: 1693-1698.
- Robins, KJ; Hooks, DO; Rehm, BH; Ackerley, DF. (2013). *Escherichia coli* Nema is an efficient chromate reductase that can be biologically immobilized to provide a cell free system for remediation of hexavalent chromium. *PLoS ONE*. 8: e59200. <http://dx.doi.org/10.1371/journal.pone.0059200>.
- Robra, BP; Seidler, A. (1994). A job-exposure matrix for exposure to solvents and other industry-related agents [Personal Communication].
- Roda, C; Kousignian, I; Ramond, A; Momas, I. (2013). Indoor tetrachloroethylene levels and determinants in Paris dwellings. *Environ Res*. 120: 1-6. <http://dx.doi.org/10.1016/j.envres.2012.09.005>.
- Rodilla, V; Banzie, AA; Veitch, JM; Murray, GI; Rowe, JD; Hawksworth, GM. (1998). Glutathione S-transferases in human renal cortex and neoplastic tissue: enzymatic activity, isoenzyme profile and immunohistochemical localization. *Xenobiotica*. 28: 443-456. <http://dx.doi.org/10.1080/004982598239371>.
- Rodriguez, C; Linge, K; Blair, P; Busetti, F; Devine, B; Van Buynder, P; Weinstein, P; Cook, A. (2012). Recycled water: potential health risks from volatile organic compounds and use of 1,4-dichlorobenzene as treatment performance indicator. *Water Res*. 46: 93-106. <http://dx.doi.org/10.1016/j.watres.2011.10.032>.
- Rodríguez, N. (2015). Recent advances in mathematical criminology: comment on "Statistical physics of crime: a review" by M.R. D'Orsogna and M. Perc [Comment]. *Physics of Life Reviews*. 12: 38-39. <http://dx.doi.org/10.1016/j.plrev.2015.01.008>.
- Rose, MG; Berliner, N. (2004). T-cell large granular lymphocyte leukemia and related disorders [Review]. *Oncologist*. 9: 247-258.
- Rose, ML; Rivera, CA; Bradford, BU; Graves, LM; Cattley, RC; Schoonhoven, R; Swenberg, JA; Thurman, RG. (1999). Kupffer cell oxidant production is central to the mechanism of peroxisome proliferators. *Carcinogenesis*. 20: 27-33. <http://dx.doi.org/10.1093/carcin/20.1.27>.
- Rosenkranz, HS; Klopman, G. (1990). 'Cryptic' mutagens and carcinogenicity [Review]. *Mutagenesis*. 5: 199-202. <http://dx.doi.org/10.1093/mutage/5.2.199>.
- Ross, JA. Dichloroacetic acid is mutagenic in big blue transgenic b6c3f1 mouse liver au - leavitt sa.
- Rouisse, L; Chakrabarti, SK. (1986). Dose-dependent metabolism of trichloroethylene and its relevance to hepatotoxicity in rats. *Environ Res*. 40: 450-458.
- Rouzeau-Szynalski, K; Maillard, J; Holliger, C. (2011). Frequent concomitant presence of *Desulfitobacterium* spp. and "Dehalococcoides" spp. in chloroethene-dechlorinating microbial communities. *Appl Microbiol Biotechnol*. 90: 361-368. <http://dx.doi.org/10.1007/s00253-010-3042-0>.

## Human Health Hazard Literature Search Results

### Off Topic

- Roy, AK; McMinn, DM; Biswas, NM. (1975). Estrogenic inhibition of the hepatic synthesis of alpha<sub>2</sub> globulin in the rat. *Endocrinology*. 97: 1501-1508.
- Rubins, HB; Robins, SJ; Collins, D; Fye, CL; Anderson, JW; Elam, MB; Faas, FH; Linares, E; Schaefer, EJ; Schectman, G; Wilt, TJ; Wittes, J. (1999). Gemfibrozil for the secondary prevention of coronary heart disease in men with low levels of high-density lipoprotein cholesterol. Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial Study Group. *N Engl J Med*. 341: 410-418. <http://dx.doi.org/10.1056/NEJM199908053410604>.
- Rubins, HB; Robins, SJ; Iwane, MK; Boden, WE; Elam, MB; Fye, CL; Gordon, DJ; Schaefer, EJ; Schectman, G; Wittes, JT. (1993). Rationale and design of the Department of Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial (HIT) for secondary prevention of coronary artery disease in men with low high-density lipoprotein cholesterol and desirable low-density lipoprotein cholesterol. *Am J Cardiol*. 71: 45-52.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med*. 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Ruhayel, Y; Tepeler, A; Dabestani, S; Maclennan, S; Petřík, A; Sarica, K; Seitz, C; Skolarikos, A; Straub, M; Türk, C; Yuan, Y; Knoll, T. (2017). Tract Sizes in Miniaturized Percutaneous Nephrolithotomy: A Systematic Review from the European Association of Urology Urolithiasis Guidelines Panel. *Eur Urol*. <http://dx.doi.org/10.1016/j.eururo.2017.01.046>.
- Rushton, L; Hutchings, SJ; Fortunato, L; Young, C; Evans, GS; Brown, T; Bevan, R; Slack, R; Holmes, P; Bagga, S; Cherrie, JW; Van Tongeren, M. (2012). Occupational cancer burden in Great Britain. *Br J Cancer*. 107: S3-S7. <http://dx.doi.org/10.1038/bjc.2012.112>.
- Russell, JW; Shadoff, LA. (1977). The sampling and determination of halocarbons in ambient air using concentration on porous polymer. *J Chromatogr A*. 134: 375-384.
- Russell, LB; Matter, BE. (1980). Whole-mammal mutagenicity tests: evaluation of five methods. *DNA Repair*. 75: 279-302.
- Russo, A; Levis, AG. (1992). Detection of aneuploidy in male germ cells of mice by means of a meiotic micronucleus assay. *Mutat Res*. 281: 187-191. [http://dx.doi.org/10.1016/0165-7992\(92\)90007-5](http://dx.doi.org/10.1016/0165-7992(92)90007-5).
- Russo, A; Levis, AG. (1992). Further evidence for the aneuploidogenic properties of chelating agents: Induction of micronuclei in mouse male germ cells by EDTA. *Environ Mol Mutagen*. 19: 125-131.
- Russo, A; Pacchierotti, F; Metallì, P. (1984). Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen*. 6: 695-703. <http://dx.doi.org/10.1002/em.2860060507>.
- Russo, A; Stocco, A; Majone, F. (1992). Identification of kinetochore-containing (CREST+) micronuclei in mouse bone marrow erythrocytes. *Mutagenesis*. 7: 195-197. <http://dx.doi.org/10.1093/mutage/7.3.195>.
- Rusyn, I; Denissenko, MF; Wong, VA; Butterworth, BE; Cunningham, ML; Upton, PB; Thurman, RG; Swenberg, JA. (2000). Expression of base excision repair enzymes in rat and mouse liver is induced by peroxisome proliferators and is dependent upon carcinogenic potency. *Carcinogenesis*. 21: 2141-2145. <http://dx.doi.org/10.1093/carcin/21.12.2141>.
- Rusyn, I; Kadiiska, MB; Dikalova, A; Kono, H; Yin, M; Tsuchiya, K; Mason, RP; Peters, JM; Gonzalez, FJ; Segal, BH; Holland, SM; Thurman, RG. (2001). Phthalates rapidly increase production of reactive oxygen species in vivo: Role of Kupffer cells. *Mol Pharmacol*. 59: 744-750.
- Rusyn, I; Peters, JM; Cunningham, ML. (2006). Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver [Review]. *Crit Rev Toxicol*. 36: 459-479. <http://dx.doi.org/10.1080/10408440600779065>.
- Rusyn, I; Rose, ML; Bojes, HK; Thurman, RG. (2000). Novel role of oxidants in the molecular mechanism of action of peroxisome proliferators [Review]. *Antioxid Redox Signal*. 2: 607-621. <http://dx.doi.org/10.1089/15230860050192350>.
- Rutkiewicz, I; Jakubowska, N; Polkowska, Z; Namieśnik, J. (2011). Monitoring of occupational exposure to volatile organohalogen solvents (VOXs) in human urine samples of dry-cleaner workers by TLHS-DAI-GC-ECD procedure. *Ind Health*. 49: 126-132.
- Sabnis, RB; Chhabra, JS; Ganpule, AP; Abrol, S; Desai, MR. (2014). Current role of PCNL in pediatric urolithiasis [Review]. *Curr Urol Rep*. 15: 423. <http://dx.doi.org/10.1007/s11934-014-0423-4>.
- Sabnis, RB; Jagtap, J; Mishra, S; Desai, M. (2012). Treating renal calculi 1-2 cm in diameter with minipercutaneous or retrograde intrarenal surgery: a prospective comparative study. *BJU Int*. 110: E346-E349. <http://dx.doi.org/10.1111/j.1464-410X.2012.11089.x>.
- Saez, V; Esclapez, MD; Bonete, P; Walton, DJ; Rehorek, A; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonochemical degradation of perchloroethylene: The influence of ultrasonic variables, and the identification of products. *Ultrason Sonochem*. 18: 104-113. <http://dx.doi.org/10.1016/j.ultsonch.2010.03.009>.
- Sallmen, M; Lindbohm, ML; Anttila, A; Kyyronen, P; Taskinen, H; Nykyri, E; Hemminki, K. (1998). Time to pregnancy among the wives of men exposed to organic solvents. *Occup Environ Med*. 55: 24-30.
- Sallmen, M; Lindbohm, ML; Kyyronen, P; Nykyri, E; Anttila, A; Taskinen, H; Hemminki, K. (1995). Reduced fertility among women exposed to organic solvents. *Am J Ind Med*. 27: 699-713. <http://dx.doi.org/10.1002/ajim.4700270506>.
- Salmon, AG; Kizer, KW; Zeise, L; Jackson, RJ; Smith, MT. Potential carcinogenicity of chloral hydrate--a review [Review]. *J Toxicol Clin Toxicol*. 2: 115-121.
- Sanchez, F; Moliner, L; Correcher, C; Gonzalez, A; Orero, A; Carles, M; Soriano, A; Rodriguez-Alvarez, MJ; Medina, LA; Mora, F; Benlloch, JM. (2012). Small animal PET scanner based on monolithic LYSO crystals: performance evaluation. *Med Phys*. 39: 643-653. <http://dx.doi.org/10.1118/1.3673771>.
- Sanchez, IM; Bull, RJ. (1990). Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology*. 64: 33-46. [http://dx.doi.org/10.1016/0300-483X\(90\)90097-Z](http://dx.doi.org/10.1016/0300-483X(90)90097-Z).

## Human Health Hazard Literature Search Results

### Off Topic

- Sánchez, MJS; Peña, GS; Lorente, VC; Gallego, TM; Albert, JC. (2001). La contaminación atmosférica en los bosques: Guía para la identificación de daños visibles causados por Ozono. Madrid, Spain: Ministerio de Medio Ambiente.  
[http://www.ceam.es/Ventalibros/guia\\_O3/index.htm](http://www.ceam.es/Ventalibros/guia_O3/index.htm).
- Sanjuán-Herráez, D; Lliso, I; Pastor, A; de la Guardia, M. (2012). Green determination of the presence of volatile organic compounds in vehicle repair shops through passive sampling. *Talanta*. 98: 40-48. <http://dx.doi.org/10.1016/j.talanta.2012.06.034>.
- Sankarasubramanian, V; Buitengeweg, JR; Holsheimer, J; Veltink, PH. (2013). Staggered transverse tripoles with quadripolar lateral anodes using percutaneous and surgical leads in spinal cord stimulation. *Neurosurgery*. 72: 483-491.  
<http://dx.doi.org/10.1227/NEU.0b013e31827d0e12>.
- Sanner, T; Dybing, E. (2005). Comparison of carcinogen hazard characterisation based on animal studies and epidemiology. *Basic Clin Pharmacol Toxicol*. 96: 66-70. <http://dx.doi.org/10.1111/j.1742-7843.2005.pto960110.x>.
- Sapone, A; Peters, JM; Sakai, S; Tomita, S; Papiha, SS; Dai, R; Friedman, FK; Gonzalez, FJ. (2000). The human peroxisome proliferator-activated receptor alpha gene: identification and functional characterization of two natural allelic variants. *Pharmacogenetics*. 10: 321-333.
- Sarigiannis, DA; Hansen, U, te. (2012). Considering the cumulative risk of mixtures of chemicals - A challenge for policy makers [Review]. *Environ Health*. 11: S18. <http://dx.doi.org/10.1186/1476-069X-11-S1-S18>.
- Sassi, G; Ruggeri, B. (2008). Uncertainty evaluation of human risk analysis (HRA) of chemicals by multiple exposure routes. *Risk Anal*. 28: 1343-1356. <http://dx.doi.org/10.1111/j.1539-6924.2008.01097.x>.
- Sata, F; Sapone, A; Elizondo, G; Stocker, P; Miller, VP; Zheng, W; Raunio, H; Crespi, CL; Gonzalez, FJ. (2000). CYP3A4 allelic variants with amino acid substitutions in exons 7 and 12: Evidence for an allelic variant with altered catalytic activity. *Clin Pharmacol Ther*. 67: 48-56.  
<http://dx.doi.org/10.1067/mcp.2000.104391>.
- Sato, A; Nakajima, T. (1979). Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. *Br J Ind Med*. 36: 231-234. <http://dx.doi.org/10.1136/oem.36.3.231>.
- Sato, K; Shidahara, M; Watabe, H; Watanuki, S; Ishikawa, Y; Arakawa, Y; Nai, YH; Furumoto, S; Tashiro, M; Shoji, T; Yanai, K; Gonda, K. (2016). Performance evaluation of the small-animal PET scanner ClairvivoPET using NEMA NU 4-2008 Standards. *Phys Med Biol*. 61: 696-711.  
<http://dx.doi.org/10.1088/0031-9155/61/2/696>.
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances. *Sci Total Environ*. 46: 229-241. [http://dx.doi.org/10.1016/0048-9697\(85\)90296-7](http://dx.doi.org/10.1016/0048-9697(85)90296-7).
- Sato, T; Mukaida, M; Ose, Y; Nagase, H; Ishikawa, T. (1985). Mutagenicity of chlorinated products from soil humic substances 360. *Sci Total Environ*. 46.
- Sausen, PJ; Elfarra, AA. (1990). Cysteine conjugate S-oxidase: Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem*. 265: 6139-6145.
- Savolainen, H; Pfäffli, P; Tengén, M; Vainio, H. (1977). Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol*. 38: 229-237. <http://dx.doi.org/10.1007/BF00293657>.
- Sawyers, CL; Denny, CT; Witte, ON. (1991). Leukemia and the disruption of normal hematopoiesis. *Cell*. 64: 337-350.
- Sax, NI; Lewis, RJ, Sr. (1987). Hazardous chemicals desk reference. New York, NY: Van Nostrand Reinhold.
- Sbrana, I; Di Sibio, A; Lomi, A; Scarcelli, V. (1993). C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res*. 287: 57-70. [http://dx.doi.org/10.1016/0027-5107\(93\)90145-6](http://dx.doi.org/10.1016/0027-5107(93)90145-6).
- Scatena, R; Bottoni, P; Vincenzoni, F; Messina, I; Martorana, G; Nocca, G; De Sole, P; Maggiano, N; Castagnola, M; Giardina, B. (2003). Bezafibrate induces a mitochondrial derangement in human cell lines: a PPAR-independent mechanism for a peroxisome proliferator. *Chem Res Toxicol*. 16: 1440-1447. <http://dx.doi.org/10.1021/tx0341052>.
- Schädler, S; Morio, M; Bartke, S; Finkel, M. (2012). Integrated planning and spatial evaluation of megasite remediation and reuse options. *J Contam Hydrol*. 127: 88-100. <http://dx.doi.org/10.1016/j.jconhyd.2011.03.003>.
- Schaefer, CE; White, EB; Lavorgna, GM; Annable, MD. (2016). Dense Nonaqueous-Phase Liquid Architecture in Fractured Bedrock: Implications for Treatment and Plume Longevity. *Environ Sci Technol*. 50: 207-213. <http://dx.doi.org/10.1021/acs.est.5b04150>.
- Scharre, JE; Cotter, SA; Block, SS; Kelly, SA. (1990). Normative contrast sensitivity data for young children. *Optometry and Vision Science*. 67: 826-832.
- Schatten, H; Chakrabarti, A. (1998). Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol*. 75: 9-20.
- Schattenberg, JM; Galle, PR; Schuchmann, M. (2006). Apoptosis in liver disease. *Liver Int*. 26: 904-911.
- Scheid, C; Koul, H; Hill, WA; Luber-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells. *J Urol*. 155: 1112-1116. [http://dx.doi.org/10.1016/S0022-5347\(01\)66402-4](http://dx.doi.org/10.1016/S0022-5347(01)66402-4).
- Scheid, C; Koul, H; Hill, WA; Luber-Narod, J; Jonassen, J; Honeyman, T; Kennington, L; Kohli, R; Hodapp, J; Ayvazian, P; Menon, M. (1996). Oxalate toxicity in LLC-PK1 cells, a line of renal epithelial cells 62. *J Urol*. 155.
- Schenk, M; Purdue, MP; Colt, JS; Hartge, P; Blair, A; Stewart, P; Cerhan, JR; De Roos, AJ; Cozen, W; Severson, RK. (2009). Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. *Occup Environ Med*. 66: 23-31.  
<http://dx.doi.org/10.1136/oem.2007.036723>.
- Scherr, KE; Nahold, MM; Lantschbauer, W; Loibner, AP. (2011). Sequential application of electron donors and humic acids for the anaerobic bioremediation of chlorinated aliphatic hydrocarbons. *N Biotechnol*. 29: 116-125. <http://dx.doi.org/10.1016/j.nbt.2011.04.010>.
- Scherr, PA; Hutchinson, GB; Neiman, RS. (1992). Non-Hodgkin's lymphoma and occupational exposures. *Cancer Res*. 52: 5503s-5509s.
- Scheutz, C; Durant, ND; Broholm, MM. (2014). Effects of bioaugmentation on enhanced reductive dechlorination of 1,1,1-trichloroethane in groundwater: a comparison of three sites. *Biodegradation*. 25: 459-478. <http://dx.doi.org/10.1007/s10532-013-9674-x>.

## Human Health Hazard Literature Search Results

### Off Topic

- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere*. 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schiwy, A; Maes, HM; Koske, D; Flecken, M; Schmidt, KR; Schell, H; Tiehm, A; Kamptner, A; Thümmler, S; Stanjek, H; Heggen, M; Dunin-Borkowski, RE; Braun, J; Schäffer, A; Hollert, H. (2016). The ecotoxic potential of a new zero-valent iron nanomaterial, designed for the elimination of halogenated pollutants, and its effect on reductive dechlorinating microbial communities. *Environ Pollut*. 216: 419-427. <http://dx.doi.org/10.1016/j.envpol.2016.05.051>.
- Schlesselman, JJ. (1982). Case control studies: Design, conduct, analysis. In *Mongraphs in epidemiology and biostatistics*. New York, NY: Oxford University Press.
- Schneiderman, MA; Decoufle, P; Brown, CC. (1979). Thresholds for environmental cancer: Biologic and statistical considerations. *Ann N Y Acad Sci*. 329: 92-130. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb15339.x>.
- Schoenberg, JB; Stemhagen, A; Mogielnicki, AP; Altman, R; Abe, T; Mason, TJ. (1984). Case-control study of bladder cancer in New Jersey. I. Occupational exposures in white males. *J Natl Cancer Inst*. 72: 973-981.
- Schreiber, JS. (1993). Predicted infant exposure to tetrachloroethene in human breastmilk [Review]. *Risk Anal*. 13: 515-524. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb00010.x>.
- Schreiber, JS; House, S; Prohonic, E; Smead, G; Hudson, C; Styk, M; Lauber, J. (1993). An investigation of indoor air contamination in residences above dry cleaners. *Risk Anal*. 13: 335-344. <http://dx.doi.org/10.1111/j.1539-6924.1993.tb01085.x>.
- Schubauer-Berigan, MK; Couch, JR; Petersen, MR; Carreón, T; Jin, Y; Deddens, JA. (2011). Cohort mortality study of workers at seven beryllium processing plants: update and associations with cumulative and maximum exposure. *Occup Environ Med*. 68: 345-353. <http://dx.doi.org/10.1136/oem.2010.056481>.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med*. 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.
- Schug, D; Lerche, C; Weissler, B; Gebhardt, P; Goldschmidt, B; Wehner, J; Dueppenbecker, PM; Salomon, A; Hallen, P; Kiessling, F; Schulz, V. (2016). Initial PET performance evaluation of a preclinical insert for PET/MRI with digital SiPM technology. *Phys Med Biol*. 61: 2851-2878. <http://dx.doi.org/10.1088/0031-9155/61/7/2851>.
- Schultz, R; Yan, W; Toppari, J; Volkl, A; Gustafsson, JA; Pelto-Huikko, M. (1999). Expression of peroxisome proliferator-activated receptor alpha messenger ribonucleic acid and protein in human and rat testis. *Endocrinology*. 140: 2968-2975. <http://dx.doi.org/10.1210/en.140.7.2968>.
- Schultze, MO; Klubes, P; Perman, V; Mizuno, NS; Bates, FW; Sautter, JH. (1959). Blood dyscrasia in calves induced by S-(dichlorovinyl)-L-cysteine. *Blood*. 14: 1015-1025.
- Schwartz, DT. (2013). Precautions with PERC [Letter]. *Ann Emerg Med*. 62: 197. <http://dx.doi.org/10.1016/j.annemergmed.2013.02.030>.
- Schwarzenbach, RP; Molnar-Kubica, E; Giger, W; Wakeham, SG. (1979). Distribution, residence time, and fluxes of tetrachloroethylene and 1,4-dichlorobenzene in Lake Zurich, Switzerland. *Environ Sci Technol*. 13: 1367-1373.
- Scott, CS; Richards, SJ; Sivakumaran, M. (1994). Disorders of large granular lymphocytes and natural killer-associated cells [Letter]. *Blood*. 83: 301-303.
- Scott, WJ, Jr; Collins, MD; Nau, H. (1994). Pharmacokinetic determinants of embryotoxicity in rats associated with organic acids. *Environ Health Perspect*. 102: 97-101.
- Seelbach, A; Fissler, B; Madle, S. (1993). Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res*. 303: 163-169.
- Seglen, PO. (1973). Preparation of rat liver cells. 3. Enzymatic requirements for tissue dispersion. *Exp Cell Res*. 82: 391-398. [http://dx.doi.org/10.1016/0014-4827\(73\)90357-1](http://dx.doi.org/10.1016/0014-4827(73)90357-1).
- Seip, H; Alstad, J; Carlberg, G; Martinsen, K; Skaane, R. (1986). Measurement of mobility of organic compounds in soils. *Sci Total Environ*. 50: 87-101. [http://dx.doi.org/10.1016/0048-9697\(86\)90353-0](http://dx.doi.org/10.1016/0048-9697(86)90353-0).
- Sekar, R; Taillefert, M; Dichristina, TJ. (2016). Simultaneous Transformation of Commingled Trichloroethylene, Tetrachloroethylene, and 1,4-Dioxane by a Microbially Driven Fenton Reaction in Batch Liquid Cultures. *Appl Environ Microbiol*. 82: 6335-6343. <http://dx.doi.org/10.1128/AEM.02325-16>.
- Self, WH; Barrett, TW. (2012). Annals of Emergency Medicine journal club. Is "PERC negative" adequate to rule out pulmonary embolism in the emergency department? Evaluating meta-analysis for studies of clinical prediction models [Comment]. *Ann Emerg Med*. 60: 129-131. <http://dx.doi.org/10.1016/j.annemergmed.2012.05.006>.
- Self, WH; Barrett, TW. (2012). Is "PERC negative" adequate to rule out pulmonary embolism in the emergency department? Evaluating meta-analysis for studies of clinical prediction models: answers to the July 2012 journal club questions [Comment]. *Ann Emerg Med*. 60: 803-814. <http://dx.doi.org/10.1016/j.annemergmed.2012.07.121>.
- Selgrade, MK; Gilmour, MI. (2006). Immunotoxicology of inhaled compounds: Assessing risks of local immune suppression and hypersensitivity. *J Toxicol Environ Health A*. 69: 827-844. <http://dx.doi.org/10.1080/15287390600591579>.
- Seliger, B. (2005). Strategies of tumor immune evasion. *BioDrugs*. 19: 347-354.
- Sellers, EM; Lang, M; Koch-Weser, J; LeBlanc, E; Kalant, H. (1972). Interaction of chloral hydrate and ethanol in man. I. Metabolism. *Clin Pharmacol Ther*. 13: 37-49.
- Sen, H; Seckiner, I; Bayrak, O; Erturhan, S; Demirbağ, A. (2015). Treatment alternatives for urinary system stone disease in preschool aged children: results of 616 cases. *J Pediatr Urol*. 11: 34.e31-34.e35. <http://dx.doi.org/10.1016/j.jpuro.2014.11.010>.

## Human Health Hazard Literature Search Results

### Off Topic

- Seo, M; Yamagiwa, T; Kobayashi, R; Ikeda, K; Satoh, M; Inagaki, N; Nagai, H; Nagase, H. (2008). Augmentation of antigen-stimulated allergic responses by a small amount of trichloroethylene ingestion from drinking water. *Regul Toxicol Pharmacol*. 52: 140-146. <http://dx.doi.org/10.1016/j.yrtph.2008.07.006>.
- Seppäläinen, AM; Antti-Poika, M. (1983). Time course of electrophysiological findings for patients with solvent poisoning. A descriptive study. *Scand J Work Environ Health*. 9: 15-24.
- Serra, C; Bonfill, X; Sunyer, J; Urrutia, G; Turuguet, D; Bastús, R; Roqué, M; 't Mannetje, A; Kogevinas, M; Occidental, WGotSoBCitCoV. (2000). Bladder cancer in the textile industry. *Scand J Work Environ Health*. 26: 476-481.
- Sertznig, P; Seifert, M; Tilgen, W; Reichrath, J. (2007). Present concepts and future outlook: Function of peroxisome proliferator-activated receptors (PPARs) for pathogenesis, progression, and therapy of cancer [Review]. *J Cell Physiol*. 212: 1-12. <http://dx.doi.org/10.1002/jcp.20998>.
- Services, MDoHaS. (2015). Health Assessment Final Release: Vienna Wells, Maries County, Missouri. EPA Facility ID: MON000705803, October 20, 2015.
- Services, NHDoE. (2012). Letter Health Consultation: Evaluation of Indoor Air and Soil Gas Data, Former Circle Tri Cleaners (CTC), Plymouth, New Hampshire, December 7, 2012 (pp. 7).
- Services, NJDoHaS. (2012). Health Consultation: Public Health Implications of Site-Related Indoor Air Exposures. Cornell-Dubilier Electronics Site, South Plainfield (Middlesex County), New Jersey. EPA Facility ID: NJD981557879, February 15, 2012 (pp. 40).
- Services, TDoSH. (2016). Consultation: Main Street Groundwater Plume Site (a/k/a Burnet Groundwater), Burnet, Burnet County, Texas. EPA Facility ID: TXN0006070441, February 25, 2016.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect*. 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Linder, SH; Marko, D; Bethel, H; Lupo, PJ. (2007). Comparative assessment of air pollution-related health risks in Houston. *Environ Health Perspect*. 115: 1388-1393. <http://dx.doi.org/10.1289/ehp.10043>.
- Seyedabbasi, M; Newell, CJ; Adamson, DT; Sale, TC. (2012). Relative contribution of DNAPL dissolution and matrix diffusion to the long-term persistence of chlorinated solvent source zones. *J Contam Hydrol*. 134-135 (Jun 2012): 69-81. <http://dx.doi.org/10.1016/j.jconhyd.2012.03.010>.
- Shahin, MM. (1975). Genetic activity of niridazole in yeast. *DNA Repair*. 30: 191-198.
- Shamim Khan, M; Ahmed, K; Gavazzi, A; Gohil, R; Thomas, L; Poulsen, J; Ahmed, M; Jaye, P; Dasgupta, P. (2013). Development and implementation of centralized simulation training: evaluation of feasibility, acceptability and construct validity. *BJU Int*. 111: 518-523. <http://dx.doi.org/10.1111/j.1464-410X.2012.11204.x>.
- Shani, N; Rossi, P; Holliger, C. (2013). Correlations between Environmental Variables and Bacterial Community Structures Suggest Fe(III) and Vinyl Chloride Reduction As Antagonistic Terminal Electron-Accepting Processes. *Environ Sci Technol*. 47: 6836-6845. <http://dx.doi.org/10.1021/es304017s>.
- Shao, J; Stapleton, PL; Lin, YS; Gallagher, EP. (2007). Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos*. 35: 168-175. <http://dx.doi.org/10.1124/dmd.106.012757>.
- Sharpe, CR; Rochon, JE; Adam, JM; Suissa, S. (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. *CMAJ*. 140: 1309-1318.
- Shawn, SH; Robins, JM. (1986). Comment. *J Am Stat Assoc*. 84: 604-609.
- Shearer, BG; Hoekstra, WJ. (2003). Recent advances in peroxisome proliferator-activated receptor science [Review]. *Curr Med Chem*. 10: 267-280. <http://dx.doi.org/10.2174/1567204052930970>.
- Shelby, MD; Tice, RR; DeMarini, DM; Yang, RS. (1990). Toxicity and mutagenicity of a mixture of 25 chemicals found in contaminated groundwater. In H Vainio; M Sorsa; AJ McMichael (Eds.), (pp. 314-332). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=104>.
- Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H. (1985). Human exposure assessment to environmental chemicals: nursing mothers study. Final report. U.S. Environmental Protection Agency: Sheldon, LS; Handy, RW; Hartwell, TD; Leininger, C; Zelon, H.
- Shelton, KL; Nicholson, KL. (2013). Benzodiazepine-like discriminative stimulus effects of toluene vapor. *Eur J Pharmacol*. 720: 131-137. <http://dx.doi.org/10.1016/j.ejphar.2013.10.036>.
- Sher, T; Yi, HF; McBride, OW; Gonzalez, FJ. (1993). cDNA cloning, chromosomal mapping, and functional characterization of the human peroxisome proliferator activated receptor. *Biochemistry*. 32: 5598-5604. <http://dx.doi.org/10.1021/bi00072a015>.
- Sherlach, KS; Gorka, AP; Dantzler, A; Roepe, PD. (2011). Quantification of perchloroethylene residues in dry-cleaned fabrics. *Environ Toxicol Chem*. 30: 2481-2487. <http://dx.doi.org/10.1002/etc.665>.
- Sherr, DH. (2014). Receptor-based developmental and reproductive toxicity of Superfund chemicals.
- Sherr, DH. (2015). Receptor-based developmental and reproductive toxicity of Superfund chemicals.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere*. 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Shevchenko, VV; Grinikh, LI; Alekseenok, AY. (1985). Clastogenic effect of oxalic acid and its specificity. *Sov Genet*. 21: 606-610.
- Shi, A; Zheng, H; Yomano, LP; York, SW; Shanmugam, KT; Ingram, LO. (2016). Plasmidic Expression of nema and yafC\* Increased Resistance of Ethanologenic Escherichia coli LY180 to Nonvolatile Side Products from Dilute Acid Treatment of Sugarcane Bagasse and Artificial Hydrolysate. *Appl Environ Microbiol*. 82: 2137-2145. <http://dx.doi.org/10.1128/AEM.03488-15>.

## Human Health Hazard Literature Search Results

### Off Topic

- Shimada, T; Yamazaki, H; Mimura, M; Inui, Y; Guengerich, FP. (1994). Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: Studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther.* 270: 414-423.
- Shimada, Y. (1988). Studies on monochlorobenzene poisoning. Part III. Distribution of monochlorobenzene in the organs of pregnant mice and transfer to the fetus through the placenta: comparison with trichloroethylene and 1,1,1-trichloroethane. *Okayama Igakkai Zasshi.* 100: 147-153.
- Shinozaki, M; Muramatsu, Y; Sasaki, T. (2014). [Decision process of Notification Value by the Dose Index Registry system in X-ray computed tomography]. *Nippon Hoshasen Gijutsu Gakkai Zasshi.* 70: 11-18.
- Shipman, AJ; Whim, BP. (1980). Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the UK. *Ann Occup Hyg.* 23: 197-204. <http://dx.doi.org/10.1093/annhyg/23.2.197>.
- Shirasu, Y; Moriya, M; Kato, K; Furuhashi, A; Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutat Res.* 40: 19-30. [http://dx.doi.org/10.1016/0165-1218\(76\)90018-5](http://dx.doi.org/10.1016/0165-1218(76)90018-5).
- Shrivastav, BB; Narahashi, T; Kitz, RJ; Roberts, JD. (1976). Mode of action of trichloroethylene on squid axon membranes. *J Pharmacol Exp Ther.* 199: 179-188.
- Shugart, LR. (1990). DNA damage as an indicator of pollutant-induced genotoxicity. In WG Landis; WHvd Schalie (Eds.), (pp. 348-355). Philadelphia, PA: American Society for Testing and Materials.
- Shultz, J; Weiner, H. (1979). Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol.* 28: 3379-3384. [http://dx.doi.org/10.1016/0006-2952\(79\)90076-5](http://dx.doi.org/10.1016/0006-2952(79)90076-5).
- Siau, R; Young, S; Blyth, M; Dickson-Jardine, K. (2015). Use of pulmonary embolism rule-out criteria (PERC) in the emergency department. *Clin Med.* 15 Suppl 3: s1. <http://dx.doi.org/10.7861/clinmedicine.15-3-s1>.
- Siemiątycki, J. (1991). Risk factors for cancer in the workplace. In J Siemiątycki (Ed.). Boca Raton, FL: CRC Press.
- Siemiątycki, J; Wacholder, S; Richardson, L; Dewar, R; Gérin, M. (1987). Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system. *Scand J Work Environ Health.* 13: 486-492.
- Silbergeld, E. (1988). Epidemiology versus risk assessment: Resolving some old controversies. *Risk Anal.* 8: 555-557. <http://dx.doi.org/10.1111/j.1539-6924.1988.tb01197.x>.
- Silverman, DT; Levin, LI; Hoover, RN. (1989). Occupational risks of bladder cancer in the United States: II. Nonwhite men. *J Natl Cancer Inst.* 81: 1480-1483. <http://dx.doi.org/10.1093/jnci/81.19.1480>.
- Simmonds, PG; Kerrin, SL; Lovelock, JE; Shair, FH. (1974). Distribution of atmospheric halocarbons in the air over the Los Angeles basin. *Atmos Environ.* 8: 209-216.
- Simmons, JE; Boyes, WK; Bushnell, PJ; Raymer, JH; Limsakun, T; McDonald, A; Sey, YM; Evans, MV. (2002). A physiologically based pharmacokinetic model for trichloroethylene in the male Long-Evans rat. *Toxicol Sci.* 69: 3-15. <http://dx.doi.org/10.1093/toxsci/69.1.3>.
- Simpson, AE; Brammar, WJ; Pratten, MK; Cockcroft, N; Elcombe, CR. (1996). Placental transfer of the hypolipidemic drug, clofibrate, induces CYP4A expression in 18.5-day fetal rats. *Drug Metab Dispos.* 24: 547-554.
- Simpson, AEC, M; Brammar, WJ; Pratten, MK; Elcombe, CR. (1995). Translational induction of CYP4A expression in 10.5-day neonatal rats by the hypolipidemic drug clofibrate. *Biochem Pharmacol.* 50: 2021-2032. [http://dx.doi.org/10.1016/0006-2952\(95\)02103-5](http://dx.doi.org/10.1016/0006-2952(95)02103-5).
- Simpson, DG; Carroll, RJ; Xie, M; Guth, DJ. (1996). Weighted logistic regression and robust analysis of diverse toxicology data. *Communications in Statistics: Theory and Methods.* 25: 2615-2632.
- Singh, B; Mommer, SK; Erwin, PJ; Mascarenhas, SS; Parsaik, AK. (2013). Pulmonary embolism rule-out criteria (PERC) in pulmonary embolism--revisited: a systematic review and meta-analysis [Review]. *Emerg Med J.* 30: 701-706. <http://dx.doi.org/10.1136/emered-2012-201730>.
- Singh, B; Parsaik, AK; Agarwal, D; Surana, A; Mascarenhas, SS; Chandra, S. (2012). Diagnostic accuracy of pulmonary embolism rule-out criteria: a systematic review and meta-analysis [Review]. *Ann Emerg Med.* 59: 517-520. <http://dx.doi.org/10.1016/j.annemergmed.2011.10.022>.
- Singh, HB. (1977). Atmospheric halocarbons: Evidence in favor of reduced average hydroxyl radical concentration in the troposphere. *Geophys Res Lett.* 4: 101-104. <http://dx.doi.org/10.1029/GL004i003p00101>.
- Singh, HB. (1978). [Personal communication] [Personal Communication].
- Singh, HB; Lillian, D; Appleby, A. (1975). Absolute determination of phosgene: pulsed flow coulometry. *Anal Chem.* 47: 860-864.
- Singh, HB; Lillian, D; Appleby, A; Lobban, L. (1975). Atmospheric formation of carbon tetrachloride from tetrachloroethylene. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 10: 253-256. <http://dx.doi.org/10.1080/00139307509435827>.
- Singh, HB; Salas, L; Lillian, D; Arnts, RR; Appleby, A. (1977). Generation of accurate halocarbon primary standards with permeation tubes. *Environ Sci Technol.* 11: 511-513. <http://dx.doi.org/10.1021/es60128a009>.
- Singh, HB; Salas, L; Shigeishi, H; Crawford, A. (1977). Urban-nonurban relationships of halocarbons, SF<sub>6</sub>, N<sub>2</sub>O, and other atmospheric trace constituents. *Atmos Environ.* 11: 819-828.
- Singh, HB; Salas, LJ; Cavanagh, LA. (1977). Distribution, sources and sinks of atmospheric halogenated compounds. *Journal of the Air and Waste Management Association.* 27: 332-336.
- Singh, HB; Salas, LJ; Shiegeishi, H; Smith, AH. (1978). Fate of halogenated compounds in the atmosphere Interim report-1977. Singh, HB; Salas, LJ; Shiegeishi, H; Smith, AH.
- Singh, HB; Salas, LJ; Shigeishi, H; Scribner, E. (1978). Global distribution of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O Phase II interim report. NC: 803020.

## Human Health Hazard Literature Search Results

### Off Topic

- Singh, HB; Salas, LJ; Shigeishi, H; Smith, AJ; Scribner, E; Cavanagh, LA. (1979). Atmospheric distributions, sources and sinks of selected halocarbons, hydrocarbons, SF<sub>6</sub>, and N<sub>2</sub>O. (PB80-142706; EPA600379107). Menlo Park, CA: SRI International. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB80142706>.
- Singh, HB; Salas, LJ; Smith, A; Stiles, R; Shigeishi, H. (1981). Atmospheric measurements of selected hazardous organic chemicals Interim report-1980 [EPA Report]. (600/3-81-032). Research Triangle Park, NC: Environmental Protection Agency.
- Singh, HB; Salas, LJ; Smith, AJ; Shigeishi, H. (1981). Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ*. 15: 601-612. [http://dx.doi.org/10.1016/0004-6981\(81\)90191-8](http://dx.doi.org/10.1016/0004-6981(81)90191-8).
- Singh, HB; Salas, LJ; Stiles, R; Shigeishi, H. (1983). Measurements of hazardous organic chemicals in the ambient atmosphere. (EPA-600/3-83-002; PB83-156935). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB83156935>.
- Singh, M; Sinha, U. (1976). Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia*. 32: 1144-1145. <http://dx.doi.org/10.1007/BF01927592>.
- Singh, M; Sinha, U. (1979). Mitotic haploidization and growth of *Aspergillus nidulans* on media containing chloral hydrate. *J Cytol Genet*. 14: 1-4.
- Sjuts, H; Fisher, K; Dunstan, MS; Rigby, SE; Leys, D. (2012). Heterologous expression, purification and cofactor reconstitution of the reductive dehalogenase PceA from *Dehalobacter restrictus*. *Protein Expr Purif*. 85: 224-229. <http://dx.doi.org/10.1016/j.pep.2012.08.007>.
- Skowron, J; Miranowicz-Dzierzawska, K; Zapor, L; Golofit-Szymczak, M; Starek, A. (2001). Interactions of some organic solvents: Hydrocarbons and chloroalkene. *Int J Occup Saf Ergon*. 7: 35-47.
- Small, MJ. (2008). Methods for assessing uncertainty in fundamental assumptions and associated models for cancer risk assessment. *Risk Anal*. 28: 1289 - 1308. <http://dx.doi.org/10.1111/j.1539-6924.2008.01134.x>.
- Smetanová, S; Riedl, J; Zitzkat, D; Altenburger, R; Busch, W. (2015). High-throughput concentration-response analysis for omics datasets. *Environ Toxicol Chem*. 34: 2167-2180. <http://dx.doi.org/10.1002/etc.3025>.
- Smith, CB. (2014). Pulmonary embolism workup in five steps. *Acad Emerg Med*. 21: 802. <http://dx.doi.org/10.1111/acem.12413>.
- Smith, DM; Ortiz, LW; Archuleta, RF. (1984). Long-term exposure of Syrian hamsters and Osborne-Mendel rats to aerosolized 045 um mean diameter fibrous glass. Denmark: R.
- Smith, JH; Bomberger, DC, Jr; Haynes, DL. (1980). Prediction of the volatilization rates of high-volatility chemicals from natural water bodies. *Environ Sci Technol*. 14: 1332-1337.
- Smith, MK; Randall, JL; Read, EJ; Stober, JA. (1989). Teratogenic activity of trichloroacetic acid in the rat. *Teratology*. 40: 445-451. <http://dx.doi.org/10.1002/tera.1420400506>.
- Sofuni, T; Hayashi, M; Matsuoka, A; Sawada, M; Hatanaka, M; Jr, IM. (1985). [Mutagenicity tests on organic chemical contaminants in city water and related compounds. II. Chromosome aberration tests in cultured mammalian cells]. *Kokuritsu Iyakuin Shokuhin Eisei Kenkyusho Hokoku*. 103: 64-75.
- Sohlenius-Sternbeck, AK. (2006). Determination of the hepatocellularity number for human, dog, rabbit, rat and mouse livers from protein concentration measurements. *Toxicol In Vitro*. 20: 1582-1586. <http://dx.doi.org/10.1016/j.tiv.2006.06.003>.
- Sokol, L; Loughran, TP, Jr. (2006). Large granular lymphocyte leukemia. *Oncologist*. 11: 263-273. <http://dx.doi.org/10.1634/theoncologist.11-3-263>.
- Solet, D; Robins, TG; Sampaio, C. (1990). Perchloroethylene exposure assessment among dry cleaning workers. *AIHA J*. 51: 566-574.
- Solleveld, HA; Haseman, JK; McConnell, EE. (1984). Natural history of body weight gain, survival, and neoplasia in the F344 rat. *J Natl Cancer Inst*. 72: 929-940.
- Song, L; Rini, C; Deal, AM; Nielsen, ME; Chang, H; Kinneer, P; Teal, R; Johnson, DC; Dunn, MW; Mark, B; Palmer, MH. (2015). Improving couples' quality of life through a Web-based prostate cancer education intervention. *Oncol Nurs Forum*. 42: 183-192. <http://dx.doi.org/10.1188/15.ONF.183-192>.
- Sora, S; Agostini Carbone, ML. Chloral Hydrate, Methylmercury Hydroxide and Ethidium Bromide Affect Chromosomal Segregation during Meiosis of *Saccharomyces Cerevisiae*. *Mutat Res*. 190: 13-17.
- Sora, S; Agostini Carbone, ML. (1987). Chloral hydrate, methylmercury hydroxide and ethidium bromide affect chromosomal segregation during meiosis of *Saccharomyces cerevisiae*. *Mutat Res Lett*. 190: 13-17. [http://dx.doi.org/10.1016/0165-7992\(87\)90075-3](http://dx.doi.org/10.1016/0165-7992(87)90075-3).
- Speerschneider, P; Dekant, W. (1995). Renal tumorigenicity of 1,1-dichloroethene in mice: the role of male-specific expression of cytochrome P450 2E1 in the renal bioactivation of 1,1-dichloroethene. *Toxicol Appl Pharmacol*. 130: 48-56. <http://dx.doi.org/10.1006/taap.1995.1007>.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health*. 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.
- Spinatonda, G; Colombo, R; Capodaglio, EM; Imbriani, M; Pasetti, C; Minuco, G; Pinelli, P. (1997). Processes of speech production: Application in a group of subjects chronically exposed to organic solvents (II). *G Ital Med Lav Ergon*. 19: 85-88.
- Spinks, TJ; Karia, D; Leach, MO; Flux, G. (2014). Quantitative PET and SPECT performance characteristics of the Albira Trimodal pre-clinical tomograph. *Phys Med Biol*. 59: 715-731. <http://dx.doi.org/10.1088/0031-9155/59/3/715>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med*. 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Stacpoole, PW; Henderson, GN; Yan, Z; James, MO. (1998). Clinical pharmacology and toxicology of dichloroacetate. *Environ Health Perspect*. 106: 989-994.



## Human Health Hazard Literature Search Results

### Off Topic

- Stacpoole, PW; Wright, EC; Baumgartner, TG; Bersin, RM; Buchalter, S; Curry, SH; Duncan, CA; Harman, EM; Henderson, GN; Jenkinson, S; Lachin, JM; Lorenz, A; Schneider, SH; Siegel, JH; Summer, WR; Thompson, D; Wolfe, CL; Zorovich, B; Group, D-LAS. (1992). A controlled clinical trial of dichloroacetate for treatment of lactic acidosis in adults. *N Engl J Med.* 327: 1564-1569. <http://dx.doi.org/10.1056/NEJM199211263272204>.
- Stanley, LA; Blackburn, DR; Devereaux, S; Foley, J; Lord, PG; Maronpot, RR; Orton, TC; Anderson, MW. (1994). Ras mutations in methylclofenapate-induced B6C3F1 and C57BL/10J mouse liver tumours. *Carcinogenesis.* 15: 1125-1131.
- Stauber, AJ; Bull, RJ. (1997). Differences in phenotype and cell replicative behavior of hepatic tumors induced by dichloroacetate (DCA) and trichloroacetate (TCA). *Toxicol Appl Pharmacol.* 144: 235-246. <http://dx.doi.org/10.1006/taap.1997.8159>.
- Steineck, G; Plato, N; Gerhardsson, M; Norell, SE; Hogstedt, C. (1990). Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. *Int J Cancer.* 45: 1012-1017. <http://dx.doi.org/10.1002/ijc.2910450605>.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med.* 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Stemhagen, A; Slade, J; Altman, R; Bill, J. (1983). Occupational risk factors and liver cancer: A retrospective case-control study of primary liver cancer in New Jersey. *Am J Epidemiol.* 117: 443-454.
- Stenner, RD; Merdink, JL; Fisher, JW; Bull, RJ. (1998). Physiologically-based pharmacokinetic model for trichloroethylene considering enterohepatic recirculation of major metabolites. *Risk Anal.* 18: 261-269.
- Stephens, EA; Taylor, JA; Kaplan, N; Yang, CH; Hsieh, LL; Lucier, GW; Bell, DA. (1994). Ethnic variation in the CYP2E1 gene: Polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics.* 4: 185-192.
- Sterchele, PF; Sun, H; Peterson, RE; Vanden Heuvel, JP. (1996). Regulation of peroxisome proliferator-activated receptor-alpha mRNA in rat liver. *Arch Biochem Biophys.* 326: 281-289.
- Stevens, J; Jakoby, WB. (1983). Cysteine conjugate beta-lyase. *Mol Pharmacol.* 23: 761-765.
- Stevens, JL. (1985). Isolation and characterization of a rat liver enzyme with both cysteine conjugate beta-lyase and kynureninase activity. *J Biol Chem.* 260: 7945-7950.
- Stevenson, DE; McClain, RM; Popp, JA; Slaga, TJ; Ward, JM; Pitot, HC. (1990). Mouse liver carcinogenesis: mechanisms and species comparisons. New York, NY: Wiley-Liss.
- Stewart, RD; Dodd, HC; Gay, HH; Erley, DS. (1970). Experimental human exposure to trichloroethylene. *Arch Environ Health.* 20: 64-71.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. *J Occup Environ Med.* 3: 586-590.
- Stewart, RD; Hake, CL; Forster, AJ; Lubrun, AJ; Peterson, JE; Wu, A. (1974). Tetrachloroethylene: Development of a biologic standard for the industrial worker by breath analysis. Atlanta, GA: National Institute of Occupational Safety and Health. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB82152166>.
- Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A. (1981). Tetrachloroethylene: development of a biologic standard for the industrial worker by breath analysis. Stewart, RD; Hake, CL; Forster, HV; Lebrun, AJ; Peterson, JE; Wu, A.
- Stiteler, WM; Knauf, LA; Hertzberg, RC; Schoeny, RS. (1993). A statistical test of compatibility of data sets to a common dose-response model. *Regul Toxicol Pharmacol.* 18: 392-402. <http://dx.doi.org/10.1006/rtph.1993.1065>.
- Stojanovska, J; Carlos, RC; Kocher, KE; Nagaraju, A; Guy, K; Kelly, AM; Chughtai, AR; Kazerooni, EA. (2015). CT Pulmonary Angiography: Using Decision Rules in the Emergency Department. 12: 1023-1029. <http://dx.doi.org/10.1016/j.jacr.2015.06.002>.
- Stolin, AV; Martone, PF; Jaliparthi, G; Raylman, RR. (2017). Preclinical positron emission tomography scanner based on a monolithic annulus of scintillator: initial design study. 4: 011007. <http://dx.doi.org/10.1117/1.JMI.4.1.011007>.
- Stonard, MD; Phillips, PGN; Foster, JR; Simpson, MG; Lock, EA. (1986). alpha2u-Globulin: Measurement in rat kidney and relationship to hyaline droplets. *Clin Chim Acta.* 160: 197-203. [http://dx.doi.org/10.1016/0009-8981\(86\)90142-7](http://dx.doi.org/10.1016/0009-8981(86)90142-7).
- Stopponi, R; Tacconi, C; Folletti, I; Calisti, R; Siracusa, A. (2016). Upper airway and eye involvement in polyurethane shoe sole production workers. *G Ital Med Lav Ergon.* 38: 89-95.
- Storer, RD; Mckelvey, TW; Krainak, AR; Elia, MC; Barnum, JE; Harmon, LS; Nichols, WW; Deluca, JG. (1996). Revalidation of the in vitro alkaline elution/rat hepatocyte assay for DNA damage: Improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res Genet Toxicol Environ Mutagen.* 368: 59-101. [http://dx.doi.org/10.1016/0165-1218\(95\)00070-4](http://dx.doi.org/10.1016/0165-1218(95)00070-4).
- Storm. (2011). Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene (vol 66, pg 166, 2011). *Arch Environ Occup Health.* 66: 250-250. <http://dx.doi.org/10.1080/19338244.2011.623084>.
- Storm, J, anE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2012). Response to "Comment on 'Visual Contrast Sensitivity in Children Exposed to Tetrachloroethylene' by Storm et al". *Arch Environ Occup Health.* 67: 53-55. <http://dx.doi.org/10.1080/19338244.2012.645396>.
- Storm, JE; Mazor, KA; Aldous, KM; Blount, BC; Brodie, SE; Serle, JB. (2012). Letter to the editor: "Review of the epidemiologic literature on residential exposure to perchloroethylene" by John A. Bukowski [Letter]. *Crit Rev Toxicol.* 42: 314-317; author reply 318-321. <http://dx.doi.org/10.3109/10408444.2012.663745>.
- Storm, JE; Mazor, KA; Shost, SJ; Serle, J; Aldous, KM; Blount, BC. (2013). Socioeconomic disparities in indoor air, breath, and blood perchloroethylene level among adult and child residents of buildings with or without a dry cleaner. *Environ Res.* 122: 88-97. <http://dx.doi.org/10.1016/j.envres.2013.02.001>.
- Stott, WT. (1988). Chemically induced proliferation of peroxisomes: implications for risk assessment. *Regul Toxicol Pharmacol.* 8: 125-159.
- Stott, WT; Quast, JF; Watanabe, PG. (1982). The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol.* 62: 137-151.

## Human Health Hazard Literature Search Results

### Off Topic

- Stromberg, PC. (1985). Large granular lymphocyte leukemia in F344 rats: Model for human T gamma lymphoma, malignant histiocytosis, and T-cell chronic lymphocytic leukemia. *Am J Pathol.* 119: 517-519.
- Stromberg, PC; Rojko, JL; Vogtsberger, LM; Cheney, C; Berman, R. (1983). Immunologic, biochemical, and ultrastructural characterization of the leukemia cell in F344 rats. *J Natl Cancer Inst.* 71: 173-181.
- Strydhorst, J; Carlier, T; Dieudonné, A; Conti, M; Buvat, I. (2016). A gate evaluation of the sources of error in quantitative(90) Y PET. *Med Phys.* 43: 5320-5329. <http://dx.doi.org/10.1118/1.4961747>.
- Studnickova, M; Lubusky, M; Simetka, O; Petros, M; Ordeltova, M; Prochazka, M; Vomáčková, K; Langová, K. (2012). [The influence of maternal age, parity, gestational age and birth weight on fetomaternal haemorrhage during spontaneous delivery]. *Ceska Gynekol.* 77: 256-261.
- Styles, JA; Mackay, JM; Randall, V; Jones, K; Fox, DA; Howard, CA; Ashby, J. (1992). Trichloroacetic acid: Investigation of chromosomal damage in vitro and in vivo. Abstract of the twenty-third meeting of the Environmental Mutagen Society. *Environ Mol Mutagen.* 19: 62. <http://dx.doi.org/10.1002/em.2850190503>.
- Styles, JA; Wyatt, I; Coutts, C. (1991). Trichloroacetic acid: Studies on uptake and effects on hepatic DNA and liver growth in mouse. *Carcinogenesis.* 12: 1715-1719. <http://dx.doi.org/10.1093/carcin/12.9.1715>.
- Su, C; Puls, RW; Krug, TA; Watling, MT; O'Hara, SK; Quinn, JW; Ruiz, NE. (2012). A two and half-year-performance evaluation of a field test on treatment of source zone tetrachloroethene and its chlorinated daughter products using emulsified zero valent iron nanoparticles. *Water Res.* 46: 5071-5084. <http://dx.doi.org/10.1016/j.watres.2012.06.051>.
- Su, FC; Mukherjee, B; Batterman, S. (2011). Trends of VOC exposures among a nationally representative sample: Analysis of the NHANES 1988 through 2004 data sets. *Atmos Environ.* 45: 4858-4867. <http://dx.doi.org/10.1016/j.atmosenv.2011.06.016>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Suarez, L; Weiss, NS; Martin, J. (1989). Primary liver cancer death and occupation in Texas. *Am J Ind Med.* 15: 167-175.
- Subramoniam, A; Goel, SK; Pandya, KP; Seth, PK. (1989). Influence of trichloroethylene treatment on phosphoinositides in rat brain. *Toxicol Lett.* 49: 55-60. [http://dx.doi.org/10.1016/0378-4274\(89\)90101-X](http://dx.doi.org/10.1016/0378-4274(89)90101-X).
- Suffet, IH; Brenner, L; Radziul, JV. (1976). GC/MS identification of trace organic compounds in Philadelphia waters, chap 23. 375-397.
- Sundqvist, K; Jonsson, J; Wennberg, P. (2016). Gambling Motives in a Representative Swedish Sample of Risk Gamblers. *J Gamb Stud.* 32: 1231-1241. <http://dx.doi.org/10.1007/s10899-016-9607-9>.
- Sundqvist, K; Wennberg, P. (2015). Risk Gambling and Personality: Results from a Representative Swedish Sample. *J Gamb Stud.* 31: 1287-1295. <http://dx.doi.org/10.1007/s10899-014-9473-2>.
- Sung, TI; Chen, PC; Lee, LH; Lin, YP; Hsieh, GY; Wang, JD. (2007). Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health.* 7: 102. <http://dx.doi.org/10.1186/1471-2458-7-102>.
- Sung, TI; Wang, JD; Chen, PC. (2008). Increased risk of cancer in the offspring of female electronics workers. *Reprod Toxicol.* 25: 115-119. <http://dx.doi.org/10.1016/j.reprotox.2007.08.004>.
- Sung, TI; Wang, JD; Chen, PC. (2009). Increased risks of infant mortality and of deaths due to congenital malformation in the offspring of male electronics workers. *Birth Defects Res A Clin Mol Teratol.* 85: 119-124. <http://dx.doi.org/10.1002/bdra.20496>.
- Sutton, NB; Atashgahi, S; Saccenti, E; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial Community Response of an Organohalide Respiring Enrichment Culture to Permanganate Oxidation. *PLoS ONE.* 10: e0134615. <http://dx.doi.org/10.1371/journal.pone.0134615>.
- Sutton, NB; Atashgahi, S; van der Wal, J; Wijn, G; Grotenhuis, T; Smidt, H; Rijnaarts, HH. (2015). Microbial dynamics during and after in situ chemical oxidation of chlorinated solvents. *Ground Water.* 53: 261-270. <http://dx.doi.org/10.1111/gwat.12209>.
- Sverdrup, B; Kallberg, H; Bengtsson, C; Lundberg, I; Padyukov, L; Alfredsson, L; Klareskog, L; Group, EloRAS. (2005). Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther.* 7: R1296-R1303. <http://dx.doi.org/10.1186/ar1824>.
- Swanson, GM; Burns, PB. (1995). Cancer incidence among women in the workplace: A study of the association between occupation and industry and 11 cancer sites. *J Occup Environ Med.* 37: 282-287.
- Swenberg, JA; Lehman-McKeeman, LD. (1999). alpha 2-Urinary globulin-associated nephropathy as a mechanism of renal tubule cell carcinogenesis in male rats. In CC Capen; E Dybing; JM Rice; JD Wilbourn (Eds.), *IARC Sci Publ* (pp. 95-118). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=147>.
- Swenberg, JA; Short, B; Borghoff, S; Strasser, J; Charbonneau, M. (1989). The comparative pathobiology of alpha2u-globulin nephropathy. *Toxicol Appl Pharmacol.* 97: 35-46.
- Swerdlow, SH; Campo, E; Harris, NL; Jaffe, ES; Pileri, SA; Stein, H; Thiele, J; Vardiman, JW. (2008). WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues. In th (Ed.). Geneva, Switzerland: WHO Press. <http://apps.who.int/bookorders/anglais/detart1.jsp?codlan=1&codcol=70&codcch=4002>.
- Swinker, M; Burke, WA. (2002). Visual contrast sensitivity as a diagnostic tool [Letter]. *Environ Health Perspect.* 110: A120-A123. <http://dx.doi.org/10.1289/ehp.110-a120>.
- Szanda, I; Mackewn, J; Patay, G; Major, P; Sunassee, K; Mullen, GE; Nemeth, G; Haemisch, Y; Blower, PJ; Marsden, PK. (2011). National Electrical Manufacturers Association NU-4 performance evaluation of the PET component of the NanoPET/CT preclinical PET/CT scanner. *J Nucl Med.* 52: 1741-1747. <http://dx.doi.org/10.2967/jnumed.111.088260>.
- 't Mannetje, A; Dryson, E; Walls, C; McLean, D; McKenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Boffetta, P; Blair, A; Pearce, N. (2008). High risk occupations for non-Hodgkin's lymphoma in New Zealand: Case-control study. *Occup Environ Med.* 65: 354-363. <http://dx.doi.org/10.1136/oem.2007.035014>.

## Human Health Hazard Literature Search Results

### Off Topic

- T. J, D. (2014). Proof-of-Concept Study: Novel Microbially-Driven Fenton Reaction for In Situ Remediation of Groundwater Contaminated with 1,4-Dioxane, Tetrachloroethene (PCE) and Trichloroethene (TCE). Project ER-2305.
- Tabacova, S. (1986). Maternal exposure to environmental chemicals [Review]. *Neurotoxicology*. 7: 421-440.
- Tabernacka, A; Zborowska, E, wa. (2012). Trichloroethylene and tetrachloroethylene elimination from the air by means of a hybrid bioreactor with immobilized biomass. *J Biosci Bioeng*. 114: 318-324. <http://dx.doi.org/10.1016/j.jbiosc.2012.04.016>.
- Tabernacka, A; Zborowska, E; Lebkowska, M; Borawski, M. (2014). Air purification from TCE and PCE contamination in a hybrid bioreactors and biofilter integrated system. *J Hazard Mater*. 264: 363-369. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.013>.
- Tai, ES; Collins, D; Robins, SJ; O'Connor, JJ; Bloomfield, HE; Ordovas, JM; Schaefer, EJ; Brousseau, ME. (2006). The L162V polymorphism at the peroxisome proliferator activated receptor alpha locus modulates the risk of cardiovascular events associated with insulin resistance and diabetes mellitus: The Veterans Affairs HDL Intervention Trial (VA-HIT). *Atherosclerosis*. 187: 153-160. <http://dx.doi.org/10.1016/j.atherosclerosis.2005.08.034>.
- Takashima, K; Ito, Y; Gonzalez, FJ; Nakajima, T. (2008). Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and Ppar alpha-null mice. *J Occup Health*. 50: 169-180.
- Takayama, H; Naka, Y; Kodali, SK; Vincent, JA; Addonizio, LJ; Jorde, UP; Williams, MR. (2012). A novel approach to percutaneous right-ventricular mechanical support. 41: 423-426. <http://dx.doi.org/10.1016/j.ejcts.2011.05.041>.
- Takeshita, T; Morita, K; Tsutsui, Y; Kidera, D; Mikasa, S; Maebatake, A; Akamatsu, G; Miwa, K; Baba, S; Sasaki, M. (2016). The influence of respiratory motion on the cumulative SUV-volume histogram and fractal analyses of intratumoral heterogeneity in PET/CT imaging. *Ann Nucl Med*. 30: 393-399. <http://dx.doi.org/10.1007/s12149-016-1071-1>.
- Takeuchi, M; Kawabe, Y; Watanabe, E; Oiwa, T; Takahashi, M; Nanba, K; Kamagata, Y; Hanada, S; Ohko, Y; Komai, T. (2011). Comparative study of microbial dechlorination of chlorinated ethenes in an aquifer and a clayey aquitard. *J Contam Hydrol*. 124: 14-24. <http://dx.doi.org/10.1016/j.jconhyd.2011.01.003>.
- Talawat, J; Sabatini, DA; Tongcumpou, C. (2013). Behavior of DNAPL mixture of organometallic and chlorinated solvent in the presence of surfactants and alcohols as density modifying agents. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 48: 1619-1627. <http://dx.doi.org/10.1080/10934529.2013.815093>.
- Tanaka, K; Smith, PF; Stromberg, PC; Eydeloth, RS; Herold, EG; Grossman, SJ; Frank, JD; Hertzog, PR; Soper, KA; Keenan, KP. (1992). Studies of early hepatocellular proliferation and peroxisomal proliferation in Sprague-Dawley rats treated with tumorigenic doses of clofibrate. *Toxicol Appl Pharmacol*. 116: 71-77. [http://dx.doi.org/10.1016/0041-008X\(92\)90146-J](http://dx.doi.org/10.1016/0041-008X(92)90146-J).
- Tanaka, S; Ikeda, M. (1968). A method for determination of trichloroethanol and trichloroacetic acid in urine. *Occup Environ Med*. 25: 214-219.
- Tanaka, T; Ordovas, JM; Delgado-Lista, J; Perez-Jimenez, F; Marin, C; Perez-Martinez, P; Gomez, P; Lopez-Miranda, J. (2007). Peroxisome proliferator-activated receptor alpha polymorphisms and postprandial lipemia in healthy men. *J Lipid Res*. 48: 1402-1408. <http://dx.doi.org/10.1194/jlr.M700066-JLR200>.
- Tang, ML; Kemp, AS; Thorburn, J; Hill, DJ. (1994). Reduced interferon-gamma secretion in neonates and subsequent atopy. *Lancet*. 344: 983-985. [http://dx.doi.org/10.1016/S0140-6736\(94\)91641-1](http://dx.doi.org/10.1016/S0140-6736(94)91641-1).
- Taniguchi, T; Akamatsu, G; Kasahara, Y; Mitsumoto, K; Baba, S; Tsutsui, Y; Himuro, K; Mikasa, S; Kidera, D; Sasaki, M. (2015). Improvement in PET/CT image quality in overweight patients with PSF and TOF. *Ann Nucl Med*. 29: 71-77. <http://dx.doi.org/10.1007/s12149-014-0912-z>.
- Tao, L; Ge, R; Xie, M; Kramer, PM; Pereira, MA. (1999). Effect of trichloroethylene on DNA methylation and expression of early-intermediate protooncogenes in the liver of B6C3F1 mice. *J Biochem Mol Toxicol*. 13: 231-237.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice. *Toxicol Sci*. 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Kramer, PM; Ge, R; Pereira, MA. (1998). Effect of dichloroacetic acid and trichloroacetic acid on DNA methylation in liver and tumors of female B6C3F1 mice 67. *Toxicol Sci*. 43: 139-144. <http://dx.doi.org/10.1093/toxsci/43.2.139>.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett*. 108: 257-261.
- Tao, L; Li, K; Kramer, PM; Pereira, MA. (1996). Loss of heterozygosity on chromosome 6 in dichloroacetic acid and trichloroacetic acid-induced liver tumors in female B6C3F1 mice. *Cancer Lett*. 108: 257-261. [http://dx.doi.org/10.1016/S0304-3835\(96\)04451-5](http://dx.doi.org/10.1016/S0304-3835(96)04451-5).
- Tao, L; Wang, W; Li, L; Kramer, PM; Pereira, MA. (2004). Effect of dibromoacetic acid on DNA methylation, glycogen accumulation, and peroxisome proliferation in mouse and rat liver. *Toxicol Sci*. 82: 62-69. <http://dx.doi.org/10.1093/toxsci/kfh266>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Effect of trichloroethylene and its metabolites, dichloroacetic acid and trichloroacetic acid, on the methylation and expression of c-jun and c-myc protooncogenes in mouse liver: Prevention by methionine. *Toxicol Sci*. 54: 399-407. <http://dx.doi.org/10.1093/toxsci/54.2.399>.
- Tao, L; Yang, S; Xie, M; Kramer, PM; Pereira, MA. (2000). Hypomethylation and overexpression of c-jun and c-myc protooncogenes and increased DNA methyltransferase activity in dichloroacetic and trichloroacetic acid-promoted mouse liver tumors. *Cancer Lett*. 158: 185-193. [http://dx.doi.org/10.1016/S0304-3835\(00\)00518-8](http://dx.doi.org/10.1016/S0304-3835(00)00518-8).
- Tateishi, M; Suzuki, S; Shimizu, H. (1978). Cysteine conjugate beta-lyase in rat liver. A novel enzyme catalyzing formation of thiol-containing metabolites of drugs. *J Biol Chem*. 253: 8854-8859.
- Tateishi, T; Nakura, H; Asoh, M; Watanabe, M; Tanaka, M; Kumai, T; Takashima, S; Imaoka, S; Funae, Y; Yabusaki, Y; Kamataki, T; Kobayashi, S. (1997). A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci*. 61: 2567-2574. [http://dx.doi.org/10.1016/S0024-3205\(97\)01011-4](http://dx.doi.org/10.1016/S0024-3205(97)01011-4).

## Human Health Hazard Literature Search Results

### Off Topic

- Teixeira, NB; Rojas, TC; da Silveira, WD; Matheus-Guimarães, C; Silva, NP; Scaletsky, IC. (2015). Genetic analysis of enteropathogenic Escherichia coli (EPEC) adherence factor (EAF) plasmid reveals a new deletion within the EAF probe sequence among O119 typical EPEC strains. *BMC Microbiol.* 15: 200. <http://dx.doi.org/10.1186/s12866-015-0539-9>.
- Tellmann, L; Quick, HH; Bockisch, A; Herzog, H; Beyer, T. (2011). The effect of MR surface coils on PET quantification in whole-body PET/MR: results from a pseudo-PET/MR phantom study. *Med Phys.* 38: 2795-2805. <http://dx.doi.org/10.1118/1.3582699>.
- Temme, HR; Sande, K; Yan, T; Novak, PJ. (2017). Rapid Enrichment of Dehalococoides-like Bacteria by Partial Hydrophobic Separation. *Appl Environ Microbiol.* <http://dx.doi.org/10.1128/AEM.02946-16>.
- Templin, MV; Parker, JC; Bull, RJ. (1993). Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice. *Toxicol Appl Pharmacol.* 123: 1-8. <http://dx.doi.org/10.1006/taap.1993.1214>.
- Templin, MV; Stevens, DK; Stenner, RD; Bonate, PL; Tuman, D; Bull, RJ. (1995). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health.* 44: 435-447. <http://dx.doi.org/10.1080/15287399509531972>.
- Tenkanen, L; Mänttari, M; Kovanen, PT; Virkkunen, H; Manninen, V. (2006). Gemfibrozil in the treatment of dyslipidemia: an 18-year mortality follow-up of the Helsinki Heart Study. *Arch Intern Med.* 166: 743-748. <http://dx.doi.org/10.1001/archinte.166.7.743>.
- Teoh, EJ; Mcgowan, DR; Macpherson, RE; Bradley, KM; Gleeson, FV. (2015). Phantom and Clinical Evaluation of the Bayesian Penalized Likelihood Reconstruction Algorithm Q.Clear on an LYSO PET/CT System. *J Nucl Med.* 56: 1447-1452. <http://dx.doi.org/10.2967/jnumed.115.159301>.
- Terrier, P; Townsend, AJ; Coindre, JM; Triche, TJ; Cowan, KH. (1990). An immunohistochemical study of pi class glutathione S-transferase expression in normal human tissue. *Am J Pathol.* 137: 845-853.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Surveillance of nasal and bladder cancer to locate sources of exposure to occupational carcinogens. *Occup Environ Med.* 54: 443-451.
- Thai, SF; Allen, JW; Deangelo, AB; George, MH; Fuscoe, JC. (2003). Altered gene expression in mouse livers after dichloroacetic acid exposure. *Mutat Res Rev Mutat Res.* 543: 167-180. [http://dx.doi.org/10.1016/S1383-5742\(03\)00014-0](http://dx.doi.org/10.1016/S1383-5742(03)00014-0).
- Thangada, S; Alvares, K; Mangino, M; Usman, MI; Rao, MS; Reddy, JK. (1989). An in vitro demonstration of peroxisome proliferation and increase in peroxisomal beta-oxidation system mRNAs in cultured rat hepatocytes treated with ciprofibrate. *FEBS Lett.* 250: 205-210.
- Thatoi, H; Das, S; Mishra, J; Rath, BP; Das, N. (2014). Bacterial chromate reductase, a potential enzyme for bioremediation of hexavalent chromium: a review [Review]. *J Environ Manage.* 146: 383-399. <http://dx.doi.org/10.1016/j.jenvman.2014.07.014>.
- Theunissen, J; Scholing, C; van Hasselt, WE; van der Maten, J; Ter Avest, E. (2016). A retrospective analysis of the combined use of PERC rule and Wells score to exclude pulmonary embolism in the Emergency Department. *Emerg Med J.* 33: 696-701. <http://dx.doi.org/10.1136/emermed-2016-205687>.
- Thomas, J; Haseman, JK; Goodman, JI; Ward, JM; Loughran, TP, Jr; Spencer, PJ. (2007). A review of large granular lymphocytic leukemia in Fischer 344 rats as an initial step toward evaluating the Implication of the endpoint to human cancer risk assessment [Review]. *Toxicol Sci.* 99: 3-19. <http://dx.doi.org/10.1093/toxsci/kfm098>.
- Thomas, KW; Pellizzari, ED; Perritt, RL; Nelson, WC. (1991). Effect of dry-cleaned clothes on tetrachloroethylene levels in indoor air, personal air, and breath for residents of several New Jersey homes. *J Expo Anal Environ Epidemiol.* 1: 475-490.
- Thompson, K; Zhang, J; Zhang, C. (2011). Use of fugacity model to analyze temperature-dependent removal of micro-contaminants in sewage treatment plants. *Chemosphere.* 84: 1066-1071. <http://dx.doi.org/10.1016/j.chemosphere.2011.04.063>.
- Tice, RR; Stack, HF; Waters, MD. (1996). Human exposures to mutagens: An analysis using the genetic activity profile database. *Environ Health Perspect.* 104: 585-589.
- Tichenor, BA; Sparks, LE; Jackson, MD; Guo, Z; Mason, MA; Plunket, CM; Rasor, SA. (1990). Emissions of perchloroethylene from dry cleaned fabrics. *Atmos Environ.* 24: 1219-1229. [http://dx.doi.org/10.1016/0960-1686\(90\)90087-4](http://dx.doi.org/10.1016/0960-1686(90)90087-4).
- Till, C; Koren, G; Rovet, JF. (2001). Prenatal exposure to organic solvents and child neurobehavioral performance. *Neurotoxicol Teratol.* 23: 235-245. [http://dx.doi.org/10.1016/S0892-0362\(01\)00141-6](http://dx.doi.org/10.1016/S0892-0362(01)00141-6).
- Till, C; Westall, CA; Rovet, JF; Koren, G. (2001). Effects of maternal occupational exposure to organic solvents on offspring visual functioning: A prospective controlled study. *Teratology.* 64: 134-141. <http://dx.doi.org/10.1002/tera.1056>.
- Tilley, SK; Reif, DM; Fry, RC. (2017). Incorporating ToxCast and Tox21 datasets to rank biological activity of chemicals at Superfund sites in North Carolina. *Environ Int.* 101: 19-26. <http://dx.doi.org/10.1016/j.envint.2016.10.006>.
- Tobiszewski, M; Namiesnik, J. (2013). Distribution of volatile organohalogen compounds in petrochemical plant water streams. *Chem Ecol.* 29: 139-145. <http://dx.doi.org/10.1080/02757540.2012.696615>.
- Tomisawa, H; Ichihara, S; Fukazawa, H; Ichimoto, N; Tateishi, M; Yamamoto, I. (1986). Purification and characterization of human hepatic cysteine-conjugate beta-lyase. *Biochem J.* 235: 569-575.
- Tomisawa, H; Suzuki, S; Ichihara, S; Fukazawa, H; Tateishi, M. (1984). Purification and characterization of C-S lyase from *Fusobacterium varium*: A C-S cleavage enzyme of cysteine conjugates and some S-containing amino acids. *J Biol Chem.* 259: 2588-2593.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J.* 331: 371-374.
- Tong, Z; Board, PG; Anders, MW. (1998). Glutathione transferase zeta-catalyzed biotransformation of dichloroacetic acid and other alpha-haloacids. *Chem Res Toxicol.* 11: 1332-1338. <http://dx.doi.org/10.1021/tx980144f>.
- Tontonoz, P; Hu, E; Spiegelman, BM. (1994). Stimulation of adipogenesis in fibroblasts by PPAR gamma 2, a lipid-activated transcription factor. *Cell.* 79: 1147-1156.
- Topping, MD; Forster, HW; Dolman, C; Luczynska, CM; Bernard, AM. (1986). Measurement of urinary retinol-binding protein by enzyme-linked immunosorbent assay, and its application to detection of tubular proteinuria. *Clin Chem.* 32: 1863-1866.

## Human Health Hazard Literature Search Results

### Off Topic

- Travier, N; Gridley, G; De Roos, AJ; Plato, N; Moradi, T; Boffetta, P. (2002). Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. *Scand J Work Environ Health*. 28: 341-348.
- Trevisan, A; Cristofori, P; Fanelli, G. (1999). Glutamine synthetase activity in rat urine as sensitive marker to detect S3 segment-specific injury of proximal tubule induced by xenobiotics. *Arch Toxicol*. 73: 255-262. <http://dx.doi.org/10.1007/s002040050614>.
- Tschopp, C; Safran, AB; Viviani, P; Bullinger, A; Reicherts, M; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part I: Experimental validation of a testing procedure. *Vision Res*. 38: 2203-2210.
- Tschopp, C; Safran, AB; Viviani, P; Reicherts, M; Bullinger, A; Mermoud, C. (1998). Automated visual field examination in children aged 5-8 years. Part II: Normative values. *Vision Res*. 38: 2211-2218.
- Tsui, L, o; Fan, C; Chung, Y; Lin, S. (2011). Reductive dechlorination of tetrachloroethene by two compost samples with different maturity. *Bioresour Technol*. 102: 10498-10504. <http://dx.doi.org/10.1016/j.biortech.2011.08.083>.
- Tsung, AH; Williams, JB; Whitford, AC. (2013). Sixteen-year-old athlete with chest pain and shortness of breath due to pulmonary emboli. *J Emerg Med*. 44: 939-942. <http://dx.doi.org/10.1016/j.jemermed.2012.11.009>.
- Tsutsui, Y; Kidera, D; Taniguchi, T; Akamatsu, G; Komiya, I; Umezu, Y; Kitamura, Y; Baba, S; Sasaki, M. (2014). Accuracy of amplitude-based respiratory gating for PET/CT in irregular respirations. *Ann Nucl Med*. 28: 770-779. <http://dx.doi.org/10.1007/s12149-014-0870-5>.
- Tugwood, JD; Aldridge, TC; Lambe, KG; Macdonald, N; Woodyatt, NJ. (1996). Peroxisome proliferator-activated receptors: Structures and function. *Ann N Y Acad Sci*. 804: 252-265. <http://dx.doi.org/10.1111/j.1749-6632.1996.tb18620.x>.
- Tugwood, JD; Issemann, I; Anderson, RG; Bundell, KR; McPheat, WL; Green, S. (1992). The mouse peroxisome proliferator activated receptor recognizes a response element in the 5' flanking sequence of the rat acyl CoA oxidase gene. *EMBO J*. 11: 433-439.
- Tukey, JW. (1991). Use of many covariates in clinical trials. *International Statistical Review*. 59: 123-137.
- Tzeng, HF; Blackburn, AC; Board, PG; Anders, MW. (2000). Polymorphism- and species-dependent inactivation of glutathione transferase zeta by dichloroacetate. *Chem Res Toxicol*. 13: 231-236. <http://dx.doi.org/10.1021/tx990175q>.
- U.S. EPA. (1978). In-depth studies on health and environmental impacts of selected water pollutants Task II Static acute bioassays and physical chemistry measurements [EPA Report]. Wareham, MA.
- U.S. EPA. (1980). Ambient water quality criteria for tetrachloroethylene [EPA Report]. (EPA/440/5-80/073). Office of Water. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000M4GG.txt>.
- U.S. EPA. (1980). Tetrachloroethylene: ambient water quality criteria [EPA Report]. Washington, DC.
- U.S. EPA. (1981). Environmental risk assessment of tetrachloroethylene, draft report [EPA Report].
- U.S. EPA. (1984). Proposed guidelines for carcinogen risk assessment. *Fed Reg*. 49: 46293-46301.
- U.S. EPA. (1985). Drinking water criteria document for tetrachloroethylene [EPA Report]. (PB86-118114). National Technical Information Service.
- U.S. EPA. (1986). Guidelines for mutagenicity risk assessment (pp. 1-17). (EPA/630/R-98/003). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-mutagenicity-risk-assessment>.
- U.S. EPA. (1987). Evaluation of the carcinogenicity of unleaded gasoline [EPA Report]. (EPA/600/8-87/001). Office of Health and Environmental Assessment, Office of Research and Development. <http://www.p2pays.org/ref/18/17565.pdf>.
- U.S. EPA. (1987). Technical analysis of new methods and data regarding dichloromethane hazard assessments [EPA Report]. (EPA/600/8-87/029A). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001GAN.txt>.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA. (1989). Risk assessment guidance for superfund: Volume 1: Human health evaluation manual (part A): Interim final [EPA Report]. (EPA/540/1-89/002). Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. <http://www.epa.gov/oswer/riskassessment/ragsa/index.htm>.
- U.S. EPA. (1991). Alpha-2u-globulin: Association with chemically induced renal toxicity and neoplasia in the male rat (pp. 1-136). (EPA/625/3-91/019F). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB92143668>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA. (1991). Response to issues and the data submissions on the carcinogenicity of tetrachloroethylene (perchloroethylene) [EPA Report]. (EPA/600/6-91/002F). Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=35421>.
- U.S. EPA. (1992). A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg3/4/day [EPA Report] (pp. 24152-24161). Washington, DC.
- U.S. EPA. (1992). Draft report: A cross-species scaling factor for carcinogen risk assessment based on equivalence of mg/kg(3/4)/day. *Fed Reg*. 57: 24151-24173.
- U.S. EPA. (1993). Reference Dose (RfD): description and use in health risk assessments background document 1A, March 15, 1993. Washington, DC: U.S. Environmental Protection Agency, Integrated Risk Information System. <http://www.epa.gov/ncea/iris/rfd.htm>.
- U.S. EPA. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Products. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=186068>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.

## Human Health Hazard Literature Search Results

### Off Topic

- U.S. EPA. (1995). Integrated Risk Information System (IRIS). IRIS summary of dichloromethane (CASRN 75-09-2) [EPA Report]. Office of Research and Development, National Center for Environmental Assessment. <http://www.epa.gov/iris/subst/0070.htm>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment (pp. 1-143). (EPA/630/R-96/009). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA. (1996). Modeled ambient concentrations: perchloroethylene (CASRN 127-18-4) [EPA Report]. National Air Toxics Assessment, Technology Transfer Network, Office of Air and Radiation. [http://www.epa.gov/ttnatw01/nata/pdf/perch\\_conc.pdf](http://www.epa.gov/ttnatw01/nata/pdf/perch_conc.pdf).
- U.S. EPA. (1998). Dichloroacetic acid: carcinogenicity identification characterization summary [EPA Report]. (EPA 815-B-98-010). Washington, DC. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB99111387>.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment [EPA Report] (pp. 1-89). (EPA/630/R-95/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/risk/guidelines-neurotoxicity-risk-assessment>.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://ofmpub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4727](https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727).
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of chloral hydrate [EPA Report]. (EPA/635/R-00/006). National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/toxreviews/0304tr.pdf>.
- U.S. EPA. (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC. <http://nepis.epa.gov/Exe/ZyNET.exe/30002FKO.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5Cindex%20data%5C00thru05%5Ctxt%5C00000002%5C30002FKO.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL#>.
- U.S. EPA. (2001). Trichloroethylene health risk assessment: synthesis and characterization [external review draft] [EPA Report]. (EPA/600/P-01/002A). Washington, DC. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=4580](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=4580).
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2003). IRIS summary of toxicological effects of dichloroacetic acid [EPA Report]. National Center for Environmental Assessment. <http://www.epa.gov/ncea/iris/subst/1001.htm>.
- U.S. EPA. (2003). Neurotoxicity of tetrachloroethylene (perchloroethylene): Discussion paper [EPA Report]. (EPA/600/P-03/005A). Washington, DC. [http://cfpub.epa.gov/ncea/iris\\_drafts/recordisplay.cfm?deid=75193](http://cfpub.epa.gov/ncea/iris_drafts/recordisplay.cfm?deid=75193).
- U.S. EPA. (2003). Proposed OPPTS Science Policy: PPARa-mediated hepatocarcinogenesis in rodents and relevance to human health risk assessments [EPA Report]. Washington, DC. <http://www.epa.gov/scipoly/sap/meetings/2003/december9/peroxisomeproliferatorsciencepolicypaper.pdf>.
- U.S. EPA. (2004). Summary report of the peer review workshop on the neurotoxicity of tetrachloroethylene (perchloroethylene) discussion paper [EPA Report]. (EPA/600/R-04/041). National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=84351>.
- U.S. EPA. (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>.
- U.S. EPA. (2005). Human testing; proposed plan and description of review process [Review]. 70: 6661-6667.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf).
- U.S. EPA. (2005). Trichloroethylene issue paper 3: Role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity [EPA Report]. (EPA/600/R-05/024). Washington, DC. [http://oaspub.epa.gov/eims/eimscomm.getfile?p\\_download\\_id=438646](http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=438646).
- U.S. EPA. (2006). Aging and toxic response: issues relevant to risk assessment. (EPA/600/P-03/004A). Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=156648>.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.

## Human Health Hazard Literature Search Results

### Off Topic

- U.S. EPA. (2006). Peer review handbook (3rd edition) [EPA Report]. (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <http://www.epa.gov/peerreview/>.
- U.S. EPA. (2008). Child-specific exposure factors handbook [EPA Report]. (EPA/600/R-06/096F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=199243>.
- U.S. EPA. (2009). Benchmark dose software (BMDS) [Website]: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmnds>
- U.S. EPA. (2009). Toxicological review of Trichloroacetic Acid (TCA) (External Review Draft) [EPA Report]. (EPA/635/R-09/003A). Washington, DC.
- U.S. EPA. (2009). Toxicological review of Trichloroethylene (CASRN 79-01-6) [External Review Draft] [EPA Report]. (EPA/635/R-09/011A). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=201006>.
- U.S. EPA. (2010). Benchmark dose software (BMDS) (Version 2.1.2 (Final Release)) [Computer Program]. RTP, NC: National Center for Environmental Assessment. Retrieved from <http://www.epa.gov/NCEA/bmnds/new.html>
- U.S. EPA. (2011). Final PBPK model simulation files [Database]. Washington, DC.
- Utrecht, J; Zahid, N; Rubin, R. (1988). Metabolism of procainamide to a hydroxylamine by human neutrophils and mononuclear leukocytes. *Chem Res Toxicol.* 1: 74-78.
- Uhlén, N; Grundberg, O; Jacobsson, H; Sundin, A; Dobra, K; Sánchez-Crespo, A; Axelsson, R; Kölbeck, KG. (2016). 18F-FDG PET/CT Diagnosis of Bronchopulmonary Carcinoids Versus Pulmonary Hamartomas. *Clin Nucl Med.* 41: 263-267. <http://dx.doi.org/10.1097/RLU.0000000000001114>.
- Uhlenhuth, P; Remy, E. (1936). Versuche zur Keimabtötung tuberkulösen Auswurfes mittels Casonex, Lavasteril, Thermo-Weidnerit, Weidnerit-Lösung, Trioform-Standard und Alkalyzol [Attempts to kill tuberculosis genes with Casonex, Lavasteril, Thermo-Weidnerit, Wiednerit-solution, Trioform-standard and Alkalyzol]. *Int J Hyg Environ Health.* 116: 131-138.
- Uhler, AD; Miller, LJ. (1988). Multiple headspace extraction gas chromatography for the determination of volatile halocarbon compounds in butter. *J Agric Food Chem.* 36: 772-775. <http://dx.doi.org/10.1021/jf00082a025>.
- Ullrich, G; Bobis, I; Bewig, B. (2015). [Mothers with cystic fibrosis: psychosocial data about an almost unknown group]. *Pneumologie.* 69: 212-217. <http://dx.doi.org/10.1055/s-0034-1391342>.
- Unlu, I; Kesici, GG; Basturk, A; Kos, M; Yilmaz, OH. (2014). A comparison of the effects of solvent and noise exposure on hearing, together and separately. *Noise Health.* 16: 410-415. <http://dx.doi.org/10.4103/1463-1741.144422>.
- Upton, AC; Clayson, DB; Jansen, JD; Rosenkranz, HS; Williams, GM. (1984). Report of ICPEMC Task Group 5 on the differentiation between genotoxic and non-genotoxic carcinogens [Review]. *Mutat Res.* 133: 1-49. [http://dx.doi.org/10.1016/0165-1110\(84\)90002-2](http://dx.doi.org/10.1016/0165-1110(84)90002-2).
- Upton, AC; Clayton, DB; Jansen, JD; Rosenkranz, HS; William, GM. (1985). Report of the international commission for protection against environmental mutagens and carcinogens task group on the differentiation between genotoxic and non-genotoxic carcinogens. 104. USITC. (1983). Synthetic organic chemicals: United States production and sales, 1982.
- Uttamsingh, V; Keller, DA; Anders, MW. (1998). Acylase I-catalyzed deacetylation of N-acetyl-L-cysteine and S-alkyl-N-acetyl-L-cysteines. *Chem Res Toxicol.* 11: 800-809. <http://dx.doi.org/10.1021/tx980018b>.
- Vagnarelli, P; De Sario, A; De Carli, L. (1990). Aneuploidy induced by chloral hydrate detected in human lymphocytes with the Y97 probe. *Mutagenesis.* 5: 591-592. <http://dx.doi.org/10.1093/mutage/5.6.591>.
- Vaidya, B. (2011). Field Deployable Vapor Intrusion Monitor.
- Valentin, G. (1848). *Lehrbuch der Physiologie des Menschen 22* [Textbook of human physiology 22]. Braunschweig, Germany: Friedrich Bieweg und Sohn.
- Valle, A; Le Borgne, S; Bolívar, J; Cabrera, G; Cantero, D. (2012). Study of the role played by NfsA, NfsB nitroreductase and NemaA flavin reductase from *Escherichia coli* in the conversion of ethyl 2-(2'-nitrophenoxy)acetate to 4-hydroxy-(2H)-1,4-benzoxazin-3(4H)-one (D-DIBOA), a benzohydroxamic acid with interesting biological properties. *Appl Microbiol Biotechnol.* 94: 163-171. <http://dx.doi.org/10.1007/s00253-011-3787-0>.
- Valles, EG; Laughter, AR; Dunn, CS; Cannelle, S; Swanson, CL; Cattley, RC; Corton, JC. (2003). Role of the peroxisome proliferator-activated receptor alpha in responses to diisononyl phthalate. *Toxicology.* 191: 211-225. [http://dx.doi.org/10.1016/S0300-483X\(03\)00260-9](http://dx.doi.org/10.1016/S0300-483X(03)00260-9).
- Vamvakas, S; Dekant, W; Berthold, K; Schmidt, S; Wild, D; Henschler, D. (1987). Enzymatic transformation of mercapturic acids derived from halogenated alkenes to reactive and mutagenic intermediates. *Biochem Pharmacol.* 36: 2741-2748. [http://dx.doi.org/10.1016/0006-2952\(87\)90258-9](http://dx.doi.org/10.1016/0006-2952(87)90258-9).
- Vamvakas, S; Dekant, W; Henschler, D. (1989). Assessment of unscheduled DNA synthesis in a cultured line of renal epithelial cells exposed to cysteine S-conjugates of haloalkenes and haloalkanes. *Mutat Res.* 222: 329-335. [http://dx.doi.org/10.1016/0165-1218\(89\)90108-0](http://dx.doi.org/10.1016/0165-1218(89)90108-0).
- van Bree, L; Commandeur, J; Lamberts, B; Cornelissen, M; van Roon, M; Laterveer, H; de Vries, J. (1990). Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol.* 5: 57-63. <http://dx.doi.org/10.1002/jbt.2570050109>.
- van Gils, CA; Beijst, C; van Rooij, R; de Jong, HW. (2016). Impact of reconstruction parameters on quantitative I-131 SPECT. *Phys Med Biol.* 61: 5166-5182. <http://dx.doi.org/10.1088/0031-9155/61/14/5166>.
- Van Hummelen, P; Kirsch-Volders, M. (1992). Analysis of eight known or suspected aneugens by the in vitro human lymphocyte micronucleus test. *Mutagenesis.* 7: 447-455. <http://dx.doi.org/10.1093/mutage/7.6.447>.
- van Lieshout, EM; Peters, WH. (1998). Age and gender dependent levels of glutathione and glutathione S-transferases in human lymphocytes. *Carcinogenesis.* 19: 1873-1875.
- Vandeghinste, B; Van Hoven, S; Vanhove, C; De Vos, F; Vandenberghe, S; Staelens, S. (2014). Use of a ray-based reconstruction algorithm to accurately quantify preclinical microSPECT images. *Molecular Imaging.* 13: 1-13.
- Vanden Heuvel, JP. (1999). Peroxisome proliferator-activated receptors (PPARs) and carcinogenesis [Review]. *Toxicol Sci.* 47: 1-8.

## Human Health Hazard Literature Search Results

### Off Topic

- Veitch, JM; Murray, GI; Juronen, E; Kilty, CG; Doyle, S; Hawksworth, GM; Rodilla, V. (1997). Theta-class glutathione S-transferases in human kidney and renal tumours. *Biochem Soc Trans.* 25: S605.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can.* 36: 1040-1048. <http://dx.doi.org/10.1139/f79-146>.
- Veith, GD; Defoe, DL; Bergstedt, BV. (1979). Measuring and estimating the bioconcentration factor of chemicals in fish : Supplemental materials [Supplemental Data]. *J Fish Res Board Can.* 36: 1040-1048.
- Vela, NP; Heitkemper, DT. (2004). Total arsenic determination and speciation in infant food products by ion chromatography-inductively coupled plasma-mass spectrometry. *J AOAC Int.* 87: 244-252.
- Verberk, MM; Scheffers, TML. (1980). Tetrachloroethylene in exhaled air of residents near dry-cleaning shops. *Environ Res.* 21: 432-437.
- Vermang, B; Wätjen, JT; Fjällström, V; Rostvall, F; Edoff, M; Kotipalli, R; Henry, F; Flandre, D. (2014). Employing Si solar cell technology to increase efficiency of ultra-thin Cu(In,Ga)Se<sub>2</sub> solar cells. *Progress in Photovoltaics.* 22: 1023-1029. <http://dx.doi.org/10.1002/pip.2527>.
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem.* 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vieira, V; Webster, T; Weinberg, J; Aschengrau, A; Ozonoff, D. (2005). Spatial analysis of lung, colorectal, and breast cancer on Cape Cod: An application of generalized additive models to case-control data. *Environ Health.* 4: 11. <http://dx.doi.org/10.1186/1476-069X-4-11>.
- Vieira, VM. (2012). Project 2: Analyzing Patterns In Epidemiologic and Toxicologic Data.
- Vieira, VM. (2013). Project 2: Analyzing Patterns In Epidemiologic and Toxicologic Data.
- Vieira, VM. (2014). Project 2: Analyzing Patterns In Epidemiologic and Toxicologic Data.
- Vieira, VM. (2015). Project 2: Analyzing Patterns In Epidemiologic and Toxicologic Data.
- Villemur, R. (2013). The pentachlorophenol-dehalogenating *Desulfitobacterium hafniense* strain PCP-1 [Review]. *Proc R Soc Lond B.* 368: 20120319. <http://dx.doi.org/10.1098/rstb.2012.0319>.
- Vineis, P; Magnani, C. (1985). Occupation and bladder cancer in males: A case-control study. *Int J Cancer.* 35: 599-606. <http://dx.doi.org/10.1002/ijc.2910350506>.
- Vingrys, AJ; King-Smith, PE. (1988). A quantitative scoring technique for panel tests of color vision. *Invest Ophthalmol Vis Sci.* 29: 50-63.
- Vo, N; Cohen, DW; Dillhoff, ME; Jin, M. (2017). Pancreatic neuroendocrine microadenomatosis: A case report of cytology and histology correlation. *Diagn Cytopathol.* 45: 143-147. <http://dx.doi.org/10.1002/dc.23614>.
- Vohl, MC; Lepage, P; Gaudet, D; Brewer, CG; Bétard, C; Perron, P; Houde, G; Cellier, C; Faith, JM; Després, JP; Morgan, K; Hudson, TJ. (2000). Molecular scanning of the human PPAR $\alpha$  gene: Association of the L162v mutation with hyperapobetalipoproteinemia. *J Lipid Res.* 41: 945-952.
- Vojta, D; Kovačević, G; Vazdar, M. (2014). The exploration of hydrogen bonding properties of 2,6- and 3,5-diethynylpyridine by IR spectroscopy. *Spectrochim Acta A Mol Biomol Spectrosc.* 136PC: 1912-1923. <http://dx.doi.org/10.1016/j.saa.2014.10.107>.
- Vojta, D; Matanović, I; Kovačević, G; Baranović, G. (2014). The study of secondary effects in vibrational and hydrogen bonding properties of 2- and 3-ethynylpyridine and ethynylbenzene by IR spectroscopy. *Spectrochim Acta A Mol Biomol Spectrosc.* 132: 215-224. <http://dx.doi.org/10.1016/j.saa.2014.04.166>.
- Vojta, D; Vazdar, M. (2014). The study of hydrogen bonding and  $\pi\cdots\pi$  interactions in phenol $\cdots$ ethynylbenzene complex by IR spectroscopy. *Spectrochim Acta A Mol Biomol Spectrosc.* 132: 6-14. <http://dx.doi.org/10.1016/j.saa.2014.04.149>.
- Volkel, W; Pahler, A; Dekant, W. (1999). Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins. *J Chromatogr A.* 847: 35-46. [http://dx.doi.org/10.1016/S0021-9673\(99\)00022-9](http://dx.doi.org/10.1016/S0021-9673(99)00022-9).
- von der Hude, W; Behm, C; Gürtler, R; Basler, A. (1988). Evaluation of the SOS chromotest. *Mutat Res.* 203: 81-94. [http://dx.doi.org/10.1016/0165-1161\(88\)90023-4](http://dx.doi.org/10.1016/0165-1161(88)90023-4).
- von Grote, J; Hürlimann, C; Scheringer, M; Hungerbühler, K. (2006). Assessing occupational exposure to perchloroethylene in dry cleaning. *J Occup Environ Hyg.* 3: 606-619. <http://dx.doi.org/10.1080/15459620600912173>.
- Von Tungeln, LS; Yi, P; Bucci, TJ; Samokyszyn, VM; Chou, MW; Kadlubar, FF; Fu, PP. (2002). Tumorigenicity of chloral hydrate, trichloroacetic acid, trichloroethanol, malondialdehyde, 4-hydroxy-2-nonenal, crotonaldehyde, and acrolein in the B6C3F1 neonatal mouse. *Cancer Lett.* 185: 13-19. [http://dx.doi.org/10.1016/S0304-3835\(02\)00231-8](http://dx.doi.org/10.1016/S0304-3835(02)00231-8).
- Vyas, J; Doshi, A; Ganpule, A; Mishra, S; Raghuram; Sabnis, R; Desai, M. (2012). Prospective Randomized Study to Compare Safety and Efficacy of Micro Percutaneous Nephrolithotomy (Micro Perc) in Comparison to Retrograde Intra Renal Surgery (RIRS). *Urology.* 80: S174-S174.
- Wada, N; Marsman, DS; Popp, JA. (1992). Dose-related effects of the hepatocarcinogen, Wy-14,643, on peroxisomes and cell replication. *Fundam Appl Toxicol.* 18: 149-154.
- Wägli, P; Chang, YC; Hans, K; Homsy, A; Hvozdar, L; Herzig, HP; Sigrist, M; de Rooij, NF. (2013). Microfluidic droplet-based liquid-liquid extraction and on-chip IR spectroscopy detection of cocaine in human saliva. *Anal Chem.* 85: 7558-7565. <http://dx.doi.org/10.1021/ac401606p>.
- Wagner, DD; Hug, LA; Hatt, JK; Spitzmiller, MR; Padilla-Crespo, E; Ritalahti, KM; Edwards, EA; Konstantinidis, KT; Löffler, FE. (2012). Genomic determinants of organohalide-respiration in *Geobacter lovleyi*, an unusual member of the Geobacteraceae. *BMC Genomics.* 13: 200. <http://dx.doi.org/10.1186/1471-2164-13-200>.
- Wah, TM; Kidger, L; Kennish, S; Irving, H; Najmaldin, A. (2013). MINI PCNL in a pediatric population. *Cardiovasc Intervent Radiol.* 36: 249-254. <http://dx.doi.org/10.1007/s00270-012-0460-7>.
- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol.* 25: 639-645.



## Human Health Hazard Literature Search Results

### Off Topic

- Waksberg, J. (1978). Sampling methods for random digit dialing. *J Am Stat Assoc.* 73: 40-46.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). The effect of the trichloroethylene metabolites trichloroacetate and dichloroacetate on peroxisome proliferation and DNA synthesis in cultured human hepatocytes. *Cell Biol Toxicol.* 16: 257-273. <http://dx.doi.org/10.1023/A:1007638227821>.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000). Expression of PPAR(alpha) in human hepatocytes and activation by trichloroacetate and dichloroacetate. *Res Commun Mol Pathol Pharmacol.* 108: 116-132.
- Walgren, JL; Jollow, DJ; McMillan, JM. (2004). Induction of peroxisome proliferation in cultured hepatocytes by a series of halogenated acetates. *Toxicology.* 197: 189-197. <http://dx.doi.org/10.1016/j.tox.2004.01.007>.
- Walgren, JL; Kurtz, DT; McMillan, JM. (2005). Lack of direct mitogenic activity of dichloroacetate and trichloroacetate in cultured rat hepatocytes. *Toxicology.* 211: 220-230. <http://dx.doi.org/10.1016/j.tox.2005.03.009>.
- Walker, MD; Sossi, V. (2015). Commentary: an eye on PET quantification [Comment]. *Mol Imaging.* 17: 1-3. <http://dx.doi.org/10.1007/s11307-014-0791-7>.
- Wallgren-Pettersson, C; Sewry, CA; Nowak, KJ; Laing, NG. (2011). Nemaline myopathies [Review]. *Semin Pediatr Neurol.* 18: 230-238. <http://dx.doi.org/10.1016/j.spen.2011.10.004>.
- Wang, C; Ma, X; Walsh, MP. (2011). Competitive uptake and phytomonitoring of chlorinated contaminant mixtures by Redosier dogwood (*Cornus sericea*). *Int J Phytoremediation.* 13: 333-344. <http://dx.doi.org/10.1080/15226514.2010.495146>.
- Wang, F; Annable, MD; Jawitz, JW. (2013). Field-scale prediction of enhanced DNAPL dissolution based on partitioning tracers. *J Contam Hydrol.* 152: 147-158. <http://dx.doi.org/10.1016/j.jconhyd.2013.07.001>.
- Wang, L; Zhu, J; Liang, X; Niu, M; Wu, X; Kao, CM; Kim, H; Xie, Q. (2015). Performance evaluation of the Trans-PET® BioCaliburn® LH system: a large FOV small-animal PET system. *Phys Med Biol.* 60: 137-150. <http://dx.doi.org/10.1088/0031-9155/60/1/137>.
- Wang, S; Chng, KR; Chen, C; Bedard, DL; He, J. (2015). Genomic Characterization of Dehalococcoides mccartyi Strain JNA That Reductively Dechlorinates Tetrachloroethene and Polychlorinated Biphenyls. *Environ Sci Technol.* 49: 14319-14325. <http://dx.doi.org/10.1021/acs.est.5b01979>.
- Wang, S; Chng, KR; Wilm, A; Zhao, S; Yang, KL; Nagarajan, N; He, J. (2014). Genomic characterization of three unique Dehalococcoides that respire on persistent polychlorinated biphenyls. *Proc Natl Acad Sci USA.* 111: 12103-12108. <http://dx.doi.org/10.1073/pnas.1404845111>.
- Wang, S; He, J. (2013). Dechlorination of commercial PCBs and other multiple halogenated compounds by a sediment-free culture containing Dehalococcoides and Dehalobacter. *Environ Sci Technol.* 47: 10526-10534. <http://dx.doi.org/10.1021/es4017624>.
- Wang, S; Zhang, W; Yang, KL; He, J. (2014). Isolation and characterization of a novel Dehalobacter species strain TCP1 that reductively dechlorinates 2,4,6-trichlorophenol. *Biodegradation.* 25: 313-323. <http://dx.doi.org/10.1007/s10532-013-9662-1>.
- Wang, WC; Shigeto, S. (2011). Infrared electroabsorption spectroscopy of N,N-dimethyl-p-nitroaniline in acetonitrile/C2Cl4: solvation of the solute and self-association of acetonitrile. *J Phys Chem A.* 115: 4448-4456. <http://dx.doi.org/10.1021/jp110539k>.
- Ward, JM; Griesemer, RA; Weisburger, EK. (1979). The mouse liver tumor as an endpoint in carcinogenesis tests. *Toxicol Appl Pharmacol.* 51: 389-397.
- Ward, JM; Peters, JM; Perella, CM; Gonzalez, FJ. (1998). Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol.* 26: 240-246.
- Ward, JM; Rehm, S; Reynolds, CW. (1990). Tumours of the haematopoietic system. In VS Turusov; U Mohr (Eds.), IARC Scientific Publication No 99 (2nd ed., pp. 625-657). Lyon, France: International Agency for Research on Cancer.
- Ward, JM; Reynolds, CW. (1983). Large granular lymphocyte leukemia: A heterogeneous lymphocytic leukemia in F344 rats. *Am J Pathol.* 111: 1-10.
- Warner, JA; Miles, EA; Jones, AC; Quint, DJ; Colwell, BM; Warner, JO. (1994). Is deficiency of interferon gamma production by allergen triggered cord blood cells a predictor of atopic eczema? *Clin Exp Allergy.* 24: 423-430. <http://dx.doi.org/10.1111/j.1365-2222.1994.tb00930.x>.
- Warr, T; Parry, E; Parry, J. (1993). A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res-Fundam Mol Mech Mutagen.* 287: 29-46. [http://dx.doi.org/10.1016/0027-5107\(93\)90143-4](http://dx.doi.org/10.1016/0027-5107(93)90143-4).
- Wartenberg, D; Reyner, D; Scott, CS. (2000). Trichloroethylene and cancer: Epidemiologic evidence [Review]. *Environ Health Perspect.* 108: 161-176.
- Waskell, L. (1978). A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res-Fundam Mol Mech Mutagen.* 57: 141-153. [http://dx.doi.org/10.1016/0027-5107\(78\)90261-0](http://dx.doi.org/10.1016/0027-5107(78)90261-0).
- Watanabe, K; Fujii, H; Takahashi, T; Kodama, M; Aizawa, Y; Ohta, Y; Ono, T; Hasegawa, G; Naito, M; Nakajima, T; Kamijo, Y; Gonzalez, FJ; Aoyama, T. (2000). Constitutive regulation of cardiac fatty acid metabolism through peroxisome proliferator-activated receptor alpha associated with age-dependent cardiac toxicity. *J Biol Chem.* 275: 22293-22299. <http://dx.doi.org/10.1074/jbc.M000248200>.
- Watanabe, K; Satamoto, K; Sasaki, T. (1998). Comparisons on chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. *Mutat Res.* 412: 17-31. [http://dx.doi.org/10.1016/S1383-5718\(97\)00155-1](http://dx.doi.org/10.1016/S1383-5718(97)00155-1).
- Waters, EM; Gerstner, HB; Huff, JE. (1977). Trichloroethylene I An overview [Review]. *J Toxicol Environ Health.* 2: 671-707. <http://dx.doi.org/10.1080/15287397709529469>.
- Weast, RC. (1976). *Handbook of chemistry and physics* (57th ed.). Cleveland, OH: CRC Press.
- Weber, G; Lea, MA. (1966). The molecular correlation concept of neoplasia. *Adv Enzyme Regul.* 4: 115-145.

## Human Health Hazard Literature Search Results

### Off Topic

- Webler, T; Brown, HS. (1993). Exposure to tetrachloroethylene via contaminated drinking water pipes in Massachusetts: A predictive model. *Arch Environ Health*. 48: 293-297. <http://dx.doi.org/10.1080/00039896.1993.9936716>.
- Webster, T; Connett, P. (1991). ESTIMATING BIOCONCENTRATION FACTORS AND HALF-LIVES IN HUMANS USING PHYSIOLOGICALLY BASED PHARMACOKINETIC MODELING - 2,3,7,8-TCDD. *Chemosphere*. 23: 1763-1768. [http://dx.doi.org/10.1016/0045-6535\(91\)90023-7](http://dx.doi.org/10.1016/0045-6535(91)90023-7).
- Weichardt, H; Lindner, J. (1975). Gesundheitsgefahren durch Perchlorathylene in Chemisch-Reinigungsbetrieben arbeitsmedizinisch-toxikologischer Sicht. *Gefahrst Reinhalt Luft*. 35: 416-420.
- Weigold, P; Ruecker, A; Jochmann, M; Osorio Barajas, XL; Lege, S; Zwiener, C; Kappler, A; Behrens, S. (2015). Formation of chloroform and tetrachloroethene by *Sinorhizobium meliloti* strain 1021. *Lett Appl Microbiol*. 61: 346-353. <http://dx.doi.org/10.1111/lam.12462>.
- Weinberg, RA. (2008). Mechanisms of malignant progression. *Carcinogenesis*. 29: 1092-1095. <http://dx.doi.org/10.1093/carcin/bgn104>.
- Weisenburger, DD. (1992). Pathological classification of non-Hodgkin's lymphoma for epidemiological studies [Review]. *Cancer Res*. 52: 5456s-5462s.
- Wen, XG; Liu, R; Cai, Q; Wan, M; Tang, LR; Chen, LJ. (2012). [Implementation of an electronic nose for rapid detection of volatile chloralkane and chloroalkene]. *Huanjing Kexue*. 33: 4012-4017.
- Wenzel, DG; Gibson, RD. (1951). A study of the toxicity and anthelmintic activity of n-butylidene chloride. *J Pharmacokinet Pharmacodyn*. 3: 169-176.
- Westlind, A; Lofberg, L; Tindberg, N; Andersson, TB; Ingelman-Sundberg, M. (1999). Interindividual differences in hepatic expression of CYP3A4: relationship to genetic polymorphism in the 5'-upstream regulatory region. *Biochem Biophys Res Commun*. 259: 201-205.
- Westphal, GA. (2007). Authors reply to the correspondence of Hannu Norppa concerning "Emmert et al., *Toxicology* 228, 66-76" [Letter]. *Toxicology*. 230: 268-269. <http://dx.doi.org/10.1016/j.tox.2006.11.003>.
- Wheeler, M; Kono, H; Yin, M; Nakagami, M; Uesugi, T; Arteel, G; Gäbele, E; Rusyn, I; Yamashina, S; Froh, M; Adachi, Y; Iimuro, Y; Bradford, B; Smutney, O; Connor, H; Mason, R; Goyert, S; Peters, J; Gonzalez, F; Samulski, R; Thurman, R. (2001). The role of Kupffer cell oxidant production in early ethanol-induced liver disease [Review]. *Free Radic Biol Med*. 31: 1544-1549.
- Whittaker, SG; Johanson, CA. (2013). A health and environmental profile of the dry cleaning industry in King County, Washington. *J Environ Health*. 75: 14-22.
- Whittaker, SG; Taylor, J; Van Hooser, LM. (2015). Characterization of "Hydrocarbon" Dry Cleaning in King County, Washington. *J Environ Health*. 78: 8-13.
- Whittemore, AS. (1983). Estimating attributable risk from case-control studies. *Am J Epidemiol*. 117: 76-85.
- WHO. (1978). A co-operative trial in the primary prevention of ischaemic heart disease using clofibrate. Report from the Committee of Principal Investigators. *British Heart Journal*. 40: 1069-1118.
- WHO. (1980). W.H.O. cooperative trial on primary prevention of ischaemic heart disease using clofibrate to lower serum cholesterol: mortality follow-up. Report of the Committee of Principal Investigators. *Lancet*. 2: 379-385.
- WHO. (1984). WHO cooperative trial on primary prevention of ischaemic heart disease with clofibrate to lower serum cholesterol: final mortality follow-up. Report of the Committee of Principal Investigators. *Lancet*. 2: 600-604.
- Wick, MJ; Mihic, SJ; Ueno, S; Mascia, MP; Trudell, JR; Brozowski, SJ; Ye, Q; Harrison, NL; Harris, RA. (1998). Mutations of gamma-aminobutyric acid and glycine receptors change alcohol cutoff: evidence for an alcohol receptor? *Proc Natl Acad Sci USA*. 95: 6504-6509.
- Wieczorek, H; Thon, A; Dey, T; Khanin, V; Rodnyi, P. (2016). Analytical model of coincidence resolving time in TOF-PET. *Phys Med Biol*. 61: 4699-4710. <http://dx.doi.org/10.1088/0031-9155/61/12/4699>.
- Wiegert, C; Aeppli, C; Knowles, T; Holmstrand, H; Evershed, R; Pancost, RD; Macháčková, J; Gustafsson, Ö. (2012). Dual carbon-chlorine stable isotope investigation of sources and fate of chlorinated ethenes in contaminated groundwater. *Environ Sci Technol*. 46: 10918-10925. <http://dx.doi.org/10.1021/es3016843>.
- Wiegert, C; Mandalakis, M; Knowles, T; Polymenakou, PN; Aeppli, C; Macháčková, J; Holmstrand, H; Evershed, RP; Pancost, RD; Gustafsson, O. (2013). Carbon and chlorine isotope fractionation during microbial degradation of tetra- and trichloroethene. *Environ Sci Technol*. 47: 6449-6456. <http://dx.doi.org/10.1021/es305236y>.
- Wiens, CN; Kisch, SJ; Willig-Onwuachi, JD; McKenzie, CA. (2011). Computationally rapid method of estimating signal-to-noise ratio for phased array image reconstructions. *Magn Reson Med*. 66: 1192-1197. <http://dx.doi.org/10.1002/mrm.22893>.
- Wilcox, AJ; Horney, LF. (1984). Accuracy of spontaneous abortion recall. *Am J Epidemiol*. 120: 727-733.
- Williams, GM. (1997). Chemicals with carcinogenic activity in the rodent liver; mechanistic evaluation of human risk [Review]. *Cancer Lett*. 117: 175-188. [http://dx.doi.org/10.1016/S0304-3835\(97\)00229-2](http://dx.doi.org/10.1016/S0304-3835(97)00229-2).
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal*. 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Williams, RL; Creasy, RK; Cunningham, GC; Hawes, WE; Norris, FD; Tashiro, M. (1982). Fetal growth and perinatal viability in California. *Obstet Gynecol*. 59: 624-632.
- Williamson, DG; Cvetanovic, RJ. (1968). Rates of reactions of ozone with chlorinated and conjugated olefins. *J Am Chem Soc*. 90: 4248-4252.
- Willowson, K; Forwood, N; Jakoby, BW; Smith, AM; Bailey, DL. (2012). Quantitative (90)Y image reconstruction in PET. *Med Phys*. 39: 7153-7159. <http://dx.doi.org/10.1118/1.4762403>.
- Willowson, KP; Tapner, M; Team, QI; Bailey, DL. (2015). A multicentre comparison of quantitative (90)Y PET/CT for dosimetric purposes after radioembolization with resin microspheres: The QUEST Phantom Study. *Eur J Nucl Med Mol Imaging*. 42: 1202-1222. <http://dx.doi.org/10.1007/s00259-015-3059-9>.
- Wilmer, JW; Spencer, PJ; Ball, N; Bus, JS. (2014). Assessment of the genotoxicity of trichloroethylene in the in vivo micronucleus assay by inhalation exposure. *Mutagenesis*. 29: 209-214. <http://dx.doi.org/10.1093/mutage/geu006>.

## Human Health Hazard Literature Search Results

### Off Topic

- Wilson, N; Summers, JA; Baker, MG; Thomson, G; Harper, G. (2013). Fatal injury epidemiology among the New Zealand military forces in the First World War. *N Z Med J.* 126: 13-25.
- Wilson, R; Donahue, M; Gridley, G; Adami, J; El Ghormli, L; Dosemeci, M. (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med.* 51: 83-99. <http://dx.doi.org/10.1002/ajim.20522>.
- Windham, GC; Zhang, L; Gunier, R; Croen, LA; Grether, JK. (2006). Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect.* 114: 1438-1444. <http://dx.doi.org/10.1289/ehp.9120>.
- Withey, RJ; Hall, JW. (1975). The joint toxic action of perchloroethylene with benzene or toluene in rats. *Toxicology.* 4: 5-15.
- Wittlingerová, Z; Macháčková, J; Petruželková, A; Zimová, M. (2016). Occurrence of perchloroethylene in surface water and fish in a river ecosystem affected by groundwater contamination. *Environ Sci Pollut Res Int.* 23: 5676-5692. <http://dx.doi.org/10.1007/s11356-015-5806-7>.
- Wolf, CJ; Takacs, ML; Schmid, JE; Lau, C; Abbott, BD. (2008). Activation of mouse and human peroxisome proliferator-activated receptor alpha by perfluoroalkyl acids of different functional groups and chain lengths. *Toxicol Sci.* 106: 162-171. <http://dx.doi.org/10.1093/toxsci/kfn166>.
- Woliner-Van der Weg, W; Deden, LN; Meeuwis, AP; Koenrades, M; Peeters, LH; Kuipers, H; Laanstra, GJ; Gotthardt, M; Slump, CH; Visser, EP. (2016). A 3D-printed anatomical pancreas and kidney phantom for optimizing SPECT/CT reconstruction settings in beta cell imaging using (111)In-exendin. 3: 29. <http://dx.doi.org/10.1186/s40658-016-0165-0>.
- Wong, WH; Li, H; Baghaei, H; Zhang, Y; Ramirez, RA; Liu, S; Wang, C; An, S. (2012). Engineering and performance (NEMA and animal) of a lower-cost higher-resolution animal PET/CT scanner using photomultiplier-quadrant-sharing detectors. *J Nucl Med.* 53: 1786-1793. <http://dx.doi.org/10.2967/jnumed.112.103507>.
- Wood, MA; Goldman, N; Depierri, K; Somerville, J; Riggs, JE. (2016). Erythropoietin increases macrophage-mediated T cell suppression. *Cell Immunol.* 306-307: 17-24. <http://dx.doi.org/10.1016/j.cellimm.2016.05.004>.
- Wood, PR; Parsons, FZ; DeMarco, J; Harween, HJ; Lang, RF; Payan, IL; Ruiz, MC. (1981). Introductory study of the biodegradation of the chlorinated methane, ethane and ethene compounds. (40-8024098). Midland, MI: Dow Chemical Company. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0509177>.
- Woods, CG; Burns, AM; Maki, A; Bradford, BU; Cunningham, ML; Connor, HD; Kadiiska, MB; Mason, RP; Peters, JM; Rusyn, I. (2007). Sustained formation of alpha-(4-pyridyl-1-oxide)-N-tert-butyl nitron radical adducts in mouse liver by peroxisome proliferators is dependent upon peroxisome proliferator-activated receptor-alpha, but not NADPH oxidase. *Free Radic Biol Med.* 42: 335-342. <http://dx.doi.org/10.1016/j.freeradbiomed.2006.10.053>.
- Wozniak, AJ; Glisson, BS; Hande, KR; Ross, WE. (1984). Inhibition of etoposide-induced DNA damage and cytotoxicity in L1210 cells by dehydrogenase inhibitors and other agents 73. *Cancer Res.* 44: 626-632.
- Wu, C; Gratama van Andel, HA; Laverman, P; Boerman, OC; Beekman, FJ. (2013). Effects of attenuation map accuracy on attenuation-corrected micro-SPECT images. 3: 7. <http://dx.doi.org/10.1186/2191-219X-3-7>.
- Wu, C; Liu, LJS; Cullen, A; Westberg, H; Williamson, J. (2011). Spatial-temporal and cancer risk assessment of selected hazardous air pollutants in Seattle. *Environ Int.* 37: 11-17. <http://dx.doi.org/10.1016/j.envint.2010.06.006>.
- Wu, MZ; Reynolds, DA; Fourie, A; Prommer, H; Thomas, DG. (2012). Electrokinetic in situ oxidation remediation: assessment of parameter sensitivities and the influence of aquifer heterogeneity on remediation efficiency. *J Contam Hydrol.* 136-137: 72-85. <http://dx.doi.org/10.1016/j.jconhyd.2012.04.005>.
- Wu, X; Gent, DB; Davis, JL; Alshawabkeh, AN. (2012). Lactate injection by electric currents for bioremediation of tetrachloroethylene in clay. *Electrochim Acta.* 86: 157-163. <http://dx.doi.org/10.1016/j.electacta.2012.06.046>.
- Xu, W; Adler, I. (1990). Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis.* 5: 371-374.
- Yamakawa-Kobayashi, K; Ishiguro, H; Arinami, T; Miyazaki, R; Hamaguchi, H. (2002). A Val227Ala polymorphism in the peroxisome proliferator activated receptor- $\alpha$  (PPAR- $\alpha$ ) gene is associated with variations in serum lipid levels. *J Med Genet.* 39: 189-191.
- Yamakura, T; Mihic, SJ; Harris, RA. (1999). Amino acid volume and hydrophobicity of a transmembrane site determine glycine and anesthetic sensitivity of glycine receptors. *J Biol Chem.* 274: 23006-23012.
- Yamasaki, S; Nomura, N; Nakajima, T; Uchiyama, H. (2012). Cultivation-independent identification of candidate dehalorespiring bacteria in tetrachloroethylene degradation. *Environ Sci Technol.* 46: 7709-7716. <http://dx.doi.org/10.1021/es301288y>.
- Yan, J; Ritalahti, KM; Wagner, DD; Löffler, FE. (2012). Unexpected specificity of interspecies cobamide transfer from *Geobacter* spp. to organohalide-respiring *Dehalococcoides mccartyi* strains. *Appl Environ Microbiol.* 78: 6630-6636. <http://dx.doi.org/10.1128/AEM.01535-12>.
- Yang, B; Li, HY; Wu, B; Du, XM; Li, FS. (2013). [Sand box study on fingering front morphology for NAPLs infiltrated in homogeneous porous media]. *Huanjing Kexue.* 34: 1545-1552.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007). Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis.* 28: 1171-1177. <http://dx.doi.org/10.1093/carcin/bgm046>.
- Yang, Q; Nagano, T; Shah, Y; Cheung, C; Ito, S; Gonzalez, FJ. (2008). The PPAR alpha-humanized mouse: a model to investigate species differences in liver toxicity mediated by PPAR alpha. *Toxicol Sci.* 101: 132-139. <http://dx.doi.org/10.1093/toxsci/kfm206>.
- Yang, Y; Ghosn, EE; Cole, LE; Obukhanych, TV; Sadate-Ngatchou, P; Vogel, SN; Herzenberg, LA; Herzenberg, LA. (2012). Antigen-specific memory in B-1a and its relationship to natural immunity. *Proc Natl Acad Sci USA.* 109: 5388-5393. <http://dx.doi.org/10.1073/pnas.1121627109>.

## Human Health Hazard Literature Search Results

### Off Topic

- Yao, Y; Pennell, KG; Suuberg, E. (2011). Vapor intrusion in urban settings: effect of foundation features and source location. *Procedia Environ Sci.* 4: 245-250. <http://dx.doi.org/10.1016/j.proenv.2011.03.029>.
- Yi, S; Seth, EC; Men, YJ; Stabler, SP; Allen, RH; Alvarez-Cohen, L; Taga, ME. (2012). Versatility in corrinoid salvaging and remodeling pathways supports corrinoid-dependent metabolism in *Dehalococcoides mccartyi*. *Appl Environ Microbiol.* 78: 7745-7752. <http://dx.doi.org/10.1128/AEM.02150-12>.
- Yi, Z; Cheng-fan, Y; Jin-shun, L; Gang, W; He, Z; Yan-qun, N. (2013). Training for percutaneous renal access on a virtual reality simulator. *Chin Med J.* 126: 1528-1531. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20121669>.
- Yokley, KA; Evans, MV. (2007). An example of model structure differences using sensitivity analyses in physiologically based pharmacokinetic models of trichloroethylene in humans. *Bull Math Biol.* 69: 2591-2625. <http://dx.doi.org/10.1007/s11538-007-9233-x>.
- Yonezuka, K; Araki, N; Shimodaira, J; Ohji, S; Hosoyama, A; Numata, M; Yamazoe, A; Kasai, D; Masai, E; Fujita, N; Ezaki, T; Fukuda, M. (2016). Isolation and characterization of a bacterial strain that degrades cis-dichloroethene in the absence of aromatic inducers. *J Gen Appl Microbiol.* 62: 118-125. <http://dx.doi.org/10.2323/jgam.2015.12.002>.
- Yoo, JS; Guengerich, FP; Yang, CS. (1988). Metabolism of N-nitrosodialkylamines by human liver microsomes. *Cancer Res.* 48: 1499-1504.
- Yoon, JS; Mason, JM; Valencia, R; Woodruff, RC; Zimmering, S. (1985). Chemical mutagenesis testing in *Drosophila*. IV. Results of 45 coded compounds tested for the National Toxicology Program. *Environ Mutagen.* 7: 349-367. <http://dx.doi.org/10.1002/em.2860070310>.
- Yoshikawa, M; Zhang, M; Toyota, K. (2017). Integrated Anaerobic-Aerobic Biodegradation of Multiple Contaminants Including Chlorinated Ethylenes, Benzene, Toluene, and Dichloromethane. *Water Air Soil Pollut.* 228: 25. <http://dx.doi.org/10.1007/s11270-016-3216-1>.
- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002). Tetrachloroethylene oxide: hydrolytic products and reactions with phosphate and lysine. *Chem Res Toxicol.* 15: 1096-1105. <http://dx.doi.org/10.1021/tx020028j>.
- Yount, EA; Felten, SY; O'Connor, BL; Peterson, RG; Powell, RS; Yum, MN; Harris, RA. (1982). Comparison of the metabolic and toxic effects of 2-chloropropionate and dichloroacetate. *J Pharmacol Exp Ther.* 222: 501-508.
- Youssef, J; Badr, M. (1998). Extraperoxisomal targets of peroxisome proliferators: Mitochondrial, microsomal, and cytosolic effects: Implications for health and disease [Review]. *Crit Rev Toxicol.* 28: 1-33. <http://dx.doi.org/10.1080/10408449891344182>.
- Youssef, J; Badr, M. (1999). Biology of senescent liver peroxisomes: role in hepatocellular aging and disease [Review]. *Environ Health Perspect.* 107: 791-797.
- Yu, AR; Kim, HJ; Lim, SM; Kim, JS. (2016). Comparison of Imaging Characteristics of (124)I PET for Determination of Optimal Energy Window on the Siemens Inveon PET. *BioMed Res Int.* 2016: 3067123. <http://dx.doi.org/10.1155/2016/3067123>.
- Yu, KO; Barton, HA; Mahle, DA; Frazier, JM. (2000). In vivo kinetics of trichloroacetate in male Fischer 344 rats. *Toxicol Sci.* 54: 302-311.
- Yu, S; Cao, WQ; Kashireddy, P; Meyer, K; Jia, Y; Hughes, DE; Tan, Y; Feng, J; Yeldandi, AV; Rao, MS; Costa, RH; Gonzalez, FJ; Reddy, JK. (2001). Human peroxisome proliferator-activated receptor alpha (PPAR $\alpha$ ) supports the induction of peroxisome proliferation in PPAR $\alpha$ -deficient mouse liver. *J Biol Chem.* 276: 42485-42491. <http://dx.doi.org/10.1074/jbc.M106480200>.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Zagni, F; D'Ambrosio, D; Spinelli, AE; Cicoria, G; Fanti, S; Marengo, M. (2013). Accurate modeling of a DOI capable small animal PET scanner using GATE. 75: 105-114. <http://dx.doi.org/10.1016/j.apradiso.2013.02.003>.
- Zahlten, RN; Stratman, FW. (1974). The isolation of hormone-sensitive rat hepatocytes by a modified enzymatic technique. *Arch Biochem Biophys.* 163: 600-608. [http://dx.doi.org/10.1016/0003-9861\(74\)90519-0](http://dx.doi.org/10.1016/0003-9861(74)90519-0).
- Zaidi, H; Ojha, N; Morich, M; Griesmer, J; Hu, Z; Maniawski, P; Ratib, O; Izquierdo-Garcia, D; Fayad, ZA; Shao, L. (2011). Design and performance evaluation of a whole-body Ingenuity TF PET-MRI system. *Phys Med Biol.* 56: 3091-3106. <http://dx.doi.org/10.1088/0031-9155/56/10/013>.
- Zaman, F; Bach, C; Kumar, P; Kachralis, S; Buchholz, N; Masood, J; Junaid, I. (2012). Acceleration of competency in renal access skills by using Virtual Reality Perc-Mentor Trainer. *European Urology Supplements.* 11: E103-E103.
- Zaman, M; Panah, A; Ii, Goyal, A; Kachrilas, S; Bach, C; Bourdoumis, A; Buchholz, N; Masood, J; Junaid, I. (2013). PROCEDURAL PERFORMANCE AND ASSESSMENT OF TECHNICAL SKILLS IN PERCUTANEOUS RENAL ACCESS: USING AN ASSESSMENT TOOL IN VIRTUAL REALITY PERC-MENTOR TRAINER. *J Urol.* 189: E364-E364.
- Zanelli, U; Puccini, P; Acerbi, D; Ventura, P; Gervasi, PG. (1996). Induction of peroxisomal beta-oxidation and P-450 4A-dependent activities by pivalic and trichloroacetic acid in rat liver and kidney. *Arch Toxicol.* 70: 145-149. <http://dx.doi.org/10.1007/s002040050253>.
- Zare Sakhvidi, MJ; Bahrami, AR; Ghiasvand, A; Mahjub, H; Tuduri, L. (2013). SPME-based air sampling method for inhalation exposure assessment studies: case study on perchlorethylene exposure in dry cleaning. *Environ Monit Assess.* 185: 4933-4941. <http://dx.doi.org/10.1007/s10661-012-2914-4>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect.* 73: 259-306.
- Zeka, A; Sullivan, JR; Vokonas, PS; Sparrow, D; Schwartz, J. (2006). Inflammatory markers and particulate air pollution: Characterizing the pathway to disease [Commentary]. *Int J Epidemiol.* 35: 1347-1356.
- Zeka, A; Zanobetti, A; Schwartz, J. (2006). Individual-level modifiers of the effects of particulate matter on daily mortality. *Am J Epidemiol.* 163: 849-859. <http://dx.doi.org/10.1093/aje/kwj116>.
- Zemek, R; Barrowman, N; Freedman, SB; Gravel, J; Gagnon, I; MCGahern, C; Aglipay, M; Sangha, G; Boutis, K; Beer, D; Craig, W; Burns, E; Farion, KJ; Mikrogianakis, A; Barlow, K; Dubrovsky, AS; Meeuwisse, W; Gioia, G; Meehan, WP; Beauchamp, MH; Kamil, Y; Grool, AM; Hoshizaki, B; Anderson, P; Brooks, BL; Yeates, KO; Vassilyadi, M; Klassen, T; Keightley, M; Richer, L; Dematteo, C; Osmond, MH; Team, PERCC. (2016). Clinical Risk Score for Persistent Postconcussion Symptoms Among Children With Acute Concussion in the ED. *JAMA.* 315: 1014-1025. <http://dx.doi.org/10.1001/jama.2016.1203>.

## Human Health Hazard Literature Search Results

### Off Topic

- Zeraatkar, N; Ay, MR; Kamali-Asl, AR; Zaidi, H. (2011). Accurate Monte Carlo modeling and performance assessment of the X-PET subsystem of the FLEX triumph preclinical PET/CT scanner. *Med Phys.* 38: 1217-1225. <http://dx.doi.org/10.1118/1.3547721>.
- Zhang, B; Marcus, SL; Miyata, KS; Subramani, S; Capone, JP; Rachubinski, RA. (1993). Characterization of protein-DNA interactions within the peroxisome proliferator-responsive element of the rat hydratase-dehydrogenase gene. *J Biol Chem.* 268: 12939-12945.
- Zhang, B; Marcus, SL; Sajjadi, FG; Alvares, K; Reddy, JK; Subramani, S; Rachubinski, RA; Capone, JP. (1992). Identification of a peroxisome proliferator-responsive element upstream of the gene encoding rat peroxisomal enoyl-CoA hydratase/3-hydroxyacyl-CoA dehydrogenase. *Proc Natl Acad Sci USA.* 89: 7541-7545.
- Zhang, H; Bao, Q; Vu, NT; Silverman, RW; Taschereau, R; Berry-Pusey, BN; Douraghy, A; Rannou, FR; Stout, DB; Chatziioannou, AF. (2011). Performance evaluation of PETbox: a low cost bench top preclinical PET scanner. *Mol Imaging.* 13: 949-961. <http://dx.doi.org/10.1007/s11307-010-0413-y>.
- Zhang, J; Miller, M; Knopp, MV. (2016). SU-F-I-55: Performance Evaluation of Digital PET/CT: Medical Physics Basis for the Clinical Applications. *Med Phys.* 43: 3399. <http://dx.doi.org/10.1118/1.4955883>.
- Zhang, J; Natwa, M; Hall, NC; Knopp, MU; Zhang, B; Tung, C; Knopp, MV. (2016). SU-F-I-57: Evaluate and Optimize PET Acquisition Overlap in 18F-FDG Oncology Wholebody PET/CT: Can We Scan PET Faster? *Med Phys.* 43: 3399-3400. <http://dx.doi.org/10.1118/1.4955885>.
- Zhang, J; Zha, W; Wang, F; Jiang, T; Xu, S; Yu, J; Zhou, C; Shen, T; Wu, C; Zhu, Q. (2013). Complement Activation and Liver Impairment in Trichloroethylene-Sensitized BALB/c Mice. *Int J Toxicol.* 32: 431-441. <http://dx.doi.org/10.1177/1091581813511337>.
- Zhang, L; Xiao, J; Xu, G; Kong, X; Fu, M; Wang, Z; Li, J. (2015). [Construction of a three-dimensional digital model of the liver of Wuzhishan mini-pig]. *Nan Fang Yi Ke Da Xue Xue Bao.* 35: 1362-1365.
- Zhang, L; Zhang, Y; Kershaw, SV; Zhao, Y; Wang, Y; Jiang, Y; Zhang, T; Yu, WW; Gu, P; Wang, Y; Zhang, H; Rogach, AL. (2014). Colloidal PbSe quantum dot-solution-filled liquid-core optical fiber for 1.55  $\mu\text{m}$  telecommunication wavelengths. *Nanotechnology.* 25: 105704. <http://dx.doi.org/10.1088/0957-4484/25/10/105704>.
- Zhang, W; Jia, N; Han, X; Qiu, Z; Lv, S; Lin, K; Ying, W. (2016). A comparison of the dechlorination mechanisms and Ni release styles of chloroalkane and chloroalkene removal using nickel/iron nanoparticles. *Environ Technol.* 37: 2088-2098. <http://dx.doi.org/10.1080/09593330.2016.1141998>.
- Zhang, Y; Yu, CF; Liu, JS; Wang, G; Zhu, H; Na, YQ. (2013). Training for percutaneous renal access on a virtual reality simulator. *Chin Med J.* 126: 1528-1531.
- Zhang, Z; Wang, X; Zhang, Y; Lü, S; Huang, Z; Huang, X; Wang, Y. (2015). Ambient air benzene at background sites in China's most developed coastal regions: exposure levels, source implications and health risks. *Sci Total Environ.* 511: 792-800. <http://dx.doi.org/10.1016/j.scitotenv.2015.01.003>.
- Zhao, H, eP; Schmidt, KR; Lohner, S; Tiehm, A. (2011). Robustness of an aerobic metabolically vinyl chloride degrading bacterial enrichment culture. *Water Sci Technol.* 64: 1796-1803. <http://dx.doi.org/10.2166/wst.2011.752>.
- Zhao, S; Ding, C; He, J. (2016). Genomic characterization of *Dehalococcoides mccartyi* strain 11a5 reveals a circular extrachromosomal genetic element and a new tetrachloroethene reductive dehalogenase gene. *FEMS Microbiol Ecol.* <http://dx.doi.org/10.1093/femsec/fiw235>.
- Zheng, T; Cantor, KP; Zhang, Y; Lynch, CF. (2002). Occupation and bladder cancer: A population-based, case-control study in Iowa. *J Occup Environ Med.* 44: 685-691.
- Zhou, S; Wallace, K. (1999). The effect of peroxisome proliferators on mitochondrial bioenergetics. *Toxicol Sci.* 48: 82-89.
- Zhou, YC; Waxman, DJ. (1998). Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect.* 106 Suppl 4: 983-988.
- Zhu, W; Jiang, C; Yan, X; Sun, C; Zhang, M. (2013). The ureteroscope-assisted "Mini-Perc" technique of placement of peritoneal dialysis catheters with a 16-Fr Peel-Away sheath: 3-year results in 47 patients. *Int Urol Nephrol.* 45: 233-237. <http://dx.doi.org/10.1007/s11255-012-0229-6>.
- Zhu, W; Jiang, C; Zheng, X; Zhang, M; Guo, H; Yan, X. (2015). The placement of peritoneal dialysis catheters: a prospective randomized comparison of open surgery versus "Mini-Perc" technique. *Int Urol Nephrol.* 47: 377-382. <http://dx.doi.org/10.1007/s11255-014-0877-9>.
- Zielhuis, GA; Gijsen, R; van der Gulden, JWJ. (1989). Menstrual disorders among dry-cleaning workers [Letter]. *Scand J Work Environ Health.* 15: 238.
- Ziener, CE; Braunsdorf, P. (2014). Trace Analysis in End-Exhaled Air Using Direct Solvent Extraction in Gas Sampling Tubes: Tetrachloroethene in Workers as an Example. *International Journal of Analytical Chemistry.* 2014: 904512. <http://dx.doi.org/10.1155/2014/904512>.
- Ziglio, G. (1981). Human exposure to environmental trichloroethylene and tetrachloroethylene: preliminary data on population groups of Milan, Italy. *Bull Environ Contam Toxicol.* 26: 131-136.
- Zingg, JM; Jones, PA. (1997). Genetic and epigenetic aspects of DNA methylation on genome expression, evolution, mutation and carcinogenesis. *Carcinogenesis.* 18: 869-882.
- Zoeteman, BCJ; Harmsen, K; Linders, JBH, J; Morra, CFH; Slooff, W. (1980). Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere.* 9: 231-249.
- Zordan, M; Osti, M; Pesce, M; Costa, R. (1994). Chloral hydrate is recombinogenic in the wing spot test in *Drosophila melanogaster*. *Mutat Res.* 322: 111-116. [http://dx.doi.org/10.1016/0165-1218\(94\)00017-4](http://dx.doi.org/10.1016/0165-1218(94)00017-4).
- Zuraimi, MS; Tham, KW. (2008). Effects of child care center ventilation strategies on volatile organic compounds of indoor and outdoor origins. *Environ Sci Technol.* 42: 2054-2059. <http://dx.doi.org/10.1021/es0714033>.

## Human Health Hazard Literature Search Results

### Off Topic

- Zuurbier, M; Lundqvist, C; Salines, G; Stansfeld, S; Hanke, W; Babisch, W; Bistrup, ML; Van Den Hazel, P; Moshammer, H. (2007). The environmental health of children: Priorities in Europe [Review]. *Int J Occup Med Environ Health*. 20: 291-308. <http://dx.doi.org/10.2478/v10001-007-0022-4>.
- Zytner, R; Biswas, N; Bewtra, JK. (1989). Adsorption and desorption of perchloroethylene in soils, peat moss, and granular activated carbon. *Can J Civ Eng*. 16: 798-806. <http://dx.doi.org/10.1139/l89-123>.

## OPPT RISK ASSESSMENT, PROBLEM FORMULATION OR SCOPE DOCUMENT

---

All documents cited in previous OPPT risk assessments, problem formulations and scope documents are included in the following section and listed as *on topic* without further categorization. The references may have also been captured in the search strategy and therefore presented in the peer reviewed literature search results section as either *on topic* or *off topic* for a given topic area in the sections above.

### OPPT Risk Assessment, Problem Formulation or Scope Document

#### On Topic

- ACGIH (American Conference of Governmental Industrial Hygienists). (2001). Documentation of the threshold limit values and biological exposure indices (7th ed.). Cincinnati, OH. <https://www.acgih.org/forms/store/ProductFormPublic/documentation-of-the-threshold-limit-values-and-biological-exposure-indices-7th-ed>
- ATSDR (Agency for Toxic Substances and Disease Registry). (2014). Toxicological profile for tetrachloroethylene (Draft for public comment). Atlanta, GA: US Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=265&tid=48>
- Browning, E. (1965). Toxicity and metabolism of industrial solvents. Amsterdam, The Netherlands: Elsevier Publishing Co.
- Cal/EPA (California Environmental Protection Agency). (2001). Public health goal for tetrachloroethylene in drinking water. Sacramento, CA: Office of Environmental Health Hazard Assessment. <http://www.oehha.org/water/phg/pdf/PCEAug2001.pdf>
- Cal/EPA (California Environmental Protection Agency). (2016). Hot spots unit risk and cancer potency values. <https://oehha.ca.gov/media/CPFs042909.pdf>
- CDC (Centers for Disease Control and Prevention). (2017). National report on human exposure to environmental chemicals. <https://www.cdc.gov/exposurereport/>
- DLI; NCA (Dry Cleaning and Laundry Institute International and the National Cleaners Association). (2017). Public comment on tetrachloroethylene . TSCA Review and Scoping. (EPA-HQ-OPPT-2016-0732).
- Dow Chemical Co (Dow Chemical Company). (2008). Product safety assessment: Perchloroethylene.
- ECB (European Chemicals Bureau). (2005). European Union risk assessment report. Tetrachloroethylene: Part 1 - Environment. (EINECS No: 204-825-9). United Kingdom: European Commission – Joint Research Centre Institute for Health and Consumer Protection European Chemicals Bureau.
- Gossett, JM. (1987). Measurement of Henry's law constants for C1 and C2 chlorinated hydrocarbons. *Environ Sci Technol* 21: 202-208. <http://dx.doi.org/10.1021/es00156a012>
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), ACS Professional Reference Book. Washington, DC: American Chemical Society.
- HHS (U.S. Department of Health and Human Services). (2009). Household products database [Database]. Bethesda, MD: National Institutes of Health. Retrieved from <http://householdproducts.nlm.nih.gov/about.htm>
- Hickman, JC. (2000). Tetrachloroethylene. In Kirk-Othmer Encyclopedia of Chemical Technology. New York, NY: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.2005201808090311.a01>
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Howard, PH. (1991). Handbook of environmental degradation rates. In PH Howard (Ed.). [online]: CRC Press.
- HSDB (Hazardous Substances Data Bank). (2012). Tetrachloroethylene CASRN: 127-18-4. Bethesda, MD: National Library of Medicine. <http://toxnet.nlm.nih.gov/>
- IARC (International Agency for Research on Cancer). (2014). Tetrachloroethylene [IARC Monograph]. <https://monographs.iarc.fr/ENG/Monographs/vol106/mono106-002.pdf>
- ICIS. (2011). US chemical profile: Perchloroethylene. <http://www.icis.com/resources/news/2011/04/25/9454665/us-chemical-profile-perchloroethylene/>
- Kanegsberg, B; Kanegsberg, E. (2011). Handbook of Critical Cleaning, Applications, Processes, and Controls. Boca Raton: CRC Press. <http://dx.doi.org/10.1201/b10858>
- Lewis, RJ, Sr. (2007). Hawley's condensed chemical dictionary (15th ed.). Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/9780470114735>
- Lide, DR. (2007). CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data. In DR Lide (Ed.), (88th ed.). Boca Raton, FL: CRC Press.

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- Lin, YS; Egeghy, PP; Rappaport, SM. (2008). Relationships between levels of volatile organic compounds in air and blood from the general population. *J Expo Sci Environ Epidemiol* 18: 421-429. <http://dx.doi.org/10.1038/sj.jes.7500635>
- NAC/AEGL (National Advisory Committee for Acute Exposure Guideline Levels for Hazardous Substances). (2009). Tetrachloroethylene (CAS reg. no. 127-18-4): Interim acute exposure guideline levels (AEGs). (Interim 1 modified without modeling results) [AEG]. Washington, DC: National Advisory Committee for Acute Exposure Guideline Levels. [https://www.epa.gov/sites/production/files/2014-08/documents/tetrachloroethylene\\_interim\\_orln\\_dec2009c.pdf](https://www.epa.gov/sites/production/files/2014-08/documents/tetrachloroethylene_interim_orln_dec2009c.pdf)
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). (2001). Tetrachloroethylene – Priority Existing Chemical. Assessment Report No. 15. <http://www.nicnas.gov.au/publications/car/pec/pecindex.htm>
- NIOSH (National Institute for Occupational Safety and Health). (1994). Immediately dangerous to life or health (IDLH) values: Tetrachloroethylene. Cincinnati, OH: National Institutes for Occupational Safety and Health. <https://www.cdc.gov/niosh/idlh/127184.html>
- NIOSH (National Institute for Occupational Safety and Health). (2005). NIOSH pocket guide to chemical hazards & other databases CD-ROM. (DHHS-2005-151). Cincinnati, OH.
- NTP (National Toxicology Program). (1986). Toxicology and carcinogenesis studies of tetrachloroethylene (perchloroethylene) (CAS no. 127-18-4) in F344/N rats and B6C3F1 mice (inhalation studies). (NTP TR 311). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr311.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr311.pdf)
- NTP (National Toxicology Program). (2014). Report on carcinogens. Thirteenth edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service.
- OECD (Organisation for Economic Co-operation and Development). (2004). Emission scenario document on lubricants and lubricant additives. In OECD Series On Emission Scenario Documents. (JT00174617). Paris, France.
- OECD (Organisation for Economic Co-operation and Development). (2009). Emission scenario document on adhesive formulation. (JT03263583). Paris, France.
- OECD (Organisation for Economic Co-operation and Development). (2009). Emission scenario document on plastic additives. (JT03267870). Paris, France.
- OECD (Organisation for Economic Co-operation and Development). (2009). Emission scenario documents on coating industry (paints, lacquers and varnishes). (JT03267833). Paris, France.
- OECD (Organisation for Economic Co-operation and Development). (2013). Emission scenario document on the industrial use of adhesives for substrate bonding. Paris, France.
- OSHA (Occupational Safety & Health Administration). (1997). Table Z-2 Permissible exposure limits (PELs). Available online at [https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_id=9993&p\\_table=STANDARDS](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=9993&p_table=STANDARDS) (accessed June 10, 2004).
- Riddick, JA; Bunger, WB; TK, S. (1985). *Techniques of Chemistry*. Fourth edition. Organic solvents. New York, NY: John Wiley and Sons.
- SCHER (Scientific Committee on Health and Environmental Risks). (2008). Scientific opinion on the risk assessment report on tetrachloroethylene (CAS no. 127-18-4; EINECS no. 204-825-9). Human health part. European Union. [https://ec.europa.eu/health/archive/ph\\_risk/committees/04\\_scher/docs/scher\\_o\\_088.pdf](https://ec.europa.eu/health/archive/ph_risk/committees/04_scher/docs/scher_o_088.pdf)
- Smart, BE; Fernandez, RE. (2000). Kirk-Othmer encyclopedia of chemical technology Fluorinated aliphatic compounds [Encyclopedia]. Hoboken, NJ: John Wiley and Sons, Inc. <http://dx.doi.org/10.1002/0471238961.0612211519130118.a01>
- Snedecor, G; Hickman, JC; Mertens, JA. (2004). Kirk-Othmer Encyclopedia of Chemical Technology Chloroethylenes. [online]: John Wiley & Sons, Inc.
- Stoye, D. (2000). *Ulmann's Encyclopedia of Industry Chemistry Solvents*. [online]: John Wiley & Sons.
- Tirsell, D. (2000). *Ulmann's Encyclopedia of Industry Chemistry Dry cleaning*. [online]: John Wiley & Sons.
- U.S. Coast Guard. (1984). The chemical hazards response information system (CHRIS) hazardous chemical data. Washington, DC: Department of Transportation.
- U.S. EPA (U.S. Environmental Protection Agency). (1977). Control of volatile organic emissions from solvent metal cleaning [EPA Report]. (EPA-450/2-77-022). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air and Waste Management, Office of Air Quality Planning and Standards.
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Ambient water quality criteria for tetrachloroethylene [EPA Report]. In EPA-440/5-80-073, USEPA, Washington, DC. (EPA/440/5-80/073). Office of Water. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000M4GG.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Compilation of air pollutant emission factors. Chapter 4.7: Waste solvent reclamation. Office of Air and Radiation, Office of Air Quality and Planning Standards.
- U.S. EPA (U.S. Environmental Protection Agency). (1985). Occupational exposure and environmental release assessment of tetrachloroethylene. Office of Pesticides and Toxic Substances.
- U.S. EPA (U.S. Environmental Protection Agency). (1991). Economic impact analysis of regulatory controls in the dry cleaning industry. Final. (EPA-450/3-91-021). Office of Air Quality, Planning and Standards.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for ecological risk assessment [EPA Report]. (EPA/630/R-95/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/raf/publications/guidelines-ecological-risk-assessment.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>

## OPPT Risk Assessment, Problem Formulation or Scope Document

### On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2000). Tetrachloroethylene (perchloroethylene) 127-18-4. Office of Air Toxics. <https://www.epa.gov/sites/production/files/2016-09/documents/tetrachloroethylene.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2001). Sources, emission and exposure for trichloroethylene (TCE) and related chemicals [EPA Report]. (EPA/600/R-00/099). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Guidelines for carcinogen risk assessment [EPA Report] (pp. 1-166). (EPA/630/P-03/001F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www2.epa.gov/osa/guidelines-carcinogen-risk-assessment>
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Perchloroethylene dry cleaners refined human health risk characterization. [https://www.epa.gov/sites/production/files/2015-06/documents/riskassessment\\_dry\\_cleaners.pdf](https://www.epa.gov/sites/production/files/2015-06/documents/riskassessment_dry_cleaners.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2006). Economic impact analysis of the perchloroethylene dry cleaning residual risk standard. (EPA 452/R-06-005).
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>
- U.S. EPA (U.S. Environmental Protection Agency). (2006). Risk assessment for the halogenated solvent cleaning source category [EPA Report]. (EPA Contract No. 68-D-01-052). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. <http://www3.epa.gov/airtoxics/degrea/residrisk2008.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2009). Contaminant occurrence support document for category 1 contaminants for the second six-year review of national primary drinking water regulations. (EPA-815-B-09-010).
- U.S. EPA (U.S. Environmental Protection Agency). (2010). TSCA New Chemicals Program (NCP) chemical categories. <http://www.epa.gov/oppt/newchemicals/pubs/npcchemicalcategories.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure factors handbook: 2011 edition (final) [EPA Report]. (EPA/600/R-090/052F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=236252>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). IRIS summary for tetrachloroethylene (perchloroethylene).
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Non-confidential IUR Production Volume Information [Database]. Retrieved from <https://www.epa.gov/chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Toxicological Review of Tetrachloroethylene (Perchloroethylene) (CAS No. 127-18-4) In Support of Summary Information on the Integrated Risk Information System (IRIS) (pp. 1077).
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Vapor intrusion database: evaluation and characterization of attenuation factors for chlorinated volatile organic compounds and residential buildings. (EPA 530-R-10-002). Washington, D.C.: Office of Solid Waste and Emergency Response.
- U.S. EPA (U.S. Environmental Protection Agency). (2013). Interpretive assistance document for assessment of discrete organic chemicals. Sustainable futures summary assessment [EPA Report]. Washington, DC. [http://www.epa.gov/sites/production/files/2015-05/documents/05-iaad\\_discretes\\_june2013.pdf](http://www.epa.gov/sites/production/files/2015-05/documents/05-iaad_discretes_june2013.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Degreasing with TCE in commercial facilities: Protecting workers [EPA Report]. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Draft generic scenario on the use of additives in plastics compounding. Washington D.C.: Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Draft generic scenario on the use of additives in the thermoplastics converting industry. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (2014). TSCA work plan chemical risk assessment. Trichloroethylene: Degreasing, spot cleaning and arts & crafts uses. (EPA Document #740-R1-4002). Washington, DC: Office of Chemical Safety and Pollution Prevention. [http://www2.epa.gov/sites/production/files/2015-09/documents/tce\\_opptworkplanchemra\\_final\\_062414.pdf](http://www2.epa.gov/sites/production/files/2015-09/documents/tce_opptworkplanchemra_final_062414.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2015). 2013 National Monitoring Programs Annual Report (UATMP, NATTS, CSATAM). (EPA-454/R-15-005a). <https://www3.epa.gov/ttn/amtic/files/ambient/airtox/2013nmpreport.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). CPCat (Chemical and Product Categories) [Database]. Retrieved from <https://www.epa.gov/chemical-research/chemical-and-product-categories-cpcat>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Instructions for reporting 2016 TSCA chemical data reporting. <https://www.epa.gov/chemical-data-reporting/instructions-reporting-2016-tsca-chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Public database 2016 chemical data reporting (May 2017 release). Washington, DC: US Environmental Protection Agency, Office of Pollution Prevention and Toxics. Retrieved from <https://www.epa.gov/chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). TSCA work plan chemical risk assessment: Peer review draft 1-bromopropane: (n-Propyl bromide) spray adhesives, dry cleaning, and degreasing uses CASRN: 106-94-5 [EPA Report]. (EPA 740-R1-5001). Washington, DC. [https://www.epa.gov/sites/production/files/2016-03/documents/1-bp\\_report\\_and\\_appendices\\_final.pdf](https://www.epa.gov/sites/production/files/2016-03/documents/1-bp_report_and_appendices_final.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Weight of evidence in ecological assessment. (EPA100R16001). Washington, DC: Office of the Science Advisor. [https://cfpub.epa.gov/si/si\\_public\\_record\\_report.cfm?dirEntryId=335523](https://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=335523)



## OPPT Risk Assessment, Problem Formulation or Scope Document

### *On Topic*

- U.S. EPA (U.S. Environmental Protection Agency). (2017). Preliminary information on manufacturing, processing, distribution, use, and disposal: tetrachloroethylene (perchloroethylene). (EPA-HQ-OPPT-2016-0732-0003). <https://www.epa.gov/sites/production/files/2017-02/documents/perchloroethylene.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Toxics Release Inventory (TRI). Retrieved from <https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools>
- Whittaker, SG; Johanson, CA. (2011). A profile of the dry cleaning industry in King County, Washington. Final report. King County, Washington: Local Hazardous Waste Management Program.  
[http://www.hazwastehelp.org/publications/publications\\_detail.aspx?DocID=Oh73%2fQilg9Q%3d](http://www.hazwastehelp.org/publications/publications_detail.aspx?DocID=Oh73%2fQilg9Q%3d)
- WHO (World Health Organization). (2006). Concise international chemical assessment document 68: Tetrachloroethene. Geneva, Switzerland: World Health Organization, International Programme on Chemical Safety.  
<http://www.inchem.org/documents/cicads/cicads/cicad68.htm>

## Gray Literature Search Results

Gray literature is defined as the broad category of studies not found in standard, peer-reviewed literature databases (e.g., PubMed). Gray literature includes studies that are difficult to find in conventional bibliographic databases and includes references such as white papers, conference proceedings, technical reports, reference books, dissertations and information on various stakeholder websites.

The gray literature search results are currently contained in this document and in Excel spreadsheets. EPA is considering whether to manually develop EndNote citations for on topic gray literature results. This section lists abbreviated information for each citation, including a link to the reference. Full gray literature search results are presented in the *Gray Literature Excel Spreadsheet: Perchloroethylene*

*Note: Gray Lit Results provided as a second PDF.*

### Legend for Gray Literature Bibliography Columns

<b>Source</b>		A brief description of the gray literature source that was searched	
<b>General Information About Result</b>	<b>URL</b>	The web address of the search result URL	
	<b>Annotation</b>	An brief description of the search result	
<b>Subject-Matter Tags</b>	<b>Engineering</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the engineering/occupational exposure topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the engineering/occupational exposure topic area
	<b>Fate</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the fate topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the fate topic area
	<b>Exposure</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the exposure topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the exposure topic area
	<b>Human Health</b>	<b>On topic</b>	An "x" indicates the reference is on topic for the human health topic area
		<b>Off topic</b>	An "x" indicates the reference is off topic for the human health topic area
<b>Notes</b>		Any notes about the search result, including a note about search results that were not tagged to individual topic areas but are considered "on topic" overall	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Water: EPA Clean Water Act	<a href="https://www.epa.gov/ground-water-and-drinking-water/table-regulated-drinking-water-contaminants">https://www.epa.gov/ground-water-and-drinking-water/table-regulated-drinking-water-contaminants</a>	perchloroethylene along with primary release mechanisms		X		X	X			X	
Office of Water: STORET and WQX	<a href="https://www.epa.gov/waterdata/storage-and-retrieval-and-water-quality-exchange">https://www.epa.gov/waterdata/storage-and-retrieval-and-water-quality-exchange</a>	Data downloaded from STORET database		X		X	X			X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197812_voc_epa450_2-78-050_pco_dry_cleaning.pdf">https://www3.epa.gov/airquality/cta_act/197812_voc_epa450_2-78-050_pco_dry_cleaning.pdf</a>	Emissions from Perchloroethylene Dry Cleaning Systems	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197611_voc_epa450_2-76-028_surface_coatings(v1).pdf">https://www3.epa.gov/airquality/cta_act/197611_voc_epa450_2-76-028_surface_coatings(v1).pdf</a>	Control Methods for Surface Coating	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/permits/partic/proof1.pdf">https://www3.epa.gov/airquality/permits/partic/proof1.pdf</a>	The Proof is in the Permit; link not working		X		X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/200809_voc_epa453_r-08-003_misc_metal_plasticparts_coating.pdf">https://www3.epa.gov/airquality/cta_act/200809_voc_epa453_r-08-003_misc_metal_plasticparts_coating.pdf</a>	Miscellaneous Metal and Plastic Coatings	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/199308_voc_epa450_4-91-031_reactor_distillation_soomi.pdf">https://www3.epa.gov/airquality/cta_act/199308_voc_epa450_4-91-031_reactor_distillation_soomi.pdf</a>	Emissions from Reactor Processes in the Synthetic Organic Chemical	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/198908_voc_epa450_3-89-030_halogenated_solvent_cleaners.pdf">https://www3.epa.gov/airquality/cta_act/198908_voc_epa450_3-89-030_halogenated_solvent_cleaners.pdf</a>	Document - Halogenated Solvent Cleaners	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/airtrends/aqtrnd00/brochure/00brochure.pdf">https://www3.epa.gov/airquality/airtrends/aqtrnd00/brochure/00brochure.pdf</a>	Quality: 2000 Status and Trends EPA; link not working		X		X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197711_voc_epa450_2-77-022_solvent_metal_cleaning.pdf">https://www3.epa.gov/airquality/cta_act/197711_voc_epa450_2-77-022_solvent_metal_cleaning.pdf</a>	Control of Volatile Organic Emissions from Solvent Metal Cleaning	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197805_voc_epa450_2-78-022_stationary_sources.pdf">https://www3.epa.gov/airquality/cta_act/197805_voc_epa450_2-78-022_stationary_sources.pdf</a>	Organic Emissions from Stationary Sources	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/198209_voc_epa450_3-82-009_large_dry_cleaners.pdf">https://www3.epa.gov/airquality/cta_act/198209_voc_epa450_3-82-009_large_dry_cleaners.pdf</a>	Emissions from Large Petroleum Dry Cleaners	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/200709_voc_epa453_r-07-005_metal_furniture_coating.pdf">https://www3.epa.gov/airquality/cta_act/200709_voc_epa453_r-07-005_metal_furniture_coating.pdf</a>	Control Techniques Guidelines for Metal Furniture Coatings	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/197705_voc_epa450_2-77-008_surface_coatings(v2).pdf">https://www3.epa.gov/airquality/cta_act/197705_voc_epa450_2-77-008_surface_coatings(v2).pdf</a>	Control of Volatile Organic Emissions from Existing Stationary Sources	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	<a href="https://www3.epa.gov/airquality/cta_act/199404_voc_(nrd)_industrial_wastewater(aci).pdf">https://www3.epa.gov/airquality/cta_act/199404_voc_(nrd)_industrial_wastewater(aci).pdf</a>	Industrial Wastewater Alternative Control Technology	X			X		X		X	
Office of Air: Air Emission Factors	<a href="https://www.epa.gov/air-emissions-factors-and-quantification/ap-42-compilation-air-emission-factors">https://www.epa.gov/air-emissions-factors-and-quantification/ap-42-compilation-air-emission-factors</a>	Pollutant Emission Factors. Chapter 4.7: Waste Solvent Reclamation.	X			X		X		X	
Office of Air: Ambient Water Quality Criteria documents	<a href="https://www.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table">https://www.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table</a>	Quality Criteria - Human Health Criteria Table	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
Office of Air: Ambient Water Quality Criteria documents	<a href="https://www.epa.gov/wqc">https://www.epa.gov/wqc</a>	Bioaccumulation factors		X	X				X		X	
Office of Air: Ambient Water Quality Criteria documents	<a href="https://www.epa.gov/wqc">https://www.epa.gov/wqc</a>	Bioaccumulation factors: supplemental (Excel)		X	X				X		X	
Office of Air: Ambient Water Quality Criteria documents	<a href="https://www.epa.gov/wqc/historical-water-quality-criteria-documents">https://www.epa.gov/wqc/historical-water-quality-criteria-documents</a>	Historical Water Quality Criteria Documents		X		X			X		X	
Office of Air: NESHAP	<a href="http://www.epa.gov/technical-air-pollution-resources">www.epa.gov/technical-air-pollution-resources</a>	N/A		X		X			X		X	
Office of Air: Urban Air Toxics	<a href="https://www.epa.gov/urban-air-toxics/urban-air-toxic-pollutants">https://www.epa.gov/urban-air-toxics/urban-air-toxic-pollutants</a>	List of EPA urban air toxics		X		X	X				X	
Office of Air: TRI	<a href="http://www.epa.gov/tri">www.epa.gov/tri</a>	N/A		X		X			X		X	
OPPT: TSCA Analog Identification Methodology (AIM)	<a href="http://www.epa.gov/tsc-screening-tools/analog-identification-methodology-aim-tool">http://www.epa.gov/tsc-screening-tools/analog-identification-methodology-aim-tool</a>	List and information about analogs from AIM tool		X		X	X				X	
Significant New Alternatives Policy (SNAP)	<a href="https://www.epa.gov/snap/substitutes-metals-cleaning">https://www.epa.gov/snap/substitutes-metals-cleaning</a>	FR Notice for ozone depleting substances		X		X			X		X	
Significant New Alternatives Policy (SNAP)	<a href="https://www.epa.gov/snap/substitutes-adhesives">https://www.epa.gov/snap/substitutes-adhesives</a>	FR Notice for ozone depleting substances		X		X			X		X	
Significant New Alternatives Policy (SNAP)	<a href="https://www.epa.gov/snap/substitutes-aerosol-solvents">https://www.epa.gov/snap/substitutes-aerosol-solvents</a>	FR Notice for ozone depleting substances		X		X			X		X	
Safer Choice	<a href="http://www.epa.gov/saferchoice/">www.epa.gov/saferchoice/</a>	N/A		X		X			X		X	
Pollution Prevention	<a href="https://www.epa.gov/b2/why-should-you-care-about-preventing-waste-small-business-guide">https://www.epa.gov/b2/why-should-you-care-about-preventing-waste-small-business-guide</a>	Why Should You Care About Preventing Waste? Factsheet		X		X			X		X	
Pesticide Chemical Search	<a href="https://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1">https://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1</a>	Office of Pesticides search	X			X			X		X	
Pesticide Ingredients	<a href="http://www.epa.gov/ingredients-used-pesticide-products">www.epa.gov/ingredients-used-pesticide-products</a>	N/A		X		X			X		X	
Superfund chemical data matrix	<a href="https://www.epa.gov/superfund/superfund-chemical-data-matrix-scdm-query">https://www.epa.gov/superfund/superfund-chemical-data-matrix-scdm-query</a>	Superfund matrix section		X	X				X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0304759">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0304759</a>	Superfund Site Profile		X		X			X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0507548">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0507548</a>	Superfund Site Profile		X		X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0800743">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0800743</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605460">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605460</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0900252">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0900252</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0504896">https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0504896</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605116">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605116</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0606565">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0606565</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0701986">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0701986</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0203649">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0203649</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700145">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700145</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0304759">https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0304759</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=1001733">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=1001733</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0606716">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0606716</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=1001371">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=1001371</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902252">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902252</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0704738">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0704738</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0604299">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0604299</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0510489">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0510489</a>	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902251">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902251</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605144">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605144</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0702001">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0702001</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0507548">https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0507548</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700316">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700316</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0406909">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0406909</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0701973">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0701973</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0507828">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0507828</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0706200">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0706200</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0606614">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0606614</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0702089">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0702089</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204148">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204148</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0607012">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0607012</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0105928">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0105928</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0407449">https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0407449</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0508678">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0508678</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700580">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0700580</a>	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0206452">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0206452</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300191">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300191</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0706105">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0706105</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902527">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902527</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204218">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204218</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0704456">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0704456</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605386">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605386</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0101800">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0101800</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0410335">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0410335</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504945">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504945</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0203974">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0203974</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0502238">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0502238</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204284">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204284</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0502992">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0502992</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504661">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504661</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302466">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302466</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0204241">https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0204241</a>	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0205957">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0205957</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0201075">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0201075</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300585">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300585</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0410384">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0410384</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0403488">https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0403488</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300031">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300031</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0200359">https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0200359</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0304606">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0304606</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0201174">https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0201174</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0904481">https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0904481</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0403485">https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0403485</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0510429">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0510429</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204407">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0204407</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0607441">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0607441</a>	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0305428">https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0305428</a>	Superfund Site Profile		X		X		X		X	
CPCat	<a href="https://actor.epa.gov/cpcat/faces/search.xhtml">https://actor.epa.gov/cpcat/faces/search.xhtml</a>	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
NCEA IRIS	<a href="https://www.epa.gov/iris/supporting-documents-tetrachloroethylene-perchloroethylene">https://www.epa.gov/iris/supporting-documents-tetrachloroethylene-perchloroethylene</a>	Supporting Documents for TCE IRIS		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NCEA IRIS	<a href="https://www.epa.gov/iris/carcinogenicity-study-tetrachloroethylene-inhalation-rats-and-mice-ibrc">https://www.epa.gov/iris/carcinogenicity-study-tetrachloroethylene-inhalation-rats-and-mice-ibrc</a>	Tetrachloroethylene by Inhalation in Rats		X		X		X	X		
NCEA IRIS	<a href="https://www.epa.gov/iris/carcinogenicity-study-tetrachloroethylene-inhalation-rats-and-mice-histological-findings-ibrc">https://www.epa.gov/iris/carcinogenicity-study-tetrachloroethylene-inhalation-rats-and-mice-histological-findings-ibrc</a>	Tetrachloroethylene by Inhalation in Rats		X		X		X	X		
NCEA IRIS	<a href="https://www.epa.gov/iris/perchloroethylene-multigeneration-inhalation-study-rat-individual-animal-data-supplement-2006">https://www.epa.gov/iris/perchloroethylene-multigeneration-inhalation-study-rat-individual-animal-data-supplement-2006</a>	Perchloroethylene: Multigeneration Inhalation Study in the Rat		X		X		X		X	
NCEA IRIS	<a href="https://cfpub.epa.gov/ncea/iris/search/">https://cfpub.epa.gov/ncea/iris/search/</a>	IRIS Overview Page		X		X		X		X	
NCEA IRIS	<a href="https://cfpub.epa.gov/ncea/iris/search/">https://cfpub.epa.gov/ncea/iris/search/</a>	IRIS Summary Page		X		X		X		X	
NCEA IRIS	<a href="https://cfpub.epa.gov/ncea/iris/search/">https://cfpub.epa.gov/ncea/iris/search/</a>	IRIS Toxicological Review		X		X	X		X		
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Chemical test rule data		X		X	X			X	
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Substantial risk reports submitted by companies	X			X		X	X		
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Chemical data reporting	X			X		X		X	
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	TRI Release and Disposal information	X			X		X		X	
ChemView (CDR/IUR)	<a href="http://java.epa.gov/chemview">http://java.epa.gov/chemview</a>	Pollution prevention information about change in releases	X			X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/dry-cleaning-facilities-national-perchloroethylene-air-emission">https://www.epa.gov/stationary-sources-air-pollution/dry-cleaning-facilities-national-perchloroethylene-air-emission</a>	Refined Human Health Risk Characterization	X			X	X			X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/halogenated-solvent-cleaning-source-category">epa.gov/stationary-sources-air-pollution/</a>	Halogenated Solvent Cleaning Source Category [EPA Report]. 2006, U.S.	X			X	X			X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/fact-sheets-air-toxics-standards-perchloroethylene-dry-cleaning">https://www.epa.gov/stationary-sources-air-pollution/fact-sheets-air-toxics-standards-perchloroethylene-dry-cleaning</a>	Fact Sheets - Air Toxics Standards for Perchloroethylene Dry Cleaners	X			X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/national-emission-standards-hazardous-air-pollutants-neshap-source">https://www.epa.gov/stationary-sources-air-pollution/national-emission-standards-hazardous-air-pollutants-neshap-source</a>	FR Notice for 1993 NESHAP Rule		X	X			X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/applicability-determination-letters-40-cfr-part-63-subpart-m">https://www.epa.gov/stationary-sources-air-pollution/applicability-determination-letters-40-cfr-part-63-subpart-m</a>	Applicability Determination Letters for 40 C.F.R. Part 63 Subpart M		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/halogenated-solvent-cleaning-national-emission-standards-hazardous">https://www.epa.gov/stationary-sources-air-pollution/halogenated-solvent-cleaning-national-emission-standards-hazardous</a>	NESHAP: Halogenated Solvent Cleaning background documents	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/publicly-owned-treatment-works-potw-national-emission-standards">https://www.epa.gov/stationary-sources-air-pollution/publicly-owned-treatment-works-potw-national-emission-standards</a>	NESHAP: Publicly Owned Treatment Works (POTW)		X		X		X		X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/petroleum-dry-cleaners-new-source-performance-standards-nspss">https://www.epa.gov/stationary-sources-air-pollution/petroleum-dry-cleaners-new-source-performance-standards-nspss</a>	New Source Performance Standards (NSPS)	X		X		X			X	
Stationary Sources Air Pollution	<a href="https://www.epa.gov/stationary-sources-air-pollution/clean-air-act-guidelines-and-standards-solvent-use-and-surface">https://www.epa.gov/stationary-sources-air-pollution/clean-air-act-guidelines-and-standards-solvent-use-and-surface</a>	Standards for Solvent Use and Surface Coating	X			X	X			X	
Asbestos	<a href="http://www.epa.gov/asbestos/">www.epa.gov/asbestos/</a>	N/A		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300011JE.PDF?Dockey=300011JE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300011JE.PDF?Dockey=300011JE.PDF</a>	Submissions on the Carcinogenicity of Tetrachloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1001XSH.PDF?Dockey=P1001XSH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1001XSH.PDF?Dockey=P1001XSH.PDF</a>	Report. States Experience Implementing the Environmental		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100K2OM.PDF?Dockey=P100K2OM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100K2OM.PDF?Dockey=P100K2OM.PDF</a>	State and Tribal Response Program Highlights May/June 2014		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003W6G.PDF?Dockey=30003W6G.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003W6G.PDF?Dockey=30003W6G.PDF</a>	Washer for the Metal Finishing Industry. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BJCH.PDF?Dockey=P100BJCH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BJCH.PDF?Dockey=P100BJCH.PDF</a>	Montgomery Mixed Use Properties: Downtown District, Montgomery,		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006PUD.PDF?Dockey=P1006PUD.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006PUD.PDF?Dockey=P1006PUD.PDF</a>	Energy on Contaminated Land Belmar Mixed Use Development, Lakewood,		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V3W.PDF?Dockey=30003V3W.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V3W.PDF?Dockey=30003V3W.PDF</a>	Manufacturer of Components for Automobile Air Conditioners		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UTQ.PDF?Dockey=10001UTQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UTQ.PDF?Dockey=10001UTQ.PDF</a>	Volatile Organic Compound Removal from Air Streams by Membranes		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002PHL.PDF?Dockey=P1002PHL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002PHL.PDF?Dockey=P1002PHL.PDF</a>	Brownfields 2004 Grant Fact Sheet Cedar Rapids, IA		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013C4.PDF?Dockey=200013C4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013C4.PDF?Dockey=200013C4.PDF</a>	and Textile Care Program Fact Sheet Cleaner Technologies Substitutes		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF</a>	Updating AP42 Section 2.4 for Estimating Emissions from Municipal	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002PK3.PDF?Dockey=P1002PK3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002PK3.PDF?Dockey=P1002PK3.PDF</a>	Brownfields 2005 Grant Fact Sheet Rock Hill, SC		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/60001CBL.PDF?Dockey=60001CBL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/60001CBL.PDF?Dockey=60001CBL.PDF</a>	Chemicals In The Environment: Perchloroethylene		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009F60.PDF?Dockey=P1009F60.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009F60.PDF?Dockey=P1009F60.PDF</a>	Brownfields 2007 Grant Fact Sheet Green+Q1593:Q1842sboro, NC		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91011D9Q.PDF?Dockey=91011D9Q.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91011D9Q.PDF?Dockey=91011D9Q.PDF</a>	New Regulation Controlling Emissions From Dry Cleaners		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D53E.PDF?Dockey=9101D53E.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D53E.PDF?Dockey=9101D53E.PDF</a>	Laboratory Environmental Science Fact Sheet: Mobile Laboratory		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000132V.PDF?Dockey=2000132V.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000132V.PDF?Dockey=2000132V.PDF</a>	and Textile Care Program Fact Sheet, Military Uniform Cleaning Study		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100H8VU.PDF?Dockey=P100H8VU.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100H8VU.PDF?Dockey=P100H8VU.PDF</a>	Brownfields 2013 Cleanup Grant Fact Sheet Medford Ma		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006XRK.PDF?Dockey=P1006XRK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006XRK.PDF?Dockey=P1006XRK.PDF</a>	Brownfields 2005 Grant Fact Sheet Merced Redevelopment Agency, CA		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100A9QQ.PDF?Dockey=P100A9QQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100A9QQ.PDF?Dockey=P100A9QQ.PDF</a>	Philadelphia Air Toxics Project		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20000WH7.PDF?Dockey=20000WH7.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20000WH7.PDF?Dockey=20000WH7.PDF</a>	Clearinghouse: Winter 2002 New Publications		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100SA2G.PDF?Dockey=9100SA2G.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100SA2G.PDF?Dockey=9100SA2G.PDF</a>	Difference for the Record of Decision: Bendix Flight Systems Division,		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/00002H9E.PDF?Dockey=00002H9E.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/00002H9E.PDF?Dockey=00002H9E.PDF</a>	Information for Proposed Standards, Draft	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300011LM.PDF?Dockey=300011LM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300011LM.PDF?Dockey=300011LM.PDF</a>	Submissions on the Carcinogenicity of Tetrachloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VGG.PDF?Dockey=30003VGG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VGG.PDF?Dockey=30003VGG.PDF</a>	Minimization Assessment for a Manufacturer of Parts for Truck		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HXTN.PDF?Dockey=P100HXTN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HXTN.PDF?Dockey=P100HXTN.PDF</a>	Cleanup and Revolving Loan Fund Grant Fact Sheet Jersey City		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001BPP.PDF?Dockey=20001BPP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001BPP.PDF?Dockey=20001BPP.PDF</a>	Assessment for Professional Fabricare Processes Peer Review		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910091A1.PDF?Dockey=910091A1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910091A1.PDF?Dockey=910091A1.PDF</a>	Assessment Screening Studies to Support the Urban Area Source		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006PUI.PDF?Dockey=P1006PUI.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006PUI.PDF?Dockey=P1006PUI.PDF</a>	Energy on Contaminated Land Pemaco Superfund Site, Maywood,		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QFLJ.PDF?Dockey=P100QFLJ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QFLJ.PDF?Dockey=P100QFLJ.PDF</a>	Perchloroethylene Dry Cleaning Residual Risk Standard	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006GTY.PDF?Dockey=P1006GTY.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006GTY.PDF?Dockey=P1006GTY.PDF</a>	Works With Stakeholders to Protect Its Water Supply		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000WL6V.PDF?Dockey=2000WL6V.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000WL6V.PDF?Dockey=2000WL6V.PDF</a>	Facilities General Recommended Operating and Maintenance Practices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000134S.PDF?Dockey=2000134S.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000134S.PDF?Dockey=2000134S.PDF</a>	Sheet: Multiprocess Wet Cleaning Demonstration Study		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000CVPG.PDF?Dockey=2000CVPG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000CVPG.PDF?Dockey=2000CVPG.PDF</a>	Proposed Perchloroethylene Dry Cleaning Residual Risk Standard		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91014S4L.PDF?Dockey=91014S4L.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91014S4L.PDF?Dockey=91014S4L.PDF</a>	Content of Waste Materials From Filters and Still Bottoms: Conditional		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/00002HE0.PDF?Dockey=00002HE0.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/00002HE0.PDF?Dockey=00002HE0.PDF</a>	Information for Promulgated Standards, Final		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VC7.PDF?Dockey=30003VC7.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VC7.PDF?Dockey=30003VC7.PDF</a>	Minimization Assessment for a Manufacturer of Product Carriers and		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003373.PDF?Dockey=P1003373.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003373.PDF?Dockey=P1003373.PDF</a>	Massachusetts Department of Environmental Protection		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013CS.PDF?Dockey=200013CS.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013CS.PDF?Dockey=200013CS.PDF</a>	and Textile Care Program Fact Sheet, List of Major Federal Regulations and		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KHVS.PDF?Dockey=P100KHVS.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KHVS.PDF?Dockey=P100KHVS.PDF</a>	Cleanup Grant Fact Sheet Plainfield, NJ		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000134M.PDF?Dockey=2000134M.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000134M.PDF?Dockey=2000134M.PDF</a>	Cleaning Project, Cleaner Clothes, Cleaner Neighborhoods, Cleaner		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91002Z2L.PDF?Dockey=91002Z2L.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91002Z2L.PDF?Dockey=91002Z2L.PDF</a>	Difference for the Record of Decision: Bendix Flight Systems Division South		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200019GN.PDF?Dockey=200019GN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200019GN.PDF?Dockey=200019GN.PDF</a>	Training Curriculum for Alternative Clothes Cleaning		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008ZU1.PDF?Dockey=P1008ZU1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008ZU1.PDF?Dockey=P1008ZU1.PDF</a>	Owners and Park Operators About Safe Wastewater Disposal		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BQ.PDF?Dockey=600012BQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BQ.PDF?Dockey=600012BQ.PDF</a>	National Primary Drinking Water Regulations: 1,2-Dichloropropane		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100AAF5.PDF?Dockey=9100AAF5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100AAF5.PDF?Dockey=9100AAF5.PDF</a>	Conditions and Instructions for Use; Perchloroethylene Dry Cleaners: 40		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XTB.PDF?Dockey=10001XTB.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10001XTB.PDF?Dockey=10001XTB.PDF</a>	Chemical Reduction, Eco Logic International, Inc.		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10001D2V.PDF?Dockey=10001D2V.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10001D2V.PDF?Dockey=10001D2V.PDF</a>	Hazardous Waste Management System		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9WD.PDF?Dockey=2000E9WD.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9WD.PDF?Dockey=2000E9WD.PDF</a>	Corrective Action Facility IBM Manassas		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/50000A7F.PDF?Dockey=50000A7F.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/50000A7F.PDF?Dockey=50000A7F.PDF</a>	Multimedia Inspection Guidance for Dry Cleaning Facilities		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001L21.PDF?Dockey=20001L21.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001L21.PDF?Dockey=20001L21.PDF</a>	on Pollution Prevention and Control in the Drycleaning Industry, May 27-28,		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/3000311X.PDF?Dockey=3000311X.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/3000311X.PDF?Dockey=3000311X.PDF</a>	Minimizing Pollution in Cleaning and Degreasing Operations		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CWV.PDF?Dockey=9100CWV.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CWV.PDF?Dockey=9100CWV.PDF</a>	Field Research Facility Under Construction at the Nevada Test Site		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1001M7K.PDF?Dockey=P1001M7K.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1001M7K.PDF?Dockey=P1001M7K.PDF</a>	Environmental Results Program (ERP) Business Sector Fact Sheet:		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/500025OG.PDF?Dockey=500025OG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/500025OG.PDF?Dockey=500025OG.PDF</a>	RCRA in Focus {Order Form}		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000N4Z.PDF?Dockey=10000N4Z.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000N4Z.PDF?Dockey=10000N4Z.PDF</a>	RCRA In Focus Dry Cleaning (Korean)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BY.PDF?Dockey=600012BY.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BY.PDF?Dockey=600012BY.PDF</a>	CLEANING FACILITIES: GENERAL RECOMMENDED OPERATING AND		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910240C6.PDF?Dockey=910240C6.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910240C6.PDF?Dockey=910240C6.PDF</a>	National Primary Drinking Water Regulations: Tetrachloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013K2.PDF?Dockey=200013K2.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013K2.PDF?Dockey=200013K2.PDF</a>	Air CHIEF CD-ROM : Version 6.0		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013K2.PDF?Dockey=200013K2.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013K2.PDF?Dockey=200013K2.PDF</a>	Assessment for Professional Fabricare Processes: Response to		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013JK.PDF?Dockey=200013JK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013JK.PDF?Dockey=200013JK.PDF</a>	and Textile Care Program Case Study Water-Based Cleaning System for		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100CU30.PDF?Dockey=P100CU30.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100CU30.PDF?Dockey=P100CU30.PDF</a>	Tetrachloroethylene (Perchloroethylene)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000135E.PDF?Dockey=2000135E.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000135E.PDF?Dockey=2000135E.PDF</a>	EPA's Design for the Environment Program		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000J5M.PDF?Dockey=P1000J5M.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000J5M.PDF?Dockey=P1000J5M.PDF</a>	Reductions In Exposure To Hazardous Air Pollutants: Developing		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200012OG.PDF?Dockey=200012OG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200012OG.PDF?Dockey=200012OG.PDF</a>	Technologies Substitutes Assessment of Professional Fabricare Processes	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001BO5.PDF?Dockey=20001BO5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001BO5.PDF?Dockey=20001BO5.PDF</a>	Assessment for Professional Fabricare Processes: (Summary)	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/50000EZ4.PDF?Dockey=50000EZ4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/50000EZ4.PDF?Dockey=50000EZ4.PDF</a>	Profile of the Dry Cleaning Industry: The Sector Notebook Project	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JV5Q.PDF?Dockey=P100JV5Q.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JV5Q.PDF?Dockey=P100JV5Q.PDF</a>	the Office of Research and Development Draft Document		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GOSS.PDF?Dockey=P100GOSS.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GOSS.PDF?Dockey=P100GOSS.PDF</a>	Method for Measuring Exempt Volatile Organic Compounds and Carbon		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101Z8JK.PDF?Dockey=9101Z8JK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101Z8JK.PDF?Dockey=9101Z8JK.PDF</a>	Act : Background Document, Subtitle C -- Identification and Listing of		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/90150J00.PDF?Dockey=90150J00.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/90150J00.PDF?Dockey=90150J00.PDF</a>	Interactions of Trichloroethylene, Its Metabolites, and Other Chemical		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/60001T6S.PDF?Dockey=60001T6S.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/60001T6S.PDF?Dockey=60001T6S.PDF</a>	State Coalition for Remediation of Drycleaners: Website Resources		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013EM.PDF?Dockey=200013EM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013EM.PDF?Dockey=200013EM.PDF</a>	Wet Cleaning		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/50000ABZ.PDF?Dockey=50000ABZ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/50000ABZ.PDF?Dockey=50000ABZ.PDF</a>	Cleaners: A Step By Step Approach to Understanding Federal Environmental		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013IQ.PDF?Dockey=200013IQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013IQ.PDF?Dockey=200013IQ.PDF</a>	Frequently Asked Questions About Dry Cleaning (Korean)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91022W99.PDF?Dockey=91022W99.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91022W99.PDF?Dockey=91022W99.PDF</a>	Update #2 to Removal Action Levels		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006XID.PDF?Dockey=P1006XID.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006XID.PDF?Dockey=P1006XID.PDF</a>	and Renewable Energy Development on Contaminated Lands North		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WIG.PDF?Dockey=30003WIG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WIG.PDF?Dockey=30003WIG.PDF</a>	Environmental Implications. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001KS5.PDF?Dockey=20001KS5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001KS5.PDF?Dockey=20001KS5.PDF</a>	Perchloroethylene (CAS No. 127-18-4)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/00002V6S.PDF?Dockey=00002V6S.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/00002V6S.PDF?Dockey=00002V6S.PDF</a>	Halogenated Solvent Cleaning NESHAP, Draft		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200024JH.PDF?Dockey=200024JH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200024JH.PDF?Dockey=200024JH.PDF</a>	When Is A Septic System Regulated As A Class V Well?		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10096C3.PDF?Dockey=P10096C3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10096C3.PDF?Dockey=P10096C3.PDF</a>	Union of Revolving Load Funds Colorado Coalition, Colorado		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009JU6.PDF?Dockey=P1009JU6.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009JU6.PDF?Dockey=P1009JU6.PDF</a>	Design for the Environment Projects		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001B7D.PDF?Dockey=20001B7D.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001B7D.PDF?Dockey=20001B7D.PDF</a>	Report on Washers, Dryers, Finishing Equipment, and Detergents for		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000131W.PDF?Dockey=2000131W.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000131W.PDF?Dockey=2000131W.PDF</a>	Design for the Environment Wetcleaning Directory		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20000VUX.PDF?Dockey=20000VUX.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20000VUX.PDF?Dockey=20000VUX.PDF</a>	Business: Dry Cleaning/Wet Cleaning Case Studies and Financial Analysis		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91012HOB.PDF?Dockey=91012HOB.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91012HOB.PDF?Dockey=91012HOB.PDF</a>	Dry Cleaning Sector Compliance Strategy		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000139E.PDF?Dockey=2000139E.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000139E.PDF?Dockey=2000139E.PDF</a>	Program: Partnerships for a Cleaner Future		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013FQ.PDF?Dockey=200013FQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013FQ.PDF?Dockey=200013FQ.PDF</a>	Resource Guide for Garment and Textile Care Professionals		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013C6.PDF?Dockey=200013C6.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013C6.PDF?Dockey=200013C6.PDF</a>	and Textile Care Programs Fact Sheet, Cleaner Technology		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006WXQ.PDF?Dockey=P1006WXQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006WXQ.PDF?Dockey=P1006WXQ.PDF</a>	Air Toxic Emissions in the City		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JZXE.PDF?Dockey=P100JZXE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JZXE.PDF?Dockey=P100JZXE.PDF</a>	Retransmittal of the Latest Superfund Removal Action Levels		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200013CA.PDF?Dockey=200013CA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200013CA.PDF?Dockey=200013CA.PDF</a>	and Textile Care Program Fact Sheet, Cleaner Clothes, Cleaner		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/00002VFT.PDF?Dockey=00002VFT.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/00002VFT.PDF?Dockey=00002VFT.PDF</a>	for Reducing Health Risks in Urban Areas		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10002HH.PDF?Dockey=P10002HH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10002HH.PDF?Dockey=P10002HH.PDF</a>	Bulletin: Managing Small Quantity Chemical Use to Prevent		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LW1.PDF?Dockey=20009LW1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LW1.PDF?Dockey=20009LW1.PDF</a>	Replace Freon For The Determination Of Oil And Grease		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000MQC1.PDF?Dockey=2000MQC1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000MQC1.PDF?Dockey=2000MQC1.PDF</a>	Evaluating Exposures To Toxic Air Pollutants Citizens Guide		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101320Y.PDF?Dockey=9101320Y.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101320Y.PDF?Dockey=9101320Y.PDF</a>	Program: Forging an Alliance for Pollution Prevention		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30002FKO.PDF?Dockey=30002FKO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30002FKO.PDF?Dockey=30002FKO.PDF</a>	Trichloroethylene (TCE) and Related Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GRKY.PDF?Dockey=P100GRKY.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GRKY.PDF?Dockey=P100GRKY.PDF</a>	State and Tribal Response Program Highlights May/June 2013		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000UE4.PDF?Dockey=P1000UE4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000UE4.PDF?Dockey=P1000UE4.PDF</a>	Optimization, Newark, Muscoy, and Source Operable Units, Newark		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q8T5.PDF?Dockey=P100Q8T5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q8T5.PDF?Dockey=P100Q8T5.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Appendices		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10000MBG.PDF?Dockey=10000MBG.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10000MBG.PDF?Dockey=10000MBG.PDF</a>	RCRA in Focus Textile Manufacturing		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=1000418U.txt">https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=1000418U.txt</a>	Protection Agency), Guide to Industrial Assessments for Pollution Prevention	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000WL7L.txt">https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000WL7L.txt</a>	Protection Agency), Guidance Document for the Halogenated	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/">https://nepis.epa.gov/</a>	Environmental Release Assessment of Tetrachloroethylene [EPA Report].	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HCJ5.PDF?Dockey=P100HCJ5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HCJ5.PDF?Dockey=P100HCJ5.PDF</a>	Brownfields 2012 Cleanup Grant Fact Sheet Wilton, ME		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100875K.PDF?Dockey=P100875K.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100875K.PDF?Dockey=P100875K.PDF</a>	(UATMP and NATTS) Volume II: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10034FL.PDF?Dockey=P10034FL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10034FL.PDF?Dockey=P10034FL.PDF</a>	2006 Urban Air Toxics Monitoring Program (UATMP) Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LRQF.PDF?Dockey=P100LRQF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LRQF.PDF?Dockey=P100LRQF.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Appendices September		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002PIY.PDF?Dockey=P1002PIY.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002PIY.PDF?Dockey=P1002PIY.PDF</a>	Brownfields 2004 Grant Fact Sheet Washington County, ID		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91003GA5.PDF?Dockey=91003GA5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91003GA5.PDF?Dockey=91003GA5.PDF</a>	Penn Area 1 Site, Souderton, PA, 9/30/1994		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HAPQ.PDF?Dockey=P100HAPQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HAPQ.PDF?Dockey=P100HAPQ.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Appendix		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ADLA.PDF?Dockey=P100ADLA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ADLA.PDF?Dockey=P100ADLA.PDF</a>	Brownfields 2007 Grant Fact Sheet Golden Urban Renewal Authority, CO		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007MOH.PDF?Dockey=P1007MOH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007MOH.PDF?Dockey=P1007MOH.PDF</a>	EPA's Second Review of Existing Drinking Water Standards Fact Sheet		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BY.PDF?Dockey=600012BY.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BY.PDF?Dockey=600012BY.PDF</a>	National Primary Drinking Water Regulations: Tetrachloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FPNN.PDF?Dockey=P100FPNN.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FPNN.PDF?Dockey=P100FPNN.PDF</a>	Annual Report (UATMP, NATTS, CSATAM) Volume 2: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003MCE.PDF?Dockey=P1003MCE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003MCE.PDF?Dockey=P1003MCE.PDF</a>	Interaction of Vapour Phase Organic Compounds With Indoor Sinks		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VKM.PDF?Dockey=91013VKM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VKM.PDF?Dockey=91013VKM.PDF</a>	Profile: Carpenter Technology Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10001URB.PDF?Dockey=10001URB.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10001URB.PDF?Dockey=10001URB.PDF</a>	Electron Beam Treatment for Removal of Trichloroethylene and		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXT8.PDF?Dockey=P100EXT8.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EXT8.PDF?Dockey=P100EXT8.PDF</a>	Electron Beam Treatment for Removal of Trichloroethylene and		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DK8L.PDF?Dockey=P100DK8L.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DK8L.PDF?Dockey=P100DK8L.PDF</a>	Programs (UATMP, NATTS, and CSATAM) Volume II: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UVQ.PDF?Dockey=10001UVQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UVQ.PDF?Dockey=10001UVQ.PDF</a>	Zone PCE Bioremediation System, ABB Environmental Services, Inc.		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QH72.PDF?Dockey=9100QH72.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QH72.PDF?Dockey=9100QH72.PDF</a>	Update: 1992 Interim Reduction Goal Exceeded		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30002FKO.PDF?Dockey=30002FKO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30002FKO.PDF?Dockey=30002FKO.PDF</a>	Trichloroethylene (TCE) and Related Chemicals	X		X		X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9WQ.PDF?Dockey=2000E9WQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9WQ.PDF?Dockey=2000E9WQ.PDF</a>	Corrective Action Facility Schrader-Bridgeport International Incorporated		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100CU30.PDF?Dockey=P100CU30.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100CU30.PDF?Dockey=P100CU30.PDF</a>	Tetrachloroethylene (Perchloroethylene)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008GSF.PDF?Dockey=P1008GSF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008GSF.PDF?Dockey=P1008GSF.PDF</a>	Brownfields 2005 Grant Fact Sheet New Haven, CT		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/93000NTA.PDF?Dockey=93000NTA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/93000NTA.PDF?Dockey=93000NTA.PDF</a>	EPA's 33/50 Program Seventh Progress Report: 33/50 Hits the Mark!		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100G4W4.PDF?Dockey=9100G4W4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100G4W4.PDF?Dockey=9100G4W4.PDF</a>	in Vapor-Diffusion Samplers Placed in Sediments Along and Near the		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000YOH.PDF?Dockey=P1000YOH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000YOH.PDF?Dockey=P1000YOH.PDF</a>	Optimization, Clare Water Supply Superfund Site, StageRight Area,		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9VK.PDF?Dockey=2000E9VK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9VK.PDF?Dockey=2000E9VK.PDF</a>	Corrective Action Facility Honeywell-Chesterfield (Formerly Allied Signal)		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GL6W.PDF?Dockey=P100GL6W.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GL6W.PDF?Dockey=P100GL6W.PDF</a>	of Volatile organic Compounds in North American Residences (1990-		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WHW.PDF?Dockey=30003WHW.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WHW.PDF?Dockey=30003WHW.PDF</a>	SemiVOST for Halogenated Hydrocarbons from the Clean Air Act		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CHYL.PDF?Dockey=9100CHYL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CHYL.PDF?Dockey=9100CHYL.PDF</a>	Products: Laboratory Analyses of Shelf Products and National Survey of		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QOD5.PDF?Dockey=P100QOD5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QOD5.PDF?Dockey=P100QOD5.PDF</a>	EPA's Third Six-Year Review of Existing Drinking Water Standards		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10033JS.PDF?Dockey=P10033JS.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10033JS.PDF?Dockey=P10033JS.PDF</a>	Program (UATMP) Final Report Volume I Main Content		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DXJF.PDF?Dockey=P100DXJF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DXJF.PDF?Dockey=P100DXJF.PDF</a>	Tetrachloroethylene (Perchloroethylene) (PDF)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007BBH.PDF?Dockey=P1007BBH.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007BBH.PDF?Dockey=P1007BBH.PDF</a>	Feasibility Support Document for Chemical Contaminants for the	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100E39A.PDF?Dockey=P100E39A.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100E39A.PDF?Dockey=P100E39A.PDF</a>	Dosimetry-Based Cumulative Risk Assessment Approach for Mixtures of		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NXOE.PDF?Dockey=9101NXOE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NXOE.PDF?Dockey=9101NXOE.PDF</a>	Vapor intrusion studies		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VN5.PDF?Dockey=91013VN5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VN5.PDF?Dockey=91013VN5.PDF</a>	33/50 Program Company Profiles: Reduction Highlights		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100DEVR.PDF?Dockey=9100DEVR.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100DEVR.PDF?Dockey=9100DEVR.PDF</a>	Line SFE/IR Method for Determination of Petroleum Hydrocarbons in Solid		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V0C.PDF?Dockey=30003V0C.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V0C.PDF?Dockey=30003V0C.PDF</a>	Updated Health Effects Assessment Documents. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101AR08.PDF?Dockey=9101AR08.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101AR08.PDF?Dockey=9101AR08.PDF</a>	Collaborative Cleanup of Northside Landfill		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10086BP.PDF?Dockey=P10086BP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10086BP.PDF?Dockey=P10086BP.PDF</a>	(UATMP and NATTS) Volume I: Main Content		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100D063.PDF?Dockey=P100D063.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100D063.PDF?Dockey=P100D063.PDF</a>	Brownfields 2004 Cleanup Grant Fact Sheet King County, WA		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C9X4.PDF?Dockey=P100C9X4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C9X4.PDF?Dockey=P100C9X4.PDF</a>	Palermo Wellfield Fact Sheet from July 1999		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C9X4.PDF?Dockey=P100C9X4.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C9X4.PDF?Dockey=P100C9X4.PDF</a>	CRITERIA FOR TETRACHLOROETHYLENE		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FL5.PDF?Dockey=20001FL5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FL5.PDF?Dockey=20001FL5.PDF</a>	Update: Continuing Progress Toward Ultimate Reduction Goal		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001LUCK.PDF?Dockey=20001LUCK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001LUCK.PDF?Dockey=20001LUCK.PDF</a>	Is Your Community's Drinking Water At Risk		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/200121XT.PDF?Dockey=200121XT.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/200121XT.PDF?Dockey=200121XT.PDF</a>	(NMOC) And Speciated Nonmethane Organics Compounds SNMOC)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10014O8.PDF?Dockey=P10014O8.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10014O8.PDF?Dockey=P10014O8.PDF</a>	US EPA, 33/50 Program: The Final Record	X			X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910098RO.PDF?Dockey=910098RO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910098RO.PDF?Dockey=910098RO.PDF</a>	2005 Urban Air Toxics Monitoring Program (UATMP) Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91024CQK.PDF?Dockey=91024CQK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91024CQK.PDF?Dockey=91024CQK.PDF</a>	Compounds in Soils Using Equilibrium Headspace Analysis and Capillary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VM5.PDF?Dockey=91013VM5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VM5.PDF?Dockey=91013VM5.PDF</a>	EPA's 33/50 Program Company Profile: Parker Hannifin Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F8HU.PDF?Dockey=2000F8HU.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F8HU.PDF?Dockey=2000F8HU.PDF</a>	Method Validation At A Coal-fired Boiler		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100Q2YU.PDF?Dockey=9100Q2YU.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100Q2YU.PDF?Dockey=9100Q2YU.PDF</a>	Difference for the Record of Decision: North Penn-Area 1, Souderton, PA		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101Q6CA.PDF?Dockey=9101Q6CA.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101Q6CA.PDF?Dockey=9101Q6CA.PDF</a>	Technology (BDAT) Background Document for Chlorinated Toluene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VMK.PDF?Dockey=91013VMK.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VMK.PDF?Dockey=91013VMK.PDF</a>	EPA's 33/50 Program Company Profile: Raytheon Company		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NPPI.PDF?Dockey=9101NPPI.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9101NPPI.PDF?Dockey=9101NPPI.PDF</a>	Toxics Assessment Project Report v.1.--Summary		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10002TKC.PDF?Dockey=10002TKC.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10002TKC.PDF?Dockey=10002TKC.PDF</a>	Journal for Superfund Removal and Remedial Actions and RCRA		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VY0.PDF?Dockey=30003VY0.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VY0.PDF?Dockey=30003VY0.PDF</a>	Indoor Air Quality Data Base for Organic Compounds		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LAQ.PDF?Dockey=20009LAQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LAQ.PDF?Dockey=20009LAQ.PDF</a>	EPA's 33-50 Program 4th Progress Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10002TNC.PDF?Dockey=10002TNC.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10002TNC.PDF?Dockey=10002TNC.PDF</a>	Technology for Ground Water Treatment of Metals, Issue Number		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001X16.PDF?Dockey=20001X16.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001X16.PDF?Dockey=20001X16.PDF</a>	Support Document for the Six Year Review of National Primary Drinking	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F7JV.PDF?Dockey=2000F7JV.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F7JV.PDF?Dockey=2000F7JV.PDF</a>	Intercomparison Quality Assurance Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20005RIZ.PDF?Dockey=20005RIZ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20005RIZ.PDF?Dockey=20005RIZ.PDF</a>	The Monitor, Volume 3, Number 1		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000EBFF.PDF?Dockey=2000EBFF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000EBFF.PDF?Dockey=2000EBFF.PDF</a>	Urban Ait Toxics Monitoring Program (uatmp), 1997		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BM.PDF?Dockey=600012BM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BM.PDF?Dockey=600012BM.PDF</a>	Regulations: cis- and trans-1,2-Dichloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C9QX.PDF?Dockey=P100C9QX.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C9QX.PDF?Dockey=P100C9QX.PDF</a>	Former Cleaners Sandies Dry Cleaners Little Chute, Wisconsin		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100K1M.PDF?Dockey=P100K1M.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100K1M.PDF?Dockey=P100K1M.PDF</a>	of Biotransformation of Chlorinated Organic Compounds in Ground Water		X	X			X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FTF.PDF?Dockey=20001FTF.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FTF.PDF?Dockey=20001FTF.PDF</a>	EPA's 33/50 Program Company Profile Reduction Highlights, Volume 2		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF</a>	Public Water Systems Related to Class V Injection Wells [Draft]		X	X		X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F17C.PDF?Dockey=P100F17C.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F17C.PDF?Dockey=P100F17C.PDF</a>	Post-Katrina Air Quality Monitoring Report		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100A741.PDF?Dockey=P100A741.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100A741.PDF?Dockey=P100A741.PDF</a>	the Somersworth Sanitary Landfill Superfund Site, Somersworth, New		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300011LM.PDF?Dockey=300011LM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300011LM.PDF?Dockey=300011LM.PDF</a>	Submissions on the Carcinogenicity of Tetrachloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100G4KT.PDF?Dockey=9100G4KT.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100G4KT.PDF?Dockey=9100G4KT.PDF</a>	Diffusion Samplers to Identify Temporal Trends in Volatile-Organic		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10085J5.PDF?Dockey=P10085J5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10085J5.PDF?Dockey=P10085J5.PDF</a>	Program (UATMP) December 2005 Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KDK1.PDF?Dockey=P100KDK1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KDK1.PDF?Dockey=P100KDK1.PDF</a>	Report, East 67th Street Ground Water Plume NPL Site, Odessa, Ector		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DJ3H.PDF?Dockey=P100DJ3H.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DJ3H.PDF?Dockey=P100DJ3H.PDF</a>	Programs (UATMP, NATTS, and CSATAM) Volume I: Main December		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FN3.PDF?Dockey=20001FN3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FN3.PDF?Dockey=20001FN3.PDF</a>	EPA's 33/50 Program Company Profile: Inland Steel		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KX0Q.PDF?Dockey=P100KX0Q.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KX0Q.PDF?Dockey=P100KX0Q.PDF</a>	Operable Unit 2 Soco/Brenntag Source Area Billings, Montana		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/9100PO3W.PDF?Dockey=9100PO3W.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/9100PO3W.PDF?Dockey=9100PO3W.PDF</a>	Regulations: Hexachlorobenzene {Technical Version}		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91002VTY.PDF?Dockey=91002VTY.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91002VTY.PDF?Dockey=91002VTY.PDF</a>	Superfund Record of Decision: USA Anniston Army Depot, AL		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9VQ.PDF?Dockey=2000E9VQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9VQ.PDF?Dockey=2000E9VQ.PDF</a>	Corrective Action Facility Atlantic Research Corporation		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P10084Y1.PDF?Dockey=P10084Y1.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P10084Y1.PDF?Dockey=P10084Y1.PDF</a>	2003 Urban Air Toxics Monitoring Program (UATMP)		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BTGJ.PDF?Dockey=P100BTGJ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BTGJ.PDF?Dockey=P100BTGJ.PDF</a>	Superfund Site North Providence1ohnston RI Site Update		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/20001BPP.PDF?Dockey=20001BPP.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/20001BPP.PDF?Dockey=20001BPP.PDF</a>	Assessment for Professional Fabricare Processes Peer Review		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KYSM.PDF?Dockey=P100KYSM.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KYSM.PDF?Dockey=P100KYSM.PDF</a>	Document for Category 1 Contaminants for the Second Six-Year		X		X	X			X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006GQ5.PDF?Dockey=P1006GQ5.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006GQ5.PDF?Dockey=P1006GQ5.PDF</a>	Increases Scope of Protection in Tallahassee		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/93000PAJ.PDF?Dockey=93000PAJ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/93000PAJ.PDF?Dockey=93000PAJ.PDF</a>	33/50 Program : Fact Sheets on the 17 Target Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NRW9.PDF?Dockey=P100NRW9.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NRW9.PDF?Dockey=P100NRW9.PDF</a>	Drinking Water Strategy Contaminant Groups Effort		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JVSQ.PDF?Dockey=P100JVSQ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JVSQ.PDF?Dockey=P100JVSQ.PDF</a>	the Office of Research and Development Draft Document		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/10001KAJ.PDF?Dockey=10001KAJ.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/10001KAJ.PDF?Dockey=10001KAJ.PDF</a>	Engineering Bulletin: Granular Activated Carbon Treatment		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/910098B3.PDF?Dockey=910098B3.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/910098B3.PDF?Dockey=910098B3.PDF</a>	Program (UATMP): Final Report for Program Year 1998-1999		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/100054NO.PDF?Dockey=100054NO.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/100054NO.PDF?Dockey=100054NO.PDF</a>	Significant Difference for the Record of Decision: South Municipal Water		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004FUU.PDF?Dockey=P1004FUU.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004FUU.PDF?Dockey=P1004FUU.PDF</a>	Development of a Photothermal Detoxification Unit		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007AVI.PDF?Dockey=P1007AVI.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007AVI.PDF?Dockey=P1007AVI.PDF</a>	Quantitation Levels for the Second Six-year Review of National Primary	X			X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/300011JE.PDF?Dockey=300011JE.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/300011JE.PDF?Dockey=300011JE.PDF</a>	Submissions on the Carcinogenicity of Tetrachloroethylene		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/60001CBL.PDF?Dockey=60001CBL.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/60001CBL.PDF?Dockey=60001CBL.PDF</a>	Chemicals In The Environment: Perchloroethylene		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/91000Y53.PDF?Dockey=91000Y53.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/91000Y53.PDF?Dockey=91000Y53.PDF</a>	DOE Idaho National Engineering Lab (Operable Unit 2), ID		X		X		X		X	
NSCEP documents (has NEPIS)	<a href="https://nepis.epa.gov/Exe/ZyPDF.cgi/30003U28.PDF?Dockey=30003U28.PDF">https://nepis.epa.gov/Exe/ZyPDF.cgi/30003U28.PDF?Dockey=30003U28.PDF</a>	Kiln Incinerator with a Single-Stage Ionizing Wet Scrubber		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	<a href="https://yosemite.epa.gov/opei/rulegate.nsf/byrin/2070-ak07">https://yosemite.epa.gov/opei/rulegate.nsf/byrin/2070-ak07</a>	N-Methylpyrrolidone (NMP) and Methylene Chloride; Rulemaking		X		X		X		X	
"List of Lists"	<a href="https://www.epa.gov/sites/production/files/2015-03/documents/list_of_lists.pdf">https://www.epa.gov/sites/production/files/2015-03/documents/list_of_lists.pdf</a>	Subject to the Emergency Planning and Community Right- To-Know Act	X			X		X		X	
TSCATS 2.0	<a href="https://yosemite.epa.gov/oppts/epatscat8.nsf/reportsearch?openform">https://yosemite.epa.gov/oppts/epatscat8.nsf/reportsearch?openform</a>	TSCATS Low Detail Report		X	X			X		X	
EPA Generic Scenarios	<a href="#">Book</a>	Agency), Generic Scenario on the Use of Additives in the Thermoplastics	X			X		X		X	
EPA Generic Scenarios	<a href="#">Document in preparation</a>	the Use of Additives in Plastics Compounding. 2014, U.S.	X			X		X		X	
EPA Generic Scenarios	<a href="#">Book</a>	Manufacturing and Use of Printing Inks. 2001, U.S. Environmental	X			X		X		X	
HPV challenge submissions	<a href="http://cfpub.epa.gov/hpv-s/">cfpub.epa.gov/hpv-s/</a>	N/A		X		X		X		X	
Office of Air: NATA 2011	<a href="https://www.epa.gov/national-air-toxics-assessment/2011-nata-assessment-results/pollutant">https://www.epa.gov/national-air-toxics-assessment/2011-nata-assessment-results/pollutant</a>	2011 NATA Results	X			X		X		X	
Office of Air: AQS	<a href="http://aqsd1.epa.gov/aqsweb/aqstmp/airdata/download_files.html#Annual">http://aqsd1.epa.gov/aqsweb/aqstmp/airdata/download_files.html#Annual</a>	Full file of 2016 AQS data; tetrachloroethylene data included		X		X		X		X	
OPPT Monitoring Database	<a href="#">Monitoring database</a>	Monitoring database data		X		X		X		X	
TSCA Use Dossiers and Public Comments	<a href="https://www.epa.gov/assessing-and-managing-chemicals-under-teq/evaluating-risk-existing-chemicals-under-tscabibb">https://www.epa.gov/assessing-and-managing-chemicals-under-teq/evaluating-risk-existing-chemicals-under-tscabibb</a>	Posting Memo									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027</a>	submitted by Christine Ernst, Earthjustice									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056</a>	submitted by Timothy J. Lafond, P.E., Chair, Environmental Committee,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053</a>	submitted by Eve Gartner, Staff Attorney, Earthjustice et al.									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046</a>	submitted by the Environmental Defense Fund (EDF)										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066</a>	submitted by Stephanie Fox-Rawlings, National Center for Health Research										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060</a>	submitted by Susan Inglis, Executive Director, Sustainable Furnishings										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068</a>	submitted by Juleen Lam, PhD, Associate Researcher, University of										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022</a>	submitted by Christina Franz, Senior Director, Regulatory & Technical										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020</a>	submitted by Elizabeth Hitchcock, Government Affairs Director and										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023</a>	submitted by Eve Gartner, Staff Attorney, Earthjustice on behalf of										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0025">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0025</a>	submitted by Ruthann Rudel, Kathryn Rodgers, Silent Spring Institute										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019</a>	submitted by Adhesive and Sealant Council et al.										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010</a>	submitted by Stacy Tatman, MS, JD, Director, Environmental Affairs,										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024</a>	submitted by Stephanie Fox-Rawlings, National Center for Health Research										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016</a>	submitted by Susan Inglis, Executive Director, Sustainable Furnishings										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030</a>	submitted by Juleen Lam, PhD, Associate Researcher, University of										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0003">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0003</a>	Manufacturing, Processing, Distribution, Use, and Disposal:										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021</a>	submitted by Anthony Schatz, Ph.D, Director Occupational Health and										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007</a>	submitted by Elizabeth Hitchcock, Government Affairs Director, Safer										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0009">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0009</a>	submitted by Learning Disabilities Association of America (LDA)										TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0027">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0027</a>	submitted by Richard Krock, Vice President, Regulatory and Technical									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019</a>	submitted by Kim Cox, Environmental Policy Manager, City of Portland									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0016">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0016</a>	submitted by Kevin Fay, Executive Director, Alliance for Responsible									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026</a>	Campaign sponsored by Earthjustice (web)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0020">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0020</a>	submitted by Jennifer Sass, Ph.D., Senior Scientist, Natural Resources									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0004">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0737-0004</a>	Campaign sponsored by Natural Resources Defense Council (NRDC).									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0021">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0021</a>	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018</a>	submitted by Barbara S. Losey, Director, Alkylphenols & Ethoxylates									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0011">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0011</a>	submitted by Barbara Kanegsberg, President and Ed Kanegsberg, Vice									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0006">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0006</a>	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0016">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0016</a>	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0020">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0020</a>	submitted by Raleigh Davis, Assistant Director, Environmental Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0007">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0007</a>	submitted by Mary Scalco, Chief Executive Officer, Drycleaning &									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0019">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0019</a>	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019</a>	submitted by Leslie Riegle, Director, Environmental Policy, Aerospace									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0018">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0018</a>	submitted by James Cooper, Senior Petrochemical Advisor, American Fuel									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0027">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0027</a>	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013</a>	submitted by Timothy A. Brown, Regulatory Counsel and Steven									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0012">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0012</a>	submitted by Center for Environmental Health (CEH)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0017">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0017</a>	submitted by Michelle Rudnick, Senior Manager, Regulatory Affairs, CRC									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0014">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0732-0014</a>	submitted by Robert Dowell, President, Plasma Technology Inc.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002</a>	submitted by Eve Gartner, Staff Attorney, Earthjustice, Elizabeth									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006</a>	submitted by Chris Trahan Cain, Director of Safety and Health, North									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021</a>	submitted by Lindsay McCormick, Chemicals and Health Project									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017</a>	submitted by Laurie Holmes, Senior Director, Environmental Policy, Motor									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014</a>	Campaign sponsored by Earthjustice (web) (Revised)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2015-0084-0002">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2015-0084-0002</a>	Assessment: Peer Review Draft, 1 Bromopropane: Spray Adhesives, Dry									TSCA public comments are not tagged to specific discipline
National Institutes of Health (NIH) ChemIDplus	<a href="http://chem.sis.nlm.nih.gov/chemidplus/">http://chem.sis.nlm.nih.gov/chemidplus/</a>	searches, govt regulatory documents, consumer product databases, etc.		x	x			x		x	
NIH PubChem Compound Database	<a href="https://www.ncbi.nlm.nih.gov/pccompound">https://www.ncbi.nlm.nih.gov/pccompound</a>	pubmed, products, MSDS, Fate summaries, effluent conc, human	x		x		x		x		
NIH HazMap	<a href="http://hazmap.nlm.nih.gov/index.html">http://hazmap.nlm.nih.gov/index.html</a>	Contains links to HSDB, CHemID Plus, pubmed	x			x	x			x	
NIH Household Products Database	<a href="http://householdproducts.nlm.nih.gov/">http://householdproducts.nlm.nih.gov/</a>	containing ingredient, NLM databases HSBD, TOXNET, ChemID Plus,		x		x	x			x	
NIH Hazardous Substance Data Bank (HSDB)	<a href="https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm">https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm</a>	Contains exerts from peer reviewed lit in the same manner as pubchem	x		x		x		x		
NIH NLM Drug Information Portal	<a href="https://druginfo.nlm.nih.gov/drugportal/">https://druginfo.nlm.nih.gov/drugportal/</a>	MedlinePlusTopics, HSDB, Medline/PubMed, Toxline, PubChem,		x		x	x			x	
NTP Report on Carcinogens (RoC)	<a href="https://ntp.niehs.nih.gov/pubhealth/roc/index-1.htm#C">https://ntp.niehs.nih.gov/pubhealth/roc/index-1.htm#C</a>	Carcinogens; 2 to 4 pages in length. This is a summary of the information	x			x	x		x		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC ATSDR Tox Profiles	<a href="http://www.atsdr.cdc.gov/toxprofiles/index.asp">http://www.atsdr.cdc.gov/toxprofiles/index.asp</a>	The pdf contains the ATSDR profile	X		X		X			X	
CDC ATSDR Minimal Risk Levels (MRLs) for Hazardous Substances	<a href="https://www.atsdr.cdc.gov/mrls/mrllist.asp">https://www.atsdr.cdc.gov/mrls/mrllist.asp</a>	Add under Regulatory tag, gives minimum risk levels	X			X		X		X	
CDC ATSDR	<a href="https://www.atsdr.cdc.gov/csem/pce/docs/pce.pdf">https://www.atsdr.cdc.gov/csem/pce/docs/pce.pdf</a>	Perc case study	X			X		X	X		
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA Wells G and H, Woburn MA		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC TMC Cleaners, Olympia WA	X			X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1325&amp;pg=3">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1325&amp;pg=3</a>	PHA Philip Services Corp, Seattle, WA		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC V&L Stripping, Green Bay, WI		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA Midessa groundwater plume , Midland County Tx		X	X		X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA Cidra Groundwater, PR		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/BridgerCreekCommunity/Bridger%20Creek%20Community_HC_11302015_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/BridgerCreekCommunity/Bridger%20Creek%20Community_HC_11302015_508.pdf</a>	HC Bridger Creek Community, Bozeman MT		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA Conrail Rail Yard, Elkhart, IN		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC Somerville, MA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/WestHwy6andHwy281Site/WestHwy6andHwy281SiteHC01-07-2010.pdf">https://www.atsdr.cdc.gov/hac/pha/WestHwy6andHwy281Site/WestHwy6andHwy281SiteHC01-07-2010.pdf</a>	HC Hastings NE		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/CristexDrumSite/Cristex_Drum_LHC_01-08-2016_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/CristexDrumSite/Cristex_Drum_LHC_01-08-2016_508.pdf</a>	Letter HC Oxford NC		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC Sutton Brook City of Tewksbury, MA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/navyardmillsite/finalnavyardmillsfactsheet508.pdf">https://www.atsdr.cdc.gov/hac/pha/navyardmillsite/finalnavyardmillsfactsheet508.pdf</a>	Possible risk from exposure to PCE for Navy Yard Mills		X		X		X		X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/GopherOrdinanceSite/GopherOrdinanceSiteHC01-07-2010.pdf">http://www.atsdr.cdc.gov/HAC/pha/GopherOrdinanceSite/GopherOrdinanceSiteHC01-07-2010.pdf</a>	Gopher Ordinance Site, MN		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/HCPHA.asp?State=MD">http://www.atsdr.cdc.gov/HAC/pha/HCPHA.asp?State=MD</a>	Gopher Ordinance Site, MN		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/HCPHA.asp?State=MD">http://www.atsdr.cdc.gov/hac/pha/HCPHA.asp?State=MD</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=445&amp;pg=1">http://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=445&amp;pg=1</a>	PHA, Keystone Metal Finishers Incorporated, NJ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/northindianbendwash63006/northindianbendwash63006.pdf">https://www.atsdr.cdc.gov/hac/pha/northindianbendwash63006/northindianbendwash63006.pdf</a>	CENTRAL GROUND TREATMENT FACILITY , AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/chillumPerc112404HC-MD/chillumPerc112404HC-MD.pdf">https://www.atsdr.cdc.gov/hac/pha/chillumPerc112404HC-MD/chillumPerc112404HC-MD.pdf</a>	HC, Chillum, Prince Gorge's, MD		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/ChillumPercSite2009/ChillumPercSiteHC12-29-2008.pdf">https://www.atsdr.cdc.gov/hac/pha/ChillumPercSite2009/ChillumPercSiteHC12-29-2008.pdf</a>	HC, Chillum, Prince Gorge's, MD		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/peppermintnursery010105-nj/peppermintnursery010105-nj.pdf">https://www.atsdr.cdc.gov/hac/pha/peppermintnursery010105-nj/peppermintnursery010105-nj.pdf</a>	HC, Peppermint Tree Nursery School, NJ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/SpringFieldProperty092804-MI/SpringFieldProperty092804-MI.pdf">https://www.atsdr.cdc.gov/HAC/pha/SpringFieldProperty092804-MI/SpringFieldProperty092804-MI.pdf</a>	HC, Springfield property, MI		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/EastTroyContaminatedAquifer/East_Troy%20HC%207-29-2008.pdf">http://www.atsdr.cdc.gov/hac/pha/EastTroyContaminatedAquifer/East_Troy%20HC%207-29-2008.pdf</a>	HC, East Troy Contaminated Aquifer Site, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PeninsulaBoulevardGroundwaterPlume/PeninsulaBoulevardGroundwaterPH0404207.pdf">https://www.atsdr.cdc.gov/hac/pha/PeninsulaBoulevardGroundwaterPlume/PeninsulaBoulevardGroundwaterPH0404207.pdf</a>	HC, Peninsula Boulevard Groundwater Plume, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1177&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1177&amp;pg=1</a>	PHA, Elite Dry cleaning factory, NH	X			X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/northindianbendwasharea12/nibwarea12finalhc032805.pdf">http://www.atsdr.cdc.gov/hac/pha/northindianbendwasharea12/nibwarea12finalhc032805.pdf</a>	HC, North Indian Bend Wash Area 12 Treatment Facility		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/copleysquareplaza/copleysquareplaza%209-28-07.pdf">https://www.atsdr.cdc.gov/hac/pha/copleysquareplaza/copleysquareplaza%209-28-07.pdf</a>	PHA, Copley Square Plaza Copley Township		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=445&amp;pg=0">http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=445&amp;pg=0</a>	Overview page that links to the, 60001-DCM-4		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/North%20Indian%20Bend/NorthIndianBendHC030106.pdf">https://www.atsdr.cdc.gov/hac/pha/North%20Indian%20Bend/NorthIndianBendHC030106.pdf</a>	HC, North Indian Bend Wash Miller Road treatment Facility, AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/SpringfieldStreetVOCPlume/Springfield%20St%20HC%20FINAL.pdf">https://www.atsdr.cdc.gov/hac/pha/SpringfieldStreetVOCPlume/Springfield%20St%20HC%20FINAL.pdf</a>	HC, Springfield Street VOC Plume, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/GrandTraverse%20NormElemHCGrandTraverseNormElem110805.pdf">https://www.atsdr.cdc.gov/HAC/pha/GrandTraverse%20NormElemHCGrandTraverseNormElem110805.pdf</a>	HC, Norris Elementary School Indoor Air assessment, MI		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=222&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=222&amp;pg=1</a>	ATSDR		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=836&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=836&amp;pg=0</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/SindianBendWash090104-AZ/SindianBendWash090104-AZ.pdf">https://www.atsdr.cdc.gov/hac/pha/SindianBendWash090104-AZ/SindianBendWash090104-AZ.pdf</a>	HC, South Indian Bend Wash Landfill, AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/formercrescentcleaners102203-informercrescentcleaners_hc102203.pdf">https://www.atsdr.cdc.gov/hac/pha/formercrescentcleaners102203-informercrescentcleaners_hc102203.pdf</a>	appendix of PHA, West/Hows Corner Sit ME		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/formercrescentcleaners102203-informercrescentcleaners_hc102203.pdf">https://www.atsdr.cdc.gov/hac/pha/formercrescentcleaners102203-informercrescentcleaners_hc102203.pdf</a>	HC, Former Crescent Cleaners, In		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/McGafferyandMainGroundWaterPlumeNM/PHAFinal_08-19-2015_508.pdf">https://www.atsdr.cdc.gov/hac/pha/McGafferyandMainGroundWaterPlumeNM/PHAFinal_08-19-2015_508.pdf</a>	HPHA, McGaffery and main ground water Plume, NM		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf">http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf</a>	HC, North Indian Bend Wash Miller Road treatment Facility, AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=222&amp;pg=2">https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=222&amp;pg=2</a>	PHA, Solitron Microwave, FL page 3		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/SchlagelockCompany/SchlagelockCompanyHC113006.pdf">https://www.atsdr.cdc.gov/hac/pha/SchlagelockCompany/SchlagelockCompanyHC113006.pdf</a>	Vapor Intrusion into Buildings Located Above a Contaminated Aquifer		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=15&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=15&amp;pg=1</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1204&amp;pg=2">http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1204&amp;pg=2</a>	PHA, North Railroad Avenue, NM		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=839&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=839&amp;pg=0</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/toppscleaners/toppscleanershc040407.pdf">https://www.atsdr.cdc.gov/hac/pha/toppscleaners/toppscleanershc040407.pdf</a>	HC, Topps Cleaners Site, NJ		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/GrandTraverse/GrandTraverseHC11192012.pdf">http://www.atsdr.cdc.gov/HAC/pha/GrandTraverse/GrandTraverseHC11192012.pdf</a>	Grand Traverse Overall Supply NPL Site, MI		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/JerryProfessionalCleaners/JerryProfessionalCleanersHC09172012.pdf">https://www.atsdr.cdc.gov/HAC/pha/JerryProfessionalCleaners/JerryProfessionalCleanersHC09172012.pdf</a>	HC, Jerry's Professional Cleaners Vapor Intrusion Site, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/stantoncleaners113005/stantoncleanerspha113005.pdf">https://www.atsdr.cdc.gov/hac/pha/stantoncleaners113005/stantoncleanerspha113005.pdf</a>	PHA, Stanton Cleaners Area Groundwater Community Site, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=24&amp;pg=4">https://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=24&amp;pg=4</a>	targeted relevant reports in search		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/DelphiHomeAvenueSite/Delphi_Home_Avenue_Site%20HC%206-19-2008.pdf">https://www.atsdr.cdc.gov/HAC/pha/DelphiHomeAvenueSite/Delphi_Home_Avenue_Site%20HC%206-19-2008.pdf</a>	HC, Delphi Home Avenue Site, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1086&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1086&amp;pg=0</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/PHA/adak/ada_toc.html">http://www.atsdr.cdc.gov/hac/PHA/adak/ada_toc.html</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=647&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=647&amp;pg=1</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/BroadwayCleanersSite/BroadwayCleaners2HC092807.pdf">https://www.atsdr.cdc.gov/hac/pha/BroadwayCleanersSite/BroadwayCleaners2HC092807.pdf</a>	HC, Broadway Cleaners Site, ID		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/WestTroy/WestTroyPHA(final)10232013_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/WestTroy/WestTroyPHA(final)10232013_508.pdf</a>	PHA, West Troy Contaminated Aquifer, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/EastTroyContaminatedAquifer/EastTroyContaminatedAquiferPHAFinal0422011.pdf">https://www.atsdr.cdc.gov/HAC/pha/EastTroyContaminatedAquifer/EastTroyContaminatedAquiferPHAFinal0422011.pdf</a>	PHA, East Troy Contaminated Aquifer, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/OmegaChemicalCorporation/OmegaChemicalHC032007.pdf">https://www.atsdr.cdc.gov/HAC/pha/OmegaChemicalCorporation/OmegaChemicalHC032007.pdf</a>	in Building On-Site and Adjacent to Omega Chemical Site	X			X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=390&amp;pg=0">https://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=390&amp;pg=0</a>	targeted relevant reports in search		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/SanGerm%C3%A1nGWSite/SanGerm%C3%A1nGWSiteFINALPHA06032012.pdf">https://www.atsdr.cdc.gov/hac/pha/SanGerm%C3%A1nGWSite/SanGerm%C3%A1nGWSiteFINALPHA06032012.pdf</a>	in Municipal Drinking Water System San Germán Ground Water	X			X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/ArmenCleaners/ArmenHC030505Rev5-1.pdf">https://www.atsdr.cdc.gov/HAC/pha/ArmenCleaners/ArmenHC030505Rev5-1.pdf</a>	HC, Armen Cleaners Dry Cleaners, MI	X			X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1084&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1084&amp;pg=0</a>	PHA - Beltsville Agricultural Research Center, MD		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=24&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=24&amp;pg=0</a>	search result page		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/SanfordDryCleanersSite/SanfordDry300Cleaners_HCI(Final)_07-29-2015_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/SanfordDryCleanersSite/SanfordDry300Cleaners_HCI(Final)_07-29-2015_508.pdf</a>	HC - Sanford Dry Cleaners Site, FL		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=18&amp;pg=0">http://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=18&amp;pg=0</a>	search result page		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1370&amp;pg=1">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1370&amp;pg=1</a>	HC - downtown school Memphis city schools, Memphis, Tennessee		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/LammersBarrelFactory/LammersBarrelFactory6-10-09.pdf">https://www.atsdr.cdc.gov/hac/pha/LammersBarrelFactory/LammersBarrelFactory6-10-09.pdf</a>	PHA - Lammers Barrel Factory, OH		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/talladegaatce092404-al/talladegaatce092404-al.pdf">https://www.atsdr.cdc.gov/hac/pha/talladegaatce092404-al/talladegaatce092404-al.pdf</a>	HC - Talladega, AL		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/Duwamish_Valley/Duwamish_Valley_%20HC%207-14-2008.pdf">https://www.atsdr.cdc.gov/HAC/pha/Duwamish_Valley/Duwamish_Valley_%20HC%207-14-2008.pdf</a>	HC - Duwamish Valley, WA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1270&amp;pg=0</a>	PHA - Natick Public Water Supply, MA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/CooperCommerce121404HC/CooperCommerce121404HC.pdf">https://www.atsdr.cdc.gov/hac/pha/CooperCommerce121404HC/CooperCommerce121404HC.pdf</a>	HC - Cooper Commerce Industrial Site, AZ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=501&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=501&amp;pg=0</a>	PHA - Norfolk Naval Base, VA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=173&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=173&amp;pg=0</a>	PHA - Eglin Air Force Base, FL		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/JonesRdGroundwaterPlume/JonesRoadPHA051305.pdf">https://www.atsdr.cdc.gov/HAC/pha/JonesRdGroundwaterPlume/JonesRoadPHA051305.pdf</a>	PHA - Jones Road Groundwater Plume, TX		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/ShenandoahRoadGroundwater090803-NY/Shenandoah_PHA090803.pdf">https://www.atsdr.cdc.gov/hac/pha/ShenandoahRoadGroundwater090803-NY/Shenandoah_PHA090803.pdf</a>	PHA - Shenandoah Road Groundwater Contamination, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/ExpressDryCleaners/Express_Dry_Cleaners%20%208-20-2008.pdf">https://www.atsdr.cdc.gov/hac/pha/ExpressDryCleaners/Express_Dry_Cleaners%20%208-20-2008.pdf</a>	HC - Express Dry Cleaners, WI		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/Walden%20Ridge%20Lillie%20District/WaldenRidge110905HC.pdf">http://www.atsdr.cdc.gov/HAC/pha/Walden%20Ridge%20Lillie%20District/WaldenRidge110905HC.pdf</a>	HC - Walden's Ridge Utility District, TN		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/CampLejeuneDrinkingWater/Camp_Lejeune_Drinking_Water_PHA051305.pdf">http://www.atsdr.cdc.gov/HAC/pha/CampLejeuneDrinkingWater/Camp_Lejeune_Drinking_Water_PHA051305.pdf</a>	PHA - Camp Lejeune Drinking Water, NC		X		X	X		X		
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1305&amp;pg=0">https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1305&amp;pg=0</a>	PHA - Fairchild Air Force Base, WA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/Sandston_Air/Sandston_Air_LHC_Sept2015_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/Sandston_Air/Sandston_Air_LHC_Sept2015_508.pdf</a>	HC - Sandstone PCE Site, VA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/HormigasGroundWaterPlume/FactSheetHormigasFINAL22613.pdf">https://www.atsdr.cdc.gov/HAC/pha/HormigasGroundWaterPlume/FactSheetHormigasFINAL22613.pdf</a>	public health assessment fact sheet		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/behrdaytonthermal/behrdaytonthermal/behrdaytonthermal/hac11062013_508.pdf">https://www.atsdr.cdc.gov/hac/pha/behrdaytonthermal/behrdaytonthermal/hac11062013_508.pdf</a>	PHA - Behr Dayton Thermal Systems VOC Plume, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/banderaroadgroundwaterplume/banderaroadgroundwaterplume/pha92807.pdf">https://www.atsdr.cdc.gov/hac/pha/banderaroadgroundwaterplume/banderaroadgroundwaterplume/pha92807.pdf</a>	PHA - Bandera Road Groundwater Plume, TX		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/LaneStreetGroundWaterContaminationSite/ERW/LaneStreetGroundWaterContaminationSite/ERW1122013_108.pdf">https://www.atsdr.cdc.gov/hac/pha/LaneStreetGroundWaterContaminationSite/ERW/LaneStreetGroundWaterContaminationSite/ERW1122013_108.pdf</a>	PHA - Lane Street Ground Water Contamination Site, IN		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pba/SanfordDryCleanersSite/SanfordPublicCommentHC72011release.pdf">https://www.atsdr.cdc.gov/HAC/pba/SanfordDryCleanersSite/SanfordPublicCommentHC72011release.pdf</a>	HC - Sanford Dry Cleaners Site, FL		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/CrownCleaners092903-NY/CrownCleaners_PHA092903.pdf">https://www.atsdr.cdc.gov/hac/pba/CrownCleaners092903-NY/CrownCleaners_PHA092903.pdf</a>	PHA - Crown Cleaners Site, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/milfordcontaminatedaquifer/milfordcontaminatedaquiferpha02212013.pdf">https://www.atsdr.cdc.gov/hac/pba/milfordcontaminatedaquifer/milfordcontaminatedaquiferpha02212013.pdf</a>	PHA - Milford Contaminated Aquifer, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/pba.asp?docid=1290&amp;pg=0">https://www.atsdr.cdc.gov/hac/pba/pba.asp?docid=1290&amp;pg=0</a>	PHA - Bangor Naval Submarine Base, WA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/communitylaundromat/communitylaundromathc.pdf">https://www.atsdr.cdc.gov/hac/pba/communitylaundromat/communitylaundromathc.pdf</a>	HC - Community Laundromat, MO		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pba/LandfillSite/Lee_Lane_Solids20Gas_LHC_07-28-2014_508.pdf">https://www.atsdr.cdc.gov/HAC/pba/LandfillSite/Lee_Lane_Solids20Gas_LHC_07-28-2014_508.pdf</a>	HC - Lee's Lane Landfill Site, KY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/navalsupportfacility/navalsupportfacilitydahlgrenpha10_11_06.pdf">https://www.atsdr.cdc.gov/hac/pba/navalsupportfacility/navalsupportfacilitydahlgrenpha10_11_06.pdf</a>	PHA - Naval Support Facility (NSF) Dahlgren		X		X		X		X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pba/ChillumPercSite/ChillumPercSiteHC_PC_040908.pdf">http://www.atsdr.cdc.gov/hac/pba/ChillumPercSite/ChillumPercSiteHC_PC_040908.pdf</a>	HC - Chillum Perc Site, MD		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/pba.asp?docid=343&amp;pg=1">https://www.atsdr.cdc.gov/hac/pba/pba.asp?docid=343&amp;pg=1</a>	HC - Residential Area Shop Emissions, PA		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pba/LawrenceAviation/Lawrence%20Aviation_LHC_05-16-2014_508.pdf">https://www.atsdr.cdc.gov/HAC/pba/LawrenceAviation/Lawrence%20Aviation_LHC_05-16-2014_508.pdf</a>	HC - Lawrence Aviation - NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pba/ValleyPikeVOCSite/Valley%20Pike%20VOC%20Site_LHC_%2003-24-2014_508.pdf">https://www.atsdr.cdc.gov/HAC/pba/ValleyPikeVOCSite/Valley%20Pike%20VOC%20Site_LHC_%2003-24-2014_508.pdf</a>	HC - Valley Pike VOC Site, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pba/MansfieldTrailDump/Mansfield_Trail_Dump_%20HC_Final_508.pdf">https://www.atsdr.cdc.gov/HAC/pba/MansfieldTrailDump/Mansfield_Trail_Dump_%20HC_Final_508.pdf</a>	HC - Mansfield Trail Dup Superfund Site, NJ		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/navyardmillsite/navyardmillsitehc07262012.pdf">https://www.atsdr.cdc.gov/hac/pba/navyardmillsite/navyardmillsitehc07262012.pdf</a>	HC - Navy Yard Mills Site, MA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/SRSARContamination/SRSARContaminationPHAFinal02032014_508.pdf">https://www.atsdr.cdc.gov/hac/pba/SRSARContamination/SRSARContaminationPHAFinal02032014_508.pdf</a>	PHA - Savannah River Site, SC	X			X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/PHA/ColonieSite100504-NY/ColonieSite100504HC-NY.pdf">https://www.atsdr.cdc.gov/hac/PHA/ColonieSite100504-NY/ColonieSite100504HC-NY.pdf</a>	HC - Colnie Site, NY		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/PHA.asp?docid=390&amp;pg=2">https://www.atsdr.cdc.gov/hac/pba/PHA.asp?docid=390&amp;pg=2</a>	HC - Ciba-Greigy Superfund Site, NJ		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pba/pba.asp?docid=1008&amp;pg=1">https://www.atsdr.cdc.gov/hac/pba/pba.asp?docid=1008&amp;pg=1</a>	HC - City of Fort Valley Utilities Commission, GA		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/FormerSiemensStrombergSite/SiemensStrombergSiteHC06102010.pdf">https://www.atsdr.cdc.gov/hac/pha/FormerSiemensStrombergSite/SiemensStrombergSiteHC06102010.pdf</a>	HC for Siemens		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/FormerAmericanBeryllium/American_Beryllium_Company%20PH%2030-2006.pdf">https://www.atsdr.cdc.gov/HAC/pha/FormerAmericanBeryllium/American_Beryllium_Company%20PH%2030-2006.pdf</a>	PHA - Former American Beryllium Company, FL		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/SchlageLockCo/SchlageLockCo-WidefieldWaterHC020306.pdf">https://www.atsdr.cdc.gov/HAC/pha/SchlageLockCo/SchlageLockCo-WidefieldWaterHC020306.pdf</a>	HC - Schlage Lock Company, CO		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/SGGGlobalInc/SGG_Global_Inc_HC_01-29-2016_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/SGGGlobalInc/SGG_Global_Inc_HC_01-29-2016_508.pdf</a>	HC - SRG Global, GA		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/HAC/pha/ChicagoHeightsRevisedChicago%20Heights%20%20PH%2004-2014_508.pdf">https://www.atsdr.cdc.gov/HAC/pha/ChicagoHeightsRevisedChicago%20Heights%20%20PH%2004-2014_508.pdf</a>	HC - Chicago Heights Boulevard VOC Plume Site, MO		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/newcarlislelandfill/newcarlislelandfillphafinal05172012.pdf">https://www.atsdr.cdc.gov/hac/pha/newcarlislelandfill/newcarlislelandfillphafinal05172012.pdf</a>	PHA - New Carlisle Landfill, OH		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/bmillageofendicot/ibm-historicaloutdoorairhc11.17.06.pdf">https://www.atsdr.cdc.gov/hac/pha/bmillageofendicot/ibm-historicaloutdoorairhc11.17.06.pdf</a>	HC - IBM, NY	X			X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/NavalAirFacility/Document.pdf">https://www.atsdr.cdc.gov/hac/pha/NavalAirFacility/Document.pdf</a>	PHA - Naval Air Facility, AK		X		X		X		X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/pearlharbormovalcomplex/pearlharbormovalcomplexpha122806.pdf">https://www.atsdr.cdc.gov/hac/pha/pearlharbormovalcomplex/pearlharbormovalcomplexpha122806.pdf</a>	PHA - Pearl Harbor Naval Complex, HI		X		X		X		X	
ATSDR	<a href="http://www.atsdr.cdc.gov/HAC/pha/SavannahRiverSite121707/SavannahRiverSiteFinalPHA121707.pdf">http://www.atsdr.cdc.gov/HAC/pha/SavannahRiverSite121707/SavannahRiverSiteFinalPHA121707.pdf</a>	PHA - Savannah River Site, SC		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/CaboRojoGWContamination/CaboRojoGWContaminationPHAFinal0222012.pdf">https://www.atsdr.cdc.gov/hac/pha/CaboRojoGWContamination/CaboRojoGWContaminationPHAFinal0222012.pdf</a>	PHA - Cabo Rojo Ground Water Contamination Site, Puerto Rico		X		X	X			X	
ATSDR	<a href="https://www.atsdr.cdc.gov/hac/pha/nfs/nfsphabrown.pdf">https://www.atsdr.cdc.gov/hac/pha/nfs/nfsphabrown.pdf</a>	PHA - Nuclear Fuel Services, TN		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Nuclear Fuel Services, TN		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - Grand Traverse Overall Supply NPL Site, MI		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - North Indian Bend Wash Area 12 Treatment Facility, AZ		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - Navy Yard Mills Site, MA		X		X	X			X	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - Soil Gas Infiltration in Area 4 and Area 7, IL		X		X	X			X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - East Troy Contaminated Aquifer, OH		x		x	x			x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Pohatcong Valley Groundwater Contamination Superfund Site, NJ		x		x	x			x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Brick Township Investigation, NJ		x		x	x			x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Verona Well Field, MI		x		x	x			x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - Duwamish Valley, WA		x		x	x			x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	PHA - Lawrence Livermore National Laboratory, CA		x		x	x			x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - Navy Yard Mills Site, MA		x		x	x			x	
ATSDR	<a href="http://www.atsdr.cdc.gov/hac/pha/">www.atsdr.cdc.gov/hac/pha/</a>	HC - Valley Pike VOC Site, OH		x		x	x			x	
CDC Biomonitoring Tables	<a href="https://www.cdc.gov/exposurereport/index.html">https://www.cdc.gov/exposurereport/index.html</a>	NHANES Tables, Compiled		x		x	x			x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/npg/nengapdxg.html">https://www.cdc.gov/niosh/npg/nengapdxg.html</a>	Update Project - Exposure Limits NOT in Effect	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/ncpc/azncpc.html">https://www.cdc.gov/niosh/ncpc/azncpc.html</a>	Protective Clothing: A Companion to the NIOSH Pocket Guide to Chemical	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/3704.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/3704.pdf</a>	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/hazardcontrol/pdfs/hc16.pdf">https://www.cdc.gov/niosh/docs/hazardcontrol/pdfs/hc16.pdf</a>	Perchloroethylene in Commercial Drycleaning; HC16	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00232139.html">http://www.cdc.gov/niosh/nioshtic-2/00232139.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20024014.html">http://www.cdc.gov/niosh/nioshtic-2/20024014.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20044836.html">http://www.cdc.gov/niosh/nioshtic-2/20044836.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00233615.html">http://www.cdc.gov/niosh/nioshtic-2/00233615.html</a>	Peer review article		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00134524.html">http://www.cdc.gov/niosh/nioshtic-2/00134524.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00134587.html">http://www.cdc.gov/niosh/nioshtic-2/00134587.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20043510.html">http://www.cdc.gov/niosh/nioshtic-2/20043510.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/topics/dryclean/">https://www.cdc.gov/niosh/topics/dryclean/</a>	relevant publications covered elsewhere		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/pel88/127-18.html">http://www.cdc.gov/niosh/pel88/127-18.html</a>	1988 OSHA PEL Project documentation	X			X		X	X		
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20041449.html">http://www.cdc.gov/niosh/nioshtic-2/20041449.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20020659.html">http://www.cdc.gov/niosh/nioshtic-2/20020659.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/20032877.html">https://www.cdc.gov/niosh/nioshtic-2/20032877.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/nioshtic-2/20025300.html">https://www.cdc.gov/niosh/nioshtic-2/20025300.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20037312.html">http://www.cdc.gov/niosh/nioshtic-2/20037312.html</a>	Trichloroethane, trichloroethylene, and perchloroethylene.	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20022502.html">http://www.cdc.gov/niosh/nioshtic-2/20022502.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00195587.html">http://www.cdc.gov/niosh/nioshtic-2/00195587.html</a>	Perchloroethylene, Carman's Classic Cleaners, Richmond, California,	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00080672.html">http://www.cdc.gov/niosh/nioshtic-2/00080672.html</a>	biologic standard for the industrial worker by breath analysis.	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00229547.html">http://www.cdc.gov/niosh/nioshtic-2/00229547.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00117555.html">http://www.cdc.gov/niosh/nioshtic-2/00117555.html</a>	Perchloroethylene at Fernwood Cleaners, Chicago, Illinois.	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00117556.html">http://www.cdc.gov/niosh/nioshtic-2/00117556.html</a>	Perchloroethylene at Ernest Winzer Company, New York, New York.	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-201-15a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-201-15a.pdf</a>	perchloroethylene exposures in commercial dry cleaners at	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-007/0007-Toraason.pdf">https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-007/0007-Toraason.pdf</a>	powerpoint presentation, has some data (cites peer review)		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/256-16b.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/256-16b.pdf</a>	perchloroethylene (PCE) in vapor degreasing operations, site #2 EPHB	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/201-11a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/201-11a.pdf</a>	perchloroethylene exposures and ergonomic hazards in commercial dry	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/topics/tetrachloro/">https://www.cdc.gov/niosh/topics/tetrachloro/</a>	Source page for NIOSH resources on Perc		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00134802.html">http://www.cdc.gov/niosh/nioshtic-2/00134802.html</a>	properties, occ exposure, health effects	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00114097.html">http://www.cdc.gov/niosh/nioshtic-2/00114097.html</a>	Perchloroethylene, White Oak Drive-In Cleaners, San Carlos, California.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/docket/archive/docket007.html">http://www.cdc.gov/niosh/docket/archive/docket007.html</a>	material from meeting about Perc, including presentations		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-256-17b.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/ECTB-256-17b.pdf</a>	perchloroethylene (PCE) in vapor degreasing operations, site #3, report	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20041779.html">http://www.cdc.gov/niosh/nioshtic-2/20041779.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00105856.html">http://www.cdc.gov/niosh/nioshtic-2/00105856.html</a>	Dry Cleaners Workers Exposed to Perchloroethylene	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/201-13a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/201-13a.pdf</a>	perchloroethylene exposures in commercial dry cleaners at Widmer's	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00093589.html">http://www.cdc.gov/niosh/nioshtic-2/00093589.html</a>	Peer review article		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00114090.html">http://www.cdc.gov/niosh/nioshtic-2/00114090.html</a>	Perchloroethylene, Gaston's Cleaners, Lafayette, California.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00113408.html">http://www.cdc.gov/niosh/nioshtic-2/00113408.html</a>	Perchloroethylene, Ruby's Cleaners, Hayward, California.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00114089.html">http://www.cdc.gov/niosh/nioshtic-2/00114089.html</a>	Perchloroethylene, Peninsula French Cleaners, Burlingame, California.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00134976.html">http://www.cdc.gov/niosh/nioshtic-2/00134976.html</a>	Perchloroethylene In The Dry Cleaning Industry.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00114087.html">http://www.cdc.gov/niosh/nioshtic-2/00114087.html</a>	Perchloroethylene, Mills Park Cleaners, San Bruno, California.	x			x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00109223.html">http://www.cdc.gov/niosh/nioshtic-2/00109223.html</a>	Perchloroethylene at Peerless Cleaners, New York, New York.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00195590.html">http://www.cdc.gov/niosh/nioshtic-2/00195590.html</a>	Perchloroethylene, at Key Club Cleaners, Skokie, Illinois, Report No.	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00108665.html">http://www.cdc.gov/niosh/nioshtic-2/00108665.html</a>	Perchloroethylene at Marvel Cleaners, 212 West 35th Street, New York City,	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00105093.html">http://www.cdc.gov/niosh/nioshtic-2/00105093.html</a>	Perchloroethylene at Pine Cleaners 15920 Puritan Street, Detroit,	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/1003.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/1003.pdf</a>	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20000629.html">http://www.cdc.gov/niosh/nioshtic-2/20000629.html</a>	perchloroethylene exposures before and after the installation of local	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/pdfs/hc17.pdf">https://www.cdc.gov/niosh/pdfs/hc17.pdf</a>	Perchloroethylene in Commercial Drycleaning (substitution); HC 17,	x			x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/ipcsnfrn/nfrn0076.html">http://www.cdc.gov/niosh/ipcsnfrn/nfrn0076.html</a>	French version of ICSC card		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/97-150/">https://www.cdc.gov/niosh/docs/97-150/</a>	in Commercial Drycleaners: Chemical Exposures, Fire Hazards, and	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/topics/organsolv/">https://www.cdc.gov/niosh/topics/organsolv/</a>	List of publications for organic solvents		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/method-t.html">https://www.cdc.gov/niosh/docs/2003-154/method-t.html</a>	List of chemicals covered by NMAM		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/women/services.html">http://www.cdc.gov/niosh/topics/women/services.html</a>	Health Issues at work; links to sources covered elsewhere		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/npq/npqsyn-p.html">https://www.cdc.gov/niosh/npq/npqsyn-p.html</a>	List of chemicals for pocket guides		x		x		x		x	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/repro/breastfeeding.html">http://www.cdc.gov/niosh/topics/repro/breastfeeding.html</a>	Fact sheet		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-007/0007-Almaquer.pdf">https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-007/0007-Almaquer.pdf</a>	NIOSH Perchloroethylene (PCE) Vapor Degreaser Study	x			x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/hazardcontrol/pdfs/hc24.pdf">https://www.cdc.gov/niosh/docs/hazardcontrol/pdfs/hc24.pdf</a>	Not chemical of interest		x		x		x		x	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/pdfs/hc18.pdf">https://www.cdc.gov/niosh/pdfs/hc18.pdf</a>	Perchloroethylene in Commercial Drycleaning (Machine Design); HC 18,	x			x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/surveyreports/pdfs/201-12a.pdf">https://www.cdc.gov/niosh/surveyreports/pdfs/201-12a.pdf</a>	perchloroethylene exposures in commercial dry cleaners at Hyde Park	X		X			X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/87-104/">https://www.cdc.gov/niosh/docs/87-104/</a>	Organic Solvent Neurotoxicity; secondary source, no new quantitative	X		X			X	X		
CDC NIOSH	<a href="http://www.cdc.gov/niosh/pgms/worknotify/drycleaner2.html">http://www.cdc.gov/niosh/pgms/worknotify/drycleaner2.html</a>	Worker notification for cancer risk		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00175551.html">http://www.cdc.gov/niosh/nioshtic-2/00175551.html</a>	Peer review article		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2008-0175-3111_ko.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2008-0175-3111_ko.pdf</a>	Duplicate		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/pubs/all_title_asc_nopubnumbers.html">https://www.cdc.gov/niosh/pubs/all_title_asc_nopubnumbers.html</a>	publications, publications likely captured elsewhere (primarily		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/idlh/intrid4.html">http://www.cdc.gov/niosh/idlh/intrid4.html</a>	Found in manual search/ google		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/pdfs/76-137c.pdf">https://www.cdc.gov/niosh/pdfs/76-137c.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2001-123/pdfs/2001-123.pdf">https://www.cdc.gov/niosh/docs/2001-123/pdfs/2001-123.pdf</a>	Fact sheet on women's health issues at work (brief sentence on Perc)		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/docs/2003-154/method-casall.html">http://www.cdc.gov/niosh/docs/2003-154/method-casall.html</a>	Listing of chemicals in Manual of analytical methods (NMAM)		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf</a>	HETA-90-172-2076, Bussmann/Cooper Industries,	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/pgms/worknotify/pdfs/EndicottOverview.pdf">https://www.cdc.gov/niosh/pgms/worknotify/pdfs/EndicottOverview.pdf</a>	Microelectronics and Business Machines Manufacturing Workers	X			X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0084-3227.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0084-3227.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/pdfs/hc19.pdf">https://www.cdc.gov/niosh/pdfs/hc19.pdf</a>	Perchloroethylene in Commercial Drycleaning; HC 19, outlines	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/repro/solvents.html">http://www.cdc.gov/niosh/topics/repro/solvents.html</a>	Fact sheet- general		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/20000049.html">http://www.cdc.gov/niosh/nioshtic-2/20000049.html</a>	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/whatsnew/what967.html">http://www.cdc.gov/niosh/whatsnew/what967.html</a>	News for new things on website		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2003-154/pdfs/2549.pdf">https://www.cdc.gov/niosh/docs/2003-154/pdfs/2549.pdf</a>	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/docs/2003-154/method-p.html">http://www.cdc.gov/niosh/docs/2003-154/method-p.html</a>	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/docs/2004-135/pdfs/2004-135.pdf">https://www.cdc.gov/niosh/docs/2004-135/pdfs/2004-135.pdf</a>	safety and health changes in the workplace		X		X		X		X	
CDC NIOSH	<a href="https://www.cdc.gov/niosh/npg/npgd0598.html">https://www.cdc.gov/niosh/npg/npgd0598.html</a>	Not chemical		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/skin/skinresearch.html">http://www.cdc.gov/niosh/topics/skin/skinresearch.html</a>	General fact sheet		X		X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/nioshtic-2/00113556.html">http://www.cdc.gov/niosh/nioshtic-2/00113556.html</a>	workplace contaminants: trichloroethylene, perchloroethylene,		X		X		X	X		
CDC NIOSH	<a href="https://www.cdc.gov/niosh/pgms/worknotify/pdfs/Endicott-BD-FINAL.pdf">https://www.cdc.gov/niosh/pgms/worknotify/pdfs/Endicott-BD-FINAL.pdf</a>	Results of a NIOSH study of birth defects among children of former	X			X		X	X		
CDC NIOSH	<a href="http://www.cdc.gov/niosh/npg/npgdcas.html">http://www.cdc.gov/niosh/npg/npgdcas.html</a>	Exposure limit	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	hazards- name (including synonyms/trade names),	X		X		X			X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	NIOSH Worker Notification Program-Dry cleaners (1) Organic Solvents	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	cleaning, regulations on occupational exposure to Perc in dry cleaning	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	for a Recommended Standard: Occupational Exposure to	X			X		X		X	
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	Current Intelligence Bulletin 20-Tetrachloroethylene (Perc)	X			X		X	X		
CDC NIOSH	<a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a>	Occupational Health Guideline for Tetrachloroethylene	X		X			X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0300-2993.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0300-2993.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/81-65-938.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/81-65-938.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0298-2499.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0298-2499.pdf</a>	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0055-3073.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0055-3073.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2010-0061-3206.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2010-0061-3206.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0223-2211.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0223-2211.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/82-75-1545.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/82-75-1545.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0316-2339.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0316-2339.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0082-1971.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0082-1971.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2013-0117-3247.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2013-0117-3247.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-71-703.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-71-703.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-110-724.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-110-724.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0162-2331.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0162-2331.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-18-691.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-18-691.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0351-2252.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0351-2252.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/74-28-212.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/74-28-212.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/73-86-114.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/73-86-114.pdf</a>	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/82-127-1370.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/82-127-1370.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/81-310-1039.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/81-310-1039.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0004-2316.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0004-2316.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1982-0280-1407.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1982-0280-1407.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0349-2022.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0349-2022.pdf</a>	Human Hazard Eval. Report, PERC only in bulk air sample	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0172-2076.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0306-2911.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0306-2911.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0188-2605.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0188-2605.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0084-3227.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0084-3227.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0249-2773.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0249-2773.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0135-2612.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0135-2612.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/82-40-1119.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/82-40-1119.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-37-725.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-37-725.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0179-2172.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0179-2172.pdf</a>	looked at Perc in drinking water of park (near volcanic emissions)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0421-1956.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0421-1956.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2014-0081-3231.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2014-0081-3231.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/83-15-1809.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/83-15-1809.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/83-326-1535.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/83-326-1535.pdf</a>	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0124-2470.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0124-2470.pdf</a>	Perc not focus		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-74-714.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-74-714.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/72-35-34.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/72-35-34.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/80-100-798.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/80-100-798.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0670-2557.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0670-2557.pdf</a>	Perc not found		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0297-2396.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0297-2396.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0110-2849.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0110-2849.pdf</a>	Perc and DCM not detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0124-2875.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0124-2875.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0136-2880.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0136-2880.pdf</a>	Perc, TCE not detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0355-2449.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0355-2449.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/79-74-653.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/79-74-653.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/81-105-831.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/81-105-831.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/81-7-985.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/81-7-985.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0075-2122.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0075-2122.pdf</a>	Perc not focus		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0405-2551.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0405-2551.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0357-2404.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0357-2404.pdf</a>	Perc not focus		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0092-1967.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0092-1967.pdf</a>	Perc not focus		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0226-2281.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0226-2281.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0219-2708.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0219-2708.pdf</a>	Chem exposure not measured		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0093-2717.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0093-2717.pdf</a>	Perc not focus		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/79-41-594.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/79-41-594.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0127-3068.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0127-3068.pdf</a>	Perc not focus		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/81-39-1104.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/81-39-1104.pdf</a>	Perc, TCE not detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0139-2769.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0139-2769.pdf</a>	Perc amount not reported		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0102-2537.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0102-2537.pdf</a>	Perc amount not reported		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0005-1679.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0005-1679.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/79-42-685.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/79-42-685.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0351-2413.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0351-2413.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="http://www.cdc.gov/niosh/hhe/reports/pdfs/79-96-729.pdf">http://www.cdc.gov/niosh/hhe/reports/pdfs/79-96-729.pdf</a>	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	<a href="https://www.cdc.gov/niosh/hhe/reports/pdfs/78-56-511.pdf">https://www.cdc.gov/niosh/hhe/reports/pdfs/78-56-511.pdf</a>	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Immediately Dangerous to Life or Health	<a href="https://www.cdc.gov/niosh/idlh/127184.html">https://www.cdc.gov/niosh/idlh/127184.html</a>	health concentrations of Perc; occupational exposure limits, animal	X			X		X		X	
CDC NIOHS International Chemical Safety Cards (ICSC)	<a href="https://www.cdc.gov/niosh/ipcsneng/nengcas.html">https://www.cdc.gov/niosh/ipcsneng/nengcas.html</a>	properties, routes of exposure, occupational exposure limits	X		X			X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Food/FoodScienceResearch/TotalDietStudy/ucm184293.htm">http://www.fda.gov/Food/FoodScienceResearch/TotalDietStudy/ucm184293.htm</a>	Chemicals in foods, results for individual years in zip files	X			X	X			X	
FDA Food and Drug Administration	<a href="https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291686.pdf">https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291686.pdf</a>	results in food from the FDA's Total Diet Study program (2004-1-2005-4)	X			X	X			X	
FDA Food and Drug Administration	<a href="https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184304.pdf">https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184304.pdf</a>	results in food from the FDA's Total Diet Study program (1991-3-2003-4)	X			X	X			X	
FDA Food and Drug Administration	<a href="https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291685.pdf">https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291685.pdf</a>	results in food from the FDA's Total Diet Study program (2004-1-2005-4)	X			X	X			X	







Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodborneIllnessContaminants/UCM114733.pdf">http://www.fda.gov/downloads/Food/FoodborneIllnessContaminants/UCM114733.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/Drugs/AdvisoryCommittees/UCM301305.pdf">http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/Drugs/AdvisoryCommittees/UCM301305.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm189533.htm">http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm189533.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm338981.htm">http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm338981.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/AdvisoryCommittees/Calendar/ucm226091.htm">http://www.fda.gov/AdvisoryCommittees/Calendar/ucm226091.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM187636.pdf">http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM187636.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM387635.pdf">http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM387635.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM530594.pdf">http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM530594.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm185103.htm">http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm185103.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/ScienceResearch/SpecialTopics/PediatricTherapeuticsResearch/UCM262309.pdf">http://www.fda.gov/downloads/ScienceResearch/SpecialTopics/PediatricTherapeuticsResearch/UCM262309.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/ScienceResearch/SpecialTopics/PediatricTherapeuticsResearch/UCM353121.pdf">http://www.fda.gov/downloads/ScienceResearch/SpecialTopics/PediatricTherapeuticsResearch/UCM353121.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/NewsEvents/MeetingsConferencesWorkshops/UCM444840.pdf">http://www.fda.gov/downloads/NewsEvents/MeetingsConferencesWorkshops/UCM444840.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/ScienceResearch/SpecialTopics/PediatricTherapeuticsResearch/UCM353121.pdf">http://www.fda.gov/downloads/ScienceResearch/SpecialTopics/PediatricTherapeuticsResearch/UCM353121.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM379244.pdf">http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM379244.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/AdvisoryCommittees/CommitteesMeetingMaterials/PediatricAdvisoryCommittee/">http://www.fda.gov/AdvisoryCommittees/CommitteesMeetingMaterials/PediatricAdvisoryCommittee/</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM323253.pdf">http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM323253.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/OHRMS/DOCKETS/98fr/cf99148.pdf">http://www.fda.gov/OHRMS/DOCKETS/98fr/cf99148.pdf</a>	Final Rule: Indirect Food Additives: Paper and Paperboard Components	X			X	X			X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	<a href="http://www.fda.gov/oc/ohrtm/dockets/daily/03/dec03/120103/03e-0544-cp00001-08-lab6-vol1.pdf">http://www.fda.gov/oc/ohrtm/dockets/daily/03/dec03/120103/03e-0544-cp00001-08-lab6-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/BiologicsBloodVaccines/CellularGeneTherapyProducts/ApprovedProducts/ucm307797.htm">http://www.fda.gov/BiologicsBloodVaccines/CellularGeneTherapyProducts/ApprovedProducts/ucm307797.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/Products/AdvisoryCommittees/UCM117132.pdf">http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/Products/AdvisoryCommittees/UCM117132.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM520480.pdf">http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM520480.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/Drugs/Drugs/AdvisoryCommittees/UCM197964.pdf">http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/Drugs/Drugs/AdvisoryCommittees/UCM197964.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/oc/ohrtm/dockets/daily/03/dec03/120103/03e-0544-cp00001-08-lab6-vol1.pdf">http://www.fda.gov/oc/ohrtm/dockets/daily/03/dec03/120103/03e-0544-cp00001-08-lab6-vol1.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM332289.pdf">http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM332289.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/Safety/Recalls/ucm260826.htm">http://www.fda.gov/Safety/Recalls/ucm260826.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM243796.pdf">http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM243796.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/AboutFDA/CentersOffices/OfficeofMedicalProductsandTobacco/CDER/ucm106342.htm">http://www.fda.gov/AboutFDA/CentersOffices/OfficeofMedicalProductsandTobacco/CDER/ucm106342.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/BiologicsBloodVaccines/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM447096.pdf">http://www.fda.gov/downloads/BiologicsBloodVaccines/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM447096.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM482648.pdf">http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM482648.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM493499.pdf">http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM493499.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/BiologicsBloodVaccines/CellularGeneTherapyProducts/ApprovedProducts/ucm213608.htm">http://www.fda.gov/BiologicsBloodVaccines/CellularGeneTherapyProducts/ApprovedProducts/ucm213608.htm</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/BiologicsBloodVaccines/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM447096.pdf">http://www.fda.gov/downloads/BiologicsBloodVaccines/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM447096.pdf</a>	Not relevant		X		X		X		X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/oc/ohrtm/dockets/daily/03/dec03/120103/03e-0544-cp00001-08-lab6-vol1.pdf">http://www.fda.gov/oc/ohrtm/dockets/daily/03/dec03/120103/03e-0544-cp00001-08-lab6-vol1.pdf</a>	commercially processed irradiated foods- measured levels of Perc and	X			X	X			X	
FDA Food and Drug Administration	<a href="http://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184303.pdf">http://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184303.pdf</a>	results in food from the FDA's Total Diet Study program (1991-3-2003-4)	X			X	X			X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfRes/res.cfm?ID=127016">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfRes/res.cfm?ID=127016</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=2434223">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=2434223</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2011/022439Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2011/022439Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=2626436">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=2626436</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/Detail.CFM?MDRFOI_ID=835110">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/Detail.CFM?MDRFOI_ID=835110</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=672229">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=672229</a>	link not working		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1001459">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1001459</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1765650">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1765650</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=958414">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=958414</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=4973562">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=4973562</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=1993347">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=1993347</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1408663">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1408663</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1195644">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1195644</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=729892">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=729892</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=2096603">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=2096603</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1309584">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1309584</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1333680">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=1333680</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1511454">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1511454</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf10/K100353.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf10/K100353.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/cms_ia/importalert_88.html">http://www.accessdata.fda.gov/cms_ia/importalert_88.html</a>	Trichloroethylene (TCE) Residue in Olive Oil	X			X	X			X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf13/K132099.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf13/K132099.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf/K963732.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf/K963732.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=962774">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=962774</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpmn/pmn.cfm?ID=K053447">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpmn/pmn.cfm?ID=K053447</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/cdrh_docs/pdf14/K140598.pdf">http://www.accessdata.fda.gov/cdrh_docs/pdf14/K140598.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/205596Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/205596Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/022396Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/022396Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=962774">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=962774</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfRL/rl.cfm?Id=340711&amp;lpod=FAD">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfRL/rl.cfm?Id=340711&amp;lpod=FAD</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=1810769">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=1810769</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=4281357">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=4281357</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf6/K061259.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf6/K061259.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/summary_review/2008/021908se1-005_SUMR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/summary_review/2008/021908se1-005_SUMR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=980225">http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/Detail.CFM?MDRFOI_ID=980225</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206814Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206814Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/021856s000_CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/021856s000_CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/022396Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/022396Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/125521Orig1s0000DMemo.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/125521Orig1s0000DMemo.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206307Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206307Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/208434Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/208434Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf14/K140605.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf14/K140605.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf14/K142296.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf14/K142296.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/204485Orig1s000MedR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/204485Orig1s000MedR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/125544Orig1s000OtherR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/125544Orig1s000OtherR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdfpoi_id=911741">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdfpoi_id=911741</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf5/K053447.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf5/K053447.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/cdrh_docs/pdf3/K030954.pdf">http://www.accessdata.fda.gov/cdrh_docs/pdf3/K030954.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/208019Orig1s000OtherR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/208019Orig1s000OtherR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/022556Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/022556Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208341Orig1s000OtherRedt.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208341Orig1s000OtherRedt.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022488s000medr.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022488s000medr.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204307Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204307Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf15/K153598.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf15/K153598.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/021883Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/021883Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/205175Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/205175Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1016063">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1016063</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/022526Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/022526Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/207620Orig1s000OtherR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/207620Orig1s000OtherR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206829Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206829Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022563Orig1s000ClinPharmR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022563Orig1s000ClinPharmR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208401Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208401Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208573Orig1s000OtherR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208573Orig1s000OtherR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=165.110">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfctr/CFRSearch.cfm?fr=165.110</a>	Code of Federal Regulations, 21CFR165.110	X			X	X			X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2012/203491Orig1s000ODMemo.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2012/203491Orig1s000ODMemo.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208143Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208143Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1502240">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1502240</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/205053Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/205053Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204592Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204592Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="https://www.accessdata.fda.gov/cdrh_docs/pdf15/K150915.pdf">https://www.accessdata.fda.gov/cdrh_docs/pdf15/K150915.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208289Orig1s000Admincorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/208289Orig1s000Admincorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/125460Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/125460Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/205831Orig1s000Admincorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/205831Orig1s000Admincorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/204427Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/204427Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204168Orig1s000OtherR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204168Orig1s000OtherR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/203629Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/203629Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/203567Orig1s000ODMemo.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/203567Orig1s000ODMemo.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1137305">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=1137305</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2011/022497Orig1s000MedR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2011/022497Orig1s000MedR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/200671Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/200671Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204307Orig1s000MedR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204307Orig1s000MedR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/203567Orig1s000Admincorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/203567Orig1s000Admincorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/205223Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/205223Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/125504Orig1s000AdminR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/125504Orig1s000AdminR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2011/022442Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2011/022442Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2008/022009s000_SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2008/022009s000_SumR.pdf</a>	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022363a000_AdminCorres_P5.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022363a000_AdminCorres_P5.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/205551Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/205551Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=954912">https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfmaude/detail.cfm?mdrfoi_id=954912</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/781033Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/781033Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204153Orig1s000ODMemo.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204153Orig1s000ODMemo.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204640Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204640Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/206073Orig1s000AdminCorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/206073Orig1s000AdminCorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/204629Orig1s000admincorres.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/204629Orig1s000admincorres.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2012/202344Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2012/202344Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206426Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/206426Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/207918Orig1s000CrossR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/207918Orig1s000CrossR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/125499Orig1s000SumR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/125499Orig1s000SumR.pdf</a>	Not relevant		X		X		X		X	
FDA Databases	<a href="http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022524Orig1s000MedR.pdf">http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/022524Orig1s000MedR.pdf</a>	Not relevant		X		X		X		X	
FDA List of Indirect Additives Used in Food Contact Substances	<a href="http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm">http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm</a>	Code of Federal Regulations Title 21-21CFR175.105		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	<a href="http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm">http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm</a>	Code of Federal Regulations Title 21-21CFR178.3010		X		X	X			X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dsg/guidance/perc.html">https://www.osha.gov/dsg/guidance/perc.html</a>	perchloroethylene (perc) in dry cleaning	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/plh/oshweb/owedisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=11876">https://www.osha.gov/plh/oshweb/owedisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=11876</a>	Tetrachloroethylene - 41:16184		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=763&amp;p_table=PREAMBLES">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=763&amp;p_table=PREAMBLES</a>	Section 1 - I. Executive Summary   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/Publications/English_Korean_perc_guidance_.pdf">https://www.osha.gov/Publications/English_Korean_perc_guidance_.pdf</a>	(PERC) IN DRY CLEANING		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/publications/publication_athruz?pType=Industry&amp;pID=69">https://www.osha.gov/pls/publications/publication_athruz?pType=Industry&amp;pID=69</a>	OSHA Publications - Dry Cleaning   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=19907">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=19907</a>	letter of interpretation of OSHA reg		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/drycleaning/hazards.html">https://www.osha.gov/SLTC/drycleaning/hazards.html</a>	Safety and Health Topics   Dry Cleaning - Hazard Recognition ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/archive/oshinfo/priorities/solvents.html">https://www.osha.gov/archive/oshinfo/priorities/solvents.html</a>	OSHA Priorities - Solvents		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/drycleaning/solutions.html">https://www.osha.gov/SLTC/drycleaning/solutions.html</a>	Safety and Health Topics   Dry Cleaning - Possible Solutions ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dsg/annotated-pels/tablez-2.html">https://www.osha.gov/dsg/annotated-pels/tablez-2.html</a>	OSHA Annotated PELs   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/partial/pv2120/pv2120.html">https://www.osha.gov/dts/sltc/methods/partial/pv2120/pv2120.html</a>	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/sic_manual.display?id=1004&amp;tab=description">https://www.osha.gov/pls/imis/sic_manual.display?id=1004&amp;tab=description</a>	Description for 2869: Industrial Organic Chemicals, Not Elsewhere ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/mdt/mdt1001/1001.html">https://www.osha.gov/dts/sltc/methods/mdt/mdt1001/1001.html</a>	detection methods	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&amp;p_id=9992">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&amp;p_id=9992</a>	1910.1000 TABLE Z-1	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/Publications/OSHA3844.pdf">https://www.osha.gov/Publications/OSHA3844.pdf</a>	Hazard Classification Guidance for Manufacturers, Importers		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dsg/safer_chemicals/step5_select.html">https://www.osha.gov/dsg/safer_chemicals/step5_select.html</a>	Step 5 - Select   Transitioning to Safer Chemicals   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=781492">https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=781492</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=201142775">https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=201142775</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/toc_p.html">https://www.osha.gov/dts/sltc/methods/toc_p.html</a>	Sampling and Analytical Methods   Index of Sampling and Analytical ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/publications">https://www.osha.gov/publications</a>	OSHA Publications   Occupational Safety and Health Administration	X			X		X		X	
OSHA Occupational Safety and Health Administration		accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/publications/publication_athruz?pType=Types&amp;plD=3">https://www.osha.gov/pls/publications/publication_athruz?pType=Types&amp;plD=3</a>	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/nyc-disaster/west-organic.html">https://www.osha.gov/nyc-disaster/west-organic.html</a>	WTC OSHA Organic Sampling Data	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/chemicalsampling/data/CH_270620.html">https://www.osha.gov/dts/chemicalsampling/data/CH_270620.html</a>	Chemical Sampling Information   Tetrachloroethylene   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch_accident_detail?id=170065635">https://www.osha.gov/pls/imis/accidentsearch_accident_detail?id=170065635</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appendices_all.pdf">https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appendices_all.pdf</a>	of the Appendices	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/establishment_inspection_detail?id=105474597">https://www.osha.gov/pls/imis/establishment_inspection_detail?id=105474597</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/etools/respirator/change_schedule_mathmodel.html">https://www.osha.gov/SLTC/etools/respirator/change_schedule_mathmodel.html</a>	Respirator Change Schedules - Using ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appb.pdf">https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appb.pdf</a>	EXPOSURE GUIDELINES (ACGIH BEI ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/osahaweb/owadisp_show_document?p_table=UNIFIED_AGENDA&amp;p_id=4157">https://www.osha.gov/pls/osahaweb/owadisp_show_document?p_table=UNIFIED_AGENDA&amp;p_id=4157</a>	1218-AB54 - 1943. PERMISSIBLE EXPOSURE LIMITS (PELS) FOR ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/osahaweb/owadisp_show_document?p_table=FEDERAL_REGISTER&amp;p_id=13194">https://www.osha.gov/pls/osahaweb/owadisp_show_document?p_table=FEDERAL_REGISTER&amp;p_id=13194</a>	Occupational Exposure to Methylene Chloride - 56:57036 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/Publications/OSHA_3676.pdf">https://www.osha.gov/Publications/OSHA_3676.pdf</a>	OSHA NIOSH Hazard Alert Methylene Chloride Hazards for Bathtub ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/establishment_inspection_detail?id=302418447">https://www.osha.gov/pls/imis/establishment_inspection_detail?id=302418447</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/drycleaning/">https://www.osha.gov/SLTC/drycleaning/</a>	Safety and Health Topics   Dry Cleaning   Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/chemicalsampling/data/CH_272780.html">https://www.osha.gov/dts/chemicalsampling/data/CH_272780.html</a>	Chemical Sampling Information - Trichloroacetic Acid	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch_search?pcc_keyword=%22Dry%20Cleaning%22&amp;keyword_liston">https://www.osha.gov/pls/imis/accidentsearch_search?pcc_keyword=%22Dry%20Cleaning%22&amp;keyword_liston</a>	accident reports, but no concentration measures		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=14458145">https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=14458145</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=170199004">https://www.osha.gov/pls/imis/accidentsearch.accident_detail?id=170199004</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/publications/publication_athruz?pType=Industry&amp;plD=100">https://www.osha.gov/pls/publications/publication_athruz?pType=Industry&amp;plD=100</a>	OSHA Publications - Hazardous and Toxic Substances ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13306">http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13306</a>	Air Contaminants - 58:35338-35351   Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=13847">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=13847</a>	08/15/1989 - Application of 1910.120 to the construction of a ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/chemicalsampling/data/CH_273000.html">https://www.osha.gov/dts/chemicalsampling/data/CH_273000.html</a>	Chemical Sampling Information   Trichloroethylene   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/publications/publication_athruz?pType=Types&amp;plD=11&amp;plang=Korean">https://www.osha.gov/pls/publications/publication_athruz?pType=Types&amp;plD=11&amp;plang=Korean</a>	Languages   Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/imis/accidentsearch.search?acc_keyword=%22Perchloroethylene%22&amp;keyword_list=on">https://www.osha.gov/pls/imis/accidentsearch.search?acc_keyword=%22Perchloroethylene%22&amp;keyword_list=on</a>	Perchloroethylene	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/publications/publication_athruz?pType=Types&amp;plD=1">https://www.osha.gov/pls/publications/publication_athruz?pType=Types&amp;plD=1</a>	Brochures/Booklets   Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dte/library/ppe_assessment/ppe_assessment.pdf">https://www.osha.gov/dte/library/ppe_assessment/ppe_assessment.pdf</a>	assessing the need for personal protective equipment (ppe)	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/nyc-disaster/southeast-organic.html">https://www.osha.gov/nyc-disaster/southeast-organic.html</a>	WTC OSHA Organic Sampling Data		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/partial/pv2320/2320.pdf">https://www.osha.gov/dts/sltc/methods/partial/pv2320/2320.pdf</a>	2-Chloropyridine Method no: PV2320 Control number: T-PV2320-01 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=4536&amp;p_table=UNIFIED_AGENDA">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=4536&amp;p_table=UNIFIED_AGENDA</a>	1218-AB54 - 2228. PERMISSIBLE EXPOSURE LIMITS (PELS) FOR ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dte/grant_materials/fy08/sh-17814-08/module_3_post_test.doc">https://www.osha.gov/dte/grant_materials/fy08/sh-17814-08/module_3_post_test.doc</a>	DOC		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=24730&amp;p_table=INTERPRETATIONS">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=24730&amp;p_table=INTERPRETATIONS</a>	10/16/2003 - OSHA-recognized chemicals as carcinogens or ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=19275">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=19275</a>	03/26/1985 - Interpretation on standards for use of cranes during ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dsg/">https://www.osha.gov/dsg/</a>	Directorate of Standards and Guidance   Occupational Safety and ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4154">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4154</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/hazardoustoxicsubstances/requirements.html">https://www.osha.gov/SLTC/hazardoustoxicsubstances/requirements.html</a>	Safety and Health Topics   Chemical Hazards and Toxic Substances ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/osta/otm/otm_ii/otm_ii_3.html">https://www.osha.gov/dts/osta/otm/otm_ii/otm_ii_3.html</a>	monitoring equipment		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/toc_t.html">https://www.osha.gov/dts/sltc/methods/toc_t.html</a>	monitoring equipment		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/etools/billandgas/glossary_of_terms/glossary_of_terms_t.html">https://www.osha.gov/SLTC/etools/billandgas/glossary_of_terms/glossary_of_terms_t.html</a>	Servicing eTool   Glossary of Terms - T ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/hazardouswaste/sftaskrpt.html">https://www.osha.gov/SLTC/hazardouswaste/sftaskrpt.html</a>	Safety and Health Topics   Hazardous Waste - EPA/Labor Superfund ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10629">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10629</a>	Gases, vapors, fumes, dusts, and mists. - 1926.55 App A ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/chemicalsampling/toc/chmcas_8.html">https://www.osha.gov/dts/chemicalsampling/toc/chmcas_8.html</a>	Chemical Sampling Information   Index by CAS Number - 124-18-5 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10286">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10286</a>	Air contaminants - 1915.1000   Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4209">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4209</a>	1218-ab86 - 2243. occupational exposure to perchloroethylene	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/chemicalsampling/toc/chmn_T.html">https://www.osha.gov/dts/chemicalsampling/toc/chmn_T.html</a>	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10058">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=10058</a>	Spirometry prediction tables for normal males and females ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dsg/hazcom/ghd053107.html">https://www.osha.gov/dsg/hazcom/ghd053107.html</a>	Guidance for Hazard Determination for Compliance with the OSHA ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dsg/PEL-forum-comments2010.html">https://www.osha.gov/dsg/PEL-forum-comments2010.html</a>	Input received through Web Forum for identifying hazardous chemicals	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=857">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&amp;p_id=857</a>	Section 1 - I. Background   Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=766&amp;p_table=PREAMBLES">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=766&amp;p_table=PREAMBLES</a>	Section 2 - II. Index to Preamble Discussion of Individual Substances ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/drycleaning/standards.html">https://www.osha.gov/SLTC/drycleaning/standards.html</a>	Safety and Health Topics   Dry Cleaning - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/nyc-disaster/summary.html">https://www.osha.gov/nyc-disaster/summary.html</a>	Dr. David Michaels CSPAN Transcript		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/shib/shib093013.html">https://www.osha.gov/dts/shib/shib093013.html</a>	Safety and Health Information Bulletins   Calibrating and Testing ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=20903">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=20903</a>	10/27/1992 - Male infertility and welding engineers.   Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=5062">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=5062</a>	1218-ab86 - 2135. occupational exposure to perchloroethylene		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4396">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4396</a>	1218-AB54 - 1996. PERMISSIBLE EXPOSURE LIMITS (PELS) FOR ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/dts/sltc/methods/studies/chrom_106_ultra/chrom_106_ultra.html">https://www.osha.gov/dts/sltc/methods/studies/chrom_106_ultra/chrom_106_ultra.html</a>	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/lmis/AccidentSearch.search?acc_keyword=%22Depressor%22&amp;keyword_list=co">https://www.osha.gov/pls/lmis/AccidentSearch.search?acc_keyword=%22Depressor%22&amp;keyword_list=co</a>	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/hazardouswaste/training/decon.html">https://www.osha.gov/SLTC/hazardouswaste/training/decon.html</a>	Hazardous Waste   Decontamination   Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/hazardouswaste/microrae.html">https://www.osha.gov/SLTC/hazardouswaste/microrae.html</a>	Hazardous Waste   OSHA Salt Lake Technical Center (SLTC ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	accident reports, but no concentration measures		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=9933&amp;p_table=STANDARDS">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=9933&amp;p_table=STANDARDS</a>	Table Z-2	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/semiconductors/tables/table4.html">https://www.osha.gov/SLTC/semiconductors/tables/table4.html</a>	Device Fabrication   Photoresist Stripping - Photoresist Strippers ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/Publications/JSHQ/jshq-v13-1-fall2001.pdf">https://www.osha.gov/Publications/JSHQ/jshq-v13-1-fall2001.pdf</a>	PDF 8.3MB		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=12982">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=12982</a>	Air Contaminants; Acetone; Calcium Hydroxide; Nitroglycerin ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/Publications/Publications-EducationalMaterials.pdf">https://www.osha.gov/Publications/Publications-EducationalMaterials.pdf</a>	duplicate	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=9760">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&amp;p_id=9760</a>	Process safety management of highly hazardous chemicals ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=18258">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=18258</a>	Updating OSHA Standards Based On National Consensus ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/SLTC/dermalexposure/tables.html">https://www.osha.gov/SLTC/dermalexposure/tables.html</a>	Dermal Exposure   Tables   Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=16776">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=16776</a>	Semi Annual Regulatory Agenda. - 65:25679-25744   Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13518">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&amp;p_id=13518</a>	Updating Permissible Exposure Limits (PELS) for Air Contaminants ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=21220">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&amp;p_id=21220</a>	Enforcement Activities affected by the ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=2000">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=2000</a>	Unified Agenda		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=2001">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=2001</a>	Unified Agenda   Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=5062">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=5062</a>	Unified Agenda   Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	<a href="https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4954">https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&amp;p_id=4954</a>	Unified Agenda   Occupational Safety and Health Administration	X			X		X		X	
OSHA Chemical Exposure Health Data	<a href="https://www.osha.gov/opengov/healthsamples.html">https://www.osha.gov/opengov/healthsamples.html</a>	OSHA PELs and general information	X			X		X		X	
NIST	<a href="https://www.nist.gov/node/737341">https://www.nist.gov/node/737341</a>	Peer reviewed abstracts		X		X		X		X	
NIST	<a href="https://www.nist.gov/document-1856">https://www.nist.gov/document-1856</a>	peer reviewed		X		X		X		X	
NIST	<a href="https://www.nist.gov/document-14422">https://www.nist.gov/document-14422</a>	peer reviewed		X		X		X		X	
NIST	<a href="https://www.nist.gov/document-10508">https://www.nist.gov/document-10508</a>	Fission document		X		X		X		X	
NIST	<a href="https://www.nist.gov/document-6919">https://www.nist.gov/document-6919</a>	Gas Flowmeter Calibrations with the 26 m PVTt Standard		X		X		X		X	
NIST	<a href="https://www.nist.gov/document-14406">https://www.nist.gov/document-14406</a>	CPY Document Title		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	<a href="https://www.nist.gov/document-8807">https://www.nist.gov/document-8807</a>	Conference proceeding, Fire Extinguisher on Jets	x			x		x		x	
NIST	<a href="https://www.nist.gov/document-10819">https://www.nist.gov/document-10819</a>	Book chapter		x		x		x		x	
NIST	<a href="https://www.nist.gov/document/review-us-participation-iso-and-iec">https://www.nist.gov/document/review-us-participation-iso-and-iec</a>	Review of US participation in ISO		x		x		x		x	
NIST	<a href="https://www.nist.gov/node/678531">https://www.nist.gov/node/678531</a>	Peer reviewed abstracts		x		x		x		x	
NIST	<a href="https://www.nist.gov/document-1561">https://www.nist.gov/document-1561</a>	Peer Reviewed Article from IUPAC with solubility		x		x		x		x	
NIST	<a href="https://www.nist.gov/document-13826">https://www.nist.gov/document-13826</a>	Word doc of calculations		x		x		x		x	
NIST	<a href="https://www.nist.gov/document-11638">https://www.nist.gov/document-11638</a>	Advanced EELS Applications In Process Development		x		x		x		x	
NIST	<a href="https://www.nist.gov/nist-research-library/journal-research-volume-52">https://www.nist.gov/nist-research-library/journal-research-volume-52</a>	Listing of documents from 1954 NIST Journal		x		x		x		x	
NIST	<a href="https://www.nist.gov/sites/default/files/documents/awcd-Air-quality-Monitoring-and-GHG-CENAM-AC-Boqota.pdf">https://www.nist.gov/sites/default/files/documents/awcd-Air-quality-Monitoring-and-GHG-CENAM-AC-Boqota.pdf</a>	Air Quality Monitoring and Climate Change Related Measurements ...		x		x		x		x	
NIST	<a href="https://www.nist.gov/document-1799">https://www.nist.gov/document-1799</a>	455. Estimation of the Heat Capacities of Organic Liquids as a ...		x		x		x		x	
NIST	<a href="https://www.nist.gov/document-7469">https://www.nist.gov/document-7469</a>	peer reviewed		x		x		x		x	
NOAA CAMEO database	<a href="https://cameochemicals.noaa.gov/">https://cameochemicals.noaa.gov/</a>	SDS - Response and break through times on PPE	x		x			x		x	
Protective Action Criteria (PAC) Database	<a href="https://sp.eota.energy.gov/pac/teel/Revision_29_Table1.pdf">https://sp.eota.energy.gov/pac/teel/Revision_29_Table1.pdf</a>	Associated Chemical Information. PACs Rev. 29, May 2016		x	x			x	x		
Protective Action Criteria (PAC) Database	<a href="https://sp.eota.energy.gov/pac/teel/Revision_29_Table2.pdf">https://sp.eota.energy.gov/pac/teel/Revision_29_Table2.pdf</a>	(PAC) Rev. 29 based on applicable 60-minute AEGLs, RPGs, or TEELs. The		x		x		x	x		
Protective Action Criteria (PAC) Database	<a href="https://sp.eota.energy.gov/pac/teel/Revision_29_Table4.pdf">https://sp.eota.energy.gov/pac/teel/Revision_29_Table4.pdf</a>	(PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs.		x		x		x	x		
US Geological Survey	<a href="https://www.usgs.gov/media/audio/phytoremediation-contaminated-groundwater">https://www.usgs.gov/media/audio/phytoremediation-contaminated-groundwater</a>	Phytoremediation of Contaminated Groundwater		x		x		x		x	
US Geological Survey	<a href="https://www.usgs.gov/centers/norock">https://www.usgs.gov/centers/norock</a>	Northern Rocky Mountain Science Center (NOROCK)		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey	<a href="https://www.usgs.gov/staff-profiles/james-landmeyer">https://www.usgs.gov/staff-profiles/james-landmeyer</a>	James Landmeyer		X		X		X		X	
US Geological Survey	<a href="https://www.usgs.gov/science/regions/southeast/georgia">https://www.usgs.gov/science/regions/southeast/georgia</a>	Georgia		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/23/RS564_Att_%20G_26.pdf">https://energy.gov/sites/prod/files/2015/06/23/RS564_Att_%20G_26.pdf</a>	AREA 55 OUTDOOR STORAGE PAD CLOSURE PLAN		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/23/2%20Part%20General%20Facility%20Conditions.pdf">https://energy.gov/sites/prod/files/2015/06/23/2%20Part%20General%20Facility%20Conditions.pdf</a>	PART 2 - GENERAL FACILITY CONDITIONS		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/09/26/S13312_DOE_LM_ASER_CY2014.pdf">https://energy.gov/sites/prod/files/2015/09/26/S13312_DOE_LM_ASER_CY2014.pdf</a>	Summary of Annual Site Reports		X		X	X			X	
Department of Energy	<a href="http://energy.gov/em/articles/savannah-river-site-cmp-pits">http://energy.gov/em/articles/savannah-river-site-cmp-pits</a>	Savannah River Site - CMP Pits		X		X	X			X	
Department of Energy	<a href="https://energy.gov/em/articles/savannah-river-site-am-area-groundwater">https://energy.gov/em/articles/savannah-river-site-am-area-groundwater</a>	Savannah River Site - A/M Area Groundwater		X		X	X			X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/EIS-0343-ROD-2004.pdf">https://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/EIS-0343-ROD-2004.pdf</a>	Record of Decision for the Electrical Interconnection of the COB ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/nepa/downloads/cx-015448-categorical-exclusion-determination">https://energy.gov/nepa/downloads/cx-015448-categorical-exclusion-determination</a>	CX-015448: Categorical Exclusion Determination   Department of ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/nepa/downloads/cx-007653-categorical-exclusion-determination">https://energy.gov/nepa/downloads/cx-007653-categorical-exclusion-determination</a>	CX-007653: Categorical Exclusion Determination   Department of ...		X		X		X		X	
Department of Energy	<a href="http://energy.gov/nepa/downloads/cx-006371-categorical-exclusion-determination">http://energy.gov/nepa/downloads/cx-006371-categorical-exclusion-determination</a>	CX-006371: Categorical Exclusion Determination   Department of ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/nepa/eis-0343-cob-energy-facility">https://energy.gov/nepa/eis-0343-cob-energy-facility</a>	EIS-0343: COB Energy Facility   Department of Energy		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/12/11/Research%20and%20Development%20Roadmap%20for%20Next-Generation%20Appliances.pdf">https://energy.gov/sites/prod/files/2014/12/11/Research%20and%20Development%20Roadmap%20for%20Next-Generation%20Appliances.pdf</a>	Research & Development Roadmap for Next-Generation Appliances		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/12/19/EIS-0066_FEIS.pdf">https://energy.gov/sites/prod/files/2014/12/19/EIS-0066_FEIS.pdf</a>	EIS-0066: Final Environmental Impact Statement		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/11/vss033_carlson_2011_o.pdf">https://energy.gov/sites/prod/files/2014/03/11/vss033_carlson_2011_o.pdf</a>	vss033_carlson_2011_o.pdf (904.53 KB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/12/melendez_alt_fuels_lessons.pdf">https://energy.gov/sites/prod/files/2014/03/12/melendez_alt_fuels_lessons.pdf</a>	Alternative Fuels Lessons Learned Workshop		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/CX-015718.pdf">https://energy.gov/sites/prod/files/CX-015718.pdf</a>	CX-015718.pdf		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/04/f21/ord3619.pdf">https://energy.gov/sites/prod/files/2015/04/f21/ord3619.pdf</a>	NA		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2013/09/f2/DOEPlumeMaps2008.pdf">https://energy.gov/sites/prod/files/2013/09/f2/DOEPlumeMaps2008.pdf</a>	Treatment at Department of Energy Sites (2008)	X			X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/f9/2006_deer_mueller.pdf">https://energy.gov/sites/prod/files/2014/03/f9/2006_deer_mueller.pdf</a>	2006_deer_mueller.pdf (332.27 KB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/06/f32/es266_cobb_2016_o_web.pdf">https://energy.gov/sites/prod/files/2016/06/f32/es266_cobb_2016_o_web.pdf</a>	es266_cobb_2016_o_web.pdf (2.29 MB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2013/09/f2/Groundwater_Booklet-2009-v5.pdf">https://energy.gov/sites/prod/files/2013/09/f2/Groundwater_Booklet-2009-v5.pdf</a>	Treatment at Department of Energy Sites (2009)	X		X			X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/2%20Part%20%20General%20Facility%20Conditions.pdf">https://energy.gov/sites/prod/files/2015/06/f23/2%20Part%20%20General%20Facility%20Conditions.pdf</a>	Part 2 - General Facility Conditions		X		X		X		X	
Department of Energy	<a href="http://energy.gov/sites/prod/files/2015/06/f24/ti063_rood_2015_o.pdf">http://energy.gov/sites/prod/files/2015/06/f24/ti063_rood_2015_o.pdf</a>	Alternative Fuel Tools and Technical Assistance Activities		X		X		X		X	
Department of Energy	<a href="https://energy.gov/eere/sunshot/project-profile-amtech-systems-inc-incubator-10">https://energy.gov/eere/sunshot/project-profile-amtech-systems-inc-incubator-10</a>	PROJECT PROFILE: Amtech Systems, Inc. (Incubator 10 ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/napl_tabor05_04.pdf">https://energy.gov/sites/prod/files/napl_tabor05_04.pdf</a>	NONAQUEOUS-PHASE LIQUID CHARACTERIZATION AND POST ...		X		X		X		X	
Department of Energy	<a href="http://energy.gov/sites/prod/files/2014/03/f10/arravt058_ti_ball_2012_o.pdf">http://energy.gov/sites/prod/files/2014/03/f10/arravt058_ti_ball_2012_o.pdf</a>	arravt058_ti_ball_2012_o.pdf (1.29 MB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/eere/sunshot/project-profile-suniva-inc-t2m2">https://energy.gov/eere/sunshot/project-profile-suniva-inc-t2m2</a>	PROJECT PROFILE: Suniva Inc (T2M2)   Department of Energy		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/RS564_Att_%20G_26.pdf">https://energy.gov/sites/prod/files/2015/06/f23/RS564_Att_%20G_26.pdf</a>	Attachment G.26 - Technical Area 55 Outdoor Storage Pad Closure ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/11/f34/Appendix%20E%20South%20Air%20Quality_PRINT%20READY_2016.10.04.pdf">https://energy.gov/sites/prod/files/2016/11/f34/Appendix%20E%20South%20Air%20Quality_PRINT%20READY_2016.10.04.pdf</a>	Appendix E South Air Quality_PRINT READY_2016.10.04.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/RS1123_Att_%20G_19.pdf">https://energy.gov/sites/prod/files/2015/06/f23/RS1123_Att_%20G_19.pdf</a>	attachment g.19 technical area 55, building 4 room k13 indoor ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/04/f30/2014%20PORTSMOUTH%20ASER.pdf">https://energy.gov/sites/prod/files/2016/04/f30/2014%20PORTSMOUTH%20ASER.pdf</a>	2014 Portsmouth Annual Site Environmental Report		X		X		X		X	
Department of Energy	<a href="http://energy.gov/sites/prod/files/2015/04/f22/EIS-0126-FEIS-volume1.pdf">http://energy.gov/sites/prod/files/2015/04/f22/EIS-0126-FEIS-volume1.pdf</a>	EIS-0126-FEIS-volume1.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/f9/2004_deer_cackette.pdf">https://energy.gov/sites/prod/files/2014/03/f9/2004_deer_cackette.pdf</a>	2004_deer_cackette.pdf (622.43 KB)		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/04/f21/2013%20Portsmouth%20ASER.pdf">https://energy.gov/sites/prod/files/2015/04/f21/2013%20Portsmouth%20ASER.pdf</a>	2013 Portsmouth Annual Site Environmental Report		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/04/f21/2013%20Portsmouth%20ASER.pdf">https://energy.gov/sites/prod/files/2015/04/f21/2013%20Portsmouth%20ASER.pdf</a>	852.3 KB		X		X		X		X	
Department of Energy	<a href="https://energy.gov/eere/fuelcells/hydrogen-production-processes">https://energy.gov/eere/fuelcells/hydrogen-production-processes</a>	Hydrogen Production Processes   Department of Energy		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f23/RS1122_Att_%20G_18.pdf">https://energy.gov/sites/prod/files/2015/06/f23/RS1122_Att_%20G_18.pdf</a>	attachment g.18 technical area 55, building 4 room b40 indoor ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/eo/articles/february-16-pserc-webinar-protection-and-control-systems-converter-interfaced-generation">https://energy.gov/eo/articles/february-16-pserc-webinar-protection-and-control-systems-converter-interfaced-generation</a>	February 16 PSERC Webinar: Protection and Control of Systems ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/07/f25/Sandia_Geothermal_Research.pdf">https://energy.gov/sites/prod/files/2015/07/f25/Sandia_Geothermal_Research.pdf</a>	Geothermal Research Department Presentation		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/07/f25/Sandia_Geothermal_Research.pdf">https://energy.gov/sites/prod/files/2015/07/f25/Sandia_Geothermal_Research.pdf</a>	PP-230-4 International Transmission Company		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/f9/deliv_analysis_hooks.pdf">https://energy.gov/sites/prod/files/2014/03/f9/deliv_analysis_hooks.pdf</a>	deliv_analysis_hooks.pdf (482.38 KB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/06/f33/ti069_powers_2016_o_web.pdf">https://energy.gov/sites/prod/files/2016/06/f33/ti069_powers_2016_o_web.pdf</a>	ti069_powers_2016_o_web.pdf (1.79 MB)		X		X		X		X	
Department of Energy	<a href="http://energy.gov/sites/prod/files/2015/05/f22/EIS-0348_EIS-0236-S3-DEIS-02-2004.pdf">http://energy.gov/sites/prod/files/2015/05/f22/EIS-0348_EIS-0236-S3-DEIS-02-2004.pdf</a>	EIS-0348_EIS-0236-S3-DEIS-02-2004.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/02/f7/2014_AMO_energy_footprint_references.pdf">https://energy.gov/sites/prod/files/2014/02/f7/2014_AMO_energy_footprint_references.pdf</a>	2014 Manufacturing Energy and Carbon Footprints: References		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/07/f24/drennan_bioenergy_2015.pdf">https://energy.gov/sites/prod/files/2015/07/f24/drennan_bioenergy_2015.pdf</a>	Challenges and Opportunities for Wet-Waste FeedstocksResource ...		X		X		X		X	
Department of Energy	<a href="https://www.energy.gov/sites/prod/files/2013/10/f3/Y-12_ORNL_ProductionWorkers_NeedsAssessment.pdf">https://www.energy.gov/sites/prod/files/2013/10/f3/Y-12_ORNL_ProductionWorkers_NeedsAssessment.pdf</a>	Surveillance Program Needs Assessment	X			X		X		X	
Department of Energy	<a href="https://energy.gov/management/spo/2013-doe-sustainability-awards">https://energy.gov/management/spo/2013-doe-sustainability-awards</a>	2013 DOE Sustainability Awards   Department of Energy		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/03/f20/ord3600.pdf">https://energy.gov/sites/prod/files/2015/03/f20/ord3600.pdf</a>	NA		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/12/f19/4A%20Craig%20Benson.pdf">https://energy.gov/sites/prod/files/2014/12/f19/4A%20Craig%20Benson.pdf</a>	Liners and Covers: Field Performance & Life Expectancy (13.33 MB)	X			X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/05/f15/PP-394%20Emera%20Maine.pdf">https://energy.gov/sites/prod/files/2014/05/f15/PP-394%20Emera%20Maine.pdf</a>	PP-394 Emera Maine.pdf		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/12/f19/acim_final_rule.pdf">https://energy.gov/sites/prod/files/2014/12/f19/acim_final_rule.pdf</a>	acim_final_rule.pdf (2.05 MB)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2013/10/3/Hanford_Construction_Workers_NeedsAssessment.pdf">https://energy.gov/sites/prod/files/2013/10/3/Hanford_Construction_Workers_NeedsAssessment.pdf</a>	Hanford Construction Workers Needs Assessment Medical Surveillance	X			X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/06/30/DOE-STO%20Comm%20Appt%20Report%20-%20Full%20Report_0.pdf">https://energy.gov/sites/prod/files/2016/06/30/DOE-STO%20Comm%20Appt%20Report%20-%20Full%20Report_0.pdf</a>	Opportunities for Commercial Building Appliances (2015 Update)	X			X		X		X	
Department of Energy	<a href="https://www.energy.gov/sites/prod/files/2015/04/f21/thermochemical_conversion_choi_231301.pdf">https://www.energy.gov/sites/prod/files/2015/04/f21/thermochemical_conversion_choi_231301.pdf</a>	Bio-oil Upgrading with Novel Low Cost Catalysts Presentation for ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f24/EA-2014-DEA-2015.pdf">https://energy.gov/sites/prod/files/2015/06/f24/EA-2014-DEA-2015.pdf</a>	DOE/EA-2014 Environmental Assessment of the Emergency ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/02/07/AMO_footprints_definitions_and_assumptions_2014_update.pdf">https://energy.gov/sites/prod/files/2014/02/07/AMO_footprints_definitions_and_assumptions_2014_update.pdf</a>	2014 Manufacturing Energy and Carbon Footprints: Definitions and ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2013/06/f11/doe-std-1190-2007.pdf">https://energy.gov/sites/prod/files/2013/06/f11/doe-std-1190-2007.pdf</a>	DOE-STD-1190-2007, Illness and Injury Surveillance Program ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2017/01/f34/EIS-0402-DEIS-Volume1-2017_0.pdf">https://energy.gov/sites/prod/files/2017/01/f34/EIS-0402-DEIS-Volume1-2017_0.pdf</a>	EIS-0402: Draft Environmental Impact Statement (Volume I)		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2016/02/f29/OAI-SR-16-01.pdf">https://energy.gov/sites/prod/files/2016/02/f29/OAI-SR-16-01.pdf</a>	Special Report: OAI-SR-16-01		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/05/f22/CCP-PO-001-Revision%2021.pdf">https://energy.gov/sites/prod/files/2015/05/f22/CCP-PO-001-Revision%2021.pdf</a>	Characterization Quality Assurance Project ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/LM_PP_Benson_et_al_WM2011.pdf">https://energy.gov/sites/prod/files/LM_PP_Benson_et_al_WM2011.pdf</a>	Water-Balance Cover Performance		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/05/f15/ers_program_details.pdf">https://energy.gov/sites/prod/files/2014/05/f15/ers_program_details.pdf</a>	environmental revenue streams for combined heat and power		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/12/f19/EIS-0072-FEIS-volume1.pdf">https://energy.gov/sites/prod/files/2014/12/f19/EIS-0072-FEIS-volume1.pdf</a>	EIS-0072: Final Environmental Impact Statement, Volume 1		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/erm/2001_Agreements/Order2005-0022CleanupSLAC.pdf">https://energy.gov/sites/prod/files/erm/2001_Agreements/Order2005-0022CleanupSLAC.pdf</a>	Stanford Linear Accelerator Center, Order R2-2005-0022, May 18 ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/04/f22/DOE%20WIPP%2011-3458%20TRUCON-III.pdf">https://energy.gov/sites/prod/files/2015/04/f22/DOE%20WIPP%2011-3458%20TRUCON-III.pdf</a>	TRUPACT-III Content Codes (TRUCON-III), Revision 2, July 2012		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/03/18/FromCleanupToStewardship.pdf">https://energy.gov/sites/prod/files/2014/03/18/FromCleanupToStewardship.pdf</a>	From Cleanup to Stewardship	X		X			X		X	
Department of Energy	<a href="http://www.energy.gov/sites/prod/files/2015/06/f22/NPDES.pdf">http://www.energy.gov/sites/prod/files/2015/06/f22/NPDES.pdf</a>	State of Michigan NPDES Permit Application Revised January 2015		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	<a href="https://energy.gov/sites/prod/files/maprod/documents/enron1998.pdf">https://energy.gov/sites/prod/files/maprod/documents/enron1998.pdf</a>	Enron Documents		X		X		X		X	
Department of Energy	<a href="http://energy.gov/sites/prod/files/2015/04/f22/EIS-0152-DEIS-Volume_2_0.pdf">http://energy.gov/sites/prod/files/2015/04/f22/EIS-0152-DEIS-Volume_2_0.pdf</a>	EIS-0152-DEIS-Volume_2.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f24/EIS-0133-DEIS.pdf">https://energy.gov/sites/prod/files/2015/06/f24/EIS-0133-DEIS.pdf</a>	EIS-0133-DEIS.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2015/06/f24/EIS-0153-FEIS-volume1.pdf">https://energy.gov/sites/prod/files/2015/06/f24/EIS-0153-FEIS-volume1.pdf</a>	EIS-0153-FEIS-volume1.pdf		X		X		X		X	
Department of Energy	<a href="http://energy.gov/sites/prod/files/2015/04/f22/EIS-0184-FEIS-Attachment.pdf">http://energy.gov/sites/prod/files/2015/04/f22/EIS-0184-FEIS-Attachment.pdf</a>	EIS-0184-FEIS-Attachment.pdf		X		X		X		X	
Department of Energy	<a href="https://energy.gov/sites/prod/files/2014/04/f15/EIS-0474-DEIS-Volume1-2014.pdf">https://energy.gov/sites/prod/files/2014/04/f15/EIS-0474-DEIS-Volume1-2014.pdf</a>	Proposed Southline Transmission Line Project - Volume 1 of 4		X		X		X		X	
Department of Energy	<a href="https://energy.gov/eere/sunshot/project-profile-university-central-florida-pvrd">https://energy.gov/eere/sunshot/project-profile-university-central-florida-pvrd</a>	PROJECT PROFILE: University of Central Florida (PVRD ...		X		X		X		X	
Department of Energy	<a href="https://energy.gov/nepa/downloads/eis-0343-draft-environmental-impact-statement">https://energy.gov/nepa/downloads/eis-0343-draft-environmental-impact-statement</a>	EIS-0343: Draft Environmental Impact Statement   Department of ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/news/release.aspx?id=648">http://www.pnnl.gov/news/release.aspx?id=648</a>	PNNL: News - Electrically based technologies heat up the cleanup ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23730.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23730.pdf</a>	Source Water from an experiment		X	X		X			X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-15749.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-15749.pdf</a>	Comparison of Two Gas Selection Methodologies		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23136.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23136.pdf</a>	Evaluation of Gas Retention in Waste Simulants: Intermediate- Scale ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21109.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21109.pdf</a>	Ion Exchange Kinetics Testing with SRF Resin		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/news/release.aspx?id=739">http://www.pnnl.gov/news/release.aspx?id=739</a>	PNNL: News - Gas treatment technology makes top 100 list		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/science/highlights/highlight.asp?id=277">http://www.pnnl.gov/science/highlights/highlight.asp?id=277</a>	PNNL: Carbon tetrachloride and chloroform accumulate and resist ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/science/highlights/highlight.asp?id=451">http://www.pnnl.gov/science/highlights/highlight.asp?id=451</a>	Pseudogenes Identified in Shewanella ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21843_SVEET_1.0_0.xls">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21843_SVEET_1.0_0.xls</a>	sveet		X	X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
PNNL Pacific Northwest National Laboratory	<a href="https://www.pnnl.gov/nano/pdf/nanoscience.pdf">https://www.pnnl.gov/nano/pdf/nanoscience.pdf</a>	Nanoscience		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-20637Rev2.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-20637Rev2.pdf</a>	Comparison of Waste Feed Delivery Small Scale Mixing ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-24696.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-24696.pdf</a>	Performance Assessment for Pump-and-Treat Closure or Transition	X		X		X			X	
PNNL Pacific Northwest National Laboratory	<a href="http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21248.pdf">http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21248.pdf</a>	Enhancing the Benefit of the Chemical Mixture Methodology		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70026812">https://pubs.er.usgs.gov/publication/70026812</a>	perchloroethylene on wild rodents at Edwards Air Force Base, California,		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri034157">https://pubs.er.usgs.gov/publication/wri034157</a>	samplers, dialysis samplers, and nylon-screen samplers in selected		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20125094">https://pubs.er.usgs.gov/publication/sir20125094</a>	groundwater quality in the Madera, Chowchilla Study Unit, 2008:		X		X	X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri924122">https://pubs.er.usgs.gov/publication/wri924122</a>	water in the area of building 95, Picatinny Arsenal, New Jersey, 1985-		X		X	X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70037917">https://pubs.er.usgs.gov/publication/70037917</a>	permanganate injections and in situ chemical oxidation of PCE, OU1 area,		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri884203">https://pubs.er.usgs.gov/publication/wri884203</a>	the Bunker Hill Basin of San Bernardino Valley, California		X		X	X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70034548">https://pubs.er.usgs.gov/publication/70034548</a>	chlorinated-solvent groundwater contamination, Marine Corps Recruit		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70018806">https://pubs.er.usgs.gov/publication/70018806</a>	concentrations of volatile organic compounds in water by capillary gas		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20065311">https://pubs.er.usgs.gov/publication/sir20065311</a>	Contamination at Solid Waste Management Unit 12, Naval Weapons		X		X	X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr00276">https://pubs.er.usgs.gov/publication/ofr00276</a>	compounds determined with water-to-vapor diffusion samplers at the		X		X	X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri034309">https://pubs.er.usgs.gov/publication/wri034309</a>	near Two Granular-Iron Permeable Reactive Barriers in a Sand and		X		X		X		X	
US Geological Survey publications	<a href="http://pubs.er.usgs.gov/publication/sir20065299">http://pubs.er.usgs.gov/publication/sir20065299</a>	Barton Springs, Austin, Texas, with emphasis on factors affecting		X		X	X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20045176">https://pubs.er.usgs.gov/publication/sir20045176</a>	tetrachloroethylene in ground water of the glacial-drift aquifer at the Savage		X	X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr91200">https://pubs.er.usgs.gov/publication/ofr91200</a>	in stratified-drift aquifers in Connecticut: not available online		x		x		x		x	
US Geological Survey publications	<a href="http://pubs.er.usgs.gov/publication/wri024121?currow=971">http://pubs.er.usgs.gov/publication/wri024121?currow=971</a>	organic compounds in the surficial aquifer at sites FT03, LF13, and		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70027946">https://pubs.er.usgs.gov/publication/70027946</a>	Electron donor preference of a reductive dechlorinating consortium		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri854064">https://pubs.er.usgs.gov/publication/wri854064</a>	Ground-water contamination in East Bay Township, Michigan		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri934194">https://pubs.er.usgs.gov/publication/wri934194</a>	DOWNSTREAM FROM A TREATED-WASTEWATER DISCHARGE NEAR		x	x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20121082">https://pubs.er.usgs.gov/publication/ofr20121082</a>	at three former fuel-dispensing sites, Fort Gordon, Georgia, 2010—2011		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr9974">https://pubs.er.usgs.gov/publication/ofr9974</a>	in vapor-diffusion samplers placed in sediments along and near the		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70022015">https://pubs.er.usgs.gov/publication/70022015</a>	source of volatile organic compounds in shallow groundwater: peer reviewed		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri024166">https://pubs.er.usgs.gov/publication/wri024166</a>	contaminant plume beneath Red Brook Harbor, Cape Cod,		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri874116">https://pubs.er.usgs.gov/publication/wri874116</a>	Edwards aquifer to hydrogeology and land use, San Antonio Region, Texas		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20121079">https://pubs.er.usgs.gov/publication/ofr20121079</a>	groundwater flow and tetrachloroethylene transport in the		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri994081">https://pubs.er.usgs.gov/publication/wri994081</a>	Nutmeg Valley area, Wolcott and Waterbury, Connecticut		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/fs20113142">https://pubs.er.usgs.gov/publication/fs20113142</a>	supply wells to contamination—Edwards aquifer near		x	x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70174049">https://pubs.er.usgs.gov/publication/70174049</a>	native wetland sediments on the activity and dominant transformation		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20065229">https://pubs.er.usgs.gov/publication/sir20065229</a>	Water-Quality Conditions of Chester Creek, Anchorage, Alaska, 1998 2001		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20115148">https://pubs.er.usgs.gov/publication/sir20115148</a>	area, contamination pathway, and probable release history of chlorinated-	x		x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20121160">https://pubs.er.usgs.gov/publication/ofr20121160</a>	and soil contamination at the Vietnam Armor Training Facility, Fort Gordon,		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20125032">https://pubs.er.usgs.gov/publication/sir20125032</a>	dichloroethene and vinyl chloride as a component of natural attenuation of		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri954216">https://pubs.er.usgs.gov/publication/wri954216</a>	the upper Mississippi River basin, Minnesota and Wisconsin - Volatile		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri024083">https://pubs.er.usgs.gov/publication/wri024083</a>	carbonate aquifer in parts of middle Tennessee and northern Alabama,		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20095161">https://pubs.er.usgs.gov/publication/sir20095161</a>	Groundwater Contamination at Site 45, Marine Corps Recruit Depot,	x		x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri954296">https://pubs.er.usgs.gov/publication/wri954296</a>	simulation of ground-water flow in the Upper Floridan Aquifer of north-central	x		x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20081293">https://pubs.er.usgs.gov/publication/ofr20081293</a>	Pharmaceuticals and Other Organic Wastewater Contaminants in Ground		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70033577">https://pubs.er.usgs.gov/publication/70033577</a>	PCE - A national perspective: not available online		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20055176">https://pubs.er.usgs.gov/publication/sir20055176</a>	source areas of chlorinated ethenes identified using concentrations and	x		x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri974028">https://pubs.er.usgs.gov/publication/wri974028</a>	central Texas: Occurrence and distribution of volatile organic		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70017213">https://pubs.er.usgs.gov/publication/70017213</a>	and dissolved organic compounds in a plume of contaminated groundwater		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri994228">https://pubs.er.usgs.gov/publication/wri994228</a>	aquifer hydraulic properties, and effects of pumping on ground-water		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri024079">https://pubs.er.usgs.gov/publication/wri024079</a>	Ether and other Volatile Organic Compounds in drinking-water		x		x	x			x	
US Geological Survey publications	<a href="http://pubs.er.usgs.gov/usgspubs/ofr/ofr20081207">http://pubs.er.usgs.gov/usgspubs/ofr/ofr20081207</a>	Logs at Area C, Former Naval Air Warfare Center, Warminster		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70017966">https://pubs.er.usgs.gov/publication/70017966</a>	quantitative determination of elemental sulfur in coal by HPLC		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri964145">https://pubs.er.usgs.gov/publication/wri964145</a>	MTBE and BTEX compounds in urban stormwater in the United States, 1991-		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20101197">https://pubs.er.usgs.gov/publication/ofr20101197</a>	Groundwater quality in the Lower Hudson River Basin, New York, 2008		x		x		x		x	
US Geological Survey publications	<a href="http://pubs.er.usgs.gov/publication/sir20065083">http://pubs.er.usgs.gov/publication/sir20065083</a>	operation on volatile organic compound-contaminated ground		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20055010">https://pubs.er.usgs.gov/publication/sir20055010</a>	sampling methods to monitor volatile organic compounds in ground water,		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri014264">https://pubs.er.usgs.gov/publication/wri014264</a>	logs, aquifer-isolation tests, and water quality, supply wells 1 and 2, Willow		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr8658">https://pubs.er.usgs.gov/publication/ofr8658</a>	Picatinny arsenal, New Jersey, 1958-85		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri864142">https://pubs.er.usgs.gov/publication/wri864142</a>	water quality in the upper glacial aquifer in Nassau and Suffolk		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70046560">https://pubs.er.usgs.gov/publication/70046560</a>	detections of halogenated VOCs in a fractured carbonate-rock aquifer,		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70127601">https://pubs.er.usgs.gov/publication/70127601</a>	Factors affecting public-supply well vulnerability in two karst aquifers		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70012698">https://pubs.er.usgs.gov/publication/70012698</a>	compounds in a New Jersey coastal plain aquifer system: not available		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/5221464">https://pubs.er.usgs.gov/publication/5221464</a>	of pesticides to mallards: Correlations with mammalian toxicity data		X		X		X		X	
US Geological Survey publications	<a href="http://pubs.er.usgs.gov/publication/70026832">http://pubs.er.usgs.gov/publication/70026832</a>	in Constructed Wastewater Treatment Wetlands: peer reviewed literature		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70000163">https://pubs.er.usgs.gov/publication/70000163</a>	pharmaceuticals and other organic wastewater contaminants in the		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20051206">https://pubs.er.usgs.gov/publication/ofr20051206</a>	contaminants, pharmaceuticals, and personal care products in selected		X		X	X			X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri024294">https://pubs.er.usgs.gov/publication/wri024294</a>	recently developed residential and commercial areas, Memphis vicinity,		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri954246">https://pubs.er.usgs.gov/publication/wri954246</a>	and surface-water quality, Green Pond Brook and tributaries, Picatinny		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wsp2381B">https://pubs.er.usgs.gov/publication/wsp2381B</a>	in stratified-drift aquifers in Connecticut		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70155847">https://pubs.er.usgs.gov/publication/70155847</a>	and microbiology of produced waters from Pennsylvania shale gas wells		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70036926">https://pubs.er.usgs.gov/publication/70036926</a>	nonylphenol, and 17 $\beta$ -estradiol in groundwater contaminated by		X		X		X		X	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20131224">https://pubs.er.usgs.gov/publication/ofr20131224</a>	trends in the vicinity of the Savage Municipal Well Superfund site, Milford,		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ds25">https://pubs.er.usgs.gov/publication/ds25</a>	data collected during an intentional spill of tetrachloroethylene at		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri034210">https://pubs.er.usgs.gov/publication/wri034210</a>	New England Coastal Basins in Maine, Massachusetts, New		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70014355">https://pubs.er.usgs.gov/publication/70014355</a>	Micropollutants in Sewage-Contaminated Groundwater: peer		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20075070">https://pubs.er.usgs.gov/publication/sir20075070</a>	Chemistry Analysis, and Model Delineation of contributing Areas for		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20085243">https://pubs.er.usgs.gov/publication/sir20085243</a>	Compounds in Groundwater Used for Public Supply in the Plio-Pleistocene		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20131089">https://pubs.er.usgs.gov/publication/ofr20131089</a>	gas characteristics of groundwater in a fractured crystalline-rock aquifer,		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20045149">https://pubs.er.usgs.gov/publication/sir20045149</a>	contamination of two aquifer systems used for public water supply in the		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70118892">https://pubs.er.usgs.gov/publication/70118892</a>	and transport of selected volatile organic compounds in the vicinities of		x	x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20121136">https://pubs.er.usgs.gov/publication/ofr20121136</a>	at building 310 underground storage tank area, Fort Gordon, Georgia, 2010-		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70027945">https://pubs.er.usgs.gov/publication/70027945</a>	In situ treatability testing of reductive dechlorination in wetland sediments		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ds919">https://pubs.er.usgs.gov/publication/ds919</a>	study units: results from the 2006–10 Initial sampling and the 2009–13		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20111267">https://pubs.er.usgs.gov/publication/ofr20111267</a>	Plain, Soil-Gas, Soil, and Surface-Water Contamination at the McCoys		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20055055">https://pubs.er.usgs.gov/publication/sir20055055</a>	Pharmaceuticals, and Coliphage in Ground Water Receiving Discharge		x	x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri024228">https://pubs.er.usgs.gov/publication/wri024228</a>	areas of recent residential and commercial development, Wichita,		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20045174">https://pubs.er.usgs.gov/publication/sir20045174</a>	levels to ground-water quality data in a state-scale pilot effort		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20091240">https://pubs.er.usgs.gov/publication/ofr20091240</a>	Ground-Water Quality in the Upper Hudson River Basin, New York, 2007		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20111320">https://pubs.er.usgs.gov/publication/ofr20111320</a>	and St. Lawrence River Basins, New York, 2010		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20081086">https://pubs.er.usgs.gov/publication/ofr20081086</a>	Ground-Water Quality in the Mohawk River Basin, New York, 2006		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20105054">https://pubs.er.usgs.gov/publication/sir20105054</a>	Volatile Organic Compound Concentrations at the Fischer and		x	x		x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20105129">https://pubs.er.usgs.gov/publication/sir20105129</a>	water-quality observations based on results of the National Water-Quality		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/70016504">https://pubs.er.usgs.gov/publication/70016504</a>	from coal and a determination of its source using stable sulfur isotopes		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ofr20081349">https://pubs.er.usgs.gov/publication/ofr20081349</a>	Straddle Packer for Ground-Water Sampling and Hydraulic Testing of		x		x		x		x	
US Geological Survey publications	<a href="http://pubs.er.usgs.gov/publication/sir20085050">http://pubs.er.usgs.gov/publication/sir20085050</a>	Characteristics, and Transport Processes in the Zone of Contribution		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/wri934055">https://pubs.er.usgs.gov/publication/wri934055</a>	ground-water flow in the Red Clay Creek Basin, Chester County,		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20065269">https://pubs.er.usgs.gov/publication/sir20065269</a>	Ground-Water Flow In, the Pohatcong Valley, Warren County, New Jersey		x		x		x		x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/ds258">https://pubs.er.usgs.gov/publication/ds258</a>	Monterey Bay and Salinas Valley Basins, California, 2005 - Results		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20145001">https://pubs.er.usgs.gov/publication/sir20145001</a>	Borrego Valley, Central Desert, and Low-Use Basins of the Mojave and		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20125040">https://pubs.er.usgs.gov/publication/sir20125040</a>	Status of groundwater quality in the California Desert Region, 2006 ...		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20125052">https://pubs.er.usgs.gov/publication/sir20125052</a>	Upper Santa Ana Watershed, November 2006--March 2007--		x		x	x			x	
US Geological Survey publications	<a href="https://pubs.er.usgs.gov/publication/sir20125270">https://pubs.er.usgs.gov/publication/sir20125270</a>	collected by the U.S. Geological Survey for routine water-quality		x		x		x		x	
European Commission	<a href="http://ec.europa.eu/social/BlobServlet?docId=6409&amp;langId=en">http://ec.europa.eu/social/BlobServlet?docId=6409&amp;langId=en</a>	HH review, brief paragraph on use in the EU. Limited occupational	x			x		x	x		
European Commission	<a href="http://ec.europa.eu/environment/water/water-framework/groundwater/pdf/com_swd_annex_iii.pdf">http://ec.europa.eu/environment/water/water-framework/groundwater/pdf/com_swd_annex_iii.pdf</a>	Groundwater Threshold values		x		x	x			x	
ECHA Documents	<a href="https://echa.europa.eu/documents/10162/130bc4f2-68a8-45d8-88d7-e6db88f76a98">https://echa.europa.eu/documents/10162/130bc4f2-68a8-45d8-88d7-e6db88f76a98</a>	EU RAR (2005) - environment	x		x		x			x	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/2/3">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/2/3</a>	hydrolysis		x	x			x		x	information contained in REACH registration dossiers



Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/2/4#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/2/4#</a>	photo transformation in water		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/3/2">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/3/2</a>	biodegradation in water		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/4/2#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/4/2#</a>	bioaccumulation		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/5/2#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/5/2#</a>	sorption		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/5/3#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/5/3#</a>	henry's law constant		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/5/4#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/5/4#</a>	distribution		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/9#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/9#</a>	exposure controls	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/documents/10162/08ebe33b-736e-49b2-9537-f425b05c2a82">https://echa.europa.eu/documents/10162/08ebe33b-736e-49b2-9537-f425b05c2a82</a>	Risk Assessment	X		X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://www.echa.europa.eu/documents/10162/13630inf_uk_tetrachloroethylene_en.pdf/6464b47-a643-412e-a1c4-a70c11a221">https://www.echa.europa.eu/documents/10162/13630inf_uk_tetrachloroethylene_en.pdf/6464b47-a643-412e-a1c4-a70c11a221</a>	alternatives as well	X			X	X				X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/substance-information/-/substanceinfo/100.004.388">https://echa.europa.eu/substance-information/-/substanceinfo/100.004.388</a>	profile	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/brief-profile/-/briefprofile/100.004.388">https://echa.europa.eu/brief-profile/-/briefprofile/100.004.388</a>	brief profile of chemical	X		X		X			X		information contained in REACH registration dossiers
ECHA Documents	<a href="#">links in excel file</a>	Links to registration dossiers	X		X		X			X		information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/documents/10162/13630inf_uk_tetrachloroethylene_en.pdf/3760082-23a1-43b4-a91e-398e007e3b3c">https://echa.europa.eu/documents/10162/13630inf_uk_tetrachloroethylene_en.pdf/3760082-23a1-43b4-a91e-398e007e3b3c</a>	risk assessment	X			X	X				X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/3/1/4#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/3/1/4#</a>	industrial uses	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/3/1/5#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/3/1/5#</a>	use	X			X			X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/4/7">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/4/7</a>	vap pressure		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/4/8#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/4/8#</a>	partition coefficient		X	X				X		X	information contained in REACH registration dossiers

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/4/9#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/4/9#</a>	solubility		X	X				X		X	information contained in REACH registration dossiers
ECHA Documents	<a href="https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/2/2#">https://echa.europa.eu/registration-dossier/-/registered-dossier/14303/5/2/2#</a>	transformation in air		X	X				X		X	information contained in REACH registration dossiers
IARC Monograph	<a href="http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php">http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php</a>	Volume 106	X			X	X			X		
OECD Emission Scenario Documents	<a href="http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monod/2004/21&amp;doclanguage=en">http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monod/2004/21&amp;doclanguage=en</a>	on Lubricants and Lubricant Additives. 2004, Organisation for Economic Co-	X			X		X			X	
OECD Emission Scenario Documents	<a href="http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monod/2009/24&amp;doclanguage=en">http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monod/2009/24&amp;doclanguage=en</a>	Documents on Coating Industry (Paints, Lacquers and Varnishes).	X			X		X			X	
OECD Emission Scenario Documents	<a href="http://www.oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm">oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm</a>	operation and Development), Emission Scenario Document on	X			X		X			X	
OECD Emission Scenario Documents	<a href="http://www.oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm">oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm</a>	on Plastic Additives. 2009, Organisation for Economic Co-	X			X		X			X	
OECD Emission Scenario Documents	<a href="http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monod/2009/24&amp;doclanguage=en">http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monod/2009/24&amp;doclanguage=en</a>	on the Industrial Use of Adhesives for Substrate Bonding. 2013,	X			X		X			X	
Assessment Tool Selector – Case Studies	<a href="http://oecd-satoolbox.org/Home/CaseStudies">oecd-satoolbox.org/Home/CaseStudies</a>	TURI Alternatives Assessment		X		X	X				X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf">http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf</a>	Protecting Groundwater for Health		X	X			X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/43418/1/9241530685_eng.pdf">http://apps.who.int/iris/bitstream/10665/43418/1/9241530685_eng.pdf</a>	WHO IRIS: Tetrachloroethylene	X			X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/61223/1/WHO_EHE_FOS_86.3.pdf">http://apps.who.int/iris/bitstream/10665/61223/1/WHO_EHE_FOS_86.3.pdf</a>	Mercury in Fish		X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/111554/2/WHA27_WP-16_rus.pdf">http://apps.who.int/iris/bitstream/10665/111554/2/WHA27_WP-16_rus.pdf</a>	world health organization organization mondiale de la sant		X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/146063/1/WHA25_WP-6_eng.pdf">http://apps.who.int/iris/bitstream/10665/146063/1/WHA25_WP-6_eng.pdf</a>	Information document: contributions of members to the 1973 budget		X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/41640/1/9241510595_en.pdf">http://apps.who.int/iris/bitstream/10665/41640/1/9241510595_en.pdf</a>	n-HEXANE HEALTH AND SAFETY GUIDE		X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/41418/1/9241510544-eng.pdf">http://apps.who.int/iris/bitstream/10665/41418/1/9241510544-eng.pdf</a>	LINDANE HEALTH AND SAFETYGUIDE		X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/39892/1/9241510684_eng.pdf">http://apps.who.int/iris/bitstream/10665/39892/1/9241510684_eng.pdf</a>	Polychlorinated Terphenyls Health and Safety Guide		X		X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/64973/1/WHO_Mal_358.pdf">http://apps.who.int/iris/bitstream/10665/64973/1/WHO_Mal_358.pdf</a>	The Anopheles gambiae complex		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/42027/1/9241530014.pdf">http://apps.who.int/iris/bitstream/10665/42027/1/9241530014.pdf</a>	(CICAD) 1. 1,2- Dichloroethane		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/handle/10665/107551">http://apps.who.int/iris/handle/10665/107551</a>	Updating and revision of the air quality guidelines for Europe: report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/43593/64/9789241594967_hun.pdf">http://apps.who.int/iris/bitstream/10665/43593/64/9789241594967_hun.pdf</a>	10 perc		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/146251/1/WHA26_WP-8_eng.pdf">http://apps.who.int/iris/bitstream/10665/146251/1/WHA26_WP-8_eng.pdf</a>	Contributions of members to the 1974 budget		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/163716/1/dbv26p178.pdf">http://apps.who.int/iris/bitstream/10665/163716/1/dbv26p178.pdf</a>	The Use of Ovitrap Baited with Hay Infusion as a Surveillance Tool ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/161606/1/EB77_26_eng.pdf">http://apps.who.int/iris/bitstream/10665/161606/1/EB77_26_eng.pdf</a>	Progress report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/44584/1/9789241548151_eng.pdf">http://apps.who.int/iris/bitstream/10665/44584/1/9789241548151_eng.pdf</a>	Guidelines for Water Quality: Fourth Edition		X		X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/38142/1/9241511001_eng.pdf">http://apps.who.int/iris/bitstream/10665/38142/1/9241511001_eng.pdf</a>	CRESOLS HEALTH AND SAFETY GUIDE		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/36906/1/924151096X_eng.pdf">http://apps.who.int/iris/bitstream/10665/36906/1/924151096X_eng.pdf</a>	WARFARIN HEALTH AND SAFETY GUIDE		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/43428/1/9241546964_eng.pdf">http://apps.who.int/iris/bitstream/10665/43428/1/9241546964_eng.pdf</a>	Guidelines for Drinking-water Quality		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/36901/1/9241510935_eng.pdf">http://apps.who.int/iris/bitstream/10665/36901/1/9241510935_eng.pdf</a>	BRODIFACOUUM HEALTH AND SAFETY GUIDE		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/107551/1/EUR_ICP_EHAZ_94_05_MT_12.pdf">http://apps.who.int/iris/bitstream/10665/107551/1/EUR_ICP_EHAZ_94_05_MT_12.pdf</a>	Updating and revision of the air quality guidelines for Europe: report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/68463/1/WHO_VB_03.18_Rev.1_eng.pdf">http://apps.who.int/iris/bitstream/10665/68463/1/WHO_VB_03.18_Rev.1_eng.pdf</a>	Monitoring vaccine wastage at country level		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/108362/1/E71393.pdf">http://apps.who.int/iris/bitstream/10665/108362/1/E71393.pdf</a>	Methods of assessing risk to health from exposure to hazards from waste	X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/204173/2/WHO_SMO_83.4_eng.pdf">http://apps.who.int/iris/bitstream/10665/204173/2/WHO_SMO_83.4_eng.pdf</a>	Guidelines for Tobacco Survey		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/252072/1/9241541687-eng.pdf">http://apps.who.int/iris/bitstream/10665/252072/1/9241541687-eng.pdf</a>	Guidelines for Water Quality: Recommendations		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/46562/1/WHSQ_1987_40_n1_p22-40_eng-fre.pdf">http://apps.who.int/iris/bitstream/10665/46562/1/WHSQ_1987_40_n1_p22-40_eng-fre.pdf</a>	HEALTH IMPLICATIONS OF POPULATION AGING IN EUROPE ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/180726/1/EB77_26_rus.pdf">http://apps.who.int/iris/bitstream/10665/180726/1/EB77_26_rus.pdf</a>	NA		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/66799/1/WHO_NMH_TFI_01.1.pdf">http://apps.who.int/iris/bitstream/10665/66799/1/WHO_NMH_TFI_01.1.pdf</a>	Women and the tobacco epidemic		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/208417/1/RS_2009_GE_09_FIJ_20090903_eng.pdf">http://apps.who.int/iris/bitstream/10665/208417/1/RS_2009_GE_09_FIJ_20090903_eng.pdf</a>	Development of National Health Accounts in the Pacific		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/142316/1/WPR_RC032_GovRep_1981_en.pdf">http://apps.who.int/iris/bitstream/10665/142316/1/WPR_RC032_GovRep_1981_en.pdf</a>	Report on National Health Activities in Australia		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/61248/1/PDP_EC_WP_86.17.pdf">http://apps.who.int/iris/bitstream/10665/61248/1/PDP_EC_WP_86.17.pdf</a>	Intestinal Trematodiasis		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/40712/1/9242542296_fr.pdf">http://apps.who.int/iris/bitstream/10665/40712/1/9242542296_fr.pdf</a>	La supervision des personnels de sant au niveau du district		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/51793/1/WHSQ_38_n4_p355-367_eng-fre.pdf">http://apps.who.int/iris/bitstream/10665/51793/1/WHSQ_38_n4_p355-367_eng-fre.pdf</a>	Principles of Economic Evaluations of Health Programmes		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/145459/1/WHA25_10_eng.pdf">http://apps.who.int/iris/bitstream/10665/145459/1/WHA25_10_eng.pdf</a>	Prevention of Blindness		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/207598/1/wpr databank_1990_eng.pdf">http://apps.who.int/iris/bitstream/10665/207598/1/wpr databank_1990_eng.pdf</a>	socioeconomic and health indicators		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/207593/1/wpr databank_1985_eng.pdf">http://apps.who.int/iris/bitstream/10665/207593/1/wpr databank_1985_eng.pdf</a>	socioeconomic and health indicators		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/144822/1/EB45_21_eng.pdf">http://apps.who.int/iris/bitstream/10665/144822/1/EB45_21_eng.pdf</a>	Review of Working Capital Fund		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/137514/1/9789241508032_eng.pdf">http://apps.who.int/iris/bitstream/10665/137514/1/9789241508032_eng.pdf</a>	Report of the seventeenth WHOPES working group meeting		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/207602/1/wpr databank_1991_eng.pdf">http://apps.who.int/iris/bitstream/10665/207602/1/wpr databank_1991_eng.pdf</a>	socioeconomic and health indicators		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/67323/1/WHO_EDM_PAR_2002.2.pdf">http://apps.who.int/iris/bitstream/10665/67323/1/WHO_EDM_PAR_2002.2.pdf</a>	and diagnostics for people living with HIV/AIDS		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/45683/1/WHSQ_39_No1_1986_p105-117_eng_fre.pdf">http://apps.who.int/iris/bitstream/10665/45683/1/WHSQ_39_No1_1986_p105-117_eng_fre.pdf</a>	health effects and impact of water supply and sanitation influence		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/173958/1/Epidemiologia%20sin%20numeros.pdf">http://apps.who.int/iris/bitstream/10665/173958/1/Epidemiologia%20sin%20numeros.pdf</a>	Epidemiologia sin Nmeros		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/40356/2/8870027287_manual_it.pdf">http://apps.who.int/iris/bitstream/10665/40356/2/8870027287_manual_it.pdf</a>	Scale di codifica per la prima parte		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/207594/1/wprdatbank_1987_eng.pdf">http://apps.who.int/iris/bitstream/10665/207594/1/wprdatbank_1987_eng.pdf</a>	socioeconomic and health indicators		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/208189/1/9290612150_eng.pdf">http://apps.who.int/iris/bitstream/10665/208189/1/9290612150_eng.pdf</a>	The PacELF Way		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/208188/1/9290612290_eng.pdf">http://apps.who.int/iris/bitstream/10665/208188/1/9290612290_eng.pdf</a>	Country Health Information Profiles		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/170245/2/health-americas-2007-vol-1.pdf">http://apps.who.int/iris/bitstream/10665/170245/2/health-americas-2007-vol-1.pdf</a>	Health in the Americas 2007 - Volume I Regional		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/107366/1/E91732.pdf">http://apps.who.int/iris/bitstream/10665/107366/1/E91732.pdf</a>	Policies and practices for mental health in Europe		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/107363/1/E91435.pdf">http://apps.who.int/iris/bitstream/10665/107363/1/E91435.pdf</a>	Public Health Significance of Urban Pests		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/40039/1/9241510765_eng.pdf">http://apps.who.int/iris/bitstream/10665/40039/1/9241510765_eng.pdf</a>	1,3-Dichloroprpane Health and Safety Guide		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/39808/1/9241543477-eng.pdf">http://apps.who.int/iris/bitstream/10665/39808/1/9241543477-eng.pdf</a>	PYRROLIZIDINE ALKALOIDS HEALTH AND SAFETY GUIDE		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/39868/1/9241510471_eng.pdf">http://apps.who.int/iris/bitstream/10665/39868/1/9241510471_eng.pdf</a>	ATRAZINE HEALTH AND SAFETY GUIDE		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	<a href="http://apps.who.int/iris/bitstream/10665/39317/1/9241543418_eng.pdf">http://apps.who.int/iris/bitstream/10665/39317/1/9241543418_eng.pdf</a>	Pentachlorophenol Health and Safety Guide		X		X		X		X	
World Health Organization- Regional Office for Europe	<a href="http://www.euro.who.int/en/home">www.euro.who.int/en/home</a>	N/A		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/news-and-events/chemical-gazettes/numbers/2018/02-august/List-of-priority-existing-chemicals">https://www.nicnas.gov.au/news-and-events/chemical-gazettes/numbers/2018/02-august/List-of-priority-existing-chemicals</a>	List of priority existing chemicals - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0020/34814/PEC7-1.4-Dioxane.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0020/34814/PEC7-1.4-Dioxane.docx</a>	1,4-Dioxane - PEC7 [WORD 2.3 MB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/pdf_file/0017/34613/NICNAS_Annual_Report_2012-13.pdf">https://www.nicnas.gov.au/_data/assets/pdf_file/0017/34613/NICNAS_Annual_Report_2012-13.pdf</a>	ANNUAL REPORT 201213		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/tetrachloroethylene">https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/tetrachloroethylene</a>	NICNAS chemical profile	X		X			X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/_data/assets/word_doc/0019/34822/PEC15-tetrachloroethylene.docx">https://www.nicnas.gov.au/_data/assets/word_doc/0019/34822/PEC15-tetrachloroethylene.docx</a>	NICNAS chemical assessment report	X		X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/chemical-information/factsheets?result_30847_result_page=T">https://www.nicnas.gov.au/chemical-information/factsheets?result_30847_result_page=T</a>	Fact sheets - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/chemical-information/pec-assessments?result_34791_result_page=T">https://www.nicnas.gov.au/chemical-information/pec-assessments?result_34791_result_page=T</a>	Priority Existing Chemical (PEC) assessments - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	<a href="https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/triclosan">https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/triclosan</a>	Triclosan - NICNAS		X		X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/CAREX_Canada_Environmental_Priorities_Report.pdf">http://www.carexcanada.ca/CAREX_Canada_Environmental_Priorities_Report.pdf</a>	Canada priority carcinogens-environmental	X			X	X			X	
CAREX Canada	<a href="http://www.carexcanada.ca/CAREX_Canada_Occupational_Priorities_Report.pdf">http://www.carexcanada.ca/CAREX_Canada_Occupational_Priorities_Report.pdf</a>	Canada priority carcinogens-occupational	X			X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/">http://www.carexcanada.ca/en/tetrachloroethylene/</a>	surveillance of envi and occu exp for cancer prevention	X			X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tableau/">http://www.carexcanada.ca/en/tableau/</a>	Tableau Test Page CAREX Canada		X		X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/occupational_estimate/">http://www.carexcanada.ca/en/tetrachloroethylene/occupational_estimate/</a>	worker exp stats	X			X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/">http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/</a>	cancer risk estimates		X		X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data">http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data</a>	environmental concentrations		X		X	X			X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#outdoor_conc">http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#outdoor_conc</a>	outdoor conc		X		X	X			X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data+indoor_air">http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data+indoor_air</a>	indoor conc		X		X	X			X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data+drinking_water">http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data+drinking_water</a>	drinking water		X		X	X			X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data+food_and_beverages">http://www.carexcanada.ca/en/tetrachloroethylene/environmental_estimate/#data+food_and_beverages</a>	conc in food		X		X	X			X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/trichloroethylene/">http://www.carexcanada.ca/en/trichloroethylene/</a>	surveillance of envi and occu exp for cancer prevention	X			X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/trichloroethylene/occupational_estimate/">http://www.carexcanada.ca/en/trichloroethylene/occupational_estimate/</a>	occupational exp	X			X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/1,2-dichloropropane/">http://www.carexcanada.ca/en/1,2-dichloropropane/</a>	1,2-Dichloropropane		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CAREX Canada	<a href="http://www.carexcanada.ca/en/announcements/degreaser_trichloroethylene_upgraded_known_carcinogen/">http://www.carexcanada.ca/en/announcements/degreaser_trichloroethylene_upgraded_known_carcinogen/</a>	Degreaser trichloroethylene upgraded to a known carcinogen ...		X		X		X		X	
CAREX Canada	<a href="http://www.carexcanada.ca/en/1_2-dichloroethane/">http://www.carexcanada.ca/en/1_2-dichloroethane/</a>	1,2-Dichloroethane		X		X		X		X	
GESTIS Database	<a href="http://limitvalue.ifa.dguv.de/">http://limitvalue.ifa.dguv.de/</a>	List of international regulatory limits	X			X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/air/aq/air/air14.html">https://www.env.go.jp/en/air/aq/air/air14.html</a>	Regulatory measures against air pollutants	X			X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/recycle/manage/sv.html">https://www.env.go.jp/en/recycle/manage/sv.html</a>	Haz waste standards		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/coop/oecd2002/poll_oecd_2002_air.html">http://www.env.go.jp/en/coop/oecd2002/poll_oecd_2002_air.html</a>	Resources for International Cooperation [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/soil/result/2004_summary.pdf">https://www.env.go.jp/en/water/soil/result/2004_summary.pdf</a>	Soil contamination survey		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/1220b-03.pdf">https://www.env.go.jp/en/press/2005/1220b-03.pdf</a>	Fig. 1 Total Number of Wells Exceeding Environmental Quality ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/1220b-02.pdf">https://www.env.go.jp/en/press/2005/1220b-02.pdf</a>	Table 2		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/1220c-01.pdf">https://www.env.go.jp/en/press/2005/1220c-01.pdf</a>	Table 1		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/pops/Appendix05-Laws/ChemSubstLaw.pdf">https://www.env.go.jp/en/chemi/pops/Appendix05-Laws/ChemSubstLaw.pdf</a>	Outline of the Chemical Substances Control Law		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/1220b-04.pdf">https://www.env.go.jp/en/press/2005/1220b-04.pdf</a>	Fig.2 Changes in Exceeding Rate of Environmental Quality ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/0930a-01.pdf">https://www.env.go.jp/en/press/2005/0930a-01.pdf</a>	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/press/2004/0910a-01.pdf">http://www.env.go.jp/en/press/2004/0910a-01.pdf</a>	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1995/eae24000000035.html">https://www.env.go.jp/en/wpaper/1995/eae24000000035.html</a>	Environmental quality standards	X			X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/air/aq/air.html">https://www.env.go.jp/en/air/aq/air.html</a>	Air pollutant regulation		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/air/aq/mv/vehicle/current.html">https://www.env.go.jp/en/air/aq/mv/vehicle/current.html</a>	Exhaust Emission Reduction(second ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2004/1216c-01.pdf">https://www.env.go.jp/en/press/2004/1216c-01.pdf</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-10.pdf">https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-10.pdf</a>	Emission factors	X		X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2004/1216c.html">https://www.env.go.jp/en/press/2004/1216c.html</a>	Press Release_2004 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/statistics/data/e11ex433.xls">http://www.env.go.jp/en/statistics/data/e11ex433.xls</a>	Air pollutant monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/press/2004/1216c-04.pdf">http://www.env.go.jp/en/press/2004/1216c-04.pdf</a>	Fig. 1 Changes in the Exceeding Rate of Environmental Quality ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/soil/sp.html">https://www.env.go.jp/en/water/soil/sp.html</a>	Environmental quality standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/gw/gwp.html">https://www.env.go.jp/en/water/gw/gwp.html</a>	Environmental quality standards for groundwater		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2003/1127b.html">https://www.env.go.jp/en/press/2003/1127b.html</a>	Press Release_2003 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/1220b.html">https://www.env.go.jp/en/press/2005/1220b.html</a>	Groundwater quality monitoring		X	X		X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/policy/plan/basic/referenc.html">https://www.env.go.jp/en/policy/plan/basic/referenc.html</a>	The Basic Environment Plan - Reference [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2003/1127c-01.pdf">https://www.env.go.jp/en/press/2003/1127c-01.pdf</a>	Table 1 State of Compliance with the Environmental Quality ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/1220b-02.pdf">https://www.env.go.jp/en/press/2005/1220b-02.pdf</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/statistics/data/e11ex434.xls">http://www.env.go.jp/en/statistics/data/e11ex434.xls</a>	NA		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2003/1127b-03.pdf">https://www.env.go.jp/en/press/2003/1127b-03.pdf</a>	Fig.1 Changes in the Rates of Exceeding Environmental Quality ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/press/2003/1127b-01.pdf">http://www.env.go.jp/en/press/2003/1127b-01.pdf</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1995/eae24000000055.html">https://www.env.go.jp/en/wpaper/1995/eae24000000055.html</a>	White paper	X			X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1994/eae23000000045.html">https://www.env.go.jp/en/wpaper/1994/eae23000000045.html</a>	White paper	X			X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/laws/chemi/cscl/CSCL_CO.pdf">https://www.env.go.jp/en/laws/chemi/cscl/CSCL_CO.pdf</a>	Order for Enforcement of the Act on the Evaluation of Chemical ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/wq/wemj/soil.html">https://www.env.go.jp/en/water/wq/wemj/soil.html</a>	Environmental standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/air/aq/aq.html">https://www.env.go.jp/en/air/aq/aq.html</a>	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/soil/contami_cm.pdf">https://www.env.go.jp/en/water/soil/contami_cm.pdf</a>	Soil contamination standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1996/ae25000000010.html">https://www.env.go.jp/en/wpaper/1996/ae25000000010.html</a>	Environmental monitoring survey		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/focus/docs/files/20120801-51.pdf">http://www.env.go.jp/en/focus/docs/files/20120801-51.pdf</a>	Water quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-8.pdf">https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-8.pdf</a>	Industrial uses	X			X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1993/ae22000000045.html">https://www.env.go.jp/en/wpaper/1993/ae22000000045.html</a>	Water quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/recycle/manage/waste.html">https://www.env.go.jp/en/recycle/manage/waste.html</a>	Hazardous waste standards		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/statistics/data/e11ex504.xls">http://www.env.go.jp/en/statistics/data/e11ex504.xls</a>	NA		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1994/ae23000000055.html">https://www.env.go.jp/en/wpaper/1994/ae23000000055.html</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2003/0910a.html">https://www.env.go.jp/en/press/2003/0910a.html</a>	Press Release_2003 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/water/wq/wemj/water2.html">http://www.env.go.jp/en/water/wq/wemj/water2.html</a>	Environmental quality standards/survey		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/water/wq/wemj/water1.html">http://www.env.go.jp/en/water/wq/wemj/water1.html</a>	National effluent standards	X		X		X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/jeq/v004-01.html">https://www.env.go.jp/en/jeq/v004-01.html</a>	JEQ Vol.4-01		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/focus/docs/files/20141113-49.pdf">https://www.env.go.jp/en/focus/docs/files/20141113-49.pdf</a>	Shipment trends	X			X		X		X	
Government of Japan: Ministry of the Environment	<a href="http://www.env.go.jp/en/water/wq/wemj/water.html">http://www.env.go.jp/en/water/wq/wemj/water.html</a>	Environmental quality standards		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/laws/recycle/04.pdf">https://www.env.go.jp/en/laws/recycle/04.pdf</a>	Ministerial Ordinance Determining Engineering Standards ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-3.pdf">https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-3.pdf</a>	Manual	X		X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/laws/recycle/02.pdf">https://www.env.go.jp/en/laws/recycle/02.pdf</a>	Waste mgmt		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1994/eae23000000030.html">https://www.env.go.jp/en/wpaper/1994/eae23000000030.html</a>	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1995/eae24000000060.html">https://www.env.go.jp/en/wpaper/1995/eae24000000060.html</a>	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/policy/plan/basic/pt3c1.html">https://www.env.go.jp/en/policy/plan/basic/pt3c1.html</a>	The Basic Environment Plan - Part III-Chapter 1 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/water/wg/nes.html">https://www.env.go.jp/en/water/wg/nes.html</a>	National effluent standards	X			X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1989/eae18000000020.html">https://www.env.go.jp/en/wpaper/1989/eae18000000020.html</a>	Polluted well survey		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/pops/Appendix/04-GuideLine/04Chapter1.pdf">https://www.env.go.jp/en/chemi/pops/Appendix/04-GuideLine/04Chapter1.pdf</a>	Environmental monitoring guidelines/results		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2005/0930a.html">https://www.env.go.jp/en/press/2005/0930a.html</a>	Press Release_2005 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2004/0910a.html">https://www.env.go.jp/en/press/2004/0910a.html</a>	Press Release_2004 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1993/eae22000000000.html">https://www.env.go.jp/en/wpaper/1993/eae22000000000.html</a>	Water quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1990/eae19000000030.html">https://www.env.go.jp/en/wpaper/1990/eae19000000030.html</a>	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/press/2003/1114a.html">https://www.env.go.jp/en/press/2003/1114a.html</a>	Air quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1995/eae24000000050.html">https://www.env.go.jp/en/wpaper/1995/eae24000000050.html</a>	Atmospheric environmental survey	X			X	X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/laws/recycle/03.pdf">https://www.env.go.jp/en/laws/recycle/03.pdf</a>	Waste mgmt regulations		X	X			X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1989/eae18000000015.html">https://www.env.go.jp/en/wpaper/1989/eae18000000015.html</a>	Quality of the Environment in Japan 1989 [MOE]		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/jeq/v006-02.html">https://www.env.go.jp/en/jeq/v006-02.html</a>	JEQ Vol.6-02		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/air/odor/olfactory_mm/04ref_2.pdf">https://www.env.go.jp/en/air/odor/olfactory_mm/04ref_2.pdf</a>	Olfactory Measurement Method in Japan		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1989/eae180000000030.html">https://www.env.go.jp/en/wpaper/1989/eae180000000030.html</a>	Effluent standards	X		X		X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/dioxins/3rd_roup_report.pdf">https://www.env.go.jp/en/chemi/dioxins/3rd_roup_report.pdf</a>	Report of the 3rd Workshop on Reduction of Unintentional POPs in ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1996/eae250000000035.html">https://www.env.go.jp/en/wpaper/1996/eae250000000035.html</a>	Quality of the Environment in Japan 1996 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/chemi/temm/korealist.pdf">https://www.env.go.jp/en/chemi/temm/korealist.pdf</a>	A List of Documents for Tripartite Information Exchange		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/2002/08.pdf">https://www.env.go.jp/en/wpaper/2002/08.pdf</a>	Part 2: Current Environmental Issues and Environmental Conservation		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/air/aq/air/air11.html">https://www.env.go.jp/en/air/aq/air/air11.html</a>	Regulatory Measures against Air Pollutants Emitted from Factories ...		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1996/eae250000000015.html">https://www.env.go.jp/en/wpaper/1996/eae250000000015.html</a>	Effluent standards	X		X		X			X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1994/eae230000000050.html">https://www.env.go.jp/en/wpaper/1994/eae230000000050.html</a>	Groundwater quality monitoring		X		X		X		X	
Government of Japan: Ministry of the Environment	<a href="https://www.env.go.jp/en/wpaper/1990/eae190000000020.html">https://www.env.go.jp/en/wpaper/1990/eae190000000020.html</a>	Environmental persistence monitoring		X	X			X		X	
Substances in Preparations in Nordic Countries (SPIN) Database	<a href="http://www.spin2000.net/spinmyphp/">http://www.spin2000.net/spinmyphp/</a>	Summary by chemical	X			X	X			X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/downloads/GreatLakesBasinFullReport.pdf">http://www.sustainableproduction.org/downloads/GreatLakesBasinFullReport.pdf</a>	emerging substances in great lakes basin		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://sustainableproduction.org/downloads/Child%20Canc%20Exec%20Summary.pdf">http://sustainableproduction.org/downloads/Child%20Canc%20Exec%20Summary.pdf</a>	white paper review of toxics and childhood cancers		X		X	X			X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/cancer-summary.php">http://www.sustainableproduction.org/cancer-summary.php</a>	White paper Environmental and Occupations causes of cancer	X			X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/pers.YveTorrie.php">http://www.sustainableproduction.org/pers.YveTorrie.php</a>	LCSP Personnel: Meet the Team: Yve Torrie		X		X		X		X	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/downloads/Chemicals%20Policy--So%20What.rtf">http://www.sustainableproduction.org/downloads/Chemicals%20Policy--So%20What.rtf</a>	Chemicals Policy--So What.rtf		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Lowell Center for Sustainable Production	<a href="http://www.sustainableproduction.org/downloads/LessonsLearned-CaseStudy1.pdf">http://www.sustainableproduction.org/downloads/LessonsLearned-CaseStudy1.pdf</a>	Lessons Learned		X		X		X		X	
eChemPortal	<a href="http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en">http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en</a>	Finnish environmental properties	X		X		X			X	
eChemPortal	<a href="http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en">http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en</a>	Concise International Chemical Assessment Document 68	X		X		X		X		
eChemPortal	<a href="http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en">http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en</a>	Results from Canadian Domestic Substance List		X	X			X		X	
eChemPortal	<a href="http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en">http://www.echemportal.org/echemportal/index?pagerD=0&amp;request_locale=en</a>	Environment Canada Screening Assessment	X		X		X		X		
Consumer Products Information Database (CPID)	<a href="https://www.whatsinproducts.com/chemicals/index/1">https://www.whatsinproducts.com/chemicals/index/1</a>	Products containing chemical		X		X	X			X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/09/08708.htm">http://infohouse.p2ric.org/ref/09/08708.htm</a>	Uses, cost	X			X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14662/InspDryClean.PDF">http://infohouse.p2ric.org/ref/15/14662/InspDryClean.PDF</a>	Production data, fate	X			X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/41/40686.pdf">http://infohouse.p2ric.org/ref/41/40686.pdf</a>	Contaminated Antifreeze a Potential Hazard		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00312.htm">http://infohouse.p2ric.org/ref/01/00312.htm</a>	Dry Cleaners: Alternative Drycleaning Solvent		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/03/02610.pdf">http://infohouse.p2ric.org/ref/03/02610.pdf</a>	Ford Rawsonville Plant Tetrachloroethylene The Ford Raw		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/18/17091.pdf">http://infohouse.p2ric.org/ref/18/17091.pdf</a>	Use of emulsion cleaning to replace perchloroethylene and freon ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/30/29889.pdf">http://infohouse.p2ric.org/ref/30/29889.pdf</a>	Methods to reduce perc waste	X			X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/03/02893.htm">http://infohouse.p2ric.org/ref/03/02893.htm</a>	Cleaner Technology Demonstration Site Case Study Utopia ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00311.htm">http://infohouse.p2ric.org/ref/01/00311.htm</a>	Methods to reduce perc use	X			X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00374.pdf">http://infohouse.p2ric.org/ref/01/00374.pdf</a>	Dry Cleaners - Dry Cleaner Facts Sheet		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/31/30841.pdf">http://infohouse.p2ric.org/ref/31/30841.pdf</a>	Testing of alternatives to Perc		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/09/08722.htm">http://infohouse.p2ric.org/ref/09/08722.htm</a>	Overview of dry cleaning, control strategies	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/31/30705.pdf">http://infohouse.p2ric.org/ref/31/30705.pdf</a>	Half-life		x	x			x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00154.pdf">http://infohouse.p2ric.org/ref/01/00154.pdf</a>	Process Change In The Dry Cleaning Industry		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/48/47734.pdf">http://infohouse.p2ric.org/ref/48/47734.pdf</a>	How to calculate 12-month running totals		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/11/10044.htm">http://infohouse.p2ric.org/ref/11/10044.htm</a>	Overview of perc and ways to reduce perc use	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/03/02776.pdf">http://infohouse.p2ric.org/ref/03/02776.pdf</a>	EPA document		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/34/33615.ppt">http://infohouse.p2ric.org/ref/34/33615.ppt</a>	Alternative automotive aerosol products		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/06/05719.pdf">http://infohouse.p2ric.org/ref/06/05719.pdf</a>	Design For The Environment - Case Study: Water-Based Cleaning ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/48/47880.doc">http://infohouse.p2ric.org/ref/48/47880.doc</a>	Prior to conducting the site inspection, the inspector MUST ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/22/21356.htm">http://infohouse.p2ric.org/ref/22/21356.htm</a>	CDC/NIOSH		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/07/06626.pdf">http://infohouse.p2ric.org/ref/07/06626.pdf</a>	NESHAP report		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14828/CSgameboard.pdf">http://infohouse.p2ric.org/ref/15/14828/CSgameboard.pdf</a>	Board game		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/48/47884.doc">http://infohouse.p2ric.org/ref/48/47884.doc</a>	Notification of Compliance Status		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14458.pdf">http://infohouse.p2ric.org/ref/15/14458.pdf</a>	Green Cleaning		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/39/38526.pdf">http://infohouse.p2ric.org/ref/39/38526.pdf</a>	Brake cleaning with water-based cleaning systems	x			x	x			x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/48/47857.pdf">http://infohouse.p2ric.org/ref/48/47857.pdf</a>	wet dry cleaning?		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14828/CSDecisions.pdf">http://infohouse.p2ric.org/ref/15/14828/CSDecisions.pdf</a>	The Clean Scene Decisions		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00836.pdf">http://infohouse.p2ric.org/ref/01/00836.pdf</a>	Alternative way to reduce use of perc	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/31/30870.pdf">http://infohouse.p2ric.org/ref/31/30870.pdf</a>	Qual report of exposure	x			x	x				x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/30/29056.pdf">http://infohouse.p2ric.org/ref/30/29056.pdf</a>	Dry Cleaning and Laundries		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/48/47888.doc">http://infohouse.p2ric.org/ref/48/47888.doc</a>	Requirement		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/30/29919.pdf">http://infohouse.p2ric.org/ref/30/29919.pdf</a>	SRSTMSo lvent Recovery System to remove perc		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/11/10073.htm">http://infohouse.p2ric.org/ref/11/10073.htm</a>	Washington State Department of Ecology: Drycleaners		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/12/11780.pdf">http://infohouse.p2ric.org/ref/12/11780.pdf</a>	Solvent Recovery in the Dry Cleaning Industry	x			x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/04/03150.htm">http://infohouse.p2ric.org/ref/04/03150.htm</a>	TS-017 Thilmany - Division of International Paper		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/17/16745.pdf">http://infohouse.p2ric.org/ref/17/16745.pdf</a>	Qual no data	x			x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00651.htm">http://infohouse.p2ric.org/ref/01/00651.htm</a>	Pollution Prevention Success Story: Capitol Cleaners		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/41/40734.pdf">http://infohouse.p2ric.org/ref/41/40734.pdf</a>	board game		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/30/29916.pdf">http://infohouse.p2ric.org/ref/30/29916.pdf</a>	Dry Cleaning		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/03/02793/">http://infohouse.p2ric.org/ref/03/02793/</a>	EHP 104(5) Innovations		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/18/17469.pdf">http://infohouse.p2ric.org/ref/18/17469.pdf</a>	use of perc in print shops	x			x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/50/49487.pdf">http://infohouse.p2ric.org/ref/50/49487.pdf</a>	Use of perc in dry cleaning, loss of perc	x			x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01501.pdf">http://infohouse.p2ric.org/ref/02/01501.pdf</a>	Substitutes for Methyl Chloroform as Spot Cleaner in Textile Mills		x		x		x			x
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/17/16561.pdf">http://infohouse.p2ric.org/ref/17/16561.pdf</a>	Perc demand numbers	x			x		x			x

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14216.pdf">http://infohouse.p2ric.org/ref/15/14216.pdf</a>	Drycleaning an Laundry Plants: Industry Overview		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/19/18407.pdf">http://infohouse.p2ric.org/ref/19/18407.pdf</a>	Abiotic Reductive Dechlorination of Tetrachloroethylene		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/38/37541/112D.pdf">http://infohouse.p2ric.org/ref/38/37541/112D.pdf</a>	NESHAP doc		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01708.pdf">http://infohouse.p2ric.org/ref/02/01708.pdf</a>	Dyeing Polyester with Microwave Heating using Disperse Dyestuffs		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/31/30913.pdf">http://infohouse.p2ric.org/ref/31/30913.pdf</a>	Manual on Vapor Degreasing - Third Edition		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00153.pdf">http://infohouse.p2ric.org/ref/01/00153.pdf</a>	Success Story - Carpenter Technology Corporation		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14248.pdf">http://infohouse.p2ric.org/ref/15/14248.pdf</a>	Hazardous Waste Management Study: Dry Cleaners	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/17/16559.pdf">http://infohouse.p2ric.org/ref/17/16559.pdf</a>	Production demand, manufacturers	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/22/21134.pdf">http://infohouse.p2ric.org/ref/22/21134.pdf</a>	PCE uses	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/09/08261.pdf">http://infohouse.p2ric.org/ref/09/08261.pdf</a>	Five Chemicals - Alternatives Assessment Study	x		x			x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/47/46853.pdf">http://infohouse.p2ric.org/ref/47/46853.pdf</a>	Professional Wet Cleaning: California ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/12/11466.pdf">http://infohouse.p2ric.org/ref/12/11466.pdf</a>	Textile Manufacturing Industry Overview		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/51/50056.pdf">http://infohouse.p2ric.org/ref/51/50056.pdf</a>	Results and Conclusions From Wet Cleaning Demonstration Projects		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/17/16071.pdf">http://infohouse.p2ric.org/ref/17/16071.pdf</a>	Pollution Prevention Fact Sheet		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00244.pdf">http://infohouse.p2ric.org/ref/01/00244.pdf</a>	at Standard Uniform Services		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14539.pdf">http://infohouse.p2ric.org/ref/15/14539.pdf</a>	Biodegradable Solvent Substitution		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/09/08377.htm">http://infohouse.p2ric.org/ref/09/08377.htm</a>	Industry Overview of Textile Manufacturing		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/10/09952.htm">http://infohouse.p2ric.org/ref/10/09952.htm</a>	Fact Sheet On EPA'S 33/50 Program		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/38/37489.pdf">http://infohouse.p2ric.org/ref/38/37489.pdf</a>	monitoring, production and, list of manufacturers	X		X		X			X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/38/37146.htm">http://infohouse.p2ric.org/ref/38/37146.htm</a>	14_3 BIOREMEDIATION OF CONTAMINATED SOIL: BIOPILES		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/10/09215.htm">http://infohouse.p2ric.org/ref/10/09215.htm</a>	Maskant Material Substitution in the Aerospace Industry		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/16/15419.htm">http://infohouse.p2ric.org/ref/16/15419.htm</a>	MANAGEMENT OF WIPERS & RAGS		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01258.pdf">http://infohouse.p2ric.org/ref/02/01258.pdf</a>	Qual uses of perc in printing industry	X			X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/23/22159.pdf">http://infohouse.p2ric.org/ref/23/22159.pdf</a>	Minimization of EPA 17 Hazardous Chemicals in Plating Shop at ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01667.htm">http://infohouse.p2ric.org/ref/02/01667.htm</a>	PF Online Pollution Abatement - What Regulations Apply to ...		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/04/03701/aqtech.html">http://infohouse.p2ric.org/ref/04/03701/aqtech.html</a>	Technical Issues and Aqueous Cleaning Systems		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/17/16926.pdf">http://infohouse.p2ric.org/ref/17/16926.pdf</a>	Case Study #1 - Vapor Degreasing - Solution!		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/07/06634.pdf">http://infohouse.p2ric.org/ref/07/06634.pdf</a>	Safe Substitutes at Home: Non-Toxic Household Products		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/16/15423.htm">http://infohouse.p2ric.org/ref/16/15423.htm</a>	spin disk filtration of spent perc at fabric care specialist		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24686.pdf">http://infohouse.p2ric.org/ref/25/24686.pdf</a>	Aqueous Cleaners Challenge Chlorinated Solvents		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/20/19000.pdf">http://infohouse.p2ric.org/ref/20/19000.pdf</a>	NC Alternative to PERC report, NC production and water limits	X			X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/18/17034.pdf">http://infohouse.p2ric.org/ref/18/17034.pdf</a>	Solvent Cleaning (Degreasing)		X		X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01261.pdf">http://infohouse.p2ric.org/ref/02/01261.pdf</a>	Source Reduction of Chlorinated Solvents	X			X		X		X	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/33/32142.pdf">http://infohouse.p2ric.org/ref/33/32142.pdf</a>	A Study Of Dry Cleaning Solvents And Clothing: Source Of Dioxin ...		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/39/38204.pdf">http://infohouse.p2ric.org/ref/39/38204.pdf</a>	PCI Technical Brief - Powder Coatings And Hazardous Waste ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/23/22198.pdf">http://infohouse.p2ric.org/ref/23/22198.pdf</a>	NA		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/25/24662.pdf">http://infohouse.p2ric.org/ref/25/24662.pdf</a>	Use of Advanced Hydrocarbon Fluid Alternatives for Precision and ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14455.pdf">http://infohouse.p2ric.org/ref/15/14455.pdf</a>	Real World Wetcleaning: A Study of Three Established Wetcleaning ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00065.htm">http://infohouse.p2ric.org/ref/01/00065.htm</a>	Sources and Extent of Groundwater Contamination		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/29/28512.pdf">http://infohouse.p2ric.org/ref/29/28512.pdf</a>	Substituting Methylene Chloride (MEC) Perchloroethylene (Perc ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/15/14505.pdf">http://infohouse.p2ric.org/ref/15/14505.pdf</a>	Perc industry production volume 1988	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/31/30550.pdf">http://infohouse.p2ric.org/ref/31/30550.pdf</a>	Hazardous Waste Reduction in the Aerospace Industry		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/48/47512.pdf">http://infohouse.p2ric.org/ref/48/47512.pdf</a>	Recycling - Practical Advice for Small ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/03/02454/p2pract.htm">http://infohouse.p2ric.org/ref/03/02454/p2pract.htm</a>	Common Pollution Prevention Practices		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/03/02579.pdf">http://infohouse.p2ric.org/ref/03/02579.pdf</a>	Use of perc in automative industry	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/14/13975.htm">http://infohouse.p2ric.org/ref/14/13975.htm</a>	Perc treatment process		x	x			x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/19/18337.pdf">http://infohouse.p2ric.org/ref/19/18337.pdf</a>	Dry Cleaning Packet Final	x			x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/02/01675.htm">http://infohouse.p2ric.org/ref/02/01675.htm</a>	Commonly Asked Questions Regarding the Use of Natural ...		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/29/28697.pdf">http://infohouse.p2ric.org/ref/29/28697.pdf</a>	NA		x		x		x		x	
Pollution Prevention Infohouse	<a href="http://infohouse.p2ric.org/ref/01/00777/alternat.htm">http://infohouse.p2ric.org/ref/01/00777/alternat.htm</a>	Alternatives to Solvent-Borne Coatings		x		x		x		x	
Kirk Othemer Encyclopedia	<a href="#">Book</a>			x	x			x		x	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="http://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary021.pdf">http://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary021.pdf</a>	Volatile Organic Compounds in Non-Smoking Montana Residences Not		X		X	X			X	
State sites	<a href="https://oehha.ca.gov/chhstable">https://oehha.ca.gov/chhstable</a>	Numbers (California Human Health Screening Levels or CHHSLs)		X	X		X			X	
State sites	<a href="http://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary021.pdf">http://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary021.pdf</a>	Summary of groundwater/soil contamination from site	X		X		X			X	
State sites	<a href="http://www.floridahealth.gov/environmental-health/hazardous-waste/sites/health-assessments.html">http://www.floridahealth.gov/environmental-health/hazardous-waste/sites/health-assessments.html</a>	assessments, health consultations and public health assessments	X		X		X			X	
State sites	<a href="http://des.nh.gov/organization/divisions/waste/hwrp/documents/rcmp.pdf">http://des.nh.gov/organization/divisions/waste/hwrp/documents/rcmp.pdf</a>	dose response info, absorption factors, F&T data (partition coefficient,		X	X		X			X	
State sites	<a href="http://www.mass.gov/eoa/agencies/massdep/water/drinking/standards/standards-and-guidelines-for-drinking-water-contaminants.html">http://www.mass.gov/eoa/agencies/massdep/water/drinking/standards/standards-and-guidelines-for-drinking-water-contaminants.html</a>	MA drinking water standards		X		X	X			X	
State sites	<a href="http://www.floridahealth.gov/environmental-health/hazardous-waste/sites/documents/technical/102114.pdf">http://www.floridahealth.gov/environmental-health/hazardous-waste/sites/documents/technical/102114.pdf</a>	groundwater/soil contamination from site	X		X		X			X	
State sites	<a href="http://www.mass.gov/eoa/agencies/massdep/water/drinking/lead-and-other-contaminants-in-drinking-water.html">http://www.mass.gov/eoa/agencies/massdep/water/drinking/lead-and-other-contaminants-in-drinking-water.html</a>	information, survey of exposures, fact sheets		X		X	X			X	
State sites	<a href="https://oehha.ca.gov/media/downloads/disk-assessment/california-human-health-screening-levels-chhsls-chhstable.pdf">https://oehha.ca.gov/media/downloads/disk-assessment/california-human-health-screening-levels-chhsls-chhstable.pdf</a>	CA Human Health Screening levels, Soil screening numbers		X		X	X			X	
State sites	<a href="http://www.cdph.ca.gov/programs/hesis/Documents/riskreport.pdf">http://www.cdph.ca.gov/programs/hesis/Documents/riskreport.pdf</a>	Occupational Health Hazard Risk Assessment Project for California	X			X		X	X		
State sites	<a href="https://oehha.ca.gov/chemicals/tetrachloroethylene">https://oehha.ca.gov/chemicals/tetrachloroethylene</a>	screening, cancer risk, air, prop 65, water		X		X	X			X	
State sites	<a href="https://oehha.ca.gov/proposition-65/chemicals/tetrachloroethylene-perchloroethylene">https://oehha.ca.gov/proposition-65/chemicals/tetrachloroethylene-perchloroethylene</a>	Summary page for 1BP, prop 65 (reg limits)		X		X	X			X	
State sites	<a href="http://www.dem.ri.gov/pubs/regs/regs/air/air22_08.pdf">http://www.dem.ri.gov/pubs/regs/regs/air/air22_08.pdf</a>	REGULATION NO. 22, Acceptable Ambient levels		X		X	X			X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/air/table.html">http://www.health.state.mn.us/divs/eh/risk/guidance/air/table.html</a>	Health Risk Value for different exposure levels, ambient air		X		X	X		X		
State sites	<a href="https://oehha.ca.gov/proposition-65/proposition-65-list">https://oehha.ca.gov/proposition-65/proposition-65-list</a>	List of chemicals in Prop 65, California		X		X	X			X	
State sites	<a href="https://oehha.ca.gov/proposition-65/chemicals/tetrachloroethylene-perchloroethylene">https://oehha.ca.gov/proposition-65/chemicals/tetrachloroethylene-perchloroethylene</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X	X			X	
State sites	<a href="https://www.des.nh.gov/organization/commissioner/pip/factsheets/ard/documents/ard-ehp-18.pdf">https://www.des.nh.gov/organization/commissioner/pip/factsheets/ard/documents/ard-ehp-18.pdf</a>	ARD-EHP-18 Tetrachloroethene		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://www.tceq.texas.gov/permitting/registration/dry_cleaners/dc_solvent_distributors.html">https://www.tceq.texas.gov/permitting/registration/dry_cleaners/dc_solvent_distributors.html</a>	Requirements for Dry Cleaning Solvent Distributors - TCEQ - www ...		X		X		X		X	
State sites	<a href="http://www.mass.gov/eea/agencies/massdep/toxics/sources/tetrachloroethylene-pce.html">http://www.mass.gov/eea/agencies/massdep/toxics/sources/tetrachloroethylene-pce.html</a>	Tetrachloroethylene (PCE)   MassDEP		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/chemicals/tetrachloroethylene">https://oehha.ca.gov/chemicals/tetrachloroethylene</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/cmr/screenreport010405.pdf">https://oehha.ca.gov/media/downloads/cmr/screenreport010405.pdf</a>	risk assessment, soil screening values		X		X	X			X	
State sites	<a href="https://oehha.ca.gov/media/downloads/water/chemicals/phg/pceaug2001_0.pdf">https://oehha.ca.gov/media/downloads/water/chemicals/phg/pceaug2001_0.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA	X			X	X			X	
State sites	<a href="https://oehha.ca.gov/water/report/phg-exceedance-reports-2013">https://oehha.ca.gov/water/report/phg-exceedance-reports-2013</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/water/report/2013exceedance.pdf">https://oehha.ca.gov/media/downloads/water/report/2013exceedance.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/air/cmr/notice-adoption-inhalation-cancer-unit-risk-factor-perchloroethylene">https://oehha.ca.gov/air/cmr/notice-adoption-inhalation-cancer-unit-risk-factor-perchloroethylene</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/air/document-hot-spots-perchloroethylene-unit-risk-factor-srp-review-draft">https://oehha.ca.gov/air/document-hot-spots-perchloroethylene-unit-risk-factor-srp-review-draft</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/air/cmr/technical-support-document-cancer-potency-factors-2009">https://oehha.ca.gov/air/cmr/technical-support-document-cancer-potency-factors-2009</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/water/public-health-goals-phgs">https://oehha.ca.gov/water/public-health-goals-phgs</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X	X			X	
State sites	<a href="https://oehha.ca.gov/air/general-info/toxic-air-contaminant-list-staff-reports-executive-summaries">https://oehha.ca.gov/air/general-info/toxic-air-contaminant-list-staff-reports-executive-summaries</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/air/document/perchloroethylene.pdf">https://oehha.ca.gov/media/downloads/air/document/perchloroethylene.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA	X			X	X			X	
State sites	<a href="https://oehha.ca.gov/media/downloads/cmr/appendixd2final.pdf">https://oehha.ca.gov/media/downloads/cmr/appendixd2final.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://www.arb.ca.gov/toxics/id/summary/summary.htm">https://www.arb.ca.gov/toxics/id/summary/summary.htm</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X		X		X	
State sites	<a href="https://www.arb.ca.gov/toxics/id/summary/perchlor.pdf">https://www.arb.ca.gov/toxics/id/summary/perchlor.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA	X			X	X			X	
State sites	<a href="https://www.arb.ca.gov/toxics/id/summary/perchloroethylene_a.pdf">https://www.arb.ca.gov/toxics/id/summary/perchloroethylene_a.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://www.arb.ca.gov/toxics/id/summary/perchloroethylene_b.pdf">https://www.arb.ca.gov/toxics/id/summary/perchloroethylene_b.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA	X			X	X			X	
State sites	<a href="https://www.arb.ca.gov/toxics/id/summary/perchloroethylene_c.pdf">https://www.arb.ca.gov/toxics/id/summary/perchloroethylene_c.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA	X			X	X			X	
State sites	<a href="https://oehha.ca.gov/media/downloads/proposition-65/chemicals/safeharbor081513.pdf">https://oehha.ca.gov/media/downloads/proposition-65/chemicals/safeharbor081513.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X	X			X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/gw/tetpercsum.pdf">http://www.health.state.mn.us/divs/eh/risk/guidance/gw/tetpercsum.pdf</a>	Toxicological Summary for Tetrachloroethylene (PDF)		X		X		X	X		
State sites	<a href="https://oehha.ca.gov/media/downloads/proposition-65/chemicals/safeharbor081513.pdf">https://oehha.ca.gov/media/downloads/proposition-65/chemicals/safeharbor081513.pdf</a>	Tetrachloroethylene (Perchloroethylene)   OEHHA		X		X	X			X	
State sites	<a href="https://epd.georgia.gov/air/dry-cleaners-perchloroethylene-pce-requirements">https://epd.georgia.gov/air/dry-cleaners-perchloroethylene-pce-requirements</a>	Dry Cleaners Perchloroethylene (PCE) Requirements   Air ...		X		X		X		X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/air/ftmemo.pdf">http://www.health.state.mn.us/divs/eh/risk/guidance/air/ftmemo.pdf</a>	(Perchloroethylene) and Formaldehyde		X		X		X		X	
State sites	<a href="https://www.in.gov/idem/ctap/files/ctap_drycleaners_evaporating_leak_detector.pdf">https://www.in.gov/idem/ctap/files/ctap_drycleaners_evaporating_leak_detector.pdf</a>	Evaluating Vapor Leak Detectors for use in PERC Dry Cleaners		X		X	X			X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/air/tetrachloro.pdf">http://www.health.state.mn.us/divs/eh/risk/guidance/air/tetrachloro.pdf</a>	Tetrachloroethylene PCE (PDF: 114KB/9 pages)		X		X		X	X		
State sites	<a href="https://www.tceq.texas.gov/assets/public/implementation/tox/dsd/final/tetrachloroethylene.pdf">https://www.tceq.texas.gov/assets/public/implementation/tox/dsd/final/tetrachloroethylene.pdf</a>	Tetrachloroethylene (PCE)		X		X		X	X		
State sites	<a href="http://www.ct.gov/dph/bib/dph/environmental_health/lecha/attdr/millfordcleaningvillagepcefactsheet.pdf">http://www.ct.gov/dph/bib/dph/environmental_health/lecha/attdr/millfordcleaningvillagepcefactsheet.pdf</a>	Questions & Answers Regarding Tetrachloroethylene (PCE) & the ...		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/cmr/acutp-z.pdf">https://oehha.ca.gov/media/downloads/cmr/acutp-z.pdf</a>	Hot Spots Risk Assessment Guidelines Part II, Appendix C ...		X		X		X	X		
State sites	<a href="http://www.in.gov/idem/ctap/files/ctap_cleaners_manual.pdf">http://www.in.gov/idem/ctap/files/ctap_cleaners_manual.pdf</a>	Indiana's Perchloroethylene Drycleaners (2013)		X		X		X		X	
State sites	<a href="http://www.dtsc.ca.gov/assessingrisk/humanrisk2.cfm">http://www.dtsc.ca.gov/assessingrisk/humanrisk2.cfm</a>	Human Health Risk (HERO)		X		X		X		X	
State sites	<a href="http://www.dtr.ca.gov/ubod/HRA/Note_7_OEHHA_PCE_Toxicity_Criteria_DTSC_Sl_Air-and-Soil_Gas-ver2016-10-17.pdf">http://www.dtr.ca.gov/ubod/HRA/Note_7_OEHHA_PCE_Toxicity_Criteria_DTSC_Sl_Air-and-Soil_Gas-ver2016-10-17.pdf</a>	Human Health Risk (HERO)		X		X		X		X	
State sites	<a href="http://dhr.wi.gov/topic/SmallBusiness/documents/drycleaning/StrategiesForPercDryCleaners.pdf">http://dhr.wi.gov/topic/SmallBusiness/documents/drycleaning/StrategiesForPercDryCleaners.pdf</a>	Clearing the Air on Clear Air: Strategies for Perc Drycleaners ...	X			X		X		X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/gw/tetpercinfo.pdf">http://www.health.state.mn.us/divs/eh/risk/guidance/gw/tetpercinfo.pdf</a>	Tetrachloroethylene (PCE) and Water		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://www.tceq.texas.gov/assets/public/comm_exec/pubs/pd/006/08-02.pdf">https://www.tceq.texas.gov/assets/public/comm_exec/pubs/pd/006/08-02.pdf</a>	New Requirements for Perc Dry Cleaners Construction Storm Water ...		X		X		X		X	
State sites	<a href="http://www.dec.ny.gov/chemical/8938.html">http://www.dec.ny.gov/chemical/8938.html</a>	Forms for Dry Cleaners Using Perchloroethylene and/or Approved ...		X		X		X		X	
State sites	<a href="http://dnr.wi.gov/topic/SmallBusiness/documents/drycleaning/SolventComparison.pdf">http://dnr.wi.gov/topic/SmallBusiness/documents/drycleaning/SolventComparison.pdf</a>	Comparison of wet-cleaning and dry-cleaning methods [PDF]		X		X		X		X	
State sites	<a href="http://des.nh.gov/organization/commissioner/pip/factsheets/ssb/documents/ssb-7.pdf">http://des.nh.gov/organization/commissioner/pip/factsheets/ssb/documents/ssb-7.pdf</a>	Test Pits and Percolation Tests for Subsurface Sewage Disposal ...		X		X		X		X	
State sites	<a href="http://www.vdh.virginia.gov/environmental/epidemiology/factsheets/forpublichealth/frequentlyaskedquestionsabouttetrahydroethylene/">http://www.vdh.virginia.gov/environmental/epidemiology/factsheets/forpublichealth/frequentlyaskedquestionsabouttetrahydroethylene/</a>	frequently asked questions about tetrachloroethylene		X		X		X		X	
State sites	<a href="http://www.dec.ny.gov/chemical/8567.html">http://www.dec.ny.gov/chemical/8567.html</a>	Dry Cleaner Regulation - NYS Dept. of Environmental Conservation		X		X		X		X	
State sites	<a href="https://www.pca.state.mn.us/quick-links/sbeap-industry-sector-dry-cleaners">https://www.pca.state.mn.us/quick-links/sbeap-industry-sector-dry-cleaners</a>	SBEAP industry sector: Dry cleaners   Minnesota Pollution Control ...		X		X		X		X	
State sites	<a href="https://www.dtsc.ca.gov/AssessingRisk/Upload/pce.pdf">https://www.dtsc.ca.gov/AssessingRisk/Upload/pce.pdf</a>	FINAL DRAFT REPORT TETRACHLOROETHYLENE (PCE)		X	X			X		X	
State sites	<a href="http://www.dec.ny.gov/education/64800.html">http://www.dec.ny.gov/education/64800.html</a>	Perchloroethylene - NYS Dept. of Environmental Conservation		X		X		X		X	
State sites	<a href="http://www.dec.virginia.gov/Programs/Air/SmallBusinessAssistance/FactSheets/StandardsForPollutantsFromPerchloroethylene.aspx">http://www.dec.virginia.gov/Programs/Air/SmallBusinessAssistance/FactSheets/StandardsForPollutantsFromPerchloroethylene.aspx</a>	Virginia DEQ - National Emission Standards for Perchloroethylene ...		X		X		X		X	
State sites	<a href="http://www.cdhec.gov/Home/About/Outreach/YourHome/Environmental/Safety/Concerns/BestPractices/Exposure/Asbestos/Questions/">http://www.cdhec.gov/Home/About/Outreach/YourHome/Environmental/Safety/Concerns/BestPractices/Exposure/Asbestos/Questions/</a>	DHEC: Frequently Asked Questions		X		X		X		X	
State sites	<a href="https://public.health.oregon.gov/HealthyEnvironments/DrinkingWater/Monitoring/Documents/health/pce.pdf">https://public.health.oregon.gov/HealthyEnvironments/DrinkingWater/Monitoring/Documents/health/pce.pdf</a>	Tetrachloroethylene and drinking water - Oregon		X		X		X		X	
State sites	<a href="http://dec.alaska.gov/spar/glossary.htm">http://dec.alaska.gov/spar/glossary.htm</a>	DEC - Division of Spill Prevention and Response - Glossary of ...		X		X		X		X	
State sites	<a href="http://www.iowadnr.gov/portals/dnr/uploads/consites/rburl.pdf">http://www.iowadnr.gov/portals/dnr/uploads/consites/rburl.pdf</a>	BNSF (GREASE LAKE)		X		X		X		X	
State sites	<a href="http://www.ct.gov/dph/lib/dph/environmental_health/eoha/pdf/perc_fs_411.pdf">http://www.ct.gov/dph/lib/dph/environmental_health/eoha/pdf/perc_fs_411.pdf</a>	Tetrachloroethylene in Private Well Water		X		X	X			X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/hazardous/topics/vaporintrusion.html">http://www.health.state.mn.us/divs/eh/hazardous/topics/vaporintrusion.html</a>	Vapor Intrusion - Environmental Health: Minnesota Dept. of Health		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/ages/sbap/docs/saifdrycl.pdf">http://www.nj.gov/dep/ages/sbap/docs/saifdrycl.pdf</a>	Environmental Auditing		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://ndep.nv.gov/pce/doc/MSq-ROD-FINAL.pdf">https://ndep.nv.gov/pce/doc/MSq-ROD-FINAL.pdf</a>	Record of Decision (ROD)		X		X	X			X	
State sites	<a href="http://www.nj.gov/dep/rules/proposals/121707b.pdf">http://www.nj.gov/dep/rules/proposals/121707b.pdf</a>	DEP Proposal		X		X	X			X	
State sites	<a href="https://www.dep.state.fl.us/waste/quick_topics/publications/wcd/drycleaning/information/drycleaner_presentation_SED.pdf">https://www.dep.state.fl.us/waste/quick_topics/publications/wcd/drycleaning/information/drycleaner_presentation_SED.pdf</a>	Dry Cleaners Compliance Assistance Outreach		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary">https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary</a>	OEHHA Acute, 8-hour and Chronic Reference Exposure Level (REL ...		X		X	X			X	
State sites	<a href="http://dnr.wi.gov/files/PDF/pubs/rr/RR890.pdf">http://dnr.wi.gov/files/PDF/pubs/rr/RR890.pdf</a>	Soil RCL Determinations Using the US EPA Regional Screening ...		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/chhsltable">https://oehha.ca.gov/chhsltable</a>	duplicate		X		X	X			X	
State sites	<a href="https://www.dtsc.ca.gov/PollutionPrevention/upload/Alternatives-to-PERC.pdf">https://www.dtsc.ca.gov/PollutionPrevention/upload/Alternatives-to-PERC.pdf</a>	Alternatives to Perchloroethylene Vapor Degreasing for Plating ...		X		X		X		X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/air/tetrachloroethylene.html">http://www.health.state.mn.us/divs/eh/risk/guidance/air/tetrachloroethylene.html</a>	Health-Based Guidance for Air: Tetrachloroethylene: Minnesota ...		X		X		X		X	
State sites	<a href="http://www.mde.state.md.us/programs/Air/AirQualityCompliance/Documents/Drycleaner%20Calendar%202016-2017.pdf">http://www.mde.state.md.us/programs/Air/AirQualityCompliance/Documents/Drycleaner%20Calendar%202016-2017.pdf</a>	Dry Cleaner Compliance Calendar for 2016 - 2017		X		X		X		X	
State sites	<a href="http://www.kdheks.gov/dryclean/dryclean_trust_fund.htm">http://www.kdheks.gov/dryclean/dryclean_trust_fund.htm</a>	Kansas Department of Health and Environment: Dry Cleaning ...		X		X		X		X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/hazardous/topics/perc.pdf">http://www.health.state.mn.us/divs/eh/hazardous/topics/perc.pdf</a>	Health-Based Guidance for Air: Tetrachloroethylene: Minnesota ...		X		X		X		X	
State sites	<a href="http://www.dtsc.ca.gov/AssessingRisk/upload/HERO-Quarterly-Updates-October-2016.pdf">http://www.dtsc.ca.gov/AssessingRisk/upload/HERO-Quarterly-Updates-October-2016.pdf</a>	duplicate		X		X		X		X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/air/tetrachloro.pdf">http://www.health.state.mn.us/divs/eh/risk/guidance/air/tetrachloro.pdf</a>	Health-Based Guidance for Air: Tetrachloroethylene: Minnesota ...		X		X	X			X	
State sites	<a href="http://www.health.state.mn.us/divs/eh/risk/guidance/adafrecmd.pdf">http://www.health.state.mn.us/divs/eh/risk/guidance/adafrecmd.pdf</a>	Health-Based Guidance for Air: Tetrachloroethylene: Minnesota ...		X		X	X			X	
State sites	<a href="http://www.dec.ny.gov/chemical/8941.html">http://www.dec.ny.gov/chemical/8941.html</a>	Dry Cleaning Machine Disposal and Other Regulatory Issues - NYS ...		X		X		X		X	
State sites	<a href="http://www.idph.state.il.us/about/epi/DuPageReport.pdf">http://www.idph.state.il.us/about/epi/DuPageReport.pdf</a>	Examining Potential Relationships between Cancer		X		X	X		X		
State sites	<a href="http://www.michigan.gov/deg/0,4561,7-135-3307_36106-11400--,00.html">http://www.michigan.gov/deg/0,4561,7-135-3307_36106-11400--,00.html</a>	DEQ - Dry Cleaning Workbook		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="http://www.dec.ny.gov/chemical/72273.html">http://www.dec.ny.gov/chemical/72273.html</a>	Approved Alternative Solvents for Dry Cleaning - NYS Dept. of ...		X		X		X		X	
State sites	<a href="http://www.dec.ny.gov/chemical/8943.html">http://www.dec.ny.gov/chemical/8943.html</a>	DEC Certified PERC Dry Cleaning Equipment - NYS Dept. of ...		X		X		X		X	
State sites	<a href="https://www.tceq.texas.gov/permitting/registration/dry_cleaners/certificates.html">https://www.tceq.texas.gov/permitting/registration/dry_cleaners/certificates.html</a>	Types of Dry Cleaning Certificates - TCEQ - www.tceq.texas.gov		X		X		X		X	
State sites	<a href="http://www.sodhec.gov/HomeAndEnvironment/YourHomeEnvironmentandSafetyConcerns/SepticTanks/">http://www.sodhec.gov/HomeAndEnvironment/YourHomeEnvironmentandSafetyConcerns/SepticTanks/</a>	DHEC: Septic Tanks		X		X		X		X	
State sites	<a href="http://www.dep.state.fl.us/waste/categories/drycleaning/">http://www.dep.state.fl.us/waste/categories/drycleaning/</a>	Drycleaning Solvent Cleanup Program Main Page   Waste Cleanup ...		X		X		X		X	
State sites	<a href="http://www.dec.ny.gov/docs/air_pdf/afr232inst.pdf">http://www.dec.ny.gov/docs/air_pdf/afr232inst.pdf</a>	Air Facility Registration Application Instructions		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/guidance_forms/docs/Drycleaners_reduced.pdf">https://dec.alaska.gov/spar/csp/guidance_forms/docs/Drycleaners_reduced.pdf</a>	CONDUCTING CONTAMINATION ASSESSMENT WORK AT ...		X		X		X		X	
State sites	<a href="http://www.ecy.wa.gov/programs/hwtr/designation/">http://www.ecy.wa.gov/programs/hwtr/designation/</a>	Designate Your Waste Is it Dangerous?   Washington State ...		X		X		X		X	
State sites	<a href="http://www.dec.ny.gov/chemical/108167.html">http://www.dec.ny.gov/chemical/108167.html</a>	Fact Sheet - Proposed Changes to 6 NYCRR Part 232 - NYS Dept ...		X		X		X		X	
State sites	<a href="https://www.tceq.texas.gov/assets/public/remediation/trrp/disposalsoil.pdf">https://www.tceq.texas.gov/assets/public/remediation/trrp/disposalsoil.pdf</a>	Disposal of soil containing tetrachloroethylene in permitted ...		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/aapp/downloads/general/GP-012A.pdf">http://www.nj.gov/dep/aapp/downloads/general/GP-012A.pdf</a>	Permit		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/air/air-toxics-hot-spots">https://oehha.ca.gov/air/air-toxics-hot-spots</a>	duplicate		X		X		X		X	
State sites	<a href="https://www.pca.state.mn.us/sites/default/files/p-sbap5-04.pdf">https://www.pca.state.mn.us/sites/default/files/p-sbap5-04.pdf</a>	2017 Compliance Calendar for Dry Cleaners		X		X		X		X	
State sites	<a href="http://health.hawaii.gov/shwb/files/2013/06/TextileCleaningP2web.pdf">http://health.hawaii.gov/shwb/files/2013/06/TextileCleaningP2web.pdf</a>	Textile Cleaning (2006)		X		X		X		X	
State sites	<a href="https://www.cdph.ca.gov/programs/hesis/Documents/perc.pdf">https://www.cdph.ca.gov/programs/hesis/Documents/perc.pdf</a>	bad link		X		X		X		X	
State sites	<a href="http://www.deq.utah.gov/locations/P/pceplume/index.htm">http://www.deq.utah.gov/locations/P/pceplume/index.htm</a>	700 South 1600 East PCE Plume		X		X	X			X	
State sites	<a href="http://www.nj.gov/dep/airtoxics/Monitor.htm">http://www.nj.gov/dep/airtoxics/Monitor.htm</a>	Monitoring Data Comparisons		X		X	X			X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="http://www.dec.ny.gov/chemical/38088.html">http://www.dec.ny.gov/chemical/38088.html</a>	Overview of Part 232 - NYS Dept. of Environmental Conservation		X		X		X		X	
State sites	<a href="https://ndep.nv.gov/pce/doc/epa_billings_am_2007.pdf">https://ndep.nv.gov/pce/doc/epa_billings_am_2007.pdf</a>	3;		X		X		X		X	
State sites	<a href="http://www.in.gov/idem/cleanups/files/chem_guidance_contaminants_dry_cleaning.pdf">http://www.in.gov/idem/cleanups/files/chem_guidance_contaminants_dry_cleaning.pdf</a>	Dry Cleaning Industry's Contaminants of Concern [PDF]		X		X		X		X	
State sites	<a href="http://www.ct.gov/dph/lib/dph/environmental_health/eoha/pdf/tech_brief_vapor_intrusion.pdf">http://www.ct.gov/dph/lib/dph/environmental_health/eoha/pdf/tech_brief_vapor_intrusion.pdf</a>	Environmental Health Technical Brief Vapor Intrusion of VOCs		X		X		X		X	
State sites	<a href="http://www.mass.gov/eea/agencies/massdep/water/approvals/title-5-septic-system-forms.html">http://www.mass.gov/eea/agencies/massdep/water/approvals/title-5-septic-system-forms.html</a>	Title 5 Septic System Forms   MassDEP		X		X		X		X	
State sites	<a href="http://www.cochee.gov/Home/ndf/overman/YourHome/Environmental/Safety/Concerns/Septic/Tanks/Permit/Licenses/Reports">http://www.cochee.gov/Home/ndf/overman/YourHome/Environmental/Safety/Concerns/Septic/Tanks/Permit/Licenses/Reports</a>	DHEC: Permits, Licenses and Reports		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/water/public-health-qaal/public-health-qaal-tetrachloroethylene-drinking-water">https://oehha.ca.gov/water/public-health-qaal/public-health-qaal-tetrachloroethylene-drinking-water</a>	Tetrachloroethylene in Drinking Water   OEHHA		X		X		X		X	
State sites	<a href="https://www.pca.state.mn.us/waste/minneapolis-diamond-lake-rd-and-nicollet-ave-vapor-intrusion-site">https://www.pca.state.mn.us/waste/minneapolis-diamond-lake-rd-and-nicollet-ave-vapor-intrusion-site</a>	Minneapolis Diamond Lake Rd. and Nicollet Ave. vapor intrusion site		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/srp/stakeholders/whitepapers/dry_cleaner_rem.pdf">http://www.nj.gov/dep/srp/stakeholders/whitepapers/dry_cleaner_rem.pdf</a>	Remediation Program (final 11 April 2008)		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/sites/wendell.htm">https://dec.alaska.gov/spar/csp/sites/wendell.htm</a>	Wendell Avenue (MC Cleaners)		X		X	X			X	
State sites	<a href="http://www.adem.state.al.us/MoreInfo/pubs/ADEMUPDATEJanuary2014.pdf">http://www.adem.state.al.us/MoreInfo/pubs/ADEMUPDATEJanuary2014.pdf</a>	ADEM UPDATE January 2014		X		X		X		X	
State sites	<a href="http://www.in.gov/idem/ctap/2358.htm">http://www.in.gov/idem/ctap/2358.htm</a>	IDEM - CTAP: Drycleaners		X		X		X		X	
State sites	<a href="http://www.kdheks.gov/dryclean/">http://www.kdheks.gov/dryclean/</a>	Kansas Department of Health and Environment: Kansas Dry ...		X		X		X		X	
State sites	<a href="http://www.dec.ny.gov/chemical/8944.html">http://www.dec.ny.gov/chemical/8944.html</a>	DEC Registered 6 NYCRR Part 232 Dry Cleaner Inspectors - NYS ...		X		X		X		X	
State sites	<a href="https://legacy.azdeq.gov/environ/waste/hazwaste/download/skc_att09b.pdf">https://legacy.azdeq.gov/environ/waste/hazwaste/download/skc_att09b.pdf</a>	Safety-Kleen Corporation Waste Analysis Plan		X		X		X		X	
State sites	<a href="http://www.deq.utah.gov/workgroups/CAP/docs/2006/Jul/drycleaners_checklist.pdf">http://www.deq.utah.gov/workgroups/CAP/docs/2006/Jul/drycleaners_checklist.pdf</a>	Utah Department of Environmental Quality - Dry Cleaner Checklist		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/sites/gaffney.htm">https://dec.alaska.gov/spar/csp/sites/gaffney.htm</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://dec.alaska.gov/spar/csp/docs/Gaffney%20-%20AP%20-%2013%20-%202018%20-%20am%20EDITING%20-%2016.pdf">https://dec.alaska.gov/spar/csp/docs/Gaffney%20-%20AP%20-%2013%20-%202018%20-%20am%20EDITING%20-%2016.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/docs/vi_fs.pdf">https://dec.alaska.gov/spar/csp/docs/vi_fs.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/docs/fairbanks/gaffney_rd_vifs07.pdf">https://dec.alaska.gov/spar/csp/docs/fairbanks/gaffney_rd_vifs07.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/docs/vi_sample.pdf">https://dec.alaska.gov/spar/csp/docs/vi_sample.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/images/fairbanks/gaffney_vi_rpt07.pdf">https://dec.alaska.gov/spar/csp/images/fairbanks/gaffney_vi_rpt07.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X	X			X	
State sites	<a href="https://dec.alaska.gov/spar/csp/docs/fairbanks/gaffney99_12.pdf">https://dec.alaska.gov/spar/csp/docs/fairbanks/gaffney99_12.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/docs/fairbanks/gaffney99_08.pdf">https://dec.alaska.gov/spar/csp/docs/fairbanks/gaffney99_08.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	
State sites	<a href="https://dec.alaska.gov/spar/csp/guidance/gw.pdf">https://dec.alaska.gov/spar/csp/guidance/gw.pdf</a>	DEC - Contaminated Sites Program - Site Summary - Gaffney Rd ...		X		X		X		X	
State sites	<a href="http://www.epa.illinois.gov/topics/cleanup-programs/srp/dry-cleaning/index">http://www.epa.illinois.gov/topics/cleanup-programs/srp/dry-cleaning/index</a>	Cleaning Up Contaminated Soil and Groundwater at Dry Cleaning ...		X		X		X		X	
State sites	<a href="https://www.pca.state.mn.us/waste/st-paul-university-ave-and-pascal-st-area-vapor-site">https://www.pca.state.mn.us/waste/st-paul-university-ave-and-pascal-st-area-vapor-site</a>	St. Paul: University Ave. and Pascal St. area vapor site   Minnesota ...		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/water/chemicals/pcccomaug01_0.pdf">https://oehha.ca.gov/media/downloads/water/chemicals/pcccomaug01_0.pdf</a>	response to comments		X		X		X		X	
State sites	<a href="https://www.vdh.virginia.gov/EnvironmentalHealth/ONSITE/regulations/FormsDocs/documents/Perc-test.pdf">https://www.vdh.virginia.gov/EnvironmentalHealth/ONSITE/regulations/FormsDocs/documents/Perc-test.pdf</a>	Soils Evaluation Percolation Test Data		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/media/downloads/pesticides/report/cmrprc801.pdf">https://oehha.ca.gov/media/downloads/pesticides/report/cmrprc801.pdf</a>	Perchloroethylene TAC		X		X		X		X	
State sites	<a href="https://oehha.ca.gov/proposal/65/cmr/prioritization-2015-5-chemicals-consultation-developmental-and-reproductive">https://oehha.ca.gov/proposal/65/cmr/prioritization-2015-5-chemicals-consultation-developmental-and-reproductive</a>	Prioritization 2015: 5 Chemicals For Consultation By The ...		X		X		X		X	
State sites	<a href="https://www.pca.state.mn.us/waste/blaine-crest-cleaners-site">https://www.pca.state.mn.us/waste/blaine-crest-cleaners-site</a>	Blaine: Crest Cleaners site   Minnesota Pollution Control Agency		X		X		X		X	
State sites	<a href="http://www.nj.gov/dep/sage/sbap/docs/p2cklist.pdf">http://www.nj.gov/dep/sage/sbap/docs/p2cklist.pdf</a>	Dry Cleaner Checklist		X		X		X		X	
State sites	<a href="http://www.dec.ny.gov/docs/air_pdf/2322weeklycheck.pdf">http://www.dec.ny.gov/docs/air_pdf/2322weeklycheck.pdf</a>	Form 232-2		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	<a href="https://www.pca.state.mn.us/sites/default/files/paper-analysisofemissionsourcesforairtoxipollutants.pdf">https://www.pca.state.mn.us/sites/default/files/paper-analysisofemissionsourcesforairtoxipollutants.pdf</a>	Analysis of Emission Sources for Air Toxic Pollutants	X			X		X		X	
State sites	<a href="http://www.dep.state.pa.us/programs/SmallBusinessComm/US/StateSRCA/Regulatory/Reg/DryCleaners.aspx">http://www.dep.state.pa.us/programs/SmallBusinessComm/US/StateSRCA/Regulatory/Reg/DryCleaners.aspx</a>	Dry Cleaners		X		X	X				X
State sites	<a href="https://dnr.or.gov/about/divisions/waste-management/quick-links/information-summary-for-dry-cleaning-site-in-wake-county">https://dnr.or.gov/about/divisions/waste-management/quick-links/information-summary-for-dry-cleaning-site-in-wake-county</a>	Road TCE Site (incl. groundwater sample results)	X		X		X				X
State sites	<a href="https://ohh.health.wa.gov/Health/Programs/TrackAssessment/Exposure/HealthAssessment/Documents/Woman/water_assessment.pdf">https://ohh.health.wa.gov/Health/Programs/TrackAssessment/Exposure/HealthAssessment/Documents/Woman/water_assessment.pdf</a>	was mentioned as being in the well with the TCE viewmaster study	X			X		X			X
State sites	<a href="http://www.nj.gov/dep/workgroups/docs/srstandards-20141112-pres1.pdf">http://www.nj.gov/dep/workgroups/docs/srstandards-20141112-pres1.pdf</a>	indoor air concentration		X		X	X				X
State sites	<a href="http://www.mde.state.md.us/programs/Land/MarylandBrownfieldVCPERRP_Superfund/Pages/index.aspx">http://www.mde.state.md.us/programs/Land/MarylandBrownfieldVCPERRP_Superfund/Pages/index.aspx</a>	to site information, fact sheets, sampling data	X		X		X				X
State sites	<a href="https://oehha.ca.gov/media/downloads/cmr/screenreport010405.pdf">https://oehha.ca.gov/media/downloads/cmr/screenreport010405.pdf</a>	with skin absorption factor and health values; skin absorption factor		X	X		X				X
State sites	<a href="https://www.nj.gov/health/cehs/documents/ehap/haz_sites/cehs/oms_river/dover_river_dover_bwp/1f_phc_line.pdf">https://www.nj.gov/health/cehs/documents/ehap/haz_sites/cehs/oms_river/dover_river_dover_bwp/1f_phc_line.pdf</a>	Public Health Assessment Reich Farm CERCLIS Number ...		X		X	X				X
State sites	<a href="https://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary/163.pdf">https://www.dep.state.fl.us/waste/quick_topics/publications/wc/sites/summary/163.pdf</a>	site contamination in ground water, PCE info provided		X		X	X				X
Trade Associations	<a href="http://acmanet.org">acmanet.org</a>			X		X		X			X
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/AIA-DIRECTORY-OF-HELIPORTS-1981.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/AIA-DIRECTORY-OF-HELIPORTS-1981.pdf</a>	no mention of Perc		X		X		X			X
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1956-AIRCRAFT-YEAR-BOOK.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1956-AIRCRAFT-YEAR-BOOK.pdf</a>	no mention of PERC		X		X		X			X
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/Aerospace-Facts-and-Figures-2000-2001.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/Aerospace-Facts-and-Figures-2000-2001.pdf</a>	no mention of PERC		X		X		X			X
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1920-AIRCRAFT-YEAR-BOOK.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1920-AIRCRAFT-YEAR-BOOK.pdf</a>	no mention of PERC		X		X		X			X
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1937-AIRCRAFT-YEAR-BOOK.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1937-AIRCRAFT-YEAR-BOOK.pdf</a>	no mention of PERC		X		X		X			X
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1928-AIRCRAFT-YEAR-BOOK.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1928-AIRCRAFT-YEAR-BOOK.pdf</a>	no mention of PERC		X		X		X			X
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1925-AIRCRAFT-YEAR-BOOK.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1925-AIRCRAFT-YEAR-BOOK.pdf</a>	no mention of PERC		X		X		X			X

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1924-AIRCRAFT-YEAR-BOOK.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1924-AIRCRAFT-YEAR-BOOK.pdf</a>	no mention of PERC		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2017/01/2016Stem_Summit_Report.pdf">http://www.aia-aerospace.org/wp-content/uploads/2017/01/2016Stem_Summit_Report.pdf</a>	no mention of Perc		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/GOVERNMENT-COMPETITION-WITH-INDUSTRY-1978.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/GOVERNMENT-COMPETITION-WITH-INDUSTRY-1978.pdf</a>	no mention of perc		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/Aerospace-Facts-and-Figures-1987-1988.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/Aerospace-Facts-and-Figures-1987-1988.pdf</a>	no mention of perc		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/CHALLENGE-OF-FOREIGN-COMPETITION.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/CHALLENGE-OF-FOREIGN-COMPETITION.pdf</a>	no mention of perc		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1957-AIRCRAFT-YEAR-BOOK.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1957-AIRCRAFT-YEAR-BOOK.pdf</a>	no mention of perc		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1932-AIRCRAFT-YEAR-BOOK_Part3.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1932-AIRCRAFT-YEAR-BOOK_Part3.pdf</a>	no mention of perc		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/AEROSPACE-AND-THE-US-ECONOMY-1971.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/AEROSPACE-AND-THE-US-ECONOMY-1971.pdf</a>	no mention of perc		X		X		X		X	
Trade Associations	<a href="http://www.aia-aerospace.org/wp-content/uploads/2016/06/Aerospace-Facts-and-Figures-1996-1997.pdf">http://www.aia-aerospace.org/wp-content/uploads/2016/06/Aerospace-Facts-and-Figures-1996-1997.pdf</a>	no mention of PERC		X		X		X		X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LCI-Summary-for-6-Tuna-Packaging-Systems/">https://plastics.americanchemistry.com/LCI-Summary-for-6-Tuna-Packaging-Systems/</a>	Tuna packaging system report; DCM emissions reported in 1 table	X			X	X			X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LCI-Summary-for-8-Coffee-Packaging-Systems/">https://plastics.americanchemistry.com/LCI-Summary-for-8-Coffee-Packaging-Systems/</a>	coffee packing system report	X			X	X			X	
Trade Associations	<a href="https://ehpnci.americanchemistry.com/Research-Science-Health-and-Safety/Economic-Evaluation-of-Siloxanes-in-Canada.pdf">https://ehpnci.americanchemistry.com/Research-Science-Health-and-Safety/Economic-Evaluation-of-Siloxanes-in-Canada.pdf</a>	siloxanes economic evaluation		X		X		X		X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LifeCycleInventoryofPolystyreneFoamResearchandCompletedPaperboardFoodserviceProducts/">https://plastics.americanchemistry.com/LifeCycleInventoryofPolystyreneFoamResearchandCompletedPaperboardFoodserviceProducts/</a>	life cycle inventory of polystyrene foam and other food service products	X			X	X			X	
Trade Associations	<a href="https://lri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_107.pdf">https://lri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_107.pdf</a>	Project abstract - Perc only in references		X		X		X		X	
Trade Associations	<a href="https://polyurethane.americanchemistry.com/resources-and-document-library/3817.pdf">https://polyurethane.americanchemistry.com/resources-and-document-library/3817.pdf</a>	review of furniture design		X		X		X		X	
Trade Associations	<a href="https://chlorine.americanchemistry.com/Background-Natural-chlorine-You-bet/">https://chlorine.americanchemistry.com/Background-Natural-chlorine-You-bet/</a>	short discussion on how Perc is created	X			X		X		X	
Trade Associations	<a href="https://plastics.americanchemistry.com/LifeCycleInventoryofPlasticResinsand4-PolyurethanePrecursorResinOnly">https://plastics.americanchemistry.com/LifeCycleInventoryofPlasticResinsand4-PolyurethanePrecursorResinOnly</a>	emissions from cradle to gate life cycle assessment		X	X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_135.pdf">https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_135.pdf</a>	no data related to Perc		X		X		X		X	
Trade Associations	<a href="https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_136.pdf">https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_136.pdf</a>	short article on ne model energy code		X		X		X		X	
Trade Associations	<a href="https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_137.pdf">https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_137.pdf</a>	gender differences in internal doses of chemicals		X	X		X			X	
Trade Associations	<a href="https://chlorine.americanchemistry.com/Chlorine-Benefits/Economic-Benefits/Fluorocarbon-based-Products.pdf">https://chlorine.americanchemistry.com/Chlorine-Benefits/Economic-Benefits/Fluorocarbon-based-Products.pdf</a>	review of economic benefits of chlorine	X			X		X		X	
Trade Associations	<a href="https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_127.pdf">https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_127.pdf</a>	summary of assessing human exposure to air pollutants		X		X	X			X	
Trade Associations	<a href="http://asphaltroofing.org">asphaltroofing.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	<a href="http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf">http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf</a>	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	<a href="http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf">http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf</a>	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.acmanet.org">www.acmanet.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.afma.org">www.afma.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.afsinc.org/files/na/20311%20Emission%20Measurement%20Procedure%202012.pdf">http://www.afsinc.org/files/na/20311%20Emission%20Measurement%20Procedure%202012.pdf</a>	emission report		X	X			X		X	
Trade Associations	<a href="http://www.afsinc.org/files/1412-125%20Public_1383851659784_2.pdf">http://www.afsinc.org/files/1412-125%20Public_1383851659784_2.pdf</a>	waste characterization from sand binder systems		X	X			X		X	
Trade Associations	<a href="https://www.aga.org/agapeel-customer-service-conference-presentations-april-21-24-2014">https://www.aga.org/agapeel-customer-service-conference-presentations-april-21-24-2014</a>	list customer service conference presentations		X		X		X		X	
Trade Associations	<a href="https://www.aga.org/sites/default/files/sites/default/files/media/registration_list_by_last_name.pdf">https://www.aga.org/sites/default/files/sites/default/files/media/registration_list_by_last_name.pdf</a>	list of people and employment		X		X		X		X	
Trade Associations	<a href="https://www.aga.org/sites/default/files/sites/default/files/media/registration_list_by_company.pdf">https://www.aga.org/sites/default/files/sites/default/files/media/registration_list_by_company.pdf</a>	list of people and employment		X		X		X		X	
Trade Associations	<a href="http://www.shrinel.org/App_Content/shri/files/MEMBER-CONTENT/Advocacy/Regulatory/Final_Rule-Standards.pdf">http://www.shrinel.org/App_Content/shri/files/MEMBER-CONTENT/Advocacy/Regulatory/Final_Rule-Standards.pdf</a>	conservation standards for automatic ice makers		X		X		X		X	
Trade Associations	<a href="http://www.ashrae.org/TechnicalResources/Documents/2013-2014/2013-2014%20Products%20of%20Motor%20Burnout%20Report.pdf">http://www.ashrae.org/TechnicalResources/Documents/2013-2014/2013-2014%20Products%20of%20Motor%20Burnout%20Report.pdf</a>	products of motor burnout report	X			X		X		X	
Trade Associations	<a href="http://www.aluminum.org">www.aluminum.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q5U2.pdf">http://www.ame.org/sites/default/files/documents/97Q5U2.pdf</a>	review of companies pollution reduction ratings		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/00Q1A3.pdf">http://www.ame.org/sites/default/files/documents/00Q1A3.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/00Q1U1.pdf">http://www.ame.org/sites/default/files/documents/00Q1U1.pdf</a>	review on Lean Games		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/target_articles/01-17-2-Ultimaster_Flow.pdf">http://www.ame.org/sites/default/files/target_articles/01-17-2-Ultimaster_Flow.pdf</a>	company review		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q2U2.pdf">http://www.ame.org/sites/default/files/documents/99Q2U2.pdf</a>	Honda best practices		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q1U6.pdf">http://www.ame.org/sites/default/files/documents/97Q1U6.pdf</a>	review of team based management at Harris Corporations		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q1U2.pdf">http://www.ame.org/sites/default/files/documents/97Q1U2.pdf</a>	company review		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q4U4.pdf">http://www.ame.org/sites/default/files/documents/97Q4U4.pdf</a>	company review		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q3U2.pdf">http://www.ame.org/sites/default/files/documents/98Q3U2.pdf</a>	health and safety review in workplace		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q1U2.pdf">http://www.ame.org/sites/default/files/documents/98Q1U2.pdf</a>	review on supply chain integrations		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q2U5.pdf">http://www.ame.org/sites/default/files/documents/98Q2U5.pdf</a>	company review		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q2A5.pdf">http://www.ame.org/sites/default/files/documents/97Q2A5.pdf</a>	power of kaizen		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/96Q4U4.pdf">http://www.ame.org/sites/default/files/documents/96Q4U4.pdf</a>	company review on improvements in reducing time		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/95Q5U2.pdf">http://www.ame.org/sites/default/files/documents/95Q5U2.pdf</a>	company review on consumer relationships		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q1U3.pdf">http://www.ame.org/sites/default/files/documents/98Q1U3.pdf</a>	company review		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q2U6.pdf">http://www.ame.org/sites/default/files/documents/98Q2U6.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q4A3.pdf">http://www.ame.org/sites/default/files/documents/98Q4A3.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q2U2.pdf">http://www.ame.org/sites/default/files/documents/98Q2U2.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/95Q4U1.pdf">http://www.ame.org/sites/default/files/documents/95Q4U1.pdf</a>	article on managing teams		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q3A1.pdf">http://www.ame.org/sites/default/files/documents/97Q3A1.pdf</a>	article on literacy		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q3A7.pdf">http://www.ame.org/sites/default/files/documents/98Q3A7.pdf</a>	company review on leadership		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q2U1.pdf">http://www.ame.org/sites/default/files/documents/98Q2U1.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/00Q1U3.pdf">http://www.ame.org/sites/default/files/documents/00Q1U3.pdf</a>	review foxboro company workshop		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/00q3a3.pdf">http://www.ame.org/sites/default/files/documents/00q3a3.pdf</a>	company review on improvements		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/96Q5A1.pdf">http://www.ame.org/sites/default/files/documents/96Q5A1.pdf</a>	article on investment study		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q1U3.pdf">http://www.ame.org/sites/default/files/documents/97Q1U3.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q4U2.pdf">http://www.ame.org/sites/default/files/documents/97Q4U2.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/96Q5A2.pdf">http://www.ame.org/sites/default/files/documents/96Q5A2.pdf</a>	article on characteristics to cut costs		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q4U1.pdf">http://www.ame.org/sites/default/files/documents/99Q4U1.pdf</a>	article review on company workshops		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q3U4.pdf">http://www.ame.org/sites/default/files/documents/98Q3U4.pdf</a>	company review on operations and human resources		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q4U3.pdf">http://www.ame.org/sites/default/files/documents/98Q4U3.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q2U2.pdf">http://www.ame.org/sites/default/files/documents/97Q2U2.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q1U1.pdf">http://www.ame.org/sites/default/files/documents/97Q1U1.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/00q3u1.pdf">http://www.ame.org/sites/default/files/documents/00q3u1.pdf</a>	Flinchbaugh Engineering review on company improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q3A8.pdf">http://www.ame.org/sites/default/files/documents/98Q3A8.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q2A3.pdf">http://www.ame.org/sites/default/files/documents/97Q2A3.pdf</a>	article on determining value		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q4U4.pdf">http://www.ame.org/sites/default/files/documents/98Q4U4.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q3A5.pdf">http://www.ame.org/sites/default/files/documents/97Q3A5.pdf</a>	Honda review of new standards		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q3A3.pdf">http://www.ame.org/sites/default/files/documents/99Q3A3.pdf</a>	article reviewing customer relationships		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/target_articles/01-17-1-Minnesota.pdf">http://www.ame.org/sites/default/files/target_articles/01-17-1-Minnesota.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q2U1.pdf">http://www.ame.org/sites/default/files/documents/97Q2U1.pdf</a>	article review on company improvements		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q3A4.pdf">http://www.ame.org/sites/default/files/documents/99Q3A4.pdf</a>	article review on company improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q3U1.pdf">http://www.ame.org/sites/default/files/documents/97Q3U1.pdf</a>	article review on company improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q3A3.pdf">http://www.ame.org/sites/default/files/documents/97Q3A3.pdf</a>	article review on company improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/target_articles/01-17-2-Kaizen_Blitz.pdf">http://www.ame.org/sites/default/files/target_articles/01-17-2-Kaizen_Blitz.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q1A1.pdf">http://www.ame.org/sites/default/files/documents/97Q1A1.pdf</a>	article review on company improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q4U1.pdf">http://www.ame.org/sites/default/files/documents/98Q4U1.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q2A4.pdf">http://www.ame.org/sites/default/files/documents/99Q2A4.pdf</a>	article review on company improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/00Q4A3.pdf">http://www.ame.org/sites/default/files/documents/00Q4A3.pdf</a>	article review on company improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/target_articles/01-17-1-Kraft_E-Commerce.pdf">http://www.ame.org/sites/default/files/target_articles/01-17-1-Kraft_E-Commerce.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q2A2.pdf">http://www.ame.org/sites/default/files/documents/98Q2A2.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q3A2.pdf">http://www.ame.org/sites/default/files/documents/99Q3A2.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q5U3.pdf">http://www.ame.org/sites/default/files/documents/97Q5U3.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q1A4.pdf">http://www.ame.org/sites/default/files/documents/98Q1A4.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q2A3.pdf">http://www.ame.org/sites/default/files/documents/99Q2A3.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/96Q4U3.pdf">http://www.ame.org/sites/default/files/documents/96Q4U3.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/target_articles/01-17-2-Emp_Empower_BA.pdf">http://www.ame.org/sites/default/files/target_articles/01-17-2-Emp_Empower_BA.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/target_articles/97Q5A1.pdf">http://www.ame.org/sites/default/files/target_articles/97Q5A1.pdf</a>	article review on company strategies		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/99Q4U3.pdf">http://www.ame.org/sites/default/files/documents/99Q4U3.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/98Q3A1.pdf">http://www.ame.org/sites/default/files/documents/98Q3A1.pdf</a>	article review on company strategies		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/97Q4U5.pdf">http://www.ame.org/sites/default/files/documents/97Q4U5.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/00Q4C1.pdf">http://www.ame.org/sites/default/files/documents/00Q4C1.pdf</a>	commentary on lean conversion		X		X		X		X	
Trade Associations	<a href="http://www.ame.org/sites/default/files/documents/95Q4U2.pdf">http://www.ame.org/sites/default/files/documents/95Q4U2.pdf</a>	company review on improvements		X		X		X		X	
Trade Associations	<a href="https://www.ansi.org/news_publications/print_article.aspx?articleid=32641ec-d779-48a7-a708-8f75745d2e8">https://www.ansi.org/news_publications/print_article.aspx?articleid=32641ec-d779-48a7-a708-8f75745d2e8</a>	ANSI News and publications		X		X		X		X	
Trade Associations	<a href="https://www.ansi.org/standards_activities/standards_boards_panels/aesc/EESCC-Progress-Report-2016.pdf">https://www.ansi.org/standards_activities/standards_boards_panels/aesc/EESCC-Progress-Report-2016.pdf</a>	ANSI progress report		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Clean_Water/GW_others/AerobicBiodegradationRateConstantRpt1998.pdf">http://www.api.org/~media/Files/EHS/Clean_Water/GW_others/AerobicBiodegradationRateConstantRpt1998.pdf</a>	report on anaerobic biodegradation of chemicals in groundwater		X	X			X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/Policy/Jobs/Energizing-America/Energizing-America.pdf">http://www.api.org/~media/Files/Policy/Jobs/Energizing-America/Energizing-America.pdf</a>	facts about energy policy		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Clean_Water/Ground_Water_Quality/LNAPL4760-v1.pdf">http://www.api.org/~media/Files/EHS/Clean_Water/Ground_Water_Quality/LNAPL4760-v1.pdf</a>	distribution and recovery model		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/Policy/Hydraulic_Fracturing/Battelle-Studies/Duro-NDReport-13-Feb-22.pdf">http://www.api.org/~media/Files/Policy/Hydraulic_Fracturing/Battelle-Studies/Duro-NDReport-13-Feb-22.pdf</a>	retrospective case study site characterization		X		X	X			X	
Trade Associations	<a href="http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/09_Bull.pdf">http://www.api.org/~media/Files/EHS/Clean_Water/Bulletins/09_Bull.pdf</a>	soil and groundwater research bulletin		X	X			X		X	
Trade Associations	<a href="http://www.api.org/products-and-services/statistics/reports-and-surveys">http://www.api.org/products-and-services/statistics/reports-and-surveys</a>	site for API statistics and information		X		X		X		X	
Trade Associations	<a href="http://www.epa.gov/environment/health-and-safety/clean-water/ground-water/~media/15a5d109a3a3e4b0b18a8d952cf3a7b">http://www.epa.gov/environment/health-and-safety/clean-water/ground-water/~media/15a5d109a3a3e4b0b18a8d952cf3a7b</a>	protocol for evaluating natural attenuation		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/Certification/Engine-Oil-Diesel/Publications/LCA-of-Used-Oil-Mgmt-ERM-10012017.pdf">http://www.api.org/~media/Files/Certification/Engine-Oil-Diesel/Publications/LCA-of-Used-Oil-Mgmt-ERM-10012017.pdf</a>	life cycle assessment of used oil management	X			X		X		X	
Trade Associations	<a href="http://www.epa.gov/environment/health-and-safety/clean-water/ground-water/~media/785071402d25468172d582c418335_a9b">http://www.epa.gov/environment/health-and-safety/clean-water/ground-water/~media/785071402d25468172d582c418335_a9b</a>	hazard report on tertiary butyl alcohol		X		X		X		X	
Trade Associations	<a href="http://www.api.org/~media/Files/oil-and-natural-gas/gasoline/whats-up-with-gasoline-prices.pdf">http://www.api.org/~media/Files/oil-and-natural-gas/gasoline/whats-up-with-gasoline-prices.pdf</a>	gasoline prices report		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.api.org/~media/Files/Publications/Catalog/2016_catalog/09%20Data%20Products.pdf">http://www.api.org/~media/Files/Publications/Catalog/2016_catalog/09%20Data%20Products.pdf</a>	API data products		X		X		X		X	
Trade Associations	<a href="http://www.ascouncil.org">www.ascouncil.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.awc.org">www.awc.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.cancentral.com">www.cancentral.com</a>			X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/about-chlorinated-solvents/perchloroethylene-per">http://www.chlorinated-solvents.eu/index.php/about-chlorinated-solvents/perchloroethylene-per</a>	Perchloroethylene (PER)	X		X		X			X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/glossary">http://www.chlorinated-solvents.eu/index.php/glossary</a>	Glossary	X			X	X			X	
Trade Associations	<a href="http://ecsa.cefic.org/images/Documents/Sustainability/health_profile_per.pdf">http://ecsa.cefic.org/images/Documents/Sustainability/health_profile_per.pdf</a>	2011; Changed URL to actual link from the page	X		X		X		X		
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/Publications/2015/Products_Safety_Summary_2015/P55%20PER%20December%202015.pdf">http://www.chlorinated-solvents.eu/images/Documents/Publications/2015/Products_Safety_Summary_2015/P55%20PER%20December%202015.pdf</a>	Product Safety Summary on Perchloroethylene	X		X		X			X	
Trade Associations	<a href="http://ecsa.cefic.org/images/Documents/Sustainability/per_-_marine_risk_assessment.pdf">http://ecsa.cefic.org/images/Documents/Sustainability/per_-_marine_risk_assessment.pdf</a>	Marine Risk assessments; Changed URL to actual link from the page	X		X		X			X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/2015/PER%20in%20a%20nutshell%20ay%20ag_01.pdf">http://www.chlorinated-solvents.eu/images/Documents/2015/PER%20in%20a%20nutshell%20ay%20ag_01.pdf</a>	All About "PER" ... in a nutshell; Redirects to 7295-Perc-3		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/index.php/sustainability/hazard-risk-assessments/eu-risk-assessments">http://www.chlorinated-solvents.eu/index.php/sustainability/hazard-risk-assessments/eu-risk-assessments</a>	Risk Assessment Reports; Not clickable		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/Perchloroethylene/7295-Perchloroethylene%20ay%20ag_01.pdf">http://www.chlorinated-solvents.eu/images/Documents/Perchloroethylene/7295-Perchloroethylene%20ay%20ag_01.pdf</a>	All About "PER" ... in a nutshell	X			X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/Publications/2015/Products_Safety_Summary_2015/P55%20TR%20November%202015.pdf">http://www.chlorinated-solvents.eu/images/Documents/Publications/2015/Products_Safety_Summary_2015/P55%20TR%20November%202015.pdf</a>	Product Safety Summary on Trichloroethylene		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/2015/Products_Safety_Summary_2015/P55%20TR%20November%202015.pdf">http://www.chlorinated-solvents.eu/images/Documents/2015/Products_Safety_Summary_2015/P55%20TR%20November%202015.pdf</a>	Guidance on Storage and Handling of Chlorinated Solvents	X			X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/images/Documents/Publications/2015/Health_Profile_2015/Health_Profile_2015%20TR%20November%202015.pdf">http://www.chlorinated-solvents.eu/images/Documents/Publications/2015/Health_Profile_2015/Health_Profile_2015%20TR%20November%202015.pdf</a>	Health Profile on Trichloroethylene Nov 2015		X		X		X		X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/toolbox/">http://www.chlorinated-solvents.eu/toolbox/</a>	ECSA Product & Application Toolbox	X			X	X			X	
Trade Associations	<a href="http://www.chlorinated-solvents.eu/toolbox/contact-us.asp?op=388">http://www.chlorinated-solvents.eu/toolbox/contact-us.asp?op=388</a>	ECSA Contact us		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.chlorinatedsolvents.org/images/Documents/Publications/2015/Health_Profile_2015%28with%20Profile%20of%20December%202015.pdf">http://www.chlorinatedsolvents.org/images/Documents/Publications/2015/Health_Profile_2015%28with%20Profile%20of%20December%202015.pdf</a>	Health Profile on Perchloroethylene 2015	X		X		X		X		
Trade Associations	<a href="http://www.developingthe.org/assets/1/6/TradeAssociationsScience201520Perchloroethylene41%202015-201520Background20Document2011-15201.pdf">http://www.developingthe.org/assets/1/6/TradeAssociationsScience201520Perchloroethylene41%202015-201520Background20Document2011-15201.pdf</a>	environmental standard for general purpose, bathroom, glass, and carpet		X		X		X		X	
Trade Associations	<a href="https://www.copper.org/applications/electrical/building/pdf/A6108.pdf">https://www.copper.org/applications/electrical/building/pdf/A6108.pdf</a>	comparative corrosion of copper and aluminum report		X		X		X		X	
Trade Associations	<a href="https://www.copper.org/publications/newsletters/innovations/2001/12/mad-cow.html">https://www.copper.org/publications/newsletters/innovations/2001/12/mad-cow.html</a>	case study of copper deficiency in Mad Cow diseases		X		X		X		X	
Trade Associations	<a href="https://www.flexpack.org/assets/1/6/Dave_Salman.pdf">https://www.flexpack.org/assets/1/6/Dave_Salman.pdf</a>	risk and technology review		X		X		X		X	
Trade Associations	<a href="https://www.flexpack.org/assets/1/6/PTIS_FINAL.pdf">https://www.flexpack.org/assets/1/6/PTIS_FINAL.pdf</a>	Consumer Perceptions of Flexible Packaging presentation		X		X		X		X	
Trade Associations	<a href="https://www.flexpack.org/assets/1/22/sonoco_sustainability_AR_09.pdf">https://www.flexpack.org/assets/1/22/sonoco_sustainability_AR_09.pdf</a>	sustainability leadership report		X		X		X		X	
Trade Associations	<a href="http://www.gasketfab.com">www.gasketfab.com</a>			X		X		X		X	
Trade Associations	<a href="http://www.globalautomakers.org">www.globalautomakers.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.gmaonline.org/file-manager/Health_Nutrition/ges_report_on_childrens_tv_advertising.pdf">http://www.gmaonline.org/file-manager/Health_Nutrition/ges_report_on_childrens_tv_advertising.pdf</a>	food and beverage advertising and children's impressions presentation		X		X		X		X	
Trade Associations	<a href="https://www.gmaonline.org/downloads/vyqgwam/GMA-FTC-Presentation-12152009.pdf">https://www.gmaonline.org/downloads/vyqgwam/GMA-FTC-Presentation-12152009.pdf</a>	GMA self regulatory initiatives		X		X		X		X	
Trade Associations	<a href="http://www.gmaonline.org/file-manager/Chemicals/comments/LCSB2010SaferProductAlternativesAnalysis.pdf">http://www.gmaonline.org/file-manager/Chemicals/comments/LCSB2010SaferProductAlternativesAnalysis.pdf</a>	safer product alternatives analysis	X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/CalOSHA%20Comment%20on%20PEL%20of%20%204ppm.pdf">http://www.hsia.org/news/CalOSHA%20Comment%20on%20PEL%20of%20%204ppm.pdf</a>		X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/safe-handling-perc-drycleaning-solvent.pdf">http://www.hsia.org/applications/safe-handling-perc-drycleaning-solvent.pdf</a>	Dry cleaners safe handling of PERC guide	X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/PC%E%20Tov%20Profile%20update%20HSIA%20Comments%20031615.pdf">http://www.hsia.org/news/PC%E%20Tov%20Profile%20update%20HSIA%20Comments%20031615.pdf</a>	Industry comment on ATSDR	X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/Perchloroethylene%20IRIS%20Press%20Release.pdf">http://www.hsia.org/news/Perchloroethylene%20IRIS%20Press%20Release.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/vd%20brochure.pdf">http://www.hsia.org/applications/vd%20brochure.pdf</a>	Solvents used in surface cleaning brochure	X		X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Wbsite%20w%20John_Jeon%202.pdf">http://www.hsia.org/news/HSIA%20Wbsite%20w%20John_Jeon%202.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/Press%20Release%20-%20Perc%20-%20EnvironHealth%20Rev1.pdf">http://www.hsia.org/news/Press%20Release%20-%20Perc%20-%20EnvironHealth%20Rev1.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/Letter%20to%20the%20Editor-%20WSJ.pdf">http://www.hsia.org/news/Letter%20to%20the%20Editor-%20WSJ.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20Feb.%202012.pdf">http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20Feb.%202012.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/OEHHA%20PCE.pdf">http://www.hsia.org/news/OEHHA%20PCE.pdf</a>	Industry response		X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20May%20%202012.pdf">http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20May%20%202012.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/WASHINGTON-5104435-v1-MCLs_Comment_Final_Draft%202/FINAL.pdf">http://www.hsia.org/news/WASHINGTON-5104435-v1-MCLs_Comment_Final_Draft%202/FINAL.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20June%202012.pdf">http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20June%202012.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/june%202009.pdf">http://www.hsia.org/news/june%202009.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Comments%20to%20the%20Chartered%20SAB%20on%20TCE.pdf">http://www.hsia.org/news/HSIA%20Comments%20to%20the%20Chartered%20SAB%20on%20TCE.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/IR%20to%20EPA's%20Apasas%20and%20June%20TCE%20Review.pdf">http://www.hsia.org/news/IR%20to%20EPA's%20Apasas%20and%20June%20TCE%20Review.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/applications/ODS%20report.pdf">http://www.hsia.org/applications/ODS%20report.pdf</a>	deleting substances in solvent cleaning industry	X			X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20April%20%202012.pdf">http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20April%20%202012.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/Interview%20with%20PaulWhite%20%20Ad%20for%20Website.pdf">http://www.hsia.org/news/Interview%20with%20PaulWhite%20%20Ad%20for%20Website.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20September%202012.pdf">http://www.hsia.org/news/HSIA%20Solvents%20News%20You%20Can%20Use%20-%20September%202012.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.hsia.org/news/HSIA%20Perc%20Ad%20and%20Interview.pdf">http://www.hsia.org/news/HSIA%20Perc%20Ad%20and%20Interview.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.ipc.org/toc/ipc-sc-60a.pdf">http://www.ipc.org/toc/ipc-sc-60a.pdf</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="https://www.ipc.org/4.0_Knowledge/4.1_Standards/IPC-1720A_dot">https://www.ipc.org/4.0_Knowledge/4.1_Standards/IPC-1720A_dot</a>			X		X		X		X	
Trade Associations	<a href="https://www.ipc.org/3.0_Industry/3.4_EHS/2006/SIA_IPC_CmtIFC_EHS_Gdlns.pdf">https://www.ipc.org/3.0_Industry/3.4_EHS/2006/SIA_IPC_CmtIFC_EHS_Gdlns.pdf</a>			X		X		X		X	
Trade Associations	<a href="https://www.issa.com/data/moixestorage/regulatory_education/voc_limits_summary_4-14-15.pdf">https://www.issa.com/data/moixestorage/regulatory_education/voc_limits_summary_4-14-15.pdf</a>	List of banned uses	X			X		X		X	
Trade Associations	<a href="http://www.jpma.org">www.jpma.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.nasf.org">www.nasf.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.nema.org">www.nema.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.nema.org/download/Regulatory_Information/2014_Regulatory/2014_Regulatory%20Compliance%20and%20Quality%20Assurance%20Act%20Final%20Report.pdf">http://www.nema.org/download/Regulatory_Information/2014_Regulatory/2014_Regulatory%20Compliance%20and%20Quality%20Assurance%20Act%20Final%20Report.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.nema.org/download/Regulatory_Information/2014_Regulatory/2014_Regulatory%20Compliance%20and%20Quality%20Assurance%20Act%20Final%20Report.pdf">http://www.nema.org/download/Regulatory_Information/2014_Regulatory/2014_Regulatory%20Compliance%20and%20Quality%20Assurance%20Act%20Final%20Report.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.nmpgroup.com">www.nmpgroup.com</a>			X		X		X		X	
Trade Associations	<a href="https://www.pei.org/forum/viewtopic.php?t=3879">https://www.pei.org/forum/viewtopic.php?t=3879</a>			X		X		X		X	
Trade Associations	<a href="https://www.pei.org/forum/viewforum.php?f=13&amp;start=175">https://www.pei.org/forum/viewforum.php?f=13&amp;start=175</a>			X		X		X		X	
Trade Associations	<a href="http://www.pei.org/news/cleanfuel-usa-secures-129-million-us-department-energy">http://www.pei.org/news/cleanfuel-usa-secures-129-million-us-department-energy</a>			X		X		X		X	
Trade Associations	<a href="http://www.personalcarecouncil.org">www.personalcarecouncil.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.pmpa.org/docs/reports2/business-trends-2012-review-and-summary.pdf?sfvrsn=0">http://www.pmpa.org/docs/reports2/business-trends-2012-review-and-summary.pdf?sfvrsn=0</a>			X		X		X		X	
Trade Associations	<a href="http://www.pmpa.org/docs/reports2/pmpa-business-trends-report--september-2012.pdf?sfvrsn=0">http://www.pmpa.org/docs/reports2/pmpa-business-trends-report--september-2012.pdf?sfvrsn=0</a>			X		X		X		X	
Trade Associations	<a href="http://www.powertoolinstitute.com">www.powertoolinstitute.com</a>			X		X		X		X	
Trade Associations	<a href="http://www.printing.org">www.printing.org</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.pstc.org">www.pstc.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.roofcoatings.org">www.roofcoatings.org</a>			X		X		X		X	
Trade Associations	<a href="https://www.sema.org/node/5753/full">https://www.sema.org/node/5753/full</a>			X		X		X		X	
Trade Associations	<a href="https://www.sema.org/media-channels/sema-eneews?page=5">https://www.sema.org/media-channels/sema-eneews?page=5</a>			X		X		X		X	
Trade Associations	<a href="http://www.sme.org">www.sme.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3806">http://www.tcata.org/i4a/pages/index.cfm?pageid=3806</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3325">http://www.tcata.org/i4a/pages/index.cfm?pageid=3325</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/calendar/index.cfm?theyear=2016&amp;themonth=08">http://www.tcata.org/i4a/calendar/index.cfm?theyear=2016&amp;themonth=08</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3353">http://www.tcata.org/i4a/pages/index.cfm?pageid=3353</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3367Stay">http://www.tcata.org/i4a/pages/index.cfm?pageid=3367Stay</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3683">http://www.tcata.org/i4a/pages/index.cfm?pageid=3683</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3284">http://www.tcata.org/i4a/pages/index.cfm?pageid=3284</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3748">http://www.tcata.org/i4a/pages/index.cfm?pageid=3748</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3378">http://www.tcata.org/i4a/pages/index.cfm?pageid=3378</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/tags.cfm?tag=Steve%20Mathews">http://www.tcata.org/i4a/pages/tags.cfm?tag=Steve%20Mathews</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3484">http://www.tcata.org/i4a/pages/index.cfm?pageid=3484</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/files/FACT%20SHEET%20for%20PART%20232%20Final%20.pdf">http://www.tcata.org/files/FACT%20SHEET%20for%20PART%20232%20Final%20.pdf</a>	NYC factsheet for perc machine standards		X		X		X		X	



Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.tcata.org/i4a/calendar/index.cfm?theyear=2018&amp;themonth=06">http://www.tcata.org/i4a/calendar/index.cfm?theyear=2018&amp;themonth=06</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3379">http://www.tcata.org/i4a/pages/index.cfm?pageid=3379</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3279">http://www.tcata.org/i4a/pages/index.cfm?pageid=3279</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3818">http://www.tcata.org/i4a/pages/index.cfm?pageid=3818</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3346">http://www.tcata.org/i4a/pages/index.cfm?pageid=3346</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3511">http://www.tcata.org/i4a/pages/index.cfm?pageid=3511</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3711">http://www.tcata.org/i4a/pages/index.cfm?pageid=3711</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3769">http://www.tcata.org/i4a/pages/index.cfm?pageid=3769</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3732">http://www.tcata.org/i4a/pages/index.cfm?pageid=3732</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3811">http://www.tcata.org/i4a/pages/index.cfm?pageid=3811</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3700">http://www.tcata.org/i4a/pages/index.cfm?pageid=3700</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3736">http://www.tcata.org/i4a/pages/index.cfm?pageid=3736</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3807">http://www.tcata.org/i4a/pages/index.cfm?pageid=3807</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3809">http://www.tcata.org/i4a/pages/index.cfm?pageid=3809</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3817">http://www.tcata.org/i4a/pages/index.cfm?pageid=3817</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3803">http://www.tcata.org/i4a/pages/index.cfm?pageid=3803</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3812">http://www.tcata.org/i4a/pages/index.cfm?pageid=3812</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3804">http://www.tcata.org/i4a/pages/index.cfm?pageid=3804</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3738">http://www.tcata.org/i4a/pages/index.cfm?pageid=3738</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3810">http://www.tcata.org/i4a/pages/index.cfm?pageid=3810</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3813">http://www.tcata.org/i4a/pages/index.cfm?pageid=3813</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/">http://www.tcata.org/</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3805">http://www.tcata.org/i4a/pages/index.cfm?pageid=3805</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3770">http://www.tcata.org/i4a/pages/index.cfm?pageid=3770</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3768">http://www.tcata.org/i4a/pages/index.cfm?pageid=3768</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3772">http://www.tcata.org/i4a/pages/index.cfm?pageid=3772</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3775">http://www.tcata.org/i4a/pages/index.cfm?pageid=3775</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3380">http://www.tcata.org/i4a/pages/index.cfm?pageid=3380</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3345">http://www.tcata.org/i4a/pages/index.cfm?pageid=3345</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3431">http://www.tcata.org/i4a/pages/index.cfm?pageid=3431</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3278">http://www.tcata.org/i4a/pages/index.cfm?pageid=3278</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3773">http://www.tcata.org/i4a/pages/index.cfm?pageid=3773</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/m/pages.cfm?pageid=3539">http://www.tcata.org/m/pages.cfm?pageid=3539</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3371">http://www.tcata.org/i4a/pages/index.cfm?pageid=3371</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3776">http://www.tcata.org/i4a/pages/index.cfm?pageid=3776</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3789">http://www.tcata.org/i4a/pages/index.cfm?pageid=3789</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3816">http://www.tcata.org/i4a/pages/index.cfm?pageid=3816</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3779">http://www.tcata.org/i4a/pages/index.cfm?pageid=3779</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3400">http://www.tcata.org/i4a/pages/index.cfm?pageid=3400</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3659">http://www.tcata.org/i4a/pages/index.cfm?pageid=3659</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3370">http://www.tcata.org/i4a/pages/index.cfm?pageid=3370</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3348">http://www.tcata.org/i4a/pages/index.cfm?pageid=3348</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3403">http://www.tcata.org/i4a/pages/index.cfm?pageid=3403</a>			X		X		X		X	
Trade Associations	<a href="https://www.tcata.org/m/pages.cfm?pageid=3780">https://www.tcata.org/m/pages.cfm?pageid=3780</a>			X		X		X		X	
Trade Associations	<a href="https://www.tcata.org/i4a/pages/index.cfm?pageid=3349">https://www.tcata.org/i4a/pages/index.cfm?pageid=3349</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3347">http://www.tcata.org/i4a/pages/index.cfm?pageid=3347</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3317">http://www.tcata.org/i4a/pages/index.cfm?pageid=3317</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3710">http://www.tcata.org/i4a/pages/index.cfm?pageid=3710</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3766">http://www.tcata.org/i4a/pages/index.cfm?pageid=3766</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3815">http://www.tcata.org/i4a/pages/index.cfm?pageid=3815</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3381">http://www.tcata.org/i4a/pages/index.cfm?pageid=3381</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3351">http://www.tcata.org/i4a/pages/index.cfm?pageid=3351</a>			X		X		X		X	
Trade Associations	<a href="https://www.tcata.org/i4a/ams/forgotlogin.cfm">https://www.tcata.org/i4a/ams/forgotlogin.cfm</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3755">http://www.tcata.org/i4a/pages/index.cfm?pageid=3755</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3780">http://www.tcata.org/i4a/pages/index.cfm?pageid=3780</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3808">http://www.tcata.org/i4a/pages/index.cfm?pageid=3808</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3814">http://www.tcata.org/i4a/pages/index.cfm?pageid=3814</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3731">http://www.tcata.org/i4a/pages/index.cfm?pageid=3731</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3326">http://www.tcata.org/i4a/pages/index.cfm?pageid=3326</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3771">http://www.tcata.org/i4a/pages/index.cfm?pageid=3771</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3367">http://www.tcata.org/i4a/pages/index.cfm?pageid=3367</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3665">http://www.tcata.org/i4a/pages/index.cfm?pageid=3665</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3308">http://www.tcata.org/i4a/pages/index.cfm?pageid=3308</a>			X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/nojavascript.cfm">http://www.tcata.org/i4a/nojavascript.cfm</a>	broken link		X		X		X		X	
Trade Associations	<a href="http://www.tcata.org/i4a/pages/index.cfm?pageid=3756">http://www.tcata.org/i4a/pages/index.cfm?pageid=3756</a>			X		X		X		X	
Trade Associations	<a href="https://www.trsa.org/news/cts-testing-toxins-syracuse-plant">https://www.trsa.org/news/cts-testing-toxins-syracuse-plant</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/sites/default/files/attachments/trsa_dsw_proposal_comments_october_20_2011.pdf">http://www.trsa.org/sites/default/files/attachments/trsa_dsw_proposal_comments_october_20_2011.pdf</a>	Comment on EPA Shop towel rule		X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/sites/default/files/uploads/documents/trsa-clean-green-restaurant.pdf">http://www.trsa.org/sites/default/files/uploads/documents/trsa-clean-green-restaurant.pdf</a>			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	<a href="http://www.trsa.org/trweekly/020507.htm">http://www.trsa.org/trweekly/020507.htm</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/trweekly/081610.htm">http://www.trsa.org/trweekly/081610.htm</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/trweekly/111609.htm">http://www.trsa.org/trweekly/111609.htm</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/news/cleanup-pending-former-temco-site?page=1">http://www.trsa.org/news/cleanup-pending-former-temco-site?page=1</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/trweekly/030810.htm">http://www.trsa.org/trweekly/030810.htm</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/trweekly/120406/Survey%20of%20Cred%20and%20Conf%20in%20Business%20and%20Engineering.pdf">http://www.trsa.org/trweekly/120406/Survey%20of%20Cred%20and%20Conf%20in%20Business%20and%20Engineering.pdf</a>			X		X		X		X	
Trade Associations	<a href="http://www.trsa.org/prmedia/shop-towels-webinar-highlights-new-rule?page=1">http://www.trsa.org/prmedia/shop-towels-webinar-highlights-new-rule?page=1</a>			X		X		X		X	
Trade Associations	<a href="http://www.vinylsiding.org">www.vinylsiding.org</a>			X		X		X		X	
Trade Associations	<a href="http://www.xpsa.com">www.xpsa.com</a>			X		X		X		X	
Other items from ERG search to support lifecycle diagrams	<a href="#">Book</a>	Handbook for Critical Cleaning, Cleaning Agents and Systems.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	<a href="#">Book</a>	Perchloroethylene. 2008, The Dow Chemical Company.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	<a href="#">Book</a>	Methods and Machinery. 2014, Oxford, UK: Elsevier.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	<a href="#">Book</a>	Technology Profile: Closed Loop Vapor Degreasing. 2001, Northeast	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	<a href="https://www.regulations.gov/document?D=EPA-HQ-OPPT-2014-0327-0006">https://www.regulations.gov/document?D=EPA-HQ-OPPT-2014-0327-0006</a>	Commercial Facilities: Protecting Workers [EPA Report]. 2014, U.S.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	<a href="https://www.epa.gov/pest-production/files/2016-05/documents/instructions_for_reporting_2016_tscq_cfr_13may2016.pdf">https://www.epa.gov/pest-production/files/2016-05/documents/instructions_for_reporting_2016_tscq_cfr_13may2016.pdf</a>	2016 TSCA Chemical Data Reporting. 2016.	X			X		X		X	
OPPT Hazard Characterizations	<a href="https://oaspub.epa.gov/oppt/hpv_hc_characterization.get_report_by_cas?doctype=2">https://oaspub.epa.gov/oppt/hpv_hc_characterization.get_report_by_cas?doctype=2</a>	OPPT Hazard Characterizations		X		X		X		X	
EHPV Program Submissions - Supporting Information	<a href="https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020">https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020</a>	EHPV Program Submissions - Supporting Information		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OPPT Risk-Based Prioritizations	<a href="https://iaspub.epa.gov/oppt/pv/existchem_hpv_prioritizations_report">https://iaspub.epa.gov/oppt/pv/existchem_hpv_prioritizations_report</a>	OPPT Risk-Based Prioritizations		X		X		X		X	
NIH LACTMED	<a href="https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm">https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm</a>	NIH LACTMED		X		X		X		X	